

# SPECIFIERS' CATALOGUE **2021**

EDITION FOR PROFESSIONALS



PRICES VALID FROM  
1ST JANUARY 2021  
[GROHE.CO.UK](http://GROHE.CO.UK)

# GROHE

## TABLE OF CONTENTS

---

Bath Taps	Single Lever Mixers	Allure Brilliant	26	
		Allure	35	
		Atrio	46	
		Grandera	62	
		Lineare	72	
		Eurocube Joy	81	
		Eurocube	87	
		GROHE Plus	98	
		Europlus	109	
		Essence	110	
		Eurodisc Joy	122	
		Eurodisc Cosmopolitan	125	
		Concetto	132	
		Eurostyle Cosmopolitan	141	
		Eurostyle	148	
		Eurosmart Cosmopolitan	158	
		Eurosmart	169	
		BauEdge	177	
		BauLoop	184	
		BauFlow	190	
		Two Handle fittings	Costa L	192
		Universal	Universal	196
Bath Sets	Talentofill	197		
Accessories	Selection	199		
	Selection Cube	204		
	Essentials	207		
	Essentials Cube	215		
	BauCosmopolitan	219		
	Essentials Authentic	222		
Thermostats	Grohtherm	Grohtherm SmartControl	241	
		Grohtherm 2 handle trim sets	253	
		Grohtherm 2000	259	

---

# GROHE

## TABLE OF CONTENTS

		Grohtherm Cube	265
		Grohtherm 1000 Cosmopolitan 3/4"	269
		Grohtherm 1000	270
		Grohtherm 1000 Performance	273
		Grohtherm 800 Cosmopolitan	276
		Grohtherm 800	279
<hr/>			
Concealed Solutions		GROHE Rapido SmartBox	292
		GROHE Rapido	294
		GROHE Rapido C / stop valves	295
<hr/>			
Showers	GROHE Digital	F-digital Deluxe	310
		F-digital Controllers	317
	Shower Systems	Rainshower System SmartControl	318
		Rainshower SmartActive System	324
		Rainshower System	328
		Euphoria SmartControl System	331
		Euphoria Shower System	333
		Tempesta System	347
		Shower System Accessories	353
	Head Showers	Head Showers	355
	Showers	Sena	384
		Rainshower SmartActive	386
		Rainshower	393
		Relaxa	398
		Euphoria	401
		Tempesta	412
		Sena Trigger Sprays	428
		Tempesta-F Trigger Sprays	429
		Trigger Sprays	431
Shower Hoses		432	
Shower Accessories	436		
<hr/>			
Kitchen Fittings	Water Systems	GROHE Blue Professional	471
		GROHE Blue Home	477

# GROHE TABLE OF CONTENTS

---

		GROHE Blue Pure	486
		GROHE Blue Accessories	488
		GROHE Red	492
		Waste separation systems	496
	Premium Lines	K7	498
		Foot Control	499
		Minta / Minta SmartControl / Minta Touch	500
		Zedra / Zedra SmartControl / Zedra Touch	505
		Atrio	507
		Essence	508
		Eurocube	510
	Competence Lines	Ambi	511
		Parkfield	512
		Eurodisc Cosmopolitan	513
		Eurodisc	514
		Concetto	515
		Eurostyle Cosmopolitan	518
		Eurosmart Cosmopolitan	521
		Eurosmart	524
		Euroeco / Euroeco Special	527
		Costa	528
		Bau Lines	530
		Soap dispensers	533
	Kitchen sinks	Stainless steel sinks	534
		Composite sinks	543
Commercial fittings	Electronic Fittings	Eurocube E	558
		Essence E	561
		Bluetooth monitoring	564
		Europlus E	573
		Eurosmart Cosmopolitan E	575
		Euroeco Cosmopolitan E	584
		Bau Cosmopolitan E	588

# GROHE

## TABLE OF CONTENTS

	Special Thermostats	Grohtherm Micro	590
		Grohtherm Special	591
		Grohtherm XL	595
	Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	596
		Commercial Showers	597
		Euroeco Special	600
		Hospita	605
		Euroeco Single Sequential	606
	Self-closing Fittings	Eurodisc SE	608
		Eurosmart Cosmopolitan T	609
		Euroeco Cosmopolitan T	610
Shower Toilet		GROHE Sensia Arena	618
		Manual bidet seat	621
Ceramics		Essence	630
		Cube Ceramic	638
		Euro Ceramic	642
		Bau Ceramic	648
		Acrylic shower trays	656
Installation Systems	Rapid SLX	Rapid SLX	660
	Rapid SL	Rapid SL for WC	662
		Rapid SL for Urinal	673
		Rapid SL for Wash Basin and Bidet	675
		Rapid SL for the Disabled	678
		Rapid SL Fitting Supports	680
		Rapid SL Accessories	681
Flushing Systems	WC	Flushing Cisterns	686
		Accessories for Flushing Cisterns	689
		WC Flush Valves	695
		Electronic Actuators for WC	697
	Urinal	Electronic Actuators for Urinal	701
		Urinal Flush Valves	706
Actuations	WC	Flush Plates for WC	710

# GROHE

## TABLE OF CONTENTS

---

	GROHE Fresh	718
	Flush Plates for WC Flush Valves	719
Urinal	Flush Plates for Urinal	720
Connection and Security Technology	Angle Valves	724
	WAS valves	728
	Safety Systems	729
Spare Parts and Accessories	Cartridges	732
	Thermo elements and thermostatic cartridges	734
	Aquadimmer	737
	Head parts	738
	Spare parts for two-handle faucets	741
	Extension sets	742
	Unions	743
	Outlets and spouts	744
	Flow straighteners	745
	Waste sets and traps	747
	Connections and non-return valves	750
	Spare parts for electronics	751
	Diverter	752
	Hoses	753
	Spare parts for kitchen faucets	754
	Spare parts for showers	755
	Miscellaneous	757
	Special tools	758
	Cleaning and care	759
	Spare parts for sanitary systems	760
	Spare parts for shower toilet	762
	Spare parts for Ceramics	763
Survey of contents		764
LIXIL makes better homes a reality for everyone, everywhere		790

---

# PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









## QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –  
Wirtschaftswoche, 2017*



## TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –  
Fortune Magazine, 2017*



## DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

*Over 400 design awards won since 2003*



## SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

*CSR Award winner of the German Government, 2017*

# IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

## GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

## FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

## GRAVITY FED (LOW PRESSURE) SYSTEMS

### Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

### How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

### BOOSTED GRAVITY FED WATER SYSTEM

**Your home has:**

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

**How does it work?**

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

### MAINS HIGH PRESSURE WATER SYSTEM

**Your home has:**

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

### COMBINATION BOILER WATER SYSTEM

**Your home has:**

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

# GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

## THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



## THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



# GROHE HELPDESK YOUR RELIABLE CONTACT



## **We'd love to help you – offering a friendly and helpful service**

No matter what issues or questions you may have, you can find the right contact person for you.

### **Order management**

(Ordering and Delivery Service)

**Tel. 0208 283 2840**

**orders-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

### **Customer Service**

(Warranty, Technical, General Enquiries)

**Tel. 0208 283 2840**

**info-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

### **Projects**

(Quotations, Architects, Developers)

**Tel. 0208 283 2840**

**projects-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.  
We reserve the right to make changes to specifications, dimensions and design.

# CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit [www.grohe.co.uk](http://www.grohe.co.uk) for our up-to-date listing.





SPECIFIERS'  
CATALOGUE  
**2021**  
EDITION FOR PROFESSIONALS



GROHE  
**BATH FITTINGS**





## CONTENTS

Single Lever Mixers	Allure Brilliant	26
	Allure	35
	Atrio	46
	Grandera	62
	Lineare	72
	Eurocube Joy	81
	Eurocube	87
	GROHE Plus	98
	Europlus	109
	Essence	110
	Eurodisc Joy	122
	Eurodisc Cosmopolitan	125
	Concetto	132
	Eurostyle Cosmopolitan	141
	Eurostyle	148
	Eurosmart Cosmopolitan	158
	Eurosmart	169
	BauEdge	177
	BauLoop	184
	BauFlow	190
Two Handle fittings	Costa L	192
	Universal	196
Bath Sets	Talentofill	197
Accessories	Selection	199
	Selection Cube	204
	Essentials	207
	Essentials Cube	215
	BauCosmopolitan	219
Essentials Authentic	222	

# GROHE PLUS

## ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



**23 959 003**  
L-Size  
Basin mixer  
with LED water temperature display  
and two sprays  
with smooth body  
with push-open waste set

# DESIGN OPTIONS FOR EVERY CONCEPT

## THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

### 23 871 DC3

Basin mixer M-Size with pop-up waste set



### 32 612 003

Basin mixer S-Size with pop-up waste set



### 33 547 003 + 40 954 000

Shower mixer with shower set + tray

# CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.


















GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.



# GROHE COLOURS

PRODUCT RANGE	COLOUR OPTIONS										
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE	
GRANDERA											
ALLURE BRILLIANT											
ATRIO											
ESSENCE											
EUROCUBE											
LINEARE											
GROHE PLUS											

# GROHE BATHROOM COMBINATIONS


		THERMOSTATS									SHOWER SYSTEMS					HEAD SHOWERS							
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			•		•							•	•	•	•			•	•		•		
ALLURE			•			•						•	•	•				•	•		•		
ATRIO		•	•			•						•	•	•				•	•	•	•		
GRANDERA												•	•					•	•		•		
LINEARE			•	•		•						•	•	•		•			•	•	•	•	
EUROCUBE			•	•	•									•	•				•		•		
GROHE PLUS			•	•		•						•	•	•		•			•	•	•	•	
ESSENCE			•	•		•						•	•	•					•		•		
EURODISC COSMOPOLITAN			•	•			•					•		•		•					•	•	
CONCETTO				•				•		•						•					•		
EUROSTYLE COSMOPOLITAN				•				•		•						•						•	
EUROSTYLE				•				•	•							•						•	
EUROSMART COSMOPOLITAN				•				•		•						•							•
EUROSMART				•				•	•							•							•
BAUEDGE										•						•							•
BAULOOP										•						•							•
BAUFLOW										•						•							•

HAND SHOWERS							CERAMIC				ACCESSORIES					ACTUATIONS			
DESIGN HAND SHOWERS	SENA	RAINSHOWER SMARTACTIVE	POWER & SOUL	EUPHORIA CUBE	EUPHORIA	TEMPESTA	CUBE CERAMIC	ESSENCE	EURO CERMAIC	BAU CERAMIC	DESIGN ACCESSORIES	SELECTION CUBE	ESSENTIALS CUBE	ESSENTIALS	BAU COSMOPOLITAN	SKATE COSMOPOLITAN	NOVA COSMOPOLITAN	ARENA COSMOPOLITAN	SKATE AIR
•				•			•				•	•	•			•			
•	•						•				•	•				•			
	•							•			•						•		
•											•								
	•	•	•		•		•	•				•		•			•		
				•			•					•	•			•			
	•			•			•	•					•	•		•	•	•	
		•	•		•			•					•				•		
		•	•		•								•				•		
					•				•				•				•		•
						•			•				•					•	
									•				•					•	
										•				•					•
														•					•
														•					•
						•								•					•



# GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 029 000	Chrome	4005176898709	574.26
23 029 DC0	supersteel	4005176489471	744.00
23 029 AL0	Brushed Hard Graphite	4005176353154	932.84

**Allure Brilliant**  
Basin mixer 1/2"  
M-Size  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses

23 033 000	Chrome	4005176898716	574.26
23 033 DC0	supersteel	4005176489488	744.00
23 033 AL0	Brushed Hard Graphite	4005176489648	850.00

Ditto, smooth body




23 109 000	Chrome	4005176898754	720.94
23 109 DC0	supersteel	4005176489860	925.00
23 109 AL0	Brushed Hard Graphite	4005176353161	1,070.00

**Allure Brilliant**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses


23 112 000	Chrome	4005176898778	720.94
23 112 AL0	Brushed Hard Graphite	4005176489785	1,057.00

Ditto, smooth body



23 114 000	Chrome	4005176898792	872.71
23 114 DC0	supersteel	4005176489914	1,146.00
23 114 AL0	Brushed Hard Graphite	4005176353178	1,310.00

**Allure Brilliant**  
Basin mixer 1/2"  
XL-Size  
monobloc installation  
**for free-standing basins**  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
smooth body  
flexible connection hoses




29 086 000		4005176935497	231.18
------------	--	---------------	--------

**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug


# GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------





20 344 000	Chrome	4005176898884	828.48
20 344 DC0	supersteel	4005176489815	1,086.00
20 344 AL0	Brushed Hard Graphite	4005176353185	1,361.43

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 spout with integrated mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves



20 342 000	Chrome	4005176898860	709.68
20 342 DC0	supersteel	4005176490071	910.00
20 342 AL0	Brushed Hard Graphite	4005176490064	1,040.00

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 ceramic headparts 1/2", 90°  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 low spout with integrated mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves




20 346 000	Chrome	4005176898907	732.22
20 346 DC0	supersteel	4005176490217	945.00
20 346 AL0	Brushed Hard Graphite	4005176490200	1,080.00

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 wall mounted  
**without concealed body**  
 set for final installation for  
 29 025 002  
 valves hot/cold  
 with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 spout with integrated mousseur  
 projection 161 mm

20 348 000	Chrome	4005176898921	777.36
20 348 DC0	supersteel	4005176490309	1,005.00
20 348 AL0	Brushed Hard Graphite	4005176490293	1,149.00







**Ditto, projection 210 mm**



29 025 002		4005176519895	229.00
------------	--	---------------	--------

**Two-handle basin mixer**  
**concealed body, 1/2"**  
 for 3-hole basin mixer  
 wall installation  
**without finishing trim set**  
 DR-brass  
 installation device  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve


# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 781 000	Chrome	4005176898822	684.68
	19 781 DC0	supersteel	4005176490392	905.00
	19 781 AL0	Brushed Hard Graphite	4005176490385	1,034.00
	<b>Allure Brilliant</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm			
	19 783 000	Chrome	4005176898846	743.52
	19 783 DC0	supersteel	4005176490484	965.00
	19 783 AL0	Brushed Hard Graphite	4005176490477	1,103.00
	Ditto, projection 210 mm			
	23 200 000		4005176908354	235.81
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
	23 200 002		4005176519901	220.00
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	23 117 000	Chrome	4005176898938	640.44
	23 117 DC0	supersteel	4005176490576	845.00
	23 117 AL0	Brushed Hard Graphite	4005176490569	965.00
	<b>Allure Brilliant</b> <b>Bidet mixer 1/2"</b> <b>M-Size</b> 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
				

# GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


24 071 000	Chrome	4005176465901	364.36
24 071 DC0	supersteel	4005176465918	470.00
24 071 AL0	Brushed Hard Graphite	4005176465925	537.00



**Allure Brilliant**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			


24 072 000	Chrome	4005176465932	401.01
24 072 DC0	supersteel	4005176465949	517.00
24 072 AL0	Brushed Hard Graphite	4005176465956	590.00



**Allure Brilliant**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			


24 099 000	Chrome	4005176480744	425.07
24 099 DC0	supersteel	4005176480751	592.89
24 099 AL0	Brushed Hard Graphite	4005176480768	677.61



**Allure Brilliant**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**











35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

19 787 001	Chrome	4005176429057	1,563.17
19 787 DC1	supersteel	4005176489570	1,990.00
19 787 AL1	Brushed Hard Graphite	4005176489563	2,275.00









**Allure Brilliant**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 bath spout with integrated mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube+ 6.5 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000







# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 037 000		4005176865749	777.34
	<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b>            base frame            drainage box with integrated outlet for splash water            caps to cover screw fixations always come in chrome color</p>			
	23 119 001	Chrome	4005176428883	2,412.00
	<p><b>Allure Brilliant Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for 45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with integrated mousseur            hand shower Euphoria Cube+ 6.5 l/min            Silverflex shower hose 1250 mm            projection 270 mm            integrated non-return valve in the shower outlet 1/2"            with shower holder            protected against backflow</p>			
	23 119 000	Chrome	4005176899027	2,593.81
	23 119 DC0	supersteel	4005176489679	3,353.00
	23 119 AL0	Brushed Hard Graphite	4005176353208	4,185.12
	<p><b>Allure Brilliant Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for 45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with integrated mousseur            projection 270 mm            integrated non-return valve in the shower outlet 1/2"            with shower holder            hand shower Euphoria Cube+            metal shower hose 1250 mm            protected against backflow</p>			
	45 984 001		4005176992056	359.91
	<p><b>Rough-in set 1/2"</b>            for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm            installation depth 65-157 mm for shower mixers, depth compensation 92 mm            two 1/2" female connections (hot/cold supplies)            flushing plug            Can take a single mixed supply            fixing material</p>			
	29 086 000		4005176935497	231.18
	<p><b>Rough-in set 1/2"</b>            for floor-mounted tub spouts and mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 47-151 mm            depth compensation 104 mm            two 1/2" female connections (hot/cold supplies)            flushing plug</p>			


# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	13 319 000	Chrome	4005176912627	754.78	
	13 319 DC0	supersteel	4005176490651	968.00	
	13 319 AL0	Brushed Hard Graphite	4005176353284	1,106.00	
	<b>Allure Brilliant</b> <b>Cascade spout for bath and shower</b> wall mounted <b>GROHE StarLight</b> chrome finish projection 180 mm				
	13 299 000	Chrome	4005176899003	326.03	
	13 299 DC0	supersteel	4005176490712	419.00	
	13 299 AL0	Brushed Hard Graphite	4005176490705	478.00	
	<b>Allure Brilliant</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish projection 161 mm spout with integrated mousseur				
	19 798 000	Chrome	4005176899157	264.35	
	19 798 DC0	supersteel	4005176489969	342.00	
	19 798 AL0	Brushed Hard Graphite	4005176353079	359.00	
	<b>Allure Brilliant</b> <b>5-way diverter</b> set for final installation for <b>29 033 000</b> without concealed body <b>GROHE StarLight</b> chrome finish installation depth adjustable 66 - 113 mm				
	29 033 000		4005176845338	253.30	
	<b>5-way diverter</b> concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass				
		19 796 000	Chrome	4005176899133	190.68
		19 796 DC0	supersteel	4005176490019	246.00
19 796 AL0		Brushed Hard Graphite	4005176353062	258.00	
<b>Allure Brilliant</b> <b>Concealed stop-valve trim</b> set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 <b>GROHE StarLight</b> chrome finish installation depth adjustable 43 - 91 mm					
	29 032 000		4005176845277	32.08	
	<b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass				

# GROHE ALLURE BRILLIANT







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 054 000	Chrome	4005176937088	548.37
	<b>Rainshower Allure 230</b> <b>Head shower set 286 mm, 1 spray</b> Rainshower Allure 230 metal head shower (27 479) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 707 000	Chrome	4005176908446	44.66
	27 707 DC0	supersteel	4005176490897	67.28
	27 707 AL0	Brushed Hard Graphite	4005176490880	81.77
	<b>Allure Brilliant</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow material: metal <b>GROHE StarLight</b> chrome finish			
 	27 706 000	Chrome	4005176908439	33.20
	27 706 DC0	supersteel	4005176490899	42.44
	27 706 AL0	Brushed Hard Graphite	4005176490972	51.75
	<b>Allure Brilliant</b> <b>Wall hand Shower holder</b> non-adjustable material: metal <b>GROHE StarLight</b> chrome finish			

# GROHE ALLURE BRILLIANT









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 494 000	Chrome	4005176899263	308.15
<p><b>Allure Brilliant</b>  <b>Holder with soap dispenser</b>                      material: glass / metal                      filling quantity 150 ml                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 493 000	Chrome	4005176899256	205.15
<p><b>Allure Brilliant</b>  <b>Holder with tumbler</b>                      material: glass / metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 503 000	Chrome	4005176900068	239.48
<p><b>Allure Brilliant</b>  <b>Shelf with tumbler</b>                      material: glass / metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 504 000	Chrome	4005176900075	248.05
<p><b>Allure Brilliant</b>  <b>Shelf with soap dish</b>  <b>GROHE StarLight</b> chrome finish</p>				
 	40 496 000	Chrome	4005176899287	167.36
<p><b>Allure Brilliant</b>  <b>Towel bar</b>                      2 arms, not pivotable                      length 431 mm                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 497 000	Chrome	4005176899294	187.98
<p><b>Allure Brilliant</b>  <b>Towel rail</b>                      650 mm (drilling length 600 mm)                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				













# GROHE ALLURE BRILLIANT











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 498 000	Chrome	4005176899300	80.68
	<b>Allure Brilliant</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 499 000	Chrome	4005176899317	163.08
	<b>Allure Brilliant</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 500 000	Chrome	4005176899324	265.23
	<b>Allure Brilliant</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			









# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 757 000	Chrome	4005176870897	405.04
	<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 146 000	Chrome	4005176821622	517.86
	<p><b>Allure</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 760 000	Chrome	4005176870927	673.62
	<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      projection 104 mm</p>			
	23 403 000	Chrome	4005176941627	687.11
	<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      projection 180 mm                      flexible connection hoses                      temperature limiter</p>			





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 249 000	Chrome	4005176832383	717.87
<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      for free-standing basins                      28 mm ceramic cartridge                      with GROHE SilkMove  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	20 143 000	Chrome	4005176832581	641.97
<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      with metal plate  <b>GROHE StarLight</b> chrome finish                      ceramic headpart 1/2", 180°                      flow limiter 8 l/min.                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves</p>				
 	20 188 000	Chrome	4005176875724	641.97
<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish                      flow limiter 8 l/min.                      spout with mousseur                      pressure-proof, flexible connection hoses                      between spout and side valves                      pop-up waste set 1 1/4"</p>				
 	20 190 000	Chrome	4005176875748	562.99
<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      wall mounted, <b>without concealed body</b>                      set for final installation for                      32 706 000                      with metal plate                      valves hot/cold with Carbodur ceramic                      headparts 1/2" - 180°  <b>GROHE StarLight</b> chrome finish                      flow limiter 8 l/min.                      spout with mousseur                      centre distance 200 mm                      projection 172 mm</p>				
	20 192 000	Chrome	4005176875991	608.11
<p><b>Ditto</b>, projection 220 mm</p>				
 	32 706 000		4005176855092	247.06
<p><b>Two-handle basin mixer</b>  <b>concealed body, 1/2"</b>                      for 3-hole basin mixer                      wall installation  <b>without finishing trim set</b></p>				

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 189 000	Chrome	4005176875731	574.25
	<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      wall mounted, <b>without concealed body</b>                      set for final installation for 29 025 002                      with lever handles                      with metal plate                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish                      flow limiter 8 l/min.                      spout with mousseur                      projection 172 mm</p> 			
	20 193 000	Chrome	4005176876004	608.11
	<p><b>20 193 000</b> Chrome  <b>Ditto, projection 220 mm</b></p>			
	29 025 002		4005176519895	229.00
	<p><b>Two-handle basin mixer</b>  <b>concealed body, 1/2"</b>                      for 3-hole basin mixer                      wall installation  <b>without finishing trim set</b>                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p> 			
	19 309 000	Chrome	4005176820656	574.25
	<p><b>Allure</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>                      wall mounted  <b>without concealed body</b>                      set for final installation for 33 769 000                      with metal plate  <b>GROHE StarLight</b> chrome finish                      flow limiter 8 l/min.                      spout with mousseur                      centre distance 110 mm                      projection 172 mm</p> 			
	19 386 000	Chrome	4005176876011	619.40
	<p><b>19 386 000</b> Chrome  <b>Ditto, projection 220 mm</b></p>			
	33 769 000		4005176819605	247.09
	<p><b>Single-lever mixer 1/2"</b>, concealed body                      for 2 hole basin mixer                      wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter</p> 			
	32 147 000	Chrome	4005176821653	405.04
	<p><b>Allure</b>  <b>Bidet mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      rapid installation system                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p> 			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 846 000	Chrome	4005176882432	701.60
<p><b>Allure</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      GROHE FastFixation system                      adjustable flow rate limiter                      shower front outlet 1/2"                      with integrated non return-valve                      flat wall installation with covered unions                      protected against backflow</p>				
 	32 826 000	Chrome	4005176882425	856.33
<p><b>Allure</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      GROHE FastFixation system                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      flat wall installation with covered unions                      protected against backflow</p>				
 	24 069 000	Chrome	4005176465888	342.81
<p><b>Allure</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
			4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 070 000	Chrome	4005176465895	376.97
<p><b>Allure</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
			4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 706 000	Chrome	4005176413797	1,418.43
	<p><b>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube</b>            Consisting of:            concealed thermostat with 3 valves            Grotherm SmartControl set for final installation (29 126 000)            GROHE Rapido SmartBox 35 600            Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)            hand shower Euphoria Cube Stick (27 698 000)            Euphoria Cube wall union with integrated shower holder (26 370 000)            Silverflex shower hose 1.500 mm (28 364)</p>			
	34 742 000	Chrome	4005176484094	1,338.34
	<p><b>Grotherm SmartControl Perfect shower set</b>            Consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 125 000)            GROHE Rapido SmartBox 35 600            Rainshower F-Series 10" head shower set (26 070 000) including horizontal shower arm 286 mm            hand shower Power&amp;Soul Cosmopolitan 115 (27 661 000)            Silverflex shower hose 1250 mm (28 362)</p>			
	19 316 000	Chrome	4005176821783	1,296.35
	<p><b>Allure 3-hole single-lever bath combination trim set for 33 339 000 without baseframe</b>            single lever mixer operating element            bath inlet with automatic diverter bath/shower            hand shower (28 034 000)            metal shower hose 2000 mm</p>			
	33 339 000		4005176222818	799.93
	<p><b>3-hole single-lever bath combination baseframe for installation under tiled surround without finishing trim set</b>            mounting plate and base frame            46 mm cartridge with GROHE SilkMove and spout fixing pre-assembled            flexible connection hoses            connection for shower hose            drainage box with integrated outlet for splash water            this part should be easy to access            protected against backflow</p>			


# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 754 002	Chrome	4005176428876	2,300.49
------------	--------	---------------	----------

**Allure**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 swivel spout with mousseur  
 and stop limiter  
 projection 300 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 Sena hand shower 6.6 l/min  
 protected against backflow




45 984 001		4005176992056	359.91
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material




29 086 000		4005176935497	231.18
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted tub spouts and mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 47-151 mm  
 depth compensation 104 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug



13 317 000	Chrome	4005176912603	754.78
------------	--------	---------------	--------











**Allure**  
**Cascade spout for bath and shower**  
 wall mounted  
**GROHE StarLight** chrome finish  
 projection 180 mm



13 264 000	Chrome	4005176882449	235.80
------------	--------	---------------	--------








**Allure**  
**Bath spout 3/4"**  
 wall mounted  
**GROHE StarLight** chrome finish  
 projection 172 mm  
 mousseur

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 590 000	Chrome	4005176890529	197.97
<p><b>Allure</b>  <b>5-way diverter</b>                      set for final installation for  <b>29 033 000</b>                      without concealed body                      bayonet union escutcheon                      installation depth adjustable                      66 - 113 mm                      only for use with concealed body  <b>GROHE StarLight</b> chrome finish</p>				
 	29 033 000		4005176845338	253.30
<p><b>5-way diverter</b>                      concealed body                      wall installation                      with ceramic sealing disks                      connection cold and hot 1/2"                      2 outlets 1/2"                      1 bath outlet 3/4"                      installation depth adjustable                      66 - 113 mm                      DR-brass</p>				
 	19 334 000	Chrome	4005176823800	142.69
<p><b>Allure</b>  <b>Concealed stop-valve trim</b>                      set for final installation for                      35 028 000                      for concealed valves, 1/2", 3/4"                      installation depth adjustable                      20-80 mm                      escutcheon with screwable wall sealing                      without concealed body  <b>GROHE StarLight</b> chrome finish</p>				
 	35 028 000		4005176908316	134.24
<p><b>GROHE Rapido C</b>  <b>Rough-in for single volume control</b>                      for grid installation of Grohtherm Custom Shower system                      built-in box with removable protection cover                      waterproof membrane base for wall sealing                      for masonry and drywall installation                      fixing points for front and back wall                      body of DR brass                      pre-assembled ceramic headpart 3/4"                      connection threads 1/2"                      installation depth 70 - 95 mm</p>				
 	29 800 000		4005176504839	30.43
<p><b>Concealed stop-valve, 1/2"</b>                      pre-assembled headpart 1/2"                      short spindle                      protection sleeve                      threaded union 1/2"                      DR-brass</p>				
	29 802 000		4005176504853	51.42
<p><b>ditto, 3/4"</b>, pre-assembled headpart 3/4", thread union 3/4"</p>				
	29 805 000		4005176504884	86.36
<p><b>ditto, 1"</b>, pre-assembled headpart 1", thread union 1"</p>				








# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>29 801 000</b>		4005176504846	25.08
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	<b>29 804 000</b>		4005176504877	39.88
	<b>ditto, soldered connection Ø 22 mm</b>			
	<b>29 811 000</b>		4005176062711	51.42
	<b>Concealed stop valve 1/2"</b> preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	<b>19 384 000</b>	<b>Chrome</b>	4005176875755	142.69
	<b>Allure</b> <b>Concealed stop-valve trim</b> with lever handle set for final installation for <b>29 032 000</b> 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon <b>without concealed body</b> <b>GROHE StarLight</b> chrome finish			
	<b>35 028 000</b>		4005176908316	134.24
	<b>GROHE Rapido C rough-in box for single volume control</b>			
	<b>29 032 000</b>		4005176845277	32.08
	<b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
	<b>27 469 000</b>	<b>Chrome</b>	4005176882593	1,155.14
	<b>Rainshower F-Series System 254</b> <b>Shower system with thermostat for wall mounting</b> horizontal swivable 450 mm projection shower arm <b>exposed thermostatic shower</b> with Aquadimmer function allows change between: head shower Rainshower F-Series 254 (27 285 000) material: metal with ball joint, rotation angle ± 20° hand shower Sena (28 341 000) adjustable height via gliding element (12 140 000) metal shower hose 1750 mm <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE TurboStat</b> <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect flow <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 070 000	Chrome	4005176937248	479.69
<p><b>Rainshower F-Series 10" 254 x 254</b>  <b>Head shower set 275 mm, 1 spray</b>                      Consisting of:                      head shower Rainshower F-Series 254 (27 285 000)                      material: metal                      Rain                      Shower arm Rainshower 275 mm (27 488 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
<p>26 060 000      Chrome      4005176937149      479.69                      ditto, with non-restricted flow</p>				
 	26 071 000	Chrome	4005176937255	479.69
<p><b>Rainshower F-Series 10"</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>                      Consisting of:                      head shower Rainshower F-Series 254 (27 285 000)                      material: metal                      Rain                      Rainshower shower arm ceiling 142 mm (27 485 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
 	28 034 000	Chrome	4005176231810	147.68
<p><b>Sena Stick</b>  <b>Hand shower 1 spray</b>                      Normal spray                      material: metal  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	40 278 000	Chrome	4005176824081	78.96
<p><b>Allure</b>  <b>Glass/soap dish holder</b>                      for glass or soap dish                      without glass                      without soap dish  <b>GROHE StarLight</b> chrome finish</p>				
<p>40 254 000      Glass      4005176211065      26.60</p>				
 	40 278 000	Chrome	4005176824081	78.96
<p><b>Allure</b>  <b>Glass/soap dish holder</b>                      for glass or soap dish                      without glass                      without soap dish  <b>GROHE StarLight</b> chrome finish</p>				
<p>40 256 000      Glass Matt      4005176211089      37.76                      Soap dish</p>				

# GROHE ALLURE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 339 000	Chrome	4005176824111	107.28
	<b>Allure</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 342 000	Chrome	4005176824142	158.78
	<b>Allure</b> <b>Towel bar</b> 2 arms, not pivotable length 426 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 341 000	Chrome	4005176824135	158.78
	<b>Allure</b> <b>Towel rail</b> 640 mm (drilling length 600 mm) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 284 000	Chrome	4005176824104	43.34
	<b>Allure</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 279 000	Chrome	4005176824098	107.28
	<b>Allure</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


40 340 000	Chrome	4005176824128	171.66
------------	--------	---------------	--------

**Allure**  
**Toilet brush set**  
wall model  
**GROHE StarLight** chrome finish




# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 043 003	Chrome	4005176454479	316.05
32 043 DC3	supersteel	4005176454486	502.57
32 043 GL3	cool sunrise	4005176492211	496.74
32 043 AL3	Brushed Hard Graphite	4005176454691	574.40

**Atrio**  
**Basin mixer 1/2"**  
**M-Size**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 swivel tubular C-spout with mousseur  
 stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses




32 042 003	Chrome	4005176454448	364.57
32 042 DC3	supersteel	4005176454455	579.87
32 042 GL3	cool sunrise	4005176492143	566.10
32 042 DA3	warm sunset	4005176492167	566.11
32 042 AL3	Brushed Hard Graphite	4005176454462	662.71

**Atrio**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 swivel tubular C-spout with mousseur  
 stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses



32 647 003	Chrome	4005176454707	511.28
32 647 DC3	supersteel	4005176454714	811.86
32 647 GL3	cool sunrise	4005176492280	792.54
32 647 DA3	warm sunset	4005176492303	792.54
32 647 AL3	Brushed Hard Graphite	4005176454721	927.83

**Atrio**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 swivel tubular C-spout with mousseur  
 stop limiter  
 Push-open waste set 1 1/4"  
 flexible connection hoses




19 287 003	Chrome	4005176454738	364.57
19 287 DC3	supersteel	4005176454745	579.87
19 287 GL3	cool sunrise	4005176492358	566.10
19 287 DA3	warm sunset	4005176492372	566.10
19 287 AL3	Brushed Hard Graphite	4005176454752	662.71

**Atrio**  
**Two-hole basin mixer joystick**  
 wall mounted  
**without concealed body**  
 set for final installation for  
 23 429 000  
 GROHE FeatherControl Joystick cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 centre distance 110 mm  
 projection 185 mm

# GROHE ATRIO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 918 003	Chrome	4005176454769	413.11
	19 918 DC3	supersteel	4005176454776	657.20
	19 918 GL3	cool sunrise	4005176492426	641.58
	19 918 DA3	warm sunset	4005176492440	641.58
	19 918 AL3	Brushed Hard Graphite	4005176454783	751.09
	<p><b>Atrio</b>  <b>Two-hole basin mixer joystick</b>                      wall mounted                      without concealed body                      set for final installation for 23 429 000                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      centre distance 110 mm                      projection 221 mm</p>			
	23 429 000		4005176993695	235.80
	<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer                      without finishing trim set                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	32 108 003	Chrome	4005176454790	413.11
	32 108 DC3	supersteel	4005176454806	657.20
	32 108 GL3	cool sunrise	4005176492495	641.58
	32 108 DA3	warm sunset	4005176492518	641.58
	32 108 AL3	Brushed Hard Graphite	4005176454813	751.09
	<p><b>Atrio</b>  <b>Bidet mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      rapid installation system                      tubular C-spout with ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	32 650 003	Chrome	4005176454820	437.91
	32 650 DC3	supersteel	4005176454837	695.85
	32 650 GL3	cool sunrise	4005176492563	679.32
	32 650 DA3	warm sunset	4005176492587	679.32
	32 650 AL3	Brushed Hard Graphite	4005176454844	795.26
	<p><b>Atrio</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve                      covered S-unions                      protected against backflow</p>			

# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
32 652 003	Chrome	4005176454851	511.28
32 652 DC3	supersteel	4005176454868	811.86
32 652 GL3	cool sunrise	4005176492631	792.54
32 652 DA3	warm sunset	4005176492655	792.54
32 652 AL3	Brushed Hard Graphite	4005176454875	927.83


**Atrio**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 cast spout  
 mousseur  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 protected against backflow



24 065 003	Chrome	4005176465741	318.25
24 065 DC3	supersteel	4005176465758	443.66
24 065 GL3	cool sunrise	4005176564574	433.50
24 065 DA3	warm sunset	4005176564550	438.60
24 065 AL3	Brushed Hard Graphite	4005176465765	507.03

**Atrio**  
**Single-lever shower mixer trim**  
 set for final installation for  
**GROHE Rapido SmartBox** 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			




24 066 003	Chrome	4005176465772	349.22
24 066 DC3	supersteel	4005176465789	488.01
24 066 GL3	cool sunrise	4005176564642	477.36
24 066 DA3	warm sunset	4005176564628	482.46
24 066 AL3	Brushed Hard Graphite	4005176465796	557.72

**Atrio**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
**GROHE Rapido SmartBox** 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
24 096 003	Chrome	4005176480669	373.78
24 096 DC3	supersteel	4005176480676	521.81
24 096 GL3	cool sunrise	4005176564710	510.00
24 096 DA3	warm sunset	4005176564697	516.12
24 096 AL3	Brushed Hard Graphite	4005176480683	596.32

## Atrio

### Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

### 3-way diverter

flow performance:


outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox Universal rough-in box for concealed installation			



24 134 003	Chrome	4005176480959	600.98
24 134 DC3	supersteel	4005176480973	840.09
24 134 GL3	cool sunrise	4005176564369	821.00
24 134 DA3	warm sunset	4005176564345	506.00
24 134 AL3	Brushed Hard Graphite	4005176480997	960.09

## Atrio

### Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

( calibration required )

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set

35 600 000		4005176413469	132.18
GROHE Rapido SmartBox Universal rough-in box for concealed installation			



# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 135 003	Chrome	4005176480966	642.86
24 135 DC3	supersteel	4005176480980	898.59
24 135 GL3	cool sunrise	4005176564437	878.00
24 135 DA3	warm sunset	4005176564413	888.00
24 135 AL3	Brushed Hard Graphite	4005176481000	1,026.96



## Atrio

### Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

24 138 003	Chrome	4005176481017	642.86
24 138 DC3	supersteel	4005176481024	898.59
24 138 GL3	cool sunrise	4005176564505	878.00
24 138 DA3	warm sunset	4005176564482	888.00
24 138 AL3	Brushed Hard Graphite	4005176481031	1,026.96

## Atrio

### Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles


flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			




# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
32 653 003	Chrome	4005176454912	1,409.78
32 653 DC3	supersteel	4005176454929	2,242.25
32 653 GL3	cool sunrise	4005176492709	2,188.92
32 653 DA3	warm sunset	4005176492723	2,188.92
32 653 AL3	Brushed Hard Graphite	4005176454936	2,562.56

**Atrio**  
**Single-lever bath mixer, floor mounted**  
 set for final installation for 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with mousseur  
 projection 301 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 hand shower Sena Stick (26 465)  
 Silverflex shower hose 1250 mm  
 protected against backflow




45 984 001		4005176992056	359.91
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




20 021 003	Chrome	4005176455193	243.78
20 021 DC3	supersteel	4005176455209	386.62
20 021 GL3	cool sunrise	4005176493393	377.40
20 021 DA3	warm sunset	4005176493416	377.40
20 021 AL3	Brushed Hard Graphite	4005176455216	441.82

**Atrio**  
Pillar tap 1/2" XS-Size  
headpart 1/2" - 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
rapid installation system  
mousseur  
fixed spout  
flexible connection hoses  
with lever handle




21 022 003	Chrome	4005176454943	389.39
21 022 DC3	supersteel	4005176454950	618.55
21 022 GL3	cool sunrise	4005176492778	603.84
21 022 DA3	warm sunset	4005176492792	603.84
21 022 AL3	Brushed Hard Graphite	4005176454967	706.93

**Atrio**  
Basin mixer, 1/2"  
L-Size  
ceramic headparts 1/2", 90°  
GROHE EcoJoy 5.7 l/min laminar mousseur  
rapid installation system  
swivel tubular spout with mousseur and stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses  
with lever handles  
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



21 019 003	Chrome	4005176455223	389.39
21 019 DC3	supersteel	4005176455230	618.55
21 019 GL3	cool sunrise	4005176493461	603.84
21 019 DA3	warm sunset	4005176493485	603.84
21 019 AL3	Brushed Hard Graphite	4005176455247	706.93


**Atrio**  
Basin mixer, 1/2"  
L-Size  
ceramic headparts 1/2", 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
rapid installation system  
swivel tubular spout with mousseur and stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses  
with cross handles  
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.



21 044 003	Chrome	4005176455254	535.00
21 044 DC3	supersteel	4005176455261	850.52
21 044 GL3	cool sunrise	4005176493539	830.28
21 044 DA3	warm sunset	4005176493553	830.28
21 044 AL3	Brushed Hard Graphite	4005176455278	972.01


**Atrio**  
Basin mixer, 1/2"  
XL-Size  
for free-standing basins  
ceramic headparts 1/2", 90°  
GROHE StarLight chrome finish  
GROHE EcoJoy 5.7 l/min laminar mousseur  
rapid installation system  
swivel tubular spout with mousseur and stop limiter  
Push-open waste set 1 1/4"  
flexible connection hoses  
with cross handles  
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

# GROHE ATRIO




Ref. No.	Colour	EAN	Retail Guide Price (£)
20 009 003	Chrome	4005176454974	389.37
20 009 DC3	supersteel	4005176454981	773.19
20 009 GL3	cool sunrise	4005176492839	754.80
20 009 DA3	warm sunset	4005176492853	754.80
20 009 AL3	Brushed Hard Graphite	4005176454998	883.63

**Atrio**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 swivel tubular spout with mousseur and stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses between spout and side valves  
 with lever handles  
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




20 008 003	Chrome	4005176455285	486.45
20 008 DC3	supersteel	4005176455292	773.19
20 008 GL3	cool sunrise	4005176493607	754.80
20 008 DA3	warm sunset	4005176493621	754.80
20 008 AL3	Brushed Hard Graphite	4005176455308	883.63

**Atrio**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 swivel tubular spout with mousseur and stop limiter  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 with cross handles  
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



20 169 003	Chrome	4005176455001	413.11
20 169 DC3	supersteel	4005176455018	657.20
20 169 GL3	cool sunrise	4005176492907	641.58
20 169 DA3	warm sunset	4005176492921	641.58
20 169 AL3	Brushed Hard Graphite	4005176455025	751.09

**Atrio**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 wall mounted  
 set for final installation for 29 025 002  
**without concealed body**  
 valves hot/cold  
 with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 centre distance 200 mm  
 projection 180 mm  
 with lever handles  
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





20 164 003	Chrome	4005176455315	413.11
20 164 DC3	supersteel	4005176455322	657.20
20 164 GL3	cool sunrise	4005176493676	641.58
20 164 DA3	warm sunset	4005176493690	641.58
20 164 AL3	Brushed Hard Graphite	4005176455339	751.09

**Atrio**  
**3-hole basin mixer**  
 wall mounted  
 set for final installation for 29 025 002  
**without concealed body**  
 valves hot/cold  
 with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
 centre distance 200 mm  
 projection 180 mm  
 with cross handles  
 Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>29 025 002</b>		<b>4005176519895</b>	<b>229.00</b>
-------------------	--	----------------------	---------------

**Two-handle basin mixer concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve




<b>24 027 003</b>	<b>Chrome</b>	<b>4005176455346</b>	<b>413.11</b>
<b>24 027 DC3</b>	<b>supersteel</b>	<b>4005176455353</b>	<b>657.20</b>
<b>24 027 GL3</b>	<b>cool sunrise</b>	<b>4005176493744</b>	<b>641.58</b>
<b>24 027 DA3</b>	<b>warm sunset</b>	<b>4005176493768</b>	<b>641.58</b>
<b>24 027 AL3</b>	<b>Brushed Hard Graphite</b>	<b>4005176455360</b>	<b>751.09</b>

**Atrio Bidet mixer 1/2"**  
**M-Size**  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
rapid installation system  
ball-joint mousseur  
bow spout  
pop-up waste set 1 1/4"  
flexible connection hoses  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



<b>26 003 003</b>	<b>Chrome</b>	<b>4005176455377</b>	<b>437.91</b>
<b>26 003 DC3</b>	<b>supersteel</b>	<b>4005176455384</b>	<b>695.85</b>
<b>26 003 GL3</b>	<b>cool sunrise</b>	<b>4005176493812</b>	<b>679.32</b>
<b>26 003 DA3</b>	<b>warm sunset</b>	<b>4005176493836</b>	<b>679.32</b>
<b>26 003 AL3</b>	<b>Brushed Hard Graphite</b>	<b>4005176455391</b>	<b>795.27</b>









**Atrio Shower mixer 1/2"**  
wall mounted  
ceramic headparts 1/2", 90°  
shower outlet 1/2"  
integrated non-return valves in the shower outlet 1/2"  
covered S-unions  
protected against backflow  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



<b>25 010 003</b>	<b>Chrome</b>	<b>4005176455407</b>	<b>583.55</b>
<b>25 010 DC3</b>	<b>supersteel</b>	<b>4005176455414</b>	<b>927.83</b>
<b>25 010 GL3</b>	<b>cool sunrise</b>	<b>4005176493881</b>	<b>905.76</b>
<b>25 010 DA3</b>	<b>warm sunset</b>	<b>4005176493904</b>	<b>905.76</b>
<b>25 010 AL3</b>	<b>Brushed Hard Graphite</b>	<b>4005176455421</b>	<b>1,060.37</b>



**Atrio Bath / shower mixer 1/2"**  
wall mounted  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
tubular spout  
with stop restriction  
mousseur  
covered S-unions  
protected against backflow  
without shower set  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	25 044 003	Chrome	4005176455438	1,822.88
	25 044 DC3	supersteel	4005176455445	2,899.44
	25 044 GL3	cool sunrise	4005176493959	2,830.50
	25 044 DA3	warm sunset	4005176493973	2,830.50
	25 044 AL3	Brushed Hard Graphite	4005176455452	3,313.67
	<p><b>Atrio</b>  <b>Bath / shower mixer 1/2"</b>                      floor-mounted installation                      with high pillar unions (765 mm)                      set for final installation for 45 984 001                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      swivel tubular spout with mousseur and stop limiter                      projection 301 mm                      integrated non-return valve                      in the shower outlet 1/2"                      hand shower Sena Stick (26 465)                      with shower holder                      Silverflex shower hose 1250 mm (28 362)                      protected against backflow, with cross handles                      Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	45 984 001		4005176992056	359.91
		<p><b>Rough-in set 1/2"</b>                      for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>                      installation plate with 360° horizontal and 3° vertical adjustment                      installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm                      installation depth 65-157 mm for shower mixers, depth compensation 92 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug                      Can take a single mixed supply                      fixing material</p>		
	19 088 003	Chrome	4005176455162	110.01
	19 088 DC3	supersteel	4005176455179	142.36
	19 088 GL3	cool sunrise	4005176493324	132.60
	19 088 DA3	warm sunset	4005176493348	132.60
	19 088 AL3	Brushed Hard Graphite	4005176455186	153.16
	<p><b>Atrio</b>  <b>Concealed stop-valve trim</b>                      for concealed valve 35 028 000 or 29 032 000  <b>GROHE StarLight</b> chrome finish                      installation depth adjustable                      20-80 mm                      escutcheon with screwable wall sealing                      with lever handle</p>			
	19 069 003	Chrome	4005176455469	85.20
	19 069 DC3	supersteel	4005176455476	135.29
	19 069 GL3	cool sunrise	4005176494017	132.60
	19 069 DA3	warm sunset	4005176494031	132.60
	19 069 AL3	Brushed Hard Graphite	4005176455483	154.63
	<p><b>Atrio</b>  <b>Concealed stop-valve trim</b>                      for concealed valve 35 028 000 or 29 032 000  <b>GROHE StarLight</b> chrome finish                      installation depth adjustable                      20-80 mm                      escutcheon with screwable wall sealing                      with cross handle</p>			


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>35 028 000</b>		<b>4005176908316</b>	<b>134.24</b>
-------------------	--	----------------------	---------------

**GROHE Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 installation depth 70 - 95 mm




<b>29 032 000</b>		<b>4005176845277</b>	<b>32.08</b>
-------------------	--	----------------------	--------------

**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable  
 43 - 91 mm  
 DR-brass



<b>19 922 003</b>	<b>Chrome</b>	<b>4005176455568</b>	<b>1,245.22</b>
<b>19 922 DC3</b>	<b>supersteel</b>	<b>4005176455575</b>	<b>1,545.30</b>
<b>19 922 GL3</b>	<b>cool sunrise</b>	<b>4005176494673</b>	<b>1,698.30</b>
<b>19 922 DA3</b>	<b>warm sunset</b>	<b>4005176494697</b>	<b>1,698.30</b>
<b>19 922 AL3</b>	<b>Brushed Hard Graphite</b>	<b>4005176455582</b>	<b>1,811.52</b>

**Atrio**  
**5-hole bath/shower combination**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 Consisting of:  
 pre-assembled spout fixing  
 with lever handles  
 bath spout with mousseur and diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 002  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.




<b>19 923 003</b>	<b>Chrome</b>	<b>4005176455537</b>	<b>1,245.22</b>
<b>19 923 DC3</b>	<b>supersteel</b>	<b>4005176455544</b>	<b>1,739.65</b>
<b>19 923 GL3</b>	<b>cool sunrise</b>	<b>4005176494611</b>	<b>1,698.30</b>
<b>19 923 DA3</b>	<b>warm sunset</b>	<b>4005176494635</b>	<b>1,698.30</b>
<b>19 923 AL3</b>	<b>Brushed Hard Graphite</b>	<b>4005176455551</b>	<b>1,664.64</b>

**Atrio**  
**5-hole bath/shower combination**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 Consisting of:  
 pre-assembled spout fixing  
 with cross handles  
 bath spout with mousseur and diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 002  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.

# GROHE ATRIO


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 037 002		4005176519918	724.00
------------	--	---------------	--------

### 4/5-hole bath combination (optional) baseframe for installation under tiled surround


base frame  
drainage box with  
integrated outlet for splash water  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve  
caps to cover screw fixations always come in chrome color



13 139 003	Chrome	4005176455131	218.95
13 139 DC3	supersteel	4005176455148	347.91
13 139 GL3	cool sunrise	4005176493263	339.66
13 139 DA3	warm sunset	4005176493287	339.66
13 139 AL3	Brushed Hard Graphite	4005176455155	397.64

### Atrio

**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
projection 171 mm



29 118 000	Chrome	4005176412240	492.51
29 118 DC0	supersteel	4005176455032	606.00
29 118 GL0	cool sunrise	4005176492976	666.00
29 118 DA0	warm sunset	4005176492990	666.00
29 118 AL0	Brushed Hard Graphite	4005176455049	683.67

### Grotherm SmartControl

#### Thermostat for concealed installation with one valve

set for final installation for  
GROHE Rapido SmartBox 35 600  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valve  
and dirt strainers

**without roughing-in-set**

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min


35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**



# GROHE ATRIO


Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	568.04
29 119 DC0	supersteel	4005176455056	742.85
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40



**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

29 121 000	Chrome	4005176412271	580.09
29 121 DC0	supersteel	4005176455094	714.00
29 121 GL0	cool sunrise	4005176493188	785.00
29 121 DA0	warm sunset	4005176493201	785.00
29 121 AL0	Brushed Hard Graphite	4005176455100	918.30




**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	Chrome	4005176412288	353.53
29 122 DC0	supersteel	4005176455117	436.00
29 122 GL0	cool sunrise	4005176515194	479.00
29 122 DA0	warm sunset	4005176515217	479.00
29 122 AL0	Brushed Hard Graphite	4005176455124	469.00




**Grotherm SmartControl Triple volume control trim**

set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon

**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously **without roughing-in-set**

flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			










34 705 000	Chrome	4005176413285	1,429.88
------------	--------	---------------	----------











**Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310**

Consisting of:  
concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation (29 121 000)  
GROHE Rapido SmartBox 35 600  
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
Euphoria Cosmopolitan Stick handshower (27 367)  
Rainshower wall holder (27 074 000)  
Rainshower wall union 1/2" (27 057 000)  
Silverflex shower hose 1.500 mm (28 364)









# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 304 003	Chrome	4005176461576	48.91
	40 304 DC3	supersteel	4005176461583	68.66
	40 304 GL3	cool sunrise	4005176494130	109.18
	40 304 DA3	warm sunset	4005176494154	109.18
	40 304 AL3	Brushed Hard Graphite	4005176462399	78.53
	<b>Atrio</b> <b>Glass/soap dish holder</b> for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 306 003	Chrome	4005176461545	48.91
	40 306 DC3	supersteel	4005176461552	68.66
	40 306 GL3	cool sunrise	4005176494079	109.18
	40 306 DA3	warm sunset	4005176494093	109.18
	40 306 AL3	Brushed Hard Graphite	4005176461569	78.53
	<b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately) <b>GROHE StarLight</b> chrome finish			
 	40 254 003		4005176462405	40.17
	<b>Glass</b> material: glass fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)			
 	40 305 003	Chrome	4005176462412	48.91
	40 305 DC3	supersteel	4005176462429	68.66
	40 305 GL3	cool sunrise	4005176494185	109.18
	40 305 DA3	warm sunset	4005176494208	109.18
	40 305 AL3	Brushed Hard Graphite	4005176462436	78.53
	<b>Atrio</b> <b>Glass/soap dish holder</b> for Atrio soap dish (40 256 003) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 256 003	Glass Matt	4005176462443	37.33
	<b>Soap dish</b> material: glass fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately			
 	40 307 003	Chrome	4005176462450	65.65
	40 307 DC3	supersteel	4005176462467	90.11
	40 307 GL3	cool sunrise	4005176494246	146.26
	40 307 DA3	warm sunset	4005176494260	146.26
	40 307 AL3	Brushed Hard Graphite	4005176462474	107.28
	<b>Atrio</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			









# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 308 003	Chrome	4005176462481	111.58
	40 308 DC3	supersteel	4005176462498	154.49
	40 308 GL3	cool sunrise	4005176494307	243.08
	40 308 DA3	warm sunset	4005176494321	243.08
	40 308 AL3	Brushed Hard Graphite	4005176462504	170.80
	<p><b>Atrio</b>  <b>Towel bar</b>                      material: metal                      2 arms, not pivotable                      length 489 mm                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 309 003	Chrome	4005176462511	102.99
	40 309 DC3	supersteel	4005176462528	145.91
	40 309 GL3	cool sunrise	4005176494369	231.75
	40 309 DA3	warm sunset	4005176494383	231.75
	40 309 AL3	Brushed Hard Graphite	4005176462627	167.36
	<p><b>Atrio</b>  <b>Towel rail</b>                      650 mm (drilling length 600 mm)                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 312 003	Chrome	4005176462535	33.90
	40 312 DC3	supersteel	4005176462542	47.20
	40 312 GL3	cool sunrise	4005176494420	75.19
	40 312 DA3	warm sunset	4005176494444	75.19
	40 312 AL3	Brushed Hard Graphite	4005176462559	54.06
	<p><b>Atrio</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 313 003	Chrome	4005176462566	74.24
	40 313 DC3	supersteel	4005176462573	102.99
	40 313 GL3	cool sunrise	4005176494482	164.80
	40 313 DA3	warm sunset	4005176494505	164.80
	40 313 AL3	Brushed Hard Graphite	4005176462580	120.16
	<p><b>Atrio</b>  <b>Toilet roll holder</b>                      material: metal                      concealed fastening                      without cover  <b>GROHE StarLight</b> chrome finish</p>			
	40 314 003	Chrome	4005176462597	145.91
	40 314 DC3	supersteel	4005176462603	205.15
	40 314 GL3	cool sunrise	4005176494543	327.54
	40 314 DA3	warm sunset	4005176494567	327.54
	40 314 AL3	Brushed Hard Graphite	4005176462610	239.48
	<p><b>Atrio</b>  <b>Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 791 001	white	4005176323409	4.72
	40 791 KS1	velvet black	4005176336379	4.72
	<b>Spare Brush Head</b>			









# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 303 000	Chrome	4005176924088	359.93
	23 303 IGO	chrome/gold	4005176924095	463.45
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 310 000	Chrome	4005176930331	359.93
	23 310 IGO	chrome/gold	4005176930348	463.45
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      smooth body                      flexible connection hoses</p>			
	21 107 000	Chrome	4005176930393	427.60
	21 107 IGO	chrome/gold	4005176930409	551.94
	<p><b>Grandera</b>  <b>Two-handle basin mixer, 1/2"</b>  <b>L-Size</b>                      monobloc installation                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      swivel spout                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 313 000	Chrome	4005176930614	472.72
	23 313 IGO	chrome/gold	4005176930621	607.24
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      for free-standing basins                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      smooth body                      flexible connection hoses</p>			









# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 417 000	Chrome	4005176930553	506.57
	20 417 IGO	chrome/gold	4005176930560	651.49
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves</p>			
	20 389 000	Chrome	4005176924101	562.99
	20 389 IGO	chrome/gold	4005176924118	717.87
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves</p>			
	20 414 000	Chrome	4005176930492	416.32
	20 414 IGO	chrome/gold	4005176930508	506.69
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      wall mounted                      set for final installation for                      29 025 002  <b>without concealed body</b>                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      centre distance 200 mm                      projection 177 mm</p>			
	20 415 000	Chrome	4005176930515	431.51
	20 415 IGO	chrome/gold	4005176930522	596.19
	<b>Ditto, projection 234 mm</b>			
	29 025 002		4005176519895	229.00
		<p><b>Two-handle basin mixer</b>  <b>concealed body, 1/2"</b>                      for 3-hole basin mixer                      wall installation  <b>without finishing trim set</b>                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>		
				

# GROHE GRANDERA











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 929 000	Chrome	4005176930430	400.92
	19 929 IGO	chrome/gold	4005176930447	551.94
	<p><b>Grandera</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>            wall mounted            set for final installation for 23 319 000  <b>without concealed body</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min            centre distance 110 mm            projection 177 mm</p>			
	19 930 000	Chrome	4005176930454	463.45
	19 930 IGO	chrome/gold	4005176930461	607.24
	<b>Ditto, projection 234 mm</b>			
	23 319 000		4005176931192	231.19
	<p><b>Grandera</b>  <b>Single-lever mixer 1/2", concealed body</b>            for 2 hole basin mixer            wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            installation depth 45 to 75 mm            installation device</p>			
	23 315 000	Chrome	4005176930652	405.04
	23 315 IGO	chrome/gold	4005176930669	518.77
	<p><b>Grandera</b>  <b>Bidet mixer 1/2"</b>  <b>M-Size</b>            monobloc installation            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            ball-joint mousseur            pop-up waste set 1 1/4"            flexible connection hoses</p>			
	23 316 000	Chrome	4005176930690	389.77
	23 316 IGO	chrome/gold	4005176930706	506.69
	<p><b>Grandera</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            integrated hand shower holder            shower outlet 1/2"            integrated non-return valve            covered S-unions            protected against backflow</p>			

# GROHE GRANDERA













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 317 000	Chrome	4005176930799	518.76
	23 317 IGO	chrome/gold	4005176930805	633.37
	<p><b>Grandera</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      integrated hand shower holder                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      covered S-unions                      protected against backflow</p>			
	24 067 000	Chrome	4005176465802	296.30
	24 067 IGO	chrome/gold	4005176465819	355.98
	<p><b>Grandera</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 068 000	Chrome	4005176465840	333.22
	24 068 IGO	chrome/gold	4005176465857	391.57
	<p><b>Grandera</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	19 936 000	Chrome	4005176930812	1,115.81
	19 936 IGO	chrome/gold	4005176930829	1,414.71
	<p><b>Grandera</b>  <b>4-hole single-lever bath combination</b>                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      Consisting of:                      pre-assembled spout fixing                      single lever mixer operating element                      bath spout with mousseur and diverter bath/shower                      Grandera hand shower 7.6 l/min                      metal shower hose                      flexible connection hoses                      connection for shower hose                      protected against backflow                      can be used with 29 037 000</p>			













# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 919 000	Chrome	4005176924125	1,160.31
	19 919 IGO	chrome/gold	4005176924132	1,514.26
	<p><b>Grandera</b>  <b>5-hole bath/shower combination</b>            ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish            Consisting of:            pre-assembled spout fixing            single lever mixer operating element            bath spout with mousseur and diverter bath/shower            Grandera hand shower 7.6 l/min            metal shower hose            flexible connection hoses            connection for shower hose            protected against backflow            can be used with 29 037 000</p>			
	29 037 000		4005176865749	777.34
		<p><b>4/5-hole bath combination (optional)</b>  <b>baseframe for installation</b>  <b>under tiled surround</b>            base frame            drainage box with            integrated outlet for splash water            caps to cover screw fixations always come in chrome color</p>		
	23 318 000	Chrome	4005176930874	1,691.22
	23 318 IGO	chrome/gold	4005176930881	2,144.75
	<p><b>Grandera</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for            45 984 001  <b>without roughing-in set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with mousseur            projection 320 mm            integrated non-return valves in the            shower outlet 1/2"            with shower holder            Grandera hand shower 7.6 l/min            Silverflex shower hose 1250 mm            protected against backflow</p>			
	45 984 001		4005176992056	359.91
		<p><b>Rough-in set 1/2"</b>            for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 53-157 mm for bath            mixers/spouts, depth compensation 104 mm            installation depth 65-157 mm for shower mixers, depth compensation 92 mm            two 1/2" female connections (hot/cold supplies)            flushing plug            Can take a single mixed supply            fixing material</p>		
	29 086 000		4005176935497	231.18
		<p><b>Rough-in set 1/2"</b>            for floor-mounted tub spouts and mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 47-151 mm            depth compensation 104 mm            two 1/2" female connections (hot/cold supplies)            flushing plug</p>		











# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<p>13 341 000 13 341 IGO</p>	<p>Chrome chrome/gold</p>	<p>4005176931000 4005176931017</p>	<p>231.18 308.60</p>
<p><b>Grandera</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur projection 177 mm</p>				
 	<p>19 942 000 19 942 IGO</p>	<p>Chrome chrome/gold</p>	<p>4005176931048 4005176931055</p>	<p>142.68 180.97</p>
<p><b>Grandera</b> <b>5-way diverter</b> set for final installation for 29 708 000 <b>without concealed body</b> <b>GROHE StarLight</b> chrome finish</p>				
 	<p>29 708 000</p>		<p>4005176102653</p>	<p>292.78</p>
<p><b>5-way diverter</b> <b>concealed body, 1/2"</b> <b>without finishing trim set</b> wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				
 	<p>19 944 000 19 944 IGO</p>	<p>Chrome chrome/gold</p>	<p>4005176931086 4005176931093</p>	<p>109.48 131.62</p>
<p><b>Grandera</b> <b>Volume Control Trim</b> set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") <b>GROHE StarLight</b> chrome finish installation depth adjustable 43 - 91 mm</p>				
 	<p>29 032 000</p>		<p>4005176845277</p>	<p>32.08</p>
<p><b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	<p>29 802 000</p>		<p>4005176504853</p>	<p>51.42</p>
<p><b>Concealed stop valve 3/4"</b> pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass</p>				

# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 811 000		4005176062711	51.42
	<b>Concealed stop valve 1/2"</b> preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	27 974 000 27 974 IGO	Chrome chrome/gold	4005176932793 4005176933486	445.35 582.71
	<b>Grandera 210</b> <b>Head shower 1 spray</b> 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 986 000 27 986 IGO	Chrome chrome/gold	4005176933011 4005176933547	101.88 136.22
	<b>Rainshower Grandera</b> <b>Shower arm 286 mm</b> projection 286 mm material: metal connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish			
 	27 978 000	Chrome	4005176932830	78.98
	<b>Rainshower Grandera</b> <b>Shower arm ceiling 142 mm</b> material: metal length 142 mm connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish			
 	26 037 001	Chrome	4005176487392	108.37
	<b>Grandera Stick</b> <b>Hand shower 1 spray</b> Rain spray pattern material: metal GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern Inner WaterGuide for a longer life <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system Universal Mounting System. Fits all standard shower hoses			







# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 037 IGO	chrome/gold	4005176936210	147.67
	<b>Grandera Stick</b> <b>Hand shower 1 spray</b> Rain spray pattern material: metal <b>GROHE EcoJoy</b> 7.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>Inner WaterGuide</b> for a longer life <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system Universal Mounting System. Fits all standard shower hoses			
 	27 993 000 27 993 IGO	Chrome chrome/gold	4005176933080 4005176933585	159.12 204.91
	<b>Grandera Stick</b> <b>Wall holder set 1 spray</b> Consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969) Rotaflex shower hose 1500 mm (28 417 000) <b>GROHE EcoJoy</b> 7.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>Inner WaterGuide</b> for a longer life <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	26 038 000	Chrome	4005176935404	224.28
	<b>Grandera Stick</b> <b>Shower rail set 1 spray</b> Consisting of: Stick hand shower (26 037 000) shower rail 900 mm (27 785) Rotaflex Longlife metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 7.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>Inner WaterGuide</b> for a longer life <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
 	27 970 000 27 970 IGO	Chrome chrome/gold	4005176931154 4005176931161	124.79 170.56
	<b>Grandera</b> <b>Shower outlet elbow, 1/2"</b> material: metal male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	27 969 000 27 969 IGO	Chrome chrome/gold	4005176931123 4005176931130	90.44 113.33
	<b>Grandera</b> <b>Wall hand Shower holder</b> material: metal <b>GROHE StarLight</b> chrome finish			

# GROHE GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 627 000	Chrome	4005176927768	158.78
	40 627 IGO	chrome/gold	4005176927775	205.15
	<b>Grandera</b> holder with ceramic soap dispenser material: ceramic/metal filling quantity 110 ml <b>GROHE StarLight</b> chrome finish			
	40 626 000	Chrome	4005176927737	120.16
	40 626 IGO	chrome/gold	4005176927744	154.49
	<b>Grandera</b> holder with ceramic tumbler material: ceramic/metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 628 000	Chrome	4005176927898	145.91
	40 628 IGO	chrome/gold	4005176927904	187.98
	<b>Grandera</b> soap dish with holder material: ceramic/metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 630 000	Chrome	4005176927959	102.99
	40 630 IGO	chrome/gold	4005176927966	133.03
	40 630 EN0	brushed nickel	4005176927973	163.08
	<b>Grandera</b> Towel ring Ø 205 mm material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 629 000	Chrome	4005176927928	167.36
	40 629 IGO	chrome/gold	4005176927935	213.73
	40 629 EN0	brushed nickel	4005176927942	338.87
	<b>Grandera</b> Towel rail 600 mm <b>GROHE StarLight</b> chrome finish			
	40 631 000	Chrome	4005176927980	48.06
	40 631 IGO	chrome/gold	4005176927997	62.22
	<b>Grandera</b> Robe hook material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 633 000	Chrome	4005176928048	111.58
	40 633 IGO	chrome/gold	4005176928055	145.91
	40 633 ENO	brushed nickel	4005176928062	179.40
	<b>Grandera</b> <b>Bath grip</b> material: metal length 385 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 625 000	Chrome	4005176927706	124.45
	40 625 IGO	chrome/gold	4005176927713	163.08
	40 625 ENO	brushed nickel	4005176927720	196.55
	<b>Grandera</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 632 000	Chrome	4005176928017	175.95
	40 632 IGO	chrome/gold	4005176928024	230.90
	<b>Grandera</b> <b>Toilet brush set</b> material: ceramic <b>GROHE StarLight</b> chrome finish			


# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 109 001	Chrome	4005176408373	224.51
32 109 DC1	supersteel	4005176412691	297.19
32 109 AL1	Brushed Hard Graphite	4005176586118	314.16

**Lineare**  
**Basin mixer 1/2"**  
**XS-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses




23 791 001	Chrome	4005176409097	224.51
23 791 DC1	supersteel	4005176412707	297.19
23 791 AL1	Brushed Hard Graphite	4005176586125	314.16

**Lineare**  
**Basin mixer 1/2"**  
**XS-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses



23 790 001	Chrome	4005176408380	224.51
------------	--------	---------------	--------









**Lineare**  
**Basin mixer 1/2"**  
**XS-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove ES** 28 mm ceramic cartridge  
 with energy saving function via cold start  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses



32 114 001	Chrome	4005176409103	213.23
32 114 DC1	supersteel	4005176412714	317.00

**Lineare**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses


# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 106 001	Chrome	4005176409110	235.79
	23 106 DC1	supersteel	4005176412721	317.00
	23 106 AL1	Brushed Hard Graphite	4005176586149	334.56
	<p><b>Lineare Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 296 001	Chrome	4005176409127	303.49
	23 296 DC1	supersteel	4005176412738	416.06
	<p><b>Lineare Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      swivel spout with mousseur and stop limiter                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				
	23 405 001	Chrome	4005176409134	280.93
	23 405 DC1	supersteel	4005176412745	443.80
	23 405 AL1	Brushed Hard Graphite	4005176586163	468.18
	<p><b>Lineare Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> rapid installation system                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	20 304 001	Chrome	4005176409141	359.91
	<p><b>Lineare Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>			
				





# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 409 001	Chrome	4005176409158	280.93
19 409 DC1	supersteel	4005176412752	359.91
19 409 AL1	Brushed Hard Graphite	4005176586170	381.48




**Lineare**  
**2-hole basin mixer**  
**M-Size**  
 wall mounted  
 set for final installation for 23 571 000  
**without concealed body**  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 149 mm

23 444 001	Chrome	4005176411977	280.92
23 444 DC1	supersteel	4005176412769	391.49
23 444 AL1	Brushed Hard Graphite	4005176586187	413.10




**Lineare**  
**2-hole basin mixer**  
**L-Size**  
 wall mounted  
 set for final installation for 23 571 000  
**without concealed body**  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 207 mm

23 571 000		4005176334276	224.50
------------	--	---------------	--------



**Single-lever mixer 1/2", universal concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 spout can be positioned on the right or left  
 DR-brass  
 installation device  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve


33 848 001	Chrome	4005176409172	258.37
33 848 DC1	supersteel	4005176412776	346.75



**Lineare**  
**Bidet mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses


# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 865 001	Chrome	4005176409202	292.21
33 865 DC1	supersteel	4005176412790	376.81
33 865 AL1	Brushed Hard Graphite	4005176586217	376.38





**Lineare**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 shower outlet 1/2"  
 integrated non-return valve  
 covered S-unions  
 protected against backflow

34 719 000	Chrome	4005176457654	383.49
------------	--------	---------------	--------




**Grotherm SmartControl**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
 integrated **GROHE EasyReach** shower tray  
 shower bottom outlet 1/2"  
 built-in non return valve  
 and dirt strainers  
 protected against backflow

33 849 001	Chrome	4005176409189	292.22
33 849 DC1	supersteel	4005176412783	455.71
33 849 AL1	Brushed Hard Graphite	4005176586200	480.42







**Lineare**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 covered S-unions  
 protected against backflow  
 pillar installation optional with pillar unions 12 030 000





34 718 000	Chrome	4005176457647	422.44
------------	--------	---------------	--------





















**Grotherm SmartControl**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
 integrated **GROHE EasyReach** shower tray  
 shower bottom outlet 1/2"  
 bath spout with mousseur  
 built-in non return valve  
 and dirt strainers  
 protected against backflow

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 850 001	Chrome	4005176409196	338.48
	<p><b>Lineare</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow with shower set                      Consisting of:                      hand shower Sena Stick (26 465)                      wall shower holder Tempesta 100                      Cosmopolitan (27 594 000)                      Silverflex shower hose 1.500 mm (28 364)</p>			
	24 063 001	Chrome	4005176465703	192.24
	24 063 DC1	supersteel	4005176465727	267.97
	24 063 AL1	Brushed Hard Graphite	4005176586248	282.54
	<p><b>Lineare</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			
	24 064 001	Chrome	4005176465710	211.45
	24 064 DC1	supersteel	4005176465734	294.77
	24 064 AL1	Brushed Hard Graphite	4005176586255	311.10
	<p><b>Lineare</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			

# GROHE LINEARE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 095 001	Chrome	4005176480645	236.02
	24 095 DC1	supersteel	4005176480652	328.58
	24 095 AL1	Brushed Hard Graphite	4005176586262	346.80
	<p><b>Lineare</b>  <b>Single-lever mixer with 3-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever  <b>3-way diverter</b>                      flow performance:                      outlet A = 27 l/min,                      outlet B = 27 l/min,                      outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox Universal rough-in box for concealed installation</p>				
	25 113 000	Chrome	4005176881862	450.17
	<p><b>Lineare</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      automatic diverter: bath/shower                      integrated non-return valves in the shower outlet 1/2"  <b>recommended pressure 0.2-5.0 bar</b>                      GROHE StarLight chrome finish</p>			
	25 104 000	Chrome	4005176881794	416.31
	<p><b>Lineare</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"  <b>recommended pressure 0.2-5.0 bar</b>                      GROHE StarLight chrome finish</p>			
	19 577 001	Chrome	4005176409233	675.81
	19 577 DC1	supersteel	4005176412820	1,235.94
	19 577 EN1	brushed nickel	4005176413018	1,465.74
	19 577 AL1	Brushed Hard Graphite	4005176586224	1,302.54
<p><b>Lineare</b>  <b>4-hole single-lever bath combination</b>                      GROHE SilkMove 35 mm ceramic cartridge                      with temperature limiter                      GROHE StarLight chrome finish                      pre-assembled spout fixing                      single lever mixer operating element                      metal lever                      bath inlet with mousseur                      diverter bath/shower                      hand shower Sena Stick (26 465)                      metal shower hose 2000 mm                      flexible connection hoses                      connection for shower hose protected against backflow                      for use with 29 037 000</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 965 001	Chrome	4005176409240	495.28
	<p><b>Lineare</b>  <b>3-hole single-lever bath combination</b>            Three hole installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            single lever mixer operating element            diverter bath/shower            hand shower Sena Stick (26 465)            metal shower hose 2000 mm            flexible connection hoses            connection for shower hose            protected against backflow            for use with 29 037 000            for combination with 28 990 / 28 991</p>			
	29 037 000		4005176865749	777.34
	<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b>            base frame            drainage box with            integrated outlet for splash water            caps to cover screw fixations always come in chrome color</p>			
	23 792 001	Chrome	4005176409257	1,668.65
	23 792 DC1	supersteel	4005176412837	2,298.27
	23 792 EN1	brushed nickel	4005176413001	2,320.50
	23 792 AL1	Brushed Hard Graphite	4005176586231	2,422.50
	<p><b>Lineare</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for            45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with mousseur            projection 271 mm            integrated non-return valve            in the shower outlet 1/2"            with shower holder            hand shower Sena Stick (26 465)            Silverflex shower hose 1250 mm (28 362)            protected against backflow</p>			
	45 984 001		4005176992056	359.91
	<p><b>Rough-in set 1/2"</b>            for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm            installation depth 65-157 mm for shower mixers, depth compensation 92 mm            two 1/2" female connections (hot/cold supplies)            flushing plug            Can take a single mixed supply            fixing material</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>29 086 000</b>		<b>4005176935497</b>	<b>231.18</b>
	<b>Rough-in set 1/2"</b> for floor-mounted tub spouts and mixers <b>without finishing trim set</b> installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug			
 	<b>13 383 001</b> <b>13 383 DC1</b>	<b>Chrome</b> <b>supersteel</b>	<b>4005176418167</b> <b>4005176418174</b>	<b>201.95</b> <b>336.83</b>
	<b>Lineare</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur male thread 1/2" projection 170 mm			
 	<b>34 705 000</b>	<b>Chrome</b>	<b>4005176413285</b>	<b>1,429.88</b>
	<b>Grotherm SmartControl</b> <b>Perfect shower set with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			
 	<b>19 952 000</b> <b>19 952 DC0</b> <b>19 952 AL0</b>	<b>Chrome</b> <b>supersteel</b> <b>Brushed Hard Graphite</b>	<b>4005176174230</b> <b>4005176467776</b> <b>4005176353376</b>	<b>49.16</b> <b>61.61</b> <b>133.32</b>
	<b>Talentofill</b> <b>Inlet, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set  <b>in combination with Talentofill</b> <b>28 990 000/28 991 000</b>			
 	<b>19 025 000</b>	<b>Chrome</b>	<b>4005176209154</b>	<b>54.73</b>
	<b>Talento</b> <b>Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish			

# GROHE LINEARE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



28 912 000	Chrome	4005176266751	234.65
28 912 DC0	supersteel	4005176467905	217.15
28 912 AL0	Brushed Hard Graphite	4005176467844	245.43











**Bottle trap, 1 1/4"**  
for basins  
brass  
(screw-top for cleaning)  
large sliding escutcheon  
**GROHE StarLight** chrome finish

37 601 000	Chrome	4005176416057	75.43
37 601 DC0	supersteel	4005176416088	170.64
37 601 AL0	Brushed Hard Graphite	4005176529030	170.64













**Nova Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
(sold separately)

# GROHE EUROCUBE JOY









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 654 000	Chrome	4005176342080	235.82
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 656 000	Chrome	4005176342103	213.23
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses			
	23 657 000	Chrome	4005176342110	292.21
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 658 000	Chrome	4005176342127	224.51
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses			
	23 661 000	Chrome	4005176342158	303.49
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> GROHE FeatherControl Joystick cartridge <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses			



# GROHE EUROCUBE JOY


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 997 000	Chrome	4005176342189	247.07
	<p><b>Eurocube Joy</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>            wall mounted            set for final installation for 23 429 000  <b>without concealed body</b>  <b>GROHE EcoJoy SpeedClean mousseur 5.7 l/min</b>            centre distance 110 mm            projection 170 mm</p>			
	19 998 000	Chrome	4005176342196	280.93
	ditto, projection 230mm			
	23 429 000		4005176993695	235.80
	<p><b>Single-lever mixer 1/2", concealed body</b>            for 2 hole basin mixer  <b>without finishing trim set</b>  <b>GROHE FeatherControl Joystick cartridge</b>            wall installation            installation device            DR-brass            allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	23 664 000	Chrome	4005176342202	247.08
	<p><b>Eurocube Joy</b>  <b>Bidet mixer 1/2"</b>            monobloc installation            metal lever  <b>GROHE FeatherControl Joystick cartridge</b>  <b>GROHE EcoJoy ball-joint mousseur 5.7 l/min</b>  <b>GROHE FastFixation Plus</b> installation system            pop-up waste set 1 1/4"            flexible connection hoses</p>			
	23 665 000	Chrome	4005176342219	269.64
	<p><b>Eurocube Joy</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE FeatherControl Joystick cartridge</b>            shower bottom outlet 1/2" with integrated non return-valve            protected against backflow</p>			
	34 488 000	Chrome	4005176940620	365.21
	<p><b>Grohtherm Cube</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off            volume handle with <b>GROHE EcoButton</b>            (economy button with individually adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            built-in non return valves            dirt strainers            protected against backflow            covered S-unions            min. recommended pressure 1.0 bar</p> <p><b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

# GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 666 000	Chrome	4005176342226	314.79
<p><b>Eurocube Joy</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever            GROHE FeatherControl Joystick cartridge  <b>GROHE XL Waterfall</b>            integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow</p>				
 	34 497 000	Chrome	4005176940675	460.58
<p><b>Grontherm Cube</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:            - integrated <b>GROHE EcoButton</b>            (economy button with economy stop for shower)            - flow control            - diverter: bath/shower            shower bottom outlet 1/2"  <b>GROHE XL Waterfall</b>            flow straightener            built-in non return valves            dirt strainers            protected against backflow            covered S-unions  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	24 061 000	Chrome	4005176465680	184.74
<p><b>Eurocube</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
		35 600 000	4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 062 000	Chrome	4005176465697	203.98
<p><b>Eurocube</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				

# GROHE EUROCUBE JOY


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>24 094 000</b>	<b>Chrome</b>	<b>4005176480638</b>	<b>227.46</b>
-------------------	---------------	----------------------	---------------

**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**


<b>35 600 000</b>		<b>4005176413469</b>	<b>132.18</b>
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			



<b>24 153 000</b>	<b>Chrome</b>	<b>4005176481178</b>	<b>490.90</b>
<b>24 153 DC0</b>	<b>supersteel</b>	<b>4005176574221</b>	<b>612.00</b>
<b>24 153 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176585913</b>	<b>699.00</b>

**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

<b>35 600 000</b>		<b>4005176413469</b>	<b>132.18</b>
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			



<b>24 154 000</b>	<b>Chrome</b>	<b>4005176481185</b>	<b>547.24</b>
<b>24 154 DC0</b>	<b>supersteel</b>	<b>4005176574238</b>	<b>682.00</b>
<b>24 154 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176585920</b>	<b>779.00</b>

**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**


<b>35 600 000</b>		<b>4005176413469</b>	<b>132.18</b>
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	547.24
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00
<p><b>Grotherm Cube</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for GROHE Rapido SmartBox 35 600                      GROHE TurboStat compact cartridge with wax thermoelement                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol                      GROHE SafeStop safety button at 38°C ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			
34 741 000	Chrome	4005176481208	1,296.05
<p><b>Grotherm Cube</b>  <b>Perfect shower set with Rainshower Allure 230</b>                      Consisting of:                      Grotherm Cube set for final installation with Aquadimmer (24 154)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)                      Rainshower Allure 230 metal head shower (27 479)                      Rainshower shower arm (27 709)                      hand shower Euphoria Cube (27 699 000) 9.5 l/min.                      shower outlet elbow (26 370)                      Silverflex shower hose 1250 mm (28 362)</p>			
23 667 001	Chrome	4005176429019	1,648.37
<p><b>Eurocube Joy</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for 45 984 001  <b>without roughing-in-set</b>                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> finish                      automatic diverter: bath/shower                      spout with mousseur                      hand shower Euphoria Cube+ 6.6 l/min                      Silverflex shower hose 1250 mm (28 362)                      projection 298 mm                      integrated non-return valve in the shower outlet 1/2"                      with shower holder                      protected against backflow</p>			
45 984 001		4005176992056	359.91
<p><b>Rough-in set 1/2"</b>                      for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>                      installation plate with 360° horizontal and 3° vertical adjustment                      installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm                      installation depth 65-157 mm for shower mixers, depth compensation 92 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug                      Can take a single mixed supply                      fixing material</p>			

# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 086 000

4005176935497

231.18

**Rough-in set 1/2"**

for floor-mounted tub spouts and mixers

**without finishing trim set**

installation plate with 360° horizontal and 3° vertical adjustment









installation depth 47-151 mm

depth compensation 104 mm

two 1/2" female connections (hot/cold supplies)


flushing plug

# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 137 000	Chrome	4005176901096	168.12
<p><b>Eurocube</b> <b>Pillar tap</b> <b>XS-Size</b> monobloc installation metal lever ceramic headpart <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	Chrome	4005176901591	224.52
<p><b>Eurocube</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 127 000	Chrome	4005176900341	224.52
<p><b>ditto, with non-restricted flow</b></p>				
 	23 132 00E	Chrome	4005176906725	213.24
<p><b>Eurocube</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses</p>				
	23 132 000	Chrome	4005176900990	213.24
<p><b>ditto, with non-restricted flow</b></p>				
 	23 390 00E	Chrome	4005176938436	224.52
<p><b>Eurocube</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 392 00E	Chrome	4005176938450	224.51
<p><b>Ditto, smooth body</b></p>				


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 445 000	Chrome	4005176998706	235.81
23 445 DC0	supersteel	4005176524974	291.00
23 445 AL0	Brushed Hard Graphite	4005176584657	333.00

**Eurocube**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses



23 446 000	Chrome	4005176998720	224.50
------------	--------	---------------	--------

**Eurocube**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
smooth body  
flexible connection hoses




23 135 00E	Chrome	4005176906732	231.18
------------	--------	---------------	--------

**Eurocube**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation, metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
swivel tubular spout with stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses





23 135 000	Chrome	4005176901027	247.07
------------	--------	---------------	--------

ditto, with non-restricted flow



23 406 000	Chrome	4005176941658	280.91
23 406 DC0	supersteel	4005176524998	384.00
23 406 AL0	Brushed Hard Graphite	4005176584671	439.00


**Eurocube**  
**Basin mixer 1/2"**  
**XL-Size**  
monobloc installation  
metal lever  
for free-standing basins  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
smooth body  
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>36 441 000</b>	<b>Chrome</b>	<b>4005176415630</b>	<b>761.35</b>
	<p><b>Eurocube E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE StarLight</b> chrome finish                      laminar spray regulator 5.7 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      with integrated solenoid valve                      external battery                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	<b>20 351 000</b>	<b>Chrome</b>	<b>4005176901041</b>	<b>303.49</b>
	<b>20 351 DC0</b>	<b>supersteel</b>	<b>4005176525001</b>	<b>416.00</b>
	<b>20 351 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176584688</b>	<b>475.00</b>
<p><b>Eurocube</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> installation system                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses between spout and side valves                      union nut 1/2" x 10.5 mm</p>				
	<b>19 895 000</b>	<b>Chrome</b>	<b>4005176901072</b>	<b>258.37</b>
	<b>19 895 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176585494</b>	<b>391.00</b>
	<p><b>Eurocube</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>                      wall mounted                      set for final installation for 23 200 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 171 mm</p>			
	<b>23 200 000</b>	<b>Chrome</b>	<b>4005176998737</b>	<b>258.37</b>
	<p><b>23 200 000</b>  <b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer                      wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      installation depth 45 to 75 mm                      DR-brass                      installation device</p>			




# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>23 200 002</b>		<b>4005176519901</b>	<b>220.00</b>
-------------------	--	----------------------	---------------

**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
spout can be positioned on the right or left  
installation depth 45 to 75 mm  
DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve




<b>23 138 000</b>	<b>Chrome</b>	<b>4005176901133</b>	<b>213.25</b>
-------------------	---------------	----------------------	---------------

**Eurocube**  
**Bidet mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses



<b>23 145 000</b>	<b>Chrome</b>	<b>4005176901270</b>	<b>242.22</b>
<b>23 145 DC0</b>	<b>supersteel</b>	<b>4005176525049</b>	<b>313.00</b>
<b>23 145 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176585524</b>	<b>358.00</b>









**Eurocube**  
**Single-lever shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
shower bottom outlet 1/2" with  
integrated non return-valve  
covered S-unions  
protected against backflow



<b>34 488 000</b>	<b>Chrome</b>	<b>4005176940620</b>	<b>365.21</b>
-------------------	---------------	----------------------	---------------


**Grotherm Cube**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
protected against backflow  
covered S-unions  
min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 140 000	Chrome	4005176901157	264.36
	23 140 DC0	supersteel	4005176525056	365.00
	23 140 AL0	Brushed Hard Graphite	4005176585531	417.00
	<p><b>Eurocube</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      covered S-unions                      protected against backflow                      optional temperature limiter (46 375 000)</p>			
	23 141 000	Chrome	4005176901164	337.32
		<p><b>Eurocube</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      covered S-unions                      protected against backflow                      optional temperature limiter (46 375 000)                      Hand shower (27 698 000)                      wall shower holder (27 693 000)                      shower hose 1500 mm (28 151 000)</p>		
	34 497 000	Chrome	4005176940675	460.58
		<p><b>Grohtherm Cube</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"  <b>GROHE XL Waterfall</b>                      flow straightener                      built-in non return valves                      dirt strainers                      protected against backflow                      covered S-unions  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>		
	24 061 000	Chrome	4005176465680	184.74
	24 061 AL0	Brushed Hard Graphite	4005176585586	267.00
	<p><b>Eurocube</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 062 000	Chrome	4005176465697	203.98
24 062 DC0	supersteel	4005176553905	257.00
24 062 AL0	Brushed Hard Graphite	4005176585579	294.00


**Eurocube**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



24 094 000	Chrome	4005176480638	227.46
24 094 DC0	supersteel	4005176574047	287.00
24 094 AL0	Brushed Hard Graphite	4005176585593	328.00

**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			






24 153 000	Chrome	4005176481178	490.90
24 153 DC0	supersteel	4005176574221	612.00
24 153 AL0	Brushed Hard Graphite	4005176585913	699.00

**Grohtherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			




Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	Chrome	4005176481185	547.24
24 154 DC0	supersteel	4005176574238	682.00
24 154 AL0	Brushed Hard Graphite	4005176585920	779.00

<b>Grohtherm Cube</b> Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed head and hand shower symbol <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>			
			
35 600 000		4005176413469	132.18
GROHE Rapido SmartBox Universal rough-in box for concealed installation			

24 155 000	Chrome	4005176481192	547.24
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00

<b>Grohtherm Cube</b> Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve set for final installation for GROHE Rapido SmartBox 35 600 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>			
			
35 600 000		4005176413469	132.18
GROHE Rapido SmartBox Universal rough-in box for concealed installation			


34 741 000	Chrome	4005176481208	1,296.05
------------	--------	---------------	----------

<b>Grohtherm Cube</b> Perfect shower set with Rainshower Allure 230 Consisting of: Grohtherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)			
			


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




25 137 000	Chrome	4005176906770	359.91
------------	--------	---------------	--------

**Eurocube**  
**Two-handed Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
**GROHE StarLight** chrome finish  
**recommended pressure 0.2 - 5.0 bar**




25 136 000	Chrome	4005176906763	314.76
------------	--------	---------------	--------

**Eurocube**  
**Two-handed Bath filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**GROHE StarLight** chrome finish  
**recommended pressure 0.2 - 5.0 bar**




19 897 001	Chrome	4005176429101	1,094.38
19 897 DC1	supersteel	4005176525087	1,348.00
19 897 AL1	Brushed Hard Graphite	4005176585548	1,540.00

**Eurocube**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube+ 6.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000



19 966 000	Chrome	4005176986864	680.00
------------	--------	---------------	--------


**Eurocube**  
**3-hole bath combination trim set**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 Consisting of:  
 single lever mixer operating element  
 diverter bath/shower  
 without spout  
 Euphoria Cube hand shower (27 699 000) 9.4 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000  
 for combination with 28 990 / 28 991




29 037 000		4005176865749	777.34
------------	--	---------------	--------

**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water  
 caps to cover screw fixations always come in chrome color


Ref. No.	Colour	EAN	Retail Guide Price (£)
23 672 001	Chrome	4005176429002	1,632.57
23 672 DC1	supersteel	4005176525094	2,070.00
23 672 AL1	Brushed Hard Graphite	4005176585555	2,366.00




**Eurocube**  
**Single-lever bath mixer 1/2"**, floor mounted  
 set for final installation for  
 45 984 001  
 29 038 001  
 29 086 000  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with mousseur  
 Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)  
 Silverflex shower hose 1250 mm (28 362)  
 projection 298 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 protected against backflow  
 with shower holder





**45 984 001** **4005176992056** **359.91**  
**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath  
 mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material



**29 086 000** **4005176935497** **231.18**  
**Rough-in set 1/2"**  
 for floor-mounted tub spouts and mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 47-151 mm  
 depth compensation 104 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug













**13 303 000** **Chrome** **4005176906350** **122.98**  
**13 303 DC0** **supersteel** **4005176525100** **166.26**  
**13 303 AL0** **Brushed Hard Graphite** **4005176585562** **189.72**  
**Eurocube**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 male thread 1/2"  
 projection 170 mm




**13 304 000** **Chrome** **4005176906367** **134.25**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 automatic diverter: bath/shower  
 male thread 1/2"  
 projection 170 mm

# GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 910 000	Chrome	4005176987014	55.26
<p><b>Eurocube</b>  <b>Volume Control Trim</b>            for concealed valves, 1/2", 3/4"  <b>without concealed body</b>            installation depth adjustable            16 - 38 mm            metal handle            Sliding escutcheon with wall sealing  <b>GROHE StarLight</b> chrome finish</p>				
 	29 811 000		4005176062711	51.42
<p><b>Concealed stop valve 1/2"</b>            preassembled ceramic headpart 1/2"            180°            threaded union 1/2"            installation depth adjustable            25 - 80 mm            DR-brass</p>				
 	35 028 000		4005176908316	134.24
<p><b>GROHE Rapido C</b>  <b>Rough-in for single volume control</b>            for grid installation of Grohtherm Custom Shower system            built-in box with removable protection cover            waterproof membrane base for wall sealing            for masonry and drywall installation            fixing points for front and back wall            body of DR brass            pre-assembled ceramic headpart 3/4"            connection threads 1/2"            installation depth 70 - 95 mm</p>				
 	29 800 000		4005176504839	30.43
<p><b>Concealed stop-valve, 1/2"</b>            pre-assembled headpart 1/2"            short spindle            protection sleeve            threaded union 1/2"            DR-brass</p>				
	29 802 000		4005176504853	51.42
<p><b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b></p>				
	29 805 000		4005176504884	86.36
<p><b>ditto, 1", pre-assembled headpart 1", thread union 1"</b></p>				
 	29 801 000		4005176504846	25.08
<p><b>Concealed stop-valve, 1/2"</b>            pre-assembled headpart 1/2"            short spindle            protection sleeve            soldered connection Ø15 mm            DR-brass</p>				
	29 804 000		4005176504877	39.88
<p><b>ditto, soldered connection Ø 22 mm</b></p>				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




22 012 000	Chrome	4005176906343	44.00
22 012 DC0	supersteel	4005176525742	64.26
22 012 AL0	Brushed Hard Graphite	4005176585944	73.44

**Eurocube**  
**Angle valve 1/2"**  
 wall connection 1/2"  
 outlet thread 3/8"  
 cartridge headpart  
 metal handle  
 marking: neutral  
 metal push-on escutcheon



22 013 000	Chrome	4005176909689	44.00
------------	--------	---------------	-------

**Eurocube**  
**Angle valve 1/2"**  
 wall connection 1/2"  
 outlet 1/2"  
 cartridge headpart  
 metal handle  
 marking: neutral  
 metal push-on escutcheon











37 535 000	Chrome	4005176416019	65.87
37 535 DC0	supersteel	4005176416040	170.57
37 535 AL0	Brushed Hard Graphite	4005176431357	170.57





**Skate Cosmopolitan S**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
 compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
 130 x 172 mm  
 made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
 flush plate with magnetic holder and fixing brackets included  
 compatible with Rapid SLX  
 for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
 (sold separately)



# GROHE GROHE PLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 612 003	Chrome	4005176529696	199.00
	32 612 DC3	supersteel	4005176574054	269.00
	32 612 AL3	Brushed Hard Graphite	4005176585609	307.00
	<p><b>GROHE Plus</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 612 30L	Chrome	4005176529979	199.00
	<p><b>GROHE Plus</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for <b>low pressure</b> min. recommended pressure 0.2 bar</p>			
				
	33 163 003	Chrome	4005176529702	199.00
	<p><b>GROHE Plus</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation Plus</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
				
	23 870 003	Chrome	4005176529719	199.00
	<p><b>GROHE Plus</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
				

# GROHE GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	23 871 003	Chrome	4005176529726	249.00	
	23 871 DC3	supersteel	4005176574061	336.00	
	23 871 AL3	Brushed Hard Graphite	4005176585616	384.00	
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
	23 872 003	Chrome	4005176529733	249.00	
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>				
		23 851 003	Chrome	4005176496523	279.00
		23 851 DC3	supersteel	4005176574078	376.00
23 851 AL3		Brushed Hard Graphite	4005176585623	430.00	
<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      pop-up waste set 1 1/4"                      flexible connection hoses</p>					
	23 873 003	Chrome	4005176529986	279.00	
	<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>				


# GROHE GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 843 003	Chrome	4005176496547	329.00
23 843 DC3	supersteel	4005176574085	436.00

**GROHE Plus**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
pull out spout  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
pop-up waste set 1 1/4"  
flexible connection hoses




23 844 003	Chrome	4005176496554	329.00
------------	--------	---------------	--------

**GROHE Plus**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
pull out spout  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses



32 618 003	Chrome	4005176529740	299.00
32 618 DC3	supersteel	4005176574092	416.00
32 618 AL3	Brushed Hard Graphite	4005176585647	476.00







**GROHE Plus**  
Basin mixer 1/2"  
XL-Size  
monobloc installation  
metal lever  
for free-standing basins  
28 mm ceramic cartridge  
with GROHE SilkMove  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
smooth body  
flexible connection hoses











20 301 003	Chrome	4005176529757	301.99
------------	--------	---------------	--------

**GROHE Plus**  
Three-hole basin mixer 1/2"  
M-Size  
metal lever  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
rapid installation system  
pop-up waste set 1 1/4"  
**GROHE FastFixation** installation system  
pressure-proof, flexible connection hoses  
between spout and side valves  
union nut 1/2" x 10.5 mm


# GROHE GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 303 003	Chrome	4005176529764	249.00
	29 303 DC3	supersteel	4005176574108	328.00
	29 303 AL3	Brushed Hard Graphite	4005176585654	374.00
	<b>GROHE Plus</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 200 000 without concealed body metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 147 mm min. recommended pressure 1.0 bar			
	29 306 003	Chrome	4005176529771	259.00
ditto, projection 203 mm				
	23 200 002		4005176519901	220.00
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	23 200 000 4005176908354 235.81			
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
	33 241 003	Chrome	4005176529849	199.00
	33 241 DC3	supersteel	4005176574184	269.00
	33 241 AL3	Brushed Hard Graphite	4005176585739	307.00
	<b>GROHE Plus</b> <b>Bidet mixer 1/2"</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar			

# GROHE GROHE PLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 577 003	Chrome	4005176529801	239.00
	33 577 DC3	supersteel	4005176574139	322.00
	33 577 AL3	Brushed Hard Graphite	4005176585685	368.00
	<p><b>GROHE Plus</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>			
	34 719 000	Chrome	4005176457654	383.49
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from                      EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
				
	33 553 003	Chrome	4005176529795	299.00
	33 553 DC3	supersteel	4005176574122	403.00
	33 553 AL3	Brushed Hard Graphite	4005176585678	460.00
	<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      laminar mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>			
	34 718 000	Chrome	4005176457647	422.44
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from                      EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
				

# GROHE GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 547 003	Chrome	4005176529818	339.00
<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            laminar mousseur            shower outlet 1/2"            integrated non-return valve            covered S-unions            protected against backflow            with shower set            Consisting of:            hand shower Euphoria Cube Stick (27 698 000)            wall shower holder (27 693 000)            Silverflex shower hose 1.500 mm (28 364)            min. recommended pressure 1.0 bar</p>				
 	40 954 000	Chrome	4005176496844	99.00
<p><b>GROHE Plus</b>  <b>Tray</b>            suitable for            33 553 003            33 547 003            33 577 003</p>				
 	24 059 003	Chrome	4005176529832	189.00
	24 059 DC3	supersteel	4005176574153	255.00
	24 059 AL3	Brushed Hard Graphite	4005176585708	292.00
<p><b>GROHE Plus</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 060 003	Chrome	4005176529825	199.00
	24 060 DC3	supersteel	4005176574146	269.00
	24 060 AL3	Brushed Hard Graphite	4005176585692	307.00
<p><b>GROHE Plus</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				


# GROHE GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 093 003	Chrome	4005176530050	219.00
24 093 DC3	supersteel	4005176574214	302.00
24 093 AL3	Brushed Hard Graphite	4005176585760	345.00




**GROHE Plus**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**

35 600 000	4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>		




25 132 003	Chrome	4005176529870	369.00
------------	--------	---------------	--------

**GROHE Plus**  
**Two-handed Bath filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**recommended pressure 0.2 - 5.0 bar**  
**GROHE StarLight** finish



25 133 003	Chrome	4005176529887	399.00
------------	--------	---------------	--------


**GROHE Plus**  
**Two-handed Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
**recommended pressure 0.2 - 5.0 bar**  
**GROHE StarLight** finish



29 307 003	Chrome	4005176529993	799.00
29 307 DC3	supersteel	4005176574160	1,107.00
29 307 AL3	Brushed Hard Graphite	4005176585715	1,265.00


**GROHE Plus**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 Consisting of:  
 pre-assembled spout laminair mousseur  
 single lever mixer operating element  
 metal lever  
 diverter bath/shower  
 hand shower Euphoria Cube 6.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 002  
 min. recommended pressure 1.0 bar

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 845 003	Chrome	4005176496677	679.00
------------	--------	---------------	--------

**GROHE Plus**  
**3-hole single-lever bath combination**  
 Three hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 Consisting of:  
 single lever mixer operating element  
 diverter bath/shower  
 without spout  
 Euphoria Cube hand shower 7.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 002  
 for combination with 28 990 / 28 991  
 min. recommended pressure 1.0 bar




29 037 002		4005176519918	724.00
------------	--	---------------	--------

**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve  
 caps to cover screw fixations always come in chrome color



23 846 003	Chrome	4005176496684	1,499.00
23 846 DC3	supersteel	4005176574177	2,039.00
23 846 AL3	Brushed Hard Graphite	4005176585722	2,330.00

**GROHE Plus**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for  
 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with laminar mousseur  
 projection 282 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 hand shower Euphoria Cube 6.6 l/min  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow  
 min. recommended pressure 1.0 bar




45 984 001		4005176992056	359.91
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath  
 mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material




# GROHE GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>29 086 000</b>		<b>4005176935497</b>	<b>231.18</b>
-------------------	--	----------------------	---------------

**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug



<b>13 404 003</b>	<b>Chrome</b>	<b>4005176529788</b>	<b>139.00</b>
<b>13 404 DC3</b>	<b>supersteel</b>	<b>4005176574115</b>	<b>188.00</b>

**GROHE Plus**  
**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
laminar mousseur  
male thread 1/2"  
projection 168 mm




<b>26 507 000</b>	<b>Chrome</b>	<b>4005176457586</b>	<b>1,132.25</b>
<b>26 507 LSO</b>	<b>moon white</b>	<b>4005176457609</b>	<b>1,303.97</b>
<b>26 507 DC0</b>	<b>supersteel</b>	<b>4005176526374</b>	<b>1,523.52</b>
<b>26 507 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176557422</b>	<b>1,827.81</b>

**Euphoria SmartControl System 310 Duo**  
**Shower system with thermostat for wall mounting**  
Consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower SmartActive 310  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE EcoJoy** technology for less water and perfect flow  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.

# GROHE GROHE PLUS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 508 000	Chrome	4005176457593	1,132.25
26 508 LS0	moon white	4005176457616	1,303.97
26 508 DC0	supersteel	4005176526367	1,523.52
26 508 AL0	Brushed Hard Graphite	4005176557507	1,827.81

**Euphoria SmartControl System 310 Cube Duo**  
Shower system with thermostat for wall mounting


Consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower SmartActive 310 Cube  
GROHE PureRain and Centered Jet spray  
hand shower Euphoria Cube (27 699 000) 9.5 l/min.  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE StarLight** chrome finish  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.



34 705 000	Chrome	4005176413285	1,429.88
------------	--------	---------------	----------

**Grotherm SmartControl**  
Perfect shower set with Rainshower SmartActive 310


Consisting of:  
concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation (29 121 000)  
GROHE Rapido SmartBox 35 600  
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
Euphoria Cosmopolitan Stick handshower (27 367)  
Rainshower wall holder (27 074 000)  
Rainshower wall union 1/2" (27 057 000)  
Silverflex shower hose 1.500 mm (28 364)



34 706 000	Chrome	4005176413797	1,418.43
------------	--------	---------------	----------

**Grotherm SmartControl**  
Perfect shower set with Rainshower SmartActive 310 Cube

Consisting of:  
concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation (29 126 000)  
GROHE Rapido SmartBox 35 600  
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
hand shower Euphoria Cube Stick (27 698 000)  
Euphoria Cube wall union with integrated shower holder (26 370 000)  
Silverflex shower hose 1.500 mm (28 364)



19 952 000	Chrome	4005176174230	49.16
19 952 DC0	supersteel	4005176467776	61.61
19 952 AL0	Brushed Hard Graphite	4005176353376	133.32

**Talentofill**  
Inlet-, pop-up and waste-system

set for final installation  
escutcheon  
supply part  
waste plug  
fixing set


in combination with Talentofill  
28 990 000/28 991 000

# GROHE GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 025 000	Chrome	4005176209154	54.73
<p><b>Talento</b>  <b>Waste and overflow set for baths</b>            set for final installation            escutcheon            waste plug            fixing set            in combination with Talento 28 939 000/28 943 000  <b>GROHE StarLight</b> chrome finish</p>				
 	40 564 000 40 564 DC0 40 564 AL0	Chrome supersteel Brushed Hard Graphite	4005176912740 4005176491795 4005176491788	255.84 332.29 379.76
<p><b>Bottle trap</b>  <b>for wash basin</b>  <b>GROHE StarLight</b> chrome finish            brass body</p>				
 	28 912 000 28 912 DC0 28 912 AL0	Chrome supersteel Brushed Hard Graphite	4005176266751 4005176467905 4005176467844	234.65 217.15 245.43
<p><b>Bottle trap, 1 1/4"</b>  <b>for basins</b>            brass            (screw-top for cleaning)            large sliding escutcheon  <b>GROHE StarLight</b> chrome finish</p>				
 	37 535 000 37 535 DC0 37 535 AL0	Chrome supersteel Brushed Hard Graphite	4005176416019 4005176416040 4005176431357	65.87 170.57 170.57
<p><b>Skate Cosmopolitan S</b>  <b>Flush plate</b>            for dual flush or start &amp; stop actuation            for pneumatic drop valve AV1            compatible with Rapid SL/GD2 1.13 m  <b>for vertical installation</b>            130 x 172 mm            made of ABS  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow            flush plate with magnetic holder and fixing brackets included            compatible with Rapid SLX            for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000            (sold separately)</p>				
 	37 624 000 37 624 DC0 37 624 AL0	Chrome supersteel Brushed Hard Graphite	4005176416095 4005176416125 4005176529115	75.43 170.67 170.64
<p><b>Arena Cosmopolitan S</b>  <b>Flush plate</b>            for dual flush or start &amp; stop actuation            for pneumatic drop valve AV1            compatible with Rapid SL/GD2 1.13 m  <b>for vertical installation</b>            130 x 172 mm            made of ABS  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow            flush plate with magnetic holder and fixing brackets included            compatible with Rapid SLX            for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000            (sold separately)</p>				


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

33 155 002	Chrome	4005176865947	258.36
------------	--------	---------------	--------




**Europlus**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable minimum flow rate 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
 rapid installation system  
 pull out spout with mousseur  
 integrated non-return valve  
 pop-up waste set 1 1/4"  
 flexible connection hoses

# GROHE ESSENCE




Ref. No.	Colour	EAN	Retail Guide Price (£)
23 589 001	Chrome	4005176339172	162.47
23 589 DC1	supersteel	4005176369919	223.72
23 589 BE1	polished nickel	4005176419638	239.72
23 589 EN1	brushed nickel	4005176425844	255.69
23 589 GL1	cool sunrise	4005176407321	244.52
23 589 GN1	brushed cool sunrise	4005176419614	255.69
23 589 DA1	warm sunset	4005176407314	239.72
23 589 DL1	brushed warm sunset	4005176419621	255.69
23 589 A01	hard graphite	4005176407338	239.72
23 589 AL1	Brushed Hard Graphite	4005176407345	260.81

**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses



23 590 001	Chrome	4005176339189	151.19
23 590 DC1	supersteel	4005176369926	216.45
23 590 BE1	polished nickel	4005176426018	231.93
23 590 EN1	brushed nickel	4005176426025	252.33
23 590 GL1	cool sunrise	4005176425851	231.93
23 590 GN1	brushed cool sunrise	4005176425868	247.38
23 590 DA1	warm sunset	4005176425875	231.93
23 590 DL1	brushed warm sunset	4005176425882	247.38
23 590 A01	hard graphite	4005176426001	231.93
23 590 AL1	Brushed Hard Graphite	4005176425998	247.38









**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 smooth body  
 flexible connection hoses




23 591 001	Chrome	4005176339196	134.25
------------	--------	---------------	--------

**Essence**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove ES** 28 mm ceramic cartridge  
 with energy saving function via cold start  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses

# GROHE ESSENCE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 898 001	Chrome	4005176306860	156.82
	<p><b>Essence</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	34 294 001	Chrome	4005176306877	145.55
	<p><b>Essence</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses</p>			
	23 379 001	Chrome	4005176306891	168.11
	<p><b>Essence</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	<p>23 462 001 Chrome 4005176306907 190.66 23 462 DC1 supersteel 4005176369933 261.90 23 462 BE1 polished nickel 4005176426087 280.63 23 462 EN1 brushed nickel 4005176426094 299.33 23 462 GL1 cool sunrise 4005176426032 280.63 23 462 GN1 brushed cool sunrise 4005176426049 299.33 23 462 DA1 warm sunset 4005176426056 280.63 23 462 DL1 brushed warm sunset 4005176426063 299.33 23 462 A01 hard graphite 4005176425325 280.63 23 462 AL1 Brushed Hard Graphite 4005176426070 299.33</p>			
	<p><b>Essence</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation Plus</b> installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 480 001	Chrome	4005176306921	184.00
------------	--------	---------------	--------

**Essence**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
retractable chain  
flexible connection hoses



23 463 001	Chrome	4005176306914	179.38
------------	--------	---------------	--------


**Essence**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
smooth body  
flexible connection hoses



32 628 001	Chrome	4005176306983	201.93
32 628 DC1	supersteel	4005176369940	287.36
32 628 BE1	polished nickel	4005176419669	307.90
32 628 EN1	brushed nickel	4005176426100	328.42
32 628 GL1	cool sunrise	4005176407369	307.90
32 628 GN1	brushed cool sunrise	4005176419645	328.42
32 628 DA1	warm sunset	4005176407352	307.90
32 628 DL1	brushed warm sunset	4005176419652	328.42
32 628 A01	hard graphite	4005176407376	307.90
32 628 AL1	Brushed Hard Graphite	4005176407383	328.42


**Essence**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>23 541 001</b>	<b>Chrome</b>	<b>4005176313912</b>	<b>190.66</b>
-------------------	---------------	----------------------	---------------

**Essence**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
 swivel spout with mousseur  
 and stop limiter  
 smooth body  
 flexible connection hoses



<b>32 901 001</b>	<b>Chrome</b>	<b>4005176306969</b>	<b>269.65</b>
<b>32 901 DC1</b>	<b>supersteel</b>	<b>4005176369957</b>	<b>389.24</b>
<b>32 901 BE1</b>	<b>polished nickel</b>	<b>4005176426131</b>	<b>417.06</b>
<b>32 901 EN1</b>	<b>brushed nickel</b>	<b>4005176426148</b>	<b>444.85</b>
<b>32 901 GL1</b>	<b>cool sunrise</b>	<b>4005176407505</b>	<b>417.06</b>
<b>32 901 GN1</b>	<b>brushed cool sunrise</b>	<b>4005176426117</b>	<b>444.85</b>
<b>32 901 DA1</b>	<b>warm sunset</b>	<b>4005176407499</b>	<b>417.06</b>
<b>32 901 DL1</b>	<b>brushed warm sunset</b>	<b>4005176426124</b>	<b>444.85</b>
<b>32 901 A01</b>	<b>hard graphite</b>	<b>4005176407512</b>	<b>417.06</b>
<b>32 901 AL1</b>	<b>Brushed Hard Graphite</b>	<b>4005176407529</b>	<b>444.85</b>

**Essence**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** rapid installation system  
 swivel spout with mousseur  
 and stop limiter  
 smooth body  
 flexible connection hoses









<b>36 445 000</b>	<b>Chrome</b>	<b>4005176415678</b>	<b>619.75</b>
-------------------	---------------	----------------------	---------------


**Essence E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
 adjustable swivel area 0° / 150° / 360°  
 laminar spray regulator 5.0 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K



# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 296 001	Chrome	4005176307072	258.37
	<b>Essence</b> <b>Three-hole basin mixer 1/2"</b> <b>M-Size</b> metal lever ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm			
	20 299 001	Chrome	4005176307096	319.66
	<b>Essence</b> <b>3-hole basin mixer</b> <b>L-Size</b> metal lever ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system <b>GROHE AquaGuide</b> adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm			
	19 408 001	Chrome	4005176307133	190.65
	19 408 DC1	supersteel	4005176369964	287.36
	19 408 BE1	polished nickel	4005176426216	307.90
	19 408 EN1	brushed nickel	4005176426223	328.42
	19 408 GL1	cool sunrise	4005176426155	307.90
	19 408 GN1	brushed cool sunrise	4005176426162	328.42
	19 408 DA1	warm sunset	4005176426179	307.90
	19 408 DL1	brushed warm sunset	4005176426186	334.99
	19 408 A01	hard graphite	4005176426209	314.06
	19 408 AL1	Brushed Hard Graphite	4005176426193	334.99
	<b>Essence</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 571 000 <b>without concealed body</b> metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 183 mm			

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 967 001	Chrome	4005176307140	213.24
19 967 DC1	supersteel	4005176369971	323.77
19 967 BE1	polished nickel	4005176426292	346.89
19 967 EN1	brushed nickel	4005176426308	370.00
19 967 GL1	cool sunrise	4005176426230	346.89
19 967 GN1	brushed cool sunrise	4005176426247	370.00
19 967 DA1	warm sunset	4005176426254	346.89
19 967 DL1	brushed warm sunset	4005176426261	370.00
19 967 A01	hard graphite	4005176426285	346.89
19 967 AL1	Brushed Hard Graphite	4005176426278	370.00



**Essence**  
2-hole basin mixer  
L-Size  
wall mounted  
set for final installation for  
23 571 000

without concealed body  
metal escutcheon  
metal lever


**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
centre distance 110 mm  
projection 230 mm

23 571 000 4005176334276 224.50


**Single-lever mixer 1/2", universal concealed body**

for 2 hole basin mixer  
wall installation  
without finishing trim set  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
spout can be positioned on the right or left

DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve









32 935 001	Chrome	4005176307171	156.82
32 935 DC1	supersteel	4005176369988	223.72
32 935 BE1	polished nickel	4005176426377	239.72
32 935 EN1	brushed nickel	4005176426384	255.69
32 935 GL1	cool sunrise	4005176426315	239.72
32 935 GN1	brushed cool sunrise	4005176426322	255.69
32 935 DA1	warm sunset	4005176426339	239.72
32 935 DL1	brushed warm sunset	4005176426346	255.69
32 935 A01	hard graphite	4005176426360	239.72
32 935 AL1	Brushed Hard Graphite	4005176426353	255.69



**Essence**  
Bidet mixer 1/2"  
S-Size


monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses

# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	33 636 001	Chrome	4005176307287	168.12	
	33 636 DC1	supersteel	4005176371141	247.36	
	33 636 BE1	polished nickel	4005176426674	265.05	
	33 636 EN1	brushed nickel	4005176426681	282.71	
	33 636 GL1	cool sunrise	4005176426612	265.05	
	33 636 GN1	brushed cool sunrise	4005176426629	282.71	
	33 636 DA1	warm sunset	4005176426636	265.05	
	33 636 DL1	brushed warm sunset	4005176426643	282.71	
	33 636 A01	hard graphite	4005176426667	265.05	
	33 636 AL1	Brushed Hard Graphite	4005176426650	282.71	
		<b>Essence</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish shower outlet 1/2" integrated non-return valve S-unions protected against backflow			
		34 765 000	Chrome	4005176612022	192.36
		<b>Grohtherm 800 Cosmopolitan</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE EcoJoy</b> technology for less water and perfect flow			
		<b>33 624 001</b> Chrome 4005176990786 201.97 <b>33 624 DC1</b> supersteel 4005176371097 303.77 <b>33 624 BE1</b> polished nickel 4005176426452 325.45 <b>33 624 EN1</b> brushed nickel 4005176426469 347.14 <b>33 624 GL1</b> cool sunrise 4005176426391 325.45 <b>33 624 GN1</b> brushed cool sunrise 4005176426407 347.14 <b>33 624 DA1</b> warm sunset 4005176426414 325.45 <b>33 624 DL1</b> brushed warm sunset 4005176426421 347.14 <b>33 624 A01</b> hard graphite 4005176426445 325.45 <b>33 624 AL1</b> Brushed Hard Graphite 4005176426438 347.14			
		<b>Essence</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve S-unions protected against backflow			
					


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

33 628 001	Chrome	4005176990793	247.07
------------	--------	---------------	--------




**Essence**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 with shower set  
 Consisting of:  
 hand shower Euphoria Cosmopolitan  
 Stick (27 400 000) 6.6 l/min  
 Euphoria Cosmopolitan Stick handshower (27 367)  
 wall shower holder Tempesta 100  
 Cosmopolitan (27 594 000)  
 Silverflex shower hose 1.500 mm (28 364)

34 766 000	Chrome	4005176612039	250.61
------------	--------	---------------	--------



**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

24 057 001	Chrome	4005176465468	167.67
24 057 DC1	supersteel	4005176465482	229.62
24 057 BE1	polished nickel	4005176465628	246.03
24 057 EN1	brushed nickel	4005176465642	262.42
24 057 GL1	cool sunrise	4005176465505	246.03
24 057 GN1	brushed cool sunrise	4005176465529	262.42
24 057 DA1	warm sunset	4005176465543	246.03
24 057 DL1	brushed warm sunset	4005176465567	262.42
24 057 A01	hard graphite	4005176465581	246.03
24 057 AL1	Brushed Hard Graphite	4005176465604	262.42




**Essence**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 058 001	Chrome	4005176465475	184.74
24 058 DC1	supersteel	4005176465499	252.56
24 058 BE1	polished nickel	4005176465635	270.60
24 058 EN1	brushed nickel	4005176465659	288.65
24 058 GL1	cool sunrise	4005176465512	270.60
24 058 GN1	brushed cool sunrise	4005176465536	288.65
24 058 DA1	warm sunset	4005176465550	270.60
24 058 DL1	brushed warm sunset	4005176465574	288.65
24 058 A01	hard graphite	4005176465598	276.01
24 058 AL1	Brushed Hard Graphite	4005176465611	288.65



**Essence**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 GROHE SilkMove 46 mm ceramic cartridge  
 GROHE StarLight chrome finish  
 wall escutcheon with GROHE FastFixation  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

24 092 001	Chrome	4005176480522	209.32
24 092 DC1	supersteel	4005176480539	285.69
24 092 BE1	polished nickel	4005176480607	306.11
24 092 EN1	brushed nickel	4005176480614	326.49
24 092 GL1	cool sunrise	4005176480546	306.11
24 092 GN1	brushed cool sunrise	4005176480553	326.49
24 092 DA1	warm sunset	4005176480560	306.11
24 092 DL1	brushed warm sunset	4005176480577	326.49
24 092 A01	hard graphite	4005176481291	306.11
24 092 AL1	Brushed Hard Graphite	4005176481307	326.49




**Essence**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 GROHE SilkMove 46 mm ceramic cartridge  
 GROHE StarLight chrome finish  
 wall escutcheon with GROHE FastFixation  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**


35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

34 705 000	Chrome	4005176413285	1,429.88
------------	--------	---------------	----------

**Grohtherm SmartControl**  
**Perfect shower set with Rainshower SmartActive 310**  
 Consisting of:  
 concealed thermostat with 3 valves  
 Grohtherm SmartControl set for final installation  
 (29 121 000)  
 GROHE Rapido SmartBox 35 600  
 Rainshower 310 head shower set (26 475) including head shower with 2 sprays,  
 horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
 Euphoria Cosmopolitan Stick handshower (27 367)  
 Rainshower wall holder (27 074 000)  
 Rainshower wall union 1/2" (27 057 000)  
 Silverflex shower hose 1.500 mm (28 364)




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 578 001	Chrome	4005176307195	754.79
	19 578 DC1	supersteel	4005176371103	1,036.73
	19 578 BE1	polished nickel	4005176426537	1,110.77
	19 578 EN1	brushed nickel	4005176374463	1,184.83
	19 578 GL1	cool sunrise	4005176426476	1,110.77
	19 578 GN1	brushed cool sunrise	4005176426483	1,184.83
	19 578 DA1	warm sunset	4005176426490	1,110.77
	19 578 DL1	brushed warm sunset	4005176426506	1,184.83
	19 578 A01	hard graphite	4005176426520	1,110.77
	19 578 AL1	Brushed Hard Graphite	4005176426513	1,184.83




**Essence**  
**4-hole single-lever bath combination**  
 GROHE SilkMove 35 mm ceramic cartridge with temperature limiter  
 GROHE StarLight chrome finish pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 for chrome: hand shower 27400000  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose protected against backflow  
 for use with 29 037 000

	19 976 001	Chrome	4005176307218	450.15
--	------------	--------	---------------	--------



**Essence**  
**3-hole single-lever bath combination**  
 Three hole installation  
 GROHE SilkMove 35 mm ceramic cartridge  
 GROHE StarLight chrome finish single lever mixer operating element  
 diverter bath/shower  
 hand shower 27 400 000  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose protected against backflow  
 for use with 29 037 000  
 for combination with 28 990 / 28 991


	29 037 000		4005176865749	777.34
--	------------	--	---------------	--------



**4/5-hole bath combination (optional)**  
**baseframe for installation under tiled surround**  
 base frame  
 drainage box with integrated outlet for splash water  
 caps to cover screw fixations always come in chrome color


# GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 741 001	Chrome	4005176371509	1,747.65
23 741 DC1	supersteel	4005176371516	3,069.05




**Essence**  
**Single-lever free-standing shower system**  
 floor-mounted  
 set for final installation for  
 45 984 001  
 29 038 001  
 29 086 000  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter  
 head shower/hand shower  
 360° horizontal swivable shower arm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)  
 with ball joint  
 rotation angle ± 15°  
**GROHE DreamSpray** perfect spray pattern  
**SpeedClean** anti-limescale system  
 for chrome: hand shower 27400000  
 Silverflex shower hose 1750 mm (28 388 000)  
 protected against backflow

23 491 001	Chrome	4005176307263	1,160.96
23 491 DC1	supersteel	4005176371127	1,636.94
23 491 BE1	polished nickel	4005176426605	1,753.87
23 491 EN1	brushed nickel	4005176371134	1,870.78
23 491 GL1	cool sunrise	4005176407581	1,753.87
23 491 GN1	brushed cool sunrise	4005176426582	1,870.78
23 491 DA1	warm sunset	4005176407574	1,753.87
23 491 DL1	brushed warm sunset	4005176426599	1,870.78
23 491 A01	hard graphite	4005176407598	1,753.87
23 491 AL1	Brushed Hard Graphite	4005176407604	1,870.78




**Essence**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for  
 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 swivel spout with mousseur  
 and stop limiter  
 projection 277 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 for chrome: hand shower 27400000  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow

45 984 001		4005176992056	359.91
------------	--	---------------	--------




**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath  
 mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>29 086 000</b>		<b>4005176935497</b>	<b>231.18</b>
-------------------	--	----------------------	---------------

**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug



<b>37 601 000</b>	<b>Chrome</b>	<b>4005176416057</b>	<b>75.43</b>
<b>37 601 DC0</b>	<b>supersteel</b>	<b>4005176416088</b>	<b>170.64</b>
<b>37 601 BE0</b>	<b>polished nickel</b>	<b>4005176529009</b>	<b>170.64</b>
<b>37 601 EN0</b>	<b>brushed nickel</b>	<b>4005176529047</b>	<b>170.64</b>
<b>37 601 GL0</b>	<b>cool sunrise</b>	<b>4005176524271</b>	<b>170.64</b>
<b>37 601 GN0</b>	<b>brushed cool sunrise</b>	<b>4005176529016</b>	<b>170.64</b>
<b>37 601 DA0</b>	<b>warm sunset</b>	<b>4005176524288</b>	<b>170.64</b>
<b>37 601 DL0</b>	<b>brushed warm sunset</b>	<b>4005176529023</b>	<b>170.64</b>
<b>37 601 A00</b>	<b>hard graphite</b>	<b>4005176528996</b>	<b>170.64</b>
<b>37 601 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176529030</b>	<b>170.64</b>

**Nova Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
(sold separately)



# GROHE EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 425 000	Chrome	4005176993596	179.38
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 427 000	Chrome	4005176993619	201.95
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 428 000	Chrome	4005176993633	303.49
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE FastFixation Plus installation system smooth body flexible connection hoses			
	19 968 000	Chrome	4005176993657	213.23
	<b>Eurodisc Joy</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 429 000 <b>without concealed body</b> metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm			
	19 969 000	Chrome	4005176993671	231.19
	<b>Eurodisc Joy</b> <b>2-hole basin mixer</b> <b>L-Size</b> wall mounted set for final installation for 23 429 000 <b>without concealed body</b> GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm			


# GROHE EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 429 000		4005176993695	235.80
<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer  <b>without finishing trim set</b>                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>				
 	24 036 000	Chrome	4005176993701	213.23
<p><b>Eurodisc Joy Bidet mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy ball-joint mousseur 5.7 l/min</b>  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 430 000	Chrome	4005176993725	220.12
<p><b>Eurodisc Joy Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish                      shower bottom outlet 1/2" with integrated non return-valve                      S-unions                      protected against backflow</p>				
 	23 431 000	Chrome	4005176993749	224.51
<p><b>Eurodisc Joy Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> Joystick cartridge  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow</p>				
 	24 055 002	Chrome	4005176465420	154.95
<p><b>Eurodisc Cosmopolitan Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				

# GROHE EURODISC JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 056 002	Chrome	4005176465437	169.61
------------	--------	---------------	--------



## Eurodisc Cosmopolitan

### Single-lever mixer with 2-way diverter

set for final installation for  
GROHE Rapido SmartBox 35 600

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

**without roughing-in-set**








35 600 000

4005176413469









132.18

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**









# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 051 002	Chrome	4005176887567	100.41
	<b>Eurodisc Cosmopolitan</b> <b>Pillar tap</b> <b>XS-Size</b> monobloc installation metal lever ceramic headpart <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
 	23 049 002	Chrome	4005176887536	186.94
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	33 190 20E	Chrome	4005176887482	190.68
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
 	33 183 002	Chrome	4005176887499	176.98
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			









# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 469 20E	Chrome	4005176908835	179.41
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> metal lever monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 469 20L	Chrome	4005176917110	170.19
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE FastFixation</b> Plus installation system with centering support <b>GROHE StarLight</b> chrome finish mousseur smooth body flexible connection hoses for <b>low pressure</b> min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	23 389 20E	Chrome	4005176938412	186.95
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar			
	23 384 20E	Chrome	4005176936722	209.06
	<b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	23 382 20E	Chrome	4005176936708	179.41
	Ditto, with GROHE SilkMove ES			









# GROHE EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 448 002	Chrome	4005176998744	190.68
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 449 002	Chrome	4005176998768	179.38
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses			
		23 054 003	Chrome	4005176472596	185.09
		<b>Eurodisc Cosmopolitan Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> separated inner water ways - lead and nickel free <b>GROHE FastFixation Plus</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000)			
		23 432 000	Chrome	4005176993763	292.21
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			

# GROHE EURODISC COSMOPOLITAN







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 055 002	Chrome	4005176887680	235.78
	<p><b>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size</b>  monobloc installation  metal lever  <b>for free-standing basins</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> Plus installation system with centering support  mousseur  pop-up waste set 1 1/4"  flexible connection hoses  optional temperature limiter (46 375 000)</p>			
	19 573 002	Chrome	4005176887659	213.25
	<p><b>Eurodisc Cosmopolitan 2-hole basin mixer M-Size</b>  wall mounted  set for final installation for 23 571 000  <b>without concealed body</b>  metal escutcheon  metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide NEW</b>  centre distance 110 mm  projection 170 mm</p>			
	23 571 000		4005176334276	224.50
	<p><b>Single-lever mixer 1/2", universal concealed body</b>  for 2 hole basin mixer  wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  with temperature limiter  spout can be positioned on the right or left  DR-brass  installation device  allows for waterproofing of wall construction surrounding the concealed body  with sealing sleeve</p>			
	33 244 002	Chrome	4005176888779	175.87
	<p><b>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size</b>  metal lever  monobloc installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> Plus installation system with centering support  ball-joint mousseur  pop-up waste set 1 1/4"  flexible connection hoses  optional temperature limiter (46 375 000)</p>			

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 569 002	Chrome	4005176887734	190.68
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            shower bottom outlet 1/2"            integrated non-return valve, S-unions            protected against backflow            optional temperature limiter (46 308 000)</p>				
 	34 719 000	Chrome	4005176457654	383.49
<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            integrated <b>GROHE EasyReach</b> shower tray            shower bottom outlet 1/2"            built-in non return valve            and dirt strainers            protected against backflow</p>				
 	33 192 002	Chrome	4005176887864	213.25
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            flexible connection hoses            protected against backflow            optional temperature limiter (46 308 000)</p>				
 	33 390 002	Chrome	4005176887796	213.25
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            mousseur, integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)</p>				



# GROHE EURODISC COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 718 000	Chrome	4005176457647	422.44
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch prevents scalding on hot surfaces                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated GROHE EasyReach shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	33 395 002	Chrome	4005176887802	275.40
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance                      with DIN4109                      with shower set                      Consisting of:                      hand shower euphoria 110 Champagne (27 222)                      wall shower holder (27 056)                      Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	24 055 002	Chrome	4005176465420	154.95
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 056 002	Chrome	4005176465437	169.61
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			
	34 705 000	Chrome	4005176413285	1,429.88
	<p><b>Grotherm SmartControl</b>  <b>Perfect shower set with Rainshower SmartActive 310</b>                      Consisting of:                      concealed thermostat with 3 valves                      Grotherm SmartControl set for final installation (29 121 000)                      GROHE Rapido SmartBox 35 600                      Rainshower 310 head shower set (26 475) including head shower with 2 sprays,                      horizontal shower arm 400 mm and head shower rough-in (26 483 000)                      Euphoria Cosmopolitan Stick handshower (27 367)                      Rainshower wall holder (27 074 000)                      Rainshower wall union 1/2" (27 057 000)                      Silverflex shower hose 1.500 mm (28 364)</p>			
	13 278 002	Chrome	4005176887871	100.39
	<p><b>Eurodisc Cosmopolitan</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      mousseur                      male thread 1/2"                      projection 170 mm</p>			
	37 624 000	Chrome	4005176416095	75.43
	<p><b>Arena Cosmopolitan S</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1                      compatible with Rapid SL/GD2 1.13 m  <b>for vertical installation</b>                      130 x 172 mm                      made of ABS  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      flush plate with magnetic holder and fixing brackets included                      compatible with Rapid SLX                      for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)</p>			


# GROHE CONCETTO

Ref. No.      Colour      EAN      Retail Guide Price (£)




**32 207 001      Chrome      4005176888878      99.99**

**Concetto**  
**Pillar tap**  
**XS-Size**  
monobloc installation  
metal lever  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
union nut 1/2" x 10.5 mm  
noise classification 1 in accordance with DIN4109




**32 204 10E      Chrome      4005176887345      143.20**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** installation system with centering support  
pop-up waste set 1 1/4"  
flexible connection hoses



**23 931 001      Chrome      4005176584015      130.29**









**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge with **GROHE SilkMove** adjustable flow rate limiter  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** installation system with centering support  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
  
noise classification 1 in accordance with DIN4109



**23 060 001      Chrome      4005176888021      130.29**


**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** installation system with centering support  
flow straightener  
pop-up waste set 1 1/4"  
flexible connection hoses  
**for use with displacement water heater**  
optional temperature limiter (46 375 000)  
noise classification 1 in accordance with DIN4109

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 202 10L	Chrome	4005176903960	132.90
	<b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
	32 240 10E	Chrome	4005176906794	132.90
	<b>Concetto</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body flexible connection hoses			
	32 240 10L	Chrome	4005176903977	122.59
	<b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 380 10E	Chrome	4005176938245	143.20
	<b>Concetto</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 385 10E	Chrome	4005176938269	132.90
	<b>Ditto, with GROHE SilkMove ES</b>			


# GROHE CONCETTO

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 450 001      Chrome      4005176998775      153.50**

**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




**23 932 001      Chrome      4005176584022      140.39**

**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar



**23 451 001      Chrome      4005176998799      143.20**



**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
smooth body  
flexible connection hoses



**23 739 002      Chrome      4005176472602      202.98**


**Concetto**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** separated inner water ways - lead and nickel free  
**GROHE FastFixation** installation system  
swivel tubular spout  
with stop restriction  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter (46 375 000)  
min. recommended pressure 1.0 bar

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 629 002	Chrome	4005176472619	174.11
	<p><b>Concetto</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE FastFixation</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1.0 bar</p>			
	23 920 001	Chrome	4005176583421	199.00
	<p><b>Concetto</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur rapid installation system smooth body flexible connection hoses min. recommended pressure 1.0 bar</p>			
	20 216 001	Chrome	4005176888373	225.61
	<p><b>Concetto</b> <b>Three-hole basin mixer 1/2"</b> <b>L-Size</b> ceramic headpart <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves</p>			
	19 575 001	Chrome	4005176888366	184.41
	<p><b>Concetto</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 <b>without concealed body</b> metal escutcheon <b>GROHE StarLight</b> chrome finish centre distance 110 mm projection 147 mm</p>			


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>23 571 000</b>		<b>4005176334276</b>	<b>224.50</b>
-------------------	--	----------------------	---------------

**Single-lever mixer 1/2", universal concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
spout can be positioned on the right or left  
DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve




<b>32 208 001</b>	<b>Chrome</b>	<b>4005176888908</b>	<b>132.90</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**Bidet mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** installation system  
with centering support  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses



<b>32 210 001</b>	<b>Chrome</b>	<b>4005176888939</b>	<b>150.49</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**Single-lever shower mixer 1/2"**  
wall mounted, metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
shower bottom outlet 1/2" with  
integrated non return-valve, S-unions  
protected against backflow  
optional temperature limiter (46 308 000)  
noise classification 1 in accordance  
with DIN4109




<b>34 765 000</b>	<b>Chrome</b>	<b>4005176612022</b>	<b>192.36</b>
-------------------	---------------	----------------------	---------------

**Grontherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
protected against backflow  
S-unions  
metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 211 001	Chrome	4005176889028	174.11
------------	--------	---------------	--------

**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)



34 766 000	Chrome	4005176612039	250.61
------------	--------	---------------	--------

**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow











32 212 001	Chrome	4005176889035	205.01
------------	--------	---------------	--------













**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur, integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)  
 with shower set  
 Consisting of:  
 Euphoria Cosmopolitan hand shower (27 400)  
 wall shower holder (27 056)  
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)



# GROHE CONCETTO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 700 001	Chrome	4005176887994	160.59
	<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance with DIN4109</p>			
	24 053 001	Chrome	4005176465406	144.00
	<p><b>Concetto</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 054 001	Chrome	4005176465413	158.00
	<p><b>Concetto</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	19 345 001	Chrome	4005176888953	150.49
	<p><b>Concetto</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>			

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 213 001	Chrome	4005176888960	150.49
<p><b>Concetto</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      Consisting of:                      set for final installation                      concealed body                      33 964 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>				
 	19 346 001	Chrome	4005176889080	163.80
<p><b>Concetto</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      wall escutcheon                      covered coupling</p>				
 	32 214 001	Chrome	4005176889097	170.69
<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      Consisting of:                      set for final installation                      concealed body                      33 963 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>				
  	25 102 000	Chrome	4005176881671	235.92
<p><b>Concetto</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"  <b>GROHE StarLight</b> chrome finish                      recommended pressure 0.2-5.0 bar</p>				
  	25 109 000	Chrome	4005176881848	266.82
<p><b>Concetto</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      automatic diverter: bath/shower                      integrated non-return valve                      in the shower outlet 1/2"  <b>GROHE StarLight</b> chrome finish</p>				


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>19 576 002</b>	<b>Chrome</b>	<b>4005176429088</b>	<b>707.75</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 diverter bath/shower  
 Euphoria Cosmopolitan hand shower 6.6 l/min  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 000




<b>29 037 000</b>		<b>4005176865749</b>	<b>777.34</b>
-------------------	--	----------------------	---------------

**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water  
 caps to cover screw fixations always come in chrome color



<b>13 280 001</b>	<b>Chrome</b>	<b>4005176888687</b>	<b>91.69</b>
-------------------	---------------	----------------------	--------------









**Concetto**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 male thread 1/2"











<b>13 281 001</b>	<b>Chrome</b>	<b>4005176888694</b>	<b>120.19</b>
-------------------	---------------	----------------------	---------------

**Concetto**  
**Bath spout with diverter**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 automatic diverter: bath/shower  
 male thread 1/2"









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 039 002	Chrome	4005176886881	89.14
	<b>Eurostyle Cosmopolitan Pillar tap XS-Size</b> monobloc installation metal lever ceramic headpart <b>GROHE StarLight</b> chrome finish mousseur			
 	23 037 002	Chrome	4005176886355	145.52
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	23 387 20E	Chrome	4005176938382	122.96
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
 	33 552 20E	Chrome	4005176886300	122.96
	<b>Eurostyle Cosmopolitan Basin mixer 1/2 S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy SpeedClean</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 561 002	Chrome	4005176886379	142.69
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>for use with displacement water heater</b>                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance with DIN4109</p>			
	32 468 20E	Chrome	4005176906886	122.95
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      smooth body                      flexible connection hoses                      noise classification 1 in accordance with DIN4109</p>			
	32 468 20L	Chrome	4005176917097	117.58
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur, smooth body                      flexible connection hoses  <b>for low pressure</b>                      min. recommended pressure 0.2 bar                      optional temperature limiter (46 375 000)</p>			
	23 374 20E	Chrome	4005176936678	122.96
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 373 20E	Chrome	4005176936661	122.95
	<b>Ditto, with GROHE SilkMove ES</b>			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 043 003	Chrome	4005176472732	188.77
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE FastFixation</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>			
	20 208 002	Chrome	4005176886980	258.37
	<p><b>Eurostyle Cosmopolitan</b> <b>3-hole basin mixer</b> <b>S-Size</b> metal lever ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves</p>			
	19 571 002	Chrome	4005176886973	224.52
	<p><b>Eurostyle Cosmopolitan</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 <b>without concealed body</b> metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 171 mm</p>			
	23 571 000		4005176334276	224.50
	<p><b>Single-lever mixer 1/2", universal concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			

# GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 565 002	Chrome	4005176887000	122.96
	<b>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	33 590 002	Chrome	4005176887048	134.24
	<b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b> wall mounted, metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)			
	32 229 002	Chrome	4005176887055	133.84
	<b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109			
	34 765 000	Chrome	4005176612022	192.36
	<b>Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE EcoJoy</b> technology for less water and perfect flow			

# GROHE EUROSTYLE COSMOPOLITAN





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 614 002	Chrome	4005176887208	198.33
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      flexible connection hoses                      protected against backflow                      optional temperature limiter (46 308 000)</p>				
 	33 591 002	Chrome	4005176887123	153.75
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur, integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>				
 	34 766 000	Chrome	4005176612039	250.61
<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually                      adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	33 592 20A	Chrome	4005176454288	207.58
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      with shower set                      hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)                      wall shower holder (27 056)                      Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				













# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 051 002	Chrome	4005176465383	151.64
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 052 002	Chrome	4005176465390	166.60
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	19 507 002	Chrome	4005176887079	156.80
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            33 961 000, 33 962 000, 33 963 000, 33 964 000,            33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>            metal lever  <b>GROHE StarLight</b> chrome finish            escutcheon- and shaft-sealing            wall escutcheon            covered fixing</p>			
	19 506 002	Chrome	4005176887185	156.81
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for            33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>            metal lever  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            escutcheon- and shaft-sealing            wall escutcheon            covered fixing</p>			
	23 048 003	Chrome	4005176429132	845.05
	<p><b>Eurostyle Cosmopolitan</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            pre-assembled spout fixing, single lever mixer operating element            diverter bath/shower            Euphoria Cosmopolitan hand shower 6.6 l/min            metal shower hose 2000 mm            flexible connection hoses            connection for shower hose            protected against backflow            can be used with 29 037 000</p>			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 037 000		4005176865749	777.34
	<b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b> base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			
 	13 276 002	Chrome	4005176887246	100.41
	<b>Eurostyle Cosmopolitan Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur male thread 1/2" projection 170 mm			











# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 558 003	Chrome	4005176334139	122.98
	33 558 LS3	moon white	4005176335686	166.99
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 929 003	Chrome	4005176583995	117.45
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 707 003	Chrome	4005176364778	111.69
	23 707 LS3	moon white	4005176364785	156.81
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 564 003	Chrome	4005176334146	121.38
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 708 003	Chrome	4005176364990	106.05
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 374 003	Chrome	4005176334153	122.98
	23 374 LS3	moon white	4005176334450	168.11
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 709 003	Chrome	4005176365003	111.69
	23 709 LS3	moon white	4005176365010	145.52
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 930 003	Chrome	4005176584008	117.45
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	33 561 003	Chrome	4005176334160	122.98
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> rapid installation system                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			











# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 557 003	Chrome	4005176334184	111.69
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system retractable chain flexible connection hoses			
	32 468 003	Chrome	4005176334207	111.69
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 715 003	Chrome	4005176365065	100.42
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 567 003	Chrome	4005176334214	122.98
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 716 003	Chrome	4005176365072	145.53
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 717 30L	Chrome	4005176365089	100.42
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar			
	23 569 003 23 569 LS3	Chrome moon white	4005176334238 4005176334467	213.24 235.62
	<b>Eurostyle</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation loop metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses			
	23 718 003 23 718 LS3	Chrome moon white	4005176365096 4005176365102	190.68 224.51
	<b>Eurostyle</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation solid metal lever with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"			
	23 570 003 23 570 LS3	Chrome moon white	4005176334245 4005176334474	235.80 280.94
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation loop metal lever <b>for free-standing basins</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			

# GROHE EUROSTYLE









		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 719 003	Chrome	4005176365119	224.53
		23 719 LS3	moon white	4005176365126	258.37
<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      solid metal lever                      for free-standing basins                      GROHE SilkMove 35 mm ceramic cartridge                      with temperature limiter                      GROHE StarLight chrome finish                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation rapid installation system                      smooth body                      flexible connection hoses</p>					
		19 571 003	Chrome	4005176334269	224.53
		19 571 LS3	moon white	4005176334498	280.94
<p><b>Eurostyle</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for 23 571 000                      metal escutcheon                      loop metal lever                      GROHE StarLight chrome finish                      GROHE AquaGuide adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>					
		29 097 003	Chrome	4005176365133	208.08
		29 097 LS3	moon white	4005176365140	274.38
<p><b>Eurostyle</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for 23 571 000                      metal escutcheon                      solid metal lever                      GROHE StarLight chrome finish                      GROHE AquaGuide adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>					
		23 571 000		4005176334276	224.50
		<p><b>Single-lever mixer 1/2"</b>, universal concealed body                      for 2 hole basin mixer                      wall installation                      without finishing trim set                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			
		33 565 003	Chrome	4005176334283	100.41
		33 565 LS3	moon white	4005176334504	169.24
<p><b>Eurostyle</b>  <b>Bidet mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      GROHE StarLight chrome finish                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>					

# GROHE EUROSTYLE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 720 003	Chrome	4005176365157	111.69
	23 720 LS3	moon white	4005176365164	156.80
	<p><b>Eurostyle</b>  <b>Bidet mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system  with ball joint  pop-up waste set 1 1/4"  flexible connection hoses</p>			
	33 590 003	Chrome	4005176334306	168.12
	33 590 LS3	moon white	4005176334511	179.38
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>  wall mounted  loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  with temperature limiter  <b>GROHE StarLight</b> chrome finish  adjustable flow rate limiter  shower outlet 1/2" with integrated non-return valve  covered S-unions  metal wall escutcheons  protected against backflow</p>			
	23 722 003	Chrome	4005176365188	168.14
	23 722 LS3	moon white	4005176365195	168.11
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>  wall mounted  solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  with temperature limiter  <b>GROHE StarLight</b> chrome finish  adjustable flow rate limiter  shower outlet 1/2" with integrated non-return valve  covered S-unions  metal wall escutcheons  protected against backflow</p>			
	34 143 003	Chrome	4005176309618	225.22
	<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>  wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C  ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge  with wax thermoelement  integrated mixed water shut off  volume handle with <b>GROHE EcoButton</b>  (economy button with individually  adjustable economy stop)  ceramic headpart 1/2", 180°  shower bottom outlet 1/2"  built-in non return valves  dirt strainers  protected against backflow  S-unions  metal escutcheon  min. recommended pressure 1.0 bar  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			



# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 591 003	Chrome	4005176334351	179.38
	33 591 LS3	moon white	4005176334535	224.51
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            shower outlet 1/2" with integrated non-return valve            covered S-unions            metal wall escutcheons            protected against backflow</p>			
	23 726 003	Chrome	4005176365256	168.12
	23 726 LS3	moon white	4005176365263	224.49
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            shower outlet 1/2" with integrated non-return valve            covered S-unions            protected against backflow</p>			
	34 155 003	Chrome	4005176310027	279.09
	<p><b>Grohtherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:            - integrated <b>GROHE EcoButton</b>            (economy button with economy stop for shower)            - flow control            - diverter: bath/shower            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	33 592 30A	Chrome	4005176456497	194.37
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            with temperature limiter  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            shower outlet 1/2" with integrated non-return valve            covered S-unions            metal wall escutcheons            protected against backflow            with shower set Tempesta            Consisting of:            hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)            wall shower holder (28 605)            Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			







# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 048 003	Chrome	4005176465345	138.83
	24 048 LS3	moon white	4005176465352	180.47
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 046 003	Chrome	4005176465307	132.42
	24 046 LS3	moon white	4005176465314	171.94
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 049 003	Chrome	4005176465369	152.72
	24 049 LS3	moon white	4005176465376	198.65
	<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	24 047 003	Chrome	4005176465321	146.30
	24 047 LS3	moon white	4005176465338	189.02
	<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>19 507 003</b>	<b>Chrome</b>	<b>4005176334337</b>	<b>122.97</b>
	<b>19 507 LS3</b>	<b>moon white</b>	<b>4005176334528</b>	<b>171.36</b>
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            33 961 000, 33 962 000, 33 963 000, 33 964 000,            33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>            loop metal lever  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            escutcheon- and shaft-sealing            metal wall escutcheon</p>			
	<hr/>			
	<b>29 098 003</b>	<b>Chrome</b>	<b>4005176365225</b>	<b>122.96</b>
	<b>29 098 LS3</b>	<b>moon white</b>	<b>4005176365232</b>	<b>165.24</b>
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            33 961 000, 33 962 000, 33 963 000, 33 964 000,            33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>            solid metal lever  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            escutcheon- and shaft-sealing            metal wall escutcheon</p>			
	<hr/>			
	<b>33 635 003</b>	<b>Chrome</b>	<b>4005176334344</b>	<b>149.94</b>
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            Consisting of:            compatible with            (19 507 003)            with concealed body            adjustable flow rate limiter            loop metal lever            escutcheon- and shaft-sealing            metal wall escutcheon            optional temperature limiter (46 308 000)</p>			
	<hr/>			
		<b>23 725 003</b>	<b>Chrome</b>	<b>4005176365249</b>
<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>            wall installation            Consisting of:            compatible with            (19 507 003)            with concealed body            solid metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish            metal wall escutcheon            escutcheon- and shaft-sealing            GROHE FastFixation covered fixing            optional temperature limiter (46 308 000)</p>				
	<hr/>			
		<b>19 506 003</b>	<b>Chrome</b>	<b>4005176334399</b>
<b>19 506 LS3</b>		<b>moon white</b>	<b>4005176334542</b>	<b>190.67</b>
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for            33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            automatic diverter: bath/shower            escutcheon- and shaft-sealing            metal wall escutcheon</p>			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 099 003	Chrome	4005176365300	145.53
	29 099 LS3	moon white	4005176365317	179.15
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      solid metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing</p>			
	33 637 003	Chrome	4005176334405	199.69
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      loop metal lever                      escutcheon- and shaft-sealing                      metal wall escutcheon                      optional temperature limiter (46 308 000)</p>			
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      solid metal lever                      optional temperature limiter (46 308 000)                      metal wall escutcheons</p>			
	23 730 003	Chrome	4005176365324	168.11
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      solid metal lever                      optional temperature limiter (46 308 000)                      metal wall escutcheons</p>			
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      solid metal lever                      optional temperature limiter (46 308 000)                      metal wall escutcheons</p>			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00E	Chrome	4005176874628	117.45
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size</b>            monobloc installation, metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable minimum flow rate 2.5 l/min            temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            with centering support            pop-up waste set 1 1/4"            flexible connection hoses            min. recommended pressure 1.0 bar</p>			
	32 825 000	Chrome	4005176874611	117.45
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            with centering support            mousseur            pop-up waste set 1 1/4"            flexible connection hoses            min. recommended pressure 1.0 bar            optional temperature limiter (46 375 000)</p>			
	32 955 000	Chrome	4005176880117	106.68
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            with centering support            flow straightener            pop-up waste set 1 1/4"            flexible connection hoses  <b>for use with displacement water heater</b>            optional temperature limiter (46 375 000)            noise classification 1 in accordance with DIN4109</p>			
	23 925 000	Chrome	4005176583353	110.09
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" S-Size</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            with centering support  <b>GROHE EcoJoy</b> mousseur 5.7 l/min            smooth body with push-open pop-up waste set 1 1/4"            flexible connection hoses            optional temperature limiter (46 375 000)            noise classification 1 in accordance with DIN4109</p>			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00L	Chrome	4005176917028	116.67
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses <b>for low pressure</b> <b>recommended pressure 0.2 - 5.0 bar</b> optional temperature limiter (46 375 000)			
	32 827 00E	Chrome	4005176906565	117.45
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 824 000	Chrome	4005176874604	106.68
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	32 824 00L	Chrome	4005176917035	106.68
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish adjustable minimum flow rate 2.5 l/min <b>GROHE FastFixation</b> installation system with centering support mousseur smooth body flexible connection hoses <b>for low pressure</b> <b>recommended pressure 0.2 - 5.0 bar</b> optional temperature limiter (46 375 000)			

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 377 00E	Chrome	4005176936630	117.45
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 378 00E	Chrome	4005176936647	104.59
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      retractable chain                      flexible connection hoses</p>			
	23 376 00E	Chrome	4005176936623	112.07
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      smooth body                      flexible connection hoses</p>			
	23 927 000	Chrome	4005176583377	125.71
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			

# GROHE EUROSMART COSMOPOLITAN











		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 325 000	Chrome	4005176933974	128.22
<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      GROHE StarLight chrome finish                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>					
		23 926 000	Chrome	4005176583360	125.71
<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      GROHE StarLight chrome finish                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation rapid installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar                      optional temperature limiter (46 375 000)</p>					
		23 327 000	Chrome	4005176934094	117.45
		23 327 KW0	supermatt black	4005176565205	153.50
<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      GROHE StarLight chrome finish                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation rapid installation system                      smooth body                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>					
		23 396 00E	Chrome	4005176938504	128.23
<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove ES                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      GROHE StarLight chrome finish                      temperature limiter                      GROHE EcoJoy mousseur 5.7 l/min                      GROHE FastFixation installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>					
		23 928 000	Chrome	4005176583384	115.15
<p><b>ditto, smooth body with push-open pop-up waste set 1 1/4"</b></p>					











# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 830 001	Chrome	4005176472749	148.30
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE FastFixation</b> installation system                      mousseur                      swivel tubular spout with stop limiter                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	23 933 001	Chrome	4005176584039	145.39
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	23 921 000	Chrome	4005176583438	169.00
	<p><b>Eurosmart Cosmopolitan</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	36 327 001	Chrome	4005176305771	340.65
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      with integrated solenoid valve                      external battery                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			







# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 187 000	Chrome	4005176874680	203.66
	<p><b>Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size</b>                      metal lever                      ceramic headparts 1/2", 90°                      GROHE StarLight chrome finish                      GROHE FastFixation installation system with centering support                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses between spout and side valves                      union nut with 10.5-mm drilling</p>			
	19 381 000	Chrome	4005176874673	182.11
	<p><b>Eurosmart Cosmopolitan 2-hole basin mixer S-Size</b>                      wall mounted                      set for final installation for 23 571 000  <b>without concealed body</b>                      metal escutcheon                      metal lever                      GROHE StarLight chrome finish                      GROHE AquaGuide adjustable mousseur                      centre distance 110 mm                      projection 170 mm</p>			
	23 571 000		4005176334276	224.50
	<p><b>Single-lever mixer 1/2", universal concealed body</b>                      for 2 hole basin mixer                      wall installation  <b>without finishing trim set</b>                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			
	32 839 000	Chrome	4005176874802	106.68
	<p><b>Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      GROHE StarLight chrome finish                      GROHE FastFixation installation system with centering support                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	32 840 000	Chrome	4005176874819	95.08
	<p><b>ditto, with retractable chain</b></p>			
	32 837 000	Chrome	4005176874772	125.71
	<p><b>Eurosmart Cosmopolitan Single-lever shower mixer 1/2"</b>                      wall mounted, metal lever                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve                      S-unions                      optional temperature limiter (46 308 000)                      protected against backflow</p>			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	18 349 000		4005176874796	26.41
<p><b>Eurosmart Cosmopolitan Plastic tray</b> for 32 837 000</p>				
 	34 765 000	Chrome	4005176612022	192.36
<p><b>Grotherm 800 Cosmopolitan</b> Thermostatic shower mixer 1/2" wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	32 836 000	Chrome	4005176874758	146.84
<p><b>Eurosmart Cosmopolitan</b> Single-lever bath/shower mixer 1/2" monobloc installation metal lever 46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b> <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000) Qualitel E1/E3C2A2U3 applied for</p>				
 	32 831 000	Chrome	4005176874703	149.78
<p><b>Eurosmart Cosmopolitan</b> Single-lever bath/shower mixer 1/2" wall mounted, metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 766 000	Chrome	4005176612039	250.61
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            integrated mixed water shut off            automatic diverter: bath/shower volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 767 000	Chrome	4005176612046	187.48
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            integrated mixed water shut off            volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)            ceramic headpart 1/2", 180°            built-in non return valves            shower bottom outlet 1/2"            dirt strainers            protected against backflow            without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	32 833 000	Chrome	4005176874727	120.43
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever            46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower mousseur            integrated non-return valve in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter ref. no. 08 791</p>			









# GROHE EUROSMART COSMOPOLITAN











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 832 000	Chrome	4005176874710	171.33
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      with shower set                      Euphoria Cosmopolitan hand shower (27 367)                      wall shower holder (27 056)                      Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
 	25 128 000	Chrome	4005176905209	203.66
<p><b>Eurosmart Cosmopolitan</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      GROHE StarLight chrome finish                      min. recommended pressure 0.2 bar</p>				
 	25 129 000	Chrome	4005176905216	246.77
<p><b>Eurosmart Cosmopolitan</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      automatic diverter: bath/shower                      integrated non-return valve                      in the shower outlet 1/2"                      GROHE StarLight chrome finish                      min. recommended pressure 0.2 bar</p>				
 	24 044 000	Chrome	4005176465185	131.58
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 600 000		4005176413469	132.18
<p>GROHE Rapido SmartBox Universal rough-in box for concealed installation</p>				

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 045 000	Chrome	4005176465291	144.84
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	25 219 001	Chrome	4005176466373	416.16
<p><b>Eurosmart Cosmopolitan</b>  <b>Perfect shower set with Tempesta 210</b>                      Consisting of:                      Eurosmart Cosmopolitan set for final installation with                      automatic diverter bath / shower (24 045)                      GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)                      head shower Tempesta 210 9.5 l/min (26 410)                      Shower arm Rainshower 286 mm (28 576 000)                      hand shower Tempesta 100 II 9.5 l/min (27 597)                      Shower outlet elbow (28 628 000)                      Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>				
 	19 383 000	Chrome	4005176874765	106.68
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>				
 	32 880 000	Chrome	4005176877360	139.01
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      Consisting of:                      set for final installation                      concealed body                      33 962 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter</p>				









# GROHE EUROSMART COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 382 000	Chrome	4005176874697	128.22
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for 33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>            metal lever  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            escutcheon- and shaft-sealing            wall escutcheon            covered fixing</p>				
 	32 879 000	Chrome	4005176877353	136.28
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            Consisting of:            set for final installation            concealed body            33 961 000            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            metal lever            metal wall escutcheon            screwed            optional temperature limiter (46 308 000)</p>				
 	13 261 000	Chrome	4005176877384	85.13
<p><b>Eurosmart Cosmopolitan</b>  <b>Bath spout</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            mousseur            male thread 1/2"            projection 170 mm</p>				
 	13 262 000	Chrome	4005176877391	94.02
<p><b>Eurosmart Cosmopolitan</b>  <b>Bath spout</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            mousseur            automatic diverter: bath/shower            male thread 1/2"            projection 170 mm</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 265 002	Chrome	4005176861543	95.90
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 922 002	Chrome	4005176583322	95.88
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 456 002	Chrome	4005176304941	93.75
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system hybrid pop-up waste set 1 1/4" flexible connection hoses</p>			
	33 265 20L	Chrome	4005176304729	95.90
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for <b>low pressure</b> min. recommended pressure 0.2 bar</p>			
	33 188 002	Chrome	4005176862052	95.90
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system retractable chain flexible connection hoses</p>			



















# GROHE EUROSMART







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 467 002	Chrome	4005176862069	85.13
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	32 467 20L	Chrome	4005176304736	85.13
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> rapid installation system mousseur smooth body flexible connection hoses for <b>low pressure</b> min. recommended pressure 0.2 bar			
	23 924 002	Chrome	4005176583346	96.98
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	32 926 002	Chrome	4005176861567	95.90
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	32 154 002	Chrome	4005176862113	96.98
	<b>Ditto, with GROHE SilkMove ES</b>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 322 001	Chrome	4005176934506	106.68
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 923 002	Chrome	4005176583339	106.68
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 323 001	Chrome	4005176934513	106.68
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system retractable chain flexible connection hoses</p>			
	23 324 001	Chrome	4005176934520	95.90
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses</p>			









# GROHE EUROSMART











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 393 10E	Chrome	4005176938467	106.68
	<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 394 10E	Chrome	4005176938474
	23 395 10E	Chrome	4005176938481	95.90
	<p><b>Ditto, with GROHE SilkMove ES</b></p> <p><b>Ditto, with GROHE SilkMove ES</b></p>			
	23 537 002	Chrome	4005176312212	128.23
	<p><b>Eurosmart</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 929 002	Chrome	4005176862366	85.13
	<p><b>Eurosmart</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>			
		33 555 002	Chrome	4005176862304
	<p><b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow</p>			
				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>32 172 002</b>	<b>Chrome</b>	<b>4005176862311</b>	<b>95.90</b>
	<p><b>Eurosmart</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow                      Qualitel E1C2A2U3 applied for</p>			
 	<b>34 558 000</b>	<b>Chrome</b>	<b>4005176310089</b>	<b>192.88</b>
	<p><b>Grohtherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      dirt strainers                      built-in non return valves                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>33 412 002</b>	<b>Chrome</b>	<b>4005176862205</b>	<b>106.68</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      monobloc installation                      metal lever                      35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> rapid installation system                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      flexible connection hoses                      protected against backflow</p>			
 	<b>33 300 002</b>	<b>Chrome</b>	<b>4005176862182</b>	<b>106.68</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      metal wall escutcheons                      protected against backflow</p>			









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 567 000	Chrome	4005176310157	246.77
	<p><b>Grotherm 800</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      min. recommended pressure 1.0 bar  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	33 302 20A	Chrome	4005176456510	137.94
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      metal wall escutcheons                      protected against backflow                      with shower set                      Consisting of:                      hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)                      wall shower holder (28 605)                      Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	33 304 002	Chrome	4005176862236	106.68
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      without connection unions for wall mounting                      protected against backflow</p>			









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>33 303 002</b>	<b>Chrome</b>	<b>4005176862243</b>	<b>192.88</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      deck mounted                      metal lever                      35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2"                      integrated non-return valve in the shower outlet 1/2"                      pillar unions                      protected against backflow</p>			
 	<b>25 098 000</b>	<b>Chrome</b>	<b>4005176881633</b>	<b>182.11</b>
	<p><b>Eurosmart</b>  <b>Bath filler</b>                      deck mounted                      metal handle  <b>GROHE SilkMove</b> 56 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter</p>			
 	<b>25 105 000</b>	<b>Chrome</b>	<b>4005176881800</b>	<b>214.44</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      deck mounted                      metal handle  <b>GROHE SilkMove</b> 56 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      integrated non-return valve in the shower outlet 1/2"</p>			
 	<b>24 042 002</b>	<b>Chrome</b>	<b>4005176465161</b>	<b>120.36</b>
	<p><b>Eurosmart</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	<b>35 600 000</b>		<b>4005176413469</b>	<b>132.18</b>
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
 	<b>24 043 002</b>	<b>Chrome</b>	<b>4005176465178</b>	<b>132.60</b>
	<p><b>Eurosmart</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
	<b>35 600 000</b>		<b>4005176413469</b>	<b>132.18</b>
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 451 002	Chrome	4005176862335	95.90
<p><b>Eurosmart</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            33 961 000, 33 962 000, 33 963 000, 33 964 000,            33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>            metal lever  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            escutcheon- and shaft-sealing            metal wall escutcheon</p>				
 	19 450 002	Chrome	4005176862229	106.68
<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer trim</b>            set for final installation for            33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>            metal lever  <b>GROHE StarLight</b> chrome finish            GROHE FastFixation covered fixing            automatic diverter: bath/shower            escutcheon- and shaft-sealing            metal wall escutcheon</p>				
 	29 706 000		4005176102639	282.29
<p><b>3-way diverter</b>  <b>concealed body, 1/2"</b>  <b>without finishing trim set</b>            wall installation            DR-brass            ceramic discs            connection mixed water 1/2"            2 outlets 1/2"            protection sleeve            installation depth adjustable            24-60 mm</p>				
 	29 708 000		4005176102653	292.78
<p><b>5-way diverter</b>  <b>concealed body, 1/2"</b>  <b>without finishing trim set</b>            wall installation            with ceramic sealing disks            connection cold and hot 1/2"            2 outlets 1/2"            bath outlet 3/4"            installation depth adjustable            24-60 mm</p>				


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 421 001	Chrome	4005176556173	51.97
	<p><b>BauEdge</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      fixation nut G 1/2"                      professional edition</p>			
	20 421 10M	Chrome	4005176556180	103.83
	<p><b>BauEdge</b>  <b>Basin tap 1/2"</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>2 pieces</b>                      fixation nut G 1/2"                      min. recommended pressure 1.0 bar</p>			
	23 328 001	Chrome	4005176556241	72.12
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 895 001	Chrome	4005176554902	72.12
	ditto, smooth body with push open waste set			
	23 330 001	Chrome	4005176556302	67.87
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body                      flexible connection hoses                      professional edition</p>			
	23 559 001	Chrome	4005176556326	75.22
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 899 001	Chrome	400517655022	75.22
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 894 001	Chrome	4005176554896	72.12
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 896 001	Chrome	4005176554919	72.12
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free GROHE LowFlow mousseur 3.5 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 757 001	Chrome	4005176556340	100.98
	<p><b>BauEdge</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation GROHE Longlife 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses with shower set consisting of hand shower with integrated diverter wall shower holder shower hose shower hose 1500 mm professional edition</p>			


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 758 001	Chrome	4005176556364	91.20
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 901 001	Chrome	4005176555084	91.20
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body                      flexible connection hoses                      professional edition</p>			
	23 759 001	Chrome	4005176556388	91.20
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 908 001	Chrome	4005176555176	91.20
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 902 001	Chrome	4005176555091	91.20
------------	--------	---------------	-------

**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
GROHE LowFlow mousseur 3.5 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition





23 760 001	Chrome	4005176556418	103.93
------------	--------	---------------	--------

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition



23 911 001	Chrome	4005176555237	103.93
------------	--------	---------------	--------

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition




23 761 001	Chrome	4005176556449	123.02
------------	--------	---------------	--------

**BauEdge**  
**Basin mixer 1/2"**  
**XL-Size**  
**for free-standing basins**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses  
professional edition


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 451 000	Chrome	4005176473678	236.35
------------	--------	---------------	--------




**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 GROHE Zero separated inner water ways - lead and nickel free  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
 type of protection faucet IP 59

23 331 001	Chrome	4005176556494	72.12
------------	--------	---------------	-------




**BauEdge**  
**Bidet mixer 1/2"**  
 monobloc installation  
 metal lever  
 GROHE Longlife 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 with ball joint  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition

23 635 001	Chrome	4005176556524	72.48
------------	--------	---------------	-------












**BauEdge**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
 GROHE Longlife 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 protected against backflow  
 S-unions  
 metal wall escutcheon  
 professional edition


29 078 001	Chrome	4005176556555	119.98
------------	--------	---------------	--------



**BauEdge**  
**Single-lever shower mixer 1/2"**  
 concealed installation  
 Consisting of:  
 set for final installation  
 metal lever  
 concealed body  
 GROHE Longlife 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 escutcheon- and shaft-sealing  
 optional temperature limiter (46 375 000)  
 professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 604 001	Chrome	4005176556593	94.98
<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>				
 	29 079 001	Chrome	4005176556692	131.87
<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>				
	25 216 001	Chrome	4005176556654	139.98
<p><b>BauEdge</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°  <b>GROHE StarLight</b> chrome finish                      Min. recommended pressure 0.5 bar</p>				
 	25 217 001	Chrome	4005176556661	169.98
<p><b>BauEdge</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE StarLight</b> chrome finish                      Min. recommended pressure 0.5 bar</p>				
 	13 255 001	Chrome	4005176556722	71.97
<p><b>BauCosmopolitan</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      mousseur                      projection 171 mm                      male thread 1/2"</p>				


Ref. No.	Colour	EAN	Retail Guide Price (£)
22 009 001	Chrome	4005176556227	21.35



**BauEdge**  
**Angle valve 1/2"**  
 Outlet thread 1/2"  
 headpart 3/8"  
**GROHE StarLight** chrome finish


# GROHE BAULOOP

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




20 422 001	Chrome	4005176529504	51.97
------------	--------	---------------	-------

**BauLoop**  
**Pillar tap 1/2" XS-Size**  
 monobloc installation  
 ceramic headpart  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 fixation nut G 1/2"  
 professional edition



23 335 001	Chrome	4005176529566	83.78
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 GROHE Longlife 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




23 878 001	Chrome	4005176554032	83.78
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 GROHE Longlife 28 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
 rapid installation system  
 smooth body with plastic push open waste set 1 1/4"  
 flexible connection hoses  
 professional edition








23 337 001	Chrome	4005176555725	67.87
------------	--------	---------------	-------

ditto, without plastic push open waste set 1 1/4"




22 054 001	Chrome	4005176554162	72.80
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
 rapid installation system  
 plastic pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 883 001	Chrome	4005176554179	72.80
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 877 001	Chrome	4005176554025	83.78
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free                      GROHE LowFlow mousseur 3.5 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 879 001	Chrome	4005176554049	83.78
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free                      GROHE LowFlow mousseur 3.5 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 762 001	Chrome	4005176555763	91.20
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 886 001	Chrome	4005176554247	91.20
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition


23 917 001	Chrome	4005176555787	91.20
------------	--------	---------------	-------

ditto, without pplastic push open waste set 1 1/4"




23 887 001	Chrome	4005176554254	91.20
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition



23 885 001	Chrome	4005176554216	91.20
------------	--------	---------------	-------









**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
GROHE LowFlow mousseur 3.5 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition













23 763 001	Chrome	4005176555800	103.93
------------	--------	---------------	--------

**BauLoop**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition

# GROHE BAULOOP


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 891 001	Chrome	4005176554322	103.93
	<p><b>BauLoop</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system swivel tubular spout smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
 	23 764 001	Chrome	4005176555848	123.02
	<p><b>BauLoop</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses professional edition</p>			
 	23 338 001	Chrome	4005176555893	94.38
	<p><b>BauLoop</b> <b>Bidet mixer 1/2"</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min with ball joint rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
 	23 633 001	Chrome	4005176555923	72.48
	<p><b>BauLoop</b> <b>Single-lever shower mixer 1/2"</b> wall mounted metal lever GROHE Longlife 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve protected against backflow S-unions metal wall escutcheon professional edition</p>			

# GROHE BAULOOP











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 080 001	Chrome	4005176555961	119.98
	<p><b>BauLoop</b>  <b>Single-lever shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>			
	23 602 001	Chrome	4005176556029	94.98
	<p><b>BauLoop</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>			
	29 081 001	Chrome	4005176556081	131.87
	<p><b>BauLoop</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>			
	25 231 001	Chrome	4005176554599	169.98
	<p><b>BauLoop</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      Ceramic valves 3/4", 90°  <b>GROHE StarLight</b> chrome finish</p>			
	25 232 001	Chrome	4005176554605	139.98
	<p><b>BauLoop</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE StarLight</b> chrome finish  <b>Min. recommended pressure 0.5 bar</b></p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------









13 255 001	Chrome	4005176556722	71.97
------------	--------	---------------	-------













**BauCosmopolitan**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 projection 171 mm  
 male thread 1/2"

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 575 000	Chrome	4005176388422	54.35
<p><b>BauFlow</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      fixation nut G 1/2"</p>				
 	23 751 000	Chrome	4005176388149	75.43
<p><b>BauFlow</b>  <b>Basin mixer 1/2\"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 752 000	Chrome	4005176388156	70.99
<p><b>BauFlow</b>  <b>Basin mixer 1/2\"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body                      flexible connection hoses</p>				
 	23 753 000	Chrome	4005176388163	108.72
<p><b>BauFlow</b>  <b>Single-lever basin mixer 1/2\"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      swivel tubular spout                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 754 000	Chrome	4005176388170	98.72
<p><b>BauFlow</b>  <b>Bidet mixer 1/2\"</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				











# GROHE BAUFLOW

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 755 000	Chrome	4005176388187	76.54
<p><b>BauFlow</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted            metal lever            GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            shower bottom outlet 1/2" with            integrated non return-valve            S-unions            metal wall escutcheons            protected against backflow</p>				
 	34 558 000	Chrome	4005176310089	192.88
<p><b>Grohtherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off            volume handle with <b>GROHE EcoButton</b>            (economy button with individually            adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            dirt strainers            built-in non return valves            protected against backflow            S-unions            metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	23 756 000	Chrome	4005176388392	87.63
<p><b>BauFlow</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever            GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            spout with mousseur            shower bottom outlet 1/2" with            integrated non return-valve            S-unions            metal wall escutcheons            protected against backflow</p>				
 	34 567 000	Chrome	4005176310157	246.77
<p><b>Grohtherm 800</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off            automatic diverter: bath/shower            volume handle with <b>GROHE EcoButton</b>            (economy button with individually            adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon            min. recommended pressure 1.0 bar  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				

# GROHE COSTA L











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 404 001	Chrome	4005176842986	54.18
<p><b>Costa L</b> <b>Basin tap 1/2"</b> metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling <b>GROHE StarLight</b> chrome finish</p>				
 	20 186 001	Chrome	4005176874437	65.26
<p><b>Costa L</b> <b>Basin tap 1/2"</b> metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling <b>GROHE StarLight</b> chrome finish</p>				
 	20 393 001	Chrome	4005176842993	71.90
<p><b>Costa L</b> <b>Basin tap 1/2"</b> metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling <b>GROHE StarLight</b> chrome finish</p>				
 	21 390 001	Chrome	4005176843006	145.54
<p><b>Costa L</b> <b>Basin mixer, 1/2"</b> metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses <b>GROHE StarLight</b> chrome finish</p>				
 	21 375 001	Chrome	4005176843037	98.44
<p><b>Costa L</b> <b>Basin mixer, 1/2"</b> metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses <b>GROHE StarLight</b> chrome finish</p>				



# GROHE COSTA L



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 330 001	Chrome	4005176843112	82.96
<p><b>Costa L</b> <b>Shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions <b>GROHE StarLight</b> chrome finish</p>				
 	26 308 001	Chrome	4005176843129	98.45
<p><b>Costa L</b> <b>Shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" without connection unions for wall mounting <b>GROHE StarLight</b> chrome finish</p>				
 	25 450 001	Chrome	4005176843372	131.61
<p><b>Costa L</b> <b>Bath / shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions <b>GROHE StarLight</b> chrome finish</p>				
 	25 452 001	Chrome	4005176843075	123.21
<p><b>Costa L</b> <b>Bath / shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart shower top outlet 3/4" automatic diverter: bath/shower mousseur S-unions <b>GROHE StarLight</b> chrome finish</p>				
 	25 460 10A	Chrome	4005176456541	153.74
<p><b>Costa L</b> <b>Bath / shower mixer 1/2"</b> wall mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) <b>GROHE StarLight</b> chrome finish</p>				









# GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 540 000	Chrome	4005176005411	103.89
<p><b>Bath spout 3/4"</b> wall mounted flow straightener female thread 3/4" projection 140 mm <b>GROHE StarLight</b> chrome finish</p>				
 	30 098 001	Chrome	4005176843266	32.07
<p><b>Costa L Bibtap 1/2"</b> wall mounted metal handle heat-insulated screwable marking: blue (cold) <b>GROHE StarLight</b> finish mousseur Longlife-headparts</p>				
 	30 008 001	Chrome	4005176843242	32.07
<p><b>Costa L Stop cock</b> wall mounted heat-insulated metal handle screwable marking: blue (cold) Longlife-headpart <b>GROHE StarLight</b> chrome finish pipe-ventilating valve</p>				
 	19 808 001	Chrome	4005176843204	21.01
<p><b>Costa L Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) <b>GROHE StarLight</b> chrome finish</p>				
	19 809 001	Chrome	4005176853876	21.43
<p><b>ditto, marking red</b></p>				
 	35 028 000		4005176908316	134.24
<p><b>GROHE Rapido C</b> <b>Rough-in for single volume control</b> for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 800 000		4005176504839	30.43
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853	51.42
	<b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b>			
	29 805 000		4005176504884	86.36
	<b>ditto, 1", pre-assembled headpart 1", thread union 1"</b>			
	29 801 000		4005176504846	25.08
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	39.88
	<b>ditto, soldered connection Ø 22 mm</b>			













# GROHE UNIVERSAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 201 000	Chrome	4005176883354	107.17
<p><b>Universal pillar tap 1/2"</b>            C-spout            flow rate: 6 l/min at 3 bar flow pressure            flow-stop mousseur            ceramic disk headpart            union nut 1/2"            with 10.5 mm drilling  <b>GROHE StarLight</b> chrome finish            projection 113 mm</p>				
 	20 205 000	Chrome	4005176883682	77.86
<p><b>Universal wall-mounted tap DN15</b>            flow rate: 6 l/min at 3 bar flow pressure            flow-stop mousseur            ceramic disk headpart            connection thread 1/2"  <b>GROHE StarLight</b> chrome finish            projection 106 mm</p>				
 	20 203 000	Chrome	4005176883378	94.75
<p><b>Universal wall-mounted tap DN15</b>            flow rate: 6 l/min at 3 bar flow pressure            flow-stop mousseur            ceramic disk headpart            connection thread 1/2"  <b>GROHE StarLight</b> chrome finish            projection 185 mm</p>				









# GROHE TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	49.16
	19 952 DC0	supersteel	4005176467776	61.61
	19 952 EN0	brushed nickel	4005176468100	253.51
	19 952 A00	hard graphite	4005176352874	121.20
	19 952 AL0	Brushed Hard Graphite	4005176353376	133.32
	<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      set for final installation                      escutcheon                      supply part                      waste plug                      fixing set</p> <p>in combination with Talentofill                      28 990 000/28 991 000</p>			
	28 990 000		4005176174025	133.59
		<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      for normal baths  <b>without finishing trim set</b>                      with bottle trap and 45°-outlet-bend</p>		
	28 991 000		4005176174032	190.19
		<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      for baths with waste up to 370 mm reach  <b>without finishing trim set</b></p>		
	28 993 000		4005176174056	94.04
		<p><b>Talentofill</b>  <b>Connection set 3/4"</b>                      with 1.5 m-flexible connection pipe  <b>without finishing trim set</b></p>		
	28 995 000		4005176175725	266.53
		<p><b>Talentofill</b>  <b>Connection set 3/4"</b>                      with concealed anti-vacuum device                      Consisting of:                      -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV)                      - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)</p>		











# GROHE TALENTOFILL









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	20.88
<p><b>Talentofill Escutcheon</b> for connection set 28 995 <b>GROHE StarLight</b> chrome finish</p>				
 	14 055 000		4005176413520	161.51
<p><b>Backflow protection combination (DIN-EN1717)</b> retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	19 025 000	Chrome	4005176209154	54.73
<p><b>Talento Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish</p>				
 	28 939 000		4005176209161	83.94
<p><b>Talento Pop-up bath waste and overflow</b> set for normal bath and deep shower trays with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				
 	28 943 000		4005176209178	94.57
<p><b>Talento Pop-up bath waste and overflow</b> with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				

# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	41 027 000	Chrome	4005176576836	50.47	
	41 027 DC0	supersteel	4005176576843	71.07	
	41 027 BE0	polished nickel	4005176576850	76.22	
	41 027 EN0	brushed nickel	4005176576867	81.37	
	41 027 GL0	cool sunrise	4005176576874	76.22	
	41 027 GN0	brushed cool sunrise	4005176576881	81.37	
	41 027 DA0	warm sunset	4005176576898	76.22	
	41 027 DL0	brushed warm sunset	4005176576904	81.37	
	41 027 A00	hard graphite	4005176576911	76.22	
	41 027 AL0	Brushed Hard Graphite	4005176576928	81.37	
		<b>Selection</b> <b>Glass/soap dish holder</b> material: metal for Selection soap dispenser (41 028) or Selection glass (41 029 000) concealed fastening <b>GROHE StarLight</b> chrome finish			
		41 028 000	Chrome	4005176576942	50.47
		41 028 DC0	supersteel	4005176576959	71.07
41 028 BE0		polished nickel	4005176576966	76.22	
41 028 EN0		brushed nickel	4005176576973	81.37	
41 028 GL0		cool sunrise	4005176576980	76.22	
41 028 GN0		brushed cool sunrise	4005176576997	81.37	
41 028 DA0		warm sunset	4005176577000	76.22	
41 028 DL0		brushed warm sunset	4005176577017	81.37	
41 028 A00		hard graphite	4005176577024	76.22	
41 028 AL0		Brushed Hard Graphite	4005176577031	81.37	
		<b>Selection</b> <b>Soap dispenser</b> material: glass / metal filling quantity 120 ml fits in the following holder: 41 027 <b>GROHE StarLight</b> chrome finish			
		41 029 000	Chrome	4005176577055	24.72
		<b>Selection</b> <b>White glass</b> material: glass fits in the following holder: 41 027			
					
	41 035 000	Chrome	4005176577062	56.65	
	41 035 DC0	supersteel	4005176577079	79.31	
	41 035 BE0	polished nickel	4005176577086	85.49	
	41 035 EN0	brushed nickel	4005176577093	90.64	
	41 035 GL0	cool sunrise	4005176577109	85.49	
	41 035 GN0	brushed cool sunrise	4005176577116	90.64	
	41 035 DA0	warm sunset	4005176577123	85.49	
	41 035 DL0	brushed warm sunset	4005176577130	90.64	
	41 035 A00	hard graphite	4005176577147	85.49	
	41 035 AL0	Brushed Hard Graphite	4005176577154	90.64	
		<b>Selection</b> <b>Towel ring</b> material: metal holder for soap dish (41 036) and shower tray (41 037) length 200 mm concealed fastening <b>GROHE StarLight</b> chrome finish			









# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	41 036 000	glass clear	4005176577178	32.96
<p><b>Selection</b>  <b>Soap dish without holder</b>            material: glass            for use with towel ring (41 035)</p>				
 	41 037 000		4005176577185	14.42
<p><b>Selection</b>  <b>Shower tray without holder</b>            material: plastic            for use with towel ring (41 035)</p>				
 	41 038 000	Chrome	4005176577192	66.95
	41 038 DC0	supersteel	4005176577208	93.73
	41 038 BE0	polished nickel	4005176577215	99.91
	41 038 EN0	brushed nickel	4005176577222	107.12
	41 038 GL0	cool sunrise	4005176577239	99.91
	41 038 GN0	brushed cool sunrise	4005176577246	107.12
	41 038 DA0	warm sunset	4005176577253	99.91
	41 038 DL0	brushed warm sunset	4005176577260	107.12
	41 038 A00	hard graphite	4005176577277	99.91
	41 038 AL0	Brushed Hard Graphite	4005176577284	107.12
<p><b>Selection</b>  <b>Corner shower tray with holder</b>            material: metal/plastic            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	41 039 000	Chrome	4005176577307	18.54
	41 039 DC0	supersteel	4005176577314	25.75
	41 039 BE0	polished nickel	4005176577321	27.81
	41 039 EN0	brushed nickel	4005176577338	29.87
	41 039 GL0	cool sunrise	4005176577345	27.81
	41 039 GN0	brushed cool sunrise	4005176577352	29.87
	41 039 DA0	warm sunset	4005176577369	27.81
	41 039 DL0	brushed warm sunset	4005176577376	29.87
	41 039 A00	hard graphite	4005176577383	27.81
	41 039 AL0	Brushed Hard Graphite	4005176577390	29.87
<p><b>Selection</b>  <b>Single robe hook</b>            material: metal            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	41 049 000	Chrome	4005176577413	30.90
	41 049 DC0	supersteel	4005176577420	43.26
	41 049 BE0	polished nickel	4005176577437	45.32
	41 049 EN0	brushed nickel	4005176577444	48.41
	41 049 GL0	cool sunrise	4005176577451	45.32
	41 049 GN0	brushed cool sunrise	4005176577468	48.41
	41 049 DA0	warm sunset	4005176577475	45.32
	41 049 DL0	brushed warm sunset	4005176577482	48.41
	41 049 A00	hard graphite	4005176577499	45.32
	41 049 AL0	Brushed Hard Graphite	4005176577505	48.41
<p><b>Selection</b>  <b>Double robe hook</b>            material: metal            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	41 056 000	Chrome	4005176577529	81.37
	41 056 DC0	supersteel	4005176577536	113.30
	41 056 BE0	polished nickel	4005176577543	121.54
	41 056 EN0	brushed nickel	4005176577550	129.78
	41 056 GL0	cool sunrise	4005176577567	121.54
	41 056 GN0	brushed cool sunrise	4005176577574	129.78
	41 056 DA0	warm sunset	4005176577581	121.54
	41 056 DL0	brushed warm sunset	4005176577598	129.78
	41 056 A00	hard graphite	4005176577604	121.54
	41 056 AL0	Brushed Hard Graphite	4005176577611	129.78
		<p><b>Selection</b>  <b>Towel rail</b>                      material: metal                      length 600 mm                      concealed fastening                      for use with glass shelf (41 057)  <b>GROHE StarLight</b> chrome finish</p>		
	41 057 000	Chrome	4005176577635	94.76
	<p><b>Selection</b>  <b>Glass shelf</b>                      material: glass                      for use with towel rail (41 056)</p>			
				
	41 058 000	Chrome	4005176577642	105.06
	41 058 DC0	supersteel	4005176577659	147.29
	41 058 BE0	polished nickel	4005176577666	157.59
	41 058 EN0	brushed nickel	4005176577673	167.89
	41 058 GL0	cool sunrise	4005176577680	157.59
	41 058 GN0	brushed cool sunrise	4005176577697	167.89
	41 058 DA0	warm sunset	4005176577703	157.59
	41 058 DL0	brushed warm sunset	4005176577710	167.89
	41 058 A00	hard graphite	4005176577727	157.59
	41 058 AL0	Brushed Hard Graphite	4005176577734	167.89
		<p><b>Selection</b>  <b>Towel rail</b>                      material: metal                      length 800 mm                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>		
	41 059 000	Chrome	4005176577758	111.24
	41 059 DC0	supersteel	4005176577765	155.53
	41 059 BE0	polished nickel	4005176577772	166.86
	41 059 EN0	brushed nickel	4005176577779	178.19
	41 059 GL0	cool sunrise	4005176577796	166.86
	41 059 GN0	brushed cool sunrise	4005176577802	178.19
	41 059 DA0	warm sunset	4005176577819	166.86
	41 059 DL0	brushed warm sunset	4005176577826	178.19
	41 059 A00	hard graphite	4005176577833	166.86
	41 059 AL0	Brushed Hard Graphite	4005176577840	178.19
		<p><b>Selection</b>  <b>Towel holder, non pivotable</b>                      material: metal                      depth 411 mm (functional depth 360 mm)                      two arms                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>		



# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	41 063 000	Chrome	4005176577864	90.64	
	41 063 DC0	supersteel	4005176577871	127.72	
	41 063 BE0	polished nickel	4005176577888	135.96	
	41 063 EN0	brushed nickel	4005176577895	145.23	
	41 063 GL0	cool sunrise	4005176577901	135.96	
	41 063 GN0	brushed cool sunrise	4005176577918	145.23	
	41 063 DA0	warm sunset	4005176577925	135.96	
	41 063 DL0	brushed warm sunset	4005176577932	145.23	
	41 063 A00	hard graphite	4005176577949	135.96	
	41 063 AL0	Brushed Hard Graphite	4005176577956	145.23	
	<b>Selection</b> <b>Towel holder, pivotable</b> material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening <b>GROHE StarLight</b> chrome finish				
	 	41 064 000	Chrome	4005176577970	62.83
41 064 DC0		supersteel	4005176577987	87.55	
41 064 BE0		polished nickel	4005176577994	93.73	
41 064 EN0		brushed nickel	4005176578007	99.91	
41 064 GL0		cool sunrise	4005176578014	93.73	
41 064 GN0		brushed cool sunrise	4005176578021	99.91	
41 064 DA0		warm sunset	4005176578038	93.73	
41 064 DL0		brushed warm sunset	4005176578045	99.91	
41 064 A00		hard graphite	4005176578052	93.73	
41 064 AL0		Brushed Hard Graphite	4005176578069	99.91	
<b>Selection</b> <b>Grip bar</b> material: metal length 336 mm (functional length 300 mm) concealed fastening <b>GROHE StarLight</b> chrome finish					
 		41 066 000	Chrome	4005176578083	222.48
	41 066 DC0	supersteel	4005176578090	311.06	
	41 066 BE0	polished nickel	4005176578106	332.69	
	41 066 EN0	brushed nickel	4005176578113	355.35	
	41 066 GL0	cool sunrise	4005176578120	332.69	
	41 066 GN0	brushed cool sunrise	4005176578137	355.35	
	41 066 DA0	warm sunset	4005176578144	332.69	
	41 066 DL0	brushed warm sunset	4005176578151	355.35	
	41 066 A00	hard graphite	4005176578168	332.69	
	41 066 AL0	Brushed Hard Graphite	4005176578175	355.35	
	<b>Selection</b> <b>Multi-towel rack</b> material: metal length 596 mm concealed fastening <b>GROHE StarLight</b> chrome finish				
	 	41 067 000	Chrome	4005176578199	50.47
41 067 DC0		supersteel	4005176578205	71.07	
41 067 BE0		polished nickel	4005176578212	76.22	
41 067 EN0		brushed nickel	4005176578229	81.37	
41 067 GL0		cool sunrise	4005176578236	76.22	
41 067 GN0		brushed cool sunrise	4005176578243	81.37	
41 067 DA0		warm sunset	4005176578250	76.22	
41 067 DL0		brushed warm sunset	4005176578267	81.37	
41 067 A00		hard graphite	4005176578274	76.22	
41 067 AL0		Brushed Hard Graphite	4005176578281	81.37	
<b>Selection</b> <b>Spare toilet paper holder (2 rolls)</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish					










# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	41 068 000	Chrome	4005176578304	41.20
	41 068 DC0	supersteel	4005176578311	56.65
	41 068 BE0	polished nickel	4005176578328	60.77
	41 068 EN0	brushed nickel	4005176578335	64.89
	41 068 GL0	cool sunrise	4005176578342	60.77
	41 068 GN0	brushed cool sunrise	4005176578359	64.89
	41 068 DA0	warm sunset	4005176578366	60.77
	41 068 DL0	brushed warm sunset	4005176578373	64.89
	41 068 A00	hard graphite	4005176578380	60.77
	41 068 AL0	Brushed Hard Graphite	4005176578397	64.89
		<b>Selection</b> Toilet roll holder without cover material: metal wall mounted concealed fastening GROHE StarLight chrome finish		
	41 069 000	Chrome	4005176578410	81.37
	41 069 DC0	supersteel	4005176578427	113.30
	41 069 BE0	polished nickel	4005176578434	121.54
	41 069 EN0	brushed nickel	4005176578441	129.78
	41 069 GL0	cool sunrise	4005176578458	121.54
	41 069 GN0	brushed cool sunrise	4005176578465	129.78
	41 069 DA0	warm sunset	4005176578472	121.54
	41 069 DL0	brushed warm sunset	4005176578489	129.78
	41 069 A00	hard graphite	4005176578496	121.54
	41 069 AL0	Brushed Hard Graphite	4005176578502	129.78
		<b>Selection</b> Toilet roll holder with cover material: metal wall mounted concealed fastening GROHE StarLight chrome finish		
	41 076 000	Chrome	4005176578526	100.94
	41 076 DC0	supersteel	4005176578533	141.11
	41 076 BE0	polished nickel	4005176578540	151.41
	41 076 EN0	brushed nickel	4005176578557	161.71
	41 076 GL0	cool sunrise	4005176578564	151.41
	41 076 GN0	brushed cool sunrise	4005176578571	161.71
	41 076 DA0	warm sunset	4005176578588	151.41
	41 076 DL0	brushed warm sunset	4005176578595	161.71
	41 076 A00	hard graphite	4005176578601	151.41
	41 076 AL0	Brushed Hard Graphite	4005176578618	161.71
		<b>Selection</b> Toilet brush set material: glass / metal wall mounted concealed fastening GROHE StarLight chrome finish		
	40 791 001	white	4005176323409	4.72
	40 791 KS1	velvet black	4005176336379	4.72
	<b>Spare Brush Head</b>			
	41 077 000	Chrome	4005176578632	151.41
	41 077 DC0	supersteel	4005176578649	212.18
	41 077 BE0	polished nickel	4005176578656	226.60
	41 077 EN0	brushed nickel	4005176578663	242.05
	41 077 GL0	cool sunrise	4005176578670	226.60
	41 077 GN0	brushed cool sunrise	4005176578687	242.05
	41 077 DA0	warm sunset	4005176578694	226.60
	41 077 DL0	brushed warm sunset	4005176578701	242.05
	41 077 A00	hard graphite	4005176578708	226.60
	41 077 AL0	Brushed Hard Graphite	4005176578715	242.05
		<b>Selection</b> Shaving mirror material: glass / metal without lights magnification: x 7 concealed fastening GROHE StarLight chrome finish		







# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 865 000	Chrome	4005176378140	33.46
<p><b>Selection Cube Glass/soap dish holder</b> material: metal for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) concealed fastening <b>GROHE StarLight</b> chrome finish</p>				
 	40 805 000	Chrome	4005176347924	41.62
<p><b>Selection Cube Soap dispenser</b> material: glass / metal filling quantity 300 ml fits in the following holder: Selection Cube (40 865 000) <b>GROHE StarLight</b> finish</p>				
 	40 806 000	Glass Matt	4005176347931	27.89
<p><b>Selection Cube Soap dish</b> material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 783 000		4005176347894	22.31
<p><b>Selection Cube Glass</b> material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
 	40 766 000	Chrome	4005176347849	47.20
<p><b>Selection Cube Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> finish</p>				
 	40 768 000	Chrome	4005176347863	133.03
<p><b>Selection Cube Double towel bar</b> material: metal 2 arms, pivotable 400 mm concealed fastening <b>GROHE StarLight</b> finish</p>				









# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	90.11
<p><b>Selection Cube</b>  <b>Towel rail</b>                      500 mm (functional length 459 mm)                      material: metal                      concealed fastening                      GROHE StarLight chrome finish</p>				
 	40 804 000	Chrome	4005176347917	248.05
<p><b>Selection Cube</b>  <b>Multi bath towel rack</b>                      material: metal                      600 mm (functional length 575 mm)                      concealed fastening                      GROHE StarLight finish</p>				
 	40 782 000	Chrome	4005176347887	24.88
<p><b>Selection Cube</b>  <b>Robe hook</b>                      material: metal                      concealed fastening                      GROHE StarLight finish</p>				
 	40 807 000	Chrome	4005176347948	137.33
<p><b>Selection Cube</b>  <b>Grip bar/towel bar</b>                      material: metal                      600 mm (functional length 548 mm)                      concealed fastening                      GROHE StarLight finish</p>				
 	40 781 000	Chrome	4005176347870	72.52
<p><b>Selection Cube</b>  <b>Toilet roll holder</b>                      material: metal                      concealed fastening                      with cover                      GROHE StarLight finish</p>				
 	40 784 000	Chrome	4005176347900	33.46
<p><b>Selection Cube</b>  <b>Spare toilet paper holder</b>                      material: metal                      wall mounted                      concealed fastening                      GROHE StarLight finish</p>				





# GROHE SELECTION CUBE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	98.70
<p><b>Selection Cube Toilet brush set</b>            material: glass / metal            wall mounted            concealed fastening  <b>GROHE StarLight</b> finish</p>				
 	40 809 000	Chrome	4005176347962	98.70
<p><b>Selection Cube Soap wire basket</b>            material: metal  <b>for corner installation</b>  <b>GROHE StarLight</b> finish</p>				
 	40 808 000	Chrome	4005176347955	124.45
<p><b>Selection Cube Shaving mirror</b>            material: glass / metal            wall mounted            concealed fastening            magnification: x 3  <b>GROHE StarLight</b> finish</p>				

# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	40 369 001	Chrome	4005176326196	18.88	
	40 369 DC1	supersteel	4005176412462	26.60	
	40 369 BE1	polished nickel	4005176430176	28.31	
	40 369 EN1	brushed nickel	4005176326202	30.47	
	40 369 GL1	cool sunrise	4005176429422	28.31	
	40 369 GN1	brushed cool sunrise	4005176429873	30.47	
	40 369 DA1	warm sunset	4005176428975	28.31	
	40 369 DL1	brushed warm sunset	4005176430022	30.47	
	40 369 A01	hard graphite	4005176429576	28.31	
	40 369 AL1	Brushed Hard Graphite	4005176429729	30.47	
	<b>Essentials</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	 	40 394 001	Chrome	4005176326233	15.44
40 394 DC1		supersteel	4005176421532	21.88	
40 394 BE1		polished nickel	4005176430183	23.16	
40 394 EN1		brushed nickel	4005176412646	24.88	
40 394 GL1		cool sunrise	4005176429439	23.16	
40 394 GN1		brushed cool sunrise	4005176429880	24.88	
40 394 DA1		warm sunset	4005176428982	23.16	
40 394 DL1		brushed warm sunset	4005176430039	24.88	
40 394 A01		hard graphite	4005176429583	23.16	
40 394 AL1		Brushed Hard Graphite	4005176429736	24.88	
<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish					
 		40 368 001	glass clear	4005176326219	5.23
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				
 	40 372 001		4005176326226	6.26	
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)				









# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 448 001	Chrome	4005176328343	35.18
	40 448 DC1	supersteel	4005176413155	49.35
	40 448 EN1	brushed nickel	4005176335525	56.22
	<b>Essentials</b> <b>Soap dispenser with holder</b> material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 444 001	Chrome	4005176328336	24.03
	40 444 DC1	supersteel	4005176413148	33.90
	40 444 EN1	brushed nickel	4005176335501	38.61
	<b>Essentials</b> <b>Soap dish with holder</b> material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 447 001	Chrome	4005176328701	23.60
	40 447 DC1	supersteel	4005176413162	33.04
	40 447 EN1	brushed nickel	4005176335518	37.33
	<b>Essentials</b> <b>Crystal glass with holder</b> material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 365 001	Chrome	4005176326240	18.88
	40 365 DC1	supersteel	4005176412431	26.60
	40 365 BE1	polished nickel	4005176430121	28.31
	40 365 EN1	brushed nickel	4005176326257	30.47
	40 365 GL1	cool sunrise	4005176429378	28.31
	40 365 GN1	brushed cool sunrise	4005176429828	30.47
	40 365 DA1	warm sunset	4005176428920	28.31
	40 365 DL1	brushed warm sunset	4005176429972	30.47
	40 365 A01	hard graphite	4005176429521	28.31
	40 365 AL1	Brushed Hard Graphite	4005176429675	30.47
	<b>Essentials</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			











	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	40 371 001	Chrome	4005176326318	33.46	
	40 371 DC1	supersteel	4005176412479	47.20	
	40 371 BE1	polished nickel	4005176430138	50.20	
	40 371 EN1	brushed nickel	4005176430268	53.64	
	40 371 GL1	cool sunrise	4005176429385	50.20	
	40 371 GN1	brushed cool sunrise	4005176429835	53.64	
	40 371 DA1	warm sunset	4005176428937	50.20	
	40 371 DL1	brushed warm sunset	4005176429989	53.64	
	40 371 A01	hard graphite	4005176429538	50.20	
	40 371 AL1	Brushed Hard Graphite	4005176429682	53.64	
	<b>Essentials</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
	 	40 688 001	Chrome	4005176326288	27.46
40 688 DC1		supersteel	4005176413124	38.61	
40 688 BE1		polished nickel	4005176430145	41.19	
40 688 EN1		brushed nickel	4005176326295	44.20	
40 688 GL1		cool sunrise	4005176429392	41.19	
40 688 GN1		brushed cool sunrise	4005176429842	44.20	
40 688 DA1		warm sunset	4005176428944	41.19	
40 688 DL1		brushed warm sunset	4005176429996	44.20	
40 688 A01		hard graphite	4005176429545	41.19	
40 688 AL1		Brushed Hard Graphite	4005176429699	44.20	
<b>Essentials</b> <b>Towel rail</b> material: metal 504 mm (useable length 450 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)					
 		40 366 001	Chrome	4005176326264	30.03
	40 366 DC1	supersteel	4005176412448	42.05	
	40 366 BE1	polished nickel	4005176430152	45.05	
	40 366 EN1	brushed nickel	4005176326271	48.06	
	40 366 GL1	cool sunrise	4005176429408	45.05	
	40 366 GN1	brushed cool sunrise	4005176429859	48.06	
	40 366 DA1	warm sunset	4005176428951	45.05	
	40 366 DL1	brushed warm sunset	4005176430008	48.06	
	40 366 A01	hard graphite	4005176429552	45.05	
	40 366 AL1	Brushed Hard Graphite	4005176429705	48.06	
	<b>Essentials</b> <b>Towel rail</b> material: metal 654 mm (useable length 600 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	 	40 386 001	Chrome	4005176326301	37.76
40 386 BE1		polished nickel	4005176430169	56.64	
40 386 EN1		brushed nickel	4005176430275	60.50	
40 386 GL1		cool sunrise	4005176429415	56.64	
40 386 GN1		brushed cool sunrise	4005176429866	60.50	
40 386 DA1		warm sunset	4005176428968	56.64	
40 386 DL1		brushed warm sunset	4005176430015	60.50	
40 386 A01		hard graphite	4005176429569	56.64	
40 386 AL1		Brushed Hard Graphite	4005176429712	60.50	
<b>Essentials</b> <b>Towel rail</b> material: metal 854 mm (useable length 800 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)					











# GROHE ESSENTIALS











	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	40 802 001	Chrome	4005176328107	51.49	
	40 802 BE1	polished nickel	4005176430251	77.67	
	40 802 EN1	brushed nickel	4005176430329	82.82	
	40 802 GL1	cool sunrise	4005176429507	77.67	
	40 802 GN1	brushed cool sunrise	4005176429958	82.82	
	40 802 DA1	warm sunset	4005176429354	77.67	
	40 802 DL1	brushed warm sunset	4005176430107	82.82	
	40 802 A01	hard graphite	4005176429651	77.67	
	40 802 AL1	Brushed Hard Graphite	4005176429804	82.82	
					
	<p><b>Essentials</b>  <b>Double towel rail</b>                      material: metal                      654 mm (useable length 600 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>				
	40 800 001	Chrome	4005176327988	102.99	
	40 800 DC1	supersteel	4005176413223	141.61	
	40 800 BE1	polished nickel	4005176430244	150.20	
	40 800 EN1	brushed nickel	4005176430312	163.08	
	40 800 GL1	cool sunrise	4005176429491	150.20	
	40 800 GN1	brushed cool sunrise	4005176429941	163.08	
	40 800 DA1	warm sunset	4005176429347	150.20	
	40 800 DL1	brushed warm sunset	4005176430091	163.08	
	40 800 A01	hard graphite	4005176429644	150.20	
	40 800 AL1	Brushed Hard Graphite	4005176429798	163.08	
					
<p><b>Essentials</b>  <b>Multi bath towel rack</b>                      material: metal                      604 mm (useable length 550 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>					
	40 364 001	Chrome	4005176326332	10.29	
	40 364 BE1	polished nickel	4005176430114	15.44	
	40 364 EN1	brushed nickel	4005176326349	16.73	
	40 364 GL1	cool sunrise	4005176429361	15.44	
	40 364 GN1	brushed cool sunrise	4005176429811	16.73	
	40 364 DA1	warm sunset	4005176428913	15.44	
	40 364 DL1	brushed warm sunset	4005176429965	16.73	
	40 364 A01	hard graphite	4005176429514	15.44	
	40 364 AL1	Brushed Hard Graphite	4005176429668	16.73	
					
	<p><b>Essentials</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
	40 421 001	Chrome	4005176326325	30.03	
	40 421 DC1	supersteel	4005176413117	42.05	
	40 421 BE1	polished nickel	4005176430237	45.05	
	40 421 EN1	brushed nickel	4005176430305	48.06	
	40 421 GL1	cool sunrise	4005176429484	45.05	
	40 421 GN1	brushed cool sunrise	4005176429934	48.06	
	40 421 DA1	warm sunset	4005176429330	45.05	
	40 421 DL1	brushed warm sunset	4005176430084	48.06	
	40 421 A01	hard graphite	4005176429637	45.05	
	40 421 AL1	Brushed Hard Graphite	4005176429781	48.06	
					
<p><b>Essentials</b>  <b>Grip bar</b>                      material: metal                      349 mm (useable length 295 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>					

# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 793 001	Chrome	4005176327599	42.91
	40 793 DC1	supersteel	4005176413230	60.08
<p><b>Essentials</b>  <b>Grip bar</b>                      material: metal                      507 mm (useable length 450 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>				
 	40 794 001	Chrome	4005176327605	51.49
	40 794 DC1	supersteel	4005176413247	72.09
<p><b>Essentials</b>  <b>Grip bar</b>                      material: metal                      657 mm (useable length 600 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>				
 	40 797 001	Chrome	4005176327636	133.03
<p><b>Essentials</b>  <b>Grip bar</b>                      material: metal                      737 x 997 mm (useable length 680 x 940 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>				
 	40 799 001	Chrome	4005176327971	34.33
	40 799 DC1	supersteel	4005176413216	48.06
<p><b>Essentials</b>  <b>Glass shelf</b>                      material: glass / metal                      530 mm (useable length 380 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 689 001	Chrome	4005176326363	22.31
	40 689 DC1	supersteel	4005176413131	31.32
	40 689 BE1	polished nickel	4005176430213	33.46
	40 689 EN1	brushed nickel	4005176326370	35.62
	40 689 GL1	cool sunrise	4005176429460	33.46
	40 689 GN1	brushed cool sunrise	4005176429910	35.62
	40 689 DA1	warm sunset	4005176429316	33.46
	40 689 DL1	brushed warm sunset	4005176430060	35.62
	40 689 A01	hard graphite	4005176429613	33.46
	40 689 AL1	Brushed Hard Graphite	4005176429767	35.62
	<p><b>Essentials</b>  <b>Toilet roll holder</b>                      material: metal                      without cover                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>			


# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)								
 	40 367 001	Chrome	4005176326387	24.88								
	40 367 DC1	supersteel	4005176412455	34.75								
	40 367 BE1	polished nickel	4005176430220	37.33								
	40 367 EN1	brushed nickel	4005176326394	39.90								
	40 367 GL1	cool sunrise	4005176429477	37.33								
	40 367 GN1	brushed cool sunrise	4005176429927	39.90								
	40 367 DA1	warm sunset	4005176429323	37.33								
	40 367 DL1	brushed warm sunset	4005176430077	39.90								
	40 367 A01	hard graphite	4005176429620	37.33								
	40 367 AL1	Brushed Hard Graphite	4005176429774	39.90								
	<b>Essentials</b> <b>Toilet roll holder</b> material: metal with cover concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)											
 	40 385 001	Chrome	4005176326356	18.88								
	40 385 DC1	supersteel	4005176413094	26.60								
	40 385 BE1	polished nickel	4005176430206	28.31								
	40 385 EN1	brushed nickel	4005176430299	30.47								
	40 385 GL1	cool sunrise	4005176429453	28.31								
	40 385 GN1	brushed cool sunrise	4005176429903	30.47								
	40 385 DA1	warm sunset	4005176429309	28.31								
	40 385 DL1	brushed warm sunset	4005176430053	30.47								
	40 385 A01	hard graphite	4005176429606	28.31								
	40 385 AL1	Brushed Hard Graphite	4005176429750	30.47								
	<b>Essentials</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)											
 	40 374 001	Chrome	4005176326400	30.89								
	40 374 DC1	supersteel	4005176412486	43.34								
	40 374 BE1	polished nickel	4005176430190	46.34								
	40 374 EN1	brushed nickel	4005176430282	49.78								
	40 374 GL1	cool sunrise	4005176429446	46.34								
	40 374 GN1	brushed cool sunrise	4005176429897	49.78								
	40 374 DA1	warm sunset	4005176429293	46.34								
	40 374 DL1	brushed warm sunset	4005176430046	49.78								
	40 374 A01	hard graphite	4005176429590	46.34								
	40 374 AL1	Brushed Hard Graphite	4005176429743	49.78								
	<b>Essentials</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)											
<table border="0"> <tr> <td>40 791 001</td> <td>white</td> <td>4005176323409</td> <td>4.72</td> </tr> <tr> <td>40 791 KS1</td> <td>velvet black</td> <td>4005176336379</td> <td>4.72</td> </tr> </table> <b>Spare Brush Head</b>					40 791 001	white	4005176323409	4.72	40 791 KS1	velvet black	4005176336379	4.72
40 791 001	white	4005176323409	4.72									
40 791 KS1	velvet black	4005176336379	4.72									
 	40 663 001	Chrome	4005176327834	42.87								
	<b>BauCosmopolitan</b> <b>Soap wire basket</b> material: metal for corner installation large suitable for screwing (including screws and dowels)											

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 664 001	Chrome	4005176327841	34.56
<p><b>BauCosmopolitan Soap wire basket</b> material: metal <b>for corner installation</b> small suitable for screwing (including screws and dowels)</p>				
 	40 407 001 40 407 DC1	Chrome supersteel	4005176328350 4005176413179	59.65 83.68
<p><b>Essentials 3-in-1 WC set</b> material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 775 001 40 775 DC1 40 775 EN1	Chrome supersteel brushed nickel	4005176328626 4005176413186 4005176324765	58.79 82.39 94.41
<p><b>Essentials 3-in-1 Guest bathroom accessories set</b> material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 776 001 40 776 DC1	Chrome supersteel	4005176328633 4005176413193	75.95 107.28
<p><b>Essentials 4-in-1 Master bathroom accessories set</b> material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 846 001	Chrome	4005176344091	94.41
<p><b>Essentials 4-in-1 Master bathroom accessories set</b> material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening <b>GROHE StarLight</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				

# GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 344 001	Chrome	4005176323461	94.41
40 344 DC1	supersteel	4005176413209	133.03



**Essentials**  
**Master bathroom accessories set 5-in-1**

material: glass / metal

Consisting of:

towel ring (40 365 001)

towel rail, 600 mm (40 366 001)

robe hook (40 364 001)

paper holder with cover (40 367 001)













soap dish with holder (40 444 001)

concealed fastening













**GROHE StarLight** chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)











# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 508 001	Chrome	4005176324413	24.88
	40 508 DC1	supersteel	4005176636554	45.32
	40 508 AL1	Brushed Hard Graphite	4005176636653	51.50
	<b>Essentials Cube</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 394 001	Chrome	4005176326233	15.44
	40 394 DC1	supersteel	4005176421532	21.88
	40 394 AL1	Brushed Hard Graphite	4005176429736	24.88
	<b>Essentials Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish			
	40 368 001	glass clear	4005176326219	5.23
	<b>Essentials Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
				
	40 372 001		4005176326226	6.26
	<b>Essentials Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
				
	40 756 001	Chrome	4005176328381	40.33
	<b>Essentials Cube Soap dispenser with holder</b> material: glass / metal filling quantity 160 ml Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
				
	40 755 001	Chrome	4005176328374	30.03
	<b>Essentials Cube Crystal glass with holder</b> material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
				

# GROHE ESSENTIALS CUBE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	30.47
<b>Essentials Cube</b> <b>Soap dish with holder</b> material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 510 001 40 510 DC1 40 510 AL1	Chrome supersteel Brushed Hard Graphite	4005176324420 4005176636172 4005176636578	34.33 61.80 71.07
<b>Essentials Cube</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 624 001 40 624 DC1 40 624 AL1	Chrome supersteel Brushed Hard Graphite	4005176324444 4005176636486 4005176636585	48.49 86.52 98.88
<b>Essentials Cube</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 509 001 40 509 DC1	Chrome supersteel	4005176324437 4005176636493	38.19 69.01
<b>Essentials Cube</b> <b>Towel rail</b> material: metal 600 mm (useable length 558 mm) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 512 001 40 512 AL1	Chrome Brushed Hard Graphite	4005176324451 4005176636608	124.45 256.47
<b>Essentials Cube</b> <b>Multi-towel rack</b> material: metal 600 mm (useable length 558 mm) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 511 001 40 511 DC1 40 511 AL1	Chrome supersteel Brushed Hard Graphite	4005176324475 4005176636516 4005176636615	14.58 26.78 29.87
<b>Essentials Cube</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish				

# GROHE ESSENTIALS CUBE













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 514 001	Chrome	4005176324468	51.49
	40 514 DC1	supersteel	4005176636523	92.70
	40 514 AL1	Brushed Hard Graphite	4005176636622	106.09
	<b>Essentials Cube Grip bar</b> material: metal 392 mm (useable length 340 mm) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 507 001	Chrome	4005176324598	28.75
	40 507 DC1	supersteel	4005176636530	52.53
	40 507 AL1	Brushed Hard Graphite	4005176636639	59.74
	<b>Essentials Cube Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 623 001	Chrome	4005176324482	24.03
	40 623 DC1	supersteel	4005176636547	43.26
	40 623 AL1	Brushed Hard Graphite	4005176636646	49.44
	<b>Essentials Cube Spare toilet paper holder</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 513 001	Chrome	4005176324604	50.20
	40 513 DC1	supersteel	4005176636165	89.61
	40 513 AL1	Brushed Hard Graphite	4005176636561	101.97
	<b>Essentials Cube Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 791 001	white	4005176323409	4.72
	40 791 KS1	velvet black	4005176336379	4.72
	<b>Spare Brush Head</b>			
	40 757 001	Chrome	4005176328497	84.11
	<b>Essentials Cube 3-in-1 WC set</b> material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
				













# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 777 001	Chrome	4005176328640	73.38
	<b>Essentials Cube</b> <b>3-in-1 Guest bathroom accessories set</b> material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 778 001	Chrome	4005176328657	102.99
	<b>Essentials Cube</b> <b>4-in-1 Master bathroom accessories set</b> material: metal Consisting of: robe hook (40 511 001) towel ring (40 510 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 847 001	Chrome	4005176344107	120.16
	<b>Essentials Cube</b> <b>4-in-1 Bathroom accessories set</b> material: glass / metal Consisting of: soap dispenser with holder (40 756 001) crystal glass with holder (40 755 001) double towel bar (40 624 001) robe hook (40 511 001) concealed fastening <b>GROHE StarLight</b> finish			
	40 758 001	Chrome	4005176328503	128.74
	<b>Essentials Cube</b> <b>Master bathroom accessories set 5-in-1</b> material: glass / metal Consisting of: soap dish with holder (40 754 001) towel rail, 558 mm (40 509 001) toilet paper holder (40 507 001) robe hook (40 511 001) towel ring (40 510 001) concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE BAUCOSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 585 001	Chrome	4005176327797	15.31
<p><b>BauCosmopolitan</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 394 001	Chrome	4005176326233	15.44
<p><b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish</p>				
 	40 368 001	glass clear	4005176326219	5.23
<p><b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001		4005176326226	6.26
<p><b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 460 001	Chrome	4005176327803	15.31
<p><b>BauCosmopolitan</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 459 001	Chrome	4005176327810	21.87
<p><b>BauCosmopolitan</b> <b>Towel rail</b> material: metal 522 mm (useable length 430 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				

# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 462 001	Chrome	4005176327827	80.93
<b>BauCosmopolitan</b> <b>Multi-towel rack</b> material: metal 564 mm (useable length 510 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
 	40 461 001	Chrome	4005176327858	9.18
<b>BauCosmopolitan</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 457 001	Chrome	4005176327865	19.25
<b>BauCosmopolitan</b> <b>Toilet Roll Holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 463 001	Chrome	4005176327872	24.93
<b>BauCosmopolitan</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	40 791 001	white	4005176323409	4.72
	40 791 KS1	velvet black	4005176336379	4.72
<b>Spare Brush Head</b>				
 	40 663 001	Chrome	4005176327834	42.87
<b>BauCosmopolitan</b> <b>Soap wire basket</b> material: metal <b>for corner installation</b> large suitable for screwing (including screws and dowels)				

# GROHE BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 664 001	Chrome	4005176327841	34.56













**BauCosmopolitan**  
**Soap wire basket**  
material: metal  
**for corner installation**  
small  
suitable for screwing (including screws and dowels)

# GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 652 001	Chrome	4005176324321	18.88
	40 652 EN1	brushed nickel	4005176324239	30.47
	<b>Essentials Authentic</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 394 001	Chrome	4005176326233	15.44
	40 394 EN1	brushed nickel	4005176412646	24.88
	<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish			
	40 368 001	glass clear	4005176326219	5.23
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001		4005176326226	6.26
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 655 001	Chrome	4005176324338	18.88
	40 655 EN1	brushed nickel	4005176324246	30.47
	<b>Essentials Authentic</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 653 001	Chrome	4005176324345	30.03
	40 653 EN1	brushed nickel	4005176324253	48.06
	<b>Essentials Authentic</b> <b>Towel rail</b> material: metal 626 mm (useable length 582 mm) concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 654 001	Chrome	4005176324352	51.49
	40 654 EN1	brushed nickel	4005176324260	82.82
	<p><b>Essentials Authentic Double towel rail</b>                      material: metal                      626 mm (useable length 582 mm)                      concealed fastening                      GROHE StarLight chrome finish</p>			
	40 660 001	Chrome	4005176324369	102.99
	40 660 EN1	brushed nickel	4005176324277	163.08
	<p><b>Essentials Authentic Multi-towel rack</b>                      material: metal                      586 mm (useable length 542 mm)                      concealed fastening                      GROHE StarLight chrome finish</p>			
	40 656 001	Chrome	4005176324383	10.29
	40 656 EN1	brushed nickel	4005176324291	16.73
	<p><b>Essentials Authentic Robe hook</b>                      material: metal                      concealed fastening                      GROHE StarLight chrome finish</p>			
	40 657 001	Chrome	4005176324390	22.31
	40 657 EN1	brushed nickel	4005176324307	35.62
	<p><b>Essentials Authentic Toilet roll holder</b>                      material: metal                      without cover                      concealed fastening                      GROHE StarLight chrome finish</p>			
	40 658 001	Chrome	4005176324406	30.89
	40 658 EN1	brushed nickel	4005176324314	49.78
	<p><b>Essentials Authentic Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening                      GROHE StarLight chrome finish</p>			
	40 791 001	white	4005176323409	4.72
	40 791 KS1	velvet black	4005176336379	4.72
	<p><b>Spare Brush Head</b></p>			

# GROHE ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 659 001	Chrome	4005176324376	33.90
40 659 EN1	brushed nickel	4005176324284	54.06



**Essentials Authentic  
Corner Basket, small**  
material: metal  
concealed fastening  
**GROHE StarLight** chrome finish





GROHTHERM  
**THERMOSTATS**



**CONTENTS**

Grohtherm SmartControl	241
Grohtherm 2 handle trim sets	253
Grohtherm 2000	259
Grohtherm Cube	265
Grohtherm 1000 Cosmopolitan 3/4"	269
Grohtherm 1000	270
Grohtherm 1000 Performance	273
Grohtherm 800 Cosmopolitan	276
Grohtherm 800	279

**SAFETY NOTE****Avoiding scalding**

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43 °C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 °C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


# GROHE TURBOSTAT





## ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grotherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

### Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



### Exceptionally swift reaction to water-pressure fluctuations.

-  without GROHE TurboStat
-  with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



# GROHE COOLTOUCH




## SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




## Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image  
**without** GROHE CoolTouch



Thermal image  
**with** GROHE CoolTouch

# THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower

# NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.



# THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



**Easy cleaning**  
Flush to wall mounting

**SmartControl push for ON-OFF**, turn for volume adjustment from EcoJoy to Full Flow

**100 % GROHE CoolTouch**  
No risk of scalding on hot metal surfaces

**Integrated GROHE EasyReach tray**  
Easily accessible storage by optional shelf. Easy to clean.

**SafeStop**  
Temperature stop protects against scalding.

**GROHE TurboStat**  
For a perfect water temperature at all times.

# DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.



**Integrated GROHE EasyReach tray**  
Easily accessible storage by optional shelf. Easy to clean.

**SmartControl push for ON-OFF,**  
turn for volume adjustment from EcoJoy to Full Flow

**SafeStop**  
Temperature stop protects against scalding.

**GROHE TurboStat**  
For a perfect water temperature at all times.

**100 % GROHE CoolTouch**  
No risk of scalding on hot surfaces




# GROHTHERM 3000 COSMOPOLITAN

## MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



# GROHTHERM 2000

## 100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE Aqua Paddle**  
Beautiful ergonomics for ease of use and precise water control.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.

**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.

**100 % GROHE CoolTouch**  
No scalding from hot surfaces; the child-friendly solution.

# GROHTHERM CUBE

## 100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.


**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.

# GROHTHERM 1000

## ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.



# GROHTHERM 1000 PERFORMANCE

new

## COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE CoolTouch compact body**  
No risk of scalding on the body.

**Smart Ergonomics**  
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape

**SafeStop**  
Safety lock protects against scalding.

**EasyLogic**  
improved intuitive graphics on body

**GROHE AquaDimmer Eco**  
Switch between spout and shower with water saving function for shower.

# GROHTHERM 800 COSMOPOLITAN

new

THERMOSTATS

## MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



**EcoButton**  
saving up to  
50 % water.

**Automatic diverter**  
automatically returns from hand  
shower to bath spout when off

**Metal grip**  
Ergonomic metal handle –  
easy to use with soapy hands.

**GROHE TurboStat**  
For a perfect water  
temperature at all times.

**SafeStop**  
Temperature stop protects  
against scalding.

# GROHTHERM 800

## SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



**SafeStop**  
Temperature stop  
protects against  
scalding.


**Eco Button**  
Saving up to 50 % water

**GROHE TurboStat**  
For a perfect water  
temperature at all times.

**EasyLogic**  
Improved intuitive  
graphics on body

# GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	Chrome	4005176413292	515.17
29 123 GN0	brushed cool sunrise	4005176558122	719.00
29 123 DL0	brushed warm sunset	4005176558092	719.00
29 123 A00	hard graphite	4005176558054	674.00
29 123 AL0	Brushed Hard Graphite	4005176558061	719.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
**without roughing-in-set**  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

29 124 000	Chrome	4005176413308	560.97
29 124 DC0	supersteel	4005176526329	685.00
29 124 GN0	brushed cool sunrise	4005176558207	783.00
29 124 DL0	brushed warm sunset	4005176558177	783.00
29 124 A00	hard graphite	4005176558139	734.00
29 124 AL0	Brushed Hard Graphite	4005176558146	783.00



**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min


35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 125 000	Chrome	4005176413315	673.15
------------	--------	---------------	--------




**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves and integrated shower holder**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 integrated shower union with shower outlet 1/2"  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 hand shower = 12 l/min  
 outlet B + hand shower = 27 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

29 126 000	Chrome	4005176413322	606.77
29 126 DC0	supersteel	4005176526343	741.00
29 126 GN0	brushed cool sunrise	4005176558368	847.00
29 126 DL0	brushed warm sunset	4005176558337	847.00
29 126 A00	hard graphite	4005176558290	794.00
29 126 AL0	Brushed Hard Graphite	4005176558306	847.00


**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	Chrome	4005176413339	369.79
29 127 DC0	supersteel	4005176526350	453.00
29 127 GN0	brushed cool sunrise	4005176558443	517.00
29 127 DL0	brushed warm sunset	4005176558412	517.00
29 127 A00	hard graphite	4005176558375	485.00
29 127 AL0	Brushed Hard Graphite	4005176558382	517.00



**Grotherm SmartControl  
Triple volume control trim**


set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon

**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min  
optional flow reducer for CALGreen compliance included

35 600 000	4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>		



29 153 LS0	moon white	4005176413582	662.88
------------	------------	---------------	--------

**Grotherm SmartControl**

**Thermostat for concealed installation with one valve**

set for final installation for GROHE Rapido SmartBox 35 600 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols

**GROHE TurboStat** compact cartridge with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included built-in non return valve and dirt strainers



cover plate in moon white acrylic glass

**without roughing-in-set**

flow performance:  
outlet A (to external shut-off) = 34 l/min  
outlet B/C = 29 l/min

35 600 000	4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>		


# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 156 LS0	moon white	4005176413599	708.67
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve and dirt strainers                      multiple outlets can be run simultaneously                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet B = 24 l/min                      outlet C = 26 l/min                      outlet B+C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			
	29 157 LS0	moon white	4005176413605	754.43
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 3 valves</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve and dirt strainers                      multiple outlets can be run simultaneously                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet A = 23 l/min                      outlet B = 27 l/min                      outlet C = 23 l/min                      outlet A + B = 33 l/min                      outlet A + B + C = 36 l/min</p>			
	35 600 000		4005176413469	132.18
	<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


29 158 LS0	moon white	4005176413612	468.22
------------	------------	---------------	--------



**Grohtherm SmartControl Triple volume control trim**  
set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously  
cover plate in moon white acrylic glass  
**without roughing-in-set**  
flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min  
optional flow reducer for CALGreen compliance included

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

29 118 000	Chrome	4005176412240	492.51
29 118 DC0	supersteel	4005176455032	606.00
29 118 BE0	polished nickel	4005176492952	666.00
29 118 EN0	brushed nickel	4005176492969	711.00
29 118 GL0	cool sunrise	4005176492976	666.00
29 118 GN0	brushed cool sunrise	4005176492983	711.00
29 118 DA0	warm sunset	4005176492990	666.00
29 118 DL0	brushed warm sunset	4005176493003	711.00
29 118 A00	hard graphite	4005176493010	666.00
29 118 AL0	Brushed Hard Graphite	4005176455049	683.67




**Grohtherm SmartControl Thermostat for concealed installation with one valve**  
set for final installation for GROHE Rapido SmartBox 35 600 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valve  
and dirt strainers  
**without roughing-in-set**  
flow performance:  
outlet A (to external shut-off) = 34 l/min  
outlet B/C = 29 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	568.04
29 119 DC0	supersteel	4005176455056	742.85
29 119 BE0	polished nickel	4005176493027	726.00
29 119 EN0	brushed nickel	4005176493034	774.00
29 119 GL0	cool sunrise	4005176493041	726.00
29 119 GN0	brushed cool sunrise	4005176493058	774.00
29 119 DA0	warm sunset	4005176493065	726.00
29 119 DL0	brushed warm sunset	4005176493072	774.00
29 119 A00	hard graphite	4005176493089	726.00
29 119 AL0	Brushed Hard Graphite	4005176455063	744.40



## Grotherm SmartControl

### Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min


outlet B+C = 29 l/min

35 600 000

4005176413469

132.18

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**



29 120 000

Chrome

4005176412264

643.54

## Grotherm SmartControl

### Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"

**without roughing-in-set**

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

outlet B + hand shower = 27 l/min

35 600 000


4005176413469

132.18

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**

# GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	Chrome	4005176412271	580.09
29 121 DC0	supersteel	4005176455094	714.00
29 121 BE0	polished nickel	4005176493164	785.00
29 121 EN0	brushed nickel	4005176493171	837.00
29 121 GL0	cool sunrise	4005176493188	785.00
29 121 GN0	brushed cool sunrise	4005176493195	847.00
29 121 DA0	warm sunset	4005176493201	785.00
29 121 DL0	brushed warm sunset	4005176493218	837.00
29 121 A00	hard graphite	4005176493225	785.00
29 121 AL0	Brushed Hard Graphite	4005176455100	918.30



**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			





29 122 000	Chrome	4005176412288	353.53
29 122 DC0	supersteel	4005176455117	436.00
29 122 BE0	polished nickel	4005176493232	479.00
29 122 EN0	brushed nickel	4005176413728	469.00
29 122 GL0	cool sunrise	4005176515194	479.00
29 122 GN0	brushed cool sunrise	4005176515200	511.00
29 122 DA0	warm sunset	4005176515217	479.00
29 122 DL0	brushed warm sunset	4005176515224	511.00
29 122 A00	hard graphite	4005176515231	479.00
29 122 AL0	Brushed Hard Graphite	4005176455124	469.00



**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600 000  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
 GROHE ProGrip with knurl structure  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min


35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 150 LS0	moon white	4005176413544	662.87
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with one valve</b>            set for final installation for            GROHE Rapido SmartBox 35 600            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve and dirt strainers            cover plate in moon white acrylic glass  <b>without roughing-in-set</b>            flow performance:            outlet A (to external shut-off) = 34 l/min            outlet B/C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	29 151 LS0	moon white	4005176413551	708.67
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves</b>            set for final installation for            GROHE Rapido SmartBox 35 600            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve and dirt strainers            multiple outlets can be run simultaneously            cover plate in moon white acrylic glass  <b>without roughing-in-set</b>            flow performance:            outlet B = 24 l/min            outlet C = 26 l/min            outlet B+C = 29 l/min</p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				

# GROHE GROHTHERM SMARTCONTROL


Ref. No.	Colour	EAN	Retail Guide Price (£)
29 904 LS0	moon white	4005176413568	754.43
<p><b>Grohtherm SmartControl</b>  <b>Thermostat for concealed installation with 3 valves</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve and dirt strainers                      multiple outlets can be run simultaneously                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet A = 23 l/min                      outlet B = 27 l/min                      outlet C = 23 l/min                      outlet A + B = 33 l/min                      outlet A + B + C = 36 l/min</p>			
35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			



29 152 LS0	moon white	4005176413575	468.22
<p><b>Grohtherm SmartControl</b>  <b>Triple volume control trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600 000                      metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable                      10 mm thin profile escutcheon  <b>GROHE StarLight</b> finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      exchangeable symbols                      GROHE ProGrip with knurl structure                      multiple outlets can be run simultaneously                      cover plate in moon white acrylic glass  <b>without roughing-in-set</b>                      flow performance:                      outlet D = 28 l/min                      outlet E = 28 l/min                      outlet A = 28 l/min                      outlet D+E+A = 65 l/min                      optional flow reducer for CALGreen compliance included</p>			
35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>			







34 742 000	Chrome	4005176484094	1,338.34
<p><b>Grohtherm SmartControl</b>  <b>Perfect shower set</b>                      Consisting of:                      concealed thermostat with 2 valves and integrated hand shower holder                      Grohtherm SmartControl set for final installation (29 125 000)                      GROHE Rapido SmartBox 35 600                      Rainshower F-Series 10" head shower set (26 070 000)                      including horizontal shower arm 286 mm                      hand shower Power&amp;Soul Cosmopolitan 115 (27 661 000)                      Silverflex shower hose 1250 mm (28 362)</p>			







# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 706 000	Chrome	4005176413797	1,418.43
<p><b>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310 Cube</b>            Consisting of:            concealed thermostat with 3 valves            Grotherm SmartControl set for final installation (29 126 000)            GROHE Rapido SmartBox 35 600            Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)            hand shower Euphoria Cube Stick (27 698 000)            Euphoria Cube wall union with integrated shower holder (26 370 000)            Silverflex shower hose 1.500 mm (28 364)</p>				
	34 743 000	Chrome	4005176484100	1,246.74
<p><b>Grotherm SmartControl Perfect shower set</b>            Consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 120 000)            GROHE Rapido SmartBox 35 600            Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm            hand shower Power&amp;Soul Cosmopolitan 115 (27 661 000)            Silverflex shower hose 1250 mm (28 362)</p>				
	34 744 000	Chrome	4005176484117	1,047.52
<p><b>Grotherm SmartControl Perfect shower set</b>            Consisting of:            concealed thermostat with 2 valves and integrated hand shower holder            Grotherm SmartControl set for final installation (29 120 000)            GROHE Rapido SmartBox 35 600            Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm            hand shower Euphoria Cosmopolitan Stick (27 400)            Silverflex shower hose 1250 mm (28 362)</p>				
	34 705 000	Chrome	4005176413285	1,429.88
<p><b>Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310</b>            Consisting of:            concealed thermostat with 3 valves            Grotherm SmartControl set for final installation (29 121 000)            GROHE Rapido SmartBox 35 600            Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)            Euphoria Cosmopolitan Stick handshower (27 367)            Rainshower wall holder (27 074 000)            Rainshower wall union 1/2" (27 057 000)            Silverflex shower hose 1.500 mm (28 364)</p>				

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 713 000	Chrome	4005176409776	914.74







**Grotherm SmartControl**  
Combi thermostatic shower mixer  
with 3 valves, exposed/concealed  
wall mounted

**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
exchangeable symbols  
**GROHE EasyReach** shower tray  
shower bottom outlet 1/2"  
multiple outlets can be run simultaneously  
protected against backflow  
requires concealed body 26 449 000 – to be ordered separately

34 714 000	Chrome	4005176409783	857.48
------------	--------	---------------	--------







**Grotherm SmartControl**  
Combi thermostatic shower mixer  
with 2 valves, exposed/concealed  
wall mounted

**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
exchangeable symbols  
**GROHE EasyReach** shower tray  
shower bottom outlet 1/2"  
multiple outlets can be run simultaneously  
protected against backflow  
requires concealed body 26 449 000 – to be ordered separately









26 449 000		4005176409790	285.04
------------	--	---------------	--------











**Concealed body for exposed/concealed variants**  
wall mounted  
2 outlets 1/2"  
installation depth 75-105 mm  
flushing plug  
wall sealing  
installation device









# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	383.49
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray shower bottom outlet 1/2"                      built-in non return valve and dirt strainers protected against backflow</p>			
	34 718 000	Chrome	4005176457647	422.44
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve and dirt strainers protected against backflow</p>			
	34 721 000	Chrome	4005176457678	498.01
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm SmartControl thermostatic shower mixer (34 719 000)                      Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>			
	34 720 000	Chrome	4005176457661	491.14
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm SmartControl thermostatic shower mixer (34 719 000)                      Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			







# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 078 000	Chrome	4005176466038	372.70
	<p><b>Grotherm</b>  <b>Thermostatic mixer for 1 outlet with shut off valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      ceramic stop valve, 120°                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 079 000	Chrome	4005176466045	415.42
	<p><b>Grotherm</b>  <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed head and hand shower symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 080 000	Chrome	4005176466052	415.42
	<p><b>Grotherm</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				

# GROHE GROHTHERM 2 HANDLE TRIM SETS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 728 000	Chrome	4005176466069	574.56
	<p><b>Grotherm</b>  <b>Perfect shower set with Tempesta 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)  <b>hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</b></p>			
	34 729 000	Chrome	4005176466076	645.05
	<p><b>Grotherm</b>  <b>Perfect shower set with Tempesta 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)            hand shower Tempesta 100 II (27 597)            Shower outlet elbow (28 628 000)            Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
	34 730 000	Chrome	4005176466342	1,395.81
	<p><b>Grotherm</b>  <b>Perfect shower set with Rainshower Cosmopolitan 310</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)            metal head shower Rainshower Cosmopolitan 310 (27 477 000)            Rainshower shower arm 422 mm (26 145 000)            hand shower (28 034 000)            Rainshower wall holder (27 075 000)            Rainshower wall elbow connection (27 076 000)            Silverflex shower hose 1250 mm (28 362)</p>			
	34 734 000	Chrome	4005176466403	984.65
	<p><b>Grotherm</b>  <b>Perfect shower set with Rainshower Cosmopolitan 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)            metal head shower Rainshower Cosmopolitan 210 (28 368 000)            shower arm Rainshower 422 mm (26 146 000)            Euphoria Hand shower (27 265)            Shower outlet elbow (28 628 000)            Silverflex shower hose 1250 mm (28 362)</p>			

# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 075 000	Chrome	4005176465987	372.70
	<p><b>Grotherm</b>  <b>Thermostatic mixer for 1 outlet with shut off valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      ceramic stop valve, 120°                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 076 000	Chrome	4005176465994	415.42
	<p><b>Grotherm</b>  <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed head and hand shower symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				
 	24 077 000	Chrome	4005176466007	415.42
	<p><b>Grotherm</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 600 000		4005176413469	132.18
<p><b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b></p>				


# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.      Colour      EAN      Retail Guide Price (£)

		<p><b>34 726 000      Chrome      4005176466014      563.88</b></p> <p><b>Grohtherm Perfect shower set with Tempesta 210</b> Consisting of: Grohtherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) <b>hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</b></p>
		<p><b>34 727 000      Chrome      4005176466021      631.16</b></p> <p><b>Grohtherm Perfect shower set with Tempesta 210</b> Consisting of: Grohtherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>
		<p><b>34 731 000      Chrome      4005176466359      1,395.81</b></p> <p><b>Grohtherm Perfect shower set with Rainshower Cosmopolitan 310</b> Consisting of: Grohtherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>
		<p><b>34 732 000      Chrome      4005176466366      957.94</b></p> <p><b>Grohtherm Perfect shower set with Rainshower Cosmopolitan 210</b> Consisting of: Grohtherm set for final installation with Aquadimmer (24 076) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Cosmopolitan 210 metal head shower (28 373) Rainshower shower arm 286 mm (28 576) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362)</p>

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.      Colour      EAN      Retail Guide Price (£)




**34 735 000      Chrome      4005176466410      786.00**

**Grotherm Perfect shower set with Rainshower Cosmopolitan 160**  
 Consisting of:  
 Grotherm set for final installation with Aquadimmer (24 076)  
 GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)  
 Rainshower Cosmopolitan Headshower 160 mm (27 134)  
 Rainshower shower arm 286 mm (28 576)  
 Euphoria Hand shower (27 265)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm (28 362)

**24 153 000      Chrome      4005176481178      490.90**  
**24 153 DC0      supersteel      4005176574221      612.00**  
**24 153 AL0      Brushed Hard Graphite      4005176585913      699.00**


**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



**35 600 000      4005176413469      132.18**  
**GROHE Rapido SmartBox Universal rough-in box for concealed installation**

**24 154 000      Chrome      4005176481185      547.24**  
**24 154 DC0      supersteel      4005176574238      682.00**  
**24 154 AL0      Brushed Hard Graphite      4005176585920      779.00**

**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**





**35 600 000      4005176413469      132.18**  
**GROHE Rapido SmartBox Universal rough-in box for concealed installation**



# GROHE GROHTHERM 2 HANDLE TRIM SETS


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	547.24
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00
<b>Grotherm Cube</b> <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600 <b>GROHE TurboStat</b> compact cartridge with wax thermoelement wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>			
35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			



34 741 000	Chrome	4005176481208	1,296.05
<b>Grotherm Cube</b> <b>Perfect shower set with Rainshower Allure 230</b> Consisting of: Grotherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)			


# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 469 001	Chrome	4005176926396	342.31









**Grohtherm 2000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
 chrome  
**GROHE EcoJoy** technology for less water and perfect flow

34 463 001	Chrome	4005176926419	377.78
------------	--------	---------------	--------




**Grohtherm 2000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 integrated flow limiter 14 l/min in the shower outlet  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
 chrome  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 169 001</b>	<b>Chrome</b>	<b>4005176926518</b>	<b>319.40</b>
 	<b>34 446 001</b>	<b>Chrome</b>	<b>4005176926402</b>	<b>319.40</b>
 	<b>34 170 001</b>	<b>Chrome</b>	<b>4005176926471</b>	<b>296.50</b>


# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 464 001	Chrome	4005176926433	388.09



**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EasyReach** shower tray removable for easy cleaning  
**GROHE EcoJoy** technology for less water and perfect flow

34 174 001	Chrome	4005176926426	388.12
------------	--------	---------------	--------




**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 2000


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 466 001	Chrome	4005176926440	399.57
------------	--------	---------------	--------











**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
**( calibration required )**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 shower bottom outlet 1/2"  
 - diverter: bath/shower  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
 min. recommended pressure 1.0 bar  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow

34 484 001	Chrome	4005176932519	410.99
------------	--------	---------------	--------



**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
**( calibration required )**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 2000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 176 001	Chrome	4005176926488	720.12
	<p><b>Grotherm 2000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      deck mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish                      GROHE Aqua Paddle ergonomically shaped handles  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - flow control                      - diverter: bath/shower                      - integrated (economy button with economy stop for shower) shower bottom outlet 1/2"  <b>GROHE XL Waterfall</b>                      flow straightener                      built-in non return valves                      dirt strainers                      protected against backflow                      pillar unions with covered fixing  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 281 001	Chrome	4005176926501	502.57
	<p><b>Grotherm 2000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 2000 thermostat shower mixer (34 469)                      Power&amp;Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)</p>			
	34 195 001	Chrome	4005176926631	342.32
	<p><b>Grotherm 2000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 2000 thermostat shower mixer (34 469)                      Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			
	18 608 001	Chrome	4005176985140	44.65
	<p><b>Grotherm 2000</b>  <b>GROHE EasyReach shower tray</b>                      metal tray                      removable for easy cleaning  <b>GROHE StarLight</b> chrome finish                      suitable for Grotherm 2000                      - exposed thermostatic shower mixer with centre distance 150 mm                      - exposed thermostatic bath mixer with centre distance 150 mm</p>			

# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




47 175 000		4005176803895	156.36
------------	--	---------------	--------

**GROHE TurboStat cartridge 1/2"**  
for reversed inlets (hot water right)  
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,  
Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000  
exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings


# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 491 000	Chrome	4005176940644	410.98




**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EasyReach** shower tray (18 700 000)  
 removable for easy cleaning  
 Da Vinci satin white finish  
 min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

34 488 000	Chrome	4005176940620	365.21
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
 min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow







34 509 000	Chrome	4005176941801	376.65
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 shower bottom outlet 1/2"  
 ceramic headpart 1/2", 180°  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow




# GROHE GROHTHERM CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 502 000	Chrome	4005176940798	514.01
 	34 497 000	Chrome	4005176940675	460.58
 	34 508 000	Chrome	4005176941795	491.14

# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
18 700 000	daVinci satin white	4005176940811	44.64




**Grotherm Cube**  
**GROHE EasyReach tray**  
 for Grotherm Cube  
 removable for easy cleaning  
 Da Vinci satin white finish  
 suitable for Grotherm Cube  
 - exposed thermostatic shower mixer with centre distance 150 mm  
 - exposed thermostatic bath mixer with centre distance 150 mm

47 175 000		4005176803895	156.36
------------	--	---------------	--------



**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000  
 exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings

24 153 000	Chrome	4005176481178	490.90
24 153 DC0	supersteel	4005176574221	612.00
24 153 AL0	Brushed Hard Graphite	4005176585913	699.00




**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat compact cartridge**  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**

24 154 000	Chrome	4005176481185	547.24
24 154 DC0	supersteel	4005176574238	682.00
24 154 AL0	Brushed Hard Graphite	4005176585920	779.00




**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
**GROHE TurboStat compact cartridge**  
 with wax thermoelement  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**

35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**

# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	547.24
24 155 DC0	supersteel	4005176574245	682.00
24 155 AL0	Brushed Hard Graphite	4005176585937	779.00



## Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600

**GROHE TurboStat** compact cartridge

with wax thermostatic element

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

**without roughing-in-set**

35 600 000		4005176413469	132.18
<b>GROHE Rapido SmartBox Universal rough-in box for concealed installation</b>			

34 741 000	Chrome	4005176481208	1,296.05
------------	--------	---------------	----------

## Grotherm Cube

### Perfect shower set with Rainshower Allure 230

Consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)


Rainshower Allure 230 metal head shower (27 479)

Rainshower shower arm (27 709)









hand shower Euphoria Cube (27 699 000) 9.5 l/min.

shower outlet elbow (26 370)







Silverflex shower hose 1250 mm (28 362)



# GROHE GROHTHERM 1000 COSMOPOLITAN 3/4"

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 430 000	Chrome	4005176917981	246.77
<p><b>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4"</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>				
 	34 437 000	Chrome	4005176918025	289.86
<p><b>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4"</b>                      with shower set                      Consisting of:                      Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000)                      Euphoria Mono shower set (27 256 001) with <b>GROHE DreamSpray</b>                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1                      Euphoria Shower set (27 256 001)</p>				
 	34 448 000	Chrome	4005176919183	365.30
<p><b>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4"</b>  <b>GROHE StarLight</b> chrome finish                      chromed scale rings  <b>GROHE SafeStop Plus</b>, removable max. temperature stop at 46° C  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valve                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>				
 	34 519 000	Chrome	4005176998515	277.12
<p><b>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2"</b>  <b>GROHE StarLight</b> finish                      chromed scale rings  <b>GROHE SafeStop Plus</b>, removable max. temperature stop at 46° C  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valve                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>				


# GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 143 003	Chrome	4005176309618	225.22
	<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      min. recommended pressure 1.0 bar  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	34 438 003	Chrome	4005176309632	225.22
	<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      protected against backflow                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	34 146 003	Chrome	4005176309625	214.43
	<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

# GROHE GROHTHERM 1000


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 155 003	Chrome	4005176310027	279.09
------------	--------	---------------	--------




**Grotherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 439 003	Chrome	4005176310041	289.86
------------	--------	---------------	--------












**Grotherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 156 003	Chrome	4005176310034	289.86
------------	--------	---------------	--------









**Grotherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
 built-in non return valves  
 mousseur  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
 min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 1000







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 256 004	Chrome	4005176456671	279.09
<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>            Consisting of:            Grohtherm 1000 NEW thermostatic shower mixer 1/2"            (34 143 003)            Tempesta shower set II, 900 mm (27 646)</p>				
 	34 151 004	Chrome	4005176456664	274.79
<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>            Consisting of:            Grohtherm 1000 NEW thermostatic shower mixer 1/2"            (34 143 003)            Tempesta shower rail set 2 sprays, 600 mm (27 598)            min. recommended pressure 1.0 bar</p>				
 	34 557 001	Chrome	4005176456688	246.77
<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>            Consisting of:            Grohtherm 1000 NEW thermostatic shower mixer 1/2"            (34 438 003)            Tempesta shower rail set 2 sprays, 600 mm (27 598)</p>				
 	34 152 004	Chrome	4005176456640	295.26
<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>            Consisting of:            Grohtherm 1000 NEW thermostatic shower mixer 1/2"            (34 146 003)            Tempesta shower rail set 2 sprays, 600 mm (27 598)            min. recommended pressure 1.0 bar</p>				
	47 175 000		4005176803895	156.36
<p><b>GROHE TurboStat cartridge 1/2"</b>            for reversed inlets (hot water right)            fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance,            Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000            exposed thermostats            service solution, does not comply with EN1111            Note: CoolTouch-function is omitted after            being installed in exposed fittings</p>				

# GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 776 000	Chrome	4005176612930	203.05
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 779 000	Chrome	4005176612961	264.54
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 780 000	Chrome	4005176612978	259.65
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valves                      mousseur                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      GROHE EcoJoy technology for less water and perfect flow</p>			




# GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 781 000	Chrome	4005176612985	207.21
	<p><b>Grohtherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      protected against backflow                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 782 000	Chrome	4005176612992	268.69
	<p><b>Grohtherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated GROHE EcoButton (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 783 000	Chrome	4005176613005	234.38
	<p><b>Grohtherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)                      Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)                      optional GROHE EcoJoy 5.7 l/min flow limiter included</p>			

# GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


THERMOSTATS



<b>34 784 000</b>	<b>Chrome</b>	<b>4005176613012</b>	<b>237.86</b>
-------------------	---------------	----------------------	---------------

**Grohtherm 1000 Performance  
Thermostatic shower mixer 1/2" with shower set**

Consisting of:  
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)  
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)  
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



<b>34 787 000</b>	<b>Chrome</b>	<b>4005176613043</b>	<b>238.53</b>
-------------------	---------------	----------------------	---------------

**Grohtherm 1000 Performance  
Thermostatic shower mixer 1/2" with shower set**

Consisting of:  
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 781 000)  
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)









<b>47 175 000</b>		<b>4005176803895</b>	<b>156.36</b>
-------------------	--	----------------------	---------------

**GROHE TurboStat cartridge 1/2"**

for reversed inlets (hot water right)  
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000 and Grohtherm 3000 exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after being installed in exposed fittings


# GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 765 000	Chrome	4005176612022	192.36
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 767 000	Chrome	4005176612046	187.48
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      built-in non return valves                      shower bottom outlet 1/2"                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 771 000	Chrome	4005176612886	196.51
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

# GROHE GROHTHERM 800 COSMOPOLITAN


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 766 000	Chrome	4005176612039	250.61
------------	--------	---------------	--------




**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 770 000	Chrome	4005176612077	245.73
------------	--------	---------------	--------



**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
**GROHE EcoJoy** technology for less water and perfect flow

34 772 000	Chrome	4005176612893	254.77
------------	--------	---------------	--------



**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow


# GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 768 000	Chrome	4005176612053	223.47
------------	--------	---------------	--------

## Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"


Consisting of:  
 Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)  
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)  
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included



34 769 000	Chrome	4005176612060	228.97
------------	--------	---------------	--------

## Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"

Consisting of:  
 Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)  
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)  
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000		4005176803895	156.36
------------	--	---------------	--------


## GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)  
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,  
 Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000  
 exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after  
 being installed in exposed fittings




# GROHE GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 558 000	Chrome	4005176310089	192.88




**Grohtherm 800**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 dirt strainers  
 built-in non return valves  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 562 000	Chrome	4005176310102	203.66
------------	--------	---------------	--------










**Grohtherm 800**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 567 000	Chrome	4005176310157	246.77
------------	--------	---------------	--------



**Grohtherm 800**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
 min. recommended pressure 1.0 bar  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM 800

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 569 000</b>	<b>Chrome</b>	<b>4005176310171</b>	<b>246.77</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic bath mixer 1/2", 160cc</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>34 566 001</b>	<b>Chrome</b>	<b>4005176456701</b>	<b>234.92</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 800 thermostatic shower mixer 1/2"                      (34 558 000)                      Tempesta shower set II, 900 mm (27 646)                      min. recommended pressure 1.0 bar</p>			
 	<b>34 565 001</b>	<b>Chrome</b>	<b>4005176456718</b>	<b>214.43</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 800 thermostatic shower mixer 1/2"                      (34 558 000)                      Tempesta shower rail set 2 sprays, 600 mm (27 598)                      min. recommended pressure 1.0 bar</p>			
	<b>47 175 000</b>		<b>4005176803895</b>	<b>156.36</b>
	<p><b>GROHE TurboStat cartridge 1/2"</b>                      for reversed inlets (hot water right)                      fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000 and Grotherm 3000                      exposed thermostats                      service solution, does not comply with EN1111                      Note: CoolTouch-function is omitted after being installed in exposed fittings</p>			





GROHE  
**CONCEALED SOLUTIONS**





## CONTENTS

GROHE Rapido SmartBox	292
GROHE Rapido	294
GROHE Rapido C / stop valves	295

# MASTERPIECE OF TECHNOLOGY GROHE RAPIDO SMARTBOX SYSTEM

With its universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom extends seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic appearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl

Concealed technology and elegant super slim design – 43 mm – for more space under the shower



### GROHE SMARTCONTROL



- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



### TWO-HANDLE THERMOSTATS



- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer






















### SINGLE-LEVER MIXERS



- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters

# GROHE RAPIDO SMARTBOX













## OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
<b>Allure Brilliant</b>	 24 071 000	 24 072 000	 24 099 000
<b>Allure</b>	 24 069 000	 24 070 000	
<b>Atrio</b>	 24 065 003	 24 066 003	 24 096 003
<b>Grandera</b>	 24 067 000	 24 068 000	
<b>Lineare</b>	 24 063 001	 24 064 001	 24 095 001
<b>Eurocube</b>	 24 061 000	 24 062 000	 24 094 000
<b>GROHE Plus</b>	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
<b>Essence</b>	 24 057 001	 24 058 001	 24 092 001
<b>Eurodisc Cosmopolitan</b>	 24 055 002	 24 056 002	
<b>Concetto</b>	 24 053 001	 24 054 001	
<b>Eurostyle Cosmopolitan</b>	 24 051 002	 24 052 002	
<b>Eurostyle</b>	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
<b>Eurosmart Cosmopolitan</b>	 24 044 000	 24 045 000	
<b>Eurosmart</b>	 24 042 002	 24 043 002	





























# GROHE RAPIDO SMARTBOX

## OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
<b>Atrio</b>	 24 134 003	 24 135 003	 24 138 003
<b>Grohtherm Cube</b>	 24 153 000	 24 154 000	 24 155 000
<b>Grohtherm (square)</b>	 24 078 000	 24 079 000	 24 080 000
<b>Grohtherm (round)</b>	 24 075 000	 24 076 000	 24 077 000

# GROHE RAPIDO SMARTBOX

## OVERVIEW SMARTCONTROL TRIM SETS


















	1 function	2 functions	3 functions	4 functions
<b>Grohtherm SmartControl round</b>	 29 118 000	  29 119 000    29 120 000	 29 121 000	  29 118 000 + 29 122 000
<b>Grohtherm SmartControl square</b>	 29 123 000	  29 124 000    29 125 000	 29 126 000	  29 123 000 + 29 127 000
<b>Grohtherm SmartControl glass round</b>	 29 150 LS0	 29 151 LS0	 29 904 LS0	  29 150 LS0 + 29 152 LS0
<b>Grohtherm SmartControl glass square</b>	 29 153 LS0	 29 156 LS0	 29 157 LS0	  29 153 LS0 + 29 158 LS0
<b>SmartControl Mixer round</b>	 29 144 000	 29 145 000	 29 146 000	
<b>SmartControl Mixer square</b>	 29 147 000	 29 148 000	 29 149 000	



# GROHE RAPIDO C / CONCEALED VALVES OVERVIEW


	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

\* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
<b>Brilliant</b>	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
<b>Costa</b>	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
<b>Eurocube</b>	 19 910 000	 19 910 000	 19 910 000	 19 910 000
<b>Grandera</b>	 19 944 000			
<b>Grotherm 3000 Cosmopolitan</b>	 19 470 000	 19 470 000	 19 470 000	 19 470 000


# GROHE GROHE RAPIDO SMARTBOX

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox  
Universal rough-in box, 1/2"**  
3 outlets 1/2"  
2 inlets below, 1/2"  
installation depth 75-105 mm  
connection unit in DR brass  
pre-mounted flushing plug  
stable build-in box and protective cover  
fixing options for solid walls and dry cladding  
gasket  
without set for final installation



14 055 000		4005176413520	161.51
------------	--	---------------	--------

**Backflow protection combination (DIN-EN1717)**  
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems  
replaces separate pipe interrupter for residential use  
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grotherm SmartControl, SmartControl Mixer, Grotherm 2-handle thermostats, single-lever mixers




14 053 00M		4005176413513	50.88
------------	--	---------------	-------

**Service stops**  
fits Grotherm SmartControl, SmartControl mixer and Grotherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox  
packaging unit: 2 pieces




47 790 000		4005176841491	59.72
------------	--	---------------	-------

**Rapido connection set**  
fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600)  
VA approved  
2 pcs./unit



14 048 000		4005176413483	154.57
------------	--	---------------	--------




**GROHE Rapido SmartBox  
Universal extension set single-lever mixers, 25 mm**  
fits Grotherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox



14 056 000		4005176466298	114.13
------------	--	---------------	--------

**Universal extension set single-lever mixers, 25 mm**  
fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox

# GROHE GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 057 000		4005176466304	147.62
	14 058 000		4005176466311	147.63
	49 003 000	Chrome	4005176413537	208.31

**Universal extension set single-lever mixers, 50 mm**  
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**

**Universal extension set 2-handle thermostats, 25 mm**  
fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**

**GROHE TurboStat cartridge 3/4"**  
for reversed inlets (hot water right)  
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox  
service solution, does not comply with EN1111



CONCEALED SOLUTIONS

# GROHE RAPIDO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 961 000		4005176119972	309.34
	<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b> wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            outlet above and below 1/2"            cap included            diverter in set for final installation            clockwise closing            fastening loops</p>			
	33 962 000		4005176119989	208.83
	<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b> wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            top outlet 1/2"            clockwise closing            fastening loops</p>			
	33 963 000		4005176128387	92.35
	<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b> wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            outlet above and below 1/2"            cap included            diverter in set for final installation            clockwise closing</p>			
	33 964 000		4005176128394	93.40
	<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b> wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge            adjustable flow rate limiter            top outlet 1/2"            clockwise closing</p>			


# GROHE RAPIDO C / STOP VALVES

Ref. No.      Colour      EAN      Retail Guide Price (£)



**35 028 000**      **4005176908316**      **134.24**  
**GROHE Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 installation depth 70 - 95 mm


CONCEALED SOLUTIONS



**29 800 000**      **4005176504839**      **30.43**  
**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 threaded union 1/2"  
 DR-brass


**29 802 000**      **4005176504853**      **51.42**  
**ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**

**29 805 000**      **4005176504884**      **86.36**  
**ditto, 1", pre-assembled headpart 1", thread union 1"**



**29 801 000**      **4005176504846**      **25.08**  
**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 soldered connection Ø15 mm  
 DR-brass

**29 804 000**      **4005176504877**      **39.88**  
**ditto, soldered connection Ø 22 mm**



**29 811 000**      **4005176062711**      **51.42**  
**Concealed stop valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass

**29 813 000**      **4005176062735**      **82.90**  
**ditto, 3/4"**

GROHE  
SHOWERS





## CONTENTS

GROHE Digital	F-digital Deluxe	310
	F-digital Controllers	317
Shower Systems	Rainshower System SmartControl	318
	Rainshower SmartActive System	324
	Rainshower System	328
	Euphoria SmartControl System	331
	Euphoria Shower System	333
	Tempesta System	347
	Shower System Accessories	353
Head Showers	Head Showers	355
Showers	Sena	384
	Rainshower SmartActive	386
	Rainshower	393
	Relaxa	398
	Euphoria	401
	Tempesta	412
	Sena Trigger Sprays	428
	Tempesta-F Trigger Sprays	429
	Trigger Sprays	431
	Shower Hoses	432
	Shower Accessories	436



# GROHE SHOWERS

## INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

### GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

### DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





### DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



### WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



### AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



### PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



### NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



### JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



### RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



### ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



### GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



### MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



### SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



### CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



### GROHE RAIN O<sup>2</sup> SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



### DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



### GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



### GROHE TRIOMASSAGE SPRAY


The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

# GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

## LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



**RIGHT IS JUST ONE CLICK AWAY.**

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



**GROHE Rain**

A soft and refreshing shower.



**GROHE ActiveMassage**

A moving spray reducing stress and tension.



**GROHE Jet**

The power shower after sports.



With **GROHE DripStop**, almost no drop leaves the Rain or Jet spray nozzles after turning off the hand shower.






# EUPHORIA SMARTCONTROL

## YOUR TURN – YOUR SHOWER


We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.


# GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER

**Rainshower SmartControl – choose the spray, control the volume, save the settings.** All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.




# GROHE SPA F-DIGITAL DELUXE ALL OF THE SENSES IN **PERFECT HARMONY**

## **F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.**

Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App\* lets you design your own personal combination of lighting, sound and fsteam – by wireless Bluetooth® connection – for a unique spa sanctuary in your own home.



# A UNIQUE EXPERIENCE FOR ALL THE SENSES



## TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




## LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules\*\*, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



## SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



## STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.



\* Available for free via iTunes app or Google Play store.

\*\* This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A – A\*\*




# INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

## GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide.



# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 373 001	Chrome	4005176415593	21,465.20
------------	--------	---------------	-----------

**Rainshower F-Series 40" AquaSymphony  
Ceiling shower 6+ sprays with light**

1016 mm x 762 mm x 145 mm

material: metal

minimum flow rate 25 l/min

min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x 2 mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20° and combinations

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

CE approved

**SpeedClean** anti-limescale system

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.



recommendation: configuration with Grohtherm SmartControl

3 x Grohtherm SmartControl (29 126 000)

3 x GROHE Rapido SmartBox (35 600 000)

1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001	Chrome	4005176415609	2,043.54
------------	--------	---------------	----------

**Rainshower F-Series 40"**

**Roughing-in set**

for use with Rainshower F-Series 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

Waterways: Brass


1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


29 126 000	Chrome	4005176413322	606.77
------------	--------	---------------	--------



**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
 and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min


35 600 000		4005176413469	132.18
------------	--	---------------	--------

**GROHE Rapido SmartBox Universal rough-in box for concealed installation**




26 370 000	Chrome	4005176341380	33.19
------------	--------	---------------	-------

**Euphoria Cube**  
**Shower outlet elbow, 1/2"**  
 with wall shower holder  
 male thread  
 protected against backflow  
**GROHE StarLight** chrome finish



27 888 000	Chrome	4005176921179	90.45
------------	--------	---------------	-------

**Euphoria Cube+ Stick**  
**Hand shower 1 spray**  
 Normal spray  
 material: metal  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all  
 standard shower hoses





28 143 000	Chrome	4005176601347	22.57
------------	--------	---------------	-------



**Relexflex Metal Longlife**  
**Metal shower hose 1500**  
 1500 mm  
 material: metal  
**Longlife**  
 strengthened model  
 tensile strength 750 N  
 pressure resistance up to 16 bar  
 heat resistance 75°C  
 AntiFold bendproof  
 universal connection G 1/2" x 1/2"  
**GROHE StarLight** chrome finish  
**blister packaging**



SHOWERS

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 865 000	Chrome	4005176918179	4,364.44
<p><b>Rainshower F-Series 20"</b>  <b>Ceiling shower with light, 1 spray</b>            Rain            508 x 508 x 59 mm            material: metal            full spectrum LED: soft light with changing rainbow colours            individually adjustable: permanent lighting with colour selection            power supply for light 12 V DC            CE approved  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>suitable for instantaneous heater</b>            requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.            this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+            For detailed planning and product information please contact your local GROHE Customer Service.</p>			
 			

29 069 000		4005176918384	136.23
<p><b>Rainshower F-Series</b>  <b>Cable connection</b>            for ceiling shower with light (27 865 000)            Consisting of:            2 cable extensions (5 m each)</p>			
 			


36 359 000	Chrome	4005176918414	1,292.55
<p><b>Rainshower F-Series</b>  <b>Light set</b>            127 x 127 mm per module            full spectrum LED: soft light with changing rainbow colours            individually adjustable: permanent lighting with colour selection            Consisting of:            - 1 light module with two plug connections            - 1 light module with one plug connection            waterproof &amp; corrosion protected            supply voltage: 12 V DC            CE approved  <b>GROHE StarLight</b> chrome finish            requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation            this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+            For detailed planning and product information please contact your local GROHE Customer Service.</p>			
 			

29 072 000		4005176918421	250.72
<p><b>Rainshower F-Series</b>  <b>Rough-in set light set</b>            for use with double light modules (36 359 000)            Consisting of:            - 2 rough-in sets (115 x 115 x 62-87 mm)            - 2 cable extensions (5 m each)</p>			
 			

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 360 000	Chrome	4005176918438	1,109.37
------------	--------	---------------	----------



## Rainshower F-Series

### Sound set

127 x 127 mm per module  
full range stereo speaker

Consisting of:


2 speakers with plug connections  
waterproof & corrosion protected

**GROHE StarLight** chrome finish

requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.

29 073 000		4005176918445	250.72
------------	--	---------------	--------



## Rainshower F-Series

### Rough-in set sound set

for use with double sound modules (36 360 000)

Consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

27 934 000	Chrome	4005176927157	3,387.59
------------	--------	---------------	----------

## GROHE F-digital Deluxe

### Steam generator 6.6 kW

with steam outlet and temperature sensor

Consisting of:

#### steam generator

415 x 445 x 130 mm

suitable for rooms up to 12.5 m<sup>3</sup>

supply voltage 400 V 3L+N+PE AC, 50 Hz

power 6.6 kW

water inlet 3/4"

operating pressure 1 - 5 bar (above pressure reducer)

automatic emptying

water outlet 1/2"

steam temperature: max. 55°C

steam outlet 1/2"

type of protection IP 23

CE approved

with connection plug

**steam outlet module** with indentation for fragranced oil

127 x 127 mm

connection thread 1/2"

**temperature sensor module**


60 x 60 x 12 mm

**SpeedClean** anti-limescale system

**GROHE StarLight** chrome finish

requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.



29 074 000		4005176918469	399.55
------------	--	---------------	--------


## GROHE F-digital Deluxe

### Rough-in set steam generator

for use with steam module (36 362 000 or 27 934 000)

Consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m





# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



14 015 000	Chrome	4005176932748	140.11
------------	--------	---------------	--------

**GROHE F-digital Deluxe  
Descaler 6 x 80 g**

to remove limescale from the water tank of the steam generator absolutely odorless and harmless to human beings and the natural environment

2 bags sufficient for one time descaling

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

26 374 000		4005176350825	926.17
------------	--	---------------	--------

**GROHE F-digital Deluxe**

**Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)**

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower



additional light, sound and steam modules can be connected and controlled Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000 component to be ordered separately



36 397 000		4005176999413	1,109.35
------------	--	---------------	----------

**GROHE F-digital Deluxe**

**Base unit box 2.0 Bluetooth (BCU V2.0)**

for connecting light, sound and steam modules


Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000



42 429 000		4005176918520	113.35
------------	--	---------------	--------

**GROHE F-digital Deluxe**

**Power supply base unit box**

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices


- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz

output voltage: 12 V DC

CE approved



# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 371 000		4005176928970	628.50
------------	--	---------------	--------

## GROHE F-digital Deluxe

### Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication  
combinable with existing 36 365 000 docking station  
wall mounted  
86 x 73 x 42 mm

#### Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

#### System requirements Android

operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

#### System requirements: Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini\*\*


Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.



36 367 000		4005176923203	296.51
------------	--	---------------	--------

## GROHE F-digital Deluxe

### Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)

550 x 700 x 110 mm

height (100 mm) and depth (50 mm) adjustable

with adjustable front frame for installation in wall niches


with adjustable front frame for installation in wall niches

galvanized and powder coated (RAL 9010, pure white) steel plate

1 mm thick steel plate

with two mounting rails and elbow for power outlets

and mounting materials



47 837 000		4005176918490	78.99
------------	--	---------------	-------


## GROHE F-digital Deluxe

### Cable extension steam generator, 5 m







extension between base unit box (26 374 000 or 36 397 000) and

steam generator (36 362 000 or 27 934 000)



cable extension up to 10 m





# GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	47 867 000		4005176923227	78.99
	<b>GROHE F-digital Deluxe</b> <b>Cable extension light set, 5 m</b> connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
	47 910 000		4005176938887	56.09
<b>ditto, length 1.65 m</b>				
 	47 868 000		4005176923234	78.99
	<b>GROHE F-digital Deluxe</b> <b>Cable extension for power supply, 5 m</b> connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
 	47 877 000		4005176923241	78.99
	<b>GROHE F-digital Deluxe</b> <b>Cable extension temperature sensor, 5 m</b> extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			


# GROHE F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 309 000	Chrome	4005176894794	264.37
<p><b>F-digital Digital Controller</b>  <b>Remote Controller for bath or shower</b>                      additional multifunctional operating unit</p> <ul style="list-style-type: none"> <li>- Wireless technology</li> <li>- Temperature and flow control</li> <li>- Pause-function</li> <li>- Memory function</li> <li>- LED ring</li> </ul> <p><b>GROHE StarLight</b> chrome finish                      energy efficiency class illumination of control unit: not applicable</p>				

 	36 078 000		4005176856532	109.51
<p><b>Plug power supply 110-240 V</b>                      operating voltage 6V                      cable length 400 mm</p>				

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 250 000	Chrome	4005176316999	1,452.80
------------	--------	---------------	----------

## Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)

**min. recommended pressure 1.5 bar**

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermosteement

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

**GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

suitable for instantaneous heaters from 18 kW/h

**Twistfree** preventing the hose from twisting

\* to be decided during initial installation; factory default setting: GROHE PureRain



26 250 LS0	moon white	4005176317002	1,429.90
------------	------------	---------------	----------

## Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)

**min. recommended pressure 1.5 bar**

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermosteement

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

**GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life


suitable for instantaneous heaters from 18 kW/h

**Twistfree** preventing the hose from twisting

\* to be decided during initial installation; factory default setting: GROHE PureRain

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




26 361 000	Chrome	4005176347580	1,326.84
------------	--------	---------------	----------

## Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Mono 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.5 bar**  
GROHE DreamSpray perfect spray pattern  
GROHE StarLight chrome finish  
GROHE CoolTouch prevents scalding on hot surfaces  
GROHE TurboStat compact cartridge  
with wax thermoelement  
GROHE EcoJoy technology for less water and perfect flow  
GROHE SafeStop safety button at 38°C  
( calibration required )  
GROHE SafeStop Plus optional temperature limiter at 43°C included  
GROHE SmartControl push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
GROHE EasyReach shower tray  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
suitable for instantaneous heaters from 18 kW/h  
Twistfree preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

SHOWERS



26 361 LS0	moon white	4005176409707	1,315.42
------------	------------	---------------	----------


## Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Mono 360, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.5 bar**  
GROHE DreamSpray perfect spray pattern  
GROHE StarLight chrome finish  
GROHE CoolTouch prevents scalding on hot surfaces  
GROHE TurboStat compact cartridge  
with wax thermoelement  
GROHE EcoJoy technology for less water and perfect flow  
GROHE SafeStop safety button at 38°C  
( calibration required )  
GROHE SafeStop Plus optional temperature limiter at 43°C included  
GROHE SmartControl push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
GROHE EasyReach shower tray  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
suitable for instantaneous heaters from 18 kW/h  
Twistfree preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.      Colour      EAN      Retail Guide Price (£)


26 443 000      Chrome      4005176409875      1,326.87



**Rainshower System SmartControl Duo 360**  
**Combi shower system with thermostat, exposed/concealed**  
Consisting of:  
exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

\* to be decided during initial installation; factory default setting: GROHE PureRain

26 443 LS0      moon white      4005176409882      1,315.42




**Rainshower System SmartControl Duo 360**  
**Combi shower system with thermostat, exposed/concealed**  
Consisting of:  
exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate white  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

\* to be decided during initial installation; factory default setting: GROHE PureRain

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.      Colour      EAN      Retail Guide Price (£)


26 446 000      Chrome      4005176409905      1,420.72



**Rainshower System SmartControl Mono 360**  
**Combi shower system with thermostat, exposed/concealed**  
 Consisting of:  
 exposed/concealed SmartControl thermostat  
 allows change between:  
 head shower Rainshower Mono 360 with horizontal  
 450 mm shower arm, spray plate chrome  
 GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
 Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
 hand shower wall holder (27 055)  
 Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be  
 ordered separately

\* to be decided during initial installation; factory default setting: GROHE PureRain


26 446 LS0      moon white      4005176409912      1,420.75



**Rainshower System SmartControl Mono 360**  
**Combi shower system with thermostat, exposed/concealed**  
 Consisting of:  
 exposed/concealed SmartControl thermostat  
 allows change between:  
 head shower Rainshower Mono 360 with horizontal  
 450 mm shower arm, spray plate white  
 GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
 Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
 hand shower wall holder (27 055)  
 Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be  
 ordered separately

\* to be decided during initial installation; factory default setting: GROHE PureRain

26 254 000      Chrome      4005176317026      605.61













**Rainshower Duo 360**  
**Head shower set 450 mm, 2 sprays**  
 Consisting of:  
 head shower Rainshower Duo 360, spray plate chrome  
 2 spray patterns:  
 GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
 horizontal 450 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 requires rough-in set 26 264 001 – to be ordered separately







\* to be decided during initial installation; factory default setting: GROHE PureRain



# GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 254 LS0	moon white	4005176409806	720.09
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 000	Chrome	4005176409813	562.14
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 LS0	moon white	4005176409820	562.13
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 264 001		4005176417108	204.93
	<b>Rainshower 360</b> <b>Rough-in box for head shower set 26 254 / 26 450</b> inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information			
	26 449 000		4005176409790	285.04
	<b>Concealed body for exposed/concealed variants</b> wall mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device			


# GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	114.47
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p>				
 	48 350 000	Chrome	4005176409868	143.11
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	26 385 000	Chrome	4005176375057	20.64
<p><b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable</p>				

# GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 647 000	Chrome	4005176533013	884.93
------------	--------	---------------	--------



**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 544)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** (upper bracket adjustable)  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

26 647 LS0	moon white	4005176533051	1,018.44
------------	------------	---------------	----------




**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 544)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** finish  
**GROHE FastFixation** (upper bracket adjustable)  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 648 000	Chrome	4005176533020	884.93
------------	--------	---------------	--------



**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 574)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at  $38^\circ\text{C}$   
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable)  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

SHOWERS


26 648 LS0	moon white	4005176533068	1,018.44
------------	------------	---------------	----------



**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 574)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at  $38^\circ\text{C}$   
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** finish  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable)  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No.      Colour      EAN      Retail Guide Price (£)



**26 649 000      Chrome      4005176533037      884.93**

**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 Cube (26 567)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 Cube (26 550)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at  $38^\circ\text{C}$   
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** (upper bracket adjustable)  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

**26 652 000      Chrome      4005176533044      884.93**  
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter



**26 657 000      Chrome      4005176533075      1,018.44**

**Rainshower SmartActive 310**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Rainshower SmartActive 130 (26 574)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at  $38^\circ\text{C}$   
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 966 001	Chrome	4005176532993	1,076.40
------------	--------	---------------	----------

## Rainshower SmartActive 310

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

material: metal

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE DreamSpray** perfect spray pattern

**GROHE One-Click Showering** spray selection

with one click

**GROHE StarLight** chrome finish

**GROHE FastFixation** (upper bracket adjustable)


**SpeedClean** anti-limescale system

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


27 968 001	Chrome	4005176533006	1,076.40
------------	--------	---------------	----------

ditto, with GROHE EcoJoy 9.5 l/min flow limiter




# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




27 174 001	Chrome	4005176877162	1,303.98
------------	--------	---------------	----------

**Rainshower System 400**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 400 head shower (28 778 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 shower hose 1.750 mm (28 025 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life



27 966 000	Chrome	4005176929250	1,155.14
------------	--------	---------------	----------

**Rainshower System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 310 head shower (27 477 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 minimum flow rate 7 l/min.




27 968 000	Chrome	4005176929687	1,155.14
------------	--------	---------------	----------

**Rainshower System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 310 head shower (27 477 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 minimum flow rate 7 l/min.

# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




27 469 000	Chrome	4005176882593	1,155.14
------------	--------	---------------	----------

**Rainshower F-Series System 254**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower F-Series 254 (27 285 000)  
 material: metal  
 with ball joint, rotation angle  $\pm 20^\circ$   
 hand shower Sena (28 341 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat**  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect flow  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

27 569 000	Chrome	4005176894275	1,155.12
------------	--------	---------------	----------

ditto, with non-restricted flow



27 032 001	Chrome	4005176877155	1,017.76
------------	--------	---------------	----------


**Rainshower System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 with ball joint, rotation angle  $\pm 15^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm (27 178)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

SHOWERS



# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 967 000	Chrome	4005176929670	1,017.76
------------	--------	---------------	----------

## Rainshower System 210

### Shower system with thermostat for wall mounting

horizontal swivable 450 mm projection shower arm

### exposed thermostatic shower

with Aquadimmer function

allows change between:

Rainshower Cosmopolitan 210 head shower (28 368 000)

material: metal

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Power&Soul Cosmopolitan 130 (27 664 000)

adjustable height via gliding element

(12 140 000)

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch**

**GROHE DreamSpray** perfect spray pattern

**GROHE One-Click Showering** spray selection


with one click

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

minimum flow rate 7 l/min.



27 641 000	Chrome	4005176901645	1,155.14
------------	--------	---------------	----------

## Rainshower System 210

### Shower system with bath thermostat for wall mounting

horizontal swivable 450 mm projection shower arm

### exposed thermostatic shower

with Aquadimmer function

allows change between:

Head shower Rainshower Cosmopolitan 210 (28 373 000)

material: metal

with ball joint, rotation angle  $\pm 15^\circ$

bath inlet

separate diverter for hand shower Sena (28 341 000)

adjustable height via gliding element

(12 140 000)

metal shower hose 1750 mm (27 178)

**GROHE EcoJoy** 9.5 l/min flow limiter

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included


**GROHE CoolTouch**

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life



27 058 000	Chrome	4005176830464	720.09
------------	--------	---------------	--------

## Rainshower System 210

### Shower system with diverter for wall mounting

horizontal swivable 450 mm projection shower arm

change between hand and head shower

by using the diverter

metal head shower Rainshower Cosmopolitan 210 (28 368 000)

with ball joint

rotation angle  $\pm 15^\circ$

hand shower (28 034 000)

adjustable height via gliding element

(12 140 000)

connection to water supply with 1/2"-thread of

the 800 mm shower hose to faucet / wall union

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system


**Inner WaterGuide** for a longer life

# GROHE EUPHORIA SMARTCONTROL SYSTEM

SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 507 000	Chrome	4005176457586	1,132.25
26 507 LSO	moon white	4005176457609	1,303.97
26 507 DC0	supersteel	4005176526374	1,523.52
26 507 BE0	polished nickel	4005176557439	1,726.38
26 507 EN0	brushed nickel	4005176557460	1,827.81
26 507 GL0	cool sunrise	4005176557477	1,726.38
26 507 GN0	brushed cool sunrise	4005176557484	1,827.81
26 507 DA0	warm sunset	4005176557446	1,726.38
26 507 DL0	brushed warm sunset	4005176557453	1,827.81
26 507 A00	hard graphite	4005176557415	1,726.38
26 507 AL0	Brushed Hard Graphite	4005176557422	1,827.81



## Euphoria SmartControl System 310 Duo

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

GROHE PureRain and Centered Jet spray

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 508 000	Chrome	4005176457593	1,132.25
26 508 LSO	moon white	4005176457616	1,303.97
26 508 DC0	supersteel	4005176526367	1,523.52
26 508 GN0	brushed cool sunrise	4005176557569	1,827.81
26 508 DL0	brushed warm sunset	4005176557538	1,827.81
26 508 A00	hard graphite	4005176557491	1,726.38
26 508 AL0	Brushed Hard Graphite	4005176557507	1,827.81

## Euphoria SmartControl System 310 Cube Duo

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

GROHE PureRain and Centered Jet spray

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE StarLight** chrome finish

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.



# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 509 000	Chrome	4005176457623	983.41
------------	--------	---------------	--------



## Euphoria SmartControl System 260 Mono

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE ProGrip** with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

- **GROHE SafeStop** at  $38^\circ\text{C}$

**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 510 000	Chrome	4005176457630	1,143.70
------------	--------	---------------	----------

## Euphoria SmartControl System 260 Mono

### Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl bath thermostat

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE ProGrip** with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

- **GROHE SafeStop** at  $38^\circ\text{C}$

**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

integrated **GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.



# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 075 001	Chrome	4005176648014	714.75
------------	--------	---------------	--------



**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 spray pattern:  
 GROHE PureRain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

SHOWERS

26 723 000	Chrome	4005176648021	762.13
------------	--------	---------------	--------




**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 spray pattern:  
 GROHE PureRain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 239 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 296 003	Chrome	4005176647963	603.37
------------	--------	---------------	--------



**Euphoria System 260**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 455)  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE ProGrip** with knurl structure  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

27 615 002	Chrome	4005176647970	603.37
------------	--------	---------------	--------




**Euphoria System 260**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE ProGrip** with knurl structure  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


27 475 002	Chrome	4005176647840	761.47
------------	--------	---------------	--------



**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition


SHOWERS


26 075 001	Chrome	4005176648014	714.75
------------	--------	---------------	--------



**Euphoria System 310**  
**Shower system with thermosttic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 spray pattern:  
 GROHE PureRain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE FastFixation** (upper bracket adjustable)  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)  
 professional edition

# GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 075 000	Chrome	4005176937606	846.03
	26 075 DC0	supersteel	4005176371219	1,250.79
	26 075 BE0	polished nickel	4005176428593	1,716.10
	26 075 EN0	brushed nickel	4005176428609	1,716.09
	26 075 GL0	cool sunrise	4005176425332	1,716.10
	26 075 GN0	brushed cool sunrise	4005176425349	1,716.09
	26 075 DA0	warm sunset	4005176425356	1,716.10
	26 075 DL0	brushed warm sunset	4005176425363	1,716.09
	26 075 A00	hard graphite	4005176425387	1,716.10
	26 075 AL0	Brushed Hard Graphite	4005176425370	2,293.09



## Euphoria System 310

### Shower system with thermosttic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**Inner WaterGuide** for a longer life

**SpeedClean** anti-limescale system


**Twistfree** preventing the hose from twisting

**GROHE MetalGrip** ergonomically shaped metal handles

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

	26 384 000	Chrome	4005176369032	902.13
---	------------	--------	---------------	--------

## Euphoria System 310

### Shower system with thermosttic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

**GROHE MetalGrip** ergonomically shaped metal handles

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 metal head shower

Rain spray pattern

**GROHE EcoJoy** 12 l/min flow limiter

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage

**GROHE EcoJoy** 9.5 l/min flow limiter

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

minimum flow rate 7 l/min.

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** finish

**GROHE TurboStat** compact cartridge

with wax thermoelement


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


optional upgrade: **GROHE EasyReach** tray (26 362)



# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


27 296 002	Chrome	4005176417818	591.88
------------	--------	---------------	--------



**Euphoria System 260**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 455)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

27 615 001	Chrome	4005176417825	591.88
------------	--------	---------------	--------




**Euphoria System 260**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)



# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 087 000	Chrome	4005176940828	1,258.17
------------	--------	---------------	----------



**Euphoria Cube System 230**  
**Shower system with thermostatic mixer for wall mounting**  
 shower arm  
 projection 400 mm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Allure head shower (27 479 000)  
 material: metal  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube (27 699)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 minimum flow rate 7 l/min.

26 187 000	Chrome	4005176310744	971.97
------------	--------	---------------	--------




**Euphoria System 230**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Allure 230 (27 479 000)  
 material: metal  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 363 000	Chrome	4005176339264	720.11
------------	--------	---------------	--------



**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 GROHE EasyReach tray (26 362 LN0)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting

SHOWERS

27 964 000	Chrome	4005176929595	743.00
------------	--------	---------------	--------




**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 383 000	Chrome	4005176369025	752.14
------------	--------	---------------	--------



## Euphoria System 210 Shower system with thermostat for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**GROHE MetalGrip** ergonomically shaped metal handles  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
Rainshower Cosmopolitan 210 metal head shower  
Rain spray pattern  
**GROHE EcoJoy** 12 l/min flow limiter  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
**GROHE EcoJoy** 9.5 l/min flow limiter  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 7 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
optional upgrade: **GROHE EasyReach** tray (26 362)

26 383 001	Chrome	4005176460050	920.44
------------	--------	---------------	--------




## Euphoria System 210 Shower system with thermostat for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**GROHE MetalGrip** ergonomically shaped metal handles  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
Rainshower Cosmopolitan 210 metal head shower  
Rain spray pattern  
hand shower Euphoria 110 Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** integrated temperature  
limiter at max 50°C  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 249 000	Chrome	4005176317156	605.61
------------	--------	---------------	--------

**Euphoria System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower 190 1 spray (27 370)  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower 100 3 sprays: GROHE Rain O<sup>2</sup>, Rain, Massage (27 574001)  
 adjustable height via gliding element  
**GROHE EasyReach** shower tray  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow rate  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting

SHOWERS





27 296 001	Chrome	4005176896293	600.30
------------	--------	---------------	--------

**Euphoria System 180**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern  
 with ball joint, rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 418 000	Chrome	4005176407666	487.49
------------	--------	---------------	--------




**Euphoria System 180 E**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 with ergonomic handles  
 allows change between:  
 head shower Euphoria Cosmopolitan 180 (27 491 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

27 932 000	Chrome	4005176924231	571.29
------------	--------	---------------	--------



**Euphoria System 150**  
**Shower system with thermosttic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria Cube 150 (27 705 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 12^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)



26 241 000	Chrome	4005176316319	449.94
------------	--------	---------------	--------



**Euphoria Shower System**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE StarLight** chrome finish  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
27 475 001	Chrome	4005176417863	740.71



**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

SHOWERS

26 114 001	Chrome	4005176417870	725.82
------------	--------	---------------	--------




**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 with short shower rail for installation in showers  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 455)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 distance between thermostat and upper bracket: 1016 mm  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.      Colour      EAN      Retail Guide Price (£)

26 243 000      Chrome      4005176316326      601.06




**Euphoria Shower System**  
**Shower system with bath thermostat for wall mounting**  
 with short shower rail for installation in showers  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 separate diverter for hand shower  
 gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 distance between thermostat and upper bracket: 1016 mm  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE StarLight** chrome finish  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

27 473 001      Chrome      4005176417900      532.34



**Euphoria System 260**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.


23 061 002      Chrome      4005176417917      562.15



**Euphoria Concetto System 260**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cosmopolitan Stick (27 400)  
 Rain spray pattern  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



23 058 003	Chrome	4005176313790	682.94
------------	--------	---------------	--------

## Euphoria Eurodisc Cosmopolitan System 210 Shower system with single lever for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
exposed single-lever shower mixer  
with diverter  
allows change between:  
metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria Cosmopolitan Stick (27 400)  
Rain spray pattern  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.



23 147 001	Chrome	4005176313271	1,212.38
------------	--------	---------------	----------

## Euphoria Cube System 230 Shower system with single lever for wall mounting


Consisting of:  
shower arm  
projection 400 mm  
exposed single-lever shower mixer  
with diverter  
allows change between:  
Rainshower Allure 230 metal head shower (27 479)  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria Cube Stick (27 698 000)  
Rain spray pattern  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.



# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


27 421 002	Chrome	4005176417924	472.82
------------	--------	---------------	--------



## Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
change between hand and head shower  
by using the diverter  
head shower Euphoria 260 (26 457)  
3 spray patterns:  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 239 000)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar

27 696 000	Chrome	4005176907074	708.66
------------	--------	---------------	--------




## Euphoria Cube System 150 Shower system with diverter for wall mounting

Consisting of:  
shower arm  
projection 400 mm  
change between hand and head shower  
by using the diverter  
head shower Euphoria Cube 152 mm x 152 mm  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 20^\circ$   
hand shower Euphoria Cube Stick (27 698 000)  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 670 000	Chrome	4005176580574	517.49
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition

26 689 000	Chrome	4005176580765	517.49
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250 Cube

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.


optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 690 000	Chrome	4005176580772	620.99
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250 Cube Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes

### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 9.5 l/min flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 50°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE MetalGrip** ergonomically shaped metal handles

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition

27 922 001	Chrome	4005176985348	508.45
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 210

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 514 000	Chrome	4005176476099	584.99
------------	--------	---------------	--------




## 26 514 000 Chrome 4005176476099 584.99

### Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:  
horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Tempesta 210 9.5 l/min (26 410)  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Tempesta Cosmopolitan 100  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** integrated temperature  
limiter at max 50°C  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

26 302 001	Chrome	4005176408137	508.45
------------	--------	---------------	--------



## 26 302 001 Chrome 4005176408137 508.45


### Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:  
horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Tempesta 210 (26 408)  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Tempesta Cosmopolitan 100 (27 571 001)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
Relexaflex shower hose 1500 mm (28 161)  
**GROHE TurboStat** compact cartridge  
with wax thermostatic element  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar  
optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 922 000	Chrome	4005176923364	490.86
------------	--------	---------------	--------



## 27 922 000 Chrome 4005176923364 490.86

**Tempesta Cosmopolitan 160**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower 1 spray (28 232 000)  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Tempesta Cosmopolitan 100 (27 571 001)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 optional upgrade: **GROHE EasyReach** tray (26 362)

26 691 000	Chrome	4005176580789	672.74
------------	--------	---------------	--------




**26 691 000 Chrome 4005176580789 672.74**  
**Tempesta Cosmopolitan System 250 Cube**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Tempesta 250 Cube (26 685)  
 spray pattern:  
 Rain  
 head shower with white rear cover  
 with ball joint  
 rotation angle  $\pm 10^\circ$   
**GROHE EcoJoy** 9.5 l/min flow limiter  
 bath inlet  
 separate diverter for hand shower  
 hand shower Tempesta Cosmopolitan 100 (27 571 001)  
 2 spray patterns:  
 Rain, Jet  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
 adjustable height via gliding element  
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 223 001	Chrome	4005176408144	650.59
------------	--------	---------------	--------



**Tempesta Cosmopolitan System 210**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
 exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function  
 allows change between:  
 head shower Tempesta 210 (26 408)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Tempesta Cosmopolitan 100 (27 571 001)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

SHOWERS

26 224 001	Chrome	4005176408168	451.59
------------	--------	---------------	--------




**Tempesta Cosmopolitan System 210**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 horizontal swivable 390 mm projection shower arm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 head shower Tempesta 210 (26 408)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Tempesta Cosmopolitan 100 (27 571 001)  
 2 spray patterns:  
 Rain, Jet  
 adjustable height via gliding element  
 Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 381 001	Chrome	4005176451980	246.77
------------	--------	---------------	--------



## Tempesta System 210

### Flex shower system with diverter for wall mounting

Consisting of:

horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower or head shower Eco setting

head shower Tempesta 210 (26 408)

2 spray patterns (via diverter):

chrome plated spray face

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta 100 (27 852)

Rain spray pattern

adjustable height via gliding element

distance between diverter and upper bracket: 620 mm

shower hose Relexaflex 1500 mm (28 151)

shower hose Relexaflex 1250 mm (28 150)

flexible installation: connection to tap / wall union for water supply with 1/2"

thread of the 1250 mm shower hose

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system











**Inner WaterGuide** for a longer life

ShockProof silicone ring prevents damage caused by a shower falling

suitable for instantaneous heaters from 18 kW/h







minimum flow rate 7 l/min.

# GROHE SHOWER SYSTEM ACCESSORIES











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	114.47
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p>				
 	48 350 000	Chrome	4005176409868	143.11
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	48 053 000	Chrome	4005176890031	96.67
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE StarLight</b> chrome finish</p>				
 	48 054 000	Chrome	4005176890048	74.94
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower and Euphoria shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE StarLight</b> chrome finish</p>				
 	14 014 000	Chrome	4005176929274	56.09
<p><b>Rainshower Shower arm for shower systems</b> material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" <b>GROHE StarLight</b> chrome finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>				











# GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 180 000	Chrome	4005176839306	44.63
<p><b>Rainshower Spacer</b> for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 <b>GROHE StarLight</b> chrome finish</p>				
 	26 385 000	Chrome	4005176375057	20.64
<p><b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable</p>				
 	26 362 LN0	white	4005176339257	20.64
<p><b>GROHE EasyReach tray</b> for Euphoria and Tempesta shower systems with thermostat centre distance 150 mm</p>				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 254 000	Chrome	4005176317026	605.61
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 254 LS0	moon white	4005176409806	720.09
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 000	Chrome	4005176409813	562.14
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 LS0	moon white	4005176409820	562.13
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 264 001		4005176417108	204.93
	<b>Rainshower 360</b> <b>Rough-in box for head shower set 26 254 / 26 450</b> inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information			


# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	26 475 000	Chrome	4005176423758	538.07	
	26 475 DC0	supersteel	4005176526237	680.00	
	26 475 BE0	polished nickel	4005176557118	777.29	
	26 475 EN0	brushed nickel	4005176557149	825.93	
	26 475 GL0	cool sunrise	4005176557156	777.29	
	26 475 GN0	brushed cool sunrise	4005176557163	825.93	
	26 475 DA0	warm sunset	4005176557125	777.29	
	26 475 DL0	brushed warm sunset	4005176557132	825.93	
	26 475 A00	hard graphite	4005176557095	777.29	
	26 475 AL0	Brushed Hard Graphite	4005176557101	825.93	
		<p><b>Rainshower SmartActive 310</b>  <b>Head shower set 430 mm, 2 sprays</b>            Consisting of:            head shower Rainshower SmartActive 310            2 spray patterns:            GROHE PureRain, ActiveRain            horizontal 430 mm shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
		26 475 LS0	moon white	4005176425899	706.35
<p><b>Rainshower SmartActive 310</b>  <b>Head shower set 430 mm, 2 sprays</b>            Consisting of:            head shower Rainshower SmartActive 310, spray plate moon white            2 spray patterns:            GROHE PureRain, ActiveRain            horizontal 430 mm shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>					
					
		26 477 000	Chrome	4005176423772	538.07
		26 477 DC0	supersteel	4005176526244	680.00
		26 477 BE0	polished nickel	4005176557194	777.29
		26 477 EN0	brushed nickel	4005176557224	825.93
		26 477 GL0	cool sunrise	4005176557231	777.29
		26 477 GN0	brushed cool sunrise	4005176557248	825.93
		26 477 DA0	warm sunset	4005176557200	777.29
		26 477 DL0	brushed warm sunset	4005176557217	825.93
		26 477 A00	hard graphite	4005176557170	777.29
	26 477 AL0	Brushed Hard Graphite	4005176557187	825.93	
		<p><b>Rainshower SmartActive 310</b>  <b>Head shower set ceiling 142 mm, 2 sprays</b>            Consisting of:            head shower Rainshower SmartActive 310            2 spray patterns:            GROHE PureRain, ActiveRain            142 mm ceiling shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
		26 477 LS0	moon white	4005176425912	706.35
<p><b>Rainshower SmartActive 310</b>  <b>Head shower set ceiling 142 mm, 2 sprays</b>            Consisting of:            head shower Rainshower SmartActive 310, spray plate moon white            2 spray patterns:            GROHE PureRain, ActiveRain            142 mm ceiling shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>					
					

# GROHE HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 479 000	Chrome	4005176425196	566.70
26 479 DC0	supersteel	4005176526251	716.22
26 479 GN0	brushed cool sunrise	4005176557323	870.44
26 479 DL0	brushed warm sunset	4005176557293	870.44
26 479 A00	hard graphite	4005176557255	818.69
26 479 AL0	Brushed Hard Graphite	4005176557262	870.44



## Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays

Consisting of:  
head shower Rainshower SmartActive 310 Cube  
2 spray patterns:

GROHE PureRain, ActiveRain  
horizontal 430 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately


26 479 LS0	moon white	4005176425936	734.99
------------	------------	---------------	--------

## Rainshower SmartActive 310 Cube Head shower set 430 mm, 2 sprays

Consisting of:  
head shower Rainshower SmartActive 310 Cube, spray plate moon white  
2 spray patterns:

GROHE PureRain, ActiveRain  
horizontal 430 mm shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately




26 481 000	Chrome	4005176425219	566.71
26 481 DC0	supersteel	4005176526268	716.22
26 481 GN0	brushed cool sunrise	4005176557408	870.44
26 481 DL0	brushed warm sunset	4005176557378	870.44
26 481 A00	hard graphite	4005176557330	818.69
26 481 AL0	Brushed Hard Graphite	4005176557347	870.44

## Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays

Consisting of:  
head shower Rainshower SmartActive 310 Cube  
2 spray patterns:

GROHE PureRain, ActiveRain  
142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately




26 481 LS0	moon white	4005176425950	734.99
------------	------------	---------------	--------

## Rainshower SmartActive 310 Cube Head shower set ceiling 142 mm, 2 sprays





Consisting of:  
head shower Rainshower SmartActive 310 Cube, spray plate moon white  
2 spray patterns:

GROHE PureRain, ActiveRain  
142 mm ceiling shower arm  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life






requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately











# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 484 000		4005176425110	112.19
	<p><b>Rainshower</b>  <b>Universal rough-in box, 1/2"</b>                      for head shower set                      26 475 / 26 477 / 26 479 / 26 481                      2 inlets, 1/2"                      installation depth 75-105 mm                      connection unit in DR brass                      stable build-in box and protective cover                      leakproof housing                      gasket                      integrated flushing plug  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter per each water way                      without set for final installation</p>			
	26 483 000		4005176425103	112.19
	<p><b>ditto, with non-restricted flow</b></p>			
	26 640 000	Chrome	4005176530203	585.81
	<p><b>Rainshower SmartConnect 310</b>  <b>Head shower set 422 mm, 2 sprays</b>                      Consisting of:                      head shower Rainshower SmartConnect 310 (26 641)                      spray plate chrome                      2 spray patterns:                      GROHE PureRain, ActiveRain                      default spray type programmable                      horizontal 422 mm shower arm (26 146)                      with round escutcheon                      with wireless remote control to change or combine spray patterns                      screw or glue holder to wall                      battery powered                      including 3 x AAA batteries and 1 x CR 2032 button cell                      LED indicator for pairing and battery change                      water resistant remote control rated IP57  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.5 bar</p>			
	26 642 000	Chrome	4005176530227	609.62
	<p><b>Rainshower SmartConnect 310 Cube</b>  <b>Head shower set 422 mm, 2 sprays</b>                      Consisting of:                      head shower Rainshower SmartConnect 310 Cube (26 643)                      spray plate chrome                      2 spray patterns:                      GROHE PureRain, ActiveRain                      default spray type programmable                      horizontal 422 mm shower arm (26 146)                      with square escutcheon                      with wireless remote control to change or combine spray patterns                      screw or glue holder to wall                      battery powered                      including 3 x AAA batteries and 1 x CR 2032 button cell                      LED indicator for pairing and battery change                      water resistant remote control rated IP57  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.5 bar</p>			











# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 558 000	Chrome	4005176481727	379.29
	<b>Rainshower Mono 310</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 557 000	Chrome	4005176481710	379.29
	<b>ditto, with non-restricted flow</b>			
	26 560 000	Chrome	4005176481741	379.29
	<b>Rainshower Mono 310</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 559 000	Chrome	4005176481734	379.29
	<b>ditto, with non-restricted flow</b>			
	26 564 000	Chrome	4005176481789	406.38
	26 564 GN0	brushed cool sunrise	4005176557804	748.31
	26 564 DL0	brushed warm sunset	4005176557774	748.31
	26 564 A00	hard graphite	4005176557736	711.05
	26 564 AL0	Brushed Hard Graphite	4005176557743	748.31
	<b>Rainshower Mono 310 Cube</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 563 000	Chrome	4005176481772	406.38
	<b>ditto, with non-restricted flow</b>			
	26 566 000	Chrome	4005176482106	406.38
	26 566 DC0	supersteel	4005176526282	722.20
	26 566 GN0	brushed cool sunrise	4005176557880	748.31
	26 566 DL0	brushed warm sunset	4005176557859	748.31
26 566 A00	hard graphite	4005176557811	711.05	
26 566 AL0	Brushed Hard Graphite	4005176557828	748.31	
	26 565 000	Chrome	4005176482090	406.38
	<b>ditto, with non-restricted flow</b>			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 256 000	Chrome	4005176318597	788.77
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	26 257 000	Chrome	4005176317927	571.28
	<b>Rainshower 310</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	26 066 000	Chrome	4005176937200	536.92
	26 066 DC0 supersteel 4005176371172 775.05 26 066 BE0 polished nickel 4005176427244 885.73 26 066 EN0 brushed nickel 4005176427251 941.10 26 066 GL0 cool sunrise 4005176427183 885.74 26 066 GN0 brushed cool sunrise 4005176427190 941.10 26 066 DA0 warm sunset 4005176427206 885.74 26 066 DL0 brushed warm sunset 4005176427213 941.12 26 066 A00 hard graphite 4005176427237 885.73 26 066 AL0 Brushed Hard Graphite 4005176427220 941.12			
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 056 000	Chrome	4005176937101	536.92
	ditto, with non-restricted flow			
 	26 067 000	Chrome	4005176937217	536.92
	26 067 DC0 supersteel 4005176371189 775.05 26 067 BE0 polished nickel 4005176427329 885.73 26 067 EN0 brushed nickel 4005176427336 941.12 26 067 GL0 cool sunrise 4005176427268 885.74 26 067 GN0 brushed cool sunrise 4005176427275 941.10 26 067 DA0 warm sunset 4005176427282 885.73 26 067 DL0 brushed warm sunset 4005176427299 941.12 26 067 A00 hard graphite 4005176427312 885.74 26 067 AL0 Brushed Hard Graphite 4005176427305 941.12			
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

# GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 070 000	Chrome	4005176937248	479.69
	<p><b>Rainshower F-Series 10" 254 x 254</b>  <b>Head shower set 275 mm, 1 spray</b>            Consisting of:            head shower Rainshower F-Series 254 (27 285 000)            material: metal            Rain            Shower arm Rainshower 275 mm (27 488 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	26 060 000	Chrome	4005176937149	479.69
	ditto, with non-restricted flow			
	26 071 000	Chrome	4005176937255	479.69
	<p><b>Rainshower F-Series 10"</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            Consisting of:            head shower Rainshower F-Series 254 (27 285 000)            material: metal            Rain            Rainshower shower arm ceiling 142 mm (27 485 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	26 064 000	Chrome	4005176937187	548.37
	<p><b>Rainshower Allure 230</b>  <b>Head shower set 286 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Allure 230 (27 480 000)            material: metal            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (27 709 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	26 054 000	Chrome	4005176937088	548.37
	ditto, with non-restricted flow			
	26 065 000	Chrome	4005176937194	502.57
	<p><b>Rainshower Allure 230</b>  <b>Head shower set ceiling 154 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Allure 230 (27 480 000)            material: metal            1 spray pattern:            Rain            shower arm Rainshower ceiling 154 mm (27 711 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	26 171 000	Chrome	4005176997310	410.99
	<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set 422 mm, 1 spray</b>            Consisting of:            Rainshower Cosmopolitan 210 metal head shower,            spray plate chrome (28 368 000)            1 spray pattern:            Rain            Rainshower shower arm 422 mm, escutcheon chrome (26 146)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>suitable for instantaneous heater</b>            starting at 0.5 bar flow pressure</p>			




# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 062 000	Chrome	4005176937163	388.10
	<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set 286 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Cosmopolitan 210 (28 373 000)            material: metal            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (28 576 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system starting at 0.5 bar flow pressure</p>			
	26 052 000	Chrome	4005176937064	388.10
	ditto, with non-restricted flow			
	26 063 000	Chrome	4005176937170	388.10
	<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Cosmopolitan 210 (28 373 000)            material: metal            1 spray pattern:            Rain            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system starting at 0.5 bar flow pressure</p>			
	26 459 000	Chrome	4005176416965	228.98
	<p><b>Euphoria 260</b>  <b>Head shower set 380 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater</p>			
	26 458 000	Chrome	4005176416958	228.98
	ditto, with non-restricted flow			
	26 461 000	Chrome	4005176416989	182.04
	<p><b>Euphoria 260</b>  <b>Head shower set ceiling 142 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater</p>			
	26 460 000	Chrome	4005176416972	182.04
	ditto, with non-restricted flow			







# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 073 000	Chrome	4005176937279	239.28
<b>Euphoria Cube 150</b> <b>Head shower set 286 mm, 1 spray</b> head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life				
 	26 663 000	Chrome	4005176580505	189.35
<b>Tempesta 250</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm (28 361) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
26 668 000 Chrome 4005176580550 177.38 ditto, but head shower with white rear cover				
 	26 664 000	Chrome	4005176580512	152.88
<b>Tempesta 250</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar professional edition				
26 669 000 Chrome 4005176580567 140.91 ditto, but head shower with white rear cover				
 	26 682 000	Chrome	4005176580697	195.98
<b>Tempesta 250 Cube</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater professional edition				
26 687 000 Chrome 4005176580741 183.59 ditto, but head shower with white rear cover				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 683 000	Chrome	4005176580703	158.23
<b>Tempesta 250 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition				
<hr/>				
26 688 000    Chrome    4005176580758    145.84 <b>ditto, but head shower with white rear cover</b>				
 	26 412 000	Chrome	4005176390173	166.02
<b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>				
<hr/>				
 	26 414 000	Chrome	4005176408090	139.69
<b>Tempesta 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>				
<hr/>				
26 413 000    Chrome    4005176390180    166.03 <b>ditto, with non-restricted flow</b>				
 	26 267 001	Chrome	4005176444197	59.51
<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>for low pressure</b>				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 869 001	Chrome	4005176444005	80.16
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	26 090 001	Chrome	4005176443992	74.40
<b>Tempesta Cosmopolitan 100</b> <b>Head shower set 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	26 089 001	Chrome	4005176444067	70.96
<b>Tempesta Rustic 100</b> <b>Head shower set 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				

# GROHE HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 373 001	Chrome	4005176415593	21,465.20
------------	--------	---------------	-----------

**Rainshower F-Series 40" AquaSymphony**  
**Ceiling shower 6+ sprays with light**

1016 mm x 762 mm x 145 mm  
material: metal  
minimum flow rate 25 l/min  
min. recommended pressure 3.0 bar  
1 x AquaCurtain  
1 x Pure XL spray  
1 x 2 mist spray  
2 x GROHE PureRain spray 400 x 190 mm  
2 x XL Waterfall (separately controlled)  
1 x 4 Bokoma Spray with adjustment angle 20° and combinations  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved



**SpeedClean** anti-limescale system  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl  
3 x Grohtherm SmartControl (29 126 000)  
3 x GROHE Rapido SmartBox (35 600 000)  
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001	Chrome	4005176415609	2,043.54
------------	--------	---------------	----------

**Rainshower F-Series 40"**  
**Roughing-in set**

for use with Rainshower F-Series 40" AquaSymphony ceiling shower  
1000 mm x 745 mm x 152 mm  
min. installation depth: 167 mm  
Waterways: Brass  
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

27 865 000	Chrome	4005176918179	4,364.44
------------	--------	---------------	----------

**Rainshower F-Series 20"**  
**Ceiling shower with light, 1 spray**


Rain  
508 x 508 x 59 mm  
material: metal  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved

**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**suitable for instantaneous heater**











requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+







For detailed planning and product information please contact your local GROHE Customer Service.












# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 286 000	Chrome	4005176860737	1,830.60
	<b>Rainshower F-Series 20"</b> <b>Ceiling shower 1 spray</b> Rain 508 x 508 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 939 001	Chrome	4005176927287	3,135.74
	<b>Rainshower F-Series 15"</b> <b>Ceiling shower 3 sprays</b> Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE XL Waterfall</b> extra wide waterfall spray <b>SpeedClean</b> anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets			
 	27 938 001	Chrome	4005176927072	3,135.69
	<b>Rainshower F-Series 15"</b> <b>Head shower 3 sprays</b> Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE XL Waterfall</b> extra wide waterfall spray <b>SpeedClean</b> anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min <b>Requires Rough-in (26 042) - to be ordered separately</b> head shower has to be controlled by 4 outlets			
 	26 042 000		4005176935954	203.68
	<b>Rainshower F-Series 15"</b> <b>Roughing-in set</b> for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less that 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections			
 	27 467 000	Chrome	4005176882609	628.51
	<b>Rainshower F-Series 10" 254 x 254</b> <b>Ceiling shower 1 spray</b> Rain 254 x 254 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

# GROHE HEAD SHOWERS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 285 000	Chrome	4005176860713	456.78
	<b>Rainshower F-Series 10"</b> <b>Head shower 1 spray</b> Rain 254 x 254 mm material: metal Ball joint +/- 20° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	27 271 000	Chrome	4005176860690	456.78
	ditto, with non-restricted flow			
	27 252 000	Chrome	4005176856334	113.32
	<b>Rainshower F-Series 5"</b> <b>Side shower 1 spray</b> Normal spray including concealed body also to be used as head shower 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) female thread 1/2" NPT <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	27 251 000	Chrome	4005176856327	113.32
	27 251 DC0	supersteel	4005176431586	151.11
	27 251 BE0	polished nickel	4005176431593	172.85
	27 251 EN0	brushed nickel	4005176431562	183.20
	27 251 GL0	cool sunrise	4005176338861	172.85
	27 251 GN0	brushed cool sunrise	4005176431555	183.20
	27 251 DA0	warm sunset	4005176338854	172.85
	27 251 DL0	brushed warm sunset	4005176431579	183.20
	27 251 A00	hard graphite	4005176338878	186.93
	27 251 AL0	Brushed Hard Graphite	4005176338885	198.60
		<b>Rainshower F-Series 5"</b> <b>Side shower 1 spray</b> Normal spray including concealed body 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-limescale system		
	27 254 000	Chrome	4005176856372	170.57
	<b>Rainshower F-Series 5"</b> <b>Head shower 1 spray</b> Normal spray wall mounted 127 x 127 mm flow straightener with ball joint (± 12.5° rotatable) female thread 1/2" NPT <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			

# GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 253 000	Chrome	4005176856365	170.57
	<b>Rainshower F-Series 5"</b> <b>Head shower 1 spray</b> wall mounted 127 x 127 mm flow straightener with ball joint ( $\pm 12.5^\circ$ rotatable) connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-limescale system			
 	26 641 000	Chrome	4005176530210	540.27
	<b>Rainshower SmartConnect 310</b> <b>Head shower 2 sprays</b> GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 643 000	Chrome	4005176530234	565.11
	<b>Rainshower SmartConnect 310 Cube</b> <b>Head shower 2 sprays</b> GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
	26 569 000	Chrome	4005176482175	297.05
	26 569 EN0	brushed nickel	4005176482182	445.05
	<b>Rainshower Mono 310</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar			
	26 562 000	Chrome	4005176481765	311.01
	26 562 LS0	moon white	4005176482144	404.21
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			










# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 561 000	Chrome	4005176481758	311.01
	26 561 LS0	moon white	4005176482137	404.21
	<p><b>Rainshower Mono 310</b>  <b>Head shower 1 spray</b>            GROHE PureRain            spray plate chrome            ball joint with turning angle <math>\pm 10^\circ</math>            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>			
	26 570 000	Chrome	4005176482199	322.93
	26 570 EN0	brushed nickel	4005176482205	484.38
	<p><b>Rainshower Mono 310 Cube</b>  <b>Head shower 1 spray</b>            GROHE PureRain            spray plate chrome            ball joint with turning angle <math>\pm 10^\circ</math>            connection thread 1/2"            GROHE EcoJoy 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>			
	26 568 000	Chrome	4005176482120	338.11
	26 568 LS0	moon white	4005176482168	439.95
	<p>ditto, with GROHE EcoJoy 9.5 l/min flow limiter</p>			
	26 567 000	Chrome	4005176482113	338.11
	26 567 LS0	moon white	4005176482151	439.95
	<p><b>Rainshower Mono 310 Cube</b>  <b>Head shower 1 spray</b>            GROHE PureRain            spray plate chrome            ball joint with turning angle <math>\pm 10^\circ</math>            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>			
	27 470 000	Chrome	4005176882531	479.69
	<p><b>Rainshower Veris 300</b>  <b>Head shower 1 spray</b>            Rain            300 x 150 mm            material: metal            ball joint with turning angle <math>\pm 15^\circ</math>            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	27 470 LS0	moon white	4005176997235	573.50
	<p><b>Rainshower Veris 300</b>  <b>Head shower 1 spray</b>            Rain            spray plate white            300 x 150 mm            material: metal            ball joint with turning angle <math>\pm 15^\circ</math>            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system            suitable for instantaneous heater</p>			










# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 863 000	Chrome	4005176918155	685.75
	<b>Rainshower Allure 230</b> <b>Ceiling shower 1 spray</b> Rain 230 x 230 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 469 000	Chrome	4005176423970	485.42
	<b>Rainshower Allure 230</b> <b>Head shower 1 spray</b> Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	27 480 000	Chrome	4005176883316	491.14
	<b>Rainshower Allure 230</b> <b>Head shower 1 spray</b> Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
	27 479 000	Chrome	4005176883309	491.15
	<b>ditto, with non-restricted flow</b>			
 	28 778 000	Chrome	4005176820526	662.87
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower 1 spray</b> diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
	26 472 000	Chrome	4005176424908	500.95
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 478 000	Chrome	4005176883293	502.58
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
	27 477 000	Chrome	4005176883286	502.58
	ditto, with non-restricted flow			
 	28 368 00E	Chrome	4005176867385	342.30
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	28 368 000	Chrome	4005176267253	233.32
	ditto, with non-restricted flow			
	28 373 000	Chrome	4005176267277	353.75
ditto, with 9.5 l/min flow limiter				
 	28 368 LS0	moon white	4005176997242	433.88
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE DreamSpray</b> perfect flow <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b> this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000			
	27 135 000	Chrome	4005176836077	123.52
	27 135 EN0	brushed nickel	4005176836084	228.76
	<b>Rainshower Cosmopolitan 160</b> <b>Head shower 4 sprays</b> Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b> <b>Min. recommended pressure 0.5 bar</b> The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms			











# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 134 000	Chrome	4005176836060	124.78
	<b>Rainshower Cosmopolitan 160</b> <b>Head shower 4 sprays</b> Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 474 000	Chrome	4005176424939	362.25
	26 474 BE0	polished nickel	4005176424953	470.93
	26 474 EN0	brushed nickel	4005176424946	470.93
	26 474 ZB0	antique bronze	4005176424960	470.93
	<b>Rainshower Rustic 210</b> <b>Head shower 1 spray</b> Rain spray pattern normal (wide) spray <b>starting at 0.5 bar</b> flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2"			
	<b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 369 000	Chrome	4005176267260	365.21
	<b>Rainshower Rustic 210</b> <b>Head shower 1 spray</b> material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 974 000	Chrome	4005176932793	445.35
	27 974 IG0	chrome/gold	4005176933486	582.71
	<b>Grandera 210</b> <b>Head shower 1 spray</b> 221 x 221 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 308 000	Chrome	4005176254949	129.25
	<b>Sena 75</b> <b>Head shower 1 spray</b> Normal spray material: metal			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			







# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 448 000	Chrome	4005176265167	175.13
	<b>Movario 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	28 528 000	Chrome	4005176271199	139.81
	<b>Movario 70 NPT</b> <b>Side shower 2 sprays</b> Wide spray/Massage extreme low profile ball-joint 1/2" NPT female thread <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	27 530 000	Chrome	4005176889219	479.68
	<b>Relaxa Deluxe 130</b> <b>Head shower 4 sprays</b> Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>Inner WaterGuide</b> for a longer life			
	27 068 000	Chrome	4005176832130	147.69
	<b>Relaxa 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint 1/2" NPT female thread <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7.5 l/min.			
	27 062 000	Chrome	4005176831669	204.91
	<b>Relaxa 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7.5 l/min.			










# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 067 000	Chrome	4005176832123	136.22
	<b>Relaxa 65</b> <b>Side shower 2 sprays</b> Wide spray/Massage ball-joint <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	26 457 000	Chrome	4005176416934	137.40
	<b>Euphoria 260</b> <b>Head shower 3 sprays</b> Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 455 000	Chrome	4005176416903	137.40
	ditto, with non-restricted flow			
 	27 492 000	Chrome	4005176885556	136.23
	<b>Euphoria Cosmopolitan 180</b> <b>Head shower 1 spray</b> Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 233 000	Chrome	4005176868016	90.46
	<b>Euphoria Cosmopolitan 160</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
 	27 237 000	Chrome	4005176854286	78.99
	<b>Euphoria 110 Mono</b> <b>Head shower 1 spray</b> Rain connection thread 1/2" bellows <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 737 000	Chrome	4005176872983	56.09
	<b>Euphoria Rustic 130</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 20° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 468 000	Chrome	4005176423963	152.80
	<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	27 705 000	Chrome	4005176907166	147.68
	<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	26 662 000	Chrome	4005176580499	114.95
	<b>Tempesta 250</b> <b>Head shower 1 spray</b> Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 666 000	Chrome	4005176580536	102.97
	ditto, but with white rear cover			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 681 000	Chrome	4005176580680	118.97
	<b>Tempesta 250 Cube</b> <b>Head shower 1 spray</b> Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 685 000	Chrome	4005176580727	106.57
ditto, but with white rear cover				
	26 409 000	Chrome	4005176390128	93.90
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	93.90
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	93.90
ditto, with non-restricted flow				
 	27 606 001	Chrome	4005176444180	60.67
	<b>Tempesta 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	26 050 001	Chrome	4005176444166	48.10
	<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
 	27 591 001	Chrome	4005176443985	67.55
	<b>Tempesta Cosmopolitan 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			







# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 051 001	Chrome	4005176443954	53.80
	<b>Tempesta Cosmopolitan 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	27 541 001	Chrome	4005176451676	85.84
	<b>Tempesta Cosmopolitan 200</b> <b>Head shower 1 spray</b> Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" <b>suitable for instantaneous heater</b>			
	27 610 001	Chrome	4005176444050	61.81
	<b>Tempesta Rustic 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			













# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	20.74
<b>Relexa Basic 85</b> <b>Head shower 1 spray</b> Rain brass tin plate 50 mm high connection thread 1/2"				
	28 342 000	Chrome	4005176260070	64.46
<b>Relexa Plus 65</b> <b>Head shower 1 spray</b> non-adjustable 1/2" NPT female thread <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system				
 	28 094 000	Chrome	4005176601132	53.22
<b>Relexa Plus 50</b> <b>Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE StarLight</b> chrome finish adjustable flow rate without shower arm				
 	28 002 000	Chrome	4005176858796	193.46
<b>Relexa 70</b> <b>Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection				
 	28 948 000	Chrome	4005176209871	140.11
<b>Relexa Plus 60</b> <b>Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system				











# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 286 000	Chrome	4005176198526	101.88
<p><b>Relaxa 50</b>  <b>Side shower 2 sprays</b>            Wide Spray/ Needle Jet            ball-joint  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
 	28 198 000	Chrome	4005176038686	129.25
<p><b>Relaxa 50</b>  <b>Side shower 1 spray</b>            Normal spray            ball-joint  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system            pre-adjustment for the flow rate            pre-adjustable flow rate from 5-11 l/min.            minimum flow rate 4,5 l/min</p>				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 146 000	Chrome	4005176986017	113.35
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with round escutcheon, can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	26 146 LS0	moon white	4005176997266	113.33
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with round escutcheon, white                      can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	28 982 000	Chrome	4005176829987	136.25
<p><b>Rainshower</b>  <b>Shower arm 378 mm</b>                      material: metal                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish</p>				
 	28 361 000	Chrome	4005176295157	101.88
<p><b>Rainshower</b>  <b>Shower arm, 380 mm</b>                      material: metal                      connection thread 1/2"                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE StarLight</b> chrome finish</p>				
	28 576 000	Chrome	4005176274022	78.99
<p><b>Ditto, projection 286 mm</b></p>				
 	26 145 000	Chrome	4005176986000	136.25
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	27 488 000	Chrome	4005176885525	78.99
<p><b>Rainshower</b>  <b>Shower arm 275 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE StarLight</b> chrome finish</p>				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 709 000	Chrome	4005176909092	113.33
	<b>Rainshower</b> <b>Shower arm 286 mm</b> material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower <b>GROHE StarLight</b> chrome finish			
 	28 497 000	Chrome	4005176270338	67.56
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" can be used for all Rainshower head showers <b>GROHE StarLight</b> chrome finish			
	28 724 000	Chrome	4005176812644	56.10
	ditto, length 142 mm			
 	27 484 000	Chrome	4005176885488	67.55
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers <b>GROHE StarLight</b> chrome finish			
	27 485 000	Chrome	4005176885495	56.11
	ditto, 142 mm length			
 	27 711 000	Chrome	4005176909115	90.44
	<b>Rainshower</b> <b>Shower arm ceiling 154 mm</b> material: metal connection thread 1/2" <b>GROHE StarLight</b> chrome finish			
 	27 986 000	Chrome	4005176933011	101.88
	27 986 IGO	chrome/gold	4005176933547	136.22
	<b>Rainshower Grandera</b> <b>Shower arm 286 mm</b> projection 286 mm material: metal connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish			

# GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 978 000	Chrome	4005176932830	78.98
<b>Rainshower Grandera</b> <b>Shower arm ceiling 142 mm</b> material: metal length 142 mm connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish				
 	27 406 000	Chrome	4005176600166	53.22
<b>Relexa</b> <b>Shower arm 218 mm</b> connection thread 1/2" projection 218 mm escutcheon <b>GROHE StarLight</b> chrome finish				
 	28 541 000	Chrome	4005176040528	42.36
<b>Relexa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish				
 	28 429 000	Chrome	4005176601910	53.22
<b>Relexa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish				

# GROHE SENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 341 000	Chrome	4005176259463	147.68
	<p><b>Sena Stick</b>  <b>Hand shower 1 spray</b>            Normal spray            material: metal  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>			
	28 034 000	Chrome	4005176231810	147.68
	<p><b>ditto, with non-restricted flow</b></p>			
	26 465 000	Chrome	4005176423918	150.65
	26 465 DC0	supersteel	4005176459092	210.72
	26 465 BE0	polished nickel	4005176459160	240.80
	26 465 EN0	brushed nickel	4005176423925	255.84
	26 465 GL0	cool sunrise	4005176459108	240.80
	26 465 GN0	brushed cool sunrise	4005176459115	255.84
	26 465 DA0	warm sunset	4005176459122	240.80
	26 465 DL0	brushed warm sunset	4005176459139	255.84
	26 465 A00	hard graphite	4005176459146	240.80
	26 465 AL0	Brushed Hard Graphite	4005176459153	255.85
	<p><b>Sena Stick</b>  <b>Hand shower 1 spray</b>            Normal spray            material: metal  <b>GROHE EcoJoy</b> 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>			
	28 348 000	Chrome	4005176263262	140.11
	<p><b>Sena</b>  <b>Wall holder set 1 spray</b>            material: metal            hand shower Sena Stick (28 034 000)            wall shower holder (28 690)            shower hose (28 151 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	28 308 000	Chrome	4005176254949	129.25
	<p><b>Sena 75</b>  <b>Head shower 1 spray</b>            Normal spray            material: metal  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	28 690 000	Chrome	4005176256196	96.67
	<p><b>Sena</b>  <b>Wall hand Shower holder</b>            non-adjustable            material: metal  <b>GROHE StarLight</b> chrome finish</p>			

# GROHE SENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------









28 389 000	Chrome	4005176269837	12.93
------------	--------	---------------	-------

**Sena**  
**Adapter 1/2" x 1/2"**  
material: metal  
for use with hand shower holder  
or shower rail  
**GROHE StarLight** chrome finish




# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 574 000	Chrome	4005176485916	74.52
	26 574 DC0	supersteel	4005176526459	132.48
	<p><b>Rainshower SmartActive 130</b>  <b>Hand shower 3 sprays</b>            spray plate chrome            GROHE Rain including DripStop, Jet including DripStop, ActiveMassage  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SmartTip</b> showering spray selection via push of a ring  <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b></p>			
	26 544 000	Chrome	4005176478888	74.52
	ditto, with non-restricted flow			
	26 575 000	Chrome	4005176485947	159.39
	<p><b>Rainshower SmartActive 130</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 130 (26 574)            shower rail 600 mm            with wall holders made of metal            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
				
	26 546 000	Chrome	4005176479816	159.39
	ditto, with non-restricted flow			
	26 578 000	Chrome	4005176485985	163.53
	<p><b>Rainshower SmartActive 130</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Rainshower SmartActive 130 (26 544)            shower rail 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>GROHE TileFix</b> adjustable depth on upper and lower bracket  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
				

# GROHE RAINSHOWER SMARTACTIVE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**26 579 LS0      moon white      4005176486203      164.57**

**Rainshower SmartActive 130  
Shower rail set 3 sprays**

Consisting of:  
hand shower Rainshower SmartActive 130 (26 574)  
shower rail 900 mm  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)

**GROHE EasyReach** tray  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

**26 578 LS0      moon white      4005176486197      163.53**  
**ditto, with non-restricted flow**




**26 581 000      Chrome      4005176486234      104.54**

**Rainshower SmartActive 130  
Wall holder set 3 sprays**

Consisting of:  
hand shower Rainshower SmartActive 130 (26 574)  
wall shower holder (27 056)  
Silverflex shower hose 1.500 mm (28 364)

**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

**26 581 LS0      moon white      4005176486241      104.54**




**Rainshower SmartActive 130  
Wall holder set 3 sprays**

Consisting of:  
hand shower Rainshower SmartActive 130 (26 574)  
wall shower holder (27 056)  
Silverflex shower hose 1.500 mm (28 364)

**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

**26 580 000      Chrome      4005176486210      123.17**









**Rainshower SmartActive 130  
Wall holder set 3 sprays**

Consisting of:  
hand shower Rainshower SmartActive 130 (26 574)  
wall shower holder, adjustable (27 055)  
Silverflex shower hose 1.500 mm (28 364)









**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

SHOWERS









# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 580 LS0	moon white	4005176486227	123.17
	<b>Rainshower SmartActive 130</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 582 000	Chrome	4005176486258	74.52
	<b>Rainshower SmartActive 130 Cube</b> <b>Hand shower 3 sprays</b> spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
	26 552 000	Chrome	4005176486272	74.52
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter			
	26 550 000	Chrome	4005176479854	74.52
	ditto, with non-restricted flow			
 	26 584 000	Chrome	4005176486296	159.39
	<b>Rainshower SmartActive 130 Cube</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 585 000	Chrome	4005176486319	159.39
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter			
	26 583 000	Chrome	4005176486289	159.39
	ditto, with non-restricted flow			

# GROHE RAINSHOWER SMARTACTIVE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 584 LS0	moon white	4005176486302	159.39
	<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 586 000	Chrome	4005176486333	163.53
	<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 587 000	Chrome	4005176486340	164.57
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
 	26 586 LS0	moon white	4005176486357	163.53
	<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 587 LS0	moon white	4005176486364	164.57
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
 	26 589 000	Chrome	4005176486395	104.54
	<b>Rainshower SmartActive 130 Cube Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			

# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 589 LS0	moon white	4005176486401	104.54
	<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) hand shower wall holder (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 588 000	Chrome	4005176486371	123.17
	<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 588 LS0	moon white	4005176486388	123.17
	<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 590 000	Chrome	4005176486418	93.15
	<b>Rainshower SmartActive 150</b> <b>Hand shower 3 sprays</b> spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
	26 553 000	Chrome	4005176479885	93.15
	ditto, with non-restricted flow			

# GROHE RAINSHOWER SMARTACTIVE


Ref. No.      Colour      EAN      Retail Guide Price (£)



**26 592 000      Chrome      4005176486449      188.37**


**Rainshower SmartActive 150  
Shower rail set 3 sprays**  
Consisting of:  
hand shower Rainshower SmartActive 150 (26 590)  
shower rail 600 mm  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

**26 591 000      Chrome      4005176486425      188.37**  
**ditto, with non-restricted flow**



**26 592 LS0      moon white      4005176486432      189.41**

**Rainshower SmartActive 150  
Shower rail set 3 sprays**  
Consisting of:  
hand shower Rainshower SmartActive 150 (26 554)  
shower rail 600 mm  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**









**26 594 000      Chrome      4005176486470      194.58**

**Rainshower SmartActive 150  
Shower rail set 3 sprays**  
Consisting of:  
hand shower Rainshower SmartActive 150 (26 590)  
shower rail 900 mm  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**GROHE TileFix** adjustable depth on upper and lower bracket  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**











**26 593 000      Chrome      4005176486456      193.55**  
**ditto, with non-restricted flow**

SHOWERS

# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 594 LS0	moon white	4005176486463	194.58
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 554) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 602 000	Chrome	4005176486531	96.26
	<b>Rainshower SmartActive</b> <b>Shower rail, 600 mm</b> with wall holders made of metal glide element and swivel holder <b>GROHE FastFixation</b> (variable distance between wall shower holders to adapt to existing holes) <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>GROHE EasyReach</b> tray <b>GROHE StarLight</b> chrome finish			
 	26 603 000 26 603 BE0 26 603 EN0 26 603 GL0 26 603 GN0 26 603 DA0 26 603 DL0 26 603 A00 26 603 AL0	Chrome polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite Brushed Hard Graphite	4005176486548 4005176558719 4005176558740 4005176558757 4005176558764 4005176558726 4005176558733 4005176558696 4005176558702	101.43 202.86 222.53 202.86 222.53 202.86 222.53 202.86 222.53
	<b>Rainshower SmartActive</b> <b>Shower rail, 900 mm</b> with wall holders made of metal glide element and swivel holder <b>GROHE FastFixation</b> (variable distance between wall shower holders to adapt to existing holes) <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>GROHE EasyReach</b> tray <b>GROHE StarLight</b> chrome finish			

# GROHE RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 134 000	Chrome	4005176836060	124.78
	<b>Rainshower Cosmopolitan 160</b> <b>Head shower 4 sprays</b> Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 369 000	Chrome	4005176267260	365.21
	<b>Rainshower Rustic 210</b> <b>Head shower 1 spray</b> material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 276 000 27 276 LS0	Chrome moon white	4005176861437 4005176861451	90.45 90.45
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) <b>GROHE EcoJoy</b> technology for less water and perfect flow metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 443 000	red	4005176880025	90.46
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 444 000	orange	4005176880049	90.46
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			




# GROHE RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 446 000	yellow	4005176880063	90.46
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
 	27 447 000	pink	4005176880087	91.84
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
 	27 448 000	purple	4005176880100	90.46
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
 	27 449 000	blue	4005176879982	90.46
	<b>Rainshower Icon 150</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE CoolTouch</b> <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			

# GROHE RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 277 001	Chrome	4005176875489	216.38
------------	--------	---------------	--------



**Rainshower Icon 150**

**Shower rail set 2 sprays**

hand shower Icon 150 (27 276 000)

shower rail 900 mm (28 819 001)

with wall holders made of metal

Silverflex shower hose 1750 mm (28 388 000)

Elbow adapter for the combination of

handshowers with shower sets

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE FastFixation Plus** adjustable distance

between brackets, to adapt to existing holes

**SpeedClean** anti-limescale system


**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

# GROHE RAINSHOWER


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 272 000	Chrome	4005176860836	113.34
------------	--------	---------------	--------







**Rainshower Solo 150**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all standard shower hoses

27 273 001	Chrome	4005176875502	250.71
------------	--------	---------------	--------



**Rainshower Solo 150**  
**Shower rail set 2 sprays**  
 hand shower Solo 150 (27 272 000)  
 shower rail 900 mm (28 819 001)  
 with wall holders made of metal  
 Silverflex shower hose 1750 mm (28 388 000)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting

# GROHE RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 274 000	Chrome	4005176861383	113.34
	<b>Rainshower Eco 120</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets <b>GROHE StarLight</b> chrome finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
 	45 914 XE0	gray night time	4005176842054	25.25
	<b>Spacer</b> for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136			

# GROHE RELEXA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 530 000	Chrome	4005176889219	479.68
<p><b>Relaxa Deluxe 130</b>  <b>Head shower 4 sprays</b>            Normal, Rain, Champagne spray, Champagne spray Deluxe            Ball joint +/- 15° rotatable  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>Inner WaterGuide</b> for a longer life</p>				
	28 897 000	Chrome	4005176827044	133.48
<p><b>Relaxa 100 Five</b>  <b>Hand shower 5 sprays</b>            Wide spray / Needle Jet / Rain / Massage /            Champagne spray            1/2" NPT female thread  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all            standard shower hoses  <b>suitable for instantaneous heater</b></p>				
 	28 796 000	Chrome	4005176824296	136.22
<p><b>Relaxa 100 Five</b>  <b>Hand shower 5 sprays</b>            Wide spray / Needle Jet / Rain / Massage /            Champagne spray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>				
	28 917 000	Chrome	4005176827112	227.90
<p><b>Relaxa 100 Five</b>  <b>Shower rail set 5 sprays</b>            Consisting of:            hand shower Relaxa Five (28 897)            shower rail, 600 mm (28 797)  <b>GROHE DreamSpray</b> perfect spray pattern            shower hose 1.750 mm (28 025 000)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance            between brackets, to adapt to existing holes  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	28 964 001	Chrome	4005176877254	227.83
<p><b>Relaxa 100 Five</b>  <b>Shower rail set 5 sprays</b>            Consisting of:            Hand shower Relaxa Five (28 796 000)            shower rail, 600 mm (28 797)            with wall holders made of metal            Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance            between brackets, to adapt to existing holes  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting</p>				









# GROHE RELEXA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 068 000	Chrome	4005176832130	147.69
	<b>Relexa 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint 1/2" NPT female thread <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7.5 l/min.			
	27 062 000	Chrome	4005176831669	204.91
	<b>Relexa 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7.5 l/min.			
	27 067 000	Chrome	4005176832123	136.22
	<b>Relexa 65</b> <b>Side shower 2 sprays</b> Wide spray/Massage ball-joint <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	28 537 000	Chrome	4005176040443	107.53
	<b>Relexa Low Aerosol 46</b> <b>Hand shower 1 spray</b> metal spray plate <b>GROHE StarLight</b> chrome finish flow limiter Universal Mounting System. Fits all standard shower hoses 9.5 l/min. maximum flow rate at 1 - 6 bar			
	28 404 000	Chrome	4005176601736	20.74
	<b>Relexa Basic 85</b> <b>Head shower 1 spray</b> Rain brass tin plate 50 mm high connection thread 1/2"			

# GROHE RELEXA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 342 000	Chrome	4005176260070	64.46
	<b>Relaxa Plus 65</b> <b>Head shower 1 spray</b> non-adjustable 1/2" NPT female thread <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	28 094 000	Chrome	4005176601132	53.22
	<b>Relaxa Plus 50</b> <b>Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE StarLight</b> chrome finish adjustable flow rate without shower arm			
	28 002 000	Chrome	4005176858796	193.46
	<b>Relaxa 70</b> <b>Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection			
	28 948 000	Chrome	4005176209871	140.11
	<b>Relaxa Plus 60</b> <b>Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	28 286 000	Chrome	4005176198526	101.88
	<b>Relaxa 50</b> <b>Side shower 2 sprays</b> Wide Spray/ Needle Jet ball-joint <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 222 000	Chrome	4005176854132	67.53
<p><b>Euphoria 110 Champagne</b>  <b>Hand shower 3 sprays</b>            Rain, Champagne spray, SmartRain  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b></p>				
 	26 513 000	Chrome	4005176457722	69.84
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            spray face Ø 110 mm            Rain, Massage, SmartRain            GROHE EcoJoy 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish            spray plate white  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 239 001	Chrome	4005176457715	69.84
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            spray face Ø 110 mm            Rain, Massage, SmartRain            GROHE EcoJoy 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish            spray plate white  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
	27 221 001	Chrome	4005176457708	64.12
<p><b>ditto, with non-restricted flow</b></p>				
 	27 239 000	Chrome	4005176854323	61.80
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            Rain, Massage, SmartRain            GROHE EcoJoy 9.5 l/min flow limiter  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>				
	27 221 000	Chrome	4005176854125	56.10
<p><b>ditto, with non-restricted flow</b></p>				




# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 238 000	Chrome	4005176854293	43.67
	<b>Euphoria 110 Duo</b> <b>Hand shower 2 sprays</b> Rain, SmartRain <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 220 000	Chrome	4005176854118	44.63
	<b>ditto, with non-restricted flow</b>			
 	27 265 00E	Chrome	4005176885693	33.18
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> Rain <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 265 000	Chrome	4005176856983	33.18
	<b>ditto, with non-restricted flow</b>			
 	27 224 000	Chrome	4005176854156	33.18
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> Rain <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life min. recommended pressure 1.0 bar			
 	27 232 001	Chrome	4005176899560	113.34
	<b>Euphoria 110 Champagne</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE SprayDimmer</b> (Stepless flow rate reduction) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 243 001	Chrome	4005176899799	101.89
------------	--------	---------------	--------




**Euphoria 110 Massage Shower rail set 3 sprays**  
 hand shower Massage (27 239 000)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**

27 231 001	Chrome	4005176899553	101.89
------------	--------	---------------	--------

ditto, with non-restricted flow

27 242 001	Chrome	4005176899782	101.86
------------	--------	---------------	--------




**Euphoria 110 Duo Shower rail set 2 sprays**  
 Consisting of:  
 hand shower Euphoria 110 Duo (27 238)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray (27 596)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**  
 min. recommended pressure 1.0 bar

27 230 001	Chrome	4005176899546	96.14
------------	--------	---------------	-------

ditto, with non-restricted flow

27 266 00E	Chrome	4005176890710	81.74
------------	--------	---------------	-------











**Euphoria 110 Mono Shower rail set 1 spray**  
 Consisting of:  
 hand shower Euphoria Mono (27 265 000)  
 shower rail, 600 mm (27 499)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach** tray  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**suitable for instantaneous heater**  
 min. recommended pressure 1.0 bar







27 266 001	Chrome	4005176899812	90.44
------------	--------	---------------	-------

ditto, with non-restricted flow











# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 256 001	Chrome	4005176899805	84.71
<p><b>Euphoria 110 Mono</b>  <b>Shower rail set 1 spray</b>            hand shower Mono (27 224 000)            shower rail, 600 mm (27 499)            shower hose 1500 mm (28 161)            soap dish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 227 001	Chrome	4005176899522	113.33
<p><b>Euphoria 110 Champagne</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Champagne (27 222)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 226 001	Chrome	4005176899515	113.33
<p><b>Euphoria 110 Massage</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower Massage (27 221 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>				
 	27 225 001	Chrome	4005176899508	101.89
<p><b>Euphoria 110 Duo</b>  <b>Shower rail set 2 sprays</b>            hand shower Duo (27 220 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>				

# GROHE EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 267 001	Chrome	4005176899829	98.44
<p><b>Euphoria 110 Mono Shower rail set 1 spray</b>            Consisting of:            Handshower mono (27 265 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 355 000	Chrome	4005176874451	101.88
<p><b>Euphoria 110 Champagne Wall holder set 3 sprays</b>            Wall shower holder 28 401            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 354 000	Chrome	4005176874444	56.10
<p><b>Euphoria 110 Mono Wall holder set 1 spray</b>            wall shower holder (27 056)            Silverflex shower hose 1250 mm (28 362)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	26 459 000	Chrome	4005176416965	228.98
<p><b>Euphoria 260 Head shower set 380 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>				
	26 458 000	Chrome	4005176416958	228.98
<p><b>ditto, with non-restricted flow</b></p>				

# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 461 000	Chrome	4005176416989	182.04
<p><b>Euphoria 260</b>  <b>Head shower set ceiling 142 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
	26 460 000	Chrome	4005176416972	182.04
<p>ditto, with non-restricted flow</p>				
 	26 457 000	Chrome	4005176416934	137.40
<p><b>Euphoria 260</b>  <b>Head shower 3 sprays</b>            Rain, SmartRain, Jet            Ø 260 mm            Ball joint +/- 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
	26 455 000	Chrome	4005176416903	137.40
<p>ditto, with non-restricted flow</p>				
 	27 237 000	Chrome	4005176854286	78.99
<p><b>Euphoria 110 Mono</b>  <b>Head shower 1 spray</b>            Rain            connection thread 1/2"            bellows  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system            suitable for instantaneous heater</p>				
 	27 499 000	Chrome	4005176886041	44.65
<p><b>Euphoria</b>  <b>Shower rail, 600 mm</b>            with wall holders, glide element and swivel holder  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>GROHE StarLight</b> chrome finish</p>				
	27 500 000	Chrome	4005176886058	56.09
<p>ditto, 900 mm</p>				
 	48 051 000		4005176890024	6.52
<p><b>Spacer</b>            for Tempesta shower rails            27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524            for Euphoria shower rails            27 499 / 27 500</p>				

# GROHE EUPHORIA











Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------












27 596 000		4005176895944	10.30
<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

SHOWERS

# GROHE EUPHORIA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 400 000	Chrome	4005176877292	44.66
	<b>Euphoria Cosmopolitan Stick</b> <b>Hand shower 1 spray</b> Normal spray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 367 000	Chrome	4005176875939	44.66
	<b>ditto, with non-restricted flow</b>			
 	27 368 000	Chrome	4005176875946	170.58
	<b>Euphoria Cosmopolitan Stick</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower 27 400 000 shower rail, 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) soap dish (27 206) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 369 000	Chrome	4005176875953	78.98
	<b>Euphoria Cosmopolitan Stick</b> <b>Wall holder set 1 spray</b> hand shower 27 400 000 wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> Min. recommended pressure 0.5 bar			
 	27 492 000	Chrome	4005176885556	136.23
	<b>Euphoria Cosmopolitan 180</b> <b>Head shower 1 spray</b> Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 233 000	Chrome	4005176868016	90.46
	<b>Euphoria Cosmopolitan 160</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			

# GROHE EUPHORIA










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 467 000	Chrome	4005176423956	91.09
	<b>Euphoria Cube+ Stick Hand shower 1 spray</b> Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 888 000	Chrome	4005176921179	90.45
	<b>Euphoria Cube+ Stick Hand shower 1 spray</b> Normal spray material: metal <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 884 001	Chrome	4005176919695	90.45
	ditto, with non-restricted flow			
	27 891 000	Chrome	4005176921209	250.73
	<b>Euphoria Cube+ Stick Shower rail set 1 spray</b> hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting			
	27 890 000	Chrome	4005176921193	262.18
	<b>Euphoria Cube+ Stick Shower rail set 1 spray</b> Consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting			
	27 889 000	Chrome	4005176921186	136.23
	<b>Euphoria Cube+ Stick Wall holder set 1 spray</b> hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting			








# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 699 000	Chrome	4005176907104	44.64
	<b>Euphoria Cube Stick</b> <b>Hand shower 1 spray</b> Normal spray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 698 000	Chrome	4005176907098	44.64
	ditto, with non-restricted flow			
 	27 936 000	Chrome	4005176927058	196.51
	<b>Euphoria Cube</b> <b>Shower set</b> Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 700 000	Chrome	4005176907111	216.36
	<b>Euphoria Cube Stick</b> <b>Shower rail set 1 spray</b> Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting min. recommended pressure 1.0 bar			
 	26 405 000	Chrome	4005176385162	80.73
	<b>Euphoria Cube Stick</b> <b>Wall holder set 1 spray</b> with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			

# GROHE EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 703 000	Chrome	4005176907142	78.97
	<p><b>Euphoria Cube Stick</b>  <b>Wall holder set 1 spray</b>            Handshower (27 699 000)            wall shower holder (27 693 000)            Silverflex shower hose 1250 mm (28 362)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting            min. recommended pressure 1.0 bar</p>			
	27 702 000	Chrome	4005176907135	78.97
	<p><b>ditto, with non-restricted flow</b></p>			
	26 073 000	Chrome	4005176937279	239.28
	<p><b>Euphoria Cube 150</b>  <b>Head shower set 286 mm, 1 spray</b>            head shower Euphoria Cube 150 (27 705 000)            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (27 709 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 705 000	Chrome	4005176907166	147.68
	<p><b>Euphoria Cube 150</b>  <b>Head shower 1 spray</b>            Rain            152 x 152 mm            ball-joint            rotation angle <math>\pm 12^\circ</math>            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 841 000	Chrome	4005176916670	204.93
	<p><b>Euphoria Cube</b>  <b>Shower rail, 900 mm</b>            with wall holders, glide element and swivel holder  <b>GROHE StarLight</b> chrome finish</p>			
	28 737 000	Chrome	4005176872983	56.09
	<p><b>Euphoria Rustic 130</b>  <b>Head shower 1 spray</b>            Rain            Ball joint <math>\pm 20^\circ</math> rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 608 001	Chrome	4005176444029	53.81
	<b>Tempesta Rustic 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 085 001	Chrome	4005176444036	46.95
	ditto, with non-restricted flow			
 	27 609 001	Chrome	4005176451898	100.76
	<b>Tempesta Rustic 100</b> <b>Shower rail set 4 sprays</b> hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 086 001	Chrome	4005176451904	95.04
	ditto, with non-restricted flow			
 	27 805 001	Chrome	4005176451911	69.84
	<b>Tempesta Rustic 100</b> <b>Wall holder set 4 sprays</b> hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 089 001	Chrome	4005176444067	70.96
	<b>Tempesta Rustic 100</b> <b>Head shower set 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	27 610 001	Chrome	4005176444050	61.81
	<b>Tempesta Rustic 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

# GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 519 000	Chrome	4005176886485	56.10
<b>Tempesta Rustic</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swival holder <b>GROHE StarLight</b> chrome finish			
27 520 000	Chrome	4005176886492	56.11
<b>ditto, 900 mm</b>			











SHOWERS

# GROHE TEMPESTA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 575 002	Chrome	4005176443930	48.07
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 573 002	Chrome	4005176443947	48.07
	<b>ditto, with non-restricted flow</b>			
	27 574 002	Chrome	4005176443916	36.62
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 572 002	Chrome	4005176443923	36.62
	<b>ditto, with non-restricted flow</b>			
	27 571 20E	Chrome	4005176443275	28.62
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 2 sprays</b> Rain, Jet <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 571 002	Chrome	4005176443893	28.62
	<b>ditto, with non-restricted flow</b>			
	26 130 001	Chrome	4005176443909	28.62
	<b>ditto, with non-restricted flow, for low pressure</b>			
	26 082 002	Chrome	4005176443268	22.90
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 1 spray</b> Rain <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			

# GROHE TEMPESTA











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 577 002	Chrome	4005176451584	87.00
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
 	27 576 002	Chrome	4005176451560	84.70
	<b>Tempesta Cosmopolitan 100</b> <b>Shower set 3 sprays</b> Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 929 002	Chrome	4005176451577	84.70
	ditto, with non-restricted flow			
 	26 083 002	Chrome	4005176451546	66.40
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower (26 082) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	27 580 002	Chrome	4005176451515	82.44
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower Tempesta Cosmopolitan 100 (27 575) shower rail, 600 mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	27 787 002	Chrome	4005176451522	82.44
	ditto, with non-restricted flow			

SHOWERS

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 579 002	Chrome	4005176451492	74.43
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	27 786 002	Chrome	4005176451508	74.43
	<b>ditto, with non-restricted flow</b>			
	27 578 20E	Chrome	4005176451362	63.47
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	27 578 002	Chrome	4005176451386	63.47
	<b>ditto, with non-restricted flow</b>			
	27 790 002	Chrome	4005176451614	79.70
	<b>Tempesta Cosmopolitan 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 584 002	Chrome	4005176451621	54.97
	<b>Tempesta Cosmopolitan 100</b> <b>Shower set 3 sprays</b> hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 588 002	Chrome	4005176451669	51.52
<p><b>Tempesta Cosmopolitan 100</b>  <b>Wall holder set 3 sprays</b>            Consisting of:            hand shower (27 574)            wall shower holder non-adjustable (27 594)            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	26 084 002	Chrome	4005176451645	36.61
<p><b>Tempesta Cosmopolitan 100</b>  <b>Wall holder set 1 spray</b>            Consisting of:            hand shower (26 082)            wall shower holder non-adjustable (27 594)            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE StarLight</b> chrome finish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	27 869 001	Chrome	4005176444005	80.16
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2"            escutcheon  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
 	26 090 001	Chrome	4005176443992	74.40
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower set 3 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
 	27 591 001	Chrome	4005176443985	67.55
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				












SHOWERS















# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 051 001	Chrome	4005176443954	53.80
	<b>Tempesta Cosmopolitan 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	27 541 001	Chrome	4005176451676	85.84
	<b>Tempesta Cosmopolitan 200</b> <b>Head shower 1 spray</b> Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" <b>suitable for instantaneous heater</b>			
	27 521 000	Chrome	4005176886508	44.64
	<b>Tempesta Cosmopolitan</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder <b>GROHE StarLight</b> chrome finish			
	27 522 000	Chrome	4005176886515	56.10
	<b>ditto, 900 mm</b>			
	48 051 000		4005176890024	6.52
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
	27 596 000		4005176895944	10.30
	<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			







# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 421 002	Chrome	4005176444142	44.65
	<b>Tempesta 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 578 002	Chrome	4005176444159	44.65
	<b>ditto, with non-restricted flow</b>			
	28 419 002	Chrome	4005176444128	33.19
	<b>Tempesta 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 261 002	Chrome	4005176444135	33.19
	<b>ditto, with non-restricted flow</b>			
	27 597 10E	Chrome	4005176985409	25.18
	<b>Tempesta 100</b> <b>Hand shower 2 sprays</b> Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	26 161 001	Chrome	4005176444104	25.18
	<b>ditto, with 9.5 l/min flow limiter</b>			
	27 597 001	Chrome	4005176985508	25.18
	<b>ditto, with non-restricted flow</b>			
	28 422 002	Chrome	4005176444111	25.18
	<b>ditto, with non-restricted flow, for low pressure</b>			
	27 923 001	Chrome	4005176444074	19.69
	<b>Tempesta 100</b> <b>Hand shower 1 spray</b> Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses			
	27 852 001	Chrome	4005176444081	19.69
	<b>ditto, with non-restricted flow</b>			
	28 214 003	Chrome	4005176444098	24.07
	<b>ditto, with non-restricted flow, for low pressure</b>			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 436 002	Chrome	4005176451799	83.58
	<b>Tempesta 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
 	27 600 001	Chrome	4005176451775	76.71
	<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
 	26 638 000	Chrome	4005176528347	60.03
	<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 (26 161) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
 	27 926 001	Chrome	4005176451768	66.77
	<b>ditto, with non-restricted flow</b>			
 	27 645 001	Chrome	4005176451744	74.40
	<b>Tempesta 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
 	27 795 001	Chrome	4005176451751	74.40
	<b>ditto, with non-restricted flow</b>			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>27 644 001</b> <b>Chrome</b>	<b>4005176451720</b>	<b>67.52</b>
		<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
		<b>27 794 001</b> <b>Chrome</b> <b>ditto, with non-restricted flow</b>	<b>4005176451737</b>	<b>67.52</b>
		<b>27 598 10E</b> <b>Chrome</b>	<b>4005176985416</b>	<b>58.01</b>
		<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
		<b>26 162 001</b> <b>Chrome</b> <b>ditto, with 9.5 l/min flow limiter</b>	<b>4005176451713</b>	<b>58.00</b>
		<b>27 598 001</b> <b>Chrome</b> <b>ditto, with non-restricted flow</b>	<b>4005176985515</b>	<b>58.01</b>
		<b>28 438 001</b> <b>Chrome</b> <b>ditto, with non-restricted flow, for low pressure</b>	<b>4005176985553</b>	<b>59.12</b>
		<b>27 924 001</b> <b>Chrome</b>	<b>4005176451690</b>	<b>48.16</b>
		<b>Tempesta 100</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling		
		<b>27 853 001</b> <b>Chrome</b> <b>ditto, with non-restricted flow</b>	<b>4005176451706</b>	<b>48.16</b>
		<b>28 280 004</b> <b>Chrome</b> <b>ditto, with non-restricted flow, for low pressure</b>	<b>4005176306624</b>	<b>56.09</b>

# GROHE TEMPESTA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>28 789 002</b>	<b>Chrome</b>	<b>4005176451843</b>	<b>74.40</b>
	<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 796 001</b>	<b>Chrome</b>	<b>4005176451850</b>	<b>74.40</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 646 10E</b>	<b>Chrome</b>	<b>4005176985423</b>	<b>64.57</b>
	<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 646 001</b>	<b>Chrome</b>	<b>4005176985522</b>	<b>64.57</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 925 001</b>	<b>Chrome</b>	<b>4005176451812</b>	<b>54.74</b>
	<b>Tempesta 100</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 854 001</b>	<b>Chrome</b>	<b>4005176451829</b>	<b>54.74</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 601 10E</b>	<b>Chrome</b>	<b>4005176985430</b>	<b>41.60</b>
	<b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar			

# GROHE TEMPESTA




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 639 000	Chrome	4005176528354	44.51
<p><b>Tempesta 100</b>  <b>Wall holder set 3 sprays</b>            Consisting of:            hand shower Tempesta 100 (28 419)            wall shower holder (28 605)            non-adjustable            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            ShockProof silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 803 10E	Chrome	4005176985454	38.30
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            Consisting of:            hand shower Tempesta 100 II (27 597)            wall shower holder (28 605), non-adjustable            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            ShockProof silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 798 10E	Chrome	4005176985447	36.10
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            Consisting of:            hand shower Tempesta 100 II (27 597)            wall shower holder (28 605)            non-adjustable            Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            ShockProof silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
<p>26 164 001 Chrome 4005176451867 36.10            ditto, with 9.5 l/min flow limiter</p> <p>27 799 001 Chrome 4005176985539 36.10            ditto, with non-restricted flow</p>				
 	26 406 001	Chrome	4005176451881	53.64
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            with integrated wall union 1/2"            Consisting of:            hand shower Tempesta 100 II (27 597)            shower outlet elbow 1/2" with wall shower holder (28 679)            male thread            protected against backflow            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            ShockProof silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				

SHOWERS

# GROHE TEMPESTA










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 663 000	Chrome	4005176580505	189.35
	<p><b>Tempesta 250</b>  <b>Head shower set 380 mm, 1 spray</b>            Consisting of:            head shower Tempesta 250 (26 662)            1 spray pattern:            Rain            fully chrome plated surfaces            shower arm 380 mm (28 361)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 668 000	Chrome	4005176580550	177.38
	ditto, but head shower with white rear cover			
	26 682 000	Chrome	4005176580697	195.98
	<p><b>Tempesta 250 Cube</b>  <b>Head shower set 380 mm, 1 spray</b>            Consisting of:            head shower Tempesta 250 Cube (26 681)            1 spray pattern:            Rain            fully chrome plated surfaces            shower arm 380 mm            with square escutcheon  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            professional edition</p>			
	26 687 000	Chrome	4005176580741	183.59
	ditto, but head shower with white rear cover			
	26 412 000	Chrome	4005176390173	166.02
	<p><b>Tempesta 210</b>  <b>Head shower set 286 mm, 1 spray</b>            Consisting of:            head shower Tempesta 210 9.5 l/min (26 410)            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (28 576 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>			
	26 267 001	Chrome	4005176444197	59.51
	<p><b>Tempesta 100</b>  <b>Head shower 1 spray</b>            Rain            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>for low pressure</b></p>			

# GROHE TEMPESTA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 664 000	Chrome	4005176580512	152.88
	<b>Tempesta 250</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar professional edition			
	26 669 000	Chrome	4005176580567	140.91
	ditto, but head shower with white rear cover			
 	26 683 000	Chrome	4005176580703	158.23
	<b>Tempesta 250 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 688 000	Chrome	4005176580758	145.84
	ditto, but head shower with white rear cover			
 	26 414 000	Chrome	4005176408090	139.69
	<b>Tempesta 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	26 413 000	Chrome	4005176390180	166.03
	ditto, with non-restricted flow			
 	26 662 000	Chrome	4005176580499	114.95
	<b>Tempesta 250</b> <b>Head shower 1 spray</b> Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle ± 10° connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 666 000	Chrome	4005176580536	102.97
	ditto, but with white rear cover			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 681 000	Chrome	4005176580680	118.97
	<b>Tempesta 250 Cube</b> <b>Head shower 1 spray</b> Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 685 000	Chrome	4005176580727	106.57
ditto, but with white rear cover				
	26 409 000	Chrome	4005176390128	93.90
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	93.90
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	93.90
ditto, with non-restricted flow				
 	27 606 001	Chrome	4005176444180	60.67
	<b>Tempesta 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	26 050 001	Chrome	4005176444166	48.10
	<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
 	27 523 000	Chrome	4005176886522	44.63
	<b>Tempesta</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder <b>GROHE StarLight</b> chrome finish			
	27 524 000	Chrome	4005176886539	67.53
ditto, 900 mm				










# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>48 051 000</b>		<b>4005176890024</b>	<b>6.52</b>
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	<b>27 596 000</b>		<b>4005176895944</b>	<b>10.30</b>
	<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			
 	<b>27 406 000</b>	<b>Chrome</b>	<b>4005176600166</b>	<b>53.22</b>
	<b>Relaxa</b> <b>Shower arm 218 mm</b> connection thread 1/2" projection 218 mm escutcheon <b>GROHE StarLight</b> chrome finish			
 	<b>28 541 000</b>	<b>Chrome</b>	<b>4005176040528</b>	<b>42.36</b>
	<b>Relaxa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish			
 	<b>28 429 000</b>	<b>Chrome</b>	<b>4005176601910</b>	<b>53.22</b>
	<b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish			







# GROHE SENA TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 328 000	Chrome	4005176332111	68.69
	<p><b>Sena Trigger Spray 35</b>  <b>Hand shower 1 spray</b>                      with trigger control                      material: metal  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system                      Universal Mounting System. Fits all standard shower hoses  <b>Min. recommended pressure 0.5 bar</b>                      Please refer to local norms regarding installation.</p>			
 	26 332 000	Chrome	4005176332135	182.03
	<p><b>Sena Trigger Spray 35</b>  <b>Wall holder set with self-closing angle valve, 1 spray</b>                      Consisting of:                      hand shower with trigger control (26 328)                      valve with integrated shower holder (26 333 000)                      Silverflex Longlife shower hose 1250 mm (26 335)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Twistfree</b> preventing the hose from twisting  <b>Min. recommended pressure 0.5 bar</b>                      Please refer to local norms regarding installation.</p>			
	26 329 000	Chrome	4005176332128	170.59
	ditto, hose 1000 mm			
 	26 333 000	Chrome	4005176332142	73.28
	<p><b>Valve</b>                      with wall shower holder                      escutcheon                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish                      Please refer to local norms regarding installation.</p>			



# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 512 001	Chrome	4005176333804	21.75
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	28 020 L01	white	4005176333828	14.77
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	26 353 000	Chrome	4005176333866	33.19
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1500 mm (26 346)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
	27 513 001	Chrome	4005176333842	33.19
<p><b>ditto, with 1250 mm hose</b></p>				
	26 352 000	Chrome	4005176333835	34.69
<p><b>ditto, with 1000 mm hose</b></p>				
 	26 354 000	Chrome	4005176333873	44.65
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      metal shower hose 1250 mm  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Please refer to local norms regarding installation.                      Relexaflex Metal Longlife shower hose 1250 mm</p>				
 	27 812 IL1	chrome/white	4005176333897	34.33
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (28 020 L01)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1250 mm (26 335)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
	26 355 IL0	chrome/white	4005176333880	33.20
<p><b>ditto, with 1000 mm hose</b></p>				

# GROHE TEMPESTA-F TRIGGER SPRAYS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 356 ILO	chrome/white	4005176333903	33.12
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set 1 spray</b> Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) metal shower hose 1250 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Please refer to local norms regarding installation. Relexaflex Metal Longlife shower hose 1250 mm			
 	26 357 000	Chrome	4005176333927	90.42
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with angle valve 1 spray</b> Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) angle valve 1/2" (22 958) <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting min. recommended pressure 1.0 bar Please refer to local norms regarding installation.			
	27 514 001	Chrome	4005176333910	67.55
	<b>ditto, with 1250 mm hose</b>			
 	26 358 000	Chrome	4005176333941	119.07
	<b>Tempesta-F Trigger Spray 30</b> <b>Wall holder set with self-closing angle valve, 1 spray</b> Consisting of: hand shower with trigger control (27 512 001) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1000 mm (26 334) <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting Please refer to local norms regarding installation.			

# GROHE TRIGGER SPRAYS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<p><b>28 343 000</b></p> <p><b>Trigger Spray</b>  <b>Hand shower 1 spray</b>  <b>GROHE StarLight</b> chrome finish            Universal Mounting System. Fits all standard shower hoses</p>	<p><b>Chrome</b></p> <p><b>4005176260285</b></p>	<p><b>21.73</b></p>	
	<p><b>27 102 000</b></p> <p><b>Trigger Spray</b>  <b>Wall holder set 1 spray</b>  <b>GROHE StarLight</b> chrome finish</p>	<p><b>Chrome</b></p> <p><b>4005176600074</b></p>	<p><b>56.85</b></p>	

SHOWERS

# GROHE SHOWER HOSES





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 025 000	Chrome	4005176284830	26.19
	<p><b>Rotaflex Metal Longlife</b>  <b>Metal shower hose Twistfree 1750</b>            1750 mm            material: metal  <b>Longlife</b>            strengthened model            tensile strength 500 N            pressure resistance up to 16 bar            heat resistance 75°C            AntiFold bendproof            universal connection G 1/2" x 1/2"            Rotation cone for <b>Twistfree</b> function            Cone with silicone tape to prevent turning of hand shower during usage  <b>GROHE StarLight</b> chrome finish  <b>blister packaging</b></p>			
	28 417 000	Chrome	4005176264702	24.36
	ditto, 1500 mm hose			
 	28 145 000	Chrome	4005176601354	26.62
	<p><b>Relaxflex Metal Longlife</b>  <b>Metal shower hose 2000</b>            2000 mm            material: metal  <b>Longlife</b>            strengthened model            tensile strength 750 N            pressure resistance up to 16 bar            heat resistance 75°C            AntiFold bendproof            universal connection G 1/2" x 1/2"  <b>GROHE StarLight</b> chrome finish  <b>blister packaging</b></p>			
	28 143 000	Chrome	4005176601347	22.57
	28 143 LS0	moon white	4005176842269	29.63
	28 143 KS0	velvet black	4005176842252	29.63
	ditto, 1500 mm hose			
	28 142 000	Chrome	4005176601330	20.31
	ditto, 1250 mm hose			
 	28 140 000	Chrome	4005176601323	22.81
	<p><b>Relaxflex Metal</b>  <b>Metal shower hose 2000</b>            2000 mm            material: metal            tensile strength 500 N            pressure resistance up to 5 bar            heat resistance 70°C            AntiFold bendproof            universal connection G 1/2" x 1/2"  <b>GROHE StarLight</b> chrome finish  <b>blister packaging</b></p>			
	28 139 000	Chrome	4005176601316	20.51
	ditto, 1750 mm hose			
	28 105 000	Chrome	4005176601217	18.70
	ditto, 1500 mm hose			

# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	26 346 000	Chrome	4005176332173	20.97	
	<b>Silverflex Longlife Shower hose Twistfree 1500</b> 1500 mm smooth surface for easy cleaning <b>Longlife</b> strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				
	26 335 000	Chrome	4005176332166	18.70	
	26 334 000	Chrome	4005176332159	16.85	
	<b>ditto, 1250 mm hose</b>				
	<b>ditto, 1000 mm hose</b>				
 	27 137 000	Chrome	4005176836237	20.31	
	<b>Silverflex Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				
	28 388 000	Chrome	4005176295362	18.50	
	28 388 DC0	supersteel	4005176386428	24.82	
	28 388 BE0	polished nickel	4005176295386	27.96	
	28 388 GL0	cool sunrise	4005176427657	27.96	
	28 388 DA0	warm sunset	4005176427671	27.96	
	28 388 A00	hard graphite	4005176427701	27.96	
		<b>ditto, 1750mm hose</b>			
	28 364 000	Chrome	4005176295294	16.24	
	<b>ditto, 1500 mm hose</b>				
	28 362 000	Chrome	4005176295225	14.45	
	28 362 DC0	supersteel	4005176386435	19.41	
	28 362 BE0	polished nickel	4005176295249	22.11	
	28 362 GL0	cool sunrise	4005176427589	22.11	
	28 362 DA0	warm sunset	4005176427602	22.11	
	28 362 A00	hard graphite	4005176427633	22.11	
	<b>ditto, 1250 mm</b>				
 	28 161 001	Chrome	4005176935107	17.32	
	<b>Silverflex Shower hose Twistfree 1500 for low pressure</b> 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				




# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 413 001	Chrome	4005176933257	15.96
	<b>RotaFlex</b> <b>Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 410 001	Chrome	4005176933240	19.44
	28 409 001	Chrome	4005176933233	12.77
	28 410 001	Chrome	4005176933240	19.44
	28 409 001	Chrome	4005176933233	12.77
	28 155 001	Chrome	4005176933226	13.99
	<b>Relexaflex</b> <b>Shower hose 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 154 001	Chrome	4005176933219	12.64
	28 151 001	Chrome	4005176933202	10.82
	28 151 L01	white	4005176935091	20.60
28 150 001	Chrome	4005176933196	8.94	
	28 150 001	Chrome	4005176933196	8.94
	28 158 000	Chrome	4005176601606	31.92
	<b>Metal hose</b> 2000 mm for bath rim, installation under tiled surround and shower sets <b>GROHE StarLight</b> chrome finish			
	28 146 000	Chrome	4005176121753	51.42
	<b>Metal hose</b> 2000 mm M 15 x M 15 <b>GROHE StarLight</b> chrome finish			

# GROHE SHOWER HOSES













Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------













45 973 001	Chrome	4005176442919	10.02
------------	--------	---------------	-------

**Relaxaflex**  
**Shower hose 1500**  
 1500 mm  
 smooth surface for easy cleaning  
 tensile strength 500 N  
 pressure resistance up to 5 bar  
 heat resistance 70°C  
 AntiFold bendproof  
 universal connection G 1/2" x 1/2"  
**GROHE StarLight** chrome finish  
 in units of 10







# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 055 000	Chrome	4005176830433	44.66
<p><b>Rainshower</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 401 000	Chrome	4005176264474	47.68
<p><b>Movario</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	Chrome	4005176031595	31.50
<p><b>Relexa</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	Chrome	4005176895937	18.33
<p><b>Tempesta</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 690 000	Chrome	4005176256196	96.67
<p><b>Sena</b> Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish</p>				
 	27 056 000	Chrome	4005176830440	33.18
<p><b>Rainshower</b> Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish</p>				











# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	27 074 000	Chrome	4005176833083	33.19	
	27 074 DC0	supersteel	4005176374487	56.09	
	27 074 LS0	moon white	4005176873591	44.63	
	27 074 BE0	polished nickel	4005176834325	61.80	
	27 074 EN0	brushed nickel	4005176834301	61.79	
	27 074 GL0	cool sunrise	4005176338984	61.80	
	27 074 GN0	brushed cool sunrise	4005176427084	61.79	
	27 074 DA0	warm sunset	4005176338977	61.80	
	27 074 DL0	brushed warm sunset	4005176427091	61.79	
	27 074 A00	hard graphite	4005176338991	61.80	
	27 074 AL0	Brushed Hard Graphite	4005176339004	61.79	
	<b>Rainshower</b> Wall hand Shower holder non-adjustable with round escutcheon <b>GROHE StarLight</b> chrome finish				
	 	27 075 000	Chrome	4005176833090	33.19
		<b>Rainshower</b> Wall hand Shower holder non-adjustable with square escutcheon <b>GROHE StarLight</b> chrome finish			
 	27 706 000	Chrome	4005176908439	33.20	
	27 706 DC0	supersteel	4005176490989	42.44	
	27 706 A00	hard graphite	4005176491030	48.65	
	27 706 AL0	Brushed Hard Graphite	4005176490972	51.75	
<b>Allure Brilliant</b> Wall hand Shower holder non-adjustable material: metal <b>GROHE StarLight</b> chrome finish					
 	27 693 000	Chrome	4005176907043	21.76	
	<b>Euphoria Cube</b> Wall hand Shower holder non-adjustable <b>GROHE StarLight</b> chrome finish				
 	28 403 000	Chrome	4005176264511	42.36	
<b>Movario</b> Wall hand Shower holder non-adjustable <b>GROHE StarLight</b> chrome finish					













# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 622 000	Chrome	4005176041297	31.76
<b>Relexa</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish				
 	27 594 000	Chrome	4005176895920	12.47
<b>Tempesta Cosmopolitan</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish				
 	28 605 000	Chrome	4005176041105	20.64
<b>Relexa</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish				







# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 151 000	Chrome	4005176837012	101.89
<p><b>Pull-out shower</b> for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The pull-out shower assembly can be combined with all hand showers</b> <b>GROHE StarLight</b> chrome finish</p>				
 	27 531 000	Chrome	4005176889486	270.45
<p><b>Pull-out shower</b> for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The pull-out shower assembly can be combined with all hand showers</b> <b>GROHE StarLight</b> chrome finish</p>				
 	27 621 000	Chrome	4005176898310	319.41
<p><b>Grotherm F</b> <b>Wall shower union with integrated shower holder</b> vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation</p>				
 	35 034 000		4005176915697	216.38
<p><b>Grotherm F</b> <b>Rough-in for wall shower union 27 621</b> for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p>				
 	27 057 000	Chrome	4005176830457	56.08
<p><b>Rainshower</b> <b>Shower outlet elbow, 1/2"</b> male thread with round escutcheon protected against backflow <b>GROHE StarLight</b> chrome finish</p>				
	27 057 DC0	supersteel	4005176371196	74.69
	27 057 BE0	polished nickel	4005176426957	85.81
	27 057 EN0	brushed nickel	4005176426964	90.68
	27 057 GL0	cool sunrise	4005176338946	85.81
	27 057 GN0	brushed cool sunrise	4005176426933	91.12
	27 057 DA0	warm sunset	4005176338939	85.81
	27 057 DL0	brushed warm sunset	4005176426940	91.12
	27 057 A00	hard graphite	4005176338953	85.81
	27 057 AL0	Brushed Hard Graphite	4005176338960	91.12

# GROHE SHOWER ACCESSORIES








	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 076 000	Chrome	4005176833106	56.08
	<b>Rainshower</b> <b>Shower outlet elbow</b> male thread with square escutcheon protected against backflow <b>GROHE StarLight</b> chrome finish			
 	27 707 000 27 707 DC0 27 707 A00 27 707 AL0	Chrome supersteel hard graphite Brushed Hard Graphite	4005176908446 4005176490897 4005176490941 4005176490880	44.66 67.28 77.63 81.77
	<b>Allure Brilliant</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow material: metal <b>GROHE StarLight</b> chrome finish			
 	27 704 000	Chrome	4005176907159	33.18
	<b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	26 370 000	Chrome	4005176341380	33.19
	<b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 405 000	Chrome	4005176264559	53.22
	<b>Movario</b> <b>Shower outlet elbow, 1/2"</b> protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 671 000	Chrome	4005176103070	33.19
	<b>Relaxa</b> <b>Shower outlet elbow, 1/2"</b> male thread <b>GROHE StarLight</b> chrome finish			
	28 680 000	Chrome	4005176116780	42.36
	ditto, protected against backflow			

# GROHE SHOWER ACCESSORIES



















	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 626 000	Chrome	4005176041358	53.22
	<b>Relexa</b> <b>Shower outlet elbow, 1/2"</b> shower connection 1/2" wall connection 1/2" male thread <b>GROHE StarLight</b> chrome finish with matt chrome cap			
	28 678 000	Chrome	4005176116711	46.28
	28 636 000	Chrome	4005176078606	56.10
	<b>ditto, protected against backflow</b>			
	<b>ditto, for IG-combination</b>			
 	28 406 000	Chrome	4005176264566	53.22
	<b>Movario</b> <b>Shower outlet elbow, 1/2"</b> with shower holder protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 628 000	Chrome	4005176041396	53.63
	<b>Relexa</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male thread <b>GROHE StarLight</b> chrome finish			
	28 679 000	Chrome	4005176116759	53.22
	<b>ditto, protected against backflow</b>			





# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	26 602 000	Chrome	4005176486531	96.26	
	<b>Rainshower SmartActive</b> <b>Shower rail, 600 mm</b> with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish				
		26 603 000	Chrome	4005176486548	101.43
		26 603 BE0	polished nickel	4005176558719	202.86
		26 603 EN0	brushed nickel	4005176558740	222.53
		26 603 GL0	cool sunrise	4005176558757	202.86
		26 603 GN0	brushed cool sunrise	4005176558764	222.53
		26 603 DA0	warm sunset	4005176558726	202.86
		26 603 DL0	brushed warm sunset	4005176558733	222.53
		26 603 A00	hard graphite	4005176558696	202.86
26 603 AL0		Brushed Hard Graphite	4005176558702	222.53	
ditto, 900 mm					
	28 620 000	Chrome	4005176041259	140.11	
	<b>Relexa</b> <b>Shower rail, 600 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
	28 621 000	Chrome	4005176041273	172.69	
	<b>Relexa</b> <b>Shower rail, 1000 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
	28 587 000	Chrome	4005176282966	191.60	
	<b>Relexa</b> <b>Shower rail, 900 mm</b> with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
	27 892 000	Chrome	4005176921216	193.50	
	<b>Euphoria Cube</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE StarLight chrome finish				
	27 841 000	Chrome	4005176916670	204.93	
	ditto, 900 mm				











# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 499 000	Chrome	4005176886041	44.65
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>GROHE StarLight</b> chrome finish			
 	27 500 000	Chrome	4005176886058	56.09
	<b>ditto, 900 mm</b>			
 	27 519 000	Chrome	4005176886485	56.10
	<b>Tempesta Rustic</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swival holder <b>GROHE StarLight</b> chrome finish			
 	27 520 000	Chrome	4005176886492	56.11
	<b>ditto, 900 mm</b>			
 	27 521 000	Chrome	4005176886508	44.64
	<b>Tempesta Cosmopolitan</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swival holder <b>GROHE StarLight</b> chrome finish			
 	27 522 000	Chrome	4005176886515	56.10
	<b>ditto, 900 mm</b>			
 	27 523 000	Chrome	4005176886522	44.63
	<b>Tempesta</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swival holder <b>GROHE StarLight</b> chrome finish			
	27 524 000	Chrome	4005176886539	67.53
	<b>ditto, 900 mm</b>			
 	45 914 XE0	gray night time	4005176842054	25.25
<b>Spacer</b> for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136				
 	45 459 000		4005176056444	13.55
<b>Spacer</b> for shower rail 28 620 / 28 621				

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>48 051 000</b>		<b>4005176890024</b>	<b>6.52</b>
<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500				
 	<b>26 385 000</b>	<b>Chrome</b>	<b>4005176375057</b>	<b>20.64</b>
<b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable				
 	<b>28 856 000</b>		<b>4005176603495</b>	<b>31.50</b>
<b>Soap dish</b> acrylic, clear for Relexa shower rails (28 820 and 28 666) <b>GROHE StarLight</b> chrome finish				
 	<b>28 631 000</b>		<b>4005176019142</b>	<b>53.22</b>
<b>Relexa Soap dish</b> for shower rail 28 620 / 28 621 <b>GROHE StarLight</b> chrome finish				
 	<b>27 206 000</b>		<b>4005176845444</b>	<b>21.76</b>
<b>Soap dish</b> transparent surface textured in parts				
 	<b>27 596 000</b>		<b>4005176895944</b>	<b>10.30</b>
<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm				

# GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 320 000	Chrome	4005176600159	80.92
<p><b>Riser pipe 1300 mm</b> with compression coupling 3/4" wall support with compensation piece <b>GROHE StarLight</b> chrome finish</p>				
 	28 389 000	Chrome	4005176269837	12.93
<p><b>Sena Adapter 1/2" x 1/2"</b> material: metal for use with hand shower holder or shower rail <b>GROHE StarLight</b> chrome finish</p>				
 	28 634 XX0	dark grey	4005176041440	31.23
<p><b>Relaxa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)</p>				
 	28 874 000	Chrome	4005176042348	75.08
<p><b>Tee Connection</b> for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish</p>				
 	28 988 000	Chrome	4005176042805	102.91
<p><b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				

# GROHE SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

28 799 000	Chrome	4005176602511	102.21
------------	--------	---------------	--------

**Diverter**  
**GROHE StarLight** chrome finish





GROHE  
KITCHEN FITTINGS





## CONTENTS

Water Systems	GROHE Blue Professional	471
	GROHE Blue Home	477
	GROHE Blue Pure	486
	GROHE Blue Accessories	488
	GROHE Red	492
	Waste separation systems	496
Premium Lines	K7	498
	Foot Control	499
	Minta / Minta SmartControl / Minta Touch	500
	Zedra / Zedra SmartControl / Zedra Touch	505
	Atrio	507
	Essence	508
	Eurocube	510
Competence Lines	Ambi	511
	Parkfield	512
	Eurodisc Cosmopolitan	513
	Eurodisc	514
	Concetto	515
	Eurostyle Cosmopolitan	518
	Eurosmart Cosmopolitan	521
	Eurosmart	524
	Euroeco / Euroeco Special	527
	Costa	528
	Bau Lines	530
	Soap dispensers	533
	Kitchen sinks	Stainless steel sinks
Composite sinks		543



# HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



### Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



### EasyExchange

The aerator is easy to install and de-install using just a coin.



### ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



### EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



### FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



### Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



### Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



### Pull-Out Mousseur

Increases the operating radius of your tap.



### EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



**GROHE FastFixation**  
65 % faster installation.



**SpeedClean**  
Remove limescale  
with a single wipe.



**OpenWaterHeater**  
The perfect flow in combination  
with open water heaters.



**StopValve**  
Includes a dishwasher shut-off  
valve on the tap body.



**PreWindow**  
To open the window, just lift  
up the tap and lay it flat on the  
surface.



**ComfortHeight**  
Height of the spout allows  
easy filling of large pots.



**SwivelStop**  
Limited turn angle  
prevents flooding.



**Forward Rotating Lever**  
Forward rotating lever prevents  
the lever hitting the backsplash.



**Enhanced Water**  
Superior-quality water directly  
from the kitchen tap – saving time,  
money and the environment.



**ChildLock**  
Integrated safety mechanism  
prevents unintentional opening  
by young children.



**Titanium Inside**  
All boilers in our GROHE Red  
collection are made from titanium.

# GROHE BLUE HOME

## WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



## **STILL, MEDIUM OR SPARKLING:** THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

# THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN  
FITTINGS




# THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

# GROHE BLUE HOME

## NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.



## CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO<sub>2</sub> need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

### System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

# GROHE BLUE HOME PRODUCT PORTFOLIO



**31 454 001**  
GROHE Blue Home  
L-spout Starter Kit



**31 455 001**  
GROHE Blue Home  
C-spout Starter Kit



**31 456 001**  
GROHE Blue Home  
U-spout Starter Kit



**31 498 001**  
GROHE Blue Home  
Mono Starter Kit



**31 539 000**  
GROHE Blue Home  
L-spout Starter Kit  
with pull-out mousseur



**31 541 000**  
GROHE Blue Home  
C-spout Starter Kit  
with pull-out mousseur



**31 543 000**  
GROHE Blue Home  
U-spout Starter Kit  
with pull-out mousseur

KITCHEN  
FITTINGS

## EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME  
CARBONATOR



CO<sub>2</sub> BOTTLE 425 g



S-SIZE FILTER

### Colour options:

● 000/001 | StarLight Chrome  
● DC0/DC1 | SuperSteel

● DA1 | Warm Sunset  
● DL1 | Brushed Warm Sunset

● A01 | Hard Graphite  
● AL1 | Brushed Hard Graphite

# GROHE BLUE PROFESSIONAL

## THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



## FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

# GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●  
**31 323 002**  
GROHE Blue Professional  
C-spout



● ●  
**31 347 003**  
GROHE Blue Professional  
L-spout



● ●  
**31 325 002**  
GROHE Blue Professional  
C-spout  
with pull-out mousseur



● ●  
**31 326 002**  
GROHE Blue Professional  
L-spout  
with pull-out mousseur



● ●  
**31 302 002 / 31 302 DC2**  
GROHE Blue Professional  
Mono

## EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,  
FILTER HEAD, CO<sub>2</sub> PRESSURE REDUCER  
AND CLEANING ADAPTER

Filter, CO<sub>2</sub> bottle and cleaning cartridge  
have to be ordered separately according  
to your personal needs.

KITCHEN  
FITTINGS

### Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel



# GROHE RED

## 99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



## THE **BENEFITS** ARE CRYSTAL CLEAR

### SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

### NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

### LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

### CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

### CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



# GROHE RED PRODUCT PORTFOLIO



**30 340 001**  
GROHE Red Duo  
L-spout, L-Size boiler



**30 329 001**  
GROHE Red Mono  
L-spout, M-Size boiler



**30 058 001**  
GROHE Red Duo  
C-spout, M-Size boiler



**30 060 001**  
GROHE Red Mono  
C-spout, M-Size boiler

KITCHEN  
FITTINGS

## EACH GROHE RED CONTAINS: BOILER (M- OR L-SIZE) & FILTERSET



**L-SIZE BOILER**

**M-SIZE BOILER**



**40 841 001**  
GROHE Red mixing valve  
(additional equipment)

### Colour options:

● 001 | StarLight Chrome  
● DC1 | SuperSteel

● DA1 | Warm Sunset  
● DL1 | Brushed Warm Sunset

● A01 | Hard Graphite  
● AL1 | Brushed Hard Graphite

# GROHE EASYS TOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

# GROHE SMARTCONTROL

## JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

## SUPERIOR DESIGN

- Sleek, streamlined and puristic

## SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

## TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

## PULL-OUT LAMINAR SPRAY

- For an increased operation radius

## MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

## LEAD AND NICKEL FREE WATER FLOW

## QUICKFIX PLUS INSTALLATION

- 65% faster installation



# GROHE PROFESSIONAL SPRAYS

## THE COLOURFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



### Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- |                      |                   |                |                |                    |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0   Sheer Marble | ● XC0   Dark Grey | ● YF0   Yellow | ● YR0   Orange | ● DG0   Red        |
| ● DP0   Pink         | ● DU0   Purple    | ● GE0   Green  | ● TY0   Blue   | ● HG0   Dark Brown |

### Exchange the hose via 4 simple steps:



**Step 1**  
Loose the 2 screws with the screwdriver from the body and the spray.



**Step 2**  
Take the original hose with the connection out of the tap body and the spray and put it to the side.



**Step 3**  
Take the new hose and insert it with the connection into the tap body and the spray.



**Step 4**  
Insert the 2 screws with the screwdriver.









## A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



# GROHE KITCHEN SINK FEATURES

## STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE	
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES					
K1000 			●		●			R10	●	●		●			●		***	●	
K800 			●		●		●	R10		●		●			●		***	●	
K700 U 	●		●	●	●	●		R10		●		●	●				***	●	
K700 	●		●		●			R15		●		●					***	●	
K500 	●		●		●	●	●	R65	●	●		●			●	●	***	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	***	●	
K400 	●				●	●	●	R20	●	●		●			●	●	***	●	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	***	●	●

\* R0 (bottom, front & back top) / R30 (right & left top)

\*\* R0 (vertical) / R9 (bottom)

\*\*\* optional accessory 40 986 SD0

## COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			***
K700 	●	○	●	●	●	R0		●	●	○	***
K500 	●	○	●	●		R0 / R9**	●	●	●	○	***
K400 	●		●	●		R15	●	●	●	●	***
K200 	●		●			R60		●	●		***

- selected products
- all products in this line























# GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO <sub>2</sub> -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0	WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●
















\* Additional waste bin is needed

# GROHE FUNCTIONALITY AT A GLANCE












	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●			●	●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

KITCHEN FITTINGS

# GROHE FUNCTIONALITY AT A GLANCE

















	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

# GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS

# ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO <sub>2</sub> BOTTLES		CLEANING AND ACCESSORIES				
	 <b>40 404 001</b> S-Size	 <b>40 430 001</b> M-Size	 <b>40 412 001</b> L-Size	 <b>40 547 001</b> ACTIVATED CARBON	 <b>40 691 002</b> MAGNESIUM	 <b>40 422 000</b> CO <sub>2</sub> STARTER KIT 425 G	 <b>40 687 000</b> CO <sub>2</sub> REFILL 425 G	 <b>40 423 000</b> CO <sub>2</sub> STARTER KIT 2 KG	 <b>40 424 000</b> CO <sub>2</sub> REFILL 2 KG	 <b>40 962 000</b> CO <sub>2</sub> ADAPTER TO 1/2" G	 <b>40 434 001</b> CLEANING CARTRIDGE	 <b>40 694 000</b> CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•		•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	1,949.99
31 323 DC2	supersteel	4005176989940	2,191.66

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)



### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	1,949.99
31 347 DC3	supersteel	4005176446559	2,191.66

## GROHE Blue Professional

### L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)



### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	2,049.99
31 325 DC2	supersteel	4005176507250	2,341.66

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua





# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	2,049.99
31 326 DC2	supersteel	4005176507212	2,341.66

## GROHE Blue Professional

### L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:


- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)



### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	1,858.33
31 302 DC2	supersteel	4005176443350	2,074.99

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** Mono mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PROFESSIONAL



Ref. No.	Colour	EAN	Retail Guide Price (£)
40 554 002		4005176458521	1,400.00

**GROHE Blue Professional  
Cooler and carbonizer**

delivers 12 liters of chilled water per hour  
 colour display with push and turn control  
 270 Watt cooling unit, 230 V, 50 Hz  
 type of protection IP 21  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
 push notifications at low filter resp. CO<sub>2</sub> capacity  
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
 compatible only with GROHE Blue taps with push button operation

**System requirements Apple**  
 iPhone with iOS 9.0 or higher

**System requirements Android**  
 smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.  
 This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 001	Chrome	4005176454134	1,441.66
31 455 DC1	supersteel	4005176454141	1,641.66
31 455 DA1	warm sunset	4005176488955	1,741.66
31 455 DL1	brushed warm sunset	4005176488962	1,816.66
31 455 A01	hard graphite	4005176488931	1,741.66
31 455 AL1	Brushed Hard Graphite	4005176488948	1,816.66

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter  
40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/) to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 000	Chrome	4005176323027	1,441.66
31 455 DC0	supersteel	4005176323034	1,641.66

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish  
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible


water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 541 000	Chrome	4005176437038	1,674.99
31 541 DC0	supersteel	4005176437045	1,899.99

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/) to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 454 001	Chrome	4005176454110	1,441.66
31 454 DC1	supersteel	4005176454127	1,641.66
31 454 DA1	warm sunset	4005176488917	1,741.66
31 454 DL1	brushed warm sunset	4005176488924	1,816.66
31 454 A01	hard graphite	4005176488894	1,741.66
31 454 AL1	Brushed Hard Graphite	4005176488900	1,816.66

## GROHE Blue Home

### L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter  
40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher


Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/) to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 539 000	Chrome	4005176437014	1,674.99
31 539 DC0	supersteel	4005176437021	1,899.99

## GROHE Blue Home

### L-spout

Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

### L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

### GROHE StarLight finish

28 mm ceramic cartridge

### with GROHE SilkMove

### pull out mousseur spout

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/) to be equipped with a non-return valve EA approved by Belgaqua





# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 456 001	Chrome	4005176454158	1,441.66
31 456 DC1	supersteel	4005176454165	1,641.66

## GROHE Blue Home

### U-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 543 000	Chrome	4005176437052	1,674.99
31 543 DC0	supersteel	4005176437069	1,899.99

## GROHE Blue Home

### U-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function

monobloc installation

U spout

touch operated for 3 types of filtered and chilled water

still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 498 001	Chrome	4005176454172	1,391.66
31 498 DC1	supersteel	4005176454189	1,608.33
31 498 DA1	warm sunset	4005176488993	1,674.99
31 498 DL1	brushed warm sunset	4005176489006	1,766.66
31 498 A01	hard graphite	4005176488979	1,674.99
31 498 AL1	Brushed Hard Graphite	4005176488986	1,766.66

## GROHE Blue Home

### Mono Starter kit

Consisting of:

GROHE Blue Home Mono faucet with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 711 001		4005176454301	1,100.00
------------	--	---------------	----------

## GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz  
 sound level in standby 44 dB(A)  
 delivers 3 liters of chilled sparkling water per hour  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
 with Bluetooth 4.0\* and WIFI interface for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls  
 between transmitter and receiver  
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated  
 carbon filter and GROHE Blue magnesium + zinc filter

### System requirements: Apple

iPhone with iOS 9.0 or higher

### System requirements Android


smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.  
 to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 382 000	Chrome	4005176565496	474.99
30 382 DC0	supersteel	4005176565502	541.66



## GROHE Blue Pure Minta

### Starter kit

Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

### L-spout

**pull out mousseur spout**  
separate handle for filtered water  
headpart 1/2"

**GROHE StarLight** chrome finish

**GROHE SilkMove** 46 mm ceramic cartridge

swivel tubular spout

swivel area 90°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses


GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Up to 3000 Liters

filter exchange timer including 2 x AA batteries

30 383 000	Chrome	4005176565519	324.99
------------	--------	---------------	--------



## GROHE Blue Pure Eurosmart

### Starter kit

Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

### C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses


GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Up to 3000 Liters

filter exchange timer including 2 x AA batteries

30 385 000	Chrome	4005176565533	291.66
------------	--------	---------------	--------



## GROHE Blue Pure BauCurve

### Starter kit

Consisting of:  
**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

### C-spout

separate handle for filtered water

headpart 1/2"

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste


Up to 3000 Liters

filter exchange timer including 2 x AA batteries

# GROHE BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 387 000	Chrome	4005176565557	249.99
------------	--------	---------------	--------



## GROHE Blue Pure Mono

### Starter kit

Consisting of:

**GROHE Blue** Mono mixer with filter function  
monobloc installation

C-spout

handle for filtered table water

headpart 1/2"

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

flexible connection hoses











GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Up to 3000 Liters

filter exchange timer including 2 x AA batteries

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 848 000</b>		<b>4005176351082</b>	<b>7.08</b>
<b>GROHE Blue Drinking bottle</b> Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml				
 	<b>40 848 SD0</b> <b>40 848 GN0</b> <b>40 848 DL0</b> <b>40 848 AL0</b>	<b>stainless steel</b> <b>brushed cool sunrise</b> <b>brushed warm sunset</b> <b>Brushed Hard Graphite</b>	<b>4005176386008</b> <b>4005176647000</b> <b>4005176647017</b> <b>4005176646997</b>	<b>10.41</b> <b>14.16</b> <b>14.16</b> <b>14.16</b>
<b>GROHE Blue Thermo drinking bottle</b> stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml				
 	<b>40 405 001</b>		<b>4005176698019</b>	<b>24.17</b>
<b>GROHE Blue Glass carafe with lid set</b> crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l				
	<b>40 636 SD0</b>	<b>stainless steel</b>	<b>4005176706707</b>	<b>10.50</b>
<b>GROHE Blue Lid set</b> set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe				
 	<b>40 437 000</b>		<b>4005176885471</b>	<b>24.16</b>
<b>GROHE Blue Water glasses (6 pieces)</b> crystal glasses with GROHE Blue decor dish washer safe volume 250 ml				
	<b>40 962 000</b>		<b>4005176529412</b>	<b>17.49</b>
<b>GROHE Blue CO<sub>2</sub> adapter</b> adapter for GROHE Blue Professional CO <sub>2</sub> pressure reducer for use with 425 g CO <sub>2</sub> bottles for GROHE Blue Professional systems as of January 2019				

# GROHE BLUE ACCESSORIES






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 404 001		4005176984068	48.74
	<b>GROHE Blue Filter S-Size</b> BWT replacement filter for GROHE Blue water systems Capacity 600 L at 20° dKH 5-stage filter reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
				
	40 430 001		4005176984075	91.66
	<b>ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high</b>			
				
	40 412 001		4005176984082	120.83
	<b>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</b>			
				
	40 547 001		4005176984099	48.74
	<b>GROHE Blue Activated carbon filter</b> BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
				
	40 691 002		4005176674099	62.48
	<b>GROHE Blue Magnesium + Zinc filter</b> BWT replacement filter for GROHE Blue water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
				
	40 575 001		4005176385766	95.83
	<b>GROHE Blue UltraSafe filter</b> exchange filter for GROHE Blue UltraSafe BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99.999 % of bacteria reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
				
	40 575 002		4005176674082	95.83
	<b>GROHE Blue UltraSafe filter</b> BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99.999 % of bacteria reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
				







# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	64 508 001		4005176984112	27.91
	<b>GROHE Blue Filter Head</b> for use with GROHE Blue filters, sold separately			
 	40 434 001		4005176985294	24.16
	<b>GROHE Blue Cleaning cartridge</b> for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
	40 694 000		4005176985300	10.41
	<b>GROHE Blue Cleaning cartridge adapter</b> for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately			
 	40 422 000		4005176980246	66.66
	<b>GROHE Blue Starter kit 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
 	40 687 000		4005176981838	29.16
	<b>GROHE Blue Refill 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 920 000	Chrome	4005176470646	14.99
<p><b>GROHE Blue 425 g CO<sub>2</sub> bottle</b>            carbondioxid from natural sources for food and beverage (E290)            Purity: CO<sub>2</sub> 99.9 % v/v min.            volume 1 bottle: 425 g, for up to 60 l of sparkling water            sales unit 18 pieces            This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>				
 	40 423 000		4005176890253	83.33
<p><b>GROHE Blue Starter kit 2 kg CO<sub>2</sub> bottle</b>            carbondioxid from natural sources for food and beverage (E290)            Purity: CO<sub>2</sub> 99.9 % v/v min.            volume 1 bottle: 2 kg, up to 350 l sparkling water            integrated shut-off valve and safety carrier handle            integrated residual pressure valve and safety carrier handle            for refilling please order 40 424 000            sales unit 1 piece            not suitable for the GROHE Blue Home cooler            This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>				
	40 843 000		4005176337109	34.99
<p><b>GROHE Blue Extension set</b>            Consisting of:            extension cable 5 m            hose for drinking water, 5 m            tube cutter            adapters and clips            suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 328 001	Chrome	4005176414107	1,333.33
	30 328 DC1	supersteel	4005176414114	1,524.99
	<p><b>GROHE Red Duo</b>  <b>Tap and L Size Boiler</b>            Consisting of:  <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b>            monobloc installation            C-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            insulated tubular spout            swivel area 150°            separate water ways            flexible connection hoses            connection for GROHE Red boiler  <b>GROHE Red boiler L size</b>            reservoir for kettle hot and hot water  <b>Without safety expansion vessel, comes with safety valve assembly instead</b>            5.5 liter total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
	<p><b>GROHE Red Duo</b>  <b>Tap and L Size Boiler</b>            Consisting of:  <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b>            monobloc installation            L-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            insulated tubular spout            swivel area 150°            separate water ways            flexible connection hoses            connection for GROHE Red boiler  <b>GROHE Red boiler L size</b>            reservoir for kettle hot and hot water            5.5 liter total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			

	30 340 001	Chrome	4005176414893	1,374.99
	30 340 DC1	supersteel	4005176414909	1,583.33
	<p><b>GROHE Red Duo</b>  <b>Tap and L Size Boiler</b>            Consisting of:  <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b>            monobloc installation            L-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            insulated tubular spout            swivel area 150°            separate water ways            flexible connection hoses            connection for GROHE Red boiler  <b>GROHE Red boiler L size</b>            reservoir for kettle hot and hot water            5.5 liter total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
	<p><b>GROHE Red Duo</b>  <b>Tap and L Size Boiler</b>            Consisting of:  <b>GROHE Red Duo single-lever sink mixer (30 033 000)</b>            monobloc installation            L-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            insulated tubular spout            swivel area 150°            separate water ways            flexible connection hoses            connection for GROHE Red boiler  <b>GROHE Red boiler L size</b>            reservoir for kettle hot and hot water            5.5 liter total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 058 001	Chrome	4005176989162	1,283.33
30 058 DC1	supersteel	4005176989179	1,474.99
30 058 DA1	warm sunset	4005176489273	1,516.66
30 058 DL1	brushed warm sunset	4005176489280	1,583.33
30 058 A01	hard graphite	4005176489259	1,516.66
30 058 AL1	Brushed Hard Graphite	4005176489266	1,583.33

### GROHE Red Duo

#### Tap and M Size Boiler

Consisting of:

#### GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

C-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

#### GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

#### GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



30 341 001	Chrome	4005176414916	1,283.33
30 341 DC1	supersteel	4005176414923	1,474.99
30 341 DA1	warm sunset	4005176489310	1,516.66
30 341 DL1	brushed warm sunset	4005176489327	1,583.33
30 341 A01	hard graphite	4005176489297	1,516.66
30 341 AL1	Brushed Hard Graphite	4005176489303	1,583.33

### GROHE Red Duo

#### Tap and M Size Boiler

Consisting of:

#### GROHE Red Duo single-lever sink mixer (30 033 000)

monobloc installation

L-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

#### GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

#### GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set






for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>30 060 001</b>	<b>Chrome</b>	<b>4005176989186</b>	<b>1,183.33</b>
	<p><b>GROHE Red Mono Pillar tap and M size boiler</b>            Consisting of:  <b>GROHE Red Mono pillar tap</b>            monobloc installation            C-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            insulated tubular spout            swivel area 150°            connection for GROHE Red boiler  <b>GROHE Red boiler M size</b>            reservoir for kettle hot and hot water            3 litre 99° C kettle hot water            4 litre total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
				
	<b>30 329 001</b>	<b>Chrome</b>	<b>4005176414121</b>	<b>1,183.33</b>
	<p><b>GROHE Red Mono Pillar tap and M size boiler</b>            Consisting of:  <b>GROHE Red Mono pillar tap</b>            monobloc installation            L-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            insulated tubular spout            swivel area 150°            connection for GROHE Red boiler  <b>GROHE Red boiler M size</b>            reservoir for kettle hot and hot water            3 litre 99° C kettle hot water            4 litre total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
				
	<b>40 841 001</b>	<b>Chrome</b>	<b>4005176335358</b>	<b>91.66</b>
	<p><b>GROHE Red Mixing valve</b>            for thermostatic mixing of mains and boiling water to generate warm water            adjustable between 35°C and 75°C            hot fill and cold fill installation possible            including 70 cm connection hose, manifold and wall fixation</p>			

# GROHE RED


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>40 842 001</b>	<b>Chrome</b>	<b>4005176335365</b>	<b>700.00</b>
	<b>GROHE Red Boiler Size M</b> reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 834 001</b>	<b>Chrome</b>	<b>4005176335280</b>	<b>750.00</b>
	<b>GROHE Red Boiler Size L</b> reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 438 001</b>		<b>4005176984105</b>	<b>120.83</b>
	<b>GROHE Red Filter with filter head</b> for regions with water hardness higher 12° KH turn before GROHE Red boiler flexible connection hoses filter 600 l			
	<b>40 919 SD0</b>	<b>stainless steel</b>	<b>4005176450136</b>	<b>12.49</b>
	<b>GROHE Red Thermo drinking bottle</b> stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml			
	<b>40 432 000</b>		<b>4005176883255</b>	<b>20.83</b>
	<b>GROHE Red Tea glasses (4 pieces)</b> heat proof glass with GROHE Red decor dish washer safe volume 250 ml			

# GROHE WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 855 000		4005176356452	44.16
<p><b>GROHE Blue</b>  <b>Waste separation system 30 cm - 15 l / 15 l</b>                      installation type: floor mounted, behind swinging door                      technique: full extension                      operation: manual telescopic                      separation: double, 2 x 15 l                      cabinet width: 30 cm and wider                      compatible with GROHE Blue Home and GROHE Red M and L size</p>				
 	40 980 000		4005176586446	224.17
<p><b>GROHE Blue</b>  <b>Waste separation system 60 cm - 29 l</b>                      installation type: side wall and front panel                      technique: full extension with pull-in damping                      separation: single, 1 x 29 l                      cabinet width: 60 cm                      installation height 533 mm minimum, 573 mm maximum                      compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 981 000		4005176586453	224.17
<p><b>GROHE Blue</b>  <b>Waste separation system 60 cm - 8 l / 8 l</b>                      installation type: side wall and front panel                      technique: full extension with pull-in damping                      separation: double, 2 x 8 l                      cabinet width: 60 cm                      installation height 533 mm minimum, 573 mm maximum                      compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 982 000		4005176586460	240.83
<p><b>GROHE Blue</b>  <b>Waste separation system 90 cm - 11 l / 29 l</b>                      installation type: side wall and front panel                      technique: full extension with pull-in damping                      separation: double, 1 x 11 l, 1 x 29 l                      cabinet width: 90 cm                      installation height 533 mm minimum, 573 mm maximum                      compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				
 	40 983 000		4005176586477	240.83
<p><b>GROHE Blue</b>  <b>Waste separation system 90 cm - 8 l / 8 l / 11 l</b>                      installation type: side wall and front panel                      technique: full extension with pull-in damping                      separation: triple, 2 x 8 l, 1 x 11 l                      cabinet width: 90 cm                      installation height 533 mm minimum, 573 mm maximum                      compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size</p>				

# GROHE WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




40 984 000		4005176586484	36.24
<b>GROHE Blue</b> <b>Retrofit kit for extricable metal cover</b> contents: pull-out rails and anti-slip mat for use with GROHE Blue waste separation system 40 980, 40 981, 40 982 or 40 983, sold separately			

KITCHEN  
FITTINGS




# GROHE K7

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



32 950 000	Chrome	4005176879838	634.70
32 950 DC0	supersteel	4005176879845	828.66

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system





31 379 000	Chrome	4005176938085	613.14
31 379 DC0	supersteel	4005176938092	796.33

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout, swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

# GROHE FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 309 000		4005176351235	352.86
------------	--	---------------	--------



**30 309 000**

**Foot Control  
Dual flush valve set**

Foot control: activation of water via contact with sensor

**battery supply** 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44

upgrade set for GROHE pull-out kitchen faucets


not suitable for combination with open water heater (SKUs 32 555 000,

31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,

31 179 000, 31 132 001

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



31 613 000	Chrome	4005176521973	305.52
31 613 DC0	supersteel	4005176521980	395.97
31 613 DA0	warm sunset	4005176523595	427.13
31 613 A00	hard graphite	4005176523601	427.13

## Minta SmartControl

### Sink mixer with SmartControl

monobloc installation

**GROHE StarLight** chrome finish

pull-out spray with laminar

metal spray

**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

temperature adjustment by turning of mixing valve on body

swivel tubular spout


swivel area 140°

protected against backflow

flexible connection hoses

**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed

GROHE Zero separated inner water ways - lead and nickel free



31 360 001	Chrome	4005176343025	562.99
31 360 DC1	supersteel	4005176343032	732.22

## Minta Touch

### Electronic single-lever sink mixer 1/2"

L-spout

**Touch: activation of water via skin contact**

**battery supply** 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44

**GROHE SilkMove** 46 mm ceramic cartridge

**pull out mousseur spout**

adjustable flow rate limiter


swivel tubular spout

swivel area 360°

protected against backflow

flexible connection hoses

rapid installation system



31 358 002	Chrome	4005176465000	579.75
31 358 DC2	supersteel	4005176465017	724.98

## Minta Touch

### Electronic single-lever sink mixer 1/2"

C-spout

monobloc installation

**Touch: activation of water via skin contact**

**battery supply** 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44

**GROHE StarLight** chrome finish

**GROHE SilkMove** 46 mm ceramic cartridge

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

swivel tubular spout









swivel area 360°

protected against backflow







flexible connection hoses

rapid installation system

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)			
		31 375 000	Chrome	4005176934155	214.43		
		31 375 DC0	supersteel	4005176934162	279.09		
		31 375 DA0	warm sunset	4005176488634	304.98		
		31 375 DL0	brushed warm sunset	4005176488641	304.98		
		31 375 A00	hard graphite	4005176488610	304.98		
		31 375 AL0	Brushed Hard Graphite	4005176488627	304.98		
<p><b>Minta</b> Single-lever sink mixer 1/2" L-spout GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout swivel range 0°/150°/360° protected against backflow flexible connection hoses rapid installation system</p>							
		32 168 000	Chrome	4005176824425	214.43		
		32 168 DC0	supersteel	4005176824432	279.09		
		<p><b>Minta</b> Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>					
				30 274 000	Chrome	4005176314988	268.31
				30 274 DC0	supersteel	4005176314995	336.51
				30 274 DA0	warm sunset	4005176488672	363.12
30 274 DL0	brushed warm sunset			4005176488689	363.12		
30 274 A00	hard graphite			4005176488658	363.12		
30 274 AL0	Brushed Hard Graphite			4005176488665	363.12		
<p><b>Minta</b> Single-lever sink mixer 1/2" L-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray metal spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>							
		32 917 000	Chrome	4005176230950	171.33		
		32 917 DC0	supersteel	4005176804946	214.43		
		32 917 KS0	velvet black	4005176980640	231.68		
		32 917 DA0	warm sunset	4005176488719	243.78		
		32 917 DL0	brushed warm sunset	4005176488726	243.78		
		32 917 A00	hard graphite	4005176488696	243.78		
32 917 AL0	Brushed Hard Graphite	4005176488702	243.78				
<p><b>Minta</b> Single-lever sink mixer 1/2" C-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000)</p>							


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 918 000	Chrome	4005176230967	214.43
	32 918 DC0	supersteel	4005176804953	279.09
	<p><b>Minta</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>pull out mousseur spout</b>                      adjustable flow rate limiter                      swivel tubular spout                      integrated non-return valve                      protected against backflow                      flexible connection hoses                      rapid installation system                      optional temperature limiter (46 308 000)</p>			
	32 918 00E	Chrome	4005176866616	214.43
<p><b>Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</b></p>				
	32 511 000	Chrome	4005176295621	257.54
	<p><b>Minta</b>  <b>Single-lever sink mixer 1/2"</b>  <b>for use with displacement water heater</b>                      C-spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      pull-out laminar spray                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      integrated non-return valve                      protected against backflow                      flexible connection hoses                      rapid installation system                      optional temperature limiter (46 308 000)</p>			
				
	32 321 002	Chrome	4005176465109	212.31
	32 321 DC2	supersteel	4005176465116	276.33
	32 321 GN2	brushed cool sunrise	4005176618529	304.08
	32 321 DA2	warm sunset	4005176488757	303.96
	32 321 DL2	brushed warm sunset	4005176488764	303.96
	32 321 A02	hard graphite	4005176488733	303.96
	32 321 AL2	Brushed Hard Graphite	4005176488740	303.96
	<p><b>Minta</b>  <b>Single-lever sink mixer 1/2"</b>                      C-spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE EasyDock</b> guarantees easy retraction and                      smooth docking back to the starting position                      pull-out dual spray                      diverter: laminar spray/SpeedClean shower jet                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      integrated non-return valve                      protected against backflow                      flexible connection hoses                      rapid installation system</p>			

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


Ref. No.      Colour      EAN      Retail Guide Price (£)

30 348 001      Chrome      4005176464973      207.06




**Minta**  
**Single-lever sink mixer 1/2"**  
C-spout  
monobloc installation  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
shorter lever (71 mm)  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system

32 488 000      Chrome      4005176289552      171.33  
32 488 DC0      supersteel      4005176804939      225.79  
32 488 DA0      warm sunset      4005176488795      243.78  
32 488 DL0      brushed warm sunset      4005176488801      243.78  
32 488 A00      hard graphite      4005176488771      243.78  
32 488 AL0      Brushed Hard Graphite      4005176488788      243.78




**Minta**  
**Single-lever sink mixer 1/2"**  
U spout, monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
selectable swivel area : 0° / 150° / 360°  
swivel tubular spout  
flexible connection hoses  
rapid installation system  
optional temperature limiter (46 308 000)

32 067 000      Chrome      4005176811142      214.43



**Minta**  
**Single-lever sink mixer 1/2"**  
U spout  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system

32 322 002      Chrome      4005176465123      212.31  
32 322 DC2      supersteel      4005176465130      276.33  
32 322 DA2      warm sunset      4005176488832      303.96  
32 322 DL2      brushed warm sunset      4005176488849      303.96  
32 322 A02      hard graphite      4005176488818      303.96  
32 322 AL2      Brushed Hard Graphite      4005176488825      303.96



**Minta**  
**Single-lever sink mixer 1/2"**  
U spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system

KITCHEN FITTINGS

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN      Retail Guide Price (£)

---


40 684 000	Chrome	4005176940088	62.22
40 684 DC0	supersteel	4005176940095	65.39

**Minta  
Lever**  
for Minta single lever sink mixer




# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




31 593 002	Chrome	4005176521942	401.00
31 593 DC2	supersteel	4005176521959	602.00

**Zedra SmartControl**  
Sink mixer with SmartControl  
monobloc installation  
**GROHE StarLight** chrome finish  
pull-out spray with laminar metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
temperature adjustment by turning of mixing valve on body  
swivel tubular spout  
swivel area 140°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
GROHE Zero separated inner water ways - lead and nickel free



30 219 002	Chrome	4005176466540	677.80
30 219 DC2	supersteel	4005176466557	914.87

**Zedra Touch**  
Electronic single-lever sink mixer 1/2"  
**Touch:** activation of water via skin contact  
**battery supply** 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically stops after 60 sec. (factory set)  
type of protection IP 44  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses



32 294 002	Chrome	4005176466496	344.46
32 294 DC2	supersteel	4005176466502	447.08

**Zedra**  
Single-lever sink mixer 1/2"  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
GROHE Zero separated inner water ways - lead and nickel free

KITCHEN FITTINGS



# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.

Colour

EAN

Retail Guide  
Price (£)

32 553 002

Chrome

4005176466649


322.48

32 553 DC2

supersteel

4005176466656

506.04



## Zedra

Single-lever sink mixer 1/2"

monobloc installation

**GROHE StarLight** chrome finish

**GROHE SilkMove** 35 mm ceramic cartridge

**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of

the spray head back to the starting position

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow


flexible connection hoses

**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed

GROHE Zero separated inner water ways - lead and nickel free


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 362 000	Chrome	4005176496479	451.42
30 362 DC0	supersteel	4005176496486	588.20
30 362 AL0	Brushed Hard Graphite	4005176497292	676.02




**Atrio**  
**Two handle sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 ceramic headparts 1/2", 90°  
 selectable swivel area : 0° / 150° / 360°  
 flexible connection hoses  
 rapid installation system  
 mousseur

# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	363.81
31 615 DC0	supersteel	4005176523656	473.36
31 615 BE0	polished nickel	4005176523731	509.54
31 615 EN0	brushed nickel	4005176523748	545.72
31 615 GL0	cool sunrise	4005176523670	509.54
31 615 GN0	brushed cool sunrise	4005176523687	545.72
31 615 DA0	warm sunset	4005176523694	509.54
31 615 DL0	brushed warm sunset	4005176523700	545.72
31 615 A00	hard graphite	4005176523717	509.54
31 615 AL0	Brushed Hard Graphite	4005176523724	545.72

**Essence SmartControl**  
Sink mixer with SmartControl  
monobloc installation  
**GROHE StarLight** chrome finish  
pull-out spray with laminar  
metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
temperature adjustment by turning of mixing valve on body  
swivel tubular spout  
swivel area 140°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
GROHE Zero separated inner water ways - lead and nickel free



30 294 000	Chrome	4005176341472	427.59
30 294 DC0	supersteel	4005176341489	551.71
30 294 BE0	polished nickel	4005176488511	556.92
30 294 EN0	brushed nickel	4005176488528	556.92
30 294 GL0	cool sunrise	4005176488078	556.92
30 294 GN0	brushed cool sunrise	4005176488085	556.92
30 294 DA0	warm sunset	4005176488498	556.92
30 294 DL0	brushed warm sunset	4005176488504	556.92
30 294 A00	hard graphite	4005176488054	556.92
30 294 AL0	Brushed Hard Graphite	4005176488061	556.92


**Essence**  
Single-lever sink mixer 1/2"  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
flow strainer  
with integrated temperature limiter  
professional spray  
with flexible, hygienic GROHFlexx kitchen santoprene hose  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
swivel spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system



30 321 GE0	green	4005176438271	98.45
30 321 XC0	Dark Grey	4005176385735	60.85
30 321 MW0	Sheer Marble	4005176385728	60.85
30 321 HG0	Dark Brown	4005176385742	60.85
30 321 DG0	red	4005176438219	98.45
30 321 DP0	pink	4005176438264	98.45
30 321 DU0	purple	4005176438257	98.45
30 321 TY0	blue	4005176438240	98.45
30 321 YF0	yellow	4005176438233	60.85
30 321 YR0	orange	4005176438226	98.45


**Essence GROHFlexx kitchen hose**  
Spout hose for Essence kitchen tap  
for 30 294 000/ 30 294 DC0  
flexible, hygienic **GROHFlexx kitchen** santoprene hose  
including fixing parts

# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	269.65
30 269 DC0	supersteel	4005176314919	337.35
30 269 GL0	cool sunrise	4005176428616	348.63
30 269 GN0	brushed cool sunrise	4005176428623	348.64
30 269 DA0	warm sunset	4005176428630	348.63
30 269 DL0	brushed warm sunset	4005176428647	348.64
30 269 A00	hard graphite	4005176428661	348.63
30 269 AL0	Brushed Hard Graphite	4005176428654	348.64

**Essence**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 mousseur  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
 flexible connection hoses  
 rapid installation system  
 integrated temperature limiter




30 270 000	Chrome	4005176314926	337.32
30 270 DC0	supersteel	4005176314933	393.75
30 270 BE0	polished nickel	4005176427480	450.16
30 270 EN0	brushed nickel	4005176427497	450.13
30 270 GL0	cool sunrise	4005176427428	450.16
30 270 GN0	brushed cool sunrise	4005176427435	450.13
30 270 DA0	warm sunset	4005176427442	450.16
30 270 DL0	brushed warm sunset	4005176427459	450.13
30 270 A00	hard graphite	4005176427473	450.13
30 270 AL0	Brushed Hard Graphite	4005176427466	450.13

**Essence**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 metal spray  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 integrated temperature limiter  
 protected against backflow  
 flexible connection hoses  
 rapid installation system


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 395 000	Chrome	4005176304774	585.54
31 395 DC0	supersteel	4005176304767	754.80



**Eurocube**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 diverter: mousseur/shower jet  
 automatic return to laminar spray  
 swivel spout  
 swivel area 140°  
 360° maneuverable spring arm  
 protected against backflow  
 flexible connection hoses  
 applicable for under cupboard installation  
 rapid installation system


31 255 000	Chrome	4005176901416	201.96
31 255 DC0	supersteel	4005176994319	416.35



**Eurocube**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 mousseur  
 swivel cast spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system


# GROHE AMBI

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



30 189 000	Chrome	4005176914102	168.10
------------	--------	---------------	--------

**Ambi**  
**Two handle sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
 ceramic headparts 1/2", 90°  
 mousseur  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 with lever handles  
 lever opens to the front, protecting the backsplash  
 flexible connection hoses 1/2"  
 rapid installation system  
**min. recommended pressure 0.4 bar**




30 190 000	Chrome	4005176914119	180.80
------------	--------	---------------	--------

**Ambi Cosmopolitan**  
**Two handle sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
 ceramic headpart  
 mousseur  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 with lever handles  
 flexible connection hoses  
 lever opens to the front, protecting the backsplash  
 rapid installation system  
**min. recommended pressure 0.4 bar**

KITCHEN  
FITTINGS









# GROHE PARKFIELD

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 215 001	Chrome	4005176409066	358.79
30 215 DC1	supersteel	4005176409073	365.65







**Parkfield**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with integrated temperature limiter  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 259 003	Chrome	4005176466908	217.93
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      GROHE Zero separated inner water ways - lead and nickel free                      adjustable flow rate limiter                      swivel tubular spout                      selectable swivel area : 0° / 150°                      mousseur                      flexible connection hoses  <b>GROHE FastFixation</b> rapid installation system</p>				
 	33 770 002	Chrome	4005176888137	220.11
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>				
 	32 257 002	Chrome	4005176886591	264.34
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      automatic return to mousseur                      adjustable flow rate limiter                      swivel cast spout, swivel area 100°                      protected against backflow                      flexible connection hoses                      rapid installation system</p>				
 	33 772 002	Chrome	4005176890796	231.18
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      selectable swivel area : 0° / 150°                      projection 271 mm                      S-unions</p>				




# GROHE EURODISC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 770 001	Chrome	4005176828959	197.99
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      with stop restriction                      flexible connection hoses                      rapid installation system</p>			
	32 257 001	Chrome	4005176834165	209.06
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>			


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 491 000	Chrome	4005176343308	343.75
31 491 DC0	supersteel	4005176343315	451.50




**Concetto**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** chrome finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 with integrated temperature limiter  
 professional spray  
 with flexible, hygienic GROHFlexx kitchen santoprene hose  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
 swivel spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

32 661 003	Chrome	4005176466823	190.97
32 661 DC3	supersteel	4005176466830	233.65




**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 GROHE Zero separated inner water ways - lead and nickel free  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150°  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system

32 663 003	Chrome	4005176466854	212.31
32 663 DC3	supersteel	4005176466861	297.67



**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 GROHE Zero separated inner water ways - lead and nickel free  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system


31 212 003	Chrome	4005176466762	240.72
------------	--------	---------------	--------




**Concetto**  
**Single-lever sink mixer 1/2"**  
**for use with displacement water heater**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 GROHE Zero separated inner water ways - lead and nickel free  
 pull-out laminar spray  
 automatic return  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 483 002	Chrome	4005176466809	244.32
31 483 DC2	supersteel	4005176466816	319.01




**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 GROHE Zero separated inner water ways - lead and nickel free  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system




Ref. No.	Colour	EAN	Retail Guide Price (£)
32 666 001	Chrome	4005176887406	322.20

**Concetto**  
**Single-lever sink mixer 1/2"**  
 integrated stop valve  
 high spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 90°  
 flexible connection hoses  
 rapid installation system



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 128 001	Chrome	4005176886737	192.88
31 128 DC1	supersteel	4005176891007	246.77

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system




Ref. No.	Colour	EAN	Retail Guide Price (£)
31 129 001	Chrome	4005176886744	235.99
31 129 DC1	supersteel	4005176891021	300.65

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**pull out mousseur spout**  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 273 001	Chrome	4005176314964	268.31
30 273 DC1	supersteel	4005176314971	343.75




**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 flow strainer  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 metal spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 integrated non-return valve  
 flexible connection hoses  
 rapid installation system

31 214 001	Chrome	4005176891090	236.64
------------	--------	---------------	--------











**Concetto**  
**Single-lever sink mixer 1/2"**  
 for use with displacement water heater  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

32 659 001	Chrome	4005176886713	171.33
------------	--------	---------------	--------













**Concetto**  
**Single-lever sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system

# GROHE EUROSTYLE COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 975 004	Chrome	4005176467004	188.78
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	31 127 002	Chrome	4005176886669	179.40
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> <b>for use with displacement water heater</b> high spout monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
	31 126 004	Chrome	4005176466977	211.11
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	31 482 003	Chrome	4005176466984	244.63
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			

# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	30 221 002	Chrome	4005176984235	134.26
<p><b>Eurostyle Cosmopolitan Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      adjustable swivel area 0° / 150° / 360°                      flexible connection hoses                      rapid installation system                      integrated temperature limiter</p>				
 	31 124 002	Chrome	4005176886614	168.12
<p><b>Eurostyle Cosmopolitan Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>				
 	31 159 002	Chrome	4005176888106	303.48
<p><b>Eurostyle Cosmopolitan Single-lever sink mixer 1/2"</b>                      for installation in front of window                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      non-removable socket height: 30 mm                      flexible connection hoses</p>				
 	33 977 002	Chrome	4005176886560	145.55
<p><b>Eurostyle Cosmopolitan Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>				
 	32 230 002	Chrome	4005176886577	121.87
<p><b>Eurostyle Cosmopolitan Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start and Eco-click                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      flexible connection hoses                      rapid installation system                      Qualitel approval</p>				

# GROHE EUROSTYLE COSMOPOLITAN









Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



33 982 002	Chrome	4005176890833	134.26
------------	--------	---------------	--------

**Eurostyle Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
 wall mounted  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150°  
 projection 273 mm  
 S-unions











# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 843 002	Chrome	4005176466939	129.81
	32 843 DC2	supersteel	4005176466953	194.82
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	32 843 20E	Chrome	4005176466946	132.60
	<b>ditto, with GROHE Ecojoy</b>			
	32 845 002	Chrome	4005176466960	122.40
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish GROHE Zero separated inner water ways - lead and nickel free <b>GROHE EcoJoy</b> technology for less water and perfect flow mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	31 180 000	Chrome	4005176889288	192.88
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for use with displacement water heater high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
	31 481 001	Chrome	4005176466922	191.76
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position GROHE Zero separated inner water ways - lead and nickel free pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			

KITCHEN FITTINGS




# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 193 000	Chrome	4005176919459	128.22
	30 193 DC0	supersteel	4005176938559	149.78
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	30 199 000	Chrome	4005176922022	100.22
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>			
	30 195 000	Chrome	4005176919473	175.65
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> integrated stop valve medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p>			
	32 842 000	Chrome	4005176874833	106.68
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 179 000	Chrome	4005176889172	149.78
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for use with displacement water heater low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			


# GROHE EUROSMART COSMOPOLITAN

Ref. No.      Colour      EAN      Retail Guide Price (£)



**31 161 000      Chrome      4005176889158      203.66**









**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
integrated stop valve  
low spout  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
rapid installation system




**31 170 000      Chrome      4005176889165      225.22**

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
for installation in front of window  
low spout  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
mousseur  
swivel tubular spout  
swivel area 140°  
non-removable socket height: 30 mm  
flexible connection hoses

KITCHEN  
FITTINGS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 281 003	Chrome	4005176635366	106.68
	33 281 DC3	supersteel	4005176635397	120.68
	<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      integrated temperature limiter                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      GROHE Zero separated inner water ways - lead and nickel free                      mousseur with coin slot for tool free replacement                      flexible connection hoses 3/8"  <b>GROHE FastFixation Plus</b> installation system</p>			
	33 281 30E	Chrome	4005176635410	106.68
		<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      integrated temperature limiter                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      GROHE Zero separated inner water ways - lead and nickel free  <b>GROHE EcoJoy</b> 5,7 l/min mousseur with coin slot for tool free replacement                      flexible connection hoses 3/8"  <b>GROHE FastFixation Plus</b> installation system</p>		
	32 221 003	Chrome	4005176635427	95.90
		<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with                      energy saving function via cold start and Eco-click                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      GROHE Zero separated inner water ways - lead and nickel free                      mousseur with coin slot for tool free replacement                      flexible connection hoses 3/8"  <b>GROHE FastFixation Plus</b> installation system                      Qualitel E1C2A2U3 applied for</p>		
	30 260 003	Chrome	4005176635434	106.68
		<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      swivel cast spout                      swivel area 90°                      GROHE Zero separated inner water ways - lead and nickel free                      mousseur with coin slot for tool free replacement                      flexible connection hoses 3/8"  <b>GROHE FastFixation Plus</b> installation system</p>		

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 305 001	Chrome	4005176635465	160.55
30 305 DC1	supersteel	4005176635472	203.67




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 flow strainer  
 with integrated temperature limiter  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 90°  
 GROHE Zero separated inner water ways - lead and nickel free  
 flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system  
 protected against backflow

33 202 003	Chrome	4005176635588	128.22
------------	--------	---------------	--------




**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 integrated temperature limiter  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 150°  
 GROHE Zero separated inner water ways - lead and nickel free  
 flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system

32 223 003	Chrome	4005176635618	128.22
------------	--------	---------------	--------







**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove ES** 35 mm ceramic cartridge with  
 energy saving function via cold start and Eco-click  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 150°  
 GROHE Zero separated inner water ways - lead and nickel free  
 flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system  
 Qualitel approval











30 468 000	Chrome	4005176635755	182.50
------------	--------	---------------	--------



**Eurosmart**  
**Two handle sink mixer**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 cartridge: ceramic head parts, 90° turn angle  
 integrated temperature limiter  
 mousseur  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
 GROHE Zero separated inner water ways - lead and nickel free  
 flexible connection hoses 1/2"  
**GROHE FastFixation Plus** installation system  
 min. recommended pressure 0.2 bar











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 391 003	Chrome	4005176635762	112.30
	<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      projection 216 mm                      integrated temperature limiter                      S-unions</p>			
	32 224 003	Chrome	4005176635786	136.85
	<p><b>Eurosmart</b>  <b>Single-lever sink mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 360°                      projection 276 mm                      integrated temperature limiter                      S-unions</p>			

# GROHE EUROECO / EUROECO SPECIAL







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 752 000	Chrome	4005176868252	98.44
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel range 0°/150°/360°                      metal lever                      flexible connection hoses                      rapid installation system</p>				
 	32 750 000	Chrome	4005176868238	87.38
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      metal lever                      flexible connection hoses                      rapid installation system</p>				
 	32 786 000	Chrome	4005176871863	134.26
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      selectable swivel area : 0° / 150° / 360°                      metal lever                      lever length 120 mm                      flexible connection hoses</p>				
 	33 912 000	Chrome	400517611969	404.43
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> chrome finish                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      metal lever                      lever length 120 mm                      temperature limiter                      Attention: old product</p>				
 	32 787 000	Chrome	4005176871870	132.47
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      lever length 120 mm                      flexible connection hoses</p>				

KITCHEN FITTINGS

# GROHE COSTA

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>31 831 001</b>	<b>Chrome</b>	<b>4005176843280</b>	<b>76.32</b>
		<b>Costa L</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
		<b>31 930 001</b>	<b>Chrome</b>	<b>4005176843303</b>	<b>164.79</b>
		<b>Costa L</b> <b>Sink mixer 1/2"</b> <b>for use with displacement water heater</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes			
		<b>31 829 001</b>	<b>Chrome</b>	<b>4005176845697</b>	<b>77.42</b>
		<b>Costa L</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
		<b>31 187 001</b>	<b>Chrome</b>	<b>4005176843327</b>	<b>87.38</b>
		<b>Costa L</b> <b>Wall sink mixer 1/2"</b> metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions			
		<b>30 098 001</b>	<b>Chrome</b>	<b>4005176843266</b>	<b>32.07</b>
		<b>Costa L</b> <b>Bibtap 1/2"</b> wall mounted metal handle heat-insulated screwable marking: blue (cold) <b>GROHE StarLight</b> finish mousseur Longlife-headparts			


# GROHE COSTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 819 001	Chrome	4005176843471	98.42
	<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish Carborundum headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
	31 067 001	Chrome	4005176845710	94.00
	<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
	30 064 001	Chrome	4005176843259	43.14
	<b>Costa L</b> <b>Bibtap 1/2"</b> metal handle wall mounted screwable marking: blue (cold) <b>GROHE StarLight</b> chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			




# GROHE BAU LINES

Ref. No.      Colour      EAN      Retail Guide Price (£)




**31 368 001      Chrome      4005176478529      77.00**

**BauLoop**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
rapid installation system  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 367 001      Chrome      4005176478512      77.00**

**BauEdge**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
rapid installation system  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 536 001      Chrome      4005176478567      77.00**

**BauCurve**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
for installation on a 60 mm worktop fixation set 48 384 000 is needed



**31 231 001      Chrome      4005176478260      77.00**

**BauCurve**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 230 001      Chrome      4005176478277      77.00**

**GROHE BauFlow**  
**Single-lever sink mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE StarLight** finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
swivel tubular spout  
mousseur  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed  
for installation on a 60 mm worktop fixation set 48 384 000 is needed


# GROHE BAU LINES

Ref. No.      Colour      EAN      Retail Guide Price (£)




**31 538 001      Chrome      4005176478574      77.00**

**GROHE BauFlow**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 535 001      Chrome      4005176478550      77.00**

**BauClassic**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 232 001      Chrome      4005176478253      77.00**

**BauLoop**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed



**31 233 001      Chrome      4005176478284      77.00**

**BauEdge**  
**Single-lever sink mixer 1/2"**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
GROHE Zero separated inner water ways - lead and nickel free  
swivel tubular spout  
mousseur  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed













**31 234 001      Chrome      4005176478499      77.00**

**BauClassic**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 28 mm ceramic cartridge  
GROHE Zero separated inner water ways - lead and nickel free  
spout with mousseur  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed for installation on a 60 mm worktop fixation set 48 384 000 is needed

KITCHEN  
FITTINGS







# GROHE BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 706 000	Chrome	4005176530449	73.00
	<b>BauLoop</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE FastFixation Plus</b> ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			
	31 693 000	Chrome	4005176530371	73.00
	<b>BauEdge</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE FastFixation Plus</b> ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			
	31 688 000	Chrome	4005176530333	73.00
	<b>GROHE BauFlow</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE FastFixation Plus</b> ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			
	31 715 000	Chrome	4005176564123	73.00
	<b>BauCurve</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE FastFixation Plus</b> ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			
	31 680 000	Chrome	4005176530487	65.00
	<b>BauEco</b> <b>Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> chrome finish GROHE Longlife 35 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free swivel tubular spout swivel area 140° mousseur with coin slot for tool free replacement flexible connection hoses <b>GROHE FastFixation Plus</b> ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed			

# GROHE SOAP DISPENSERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 535 000	Chrome	4005176905490	38.33
	40 535 DC0	supersteel	4005176905520	53.74
	40 535 BE0	polished nickel	4005176489457	86.00
	40 535 GL0	cool sunrise	4005176489419	86.00
	40 535 GN0	brushed cool sunrise	4005176489426	86.00
	40 535 DA0	warm sunset	4005176489433	86.00
	40 535 DL0	brushed warm sunset	4005176489440	86.00
	40 535 A00	hard graphite	4005176489396	86.00
	40 535 AL0	Brushed Hard Graphite	4005176489402	86.00
	 <p><b>Cosmopolitan Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish</p>			
	40 536 000	Chrome	4005176905506	34.58
	40 536 DC0	supersteel	4005176905537	48.74
 <p><b>Contemporary Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish</p>				
	40 537 000	Chrome	4005176905513	42.49
	40 537 DC0	supersteel	4005176905544	74.51
 <p><b>Authentic Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish</p>				
	36 194 000	Chrome	4005176140921	140.50
	<p><b>Soap dispenser pillar tap with push-button</b>, for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. <b>GROHE StarLight</b> finish</p>			
				
	13 071 000	Chrome	4005176023132	35.10
	<p><b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE StarLight</b> chrome finish</p>			
				
	13 034 000	Chrome	4005176022869	52.11
	<p><b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish</p>			
				


# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>31 582 SD1</b>	<b>stainless steel</b>	<b>4005176607158</b>	<b>780.00</b>
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>            model: K1000 80-S 116/52 1.0 rh            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 520 mm            1 bowl: 710 x 400 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable right            cut-out (top mount): 1145 x 505 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 70</p>			
	<b>31 581 SD1</b>	<b>stainless steel</b>	<b>4005176607141</b>	<b>780.00</b>
	<p><b>K1000</b>  <b>Stainless Steel Sink with Drainer</b>            model: K1000 80-S 116/52 1.0 lh            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 520 mm            1 bowl: 710 x 400 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable left            cut-out (top mount): 1145 x 505 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 70</p>			
	<b>31 583 SD1</b>	<b>stainless steel</b>	<b>4005176607165</b>	<b>526.00</b>
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 60-S 51.8/51 1.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 518 x 510 mm            1 bowl: 462 x 400 x 200 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out (top mount): 503 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 8</p>			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 584 SD1	stainless steel	4005176607172	585.00
------------	-----------------	---------------	--------



## K800

### Stainless steel sink

model: K800 90-S 84.6/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 900 mm

dimensions: 846 x 510 mm

1 bowl: 790 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 831 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting


accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

31 585 SD1	stainless steel	4005176607189	780.00
------------	-----------------	---------------	--------



## K800

### Stainless steel sink

model: K800 120-S 102.4/51 2.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 462 x 400 x 200 mm

2 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 1009 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting


accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

31 586 SD1	stainless steel	4005176607186	683.00
------------	-----------------	---------------	--------



## K800

### Stainless steel sink

model: K800 120-S 102.4/51 1.0

mounting type: top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 1200 mm

dimensions: 1024 x 510 mm

1 bowl: 968 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

**GROHE FastFixation** installation system

cut-out (top mount): 1009 x 495 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set


optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 10

# GROHE STAINLESS STEEL SINKS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 574 SD1	stainless steel	4005176607080	217.00
------------	-----------------	---------------	--------




**K700 Undermount**  
**Stainless steel sink**  
 model: K700U 60-S 54.4/44.4 1.0  
 mounting type: undermount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 540 x 440 mm  
 1 bowl: 500 x 400 x 200 mm  
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15  
**GROHE FastFixation** installation system  
 cut-out: 500 x 400 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

31 575 SD1	stainless steel	4005176607097	548.00
------------	-----------------	---------------	--------



**K700 Undermount**  
**Stainless steel sink**  
 model: K700U 80-S 76/45 1.5 lh  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 800 mm  
 dimensions: 760 x 450 mm  
 1 bowl: 500 x 400 x 195 mm  
 0.5 bowl: 180 x 400 x 200 mm  
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15  
**GROHE FastFixation** installation system  
 sink mountable left  
 cut-out (undermount): 712 x 402 mm (R16)  
 cut-out (top mount): 745 x 435 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

31 576 SD1	stainless steel	4005176607103	249.00
------------	-----------------	---------------	--------




**K700 Undermount**  
**Stainless steel sink**  
 model: K700U 60-S 59.5/45 1.5 rh  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 595 x 450 mm  
 1 bowl: 340 x 400 x 200 mm  
 0.5 bowl: 180 x 400 x 140 mm  
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15  
**GROHE FastFixation** installation system  
 sink mountable right  
 cut-out (undermount): 547 x 402 mm (R16)  
 cut-out (top mount): 580 x 435 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

# GROHE STAINLESS STEEL SINKS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 577 SD1	stainless steel	4005176607110	249.00
------------	-----------------	---------------	--------




**K700 Undermount**  
**Stainless steel sink**  
 model: K700U 60-S 59.5/45 1.5 lh  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 595 x 450 mm  
 1 bowl: 340 x 400 x 200 mm  
 0.5 bowl: 180 x 400 x 140 mm  
 outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15  
**GROHE FastFixation** installation system  
 sink mountable left  
 cut-out (undermount): 547 x 402 mm (R16)  
 cut-out (top mount): 580 x 435 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

31 578 SD1	stainless steel	4005176607127	196.00
------------	-----------------	---------------	--------



**K700**  
**Stainless steel sink**  
 model: K700 45-S 46.4/46.4 1.0  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 450 mm  
 dimensions: 464 x 464 mm  
 1 bowl: 400 x 400 x 200 mm  
 outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10  
**GROHE FastFixation** installation system  
 cut-out (undermount): 402 x 402 mm (R11)  
 cut-out (top mount): 449 x 449 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

31 580 SD1	stainless steel	4005176607134	254.00
------------	-----------------	---------------	--------







**K700**  
**Stainless steel sink**  
 model: K700 90-S 86.4/46.4 1.0  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm  
**GROHE StarLight** finish  
 finish: satin finish  
**GROHE Whisper**  
 min. cabinet size: 900 mm  
 dimensions: 864 x 464 mm  
 1 bowl: 800 x 400 x 200 mm  
 outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10  
**GROHE FastFixation** installation system  
 cut-out (undermount): 802 x 402 mm (R11)  
 cut-out (top mount): 849 x 449 mm  
 drainer: Ø 3.5"/90 mm basket strainer waste  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8  
 amount of fasteners included (undermount): 8

KITCHEN  
FITTINGS



# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>31 571 SD1</b>	<b>stainless steel</b>	<b>4005176626029</b>	<b>221.00</b>
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>            model: K500 45-S 86/50 1.0 rev            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 450 mm            dimensions: 860 x 500 mm            1 bowl: 340 x 420 x 170 mm            outer radius: R6 (topmount), inner bowl radius: R65  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out (top mount): 842 x 482 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 14</p>			
	<b>31 563 SD1</b>	<b>stainless steel</b>	<b>4005176623738</b>	<b>195.29</b>
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>            model: K500 60-S 100/50 1.0 rev            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 1000 x 500 mm            1 bowl: 450 x 400 x 180 mm            outer radius: R6 (topmount), inner bowl radius: R75  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out (top mount): 982 x 482 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 16</p>			
	<b>31 572 SD1</b>	<b>stainless steel</b>	<b>4005176626036</b>	<b>316.19</b>
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>            model: K500 60-S 100/50 1.5 rev            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 0.7 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 1000 x 500 mm            1 bowl: 340 x 420 x 185 mm            0.5 bowl: 170 x 320 x 125 mm            outer radius: R6 (topmount), inner bowl radius: R65  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out (top mount): 982 x 482 mm            drilling holes: 2 x 35 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 16</p>			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 588 SD1	stainless steel	4005176626043	326.76
------------	-----------------	---------------	--------

## K500

### Stainless Steel Sink with Drainer

model: K500 80-S 116/50 2.0 rev  
 mounting type: top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 0.7 mm


**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper

min. cabinet size: 800 mm  
 dimensions: 1160 x 500 mm  
 1 bowl: 340 x 420 x 190 mm  
 2 bowl: 340 x 420 x 190 mm  
 outer radius: R6 (topmount), inner bowl radius: R90

### GROHE FastFixation

installation system  
 sink mountable left or right  
 cut-out (top mount): 1140 x 480 mm  
 drilling holes: 2 x 35 mm  
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 18



31 568 SD0	stainless steel	4005176473258	210.43
------------	-----------------	---------------	--------

## K400+

### Stainless Steel Sink with Drainer

model: K400+ 45-S 87.3/51.3 1.0 rev  
 mounting type: flat edge  
 material: stainless steel AISI 316 (V4A)  
 material thickness: 0.7 mm


**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper

min. cabinet size: 450 mm  
 dimensions: 873 x 513 mm  
 1 bowl: 363 x 400 x 188 mm  
 outer radius: R10, inner bowl radius: R95

### GROHE FastFixation

installation system  
 sink mountable left or right  
 cut-out: 840 x 480 mm  
 drilling holes: 2 x 35 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
 amount of fasteners included (flat edge): 18



31 569 SD0	stainless steel	4005176473265	305.61
------------	-----------------	---------------	--------

## K400+

### Stainless Steel Sink with Drainer

model: K400+ 60-S 98.3/51.3 1.5 rev  
 mounting type: flat edge  
 material: stainless steel AISI 316 (V4A)  
 material thickness: 0.7 mm


**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper







min. cabinet size: 600 mm  
 dimensions: 983 x 513 mm  
 1 bowl: 363 x 400 x 188 mm  
 0.5 bowl: 150 x 300 x 188 mm  
 outer radius: R10, inner bowl radius: R95

### GROHE FastFixation





installation system  
 sink mountable left or right  
 cut-out: 950 x 480 mm  
 drilling holes: 2 x 35 mm  
 drainer: automatic waste fitting  
 accessories included: waste kit, basket strainer waste, mounting set  
 amount of fasteners included (flat edge): 18



# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 566 SD0	stainless steel	4005176473234	168.13
<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K400 45-S 86/50 1.0 rev                      mounting type: standard built-in                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE StarLight</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 450 mm                      dimensions: 860 x 500 mm                      1 bowl: 362.5 x 400 x 188 mm                      outer radius: R10, inner bowl radius: R95  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 840 x 480 mm                      drilling holes: 2 x 35 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      amount of fasteners included (top mount): 6</p>			
 			
31 567 SD0	stainless steel	4005176473241	242.16
<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K400 60-S 97/50 1.5 rev                      mounting type: standard built-in                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE StarLight</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 970 x 500 mm                      1 bowl: 363 x 400 x 188 mm                      0.5 bowl: 150 x 300 x 188 mm                      outer radius: R10, inner bowl radius: R95  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 950 x 480 mm                      drilling holes: 2 x 35 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      amount of fasteners included (top mount): 8</p>			
 			
31 587 SD0	stainless steel	4005176473449	242.16
<p><b>K400</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K400 80-S 116/50 2.0 rev                      mounting type: standard built-in                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE StarLight</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 1160 x 500 mm                      2 bowl: 362.5 x 400 x 188 mm                      outer radius: R10, inner bowl radius: R95  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 1140 x 480 mm                      drilling holes: 2 x 35 mm                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      amount of fasteners included (top mount): 8</p>			
 			


# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>31 570 SD0</b>	<b>stainless steel</b>	<b>4005176473272</b>	<b>347.91</b>
	<p><b>Concetto</b> <b>Kitchen sink and tap bundle</b> Consisting of: K400 stainless steel sink with drainer (31 566 SD0) Concetto single lever sink mixer (32 663 003) high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system amount of fasteners included (top mount): 6</p>			
	<b>31 564 SD1</b>	<b>stainless steel</b>	<b>4005176623745</b>	<b>156.20</b>
	<p><b>K200</b> <b>Stainless Steel Sink with Drainer</b> model: K200 60-S 96.5/50 1.5 rev mounting type: top mount material: stainless steel AISI 304 (V2A) material thickness: 0.6 mm <b>GROHE StarLight</b> finish finish: satin finish <b>GROHE Whisper</b> min. cabinet size: 600 mm dimensions: 965 x 500 mm 1 bowl: 346 x 396 x 165 mm 0.5 bowl: 180 x 340 x 130 mm outer radius: R10 (topmount), inner bowl radius: R100 <b>GROHE FastFixation</b> installation system sink mountable left or right cut-out (top mount): 941 x 476 mm drilling holes: 2 x 35 mm waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 16</p>			
	<b>31 565 SD1</b>	<b>stainless steel</b>	<b>4005176623752</b>	<b>175.74</b>
	<p><b>Eurosmart</b> <b>Kitchen sink and tap bundle</b> Consisting of: K200 stainless steel sink with drainer (31 552 SD1) Eurosmart single lever sink mixer (33 281 003) low spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge with integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° GROHE Zero separated inner water ways - lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses outer radius: R6 (topmount), inner bowl radius: R100 <b>GROHE FastFixation</b> installation system optional push to open excenter (40 986 SD0) amount of fasteners included (top mount): 14</p>			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 562 SD1	stainless steel	4005176623721	189.29
------------	-----------------	---------------	--------



## Bau

### Kitchen sink and tap bundle

Consisting of:

K200 stainless steel sink with drainer (31 552 SD1)

Bau Edge single lever sink mixer (31 367 001)

high spout

monobloc installation

**GROHE StarLight** chrome finish

GROHE Longlife 28 mm ceramic cartridge

GROHE Zero separated inner water ways - lead and nickel free

mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses


outer radius: R6 (topmount), inner bowl radius: R100

**GROHE FastFixation Plus** ultra fast and simple installation - no tools needed

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 14

31 552 SD1	stainless steel	4005176623714	104.68
------------	-----------------	---------------	--------



## K200

### Stainless Steel Sink with Drainer

model: K200 45-S 86/50 1.0 rev

mounting type: top mount

material: stainless steel AISI 304 (V2A)

material thickness: 0.6 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 350 x 400 x 160 mm

outer radius: R6 (topmount), inner bowl radius: R100

**GROHE FastFixation** installation system

sink mountable left or right

cut-out (top mount): 842 x 482 mm

drilling holes: 2 x 35 mm

waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting







accessories included: automatic waste fitting with rotary handle,

waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)







amount of fasteners included (top mount): 14

# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 650 AT0	granite gray	4005176521294	233.48
	31 650 AP0	granite black	4005176521287	233.48
	<p><b>K700</b>  <b>Composite sink</b>                      model: K700 50-C 40/50 1.0                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 500 mm                      dimensions: 400 x 500 mm                      1 bowl: 340 x 370 x 200 mm  <b>GROHE FastFixation</b> installation system                      cut-out: 380 x 480 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 6                      outer radius: R6, inner bowl radius: R45</p>			
	31 651 AT0	granite gray	4005176521317	275.35
	31 651 AP0	granite black	4005176521300	275.35
	<p><b>K700</b>  <b>Composite sink</b>                      model: K700 60-C 56/51 1.0                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 560 x 510 mm                      1 bowl: 500 x 360 x 200 mm  <b>GROHE FastFixation</b> installation system                      cut-out: 545 x 495 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 8                      outer radius: R6, inner bowl radius: R10</p>			
	31 652 AT0	granite gray	4005176521331	307.81
	31 652 AP0	granite black	4005176521324	307.81
	<p><b>K700</b>  <b>Composite sink</b>                      model: K700 80-C 78/51 1.0                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 780 x 510 mm                      1 bowl: 720 x 370 x 220 mm  <b>GROHE FastFixation</b> installation system                      cut-out: 764 x 494 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 9                      outer radius: R6, inner bowl radius: R10</p>			

KITCHEN FITTINGS


# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 653 AT0	granite gray	4005176521355	204.17
	31 653 AP0	granite black	4005176521348	204.17
	<p><b>K700 Undermount Composite sink</b>            model: K700U 50-C 45.7/40.6 1.0            mounting type: standard built-in and undermount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 500 mm            dimensions: 457 x 406 mm            1 bowl: 417 x 366 x 203 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out: 417 x 366 mm            drainer: Ø 3.5"/90 mm basket strainer waste            optional push to open excenter (40 986 SD0)            accessories included: waste kit, basket strainer waste, mounting set            mounting with silicone (top mount)            amount of fasteners included (undermount): 8</p>			
	31 654 AT0	granite gray	4005176521379	234.53
	31 654 AP0	granite black	4005176521362	234.53
	<p><b>K700 Undermount Composite sink</b>            model: K700U 60-C 53.3/45.7 1.0            mounting type: standard built-in and undermount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 533 x 457 mm            1 bowl: 469 x 393 x 205 mm  <b>GROHE FastFixation</b> installation system            cut-out: 468 x 390 mm            drainer: Ø 3.5"/90 mm basket strainer waste            optional push to open excenter (40 986 SD0)            accessories included: waste kit, basket strainer waste, mounting set            amount of fasteners included (top mount): 6            amount of fasteners included (undermount): 6            outer radius: R7, inner bowl radius: R10</p>			
	31 655 AT0	granite gray	4005176521393	277.46
	31 655 AP0	granite black	4005176521386	277.46
	<p><b>K700 Undermount Composite sink</b>            model: K700U 70-C 61/45.7 1.0            mounting type: standard built-in and undermount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 700 mm            dimensions: 610 x 460 mm            1 bowl: 544 x 394 x 205 mm  <b>GROHE FastFixation</b> installation system            cut-out: 543 x 393 mm            drainer: Ø 3.5"/90 mm basket strainer waste            optional push to open excenter (40 986 SD0)            accessories included: waste kit, basket strainer waste, mounting set            amount of fasteners included (top mount): 6            amount of fasteners included (undermount): 6            outer radius: R3, inner bowl radius: R10</p>			

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 644 AT0	granite gray	4005176521171	309.91
31 644 AP0	granite black	4005176521164	309.91



## K500

**Composite sink with drainer**  
model: K500 50-C 86/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite


## GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 860 x 500 mm  
1 bowl: 347 x 440 x 200 mm

## GROHE FastFixation installation system

sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open exciter (40 986 SD0)  
amount of fasteners included (top mount): 12  
outer radius: R6, inner bowl radius: R12

31 645 AT0	granite gray	4005176521195	323.53
31 645 AP0	granite black	4005176521188	323.53



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.0 rev  
mounting type: standard built-in  
material: quartz composite


## GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 480 x 440 x 200 mm

## GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open exciter (40 986 SD0)  
amount of fasteners included (top mount): 12  
outer radius: R6, inner bowl radius: R12

31 646 AT0	granite gray	4005176521218	344.46
31 646 AP0	granite black	4005176521201	344.46



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.5 rev  
mounting type: standard built-in  
material: quartz composite

## GROHE Whisper







min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 345 x 440 x 200 mm  
0.5 bowl: 155 x 295 x 146 mm

## GROHE FastFixation installation system







sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open exciter (40 986 SD0)  
amount of fasteners included (top mount): 12  
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10



# GROHE COMPOSITE SINKS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 647 AT0	granite gray	4005176521232	387.39
	31 647 AP0	granite black	4005176521225	387.39
	<p><b>K500</b>  <b>Composite sink with drainer</b>            model: K500 80-C 116/50 2.0 rev            mounting type: standard built-in            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 1160 x 500 mm            1 bowl: 330 x 440 x 200 mm            2 bowl: 330 x 440 x 200 mm  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out: 1140 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 12            outer radius: R6, inner bowl radius: R12</p>			
				
	<p><b>31 648 AT0</b>     <b>granite gray</b>     <b>4005176521256</b>     <b>296.31</b>  <b>31 648 AP0</b>     <b>granite black</b>     <b>4005176521249</b>     <b>296.31</b></p> <p><b>K500</b>  <b>Composite sink</b>            model: K500 60-C 55.5/46 1.5 rev            mounting type: standard built-in and undermount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 555 x 460 mm            1 bowl: 335 x 400 x 200 mm            0.5 bowl: 155 x 400 x 140 mm            outer radius: R6, inner bowl radius: big bowl R12, small bowl R10  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out: 525 x 400 mm            drainer: Ø 3.5"/90 mm basket strainer waste            optional push to open excenter (40 986 SD0)            accessories included: waste kit, basket strainer waste, mounting set            mounting with silicone (top mount)            amount of fasteners included (undermount): 8</p>			
				
	<p><b>31 649 AT0</b>     <b>granite gray</b>     <b>4005176521270</b>     <b>361.21</b>  <b>31 649 AP0</b>     <b>granite black</b>     <b>4005176521263</b>     <b>361.21</b></p> <p><b>K500</b>  <b>Composite sink</b>            model: K500 90-C 86/50 2.0            mounting type: standard built-in            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 900 mm            dimensions: 860 x 500 mm            1 bowl: 390 x 430 x 200 mm            2 bowl: 380 x 365 x 200 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable left            cut-out: 840 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			
				

# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 639 AT0	granite gray	4005176520464	230.33
	31 639 AP0	granite black	4005176520457	230.33
				
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 50-C 78/50 1.0 rev                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 500 mm                      dimensions: 780 x 500 mm                      1 bowl: 347 x 440 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 765 x 485 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10</p>			
				
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 50-C 86/50 1.0 rev                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 500 mm                      dimensions: 860 x 500 mm                      1 bowl: 337 x 420 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 840 x 480 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 10</p>			
				
	<p><b>K400</b>  <b>Composite sink with drainer</b>                      model: K400 60-C 100/50 1.0 rev                      mounting type: standard built-in                      material: quartz composite  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 1000 x 500 mm                      1 bowl: 480 x 420 x 205 mm                      outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out: 980 x 480 mm                      drainer: automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 12</p>			
	31 640 AT0	granite gray	4005176520488	290.02
	31 640 AP0	granite black	4005176520471	290.02
	31 641 AT0	granite gray	4005176521119	312.01
	31 641 AP0	granite black	4005176521102	312.01

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 642 AT0	granite gray	4005176521133	333.99
31 642 AP0	granite black	4005176521126	333.99



## K400

**Composite sink with drainer**  
model: K400 60-C 100/50 1.5 rev  
mounting type: standard built-in  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 335 x 420 x 205 mm  
0.5 bowl: 155 x 295 x 146 mm  
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 10

31 643 AT0	granite gray	4005176521157	354.93
31 643 AP0	granite black	4005176521140	354.93



## K400

**Composite sink with drainer**  
model: K400 80-C 116/50 1.5 rev  
mounting type: standard built-in  
material: quartz composite


### GROHE Whisper

min. cabinet size: 800 mm  
dimensions: 1160 x 500 mm  
1 bowl: 400 x 420 x 205 mm  
2 bowl: 295 x 295 x 205 mm  
outer radius: R6, inner bowl radius: R10

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 1140 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 10

31 656 AT0	granite gray	4005176521416	191.61
31 656 AP0	granite black	4005176521409	191.61



## K200

**Composite sink**  
model: K200 50-C 51 1.0  
mounting type: standard built-in  
material: quartz composite

### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: Ø 510 mm  
1 bowl: Ø 380 x 200 mm  
inner bowl radius: Ø 380

### GROHE FastFixation installation system

cut-out: Ø 490 mm  
drainer: automatic waste fitting  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 3



GROHE  
**SPECIAL FITTINGS**





## CONTENTS

Electronic Fittings	Eurocube E	558
	Essence E	561
	Bluetooth monitoring	564
	Europlus E	573
	Eurosmart Cosmopolitan E	575
	Euroeco Cosmopolitan E	584
	Bau Cosmopolitan E	588
Special Thermostats	Grohtherm Micro	590
	Grohtherm Special	591
	Grohtherm XL	595
Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	596
	Commercial Showers	597
	Euroeco Special	600
	Hospita	605
	Euroeco Single Sequential	606
Self-closing Fittings	Eurodisc SE	608
	Eurosmart Cosmopolitan T	609
	Euroeco Cosmopolitan T	610

## SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher  
Android 4.3 or higher

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

\* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

## CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.





**ROUND AND SQUARE**



**BAUEDGE  
SINGLE-LEVER MIXER**



**BAU CERAMIC**



**BAU COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND AND SQUARE**



**EUROSMART COSMOPOLITAN  
SINGLE-LEVER MIXER**



**EURO CERAMIC**



**EUROSMART COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND FEMININE**



**ESSENCE  
SINGLE-LEVER MIXER**



**ESSENCE**



**ESSENCE E  
TOUCHLESS BASIN MIXER**



**EDGE MASCULINE**



**EUROCUBE  
SINGLE-LEVER MIXER**



**CUBE CERAMIC**



**EUROCUBE E  
TOUCHLESS BASIN MIXER**



# EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –  
WITHOUT COMPROMISING ON HYGIENE



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



### WC / URINAL



### BASIN



COMMERCIAL  
FITTINGS

# BAU COSMOPOLITAN E

## DISCOVER TOUCHLESS COMFORT

### HYGIENE



#### TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



#### INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

### SUSTAINABILITY



#### GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



### QUALITY

German perfectionism inspires ultimate customer confidence

### DESIGN



#### GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

### TECHNOLOGY



#### GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



**36 407 001**  
Remote control for  
GROHE Touchless fittings

*Basic functionalities can be adjusted without remote control - simply by hand.*



#### GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



**LOGLIFE BATTERY**

Unique low-energy electronics ensure a long service life.



**36 451 000**  
Touchless basin mixer  
(battery operated)



**36 452 000**  
Touchless basin tap  
(battery operated)



**MAINS OPERATED**




**36 453 000**  
Touchless basin mixer  
(with plug transformer 100 – 230 V AC)

# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 440 000	Chrome	4005176415623	794.01
------------	--------	---------------	--------




## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 441 000	Chrome	4005176415630	761.35
------------	--------	---------------	--------




## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 442 000	Chrome	4005176415647	859.37
------------	--------	---------------	--------



## Eurocube E


### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
laminar spray regulator 5.7 l/min  
7 pre-set programs  
auto flush

thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
noise classification 1 in accordance with DIN4109

# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>36 264 001</b>		<b>4005176416279</b>	<b>216.76</b>
-------------------	--	----------------------	---------------


**Concealed mounting box**  
wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
connection housing for power supply  
suitable for 36 447 000, 36 442 000

<b>38 748 002</b>	<b>Chrome</b>	<b>4005176416323</b>	<b>574.99</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**Element for wash basin with roughin-in set for infra-red electronic**  
for wall mounted fittings  
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000  
and Eurocube E 36 442 000

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with  
fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set  
with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold  
separately)



<b>36 407 001</b>		<b>4005176368974</b>	<b>261.30</b>
-------------------	--	----------------------	---------------


**Remote control**  
for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018

**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)

**service**  
send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply




<b>36 340 000</b>		<b>4005176911385</b>	<b>54.21</b>
-------------------	--	----------------------	--------------

**Power extension cable**  
length 3.00 m


<b>36 341 000</b>		<b>4005176911392</b>	<b>97.46</b>
-------------------	--	----------------------	--------------

**ditto, length 10 m**



# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



36 338 000

4005176896743

90.00

**Switch mode power supply**

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz


for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,  
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,  
36 015 001, 36 016 001, 36 421 000

# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 444 000	Chrome	4005176415661	641.53
------------	--------	---------------	--------




## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 445 000	Chrome	4005176415678	619.75
------------	--------	---------------	--------



## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K


COMMERCIAL  
FITTINGS



# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 446 000	Chrome	4005176415685	576.19
------------	--------	---------------	--------




## Essence E

### Infra-red electronic basin tap 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hose  
dirt strainer  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 447 000	Chrome	4005176416293	815.80
------------	--------	---------------	--------




## Essence E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
laminar spray regulator 5.0 l/min  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
noise classification 1 in accordance with DIN4109









36 264 001		4005176416279	216.76
------------	--	---------------	--------



## Concealed mounting box

wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
connection housing for power supply  
suitable for 36 447 000, 36 442 000

# GROHE ESSENCE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 748 002</b>	<b>Chrome</b>	<b>4005176416323</b>	<b>574.99</b>
	<p><b>Rapid SL</b>  <b>Element for wash basin with roughin-in set for infra-red electronic</b>                      for wall mounted fittings                      suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000                      and Eurocube E 36 442 000  <b>1.13 m finished installation height</b>                      for on-the-wall installations or studded walls  <b>Includes</b>                      wash basin fixing bolts with                      fixing device for ceramic                      variable distance of fixing bolts                      HT-outlet bend Ø 50 mm                      seal Ø 32 mm                      pre-mounted roughing-in set                      with protecting block                      fire-proof pipe for laying electronic cables                      installation box with water group, stop valve and flush elbow                      connection with noise protected fitting holder 1/2"                      connecting box for mains supply 230 V                      CE approved                      for installation with pre-mixed or cold water                      for on-the-wall installation please order wall brackets 38 558 00M (sold                      separately)</p>			
 	<b>36 407 001</b>		<b>4005176368974</b>	<b>261.30</b>
	<p><b>Remote control</b>                      for all GROHE one eye infra-red products                      as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)                      3 x 1.5 V DC (AAA) battery supply</p>			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>54.21</b>
	<p><b>Power extension cable</b>                      length 3.00 m</p>			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>97.46</b>
<p><b>ditto, length 10 m</b></p>				
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>90.00</b>
	<p><b>Switch mode power supply</b>                      for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage                      100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000,                      36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,                      36 015 001, 36 016 001, 36 421 000</p>			

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 413 000	Chrome	4005176320576	587.87
------------	--------	---------------	--------

## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic basin tap 1/2" with mixing device

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**without power supply 36 338 000** ( required )

rapid installation system

mixing device with adjustable hot water limiter

**GROHE StarLight** finish

**GROHE EcoJoy** mousseur 5.7 l/min

with integrated solenoid valve

integrated non-return valves

and dirt strainers

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

#### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

#### configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

#### service

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 409 000	Chrome	4005176320538	484.21
------------	--------	---------------	--------

**Euroeco Cosmopolitan E Bluetooth  
Infra-red electronic basin tap 1/2"**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**without power supply 36 338 000** ( required )

rapid installation system

**GROHE StarLight** finish

**GROHE EcoJoy** mousseur 5.7 l/min

solenoid valve

dirt strainer

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

thermal disinfection

auto flush

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 414 000	Chrome	4005176320583	797.51
------------	--------	---------------	--------

## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic thermostatic basin mixer, wall mounted

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC

**GROHE StarLight** finish

**GROHE CoolTouch**

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE SafeStop** safety button at 38°C

( calibration required )

swivel cast spout 219 mm

with swivel stop at 130° or fixed

projection 287 mm

laminar mousseur 9 l/min

S-unions

escutcheon covers for S-unions

non-return valve

dirt strainers

power connection cable 3.0 m

for use with connection set

39 383 000

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles

reset to factory or user settings


hard and software version

CE approved

noise classification 1 in accordance

with DIN4109

type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

39 383 000		4005176356926	55.82
------------	--	---------------	-------

## Eurosmart Cosmopolitan E

### Thermostatic 230 V connection set


fitting support

2 fitting connections DN 15

power supply connector

wall installation


for use with Eurosmart Cosmopolitan E thermostat 230 V



# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 410 000	Chrome	4005176320545	555.97
------------	--------	---------------	--------



**Euroeco Cosmopolitan E Bluetooth  
Infra-red electronic basin tap**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 336 001/36 337 001

**GROHE StarLight finish**

**GROHE EcoJoy** technology for less water and perfect flow  
laminar flow straightener 9 l/min  
chrome escutcheon and spout  
projection 172 mm

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109


Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

COMMERCIAL  
FITTINGS



36 337 001

4005176595417

118.45

**Euroeco Cosmopolitan E  
Concealed mounting box**

wall installation

for installation with pre-mixed or cold water

suitable for IR-sets for final installation


stop valve

connection housing for power supply

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



36 336 001

4005176991769

313.12

**Eurosmart Cosmopolitan E  
Concealed mounting box**

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation

2 stop valves

non-return valve

suitable for


36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 412 000	Chrome	4005176320569	626.61
------------	--------	---------------	--------



## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 339 001

### GROHE StarLight finish

**GROHE EcoJoy** technology for less water and perfect flow

laminar flow straightener 9 l/min

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

### configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

### service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109


Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

36 339 001		4005176595424	216.30
------------	--	---------------	--------



## Eurosmart Cosmopolitan E

### Concealed mounting box with mixture

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device

non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 415 000	Chrome	4005176320590	527.01
------------	--------	---------------	--------

## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
for concealed installation box  
36 416 001

### GROHE StarLight chrome finish

chrome escutcheon  
with Bluetooth 4.0\* for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

### monitoring

password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day over 30 days  
thermal disinfection cycles and timings last disinfection

### configuration

shut off delay  
auto flush  
thermal disinfection  
cleaning mode  
2 on/off timers  
identification by name

### service


send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.



COMMERCIAL  
FITTINGS


36 416 001		4005176595394	611.82
------------	--	---------------	--------

## Eurosmart Cosmopolitan E

### Concealed control unit

for shower  
with integrated pre-adjustable  
thermostatic mixer  
suitable for infra-red set 36 415 000 and 36 463 000  
2 stop valves

non-return valves with filters  
connection housing for power supply  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve






# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 503 000	Chrome	4005176320507	682.45
------------	--------	---------------	--------



**Tectron Skate Bluetooth  
Infra-red electronic for Urinal  
for Rapido U 37 338 000**

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**GROHE StarLight** finish  
flow pressure min 0.5 bar  
operating pressure max 10 bar

with Bluetooth 4.0\* for wireless data communication  
Bluetooth transmitter frequency: 2.4 GHz  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**

password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush usage per day over 30 days

**configuration**

detection range and shut off delay  
auto flush

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles  
reset to factory or user settings  
CE approved  
hard and software version


Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

37 338 000		4005176837920	135.56
------------	--	---------------	--------







**GROHE Rapido U  
roughing-in set for urinal  
for manual actuation or Tectron  
infra-red electronic 6 V or 230 V**

water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid

functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection


# GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 504 000	Chrome	4005176320521	853.33
	<p><b>Tectron Skate Bluetooth</b>  <b>Infra-red electronic for WC</b>  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose                      with additional manual actuation  <b>GROHE StarLight</b> finish                      front plate 156 x 197 mm                      servo motor</p> <p>with Bluetooth 4.0* for wireless data communication                      for Apple** and Android devices                      Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p><b>monitoring</b>                      password protected products                      app detects all Bluetooth products in range                      auto flush cycles and timing last auto flush                      usage per day over 30 days</p> <p><b>configuration</b>                      detection range and shut off delay                      auto flush                      cleaning mode                      2 on/off timers                      identification by name</p> <p><b>service</b>                      send and save 3 profiles                      reset to factory or user settings                      hard and software version                      CE approved</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p> <p>* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.</p> <p>** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards</p> <p>*** Available for free via iTunes app or Google Play store.</p>			
	36 340 000		4005176911385	54.21
	<p><b>Power extension cable</b>                      length 3.00 m</p>			
	36 341 000		4005176911392	97.46
	<p><b>ditto, length 10 m</b></p>			
	36 338 000		4005176896743	90.00
	<p><b>Switch mode power supply</b>                      for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 407 001		4005176368974	261.30
------------	--	---------------	--------



## Remote control

for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018

## monitoring

consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

## configuration


cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)



## service

send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)




3 x 1.5 V DC (AAA) battery supply

# GROHE EUROPLUS E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>36 207 001</b>	<b>Chrome</b>	<b>4005176929373</b>	<b>602.68</b>
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      solenoid valve                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	<b>36 208 001</b>	<b>Chrome</b>	<b>4005176929380</b>	<b>511.55</b>
	<p><b>ditto, without mixing device</b></p>			
	<b>36 015 001</b>	<b>Chrome</b>	<b>4005176929359</b>	<b>522.92</b>
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing  <b>without power supply 36 338 000 (required)</b>  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      solenoid valve                      rapid installation system                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	<b>36 016 001</b>	<b>Chrome</b>	<b>4005176929366</b>	<b>451.02</b>
	<p><b>ditto, without mixing device</b></p>			




# GROHE EUROPLUS E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 407 001</b>		<b>4005176368974</b>	<b>261.30</b>
	<p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>54.21</b>
	<p><b>Power extension cable</b> length 3.00 m</p>			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>97.46</b>
	<p><b>ditto, length 10 m</b></p>			
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>90.00</b>
	<p><b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			
	<b>36 209 000</b>	<b>Chrome</b>	<b>4005176207105</b>	<b>72.04</b>
	<p><b>Security cover cap</b> vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap <b>GROHE StarLight</b> chrome finish</p>			

# GROHE EUROSMART COSMOPOLITAN E

Ref. No. Colour EAN Retail Guide Price (£)


36 327 001 Chrome 4005176305771 340.65



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 331 001 Chrome 4005176305795 298.50  
 ditto, with pop-up waste set 1 1/4"

36 422 000 Chrome 4005176368530 361.81




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

COMMERCIAL  
FITTINGS

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 325 001	Chrome	4005176305764	386.22
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 421 000	Chrome	4005176368523	359.57
------------	--------	---------------	--------



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE StarLight** finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 439 000	Chrome	4005176389740	268.56
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 330 001	Chrome	4005176305788	363.45
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with hidden mixing device and adjustable temperature limiter**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 324 001	Chrome	4005176305757	548.00
------------	--------	---------------	--------



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer with mixing device and adjustable temperature limiter**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**for use with displacement water heater**  
fixed build in static flow limiter 5 l/min on the hose connection  
non-return valve  
dirt strainers  
flexible connection hoses  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407  
CE approved  
type of protection faucet IP 59K  
min. recommended pressure 1.0 bar

36 386 001	Chrome	4005176311673	662.49
------------	--------	---------------	--------









**Eurosmart Cosmopolitan E**  
**Powerbox**  
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
including Powerbox self-generating power system  
**GROHE EcoJoy** 6.0 l/min mousseur  
including all flexible connection hoses  
non-return valve  
dirt strainer  
rapid installation system  
**Powerbox**  
power generator with water turbine  
internal energy saving unit  
with use of 60 s/24 h stand-by, 260 s/100 h stand-by  
with additional backup power  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407

COMMERCIAL  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 454 000	Chrome	4005176487774	908.46
	<p><b>Eurosmart Cosmopolitan E Special</b>  <b>Infra-red electronic wall basin mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)                      two additional detection modes adjustable (hand-hand or body-body)  <b>GROHE StarLight</b> chrome finish  <b>GROHE CoolTouch</b>                      laminar mousseur 9 l/min                      non-return valve                      dirt strainers  <b>GROHE SafetyPlus</b> fixed temperature stop                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop                      full unmixed hot or cold water in extreme handle position for legionella sampling                      swivel cast spout 219 mm                      projection 287 mm                      swivel range stop at 130°, lockable                      with S-unions, chrome nuts and covers                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 455 000	Chrome	4005176487781	883.74
	<p><b>ditto, projection 255 mm</b></p>			
	36 332 000	Chrome	4005176896682	802.93
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic wall basin mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)                      two additional detection modes adjustable (hand-hand or body-body)  <b>GROHE StarLight</b> chrome finish                      laminar mousseur 9 l/min                      non-return valve                      dirt strainers                      temperature scale handle with  <b>GROHE SafeStop</b> safety stop at 38°C ( calibration required )                      swivel cast spout 219 mm                      projection 287 mm                      swivel range stop at 130°, lockable                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 333 000	Chrome	4005176896699	788.62
	<p><b>ditto, projection 255 mm</b></p>			



# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 334 SD0	stainless steel	4005176896705	443.20
------------	-----------------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 laminar mousseur 9 l/min  
 stainless steel escutcheon  
 SuperSteel spout  
 projection 232 mm  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 set for final installation for concealed fitting box  
 36 336 001/36 337 001  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 min. recommended pressure 1.0 bar

36 335 SD0	stainless steel	4005176896712	420.39
<b>ditto, projection 172 mm</b>			



36 337 001		4005176595417	118.45
------------	--	---------------	--------

**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve









36 336 001		4005176991769	313.12
------------	--	---------------	--------

**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 non-return valve  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve


COMMERCIAL FITTINGS


# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 376 000	Chrome	4005176932243	568.50
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic basin mixer with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      laminar flow straightener 9 l/min                      chrome escutcheon                      chrome spout                      projection 232 mm                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      set for final installation for concealed fitting box 36 339 001                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 315 000	Chrome	4005176896590	477.36
	<p><b>ditto, projection 172 mm</b></p>			
	36 339 001		4005176595424	216.30
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed mounting box with mixture</b>                      wall installation                      suitable for IR-sets for final installation                      2 stop valves                      housing with mixing device                      non-return valve                      connection housing for power supply                      suitable for 36 315 000, 36 412 000, 36 376 000                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	36 457 000	Chrome	4005176494765	829.15
	<p><b>Eurosmart Cosmopolitan E Special</b>  <b>Infra-red electronic shower mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      ergonomic metal handle  <b>GROHE StarLight</b> chrome finish  <b>GROHE CoolTouch</b>                      non-return valve                      dirt strainers  <b>GROHE SafetyPlus</b> fixed temperature stop                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop                      full unmixed hot or cold water in extreme handle position for legionella sampling                      shower bottom outlet 1/2" with integrated non return-valve with S-unions, chrome nuts and covers                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
				

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
36 456 000	Chrome	4005176494758	220.32






**Eurosmart Cosmopolitan E Special**  
**Infra-red electronic for concealed thermostatic shower**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 458 000 and 36 459 000 ergonomic metal handle  
**GROHE StarLight** chrome finish  
**GROHE SafetyPlus** fixed temperature stop  
temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )  
metal temperature safety stop  
full unmixed hot or cold water in extreme handle position for legionella sampling  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109


36 458 000		4005176494772	666.41
------------	--	---------------	--------






**Eurosmart Cosmopolitan E**  
**Concealed control unit**  
for shower  
with integrated thermostatic mixer suitable for infra-red set 36 456 000  
2 stop valves  
non-return valves with filters  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve


36 459 000		4005176576188	715.85
------------	--	---------------	--------






**Eurosmart Cosmopolitan E**  
**Concealed control unit**  
for shower  
with integrated thermostatic mixer suitable for infra-red set 36 456 000  
2 stop valves  
non-return valves with filters  
connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

47 780 000		4005176836541	142.66
------------	--	---------------	--------
















**Rapido T**  
**Extension set 27.5 mm**  
for Rapido T 35 500 000/35 050 000  
for concealed installation box 36 458 000 and 36 459 000  
for use with central and shower-thermostats with shut-off valve

COMMERCIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 463 000</b>	<b>Chrome</b>	<b>4005176576690</b>	<b>195.84</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic for concealed thermostatic shower</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer  <b>GROHE StarLight</b> chrome finish                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
 	<b>36 464 000</b>		<b>4005176576706</b>	<b>599.46</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated pre-adjustable thermostatic mixer                      suitable for infra-red set 36 463 000                      2 stop valves                      non-return valves with filters                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	<b>36 416 001</b>		<b>4005176595394</b>	<b>611.82</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated pre-adjustable thermostatic mixer                      suitable for infra-red set 36 415 000 and 36 463 000                      2 stop valves                      non-return valves with filters                      connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	<b>36 407 001</b>		<b>4005176368974</b>	<b>261.30</b>
	<p><b>Remote control</b>                      for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			


# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 340 000		4005176911385	54.21
	<b>Power extension cable</b> length 3.00 m			
	36 341 000		4005176911392	97.46
	<b>ditto, length 10 m</b>			
	36 338 000		4005176896743	90.00
	<b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

# GROHE EUROECO COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 271 000	Chrome	4005176893193	283.69
------------	--------	---------------	--------




**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainers  
solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 269 000	Chrome	4005176893179	306.48
------------	--------	---------------	--------



**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
**without power supply 36 338 000 (required)**  
**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainers  
solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 272 000	Chrome	4005176893209	283.69
------------	--------	---------------	--------




**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainer  
solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved

# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 384 000	Chrome	4005176982774	625.46
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Powerbox

infra-red electronic basin tap 1/2"  
without mixing device  
with infrared sensor for bi-directional communication  
for monitoring, configuration and servicing  
including Powerbox self-generating power system


### GROHE EcoJoy 6.0 l/min mousseur

flexible connection hose  
dirt strainer  
rapid installation system

### Powerbox

power generator with water turbine  
internal energy saving unit  
with use of 60 s/24 h stand-by, 260 s/100 h stand-by  
with additional backup power  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407

36 274 000	Chrome	4005176893223	363.44
------------	--------	---------------	--------




## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication  
for monitoring, configuration and servicing  
for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

metal body  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved

36 273 000	Chrome	4005176893216	372.45
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device









with infrared sensor for bi-directional communication  
for monitoring, configuration and servicing  
for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

### GROHE EcoJoy mousseur 5.7 l/min

chrome escutcheon  
chrome spout  
projection 172 mm  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation for concealed fitting box  
36 336 001/36 337 001  
CE approved  
noise classification 1 in accordance  
with DIN4109




# GROHE EUROECO COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 337 001		4005176595417	118.45
	<b>Euroeco Cosmopolitan E Concealed mounting box</b> wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation stop valve connection housing for power supply suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
 	36 336 001		4005176991769	313.12
	<b>Eurosmart Cosmopolitan E Concealed mounting box</b> with integrated pre-adjustable thermostatic mixer wall installation suitable for IR-sets for final installation 2 stop valves non-return valve suitable for 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
 	36 407 001		4005176368974	261.30
	<b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 <b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO <sub>2</sub> capacity (GROHE Blue Home) <b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) <b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)  3 x 1.5 V DC (AAA) battery supply			
 	36 340 000		4005176911385	54.21
	<b>Power extension cable</b> length 3.00 m			
	36 341 000		4005176911392	97.46
	<b>ditto, length 10 m</b>			

# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



36 338 000

4005176896743

90.00

**Switch mode power supply**

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage


100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,  
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,  
36 015 001, 36 016 001, 36 421 000


# GROHE BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 451 000	Chrome	4005176473678	236.35



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 GROHE Zero separated inner water ways - lead and nickel free  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59

36 452 000	Chrome	4005176473685	220.02
------------	--------	---------------	--------




**Bau Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 GROHE Zero separated inner water ways - lead and nickel free  
 body made of composite polymer  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59

# GROHE BAU COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 453 000	Chrome	4005176473791	249.42
------------	--------	---------------	--------



**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 GROHE Zero separated inner water ways - lead and nickel free  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59

36 407 001		4005176368974	261.30
------------	--	---------------	--------



**Remote control**  
 for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)  
**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply

36 340 000		4005176911385	54.21
------------	--	---------------	-------




**Power extension cable**  
 length 3.00 m

36 341 000		4005176911392	97.46
------------	--	---------------	-------

**ditto, length 10 m**

36 338 000		4005176896743	90.00
------------	--	---------------	-------




**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief  
 suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

COMMERCIAL FITTINGS


# GROHE GROHTHERM MICRO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



34 487 000	Chrome	4005176936234	134.26
------------	--------	---------------	--------







**Grohtherm Micro**  
**Thermostatic scalding protection**  
 temperature adjustment 15-43° C (± 2° C)  
 thermal disinfection without re-adjustment of temperature  
 connection 3/8" below with cap nut  
 above 3/8" male thread  
**GROHE TurboStat** thermoelement  
**GROHE StarLight** chrome finish  
 built-in non return valves  
 dirt strainer  
 without connection set



47 533 000	Chrome	4005176207181	30.43
------------	--------	---------------	-------









**Grohtherm Micro**  
**Connection set**  
 for Grohtherm Micro (34 487 000)  
 Consisting of:  
 union nut 3/8"  
 T-unit  
 2 outlets 3/8" male thread  
 flexible connection hose  
**GROHE StarLight** chrome finish

# GROHE GROHTHERM SPECIAL









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 667 000</b>	<b>Chrome</b>	<b>4005176351570</b>	<b>282.63</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers                      GROHE Quickfix for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE StarLight</b> chrome finish</p>			
 	<b>34 725 000</b>	<b>Chrome</b>	<b>4005176457081</b>	<b>351.08</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )  <b>Thermostatic cartridge max.temperature 41°C ( calibration required )</b>                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers                      with S-unions, chrome nuts and covers                      GROHE Quickfix for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafetyPlus</b> fixed temperature stop</p>			
 	<b>34 665 000</b>	<b>Chrome</b>	<b>4005176351556</b>	<b>353.86</b>
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      Aquadimmer handle with multiple function                      flow control                      integrated mixed water shut off                      diverter bath/shower  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      laminar mousseur                      dirt strainers                      GROHE Quickfix for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE StarLight</b> chrome finish</p>			

COMMERCIAL  
FITTINGS

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 681 000	Chrome	4005176354090	337.33
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers                      without S-unions and covers                      GROHE Quickfix for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish</p>			
	34 671 000	Chrome	4005176351587	360.50
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      Aquadimmer handle with multiple function                      flow control                      integrated mixed water shut off                      diverter bath/shower  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      laminar mousseur                      dirt strainers                      without S-unions and covers                      GROHE Quickfix for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish</p>			
	34 666 000	Chrome	4005176351563	313.78
	<p><b>Grotherm Special</b>  <b>Thermostat basin mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      bottom outlet for spouts 13 378 or 13 380                      metal temperature safety stop                      dirt strainers                      GROHE Quickfix for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE StarLight</b> chrome finish</p>			
	13 378 000	Chrome	4005176351532	82.90
	<p><b>Cast swivel spout</b>                      length 115 mm                      swivelling (180 or 90°) and lockable                      laminar flow straightener 9 l/min  <b>GROHE StarLight</b> finish</p>			
	13 380 000	Chrome	4005176351549	91.63
	<p><b>ditto, length 175 mm</b></p>			

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 094 000	Chrome	4005176354106	215.85
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer</b>                      set for final installation for 35 050 000  <b>without concealed body</b>                      escutcheon- and shaft-sealing covered connections                      ergonomic metal wing handles                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	258.36
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
 	29 095 000	Chrome	4005176354113	220.32
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer trim</b>                      set for final installation for 35 050 000  <b>without concealed body</b>                      escutcheon- and shaft-sealing covered connections                      ergonomic metal wing handles                      Aquadimmer handle with multiple function flow control                      integrated mixed water shut off                      diverter bath/shower                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	258.36
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
 	29 096 000	Chrome	4005176354120	178.03
	<p><b>Grotherm Special</b>  <b>Trim for thermostatic shower valve</b>                      set for final installation for 35 050 000  <b>without concealed body</b>                      escutcheon- and shaft-sealing covered connections                      ergonomic metal wing handle                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	258.36
<p><b>GROHE Rapido T thermostatic mixer for concealed installation</b></p>				
 	35 500 000		4005176831522	258.36
	<p><b>GROHE Rapido T</b>  <b>Thermostatic mixer for concealed installation</b>                      for use with Grotherm Special without finishing trim set                      flat installation depth 70 mm - 95 mm  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      two top outlets 1/2", lockable                      bottom outlet 1/2" - can only be used with separate stopvalve                      body of DR brass                      built-in non return valve and dirt strainers                      min. recommended pressure 1.0 bar</p>			

COMMERCIAL FITTINGS




# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 994 000		4005176364723	2.18
	<b>Grotherm Special</b> <b>Temperature unlocking handle</b> unlocking of temperature handle for thermal disinfection			
	12 051 000	Chrome	4005176213588	40.93
	<b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE StarLight</b> chrome finish			
	47 780 000		4005176836541	142.66
	<b>Rapido T</b> <b>Extension set 27.5 mm</b> for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve			
	47 781 000		4005176836558	164.81
	<b>ditto, for use with bath thermostats with aquadimmer</b>			
	29 007 000		4005176837678	156.25
	<b>Safety combination (EN 1717)</b> for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000			
	28 874 000	Chrome	4005176042348	75.08
	<b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish			
	28 988 000	Chrome	4005176042805	102.91
	<b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish			


# GROHE GROHTHERM XL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



35 085 000	Chrome	4005176207068	1,965.91
------------	--------	---------------	----------

**Grotherm XL**  
**Thermostat mixer 1"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/4"  
outlet thread 1 1/2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE StarLight** chrome finish



35 087 000	Chrome	4005176207082	2,244.65
------------	--------	---------------	----------


**Grotherm XL**  
**Thermostat mixer 1 1/4"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/2"  
outlet thread 2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE StarLight** chrome finish

COMMERCIAL  
FITTINGS

# GROHE VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------











23 302 000	Chrome	4005176923876	327.43
------------	--------	---------------	--------



**Eurostyle Cosmopolitan**  
**Vertica-OHM-Bath Mixer, 1/2"**  
wall mounted  
metal lever











**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
lockable automatic diverter: bath/shower  
lockable spout  
integrated non-return valve  
in the shower outlet 1/2"  
elbow union 45°  
metal wall escutcheons  
optional temperature limiter (46 375 000)  
protected against backflow  
noise classification 1 in accordance  
with DIN4109

# GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 587 000	Chrome	4005176282966	191.60
<p><b>Relexa</b>  <b>Shower rail, 900 mm</b>                      with handle                      handle can be mounted right or left handed                      with wall brackets (3 pieces)                      gliding element with metal sleeve                      angle of inclination adjustable by click stop device                      height adjustment via locking nut  <b>GROHE StarLight</b> chrome finish</p>				
 	28 671 000	Chrome	4005176103070	33.19
<p><b>Relexa</b>  <b>Shower outlet elbow, 1/2"</b>                      male thread  <b>GROHE StarLight</b> chrome finish</p>				
 	28 405 000	Chrome	4005176264559	53.22
<p><b>Movario</b>  <b>Shower outlet elbow, 1/2"</b>                      protected against backflow  <b>GROHE StarLight</b> chrome finish</p>				
 	28 406 000	Chrome	4005176264566	53.22
<p><b>Movario</b>  <b>Shower outlet elbow, 1/2"</b>                      with shower holder                      protected against backflow  <b>GROHE StarLight</b> chrome finish</p>				
 	28 161 001	Chrome	4005176935107	17.32
<p><b>Silverflex</b>  <b>Shower hose Twistfree 1500</b>                      for low pressure                      1500 mm                      smooth surface for easy cleaning                      tensile strength 350 N                      pressure resistance up to 5 bar                      heat resistance 70°C                      AntiFold bendproof                      universal connection G 1/2" x 1/2"                      Rotation cone for <b>Twistfree</b> function  <b>GROHE StarLight</b> chrome finish  <b>blister packaging</b></p>				

COMMERCIAL  
FITTINGS

# GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>28 142 000</b>	<b>Chrome</b>	<b>4005176601330</b>	<b>20.31</b>
	<b>Relaxflex Metal Longlife Metal shower hose 1250</b> 1250 mm material: metal <b>Longlife</b> strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	<b>28 143 KS0</b>	<b>velvet black</b>	<b>4005176842252</b>	<b>29.63</b>
	<b>28 143 LS0</b>	<b>moon white</b>	<b>4005176842269</b>	<b>29.63</b>
	<b>28 143 000</b>	<b>Chrome</b>	<b>4005176601347</b>	<b>22.57</b>
	<b>ditto, 1500 mm hose</b>			
 	<b>28 145 000</b>	<b>Chrome</b>	<b>4005176601354</b>	<b>26.62</b>
	<b>Relaxflex Metal Longlife Metal shower hose 2000</b> 2000 mm material: metal <b>Longlife</b> strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
 	<b>28 002 000</b>	<b>Chrome</b>	<b>4005176858796</b>	<b>193.46</b>
	<b>Relaxa 70 Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection			
 	<b>28 948 000</b>	<b>Chrome</b>	<b>4005176209871</b>	<b>140.11</b>
	<b>Relaxa Plus 60 Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	<b>28 094 000</b>	<b>Chrome</b>	<b>4005176601132</b>	<b>53.22</b>
	<b>Relaxa Plus 50 Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE StarLight</b> chrome finish adjustable flow rate without shower arm			

# GROHE COMMERCIAL SHOWERS









Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	28 988 000	Chrome	4005176042805	102.91
<p><b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				
 	28 874 000	Chrome	4005176042348	75.08
<p><b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish</p>				
 	28 429 000	Chrome	4005176601910	53.22
<p><b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				
 	28 541 000	Chrome	4005176040528	42.36
<p><b>Relaxa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish</p>				

COMMERCIAL  
FITTINGS

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 762 000	Chrome	4005176871023	111.69
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> monobloc installation smooth body <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system, flexible connection hoses</p>			
	32 763 000	Chrome	4005176871030	111.69
	<b>Ditto, with pop up waste set</b>			
	32 765 000	Chrome	4005176871054	235.82
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> monobloc installation smooth body, high version <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 766 000	Chrome	4005176871061	247.07
	<b>Ditto, with pop up waste set</b>			
	23 293 000	Chrome	4005176921148	200.30
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> monobloc installation smooth body high version <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system</p>			
	30 208 000	Chrome	4005176927836	258.37
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> monobloc installation high spout 302 mm smooth body <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses</p>			











# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 776 000	Chrome	4005176871764	232.88
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions			
	32 778 000	Chrome	4005176871788	258.37
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 205 mm metal lever lever length 170 mm S-unions			
	32 779 000	Chrome	4005176871795	292.22
	ditto, with lockable S unions, projection 221 mm			
	32 770 000	Chrome	4005176871702	229.71
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions			
	32 768 000	Chrome	4005176871689	261.18
	ditto, with lockable S unions, projection 174 mm			
	32 767 000	Chrome	4005176871078	280.91
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions			
	32 771 000	Chrome	4005176871719	303.49
	ditto, with lockable S unions, projection 214 mm			

COMMERCIAL  
FITTINGS



# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 773 000	Chrome	4005176871733	273.78
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min projection 257 mm metal lever lever length 170 mm S-unions</p>			
	32 774 000	Chrome	4005176871740	305.26
	<p><b>ditto, with lockable S unions, projection 274 mm</b></p>			
	32 775 000	Chrome	4005176871757	317.83
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions</p>			
	32 772 000	Chrome	4005176871726	264.35
	<p><b>Euroeco Special</b> <b>Single-lever basin mixer</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving</p>			
	32 780 000	Chrome	4005176871801	108.12
	<p><b>Euroeco Special</b> <b>Single-lever shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve metal lever lever length 120 mm S-unions protected against backflow without shower set</p>			

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 783 000	Chrome	4005176871832	127.04
	<p><b>Euroeco Special</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      metal lever                      lever length 120 mm                      temperature limiter                      S-unions                      protected against backflow                      without shower set</p>			
	32 784 000	Chrome	4005176871849	134.25
	<p><b>Euroeco Special</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for  <b>without concealed body</b>  <b>GROHE StarLight</b> chrome finish                      metal lever                      lever length 120 mm                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      temperature limiter</p>			
	33 963 000		4005176128387	92.35
	<b>Single-lever bath/shower mixer 1/2" concealed body</b>			
	33 961 000		4005176119972	309.34
	<b>Single-lever mixer 1/2", concealed body</b>			
	33 964 000		4005176128394	93.40
	<b>Single-lever shower mixer 1/2" concealed body</b>			
	33 962 000		4005176119989	208.83
	<b>Single-lever mixer 1/2", concealed body</b>			
	32 786 000	Chrome	4005176871863	134.26
	<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      selectable swivel area : 0° / 150° / 360°                      metal lever                      lever length 120 mm                      flexible connection hoses</p>			
	33 912 000	Chrome	4005176111969	404.43
	<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> chrome finish                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      metal lever                      lever length 120 mm                      temperature limiter                      Attention: old product</p>			


COMMERCIAL  
FITTINGS

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>32 787 000</b>	<b>Chrome</b>	<b>4005176871870</b>	<b>132.47</b>
	<b>Euroeco Special</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses			
	<b>32 870 000</b>	<b>Chrome</b>	<b>4005176876523</b>	<b>94.45</b>
	<b>Euroeco Special</b> <b>Lever 115 mm</b> for Euroeco special single-lever mixer <b>GROHE StarLight</b> chrome finish			
	<b>32 871 000</b>	<b>Chrome</b>	<b>4005176876530</b>	<b>110.72</b>
	<b>ditto, length 160 mm</b>			
 	<b>12 051 000</b>	<b>Chrome</b>	<b>4005176213588</b>	<b>40.93</b>
	<b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE StarLight</b> chrome finish			
 	<b>34 487 000</b>	<b>Chrome</b>	<b>4005176936234</b>	<b>134.26</b>
	<b>Grotherm Micro</b> <b>Thermostatic scalding protection</b> temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread <b>GROHE TurboStat</b> thermoelement <b>GROHE StarLight</b> chrome finish built-in non return valves dirt strainer without connection set			
 	<b>47 533 000</b>	<b>Chrome</b>	<b>4005176207181</b>	<b>30.43</b>
	<b>Grotherm Micro</b> <b>Connection set</b> for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose <b>GROHE StarLight</b> chrome finish			


# GROHE HOSPITA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




30 978 000	Chrome	4005176098918	213.22
------------	--------	---------------	--------

**Hospita**  
Sink pillar tap, 1/2"  
red/blue markers  
GROHE StarLight chrome finish



20 025 000	Chrome	4005176099403	124.88
------------	--------	---------------	--------

**Hospita**  
Pillar tap  
1/2"  
red/blue markers  
GROHE StarLight chrome finish













45 314 000	Chrome	4005176099250	82.90
------------	--------	---------------	-------







**Lever**  
projection 150 mm  
marking: blue/red  
for use with ceramic headparts  
GROHE StarLight chrome finish

COMMERCIAL  
FITTINGS

# GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>32 789 000</b> <b>Chrome</b>	<b>4005176871894</b>	<b>213.24</b>
		<b>Euroeco Single Sequential</b> <b>Single-lever safety basin mixer 1/2"</b> monobloc installation smooth body <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses		
		<b>32 788 000</b> <b>Chrome</b>	<b>4005176871887</b>	<b>235.79</b>
		<b>Ditto, with pop up waste set</b>		
		<b>32 790 000</b> <b>Chrome</b>	<b>4005176871900</b>	<b>283.27</b>
		<b>Euroeco Single Sequential</b> <b>Single-lever safety basin mixer 1/2"</b> monobloc installation smooth body high version <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses		
		<b>32 823 000</b> <b>Chrome</b>	<b>4005176877995</b>	<b>349.24</b>
		<b>Euroeco Special</b> <b>Single-lever safety basin mixer 1/2"</b> ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 170 mm metal lever lever length 170 mm without connection unions for wall mounting		
		<b>32 795 000</b> <b>Chrome</b>	<b>4005176871955</b>	<b>371.19</b>
		<b>Euroeco Single Sequential</b> <b>Single-lever safety basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever lever length 170 mm S-unions		

# GROHE EUROECO SINGLE SEQUENTIAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 792 000	Chrome	4005176871924	374.47
	<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast swivel spout, lockable with flow straightener 9 l/min.                      projection 197 mm                      metal lever                      lever length 120 mm                      S-unions</p>			
	32 793 000	Chrome	4005176871931	390.20
	<b>ditto, projection 256 mm</b>			
	46 278 000		4005176131868	103.89
	<p><b>Ceramic cartridge</b>                      for Euroeco special mixer</p>			
	28 874 000	Chrome	4005176042348	75.08
	<p><b>Tee Connection</b>                      for connection to shower and bath/shower- mixer                      union nut 1/2"                      2 connections 1/2" for the shower hose or drain valves  <b>GROHE StarLight</b> chrome finish</p>			
	28 988 000	Chrome	4005176042805	102.91
	<p><b>Drain Down Valve</b>                      for fitting between shut-off valve and shower                      acc. to hospital guide rules                      female thread 1/2"  <b>GROHE StarLight</b> chrome finish</p>			

COMMERCIAL  
FITTINGS

# GROHE EURODISC SE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 233 000	Chrome	4005176283338	539.36
------------	--------	---------------	--------



**Eurodisc SE**  
**Self-closing basin mixer with mixing device and adjustable temperature limiter**  
 6V lithium battery, type CR-P2  
**GROHE StarLight** chrome finish  
 flexible connection hoses  
 start-stop function  
 self-closing electronic  
 safety stop after 180 sec.  
 Flow time infinitely adjustable from 2-180 sec.  
 Automatic flushing: 5 min after 3 days without use  
 thermal desinfection for 3,5 or 11 min  
 CE approved  
 type of protection faucet IP 59K

36 249 000	Chrome	4005176283345	615.01
------------	--------	---------------	--------



**Eurodisc SE**  
**Self-closing basin tap 1/2"**  
 6V lithium battery, type CR-P2  
 for cold or premixed water  
 marking: blue (cold)  
**GROHE StarLight** chrome finish  
 flexible connection hose  
 dirt strainer  
 rapid installation system  
 start-stop function  
 self-closing electronic  
 safety stop after 180 sec.  
 external access to flow time adjustment  
 Flow time infinitely adjustable from 2-180 sec.  
 Automatic flushing: 5 min after 3 days without use  
 CE approved  
 type of protection faucet IP 59K

36 209 000	Chrome	4005176207105	72.04
------------	--------	---------------	-------










**Security cover cap**  
 vandal-proof, covered and pre-adjustable  
 suitable for single hole mixers  
 Europlus E and Eurodisc SE  
 Consisting of:  
 special mixing device for actuation by screwdriver  
 metallic cap  
**GROHE StarLight** chrome finish

42 886 000		4005176200670	40.93
------------	--	---------------	-------




**Battery**  
 6V lithium battery, type CR-P2

# GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 317 000	Chrome	4005176896514	280.94
<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing basin mixer with mixing device and adjustable temperature limiter</b>  <b>GROHE StarLight</b> chrome finish            3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)            2 flexible hoses, non-return valve            dirt strainers</p>				
	36 318 000	Chrome	4005176896521	303.50
<p><b>Ditto, with pop up waste set</b></p>				
 	36 319 000	Chrome	4005176896538	472.11
<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing basin mixer with mixing device and adjustable temperature limiter</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow            laminar flow straightener 9 l/min            swivel cast spout 200 mm            swivel range stop at 130°, lockable            3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)            S-unions, non-return valve            dirt strainers</p>				
 	36 320 000	Chrome	4005176896545	438.90
<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            mixing device with hot water stop-valve            hose connection G 1/2"            3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)            S-unions            non-return valve            dirt strainers</p>				
 	36 321 000	Chrome	4005176896552	314.76
<p><b>Eurosmart Cosmopolitan T</b>  <b>Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter</b>  <b>GROHE StarLight</b> chrome finish            3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)            dirt strainers            set for final installation for concealed fitting box            36 322 001  <b>without concealed body</b></p>				
 	36 322 001		4005176595400	130.56
<p><b>Eurosmart Cosmopolitan T</b>  <b>Concealed mounting box with mixture</b>            wall installation            with adhesive flange for sealing the wall            2 stop valves            non-return valve            for use with 36 321 000            allows for waterproofing of wall construction surrounding the concealed body            with sealing sleeve</p>				



# GROHE EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 265 000	Chrome	4005176893131	124.19
<p><b>Euroeco Cosmopolitan T Self-closing pillar tap 1/2"</b>                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	Chrome	4005176893148	101.38
<p><b>Euroeco Cosmopolitan T Self-closing pillar tap 1/2"</b>                      wall mounted                      marking: blue/red  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      5.7 l/min flow rate                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				
 	36 316 000	Chrome	4005176896279	33.02
<p><b>Euroeco Cosmopolitan T Extension, 42 mm</b>                      for self-closing pillar tap 1/2" (36 266 000)  <b>GROHE StarLight</b> chrome finish</p>				
 	36 268 000	Chrome	4005176893162	101.38
<p><b>Euroeco Cosmopolitan T Self-closing shower valve 1/2"</b>                      for concealed installation                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	Chrome	4005176893155	101.40
<p><b>Euroeco Cosmopolitan T Self-closing shower valve 1/2"</b>                      exposed body and trim set                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				



# GROHE SENSIA SHOWER TOILETS





**CONTENTS**

GROHE Sensia Arena  
Manual bidet seat

618  
621



# GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21<sup>st</sup> century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

**Enjoy a wealth of benefits that will fit you like a glove**

## **01 Perfect skin care**

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

## **02 Ultimate hygiene clean**

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

## **03 Personal comfort**

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

# GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

## COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



### REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



### LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



### **SOFT CLOSE SEAT**

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



### **RETRACTABLE NOZZLES**

The two retractable spray arms are protected for extra hygiene.



### **SPRAY ARM CLEANING FUNCTION**

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from antibacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.



# GROHE SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 354 SH1	alpine white	4005176470448	2,233.33
------------	--------------	---------------	----------

## GROHE Sensia Arena

### Shower toilet complete system for concealed flushing cisterns, wall-hung

**GROHE Hygiene** GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

soft close

infra-red user detection

seat control operation

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

smart phone app for iOS and Android

includes:

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)


nominal voltage 220-240 V AC

main frequency 50-60 Hz

type of protection IPX4

complies with EN 1717

CE approved



# GROHE SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 596 000		4005176527494	254.16
------------	--	---------------	--------

## Rapid SLX



**Element for WC, 1.13 m installation height with integrated socket and shower toilet connection with flushing cistern GD 2, 6 l - 9 l**

with integrated power socket  
ready for shower toilets (water)  
small revision shaft for small flush plates  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

## flushing cistern GD 2, 3 - 6 l, containing following features:

factory set 6 l and 3 l  
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
water supply from right, back or top  
low noise (group I acc. to German Noise Specification)  
fully insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase  
for vertical use

including flow manager  
reduces flow of the flush  
prevents overflow in rimless toilets  
easy flow regulation via inspection shaft without removing the valves  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)





39 598 000		4005176527517	287.49
------------	--	---------------	--------




## Rapid SLX

**3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l**

Consisting of:  
Rapid SLX element for WC (39 596 000) with integrated power socket  
Rapid SL front wall brackets (38 558 00M)  
WC set for noise protection (37 131 000)  
including flow manager



# GROHE SENSIA ARENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 944 001		4005176479977	199.00
	40 899 000		4005176413896	38.72
	14 926 002		4005176572128	255.00

**GROHE Sensia Arena**

**Installation kit for automatic flush and pre-flush**

Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet

Consisting of:

servo motor for GD 2

actuation rod for flushing valve

cable and blind cap

flexible hose

WC actuation plate not included

CE approved

**Retrofit kit for shower toilets Sensia Arena and IGS**

retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS

including:

conduit pipe with locking ring and flat seal

cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm

**GROHE Sensia Arena**

**Remote control**


for 39 354 SH0 and 39 354 SH1

for Sensia Arena shower toilet system, wall hung

including wall holder


# GROHE MANUAL BIDET SEAT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>39 648 SH0</b>	<b>alpine white</b>	<b>4005176575310</b>	<b>247.00</b>
-------------------	---------------------	----------------------	---------------


**Bau Ceramic Manual bidet seat**  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
includes:  
mounting plate  
filter  
pressure 0.1 - 1 MPa (1 - 10 bar)  
complies with EN 1717



<b>39 651 SH0</b>	<b>alpine white</b>	<b>4005176575327</b>	<b>346.00</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic Manual bidet seat 2-in-1 set wall hung**  
Consisting of:  
Bau manual bidet seat soft close (39 648 SH0)  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"

**Bau Ceramic wall hung WC (39 427 000)**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware





<b>39 652 SH0</b>	<b>alpine white</b>	<b>4005176575334</b>	<b>470.00</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic Manual bidet seat 3-in-1 set, wall hung**  
Consisting of:  
Bau manual bidet seat soft close (39 648 SH0)  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"

**Bau Ceramic wall hung WC (39 427 000)**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware

Grohtherm Micro 34 487 000  
small under-basin thermostat  
thermostatic scalding protection  
temperature adjustment 15-43° C (± 2° C)



<b>14 074 000</b>		<b>4005176575365</b>	<b>37.00</b>
-------------------	--	----------------------	--------------

**Accessory set shower hose and T piece**  
for manual bidet seat  
Consisting of:  
T unit 3/8"  
flexible connection hose  
795 mm  
3/8" x 3/8"

SHOWER TOILET

GROHE  
**CERAMICS**





## CONTENTS

Essence	630
Cube Ceramic	638
Euro Ceramic	642
Bau Ceramic	648
Acrylic shower trays	656

# FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



**ESSENCE**  
BEAUTY IN ITS PUREST FORM



**CUBE CERAMIC**  
A CLEAR STYLE STATEMENT



**EURO CERAMIC**  
IN TUNE WITH MY LIFESTYLE



**BAU CERAMIC**  
VERSATILITY FOR A MODERN LIFE



# FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

## OUR KEY TECHNOLOGIES

---



**TRIPLE VORTEX FLUSH**  
THE POWER OF THREE: CLEAN AND SILENT



**RIMLESS TECHNOLOGY**  
LEAVES BACTERIA NOWHERE TO HIDE



**PUREGUARD**

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



**QUICK RELEASE SEAT**

EASY REMOVAL FOR EASY CLEANING



**SEAT & COVER SOFT CLOSE**

GENTLE AND QUIET

# WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE  
COSMOPOLITAN



EUROSTYLE



EUROSMArt  
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROcUBE



LINEARE















ALLURE













ALLURE  
BRILLIANT













# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>39 564 00H</b>	<b>alpine white</b>	<b>4005176485602</b>	<b>275.84</b>
<p><b>Essence</b> <b>Wash basin 70</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 565 00H</b>	<b>alpine white</b>	<b>4005176485619</b>	<b>254.54</b>
<p><b>Essence</b> <b>Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 566 00H</b>	<b>alpine white</b>	<b>4005176485626</b>	<b>605.99</b>
<p><b>Essence</b> <b>Vanity basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 567 00H</b>	<b>alpine white</b>	<b>4005176485633</b>	<b>435.59</b>
<p><b>Essence</b> <b>Vanity basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 568 00H</b>	<b>alpine white</b>	<b>4005176485640</b>	<b>297.14</b>
<p><b>Essence</b> <b>Vanity basin 60</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 608 00H</b>	<b>alpine white</b>	<b>4005176566493</b>	<b>579.36</b>
<p><b>Essence</b> <b>Vessel basin 60</b> without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					











# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>39 609 00H</b>	<b>alpine white</b>	<b>4005176566509</b>	<b>386.60</b>
<p><b>Essence</b>  <b>Vessel basin 45</b>            without overflow            450 x 450 mm            including fixation set            including ceramic waste, removable cover            non-closable            sanitary ware            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 570 000</b>	<b>alpine white</b>	<b>4005176484865</b>	<b>158.69</b>
<p><b>Essence</b>  <b>Half pedestal</b>            including fixation set            sanitary ware</p>					
		<b>39 571 00H</b>	<b>alpine white</b>	<b>4005176485671</b>	<b>382.34</b>
<p><b>Essence</b>  <b>Wall hung WC</b>            for concealed cistern            wash down            rimless            horizontal outlet            flush volume 6/3 l            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>					
		<b>39 572 00H</b>	<b>alpine white</b>	<b>4005176485688</b>	<b>424.94</b>
<p><b>Essence</b>  <b>Floor standing WC for close coupled combination</b>            close coupled            universal trap for horizontal and vertical outlet            wash down            rimless            flush volume 6/3 l            including fixation set            cistern to be ordered separately            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>					
		<b>39 573 00H</b>	<b>alpine white</b>	<b>4005176485794</b>	<b>399.38</b>
<p><b>Essence</b>  <b>Floor standing back to wall WC</b>            universal trap for horizontal and vertical outlet            back to wall            for concealed cistern            rimless            flush volume 6/3 l            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>					









# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 578 000	alpine white	4005176485145	243.89
<p><b>Essence</b> <b>Exposed flushing cistern for close coupled combination</b> connection from the left/right hand side including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware</p>				
 	39 579 000	alpine white	4005176485152	243.89
<p><b>Essence</b> <b>Exposed flushing cistern for close coupled combination</b> bottom inlet inlet and outlet concealed including flushing set GROHE AV1 dual flush 4,5/3 l including fixation set sanitary ware</p>				
 	39 577 000	alpine white	4005176485138	158.69
<p><b>Essence</b> <b>WC seat soft close</b> with lid quick release function detachable material: Duroplast including fixation set compatible with all Essence bowls</p>				
 	39 576 000	alpine white	4005176485121	105.44
<p><b>Essence</b> <b>WC seat</b> with lid quick release function detachable material: Duroplast including fixation set compatible with all Essence bowls</p>				
 	39 574 00H	alpine white	4005176485800	382.34
<p><b>Essence</b> <b>Wall hung bidet</b> 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 575 00H	alpine white	4005176485817	399.38
<p><b>Essence</b> <b>Floor standing bidet</b> 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				









# GROHE ESSENCE







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 611 000</b>	<b>alpine white</b>	<b>4005176571275</b>	<b>6,598.63</b>
	<b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats			
	<b>39 612 000</b>	<b>alpine white</b>	<b>4005176571282</b>	<b>6,389.73</b>
	<b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with AntiSlip without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats			
	<b>39 613 00H</b>	<b>alpine white</b>	<b>4005176571299</b>	<b>6,734.13</b>
	<b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with EasyClean without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats			
	<b>39 614 00H</b>	<b>alpine white</b>	<b>4005176571305</b>	<b>6,869.64</b>
	<b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with EasyClean with AntiSlip without overflow sanitary titan steel mandatory waste set 49 113 000/SH0 (sold separately) mains supply necessary for installation of waste set 49 113 000/SH0 includes noise suppression mats			
	<b>39 729 000</b>	<b>alpine white</b>	<b>4005176594991</b>	<b>6,011.13</b>
	<b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 728 000</b>	<b>alpine white</b>	<b>4005176594885</b>	<b>6,389.73</b>
	<p><b>Essence Bathtub</b>                      free standing                      180 x 80 cm                      height 57.5 cm                      water volume 240 l                      usable volume 170 l                      with AntiSlip                      with overflow                      sanitary titan steel                      suitable for Talento waste sets (28 943 000 + 19 025 000)                      suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)                      includes noise suppression mats</p>			
	<b>39 727 00H</b>	<b>alpine white</b>	<b>4005176594878</b>	<b>6,734.13</b>
	<p><b>Essence Bathtub</b>                      free standing                      180 x 80 cm                      height 57.5 cm                      water volume 240 l                      usable volume 170 l                      with EasyClean                      with overflow                      sanitary titan steel                      suitable for Talento waste sets (28 943 000 + 19 025 000)                      suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)                      includes noise suppression mats</p>			
	<b>39 726 00H</b>	<b>alpine white</b>	<b>4005176594861</b>	<b>6,869.64</b>
	<p><b>Essence Bathtub</b>                      free standing                      180 x 80 cm                      height 57.5 cm                      water volume 240 l                      usable volume 170 l                      with EasyClean                      with AntiSlip                      with overflow                      sanitary titan steel                      suitable for Talento waste sets (28 943 000 + 19 025 000)                      suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)                      includes noise suppression mats</p>			
	<b>39 617 000</b>	<b>alpine white</b>	<b>4005176571312</b>	<b>1,266.82</b>
	<p><b>Essence Bathtub</b>                      built-in                      180 x 80 cm                      height 45 cm                      water volume 240 l                      usable volume 170 l                      with overflow                      sanitary titan steel                      suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets                      recommended Poresta installation set # 17156511                      recommended Schedel installation set SW 80026                      includes noise suppression mats                      requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			

# GROHE ESSENCE













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 619 000</b>	<b>alpine white</b>	<b>4005176571329</b>	<b>1,397.08</b>
	<p><b>Essence Bathtub</b> built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with AntiSlip with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 620 00H</b>	<b>alpine white</b>	<b>4005176571336</b>	<b>1,397.08</b>
	<p><b>Essence Bathtub</b> built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 621 00H</b>	<b>alpine white</b>	<b>4005176571343</b>	<b>1,526.20</b>
	<p><b>Essence Bathtub</b> built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with AntiSlip with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 622 000</b>	<b>alpine white</b>	<b>4005176571350</b>	<b>6,313.80</b>
	<p><b>Essence Bathtub</b> back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 623 000</b>	<b>alpine white</b>	<b>4005176571367</b>	<b>6,744.99</b>
	<p><b>Essence Bathtub</b> back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with drilled tap hole please fill in the drilling template while ordering with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	<b>39 649 00H</b>	<b>alpine white</b>	<b>4005176571374</b>	<b>6,744.84</b>
	<p><b>Essence Bathtub</b> back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	<b>39 650 00H</b>	<b>alpine white</b>	<b>4005176571381</b>	<b>6,882.29</b>
	<p><b>Essence Bathtub</b> back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with EasyClean with drilled tap hole please fill in the drilling template while ordering with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			













# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 113 000	Chrome	4005176571398	2,031.84
	49 113 SH0	alpine white	4005176571404	2,036.14
	<p><b>Essence</b>  <b>Waste set for free standing bathtubs</b>                      dual function of overflow and waste water drainage                      concealed overflow                      electric pressure sensor unlocks the overflow drainage                      mains supply necessary for installation</p>			
	19 025 000	Chrome	4005176209154	54.73
	<p><b>Talento</b>  <b>Waste and overflow set for baths</b>                      set for final installation                      escutcheon                      waste plug                      fixing set                      in combination with Talento 28 939 000/28 943 000  <b>GROHE StarLight</b> chrome finish</p>			
				
	19 952 000	Chrome	4005176174230	49.16
	<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      set for final installation                      escutcheon                      supply part                      waste plug                      fixing set</p>			
				
	28 943 000		4005176209178	94.57
	<p><b>Talento</b>  <b>Pop-up bath waste and overflow</b>                      with bowden cable                      without finishing trim set                      bottle trap                      45° waste elbow</p>			
				
	28 991 000		4005176174032	190.19
	<p><b>Talentofill</b>  <b>Inlet-, pop-up and waste-system</b>                      for baths with waste up to 370 mm reach                      without finishing trim set</p>			
				
	49 115 000	Chrome	4005176571411	102.02
	<p><b>Essence</b>  <b>Feet for built-in bathtubs</b>                      individual height adjustment of each foot  <b>GROHE FastFixation</b> system</p>			











# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 386 00H	alpine white	4005176438356	538.94
	<b>Cube Ceramic Wash basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm <b>wall fixings not included</b> sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 469 00H	alpine white	4005176438363	465.79
	<b>Cube Ceramic Wash basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 473 00H	alpine white	4005176438370	252.03
	<b>Cube Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 474 00H	alpine white	4005176438387	235.15
	<b>Cube Ceramic Wash basin 50</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 475 00H	alpine white	4005176442599	538.94
	<b>Cube Ceramic Counter top basin 100</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 476 00H	alpine white	4005176442605	466.92
	<b>Cube Ceramic Counter top basin 80</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			









# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 477 00H	alpine white	4005176442612	253.15
<p><b>Cube Ceramic Counter top basin 60</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 478 00H	alpine white	4005176442629	237.40
<p><b>Cube Ceramic Counter top basin 50</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 481 00H	alpine white	4005176442650	227.27
<p><b>Cube Ceramic Vessel basin 50</b> without overflow 500 x 470 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 482 00H	alpine white	4005176442667	201.39
<p><b>Cube Ceramic Vessel basin 40</b> without overflow 400 x 400 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 480 00H	alpine white	4005176442643	227.27
<p><b>Cube Ceramic Under-counter wash basin 50</b> installation from below with overflow 492 x 370 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	39 479 00H	alpine white	4005176442636	243.02
<p><b>Cube Ceramic Counter basin 60</b> flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 605 x 490 mm <b>walls fixings not included</b> including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				

# GROHE CUBE CERAMIC












	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 483 00H	alpine white	4005176442674	195.77
	<b>Cube Ceramic</b> <b>Hand rinse basin 45</b> wall hung 1 hole punched with overflow 455 x 350 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)			
	39 245 00H	alpine white	4005176524479	480.32
	<b>Cube Ceramic</b> <b>Wall hung WC</b> horizontal outlet rimless flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 488 000 (soft close)			
	39 485 00H	alpine white	4005176442704	420.80
	<b>Cube Ceramic</b> <b>Floor standing back to wall WC</b> universal trap for horizontal and vertical outlet back to wall wash down rimless flush volume 6/3 l including fixation set sanitary ware fully skirted with invisible fixation With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 488 000 (soft close)			
	39 484 00H	alpine white	4005176442698	452.30
	<b>Cube Ceramic</b> <b>Floor standing WC for close coupled combination</b> close coupled universal trap for horizontal and vertical outlet rimless flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing) compatible with seat and cover 39 488 000 (soft close)			
	39 489 000	alpine white	4005176442742	237.42
	<b>Cube Ceramic</b> <b>Exposed flushing cistern for close coupled combination</b> connection from the left/right hand side including flushing set GROHE AV1 including fixation set sanitary ware			

# GROHE CUBE CERAMIC













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 490 000</b>	<b>alpine white</b>	<b>4005176442759</b>	<b>237.42</b>
<p><b>Cube Ceramic</b>  <b>Exposed flushing cistern for close coupled combination</b>  bottom inlet  inlet and outlet concealed  including flushing set GROHE AV1  including fixation set  sanitary ware</p>				
 	<b>39 488 000</b>	<b>alpine white</b>	<b>4005176442735</b>	<b>174.40</b>
<p><b>Cube Ceramic</b>  <b>WC seat soft close</b>  with lid  quick release function  detachable  material: Duroplast  including fixation set  compatible with all Cube Ceramic bowls</p>				
 	<b>39 486 00H</b>	<b>alpine white</b>	<b>4005176442711</b>	<b>369.05</b>
<p><b>Cube Ceramic</b>  <b>Wall hung bidet</b>  1 hole punched  with overflow  including fixation set  sanitary ware  fully skirted with invisible fixation  With <b>PureGuard</b> hygiene coating  (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 487 00H</b>	<b>alpine white</b>	<b>4005176442728</b>	<b>381.41</b>
<p><b>Cube Ceramic</b>  <b>Floor standing bidet</b>  1 hole punched  with overflow  including fixation set  sanitary ware  fully skirted with invisible fixation  With <b>PureGuard</b> hygiene coating  (anti-stick coating and anti-bacterial glazing)</p>				













# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 585 00H</b>	<b>alpine white</b>	<b>4005176519178</b>	<b>463.28</b>
<p><b>Euro Ceramic Vanity basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 584 00H</b>	<b>alpine white</b>	<b>4005176519161</b>	<b>358.91</b>
<p><b>Euro Ceramic Vanity basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 323 000</b> <b>39 323 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176407116</b> <b>4005176417344</b>	<b>102.03</b> <b>153.63</b>
<p><b>Euro Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 650 x 515 mm <b>wall fixings not included</b> sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>				
	<b>39 335 000</b> <b>39 335 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176407239</b> <b>4005176417351</b>	<b>96.32</b> <b>142.19</b>
<p><b>Euro Ceramic Wash basin 60</b> wall hung 1 hole punched with overflow 600 x 480 mm <b>wall fixings not included</b> sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>				
 	<b>39 641 000</b>	<b>alpine white</b>	<b>4005176570155</b>	<b>228.99</b>
<p><b>Euro Ceramic Bundle wash basin 60 + Eurosmart basin mixer</b> Consisting of: <b>Euro Ceramic wash basin 60 (39 335 000)</b> Eurosmart basin mixer M-size (23 322 001) TOX mounting set <b>Angle valve 1/2" (22 039 000)</b> <b>P-trap 1 1/4" (28 947 000)</b></p>				
 	<b>39 642 000</b> <b>39 642 KW0</b>	<b>alpine white</b> <b>supermatt black</b>	<b>4005176570162</b> <b>4005176573521</b>	<b>239.64</b> <b>273.00</b>
<p><b>Euro Ceramic Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer</b> Consisting of: <b>Euro Ceramic wash basin 60 (39 335 000)</b> Eurosmart Cosmopolitan basin mixer M-Size (23 325 000) TOX mounting set <b>Angle valve 1/2" (22 039 000)</b> <b>P-trap 1 1/4" (28 947 000)</b></p>				











# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 337 000	alpine white	4005176407253	102.04
	39 337 00H	alpine white	4005176418334	153.65
	<p><b>Euro Ceramic Counter top basin 60</b>            1 hole punched with overflow            600 x 480 mm  <b>wall fixings not included</b>            sanitary ware            optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 336 000	alpine white	4005176407246	94.83
	39 336 00H	alpine white	4005176417368	140.46
	<p><b>Euro Ceramic Wash basin 55</b>            wall hung            1 hole punched with overflow            550 x 450 mm  <b>wall fixings not included</b>            sanitary ware            optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 423 000	alpine white	4005176406201	111.41
	<p><b>Bau Ceramic Undercounter wash basin 55</b>            installation from below            with overflow            560 x 420 mm  <b>fixings included</b>            sanitary ware</p>			
	39 324 000	alpine white	4005176407123	67.66
	39 324 00H	alpine white	4005176417375	119.26
	<p><b>Euro Ceramic Hand rinse basin 45</b>            wall hung            1 hole punched with overflow            450 x 400 mm  <b>wall fixings not included</b>            sanitary ware            distance between installation holes: 160 mm            optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 327 000	alpine white	4005176390104	84.84
	39 327 00H	alpine white	4005176418341	136.45
	<p><b>Euro Ceramic Compact handrinse basin</b>            wall hung            1 hole punched            370 x 180 mm  <b>wall fixings not included</b>            sanitary ware            no pedestals recommended            optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 201 000	alpine white	4005176344947	73.39
	<p><b>Euro Ceramic Semi pedestal for wash basin</b>  <b>39230, 39335 and 39336</b>            invisible fixation set included            sanitary ware            suitable for all GROHE wash basins except            39 324 000, 39 324 00H, 39 327000, 39 327 00H</p>			











# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 325 000	alpine white	4005176407130	73.39
	<p><b>Euro Ceramic</b>  <b>Semi pedestal for hand rinse basin</b>  <b>39 324 000</b>                      invisible fixation set included                      sanitary ware                      suitable for hand rinse basins 39 324 000/39 324 00H</p>			
	39 202 000	alpine white	4005176344954	84.84
	<p><b>Euro Ceramic</b>  <b>Full pedestal for wash basin</b>  <b>39230,39335,39336 and 39324</b>                      invisible fixation set included                      sanitary ware                      suitable for all GROHE wash basins except                      39 324 000, 39 324 00H, 39 327000, 39 327 00H</p>			
	39 328 000 39 328 00H	alpine white alpine white	4005176407161 4005176417382	285.51 337.12
	<p><b>Euro Ceramic</b>  <b>Wall hung WC</b>                      for concealed cistern                      horizontal outlet                      Triple Vortex                      rimless                      flush volume 3/5 l                      including fixation set                      sanitary ware                      fully skirted with invisible fixation                      optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)                      compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			
	39 554 000	alpine white	4005176484452	382.35
	<p><b>Euro Ceramic</b>  <b>Wall hung WC set</b>                      WC seat and lid with quick release and soft close feature                      for concealed cistern                      Triple Vortex                      wash down                      rimless                      horizontal outlet                      flush volume 3/5 l                      sanitary ware                      detachable                      material: Duroplast  <b>4 pieces per pallet</b></p>			
	39 206 000 39 206 00H	alpine white alpine white	4005176344992 4005176418495	262.59 314.17
	<p><b>Euro Ceramic</b>  <b>Wall hung compact WC</b>                      horizontal outlet                      Triple Vortex                      rimless                      flush volume 3/5 l                      49 cm width                      including fixation set                      sanitary ware                      fully skirted with invisible fixation                      optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)                      compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			

# GROHE EURO CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 693 000	alpine white	4005176581281	354.40
	<b>Euro Ceramic Wall hung WC set</b> Consisting of: Euro Ceramic wall hung compact WC (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation  Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast			
	39 538 000	alpine white	4005176468292	223.66
	<b>Euro Ceramic Wall hung WC, basic</b> for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)			
	39 338 000 39 338 00H	alpine white alpine white	4005176407260 4005176418501	222.46 274.04
	<b>Euro Ceramic Floor standing WC for close coupled combination</b> close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)			
	39 332 000	alpine white	4005176407208	205.25
	<b>Euro Ceramic Exposed flushing cistern</b> bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware			
	39 333 000	alpine white	4005176407215	205.25
	<b>Euro Ceramic Exposed flushing cistern</b> side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware			

# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 462 000	alpine white	4005176454608	480.81
	39 462 00H	alpine white	4005176454615	530.29
	<p><b>Euro Ceramic Floor standing 2 piece WC</b>  close coupled  universal trap for horizontal and vertical outlet  Triple Vortex  rimless  flush volume 6/3 l  including cistern with bottom inlet, seat and cover soft close and fixation set  sanitary ware  optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 339 000	alpine white	4005176407277	218.24
	39 339 00H	alpine white	4005176418525	269.84
	<p><b>Euro Ceramic Floor standing back to wall WC</b>  horizontal outlet  back to wall  Triple Vortex  rimless  flush volume 3/5 l  including fixation set  sanitary ware  fully skirted with invisible fixation  optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)  compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			
	39 330 001	alpine white	4005176468834	102.07
	<p><b>Euro Ceramic WC seat soft close</b>  with lid  quick release function  detachable  material: Duroplast  including fixation set  compatible with all Euro Ceramic bowls</p>			
	39 331 001	alpine white	4005176468827	72.73
	<p><b>Euro Ceramic WC seat</b>  with lid  quick release function  detachable  material: Duroplast  including fixation set  suitable for all GROHE Euro Ceramic WCs</p>			
	39 208 000	alpine white	4005176345029	256.86
	39 208 00H	alpine white	4005176418532	308.45
	<p><b>Euro Ceramic Wall hung bidet</b>  1 hole punched  with overflow  including fixation set  sanitary ware  fully skirted with invisible fixation  optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			

# GROHE EURO CERAMIC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



39 340 000	alpine white	4005176423697	222.43
39 340 00H	alpine white	4005176423703	274.04


**Euro Ceramic**  
**Floor standing bidet**  
 1 hole punched  
 with overflow  
 including fixation set  
 sanitary ware  
 fully skirted with invisible fixation  
 optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




39 420 000	alpine white	4005176405983	72.01
------------	--------------	---------------	-------

**Bau Ceramic Wash basin 65**  
wall hung  
1 hole punched  
with overflow  
646 x 468 mm  
**wall fixings not included**  
sanitary ware



39 421 000	alpine white	4005176428906	66.39
------------	--------------	---------------	-------

**Bau Ceramic Wash basin 60**  
wall hung  
1 hole punched  
with overflow  
609 x 442 mm  
**wall fixings not included**  
sanitary ware



39 644 000	alpine white	4005176570186	174.67
------------	--------------	---------------	--------

**Bau Ceramic Bundle wash basin 60 + BauFlow basin mixer**  
Consisting of:  
**Bau Ceramic wash basin 60 (39 421 000)**  
wall hung  
1 hole punched  
with overflow  
609 x 442 mm  
**wall fixings not included**  
sanitary ware

**BauFlow single-lever basin mixer S-size (23 751 000)**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses


**Mounting set**  
brand: TOX  
hanger bolts M10 x 140

**Angle valve 1/2" (22 039 000)**  
self-sealing connection thread  
wall connection 1/2"  
outlet thread 3/8"  
with length compensation  
with compression nut Ø 10 mm  
water protected spindle shutoff, brass,  
with grease chamber and double o-ring sealing  
long connecting shaft  
ergonomic metal handle  
marking: neutral  
metal push-on escutcheon Ø 55 mm  
**GROHE StarLight** chrome finish

**P-trap 1 1/4" (28 947 000)**  
for basins  
wall connection  
escutcheon

# GROHE BAU CERAMIC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



39 440 000	alpine white	4005176405976	60.75
------------	--------------	---------------	-------

**Bau Ceramic Wash basin 55**  
wall hung  
1 hole punched  
with overflow  
553 x 386 mm  
**wall fixings not included**  
sanitary ware

39 643 000	alpine white	4005176570179	190.64
------------	--------------	---------------	--------



**Bau Ceramic Bundle wash basin 55 + BauEdge basin mixer**  
Consisting of:  
**Bau Ceramic wash basin 55 (39 440 000)**  
wall hung  
1 hole punched  
with overflow  
553 x 386 mm  
**wall fixings not included**  
sanitary ware


**BauEdge single-lever basin mixer M-size (23 759 000)**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses

**Mounting set**  
brand: TOX  
hanger bolts M10 x 140

**Angle valve 1/2" (22 039 000)**  
self-sealing connection thread  
wall connection 1/2"  
outlet thread 3/8"  
with length compensation  
with compression nut Ø 10 mm  
water protected spindle shutoff, brass,  
with grease chamber and double o-ring sealing  
long connecting shaft  
ergonomic metal handle  
marking: neutral  
metal push-on escutcheon Ø 55 mm  
**GROHE StarLight** chrome finish

**P-trap 1 1/4" (28 947 000)**  
for basins  
wall connection  
escutcheon

39 422 000	alpine white	4005176406195	111.41
------------	--------------	---------------	--------



**Bau Ceramic Counter Drop-in basin 55**  
built-in  
1 hole punched  
with overflow  
560 x 400 mm  
**fixings included**  
sanitary ware















# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 423 000	alpine white	4005176406201	111.41
	<b>Bau Ceramic</b> <b>Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm <b>fixings included</b> sanitary ware			
	39 424 000	alpine white	4005176406218	60.75
	<b>Bau Ceramic</b> <b>Hand rinse basin 45</b> wall hung 1 hole punched with overflow 453 x 354 mm <b>wall fixings not included</b> sanitary ware distance between installation holes: 205 mm			
	39 426 000	alpine white	4005176406232	66.40
	<b>Bau Ceramic</b> <b>Half pedestal</b> including fixation set sanitary ware suitable to all Bau Ceramic wash basins except 39 424 000			
	39 425 000	alpine white	4005176406225	60.75
	<b>Bau Ceramic</b> <b>Full pedestal</b> including fixation set sanitary ware			
	39 427 000	alpine white	4005176406249	111.39
	<b>Bau Ceramic</b> <b>Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)			
	39 491 000	alpine white	4005176449994	78.00
	<b>Bau Ceramic</b> <b>Wall hung WC</b> for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)			









# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 428 000	alpine white	4005176406256	128.26
<p><b>Bau Ceramic</b>  <b>Floor standing WC for close coupled combination</b>  wash down  boxed rim  horizontal outlet  flush volume 6/3 l  including fixation set  cistern to be ordered separately  sanitary ware  compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
	39 349 000	alpine white	4005176449659	139.51
<p><b>Bau Ceramic</b>  <b>Floor standing WC for close coupled combination</b>  wash down  rimless  horizontal outlet  flush volume 6/3 l  including fixation set  cistern to be ordered separately  sanitary ware  compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>				
	39 429 000	alpine white	4005176406263	139.51
<p><b>Bau Ceramic</b>  <b>Floor standing WC for close coupled combination</b>  wash down  rimless  vertical outlet, concealed  flush volume 6/3 l  including fixation set  cistern to be ordered separately  sanitary ware  compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
	39 436 000	alpine white	4005176406331	111.38
<p><b>Bau Ceramic</b>  <b>Exposed flushing cistern</b>  bottom inlet  inlet and outlet concealed  including flushing set &amp; button  sanitary ware</p>				
	39 437 000	alpine white	4005176406348	111.38
<p><b>Bau Ceramic</b>  <b>Exposed flushing cistern</b>  connection from the left/right hand side  including flushing set &amp; button  sanitary ware</p>				
	39 430 000	alpine white	4005176406270	94.52
<p><b>Bau Ceramic</b>  <b>Floor standing WC</b>  wash down  rimless  horizontal outlet  flush volume 6/3 l  including fixation set  sanitary ware</p>				



# GROHE BAU CERAMIC



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 431 000	alpine white	4005176406287	94.52
<p><b>Bau Ceramic Floor standing WC</b> wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware</p>				
 	39 492 000	alpine white	4005176450013	43.89
<p><b>Bau Ceramic WC seat</b> with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls</p>				
 	39 493 000	alpine white	4005176450020	88.91
<p><b>Bau Ceramic WC seat soft close</b> with lid quick release function detachable material: Duroplast including fixation set compatible with all Bau Ceramic bowls</p>				
 	39 433 000	alpine white	4005176406300	190.15
<p><b>Bau Ceramic Wall hung bidet</b> 1 hole punched with overflow sanitary ware</p>				
 	39 432 000	alpine white	4005176406294	190.13
<p><b>Bau Ceramic Floor standing bidet</b> 1 hole punched with overflow including fixation set sanitary ware</p>				
 	39 438 000	alpine white	4005176406355	212.65
<p><b>Bau Ceramic Urinal</b> concealed inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000</p>				



# GROHE BAU CERAMIC







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 439 000	alpine white	4005176406362	212.65
<p><b>Bau Ceramic Urinal</b> top inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately</p>				
 	39 351 000	alpine white	4005176450006	190.14
<p><b>Bau Ceramic Wall hung WC set</b> WC seat and lid with soft close feature for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware</p>				
 	39 497 000	alpine white	4005176450068	143.78
<p><b>Bau Ceramic Wall hung WC set</b> for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware</p>				
 	39 347 000	alpine white	4005176449680	302.65
<p><b>Bau Ceramic Bundle close coupled WC</b> Consisting of: <b>Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)</b> wash down boxed rim horizontal outlet, concealed flush volume 6/3 l including fixation set sanitary ware <b>Bau Ceramic exposed flushing cistern (39 437 000)</b> connection from the left/right hand side including flushing set &amp; button sanitary ware <b>Bau Ceramic WC seat (39 493 000)</b> with lid soft close quick release function detachable material: Duroplast including fixation set</p>				

# GROHE BAU CERAMIC









Ref. No.	Colour	EAN	Retail Guide Price (£)
39 346 000	alpine white	4005176449673	313.90
 			
<p><b>Bau Ceramic Bundle close coupled WC</b>            Consisting of:            Bau Ceramic floor standing toilet with vertical outlet (39 429 000)            wash down            rimless            vertical outlet            flush volume 6/3 l            including fixation set            sanitary ware</p>			
<p><b>Bau Ceramic exposed flushing cistern (39 437 000)</b>            connection from the left/right hand side            including flushing set &amp; button            sanitary ware</p>			
<p><b>Bau Ceramic WC seat (39 493 000)</b>            with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>			

39 496 000	alpine white	4005176450051	314.82
 			
<p><b>Bau Ceramic Bundle close coupled WC</b>            Consisting of:            Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)            wash down            rimless            horizontal outlet            flush volume 6/3 l            including fixation set            sanitary ware</p>			
<p><b>Bau Ceramic exposed flushing cistern (39 494 000)</b>            connection from the left/right hand side            including flushing set &amp; button            sanitary ware</p>			
<p><b>Bau Ceramic WC seat (39 493 000)</b>            with lid            soft close            quick release function            detachable            material: Duroplast            including fixation set</p>			











39 648 SH0	alpine white	4005176575310	247.00
 			
<p><b>Bau Ceramic Manual bidet seat</b>            WC seat with lid            2 dedicated spray arms (1 for anal area, 1 for lady spray)            pre- and post-rinsing of spray nozzle with fresh water            manually operated side handle requires no electricity            adjustable spray intensity            Duroplast WC seat and lid with soft close function            flexible water connection 3/8"            includes:            mounting plate            filter            pressure 0.1 - 1 MPa (1 - 10 bar)            complies with EN 1717</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>39 651 SH0</b> <b>alpine white</b>	<b>4005176575327</b>	<b>346.00</b>
		<p><b>Bau Ceramic</b>  <b>Manual bidet seat 2-in-1 set wall hung</b>            Consisting of:            Bau manual bidet seat soft close (39 648 SH0)            WC seat with lid            2 dedicated spray arms (1 for anal area, 1 for lady spray)            pre- and post-rinsing of spray nozzle with fresh water            manually operated side handle requires no electricity            adjustable spray intensity            Duroplast WC seat and lid with soft close function            flexible water connection 3/8"</p> <p><b>Bau Ceramic wall hung WC (39 427 000)</b>            for concealed cistern            wash down            rimless            horizontal outlet            flush volume 6/3 l            sanitary ware</p>		
		<b>39 652 SH0</b> <b>alpine white</b>	<b>4005176575334</b>	<b>470.00</b>
		<p><b>Bau Ceramic</b>  <b>Manual bidet seat 3-in-1 set, wall hung</b>            Consisting of:            Bau manual bidet seat soft close (39 648 SH0)            WC seat with lid            2 dedicated spray arms (1 for anal area, 1 for lady spray)            pre- and post-rinsing of spray nozzle with fresh water            manually operated side handle requires no electricity            adjustable spray intensity            Duroplast WC seat and lid with soft close function            flexible water connection 3/8"</p> <p><b>Bau Ceramic wall hung WC (39 427 000)</b>            for concealed cistern            wash down            rimless            horizontal outlet            flush volume 6/3 l            sanitary ware</p> <p>Grotherm Micro 34 487 000            small under-basin thermostat            thermostatic scalding protection            temperature adjustment 15-43° C (± 2° C)</p>		
		<b>14 074 000</b>	<b>4005176575365</b>	<b>37.00</b>
<p><b>Accessory set shower hose and T piece</b>            for manual bidet seat            Consisting of:            T unit 3/8"            flexible connection hose            795 mm            3/8" x 3/8"</p>				

# GROHE ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 300 000	alpine white	4005176346026	249.00
		<p><b>Acrylic shower tray 1000 x 1000</b>            dimensions: 1000 x 1000 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014416            recommended Schedel installation set SD 90083</p>	
39 301 000	alpine white	4005176346033	183.55
		<p><b>Acrylic shower tray 900 x 900</b>            dimensions: 900 x 900 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014408            recommended Schedel installation set SD 90081</p>	
39 302 000	alpine white	4005176346040	176.03
		<p><b>Acrylic shower tray 800 x 800</b>            dimensions: 800 x 800 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014411            recommended Schedel installation set SD 90080</p>	
39 305 000	alpine white	4005176346071	311.27
		<p><b>Acrylic shower tray 800 x 1200</b>            dimensions: 800 x 1200 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA mounting frame SF (# 150183)            extension set MR SF (# 150194)            height adjustment easy lift (# 150193)            wall rails for shower trays (# 190032)            rim sealing (# 180040)            recommended Poresta installation set # 17014413            recommended Schedel installation set SD 90084</p>	

# GROHE ACRYLIC SHOWER TRAYS


Ref. No.	Colour	EAN	Retail Guide Price (£)
39 306 000	alpine white	4005176346088	202.86
		<p><b>Acrylic shower tray 800 x 1000</b>            dimensions: 800 x 1000 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014412            recommended Schedel installation set SD 90082</p>	
39 307 000	alpine white	4005176346095	445.44
		<p><b>Acrylic shower tray 900 x 1400</b>            dimensions: 900 x 1400 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA mounting frame SF (# 150181)            height adjustment easy lift (# 150193)            wall rails for shower trays (# 190032)            rim sealing (# 180040)            recommended Poresta installation set # 17014415            recommended Schedel installation set SD 90086</p>	
39 308 000	alpine white	4005176346101	383.18
		<p><b>Acrylic shower tray 900 x 1200</b>            dimensions: 900 x 1200 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA mounting frame SF (# 150183)            extension set MR SF (# 150194)            height adjustment easy lift (# 150193)            wall rails for shower trays (# 190032)            rim sealing (# 180040)            recommended Poresta installation set # 17014414            recommended Schedel installation set SD 90085</p>	
49 533 000	Chrome	4005176478475	31.78
49 533 SH0	alpine white	4005176560033	48.72
		<p><b>Waste set for universal shower tray</b>            Ø 112 mm            vertical outlet  <b>GROHE StarLight</b> chrome finish            flow rate 1.1 l/s according to DIN EN 274</p>	
49 534 000	Chrome	4005176478482	31.78
49 534 SH0	alpine white	4005176560040	48.72
		<p><b>Waste set for universal shower tray</b>            Ø 112 mm            horizontal outlet  <b>GROHE StarLight</b> chrome finish            flow rate 0.7 l/s (42 l/min) according to DIN EN 274</p>	

CERAMICS



GROHE  
INSTALLATION SYSTEMS







## CONTENTS

Rapid SLX	Rapid SLX	660
Rapid SL	Rapid SL for WC	662
	Rapid SL for Urinal	673
	Rapid SL for Wash Basin and Bidet	675
	Rapid SL for the Disabled	678
	Rapid SL Fitting Supports	680
	Rapid SL Accessories	681

# GROHE RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 596 000		4005176527494	254.16
------------	--	---------------	--------



## Rapid SLX

### Element for WC, 1.13 m installation height with integrated socket and shower toilet connection with flushing cistern GD 2 , 6 l - 9 l



with integrated power socket  
ready for shower toilets (water)  
small revision shaft for small flush plates  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GD 2, 3 - 6 l, containing following features:

factory set 6 l and 3 l  
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
water supply from right, back or top  
low noise (group I acc. to German Noise Specification)  
fully insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase  
for vertical use

including flow manager  
reduces flow of the flush  
prevents overspill in rimless toilets  
easy flow regulation via inspection shaft without removing the valves  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 603 000	Chrome	4005176527562	308.33
------------	--------	---------------	--------





## Rapid SLX

### 3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l

Consisting of:  
Rapid SLX element for WC (39 596 000) with integrated power socket  
Skate Cosmopolitan S flush plate, chrome (37 535 000)  
Rapid SL front wall brackets (38 558 00M)  
including flow manager

# GROHE RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 598 000		4005176527517	287.49



## Rapid SLX

**3-in-1 set for WC, 1.13 m installation height  
with flushing cistern GD 2 , 6 l - 9 l**

Consisting of:

Rapid SLX element for WC (39 596 000) with integrated power socket

Rapid SL front wall brackets (38 558 00M)


WC set for noise protection (37 131 000)

including flow manager

# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 374 KS0	velvet black	4005176344770	719.12
------------	--------------	---------------	--------




**Glass Cover Skate Cosmopolitan**  
for Rapid SL 1.13 m  
**with flushing cistern GD 2**  
for connecting shower toilet Sensia Arena or common wall-hung WCs  
for tiled/plastered walls  
two-piece glass cover made of tempered safety glass (8 mm)  
upper part removable for maintenance  
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover  
HPL mounting plate with hole pattern for all connections  
mounting plate with concealed water connection for shower toilet Sensia Arena  
mounting plate with with quality edges in silver finish  
Set for noise protection  
including accessory for mounting glass plate and WC ceramic

39 374 LS0	moon white	4005176344787	719.12
------------	------------	---------------	--------



**Glass Cover Skate Cosmopolitan**  
for Rapid SL 1.13 m  
**with flushing cistern GD 2**  
for connecting shower toilet Sensia Arena or common wall-hung WCs  
for tiled/plastered walls  
two-piece glass cover made of tempered safety glass (8 mm)  
upper part removable for maintenance  
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover  
HPL mounting plate with hole pattern for all connections  
mounting plate with concealed water connection for shower toilet Sensia Arena  
mounting plate with with quality edges in silver finish  
Set for noise protection  
including accessory for mounting glass plate and WC ceramic

38 528 001		4005176863943	183.33
------------	--	---------------	--------



**Rapid SL**  
**Element for WC, 1.13 m installation height**  
**with flushing cistern GD 2, 6 I - 9 I**  
for on-the-wall installations or studed walls  
powder coated steel frame, self-supporting  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 I, containing following features:**  
water supply from left/right or back  
Insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 002 000		4005176936920	349.99
------------	--	---------------	--------

## Rapid SL

**Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2 , 6 l - 9 l**

**with flush pipe for external odour extraction**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000


distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set



## flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l

flush pipe with connection for odor extraction 50 mm

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

inspection shaft for vertical or horizontal use

allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 500 000	Chrome	4005176453861	316.66
------------	--------	---------------	--------

## Rapid SL

**5-in-1 set for WC, 1.13 m installation height**

**with flushing cistern GD 2 , 6 l - 9 l**

Consisting of:


Rapid SL element for WC (38 528 001)

Skate Cosmopolitan S flush plate, chrome (37 535 000)

GROHE Fresh retro-fit set (38 796 000)


Rapid SL front wall brackets (38 558 00M)

WC set for noise protection (37 131 000)



# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



<b>38 827 000</b>	<b>Chrome</b>	<b>4005176870477</b>	<b>308.33</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**5-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**


Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 GROHE Fresh retro-fit set (38 796 000)  
 Rapid SL front wall brackets (38 558 00M)  
 including WC set for noise protection (37 131 000)



<b>38 750 001</b>	<b>Chrome</b>	<b>4005176863363</b>	<b>283.33</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**


Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Air flush plate, chrome, vertical installation (38 505 000)  
 Rapid SL front wall brackets (38 558 00M)  
 including WC set for noise protection (37 131 000)



<b>38 860 000</b>	<b>Chrome</b>	<b>4005176878084</b>	<b>249.99</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**

Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Nova Cosmopolitan flush plate, chrome (38 765 000)  
 Rapid SL front wall brackets (38 558 00M)











<b>38 888 000</b>	<b>Chrome</b>	<b>4005176879630</b>	<b>441.66</b>
-------------------	---------------	----------------------	---------------

**Rapid SL**  
**4-in-1 set for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 l**









Consisting of:  
 Rapid SL element for WC (38 525 001)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 GROHE Fresh retro-fit set (38 796 000)  
 Rapid SL front wall brackets (38 558 00M)

# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 885 000	Chrome	4005176879609	379.16
	<p><b>Rapid SL</b>  <b>4-in-1 set for WC, 0.82 m installation height</b>  <b>with flushing cistern 6 - 3 l</b>                      Consisting of:                      Rapid SL element for WC (38 526 000)                      Skate Cosmopolitan flush plate, chrome (38 732 000)                      GROHE Fresh retro-fit set (38 796 000)                      Rapid SL front wall brackets (38 558 00M)</p>			
	39 501 000	Chrome	4005176453878	273.33
	<p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Skate Cosmopolitan S flush plate, chrome (37 535 000)                      Rapid SL front wall brackets (38 558 00M)                      including revision shaft 40 911 000 for mounting of small flush plates</p>			
	39 503 000	Chrome	4005176454097	273.33
	<p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Skate Air S flush plate, chrome, vertical installation (37 965 000)                      Rapid SL front wall brackets (38 558 00M)</p>			
	39 504 000	Chrome	4005176454103	273.33
	<p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>flushing cistern GD 2 , 6 - 3 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Arena Cosmopolitan S flush plate, chrome (37 624 000)                      Rapid SL front wall brackets (38 558 00M)                      including revision shaft 40 911 000 for mounting of small flush plates</p>			




# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<p><b>39 581 000</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Nova Cosmopolitan S flush plate, chrome (37 601 000)                      GROHE Fresh retro-fit set (38 796 000)                      Rapid SL front wall brackets (38 558 00M)</p>	<p>4005176496011</p>	<p><b>304.16</b></p>
		<p><b>38 721 001</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Skate Air flush plate, chrome, vertical installation (38 505 000)                      Rapid SL front wall brackets (38 558 00M)</p>	<p>4005176863431</p>	<p><b>249.99</b></p>
		<p><b>38 722 001</b>    <b>alpine white</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Skate Air flush plate, alpine white, vertical installation (38 505 SH0)                      Rapid SL front wall brackets (38 558 00M)</p>	<p>4005176863424</p>	<p><b>249.99</b></p>
		<p><b>38 772 001</b>    <b>Chrome</b></p> <p><b>Rapid SL</b>  <b>3-in-1 set for WC, 1.13 m installation height</b>  <b>with flushing cistern GD 2 , 6 l - 9 l</b>                      Consisting of:                      Rapid SL element for WC (38 528 001)                      Skate Cosmopolitan flush plate, chrome (38 732 000)                      Rapid SL front wall brackets (38 558 00M)</p>	<p>4005176863288</p>	<p><b>249.99</b></p>

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 761 000	Chrome	4005176841620	287.49
------------	--------	---------------	--------



**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**


Consisting of:

Rapid SL element for WC (38 526 000)

Skate Air flush plate, chrome, horizontal installation (38 506 000)

Rapid SL front wall brackets (38 558 00M)

38 773 000	Chrome	4005176850288	287.49
------------	--------	---------------	--------



**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**


Consisting of:

Rapid SL element for WC (38 526 000)

Skate Cosmopolitan flush plate, chrome (38 732 000)

Rapid SL front wall brackets (38 558 00M)

38 868 000	Chrome	4005176878091	287.49
------------	--------	---------------	--------



**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**


Consisting of:

Rapid SL element for WC (38 526 000)

Nova Cosmopolitan flush plate, chrome (38 765 000)

Rapid SL front wall brackets (38 558 00M)

38 764 001	alpine white	4005176863301	224.99
------------	--------------	---------------	--------



**Rapid SL**  
**2-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2, 6 l - 9 l**

Consisting of:


Rapid SL element for WC (38 528 001)

Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 947 000		4005176911217	329.16
------------	--	---------------	--------



**Rapid SL**  
**2-in-1 set for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 525 001)  
 Rapid SL front wall brackets (38 558 00M)

38 948 000		4005176911224	249.99
------------	--	---------------	--------




**Rapid SL**  
**2-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Rapid SL front wall brackets (38 558 00M)

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 536 001		4005176863929	208.33
------------	--	---------------	--------



## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls powder coated steel frame, self-supporting with fixed connections

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

water supply from left/right or back

1/2" water supply connection including integrated angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 539 001

4005176863912

237.49

## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections

quick adjustment, lockable

fixing material

TÜV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase

inspection shaft for vertical or horizontal use


allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation

including WC set for noise protection (37 131 000)

for mounting of small flush plates please order


revision shaft 40 911 000 (sold separately)



# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

<b>38 675 001</b>		<b>4005176863516</b>	<b>341.66</b>
-------------------	--	----------------------	---------------



## Rapid SL

**Element for WC, 1.13 m installation height, 0.42 m width**  
with flush cistern 6 - 3 l

### for WC bowls 70 cm projection

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

Insulated against condensation


1/2" water supply connection including integrated

angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

<b>38 994 000</b>		<b>4005176932335</b>	<b>333.33</b>
-------------------	--	----------------------	---------------



## Rapid SL

**Element for WC with flushing cistern 80 mm, 1.13 m installation height**

element width 0.62 m

for small, narrow bathrooms

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

with fixed connections

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

**flushing cistern 80 mm, 6 - 9 l, containing following features:**

**water supply from top or back**


water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation

for mounting of small flush plates please order

revision shaft 40 949 000 (sold separately)

<b>38 995 000</b>		<b>4005176932342</b>	<b>399.99</b>
-------------------	--	----------------------	---------------



## Rapid SL

**Element for WC with flushing cistern 80 mm, variable width**

**1.13 m finished installation height**

for small, narrow bathrooms

variable element width 0.70 - 1.20 m

for on-the-wall installation

powder coated steel frame, self-supporting

with fixed connections

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set








**flushing cistern 80 mm, 6 - 9 l, containing following features:**

**water supply from top**



water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation

# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 525 001		4005176863967	316.66
	<p><b>Rapid SL</b>  <b>Element for WC, 1.00 m installation height with flushing cistern 6 - 3 l</b>                      for on-the-wall installations or studded walls                      powder coated steel frame, self-supporting                      TUV approved                      2 WC fixing bolts                      fixing device for ceramic                      WC ceramics with small bearing area (&lt; 205 mm) require additional accessory 38 779 000                      distance of fixing bolts 180/230 mm                      outlet bend Ø 90 mm                      depth adjustable                      reducer Ø 90/110 mm                      inlet and outlet connecting set</p> <p><b>flushing cistern 6 - 9 l containing the following features:</b>                      water supply from left/right or back                      Insulated against condensation                      1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately)                      for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
 	38 526 000		4005176291050	237.49
	<p><b>Rapid SL</b>  <b>Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l</b>                      for on-the-wall installations or studded walls                      powder coated steel frame, self-supporting                      TUV approved                      2 WC fixing bolts                      fixing device for ceramic                      distance of fixing bolts 180/230 mm                      PP outlet bend Ø 90 mm                      depth adjustable                      reducer Ø 90/110 mm                      inlet and outlet connecting set</p> <p><b>flushing cistern 6 - 9 l containing the following features:</b>                      water supply from left/right or back                      Insulated against condensation                      1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately)                      for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
	40 899 000		4005176413896	38.72
	<p><b>Retrofit kit for shower toilets Sensia Arena and IGS</b>                      retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS                      including:                      conduit pipe with locking ring and flat seal                      cable ties                      WC connecting pipe Ø 45 mm                      waste sleeve Ø 90 mm</p>			
 	38 558 00M		4005176291418	26.81
	<p><b>Rapid SL</b>  <b>Front wall brackets</b>                      for against-the-wall installations                      for fixing the elements at the brick-wall or in front of the studded wall                      adjustment from 130 - 230 mm  <b>2 pieces</b></p>			


# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 333 000	4.5 l adapter for GD2	4005176845888	14.59
<p>to reduce the maximum flush volume to 4.5 liters</p>				
	42 327 000	PP-outlet bend Ø 90 mm variable depth adjustment	4005176838705	12.86

# GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 786 001		4005176864025	274.99
------------	--	---------------	--------




## Rapid SL

### Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studed walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during construction phase  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 803 001		4005176864049	345.83
------------	--	---------------	--------




## Rapid SL

### Element for urinal with infra-red electronic with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studed walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable fixing material  
TUV approved  
HT-outlet bend Ø 50 mm  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device for the ceramic  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during construction phase  
including wall brackets 38 558 00M for on-the-wall installation

39 376 000		4005176342998	283.33
------------	--	---------------	--------



## Rapid SL

### Element for urinal with temperature sensor with roughing-in set for T sensor 1.13 and 1.30 m installation height


for on-the-wall installations or studed walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
box for concealed installation including roughing-in box  
water group with stop valve and flush elbow  
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



# GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


38 558 00M		4005176291418	26.81
------------	--	---------------	-------



**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)




**38 554 001**      **4005176863806**      **133.33**

**Rapid SL**  
**Element for wash basin, single hole installation with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**39 052 000**      **4005176935961**      **187.49**


**Rapid SL**  
**Element for wash basin, single hole installation, height adjustable with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved
- fixing and connecting traverse, height adjustable

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 557 001**      **4005176863783**      **124.99**

**Rapid SL**  
**Element for wash basin, single hole installation**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved

**Includes**


- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

INSTALLATION SYSTEMS

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)

**38 748 002**      **Chrome**      **4005176416323**      **574.99**




**Rapid SL**  
**Element for wash basin with roughin-in set for infra-red electronic**  
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 546 000**      **4005176291289**      **154.16**




**Rapid SL**  
**Element for wash basin, for wall mounted fittings**

**1.30 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 541 000**      **4005176291234**      **162.49**





**Rapid SL**  
**Element for wash basin, single hole installation**

**1.0 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 553 001**      **4005176863813**      **262.49**





**Rapid SL**  
**Element for bidet, 1.13 m installation height**  
vertical support for ceramics with small bearing area (< 205 mm)

for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm, seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No.      Colour      EAN      Retail Guide Price (£)



**38 545 000**      **4005176291272**      **312.49**

**Rapid SL**  
**Element for bidet, 1.00 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections


**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 543 000**      **4005176291258**      **304.16**

**Rapid SL**  
**Element for bidet, 0.82 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)




**38 558 00M**      **4005176291418**      **26.81**

**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**

# GROHE RAPID SL FOR THE DISABLED


Ref. No. Colour EAN Retail Guide Price (£)

38 675 001 4005176863516 341.66



**Rapid SL**  
**Element for WC, 1.13 m installation height, 0.42 m width**  
 with flush cistern 6 - 3 l  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set  
 Insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
 for the mounting of support rails for the disabled please  
 order fixing element 38 559 001 (sold separately)

39 140 000 4005176315268 687.49




A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060

**Rapid SL**  
**Element for WC, 1.13 m installation height**  
**with fixing element for back support and support rails**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 for the disabled  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 with fixed connections  
 TÜV approved  
 2 WC fixing bolts  
 4 wall brackets  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 PP outlet bend Ø 90 mm  
 depth adjustable  
 PP reducer Ø 90/110 mm  
 inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**  
 water supply from left/right or back  
 Insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation  
 for mounting of small flush plates please order  
 revision shaft 40 911 000 (sold separately)

38 541 000 4005176291234 162.49




A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.0 m finished installation height**  
 for on-the-wall installations or studded walls  
**Includes**  
 wash basin fixing bolts with  
 fixing device for ceramic  
 HT-outlet bend Ø 50 mm  
 seal Ø 32 mm  
 for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



38 559 001		4005176863776	195.83
------------	--	---------------	--------

## Rapid SL

**Fixing element, 1.13 m installation height**

to fix **support** for the disabled

**0.31 m wide**


powder coated steel frame

waterproof plywood

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)









# GROHE RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 998 000		4005176262586	109.50





**Rapid SL**  
**Fitting support for exposed fittings**  
**for studded walls**  
for empty elements  
2 noise protected fitting connections 1/2"

# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 558 00M</b>		<b>4005176291418</b>	<b>26.81</b>
	<b>Rapid SL</b> <b>Front wall brackets</b> for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm <b>2 pieces</b>			
 	<b>38 629 000</b>		<b>4005176293191</b>	<b>55.29</b>
	<b>Rapid SL</b> <b>Flush pipe extension</b> for floor constructions from 200 up to 350 mm fixing material not suitable for project elements			
 	<b>38 733 000</b>		<b>4005176837289</b>	<b>32.05</b>
	<b>Rapid SL</b> <b>Xtra wall brackets, flexible placing</b> for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material <b>2 pieces</b>			
 	<b>38 562 001</b>		<b>4005176863752</b>	<b>98.44</b>
	<b>Rapid SL</b> <b>Set for corner installation</b> for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets <b>1.13 m</b> <b>135°</b>			
 	<b>38 779 000</b>		<b>4005176855306</b>	<b>103.89</b>
	<b>Rapid SL</b> <b>Accessory</b> for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)			
 	<b>37 131 000</b>		<b>4005176144585</b>	<b>41.15</b>
	<b>Set for noise protection</b> for WC sound insulation 2 rubber pipes			




# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 766 000		4005176222115	12.97
	<b>Distance pipe 3"</b>			
	38 338 000		4005176286179	29.24
	<b>Water supply pipe connector</b>			
	40 911 000		4005176416132	11.95
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 950 000	Chrome	4005176478994	16.95
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height			
	40 949 000	Chrome	4005176477881	22.00
	<b>Inspection shaft for small flush plates</b> for combination with 80 mm cistern			
	66 791 000		4005176866562	15.64
	<b>Inspection shaft</b> for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)			

# GROHE RAPID SL ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



43 617 000		4005176841163	72.41
<b>Motor support device</b> for Rapid SL 38 675 for the disabled as of mid 2008 or installation of infra-red electronic			

GROHE  
**FLUSHING SYSTEMS**

























## CONTENTS

WC	Flushing Cisterns	686
	Accessories for Flushing Cisterns	689
	WC Flush Valves	695
	Electronic Actuators for WC	697
Urinal	Electronic Actuators for Urinal	701
	Urinal Flush Valves	706

# GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 762 SH0	alpine white	4005176213250	74.58
	<p><b>Flushing cistern for WC</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p>			
	37 945 SH0	alpine white	4005176256387	74.58
	<p><b>Flushing cistern for WC 6L</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p>			
	37 791 SH0	alpine white	4005176217241	166.85
	<p><b>Flushing cistern for WC 6 l / 3 l</b> exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector</p>			
	38 661 000		4005176294907	170.59
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			
	38 987 000		4005176924798	113.94
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets <b>flush pipe and connector</b> for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			


# GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 863 000</b>		<b>4005176832345</b>	<b>136.23</b>
	<b>Flushing cistern for WC 80 mm 6 l / 3 l</b> pneumatic discharge valve offering 2 modes of operation: dual flush or single flush water supply connection from top with push fit flexible hose union with isolation valve 1/2" with isolation valve 1/2" Inspection shaft incl. protection during construction phase, <b>for vertical flush plates only</b> fixing brackets for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)			
 	<b>38 422 000</b>		<b>4005176275203</b>	<b>182.04</b>
	<b>Flushing cistern for WC 6 l / 3 l 0.82 m finished installation height front/top actuation</b> water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets <b>without wall plate/actuation</b> <b>GROHE EcoJoy</b> technology for less water and perfect flow			
 	<b>38 691 000</b>		<b>4005176815454</b>	<b>182.04</b>
	<b>Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush</b> water supply from left/right or back with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar  <b>air button front/top actuation</b> extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation <b>GROHE EcoJoy</b> technology for less water and perfect flow			
 	<b>39 053 000</b>		<b>4005176935978</b>	<b>78.98</b>
	<b>Concealed flushing cistern 6 l / 3 l Dual Flush</b> <b>water supply from bottom</b> min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			
 	<b>39 054 000</b>		<b>4005176936289</b>	<b>78.98</b>
	<b>Concealed flushing cistern 6 l / 3 l Dual Flush</b> min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			

# GROHE FLUSHING CISTERNS










Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 056 000	Chrome	4005176936302	20.54
------------	--------	---------------	-------



**Round push button actuation Ø 50 mm with Eco button**  
 in combination with bath furniture  
 for combination with flushing cistern 39 053 000 & 39 054 000  
 for walls 18 -24 mm thickness  
**GROHE StarLight** chrome finish

# GROHE ACCESSORIES FOR FLUSHING CISTERNS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 095 000		4005176145124	31.34
	<b>Filling valve</b> 3/8" universal application			
	37 093 000		4005176145070	40.93
	<b>ditto, but with stand pipe for bottom inlet</b>			
	37 092 000		4005176145049	34.84
	<b>ditto, with adaptor</b>			
 	43 537 000		4005176157653	40.93
	<b>Filling valve</b> for concealed flushing cisterns 6 l			
 	42 181 000		4005176286872	42.16
	<b>Filling valve 1/2"</b>			
 	42 297 PI0	matt chrome/chrome	4005176832048	65.28
	<b>Eco-discharge valve</b> dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid <b>GROHE EcoJoy</b> technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	42 253 000		4005176814532	63.77
	<b>Dual Flush discharge valve</b>			
	43 907 PI0	matt chrome/chrome	4005176177545	82.90
	<b>Replace kit set</b> for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes <b>GROHE StarLight</b> chrome finish  **) max. shortening 100 mm			



# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 078 P10</b>	<b>matt chrome/chrome</b>	<b>4005176160783</b>	<b>82.75</b>
<p><b>Servo-set</b> retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes <b>GROHE StarLight</b> chrome finish</p> <p>**) max. shortening 100 mm</p>				
 	<b>37 088 P10</b>	<b>matt chrome/chrome</b>	<b>4005176149672</b>	<b>51.42</b>
<p><b>Servo discharge valve</b> interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes <math>\varnothing</math> 16 - 35 mm fixing material <b>GROHE StarLight</b> chrome finish</p>				
	<b>37 085 P10</b>	<b>matt chrome/chrome</b>	<b>4005176149641</b>	<b>52.96</b>
<p><b>ditto, with push button for lid hole <math>\varnothing</math> 40 mm</b></p>				
 	<b>37 100 SH0</b>	<b>alpine white</b>	<b>4005176142093</b>	<b>20.54</b>
<p><b>Flush pipe</b> 390 x 350 mm</p>				
	<b>43 733 000</b>		<b>4005176158926</b>	<b>9.44</b>
<p><b>Membrane</b> filling valve</p>				
	<b>43 758 00M</b>		<b>4005176159121</b>	<b>40.93</b>
<p><b>ditto, 10 pieces per set</b></p>				
 	<b>37 099 K00</b>	<b>black</b>	<b>4005176142086</b>	<b>30.74</b>
<p><b>Flush pipe</b> for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug</p>				

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 735 000		4005176837500	55.82
<p><b>Dual flush valve set</b>                      dual flush discharge valve AV1                      consisting of valve seat                      6l/3l adjustable  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	38 736 000		4005176837517	44.44
<p><b>Dual flush valve set</b>                      for flushing cistern GD 2 / Rapid SL 1.13 m only                      6 l / 3 l                      dual flush discharge valve AV1                      consisting of valve seat  <b>without wall plate/actuation</b></p>				
 	42 320 000		4005176837487	63.77
<p><b>Dual Flush discharge valve AV1</b>                      AV1 complete with pipe extension                      6 l / 3 l                      without valve seat  <b>without actuation</b></p>				
 	42 314 000		4005176835636	63.77
<p><b>AV1 complete</b></p>				
 	42 137 000		4005176259524	19.94
<p><b>Servo discharge valve</b></p>				
 	43 486 000		4005176157158	52.96
<p><b>Servo discharge valve</b></p>				

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	42 774 000		4005176221590	61.91
	<b>Waste pneumatic</b>			
	42 233 000	Chrome	4005176300653	19.94
	<b>Connecting hose</b>			
 	43 908 000		4005176160257	19.94
	<b>Flush pipe, concealed</b> complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm			
 	37 311 K00	black	4005176160851	20.54
	<b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts			
 	37 489 000		4005176167386	9.72
	<b>Flush pipe extension</b> length 200 mm			
	43 352 000		4005176832413	9.72
	<b>Ditto, length 300 mm without connector 37 119 000</b>			
 	37 104 K00	black	4005176160844	20.54
	<b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long			

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 105 K00	black	4005176141904	20.54
	<b>Flush pipe extension</b> length 300 mm			
 	37 119 000		4005176144370	4.21
	<b>Connector</b> Ø 55 mm			
 	42 327 000		4005176838705	12.86
	<b>PP-outlet bend Ø 90 mm</b> variable depth adjustment			
 	42 333 000		4005176845888	14.59
	<b>4.5 l adapter for GD2</b> to reduce the maximum flush volume to 4.5 liters			
 	37 131 000		4005176144585	41.15
	<b>Set for noise protection</b> for WC sound insulation 2 rubber pipes			
	43 544 000		4005176157738	9.72
	<b>Outlet piston</b>			

# GROHE ACCESSORIES FOR FLUSHING CISTERNS











Ref. No.	Colour	EAN	Retail Guide Price (£)
42 242 000		4005176804977	12.97






		38 714 000	4005176828454	14.59
		<b>WC wall plate extension set 70 mm</b> with pneumatic discharge valve		

		40 911 000	4005176416132	11.95	
		<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern			
		40 950 000	Chrome	4005176478994	16.95
		ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			
		40 949 000	Chrome	4005176477881	22.00
		ditto, for combination with 80 mm cistern			

# GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	209.07
<p><b>Rondo A.S.</b> Flush valve for WC 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment <b>6 l / 3 l</b> with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>				
 	37 141 000	Chrome	4005176143113	104.54
<p><b>DAL-Full-automatic flush valve for WC</b> 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>				
 	37 139 000	Chrome	4005176143083	87.38
<p><b>DAL-Automatic flush valve for WC</b> 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls with flow rate adjustment</p>				
 	37 132 000	Chrome	4005176144608	18.94
<p><b>Fixing device</b> hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm</p>				
 	37 133 000		4005176144622	31.27
<p><b>Inlet adaptor for corner installation</b> 3/4"</p>				


# GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>37 107 000</b>	<b>Chrome</b>	<b>4005176141713</b>	<b>46.07</b>
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>600 x 200 mm</b> brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	<b>37 112 000</b>		<b>4005176141911</b>	<b>71.51</b>
<p><b>Flush pipe</b> for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p>				
 	<b>37 108 000</b>	<b>Chrome</b>	<b>4005176141720</b>	<b>39.36</b>
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>1000 x 200 mm</b> straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	<b>37 114 000</b>	<b>Chrome</b>	<b>4005176141935</b>	<b>18.94</b>
<p><b>Flush pipe extension</b> Ø 28 x 26 mm 260 mm brass</p>				
 	<b>37 135 000</b>		<b>4005176144653</b>	<b>6.04</b>
<p><b>Connector</b> Ø 55 mm for flush valve to pedestal WC</p>				
 	<b>37 131 000</b>		<b>4005176144585</b>	<b>41.15</b>
<p><b>Set for noise protection</b> for WC sound insulation 2 rubber pipes</p>				

# GROHE ELECTRONIC ACTUATIONS FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

<b>38 698 SD1</b>	<b>stainless steel</b>	<b>4005176929571</b>	<b>716.61</b>
-------------------	------------------------	----------------------	---------------




**Tectron Skate**  
**Infra-red electronic for WC flushing cistern**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 infra-red control  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved

<b>38 699 001</b>	<b>Chrome</b>	<b>4005176929588</b>	<b>602.68</b>
-------------------	---------------	----------------------	---------------



**Tectron Surf**  
**Infra-red electronic for WC flushing cistern**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**GROHE StarLight** chrome finish  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 infra-red control  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flush (3 - 9 l) by hand or remote  
 CE approved

<b>37 419 000</b>	<b>Chrome</b>	<b>4005176933806</b>	<b>807.77</b>
<b>37 419 SD0</b>	<b>stainless steel</b>	<b>4005176933813</b>	<b>807.77</b>



**Tectron Skate**  
**Infra-red electronic for WC flushing cistern**  
 with additional manual actuation  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flush (3 - 9 l) by hand or remote  
 CE approved



# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 504 000	Chrome	4005176320521	853.33
------------	--------	---------------	--------

**Tectron Skate Bluetooth**  
**Infra-red electronic for WC**  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with additional manual actuation  
**GROHE StarLight** finish  
 front plate 156 x 197 mm  
 servo motor

with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days

**configuration**  
 detection range and shut off delay  
 auto flush  
 cleaning mode  
 2 on/off timers  
 identification by name


**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.





43 617 000		4005176841163	72.41
------------	--	---------------	-------

**Motor support device**  
 for Rapid SL 38 675  
 for the disabled  
 as of mid 2008  
 or installation of infra-red electronic







38 778 000		4005176855269	665.33
------------	--	---------------	--------



**Radio transmitter**  
 for an additional flush plate for manual actuation  
 for WC  
 receiver modul 868,4 MHz  
 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 for flushing cistern 6 l  
 concealed installation  
 servo motor  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 adjustable flush volume  
 adjustable flow time  
 72 h flushing can be activated  
 with extension cable, 3.00 m length,  
 for connecting transformer and electronic





# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 340 000		4005176911385	54.21
	<b>Power extension cable</b> length 3.00 m			
 	36 341 000		4005176911392	97.46
	<b>Power extension cable</b> length 10.00 m			

# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	43 977 000	Chrome	4005176164798	208.83

**Air button**  
**GROHE StarLight** chrome finish  
 remote **hand**-actuation for  
**institutional requirements**  
**white** push button with escutcheon  
 Ø 100 mm  
 for walls of 80 - 240 mm thickness  
 actuation stop  
 pneumatic hose 1500 mm long

 	36 407 001		4005176368974	261.30
---	------------	--	---------------	--------

**Remote control**  
 for all GROHE one eye infra-red products  
 as of 06/2015 and GROHE Blue Home until 12/2018

**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)


**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 421 000	Chrome	4005176935572	436.72
------------	--------	---------------	--------









## Tectron Rondo

### Infra-red electronic for Urinal


with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 metal housing  
 exposed installation  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 G 1/2  
 with **integrated stop valve**  
 flush pipe with rubber connector  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flow time by hand or remote  
 CE approved

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 336 001	Chrome	4005176929540	534.32
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>			
 	37 337 001	Chrome	4005176929557	503.56
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      multistage battery status display                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>Rapido U or Rapido UMB</b>                      CE approved</p>			
 	37 321 001	Chrome	4005176929496	534.32
	37 321 SD1	stainless steel	4005176929502	534.32
	<p><b>Tectron Skate</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>			


# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 324 001	Chrome	4005176929526	534.32
37 324 SD1	stainless steel	4005176929533	503.56



**Tectron Skate**  
**Infra-red electronic for Urinal**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 cartridge with solenoid valve and dirt strainer  
 front plate 116 x 144 mm  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flow time by hand or remote  
 compatible with  
**Rapido U or Rapido UMB**  
 CE approved

37 503 000	Chrome	4005176320507	682.45
------------	--------	---------------	--------



**Tectron Skate Bluetooth**  
**Infra-red electronic for Urinal**  
**for Rapido U 37 338 000**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
**GROHE StarLight** finish  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar

with Bluetooth 4.0\* for wireless data communication  
 Bluetooth transmitter frequency: 2.4 GHz  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days

**configuration**  
 detection range and shut off delay  
 auto flush  
 cleaning mode  
 2 on/off timers  
 identification by name

**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 CE approved  
 hard and software version

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No.      Colour      EAN      Retail Guide Price (£)

37 338 000      4005176837920      135.56




**GROHE Rapido U**  
roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V or 230 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection

38 787 000      4005176855689      112.80




**GROHE Rapido UMB**  
roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection during construction phase

36 407 001      4005176368974      261.30



**Remote control**  
for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)  
**service**  
send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply


39 368 000      4005176341540      514.90



**Temperature sensor for urinal**  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**39 376 000 Rapid SL required**  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs  
auto flush  
cleaning mode  
pre-flush on/off  
CE approved


# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.                      Colour                      EAN                      Retail Guide  
Price (£)



**39 367 000**                      **4005176341533**                      **530.35**

**Temperature sensor for urinal**  
6V lithium battery, type CR-P2  
with water connection set and stop valve  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs  
auto flush  
cleaning mode  
pre-flush on/off  
CE approved  
only for certain urinal ceramics, check online TPI



**39 369 000**                      **4005176341557**                      **685.07**

**Temperature sensor with Bluetooth for urinal**  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**39 376 000 Rapid SL required**  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
with Bluetooth module for bi-directional communication for monitoring,  
configuration and service purpose  
with Bluetooth 4.0\* for wireless data communication  
Bluetooth transmitter frequency: 2.4 GHz  
Bluetooth range (max. 10 m) varies depending on materials used and walls  
between transmitter and receiver  
for Apple\*\* and Android devices  
**monitoring**  
password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day over 30 days  
**configuration**  
shut-off delay  
auto flush  
cleaning mode  
2 on/off timers  
identification by name  
**service**  
send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.













\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards











\*\*\* Available for free via iTunes app or Google Play store.



# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 339 000	Chrome	4005176837937	109.49
<p><b>Rondo</b> Flush valve for urinal 1/2" brass integrated stop valve <b>GROHE StarLight</b> chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p>				
 	37 396 000	Chrome	4005176907968	124.19
<p><b>Press urinal flush valve</b> 1/2" brass <b>GROHE StarLight</b> chrome finish with wall escutcheon</p>				
 	37 044 000		4005176160776	20.54
<p><b>Urinal inlet connector, 1/2"</b></p>				
 	37 035 000	Chrome	4005176143731	12.38
<p><b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> straight</p>				
 	37 036 000	Chrome	4005176143748	19.52
<p><b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 10 mm</p>				
 	37 037 000	Chrome	4005176143762	21.57
<p><b>Offset 20 mm</b></p>				

# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 038 000	Chrome	4005176143786	23.62
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 30 mm			
 	37 039 000	Chrome	4005176143793	25.65
	<b>37 039 000</b> <b>ditto, offset 40 mm</b>			
 	37 040 000	Chrome	4005176143861	28.65
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 50 mm			
 	37 043 000	Chrome	4005176143922	38.57
	<b>Urinal flush pipe</b> Ø 18 mm 400 mm brass straight			
 	37 042 000	Chrome	4005176143908	17.42
	<b>Flush pipe extension</b> Ø 16 mm 200 mm brass			

GROHE  
**ACTUATIONS**






## CONTENTS

WC	Flush Plates for WC	710
	GROHE Fresh	718
	Flush Plates for WC Flush Valves	719
Urinal	Flush Plates for Urinal	720

# GROHE FLUSH PLATES FOR WC



Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	Chrome	4005176416019	65.87
37 535 P00	matt chrome	4005176416026	65.87
37 535 SH0	alpine white	4005176416033	68.35
37 535 DC0	supersteel	4005176416040	170.57
37 535 BE0	polished nickel	4005176431340	170.57
37 535 EN0	brushed nickel	4005176431319	170.57
37 535 GL0	cool sunrise	4005176431302	170.57
37 535 GN0	brushed cool sunrise	4005176431296	170.57
37 535 DA0	warm sunset	4005176431333	170.57
37 535 DL0	brushed warm sunset	4005176431326	170.57
37 535 A00	hard graphite	4005176431364	170.57
37 535 AL0	Brushed Hard Graphite	4005176431357	170.57

## Skate Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm


made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



37 601 000	Chrome	4005176416057	75.43
37 601 P00	matt chrome	4005176416064	100.26
37 601 SH0	alpine white	4005176416071	62.06
37 601 DC0	supersteel	4005176416088	170.64
37 601 BE0	polished nickel	4005176529009	170.64
37 601 EN0	brushed nickel	4005176529047	170.64
37 601 GL0	cool sunrise	4005176524271	170.64
37 601 GN0	brushed cool sunrise	4005176529016	170.64
37 601 DA0	warm sunset	4005176524288	170.64
37 601 DL0	brushed warm sunset	4005176529023	170.64
37 601 A00	hard graphite	4005176528996	170.64
37 601 AL0	Brushed Hard Graphite	4005176529030	170.64

## Nova Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm

made of ABS

**GROHE StarLight** chrome finish


**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



37 624 000	Chrome	4005176416095	75.43
37 624 P00	matt chrome	4005176416101	100.26
37 624 SH0	alpine white	4005176416118	62.06
37 624 DC0	supersteel	4005176416125	170.67
37 624 BE0	polished nickel	4005176529085	170.64
37 624 EN0	brushed nickel	4005176529122	170.64
37 624 GL0	cool sunrise	4005176529054	170.64
37 624 GN0	brushed cool sunrise	4005176529092	170.64
37 624 DA0	warm sunset	4005176529061	170.64
37 624 DL0	brushed warm sunset	4005176529108	170.64
37 624 A00	hard graphite	4005176529078	170.64
37 624 AL0	Brushed Hard Graphite	4005176529115	170.64

## Arena Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm


made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



37 965 000	Chrome	4005176442506	66.07
37 965 SH0	alpine white	4005176442513	50.87

## Skate Air S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm


made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



40 911 000		4005176416132	11.95
------------	--	---------------	-------

## Inspection shaft for small flush plates


for combination with Rapid SL 1.13 m with GD 2 cistern

40 950 000	Chrome	4005176478994	16.95
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			

40 949 000	Chrome	4005176477881	22.00
ditto, for combination with 80 mm cistern			


# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 915 KS0	velvet black	4005176897108	870.00
38 915 LS0	moon white	4005176897115	883.78




**Veris Light**  
**Flush plate**  
for dual flush or start & stop actuation  
for SoftTouch flushing activation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable  
on/off timer for individual regulation of illuminating period  
3 m connecting cable  
transformer for external installation  
servo motor  
110 V to 240 V 50/60 Hz broad range power supply  
9 VA  
CE approved  
with function check lamps  
for GD 2 cisterns with pneumatic discharge valve AV1  
200 x 200 mm  
made of security glass  
**GROHE EcoJoy** technology for less water and perfect flow  
**not suitable for GROHE Fresh**

38 809 000	Chrome	4005176864681	591.28
------------	--------	---------------	--------




**Nova Cosmopolitan Light**  
**Flush plate**  
for dual flush or start & stop actuation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable, on/off button  
timer for individual regulation of illuminating period  
3 m connecting cable  
transformer for external installation  
supply voltage 230 V AC, 50/60 Hz, 2.0 VA  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+  
CE approved  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 765 000	Chrome	4005176846830	72.90
38 765 SH0	alpine white	4005176846854	55.83
38 765 P00	matt chrome	4005176846847	71.77






**Nova Cosmopolitan**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 845 LS0	moon white	4005176878336	249.51
38 845 KS0	velvet black	4005176878343	249.51
38 845 MF0	chrome/ daVinci satin	4005176878619	249.51













**Skate Cosmopolitan**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
156 x 197 mm  
made of security glass  
mounting-set  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

# GROHE FLUSH PLATES FOR WC





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 916 0A0</b>	<b>mirror glass</b>	<b>4005176896941</b>	<b>297.54</b>
<p><b>Skate Cosmopolitan</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical and horizontal installation</b>                      156 x 197 mm                      made of security glass                      mounting-set  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>				
 	<b>38 957 000</b>	<b>Chrome</b>	<b>4005176914409</b>	<b>109.51</b>
<p><b>Mounting set</b>                      for wall-aligned installation of Skate Cosmopolitan                      with glass surface                      for GD 2 and flushing cistern 80 mm                      plastic mounting frame, chrome plated                      minimum 8 mm tile thickness                      protection plate                      dismantling tool for wall plate</p>				
 	<b>38 821 000</b>	<b>Chrome</b>	<b>4005176868986</b>	<b>238.12</b>
<p><b>Skate Cosmopolitan</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      vandal-proof                      for pneumatic drop valve AV1  <b>for vertical installation</b>                      made of metal  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>				
 	<b>38 732 SD0</b>	<b>stainless steel</b>	<b>4005176847691</b>	<b>158.36</b>
<p><b>Skate Cosmopolitan</b>  <b>Wall plate, stainless steel</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical installation</b>                      plastic fixing frame                      hidden fixing screws  <b>not suitable for GROHE Fresh</b>  <b>GROHE StarLight</b> finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>				
	<b>38 776 SD0</b>	<b>stainless steel</b>	<b>4005176853555</b>	<b>158.35</b>
<p><b>ditto, horizontal installation</b></p>				















# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 732 000	Chrome	4005176836114	72.92
	38 732 DC0	supersteel	4005176431371	132.87
	38 732 SH0	alpine white	4005176836138	55.80
	38 732 P00	matt chrome	4005176836121	53.60
	38 732 BE0	polished nickel	4005176427749	143.49
	38 732 EN0	brushed nickel	4005176427756	143.49
	38 732 GL0	cool sunrise	4005176339103	143.49
	38 732 GN0	brushed cool sunrise	4005176427725	143.49
	38 732 DA0	warm sunset	4005176339097	143.49
	38 732 DL0	brushed warm sunset	4005176427732	143.49
	38 732 A00	hard graphite	4005176339110	143.49
	38 732 AL0	Brushed Hard Graphite	4005176339127	143.49
<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)				
	38 732 BR0	titanium	4005176873676	124.17
<b>ditto, with anti-fingerprint surface</b>				
 	38 844 000	Chrome	4005176874963	72.90
	38 844 SH0	alpine white	4005176874970	55.82
	38 844 P00	matt chrome	4005176875687	67.21
	<b>Arena Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 858 000	Chrome	4005176876714	72.90
	38 858 P00	matt chrome	4005176876721	67.21
	38 858 SH0	alpine white	4005176876738	55.82
	<b>ditto, horizontal installation</b>			
 	38 505 000	Chrome	4005176290053	50.10
	38 505 SH0	alpine white	4005176290046	33.04
	38 505 P00	matt chrome	4005176290060	87.35
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 506 SH0	alpine white	4005176290114	67.25
	38 506 P00	matt chrome	4005176290138	74.58
	38 506 000	Chrome	4005176290121	72.88
<b>ditto, horizontal installation</b>				
 	38 862 000	Chrome	4005176832314	72.90
	38 862 SH0	alpine white	4005176832338	54.18
	38 862 P00	matt chrome	4005176832321	64.65
	<b>Skate</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			

# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 862 SD0</b>	<b>stainless steel</b>	<b>4005176834721</b>	<b>164.80</b>
	<p><b>Skate</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical installation</b>                      156 x 197 mm                      material: stainless steel  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
 	<b>38 861 000</b>	<b>Chrome</b>	<b>4005176832284</b>	<b>67.22</b>
	<p><b>Surf</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical and horizontal installation</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			






# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 564 000	Chrome	4005176291784	78.64
	38 564 SH0	alpine white	4005176291777	60.29
	<b>Skate Air</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 573 000	Chrome	4005176292316	55.84
	38 573 SH0	alpine white	4005176292309	61.91
	38 573 P00	matt chrome	4005176292323	74.58
	<b>Skate</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 672 SD0	stainless steel	4005176296468	124.19
	<b>Skate</b> <b>Wall plate, stainless steel</b> for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE EcoJoy technology for less water and perfect flow			
				
	38 574 000	Chrome	4005176292385	61.91
	<b>Surf</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
				
	37 059 000	Chrome	4005176142857	140.50
	<b>Air button</b> GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
				
	43 977 000	Chrome	4005176164798	208.83
	<b>Air button</b> GROHE StarLight chrome finish remote hand-actuation for institutional requirements white push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1500 mm long			
				









# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 060 000	Chrome	4005176142901	63.77
<p><b>Air button</b>  <b>GROHE StarLight</b> chrome finish                      made of ABS                      escutcheon 100 mm dia                      pneumatic hose 1500 mm long                      for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267</p>				
	38 488 000	Chrome	4005176289866	42.16
<p><b>Air button</b>                      with 750 mm air hose                      for panel thickness up to 30 mm                      for use with Adagio cistern 37 762 SH / 37 945 SH  <b>GROHE StarLight</b> finish</p>				
 	38 496 000	Chrome	4005176289958	193.48
<p><b>Air button</b>                      air button 63 mm dia.                      with 750 mm air hose                      for panel thickness up to 30 mm                      only for use with a removable shelf / panel                      chrome plated brass                      for use with Adagio cistern 37 762 SH / 37 945 SH  <b>GROHE StarLight</b> finish</p>				
 	38 771 000	Chrome	4005176848551	44.44
<p><b>Pneumatic push button actuation</b>                      for dual flush or start &amp; stop actuation                      Ø 48 mm                      in combination with bath furniture                      for material thickness from 18 -24 mm                      with 600 mm air hose  <b>GROHE StarLight</b> chrome finish</p>				
 	37 761 000	Chrome	4005176213243	42.36
<p><b>Air button</b>  <b>GROHE StarLight</b> chrome finish                      for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000		4005176828454	14.59
<p><b>WC wall plate extension set 70 mm</b>                      with pneumatic discharge valve</p>				

# GROHE FRESH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 805 000	Chrome	4005176865596	135.56
	<b>Skate Cosmopolitan Set Fresh Flush plate</b> for dual flush or start & stop actuation with <b>GROHE Fresh</b> fixing frame with opening function for chlorine-free tablets only for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 796 000		4005176857034	67.21
	<b>GROHE Fresh Dual flush valve set</b> for GROHE flushing cistern GD 2 with pneumatic discharge valve and regular inspection shaft <b>not suitable for flush plates with wood or glass or metal surface or new small flush plates</b> fixing frame with opening function for chlorine-free tablets only for all GROHE wall plates 156 x 197 mm			
	38 882 000		4005176879197	8.40
	<b>GROHE Fresh Tabs</b> 2 x 50 g WC-Tablets every flush creates foam which cleans the toilet fragrance ensures long-lasting freshness protects against re-pollution and maintains long term cleanliness reduces limescale and ensures radiant purity in the toilet true feeling of freshness This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			





# GROHE FLUSH PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 547 000	Chrome	4005176189425	74.58
	37 547 P00	matt chrome	4005176189449	69.39
	37 547 SH0	alpine white	4005176189418	61.91
	<p><b>Skate</b>  <b>Flush plate</b>  <b>for vertical installation</b>            156 x 197 mm            manual activation            push button actuation            made of ABS  <b>GROHE StarLight</b> chrome finish</p>			
	38 445 SD0	stainless steel	4005176282850	105.88
	<p><b>Skate</b>  <b>Wall plate, stainless steel</b>  <b>for vertical installation</b>            156 x 197 mm            push button actuation            plastic fixing frame            hidden fixing screws</p>			
				
	37 063 000	Chrome	4005176142185	61.91
	37 063 SH0	alpine white	4005176142307	61.91
	<p><b>Surf</b>  <b>Flush plate</b>            156 x 197 mm            manual activation            push button actuation            made of ABS  <b>GROHE StarLight</b> chrome finish</p>			
				
	37 069 000	Chrome	4005176142352	107.25
	<p><b>Surf</b>  <b>Flush plate</b>  <b>for vertical installation</b>            156 x 197 mm            for concealed flush valve 6 - 9 l            brass            push button actuation            fixing frame            hidden fixing screws  <b>GROHE StarLight</b> chrome finish</p>			
				

# GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 846 LSO	moon white	4005176878367	296.38
	38 846 KS0	velvet black	4005176878268	296.38
				
				
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> with glass surface made of security glass manual activation for urinal plastic actuation button, chrome plated compatible with <b>Rapido U or Rapido UMB</b> fixing frame with mounting-set 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable			
	38 784 000	Chrome	4005176855535	112.77
	38 784 SH0	alpine white	4005176855559	103.76
	38 784 P00	matt chrome	4005176855542	116.20
				
				
	<b>Skate Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable <b>GROHE StarLight</b> chrome finish			
	38 784 SD0	stainless steel	4005176877407	166.36
				
				
	<b>Skate Cosmopolitan</b> <b>Wall plate, stainless steel</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable low noise (group II according to German noise specification) plastic fixing frame hidden fixing screws			
	38 804 000	Chrome	4005176861512	120.56
	38 804 SH0	alpine white	4005176861529	109.52
	38 804 P00	matt chrome	4005176861536	112.82
				
				
	<b>Nova Cosmopolitan</b> <b>Actuation plate</b> manual activation for urinal compatible with <b>Rapido U or Rapido UMB</b> 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable <b>GROHE StarLight</b> chrome finish			

# GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 857 000	Chrome	4005176875694	112.82
	38 857 SH0	alpine white	4005176875793	103.98
	38 857 P00	matt chrome	4005176875663	109.50
	<p><b>Arena Cosmopolitan</b>  <b>Actuation plate</b>            manual activation for urinal            compatible with  <b>Rapido U or Rapido UMB</b>            116 x 144 mm            mechanical functional cartridge            flow pressure min 0.5 bar            operating pressure max 6 bar            1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			
	38 808 000	Chrome	4005176864056	101.39
	38 808 SH0	alpine white	4005176864070	88.81
	38 808 P00	matt chrome	4005176864063	113.94
	<p><b>Surf</b>  <b>Actuation plate</b>            manual activation for urinal            compatible with  <b>Rapido U or Rapido UMB</b>            116 x 144 mm            mechanical functional cartridge            flow pressure min 0.5 bar            operating pressure max 6 bar            1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			



GROHE  
**CONNECTION AND SECURITY TECHNOLOGY**





## CONTENTS

Angle Valves

724

WAS valves

728











Safety Systems

729













# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>22 039 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176467936</b>	<b>71.58</b>
<p><b>Angle valve 1/2"</b>  self-sealing connection thread  wall connection 1/2"  outlet thread 3/8"  with length compensation  with compression nut Ø 10 mm  water protected spindle shutoff, brass,  with grease chamber and double o-ring sealing  long connecting shaft  ergonomic metal handle  marking: neutral  metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	<b>22 043 000</b>	<b>Chrome</b>	<b>4005176305597</b>	<b>15.72</b>
<p><b>Angle valve 1/2"</b>  self-sealing connection thread  wall connection 1/2"  outlet 1/2"  water protected spindle shutoff, brass,  with grease chamber and double o-ring sealing  long connecting shaft  ergonomic metal handle  marking: neutral  metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	<b>22 037 000</b>	<b>Chrome</b>	<b>4005176305535</b>	<b>10.14</b>
<p><b>Angle valve 1/2"</b>  pre-roughened connection thread for easy sealing  wall connection 1/2"  outlet thread 3/8"  with length compensation  with compression nut Ø 10 mm  water protected spindle shutoff, brass,  with grease chamber and double o-ring sealing  long connecting shaft  ergonomic metal handle  marking: neutral  metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	<b>22 041 000</b>	<b>Chrome</b>	<b>4005176305573</b>	<b>10.15</b>
<p><b>Angle valve 1/2"</b>  pre-roughened connection thread for easy sealing  wall connection 1/2"  outlet 1/2"  water protected spindle shutoff, brass,  with grease chamber and double o-ring sealing  long connecting shaft  ergonomic metal handle  marking: neutral  metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	<b>22 046 000</b>	<b>Chrome</b>	<b>4005176305627</b>	<b>9.01</b>
<p><b>Angle valve 1/2"</b>  pre-roughened connection thread for easy sealing  wall connection 1/2"  outlet 1/2"  water protected spindle shutoff, brass,  with grease chamber and double o-ring sealing  long connecting shaft  ergonomic metal handle  marking: neutral  metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>				



# GROHE ANGLE VALVES



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>22 023 000</b>	<b>Chrome</b>	<b>4005176305405</b>	<b>6.75</b>
	<p><b>Angle valve 1/2"</b>                      self-sealing connection thread                      wall connection 1/2"                      outlet thread 3/8"                      with length compensation                      with compression nut Ø 10 mm                      water protected spindle shutoff, brass,                      with grease chamber and double o-ring sealing                      ergonomic handle                      marking: neutral                      metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>			
 	<b>22 018 000</b>	<b>Chrome</b>	<b>4005176305382</b>	<b>5.63</b>
	<p><b>Angle valve 1/2"</b>                      pre-roughened connection thread for easy sealing                      wall connection 1/2"                      outlet thread 3/8"                      with length compensation                      with compression nut Ø 10 mm                      water protected spindle shutoff, brass,                      with grease chamber and double o-ring sealing                      ergonomic handle                      marking: neutral                      metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>			
 	<b>22 029 000</b>	<b>Chrome</b>	<b>4005176305467</b>	<b>10.13</b>
	<p><b>Angle valve 1/2"</b>                      pre-roughened connection thread for easy sealing                      wall connection 1/2"                      outlet thread 3/8"                      with length compensation                      with compression nut Ø 10 mm                      water protected spindle shutoff, brass,                      with grease chamber and double o-ring sealing                      ergonomic handle                      marking: neutral                      metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>			
 	<b>22 032 000</b>	<b>Chrome</b>	<b>4005176305481</b>	<b>10.16</b>
	<p><b>Angle valve 1/2"</b>                      pre-roughened connection thread for easy sealing                      wall connection 1/2"                      outlet 1/2"                      water protected spindle shutoff, brass,                      with grease chamber and double o-ring sealing                      ergonomic handle                      marking: neutral                      metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>			
 	<b>22 053 000</b>	<b>Chrome</b>	<b>4005176349027</b>	<b>11.29</b>
	<p><b>Angle valve 3/8"</b>                      pre-roughened connection thread for easy sealing                      wall connection 3/8"                      outlet thread 3/8"                      with length compensation                      with compression nut Ø 10 mm                      water protected spindle shutoff, brass,                      with grease chamber and double o-ring sealing                      long connecting shaft                      ergonomic handle                      marking: neutral                      metal push-on escutcheon Ø 55 mm</p>			

# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>22 017 00M</b>	<b>Chrome</b>	<b>4005176940613</b>	<b>55.28</b>
<p><b>Universal angle valve 1/2"</b> with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal <b>GROHE StarLight</b> finish sales unit 10 pieces</p>				
 	<b>22 016 00M</b>	<b>Chrome</b>	<b>4005176940606</b>	<b>77.85</b>
<p><b>Universal angle valve 1/2"</b> with connection 1/2" plastic handle marking: neutral screw escutcheon metal <b>GROHE StarLight</b> finish sales unit 10 pieces</p>				
 	<b>22 939 000</b>	<b>Chrome</b>	<b>4005176829369</b>	<b>19.94</b>
<p><b>Angle valve 1/2"</b> with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon <b>GROHE StarLight</b> finish</p>				
 	<b>22 940 000</b>	<b>Chrome</b>	<b>4005176829376</b>	<b>19.94</b>
<p><b>Angle valve 1/2"</b> without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon <b>GROHE StarLight</b> finish</p>				
 	<b>22 958 00M</b>	<b>Chrome</b>	<b>4005176034237</b>	<b>406.37</b>
<p><b>Service valve</b> connection thread 1/2" TDL handle marking: neutral escutcheon <b>GROHE StarLight</b> finish sales unit 1 piece</p>				
 	<b>22 917 000</b>	<b>Chrome</b>	<b>4005176501388</b>	<b>46.43</b>
<p><b>Atlanta</b> <b>Angle valve 1/2"</b> wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10 mm marking: neutral escutcheon <b>GROHE StarLight</b> finish</p>				


# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	22 012 000	Chrome	4005176906343	44.00
	22 012 DC0	supersteel	4005176525742	64.26
	22 012 AL0	Brushed Hard Graphite	4005176585944	73.44
	<b>Eurocube</b> <b>Angle valve 1/2"</b> wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			

	22 013 000	Chrome	4005176909689	44.00
	<b>Eurocube</b> <b>Angle valve 1/2"</b> wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
				


# GROHE WAS VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>22 035 000</b>	<b>Chrome</b>	<b>4005176305511</b>	<b>21.43</b>
-------------------	---------------	----------------------	--------------

**Original WAS combination service valve 1/2"**  
 pre-roughened connection thread for easy sealing  
 wall connection 1/2"  
 outlet thread 3/8"  
 with length compensation  
 with compression nut Ø 10 mm  
 outlet 3/4"  
 with hose connection  
 grease chamber headpart  
 non-return valve type EB  
 long connecting shaft  
 ergonomic handle  
 marking: neutral  
 metal push-on escutcheon Ø 55 mm  
 for combination with pipe ventilating valve type HB 41 239 000



<b>22 033 000</b>	<b>Chrome</b>	<b>4005176305498</b>	<b>25.95</b>
-------------------	---------------	----------------------	--------------

**Original WAS combination service valve 3/8"**  
 wall connection 3/8"  
 outlet thread 3/8"  
 with length compensation  
 with compression nut Ø 10 mm  
 outlet 3/4"  
 with hose connection  
 grease chamber headpart  
 non-return valve type EB  
 long connecting shaft  
 ergonomic handles  
 marking: neutral  
 metal push-on escutcheon Ø 55 mm  
 for combination with pipe ventilating valve type HB 41 239 000




<b>41 007 000</b>	<b>Chrome</b>	<b>4005176281815</b>	<b>14.59</b>
-------------------	---------------	----------------------	--------------

**Eggemann**  
**Original WAS T-piece 3/8"**  
 for service valve  
 with compression nut  
**GROHE StarLight** chrome finish

# GROHE SAFETY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



41 275 000	Chrome	4005176280481	40.67
------------	--------	---------------	-------

**Original WAS inclined filter 3/4"**  
suitable for cold and warm water up to + 80 C  
transparent cap  
mesh width 315 µm  
stainless steel filter insert  
**GROHE StarLight** chrome finish



GROHE  
**SPARE PARTS**










## CONTENTS

Cartridges	732
Thermo elements and thermostatic cartridges	734
Aquadimmer	737
Head parts	738
Spare parts for two-handle faucets	741
Extension sets	742
Unions	743
Outlets and spouts	744
Flow straighteners	745
Waste sets and traps	747
Connections and non-return valves	750
Spare parts for electronics	751
Diverter	752
Hoses	753
Spare parts for kitchen faucets	754
Spare parts for showers	755
Miscellaneous	757
Special tools	758
Cleaning and care	759
Spare parts for sanitary systems	760
Spare parts for shower toilet	762
Spare parts for Ceramics	763








# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 580 000		4005176831867	93.40
<p><b>Cartridge</b> 28 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter for all single lever mixers</p>				
	46 374 000		4005176169076	93.40
<p><b>Cartridge</b> 35 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers</p>				
	46 048 000		4005176008283	93.40
<p><b>Cartridge</b> <b>GROHE SilkMove</b> adjustable flow rate limiter for all single lever mixers</p>				
	46 386 000		4005176169410	114.38
<p><b>Cartridge</b> <b>GROHE SilkMove</b></p>				
	46 278 000		4005176131868	103.89
<p><b>Ceramic cartridge</b> for Euroeco special mixer</p>				
	46 308 000		4005176131769	40.93
<p><b>Temperature limiter</b> for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media</p>				







# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 375 000		4005176169083	40.93
	<b>Temperature limiter</b> for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	48 359 000		4005176442810	43.02
	<b>Cartridge</b> for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			
	07 000 000		4005176016899	124.88
	<b>Cartridge from 1974</b> for Euromix and Ladylux			
	42 383 000	Chrome	4005176903281	40.93
	<b>Cartridge</b> for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red <b>GROHE StarLight</b> chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)			
	42 384 000	Chrome	4005176903298	51.42
	<b>Cartridge</b> for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red <b>GROHE StarLight</b> chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 450 000		4005176076190	166.85
	<b>Thermo-element</b> wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	145.87
	<b>47 282 000</b> ditto, for reverse waterways, 1/2"			
	47 310 000		4005176079238	187.84
	<b>Wax thermo-element-cartridge</b> wax element			
	47 349 000		4005176141461	124.88
	<b>Wax thermo-element-cartridge 3/8"</b> wax element			
	47 217 000		4005176241246	145.87
	<b>Thermo-element</b> wax element with non-rising spindle			
	47 220 000		4005176241253	187.84
	<b>Wax thermo-element-cartridge</b> wax element with non-rising spindle			
	47 111 000		4005176009921	313.77
	<b>Thermo-element</b> wax element for Grohmix Thermostat			




# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000		4005176009549	439.69
	<b>Wax thermo-element-cartridge</b> wax element for Grohmix Thermostat			
	47 532 000		4005176206795	198.33
	<b>Thermostatic cartridge</b>			
	00 798 000	Chrome	4005176229008	30.43
	<b>Wax thermo-element</b>			
	47 598 000		4005176229169	282.29
	<b>Control unit</b>			
	47 600 000		4005176228995	240.31
	<b>Control unit</b>			
	47 439 000		4005176811975	156.36
	<b>Thermostatic compact cartridge 1/2"</b> <b>GROHE TurboStat</b> compact cartridge with wax thermoelement			
	47 175 000		4005176803895	156.36
	<b>ditto, for reverse waterways, 1/2"</b>			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000		4005176924729	40.93
	<b>Thermostatic compact cartridge 1/2"</b> GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	187.84
	<b>Thermostatic compact cartridge 3/4"</b> GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000		4005176803901	187.84
	<b>ditto, for reverse waterways, 3/4"</b>			
	49 028 000		4005176442827	50.37
	<b>Thermostatic compact cartridge 3/4"</b> for Grohtherm SmartControl concealed <b>GROHE TurboStat</b> compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	19.94
	<b>Stop ring and regulating nut</b>			

# GROHE AQUADIMMER







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 364 000		4005176171819	82.90
	<b>Aquadimmer</b> for thermostatic mixers			
	12 433 000		4005176272752	82.90
	<b>Aquadimmer</b> for exposed fittings			
	47 262 000		4005176118722	198.33
	<b>Aquadimmer</b> for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"			







# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000		4005176017261	19.94
	<b>Headpart 1/2"</b> short spindle, 1/2"			
	45 346 000		4005176104572	51.42
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000		4005176129865	51.42
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000		4005176189913	103.89
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000		4005176189876	30.43
	<b>Concealed headpart 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000		4005176189883	40.93
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: right-hand			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>45 883 000</b>		4005176189890	40.93
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: left-hand			
	<b>45 888 000</b>		4005176189944	72.41
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 90°			
	<b>06 188 000</b>		4005176002519	103.89
	<b>Headpart</b> without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	<b>07 025 000</b>		4005176016929	30.43
	<b>Screw-down valve, 3/4"</b> short spindle for 1/2" handles for concealed valves, 3/4"			
	<b>19 830 000</b>	Chrome	4005176030697	27.54
	<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) <b>GROHE StarLight</b> chrome finish			
	<b>19 831 000</b>	Chrome	4005176030703	27.00
	<b>ditto, marking red</b>			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 841 000	Chrome	4005176030765	43.87
	<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner <b>GROHE StarLight</b> chrome finish			
	19 840 000	Chrome	4005176030758	34.99
	ditto, installation depth infinitely adjustable 20-80 mm			
 	19 470 000	Chrome	4005176848018	67.56
	<b>Grohtherm 3000 Cosmopolitan</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 <b>GROHE StarLight</b> chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			





# GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

10 099 00M	Chrome	4005176812965	13.64
<b>Cover Cap</b> multi-packaging: 2 pieces			







# GROHE EXTENSION SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 048 000		4005176413483	154.57
	14 056 000		4005176466298	114.13
	14 057 000		4005176466304	147.62
	14 058 000		4005176466311	147.63

# GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 400 000	Chrome	4005176004582	40.93
<p><b>S-union</b> 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>				
 	12 051 000	Chrome	4005176213588	40.93
<p><b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				
	12 693 000	Chrome	4005176829918	19.94
<p><b>S-union</b> 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE StarLight chrome finish</p>				
 	18 862 000	Chrome	4005176028120	61.91
<p><b>Wall union</b></p>				
 	18 121 000	Chrome	4005176815812	52.45
<p><b>Pillar union, pair</b> GROHE StarLight chrome finish</p>				

# GROHE OUTLETS AND SPOUTS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 034 000	Chrome	4005176022869	52.11
<p><b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish</p>				
 	13 071 000	Chrome	4005176023132	35.10
<p><b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE StarLight</b> chrome finish</p>				

# GROHE FLOW STRAIGHTENERS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 189 000	Chrome	4005176928772	28.79
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence			
	48 190 000	Chrome	4005176928987	33.21
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence			
	48 191 000	Chrome	4005176928994	33.21
	<b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence			
	13 928 000	Chrome	4005176025365	12.59
	<b>Flow restrictor</b> internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar <b>GROHE StarLight</b> finish female thread			
	13 960 000	Chrome	4005176109522	15.74
	<b>Flow straightener</b> external thread M 24 x 1 7.5 l/min at 3 bar <b>GROHE StarLight</b> finish male thread			
	13 929 000	Chrome	4005176025440	12.59
	<b>Flow restrictor</b> external thread M 24 x 1 13.5 l/min at 3 bar <b>GROHE StarLight</b> finish male thread			





# GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 952 000	Chrome	4005176079818	12.59
	<b>Flow restrictor</b> external thread M 24 x 1 flow class C 30 l/min. at 3 bar <b>GROHE StarLight</b> finish male thread			
 	13 927 000	Chrome	4005176005541	19.94
	<b>Flow restrictor</b> external thread M 28 x 1 30 l/min. at 3 bar <b>GROHE StarLight</b> finish male thread			
 	13 220 000		4005176855504	19.94
	<b>Flow restrictor</b> flow class Z 7.5 l/min at 3 bar including disassembly key			


# GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 910 000	Chrome	4005176603846	61.91
<p><b>Pop-up waste set 1 1/4"</b> for wash basins with overflow for basin/bidet fittings</p>				
 	40 565 000	Chrome	4005176912757	76.32
	40 565 DC0	supersteel	4005176491702	83.00
	40 565 ALO	Brushed Hard Graphite	4005176491696	94.00
<p><b>Waste set with push-open plug</b> for wash basins with overflow <b>GROHE StarLight</b> chrome finish</p>				
 	65 807 000	Chrome	4005176849893	41.65
	65 807 BE0	polished nickel	4005176467691	62.62
	65 807 GL0	cool sunrise	4005176467738	90.90
	65 807 DA0	warm sunset	4005176467752	90.90
	65 807 A00	hard graphite	4005176467721	99.99
<p><b>Waste set with push-open plug</b> with push-open cover for wash basins with overflow removable cover removable plug closable <b>GROHE StarLight</b> chrome finish</p>				
 	65 807 DC0	supersteel	4005176442797	101.48
	65 807 EN0	brushed nickel	4005176467707	68.68
	65 807 GN0	brushed cool sunrise	4005176467745	74.37
	65 807 DL0	brushed warm sunset	4005176467769	124.23
	65 807 ALO	Brushed Hard Graphite	4005176467714	74.37
<p><b>Waste set with push-open plug</b> with push-open cover for wash basins with overflow removable cover removable plug closable <b>GROHE StarLight</b> finish</p>				
 	65 808 000	Chrome	4005176860065	43.56
<p><b>Waste 1 1/4"</b> for basins mixers without Pop Up Waste removable cover non-closable <b>GROHE StarLight</b> chrome finish</p>				
 	40 824 000	Chrome	4005176332975	21.02
<p><b>Waste set with push-open plug</b> for wash basins with overflow removable plug closable</p>				

# GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 182 000	Chrome	4005176017438	25.19
	<b>Chrome bath plug</b> for waste set 1 1/4" <b>GROHE StarLight</b> chrome finish			
	07 052 000		4005176003370	30.43
	<b>Eccentric rod</b> for waste set 1 1/4" length 180 mm <b>GROHE StarLight</b> chrome finish			
	07 341 000	Chrome	4005176017728	40.93
	<b>Eccentric rod</b> for waste set 1 1/4" length 350 mm <b>GROHE StarLight</b> chrome finish			
	28 920 000	Chrome	4005176603914	32.39
	<b>Bottle trap, 1 1/4"</b> for basins with fixed dip tube wall connection escutcheon <b>GROHE StarLight</b> chrome finish			
	40 564 000	Chrome	4005176912740	255.84
	40 564 DC0	supersteel	4005176491795	332.29
	40 564 A00	hard graphite	4005176491849	356.53
	40 564 AL0	Brushed Hard Graphite	4005176491788	379.76
	<b>Bottle trap</b> for wash basin <b>GROHE StarLight</b> chrome finish brass body			
	28 912 000	Chrome	4005176266751	234.65
	<b>Bottle trap, 1 1/4"</b> for basins brass (screw-top for cleaning) large sliding escutcheon <b>GROHE StarLight</b> chrome finish			





# GROHE WASTE SETS AND TRAPS





Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 DC0	supersteel	4005176467905	217.15
28 912 EN0	brushed nickel	4005176467837	269.09
28 912 GN0	brushed cool sunrise	4005176467875	269.09
28 912 DL0	brushed warm sunset	4005176467899	245.43
28 912 AL0	Brushed Hard Graphite	4005176467844	245.43

**Bottle trap, 1 1/4"**  
for basins  
brass  
(screw-top for cleaning)  
large sliding escutcheon  
**GROHE StarLight** finish



# GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	7.24
	<b>Compression MI coupling for all basin and kitchen mixers</b> 15 mm x 3/8" including nut & olive			
	47 189 000	Chrome	4005176010330	40.93
	<b>Non-return valve</b> multi-packaging: 2 pieces <b>GROHE StarLight</b> chrome finish			
	14 116 00M		4005176006005	51.42
	<b>Non-return valve 1/2"</b> multi-packaging: 2 pieces			
	14 117 00M		4005176006012	145.87
	<b>Backflow preventer</b> multi-packaging: 2 pieces			

# GROHE SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 229 000 <b>Solenoid valve</b> for Europlus E		4005176299223	208.83
	42 886 000 <b>Battery</b> 6V lithium battery, type CR-P2		4005176200670	40.93

# GROHE DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	51.42
	<b>Diverter</b> for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower			
	46 058 000	Chrome	4005176008467	61.91
	<b>Diverter</b> for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 <b>GROHE StarLight</b> chrome finish			

# GROHE HOSES



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

48 293 000		4005176358593	30.43
------------	--	---------------	-------

**Shower hose**  
for sink mixer with pull-out dual spray or mousseur  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm  
M15 x 1  
**GROHE StarLight** finish



# GROHE SPARE PARTS FOR KITCHEN FAUCETS






Ref. No.	Colour	EAN	Retail Guide Price (£)
46 575 000	Chrome	4005176830099	72.41
K4 Hand shower GROHE StarLight chrome finish			






# GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 634 XX0	dark grey	4005176041440	31.23
<p><b>Relexa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)</p>				
 	28 817 000	Chrome	4005176602962	13.54
<p><b>Adapter 1/2" x 1/4"</b> female thread 3/4" x 1/2" male thread <b>GROHE StarLight</b> chrome finish</p>				
	06 765 000	Chrome	4005176831973	93.40
<p><b>Sliding piece</b> suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
 	07 659 000	Chrome	4005176003707	52.45
<p><b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
	12 140 000	Chrome	4005176288319	61.91
<p><b>Sliding piece</b> suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
	45 650 IP0	chrome/ matt chrome	4005176137228	51.42
<p><b>Sliding piece</b> suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				

# GROHE SPARE PARTS FOR SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 435 000	Chrome	4005176272141	53.22
	<b>Relaxa Plus</b> <b>Gliding element with metal sleeve</b> for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut <b>GROHE StarLight</b> chrome finish			
	48 099 000	Chrome	4005176908583	19.94
	<b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish			
	48 177 000	Chrome	4005176924248	41.75
	<b>Sliding piece</b> suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish			
	45 363 000	Chrome	4005176112324	19.94
	<b>Cover plate</b> for shower rail Relaxa and Tempesta ø 25 mm			

# GROHE MISCELLANEOUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
07 264 00M <b>Filter</b> multi-packaging: 2 pieces	Chrome	4005176228797	9.44
			
49 002 00M <b>Temperature limiter</b> GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.		4005176372193	6.30
			
07 587 000 <b>Slider</b>	Chrome	4005176229015	19.94
			

# GROHE SPECIAL TOOLS

Ref. No.      Colour      EAN      Retail Guide Price (£)



19 332 000      4005176823695      72.41

**Socket Spanner**  
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge  
32 mm for disassembly of 35 mm cartridge




# GROHE CLEANING AND CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
45 937 000		4005176279683	24.60
			
<b>Grohe Special grease</b> 25 g sales unit 15 pieces			
48 166 000		4005176923197	15.10
			
<b>Grohclean</b> <b>Detergent for fittings and bathrooms</b> 500 ml spray bottle based on citric acid in display box sales unit 10 pieces			

# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 303 000	Chrome	4005176835391	74.58
	<b>Skate</b> <b>Flush plate</b> for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation <b>for vertical and horizontal installation</b> 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			
	42 304 000	Chrome	4005176835469	74.58
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) <b>for vertical installation</b> 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			
	42 305 000	Chrome	4005176835490	74.58
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE StarLight</b> chrome finish			
	42 740 000		4005176230653	366.24
	<b>Solenoid Valve</b>			
	43 544 000		4005176157738	9.72
	<b>Outlet piston</b>			
	43 506 000		4005176157356	9.72
	<b>Bellow</b>			


# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 764 00M		4005176222092	15.64
	<b>Threaded bolt</b> for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	42 233 000	Chrome	4005176300653	19.94
	<b>Connecting hose</b>			
	43 758 00M		4005176159121	40.93
	<b>Membrane</b> filling valve multi-packaging: 10 pieces			






# GROHE SPARE PARTS FOR SHOWER TOILET

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



14 926 002		4005176572128	255.00
<b>GROHE Sensia Arena</b> <b>Remote control</b> for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder			

# GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 510 000		4005176373329	59.24
	<b>Fixing set</b> for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	49 024 000	Chrome	4005176454196	63.65
	<b>Fixing set</b> for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
	37 095 000		4005176145124	31.34
	<b>Filling valve</b> 3/8" universal application			

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
<b>12</b>				19 088 DA3	4005176493348	55	132.60
12 051 000	4005176213588	594, 604	40.93	19 088 DC3	4005176455179	55	142.36
<b>13</b>				19 088 GL3	4005176493324	55	132.60
13 034 000	4005176022869	533	52.11	19 287 003	4005176454738	46	364.57
13 071 000	4005176023132	533	35.10	19 287 AL3	4005176454752	46	662.71
13 139 003	4005176455131	57	218.95	19 287 DA3	4005176492372	46	566.10
13 139 AL3	4005176455155	57	397.64	19 287 DC3	4005176454745	46	579.87
13 139 DA3	4005176493287	57	339.66	19 287 GL3	4005176492358	46	566.10
13 139 DC3	4005176455148	57	347.91	19 309 000	4005176820656	37	574.25
13 139 GL3	4005176493263	57	339.66	19 316 000	4005176821783	39	1,296.35
13 255 001	4005176556722	182, 189	71.97	19 334 000	4005176823800	41	142.69
13 261 000	4005176877384	168	85.13	19 345 001	4005176888953	138	150.49
13 262 000	4005176877391	168	94.02	19 346 001	4005176889080	139	163.80
13 264 000	4005176882449	40	235.80	19 381 000	4005176874673	163	182.11
13 276 002	4005176887246	147	100.41	19 382 000	4005176874697	168	128.22
13 278 002	4005176887871	131	100.39	19 383 000	4005176874765	167	106.68
13 280 001	4005176888687	140	91.69	19 384 000	4005176875755	42	142.69
13 281 001	4005176888694	140	120.19	19 386 000	4005176876011	37	619.40
13 299 000	4005176899003	31	326.03	19 408 001	4005176307133	114	190.65
13 299 AL0	4005176490705	31	478.00	19 408 A01	4005176426209	114	314.06
13 299 DC0	4005176490712	31	419.00	19 408 AL1	4005176426193	114	334.99
13 303 000	4005176906350	95	122.98	19 408 BE1	4005176426216	114	307.90
13 303 AL0	4005176585562	95	189.72	19 408 DA1	4005176426179	114	307.90
13 303 DC0	4005176525100	95	166.26	19 408 DC1	4005176369964	114	287.36
13 304 000	4005176906367	95	134.25	19 408 DL1	4005176426186	114	334.99
13 317 000	4005176912603	40	754.78	19 408 EN1	4005176426223	114	328.42
13 319 000	4005176912627	31	754.78	19 408 GL1	4005176426155	114	307.90
13 319 AL0	4005176353284	31	1,106.00	19 408 GN1	4005176426162	114	328.42
13 319 DC0	4005176490651	31	968.00	19 409 001	4005176409158	74	280.93
13 341 000	4005176931000	67	231.18	19 409 AL1	4005176586170	74	381.48
13 341 IG0	4005176931017	67	308.60	19 409 DC1	4005176412752	74	359.91
13 378 000	4005176351532	592	82.90	19 450 002	4005176862229	176	106.68
13 380 000	4005176351549	592	91.63	19 451 002	4005176862335	176	95.90
13 383 001	4005176418167	79	201.95	19 506 002	4005176887185	146	156.81
13 383 DC1	4005176418174	79	336.83	19 506 003	4005176334399	156	145.54
13 404 003	4005176529788	106	139.00	19 506 LS3	4005176334542	156	190.67
13 404 DC3	4005176574115	106	188.00	19 507 002	4005176887079	146	156.80
13 540 000	4005176005411	194	103.89	19 507 003	4005176334337	156	122.97
<b>14</b>				19 507 LS3	4005176334528	156	171.36
14 014 000	4005176929274	353	56.09	19 571 002	4005176886973	143	224.52
14 015 000	4005176932748	314	140.11	19 571 003	4005176334269	152	224.53
14 048 000	4005176413483	292	154.57	19 571 LS3	4005176334498	152	280.94
14 053 00M	4005176413513	292	50.88	19 573 002	4005176887659	128	213.25
14 055 000	4005176413520	198, 292	161.51	19 575 001	4005176888366	135	184.41
14 056 000	4005176466298	292	114.13	19 576 002	4005176429088	140	707.75
14 057 000	4005176466304	293	147.62	19 577 001	4005176409233	77	675.81
14 058 000	4005176466311	293	147.63	19 577 AL1	4005176586224	77	1,302.54
14 074 000	4005176575365	621, 655	37.00	19 577 DC1	4005176412820	77	1,235.94
14 926 002	4005176572128	620	255.00	19 577 EN1	4005176413018	77	1,465.74
<b>18</b>				19 578 001	4005176307195	119	754.79
18 349 000	4005176874796	164	26.41	19 578 A01	4005176426520	119	1,110.77
18 608 001	4005176985140	263	44.65	19 578 AL1	4005176426513	119	1,184.83
18 700 000	4005176940811	267	44.64	19 578 BE1	4005176426537	119	1,110.77
<b>19</b>				19 578 DA1	4005176426490	119	1,110.77
19 025 000	4005176209154	79, 108	54.73	19 578 DC1	4005176371103	119	1,036.73
19 069 003	4005176455469	55	85.20	19 578 DL1	4005176426506	119	1,184.83
19 069 AL3	4005176455483	55	154.63	19 578 EN1	4005176374463	119	1,184.83
19 069 DA3	4005176494031	55	132.60	19 578 GL1	4005176426476	119	1,110.77
19 069 DC3	4005176455476	55	135.29	19 578 GN1	4005176426483	119	1,184.83
19 069 GL3	4005176494017	55	132.60	19 590 000	4005176890529	41	197.97
19 088 003	4005176455162	55	110.01	19 781 000	4005176898822	28	684.68
19 088 AL3	4005176455186	55	153.16	19 781 AL0	4005176490385	28	1,034.00
				19 781 DC0	4005176490392	28	905.00
				19 783 000	4005176898846	28	743.52
				19 783 AL0	4005176490477	28	1,103.00
				19 783 DC0	4005176490484	28	965.00
				19 787 001	4005176429057	29	1,563.17

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
19 787 AL1	4005176489563	29	2,275.00	<b>20</b>			
19 787 DC1	4005176489570	29	1,990.00	20 008 003	4005176455285	53	486.45
19 796 000	4005176899133	31	190.68	20 008 AL3	4005176455308	53	883.63
19 796 AL0	4005176353062	31	258.00	20 008 DA3	4005176493621	53	754.80
19 796 DC0	4005176490019	31	246.00	20 008 DC3	4005176455292	53	773.19
19 798 000	4005176899157	31	264.35	20 008 GL3	4005176493607	53	754.80
19 798 AL0	4005176353079	31	359.00	20 009 003	4005176454974	53	389.37
19 798 DC0	4005176489969	31	342.00	20 009 AL3	4005176454998	53	883.63
19 808 001	4005176843204	194	21.01	20 009 DA3	4005176492853	53	754.80
19 809 001	4005176853876	194	21.43	20 009 DC3	4005176454981	53	773.19
19 895 000	4005176901072	89	258.37	20 009 GL3	4005176492839	53	754.80
19 895 AL0	4005176585494	89	391.00	20 021 003	4005176455193	52	243.78
19 897 001	4005176429101	94	1,094.38	20 021 AL3	4005176455216	52	441.82
19 897 AL1	4005176585548	94	1,540.00	20 021 DA3	4005176493416	52	377.40
19 897 DC1	4005176525087	94	1,348.00	20 021 DC3	4005176455209	52	386.62
19 910 000	4005176987014	96	55.26	20 021 GL3	4005176493393	52	377.40
19 918 003	4005176454769	47	413.11	20 025 000	4005176099403	605	124.88
19 918 AL3	4005176454783	47	751.09	20 143 000	4005176832581	36	641.97
19 918 DA3	4005176492440	47	641.58	20 164 003	4005176455315	53	413.11
19 918 DC3	4005176454776	47	657.20	20 164 AL3	4005176455339	53	751.09
19 918 GL3	4005176492426	47	641.58	20 164 DA3	4005176493690	53	641.58
19 919 000	4005176924125	66	1,160.31	20 164 DC3	4005176455322	53	657.20
19 919 IG0	4005176924132	66	1,514.26	20 164 GL3	4005176493676	53	641.58
19 922 003	4005176455568	56	1,245.22	20 169 003	4005176455001	53	413.11
19 922 AL3	4005176455582	56	1,811.52	20 169 AL3	4005176455025	53	751.09
19 922 DA3	4005176494697	56	1,698.30	20 169 DA3	4005176492921	53	641.58
19 922 DC3	4005176455575	56	1,545.30	20 169 DC3	4005176455018	53	657.20
19 922 GL3	4005176494673	56	1,698.30	20 169 GL3	4005176492907	53	641.58
19 923 003	4005176455537	56	1,245.22	20 186 001	4005176874437	192	65.26
19 923 AL3	4005176455551	56	1,664.64	20 187 000	4005176874680	163	203.66
19 923 DA3	4005176494635	56	1,698.30	20 188 000	4005176875724	36	641.97
19 923 DC3	4005176455544	56	1,739.65	20 189 000	4005176875731	37	574.25
19 923 GL3	4005176494611	56	1,698.30	20 190 000	4005176875748	36	562.99
19 929 000	4005176930430	64	400.92	20 192 000	4005176875991	36	608.11
19 929 IG0	4005176930447	64	551.94	20 193 000	4005176876004	37	608.11
19 930 000	4005176930454	64	463.45	20 201 000	4005176883354	196	107.17
19 930 IG0	4005176930461	64	607.24	20 203 000	4005176883378	196	94.75
19 936 000	4005176930812	65	1,115.81	20 205 000	4005176883682	196	77.86
19 936 IG0	4005176930829	65	1,414.71	20 208 002	4005176886980	143	258.37
19 942 000	4005176931048	67	142.68	20 216 001	4005176888373	135	225.61
19 942 IG0	4005176931055	67	180.97	20 296 001	4005176307072	114	258.37
19 944 000	4005176931086	67	109.48	20 299 001	4005176307096	114	319.66
19 944 IG0	4005176931093	67	131.62	20 301 003	4005176529757	100	301.99
19 952 000	4005176174230	79, 107	49.16	20 304 001	4005176409141	73	359.91
19 952 A00	4005176352874	197	121.20	20 342 000	4005176898860	27	709.68
19 952 AL0	4005176353376	79, 107	133.32	20 342 AL0	4005176490064	27	1,040.00
19 952 DC0	4005176467776	79, 107	61.61	20 342 DC0	4005176490071	27	910.00
19 952 EN0	4005176468100	197	253.51	20 344 000	4005176898884	27	828.48
19 954 000	4005176175732	198	20.88	20 344 AL0	4005176353185	27	1,361.43
19 965 001	4005176409240	78	495.28	20 344 DC0	4005176489815	27	1,086.00
19 966 000	4005176986864	94	680.00	20 346 000	4005176898907	27	732.22
19 967 001	4005176307140	115	213.24	20 346 AL0	4005176490200	27	1,080.00
19 967 A01	4005176426285	115	346.89	20 346 DC0	4005176490217	27	945.00
19 967 AL1	4005176426278	115	370.00	20 348 000	4005176898921	27	777.36
19 967 BE1	4005176426292	115	346.89	20 348 AL0	4005176490293	27	1,149.00
19 967 DA1	4005176426254	115	346.89	20 348 DC0	4005176490309	27	1,005.00
19 967 DC1	4005176369971	115	323.77	20 351 000	4005176901041	89	303.49
19 967 DL1	4005176426261	115	370.00	20 351 AL0	4005176584688	89	475.00
19 967 EN1	4005176426308	115	370.00	20 351 DC0	4005176525001	89	416.00
19 967 GL1	4005176426230	115	346.89	20 389 000	4005176924101	63	562.99
19 967 GN1	4005176426247	115	370.00	20 389 IG0	4005176924118	63	717.87
19 968 000	4005176993657	122	213.23	20 393 001	4005176842993	192	71.90
19 969 000	4005176993671	122	231.19	20 404 001	4005176842986	192	54.18
19 974 002	4005176305948	128	224.51	20 414 000	4005176930492	63	416.32
19 976 001	4005176307218	119	450.15	20 414 IG0	4005176930508	63	506.69
19 997 000	4005176342189	82	247.07	20 415 000	4005176930515	63	431.51
19 998 000	4005176342196	82	280.93				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
20 415 IG0	4005176930522	63	596.19	23 051 002	4005176887567	125	100.41
20 417 000	4005176930553	63	506.57	23 054 003	4005176472596	127	185.09
20 417 IG0	4005176930560	63	651.49	23 055 002	4005176887680	128	235.78
20 421 001	4005176556173	177	51.97	23 058 003	4005176313790	345	682.94
20 421 10M	4005176556180	177	103.83	23 060 001	4005176888021	132	130.29
20 422 001	4005176529504	184	51.97	23 061 002	4005176417917	344	562.15
20 575 000	4005176388422	190	54.35	23 076 000	4005176890505	35	517.85
<b>21</b>				23 106 001	4005176409110	73	235.79
21 019 003	4005176455223	52	389.39	23 106 AL1	4005176586149	73	334.56
21 019 AL3	4005176455247	52	706.93	23 106 DC1	4005176412721	73	317.00
21 019 DA3	4005176493485	52	603.84	23 109 000	4005176898754	26	720.94
21 019 DC3	4005176455230	52	618.55	23 109 AL0	4005176353161	26	1,070.00
21 019 GL3	4005176493461	52	603.84	23 109 DC0	4005176489860	26	925.00
21 022 003	4005176454943	52	389.39	23 112 000	4005176898778	26	720.94
21 022 AL3	4005176454967	52	706.93	23 112 AL0	4005176489785	26	1,057.00
21 022 DA3	4005176492792	52	603.84	23 114 000	4005176898792	26	872.71
21 022 DC3	4005176454950	52	618.55	23 114 AL0	4005176353178	26	1,310.00
21 022 GL3	4005176492778	52	603.84	23 114 DC0	4005176489914	26	1,146.00
21 044 003	4005176455254	52	535.00	23 117 000	4005176898938	28	640.44
21 044 AL3	4005176455278	52	972.01	23 117 AL0	4005176490569	28	965.00
21 044 DA3	4005176493553	52	830.28	23 117 DC0	4005176490576	28	845.00
21 044 DC3	4005176455261	52	850.52	23 119 000	4005176899027	30	2,593.81
21 044 GL3	4005176493539	52	830.28	23 119 001	4005176428883	30	2,412.00
21 107 000	4005176930393	62	427.60	23 119 AL0	4005176353208	30	4,185.12
21 107 IG0	4005176930409	62	551.94	23 119 DC0	4005176489679	30	3,353.00
21 375 001	4005176843037	192	98.44	23 127 000	4005176900341	87	224.52
21 390 001	4005176843006	192	145.54	23 127 00E	4005176901591	87	224.52
<b>22</b>				23 132 000	4005176900990	87	213.24
22 009 001	4005176556227	183	21.35	23 132 00E	4005176906725	87	213.24
22 012 000	4005176906343	97, 727	44.00	23 135 000	4005176901027	88	247.07
22 012 AL0	4005176585944	97, 727	73.44	23 135 00E	4005176906732	88	231.18
22 012 DC0	4005176525742	97, 727	64.26	23 137 000	4005176901096	87	168.12
22 013 000	4005176909689	97, 727	44.00	23 138 000	4005176901133	90	213.25
22 016 00M	4005176940606	726	77.85	23 140 000	4005176901157	91	264.36
22 017 00M	4005176940613	726	55.28	23 140 AL0	4005176585531	91	417.00
22 018 000	4005176305382	725	5.63	23 140 DC0	4005176525056	91	365.00
22 023 000	4005176305405	725	6.75	23 141 000	4005176901164	91	337.32
22 029 000	4005176305467	725	10.13	23 145 000	4005176901270	90	242.22
22 032 000	4005176305481	725	10.16	23 145 AL0	4005176585524	90	358.00
22 033 000	4005176305498	728	25.95	23 145 DC0	4005176525049	90	313.00
22 035 000	4005176305511	728	21.43	23 147 001	4005176313271	345	1,212.38
22 037 000	4005176305535	724	10.14	23 200 000	4005176908354	28, 89	235.81
22 039 AL0	4005176467936	724	71.58	23 200 002	4005176519901	28, 90	220.00
22 041 000	4005176305573	724	10.15	23 293 000	4005176921148	600	200.30
22 043 000	4005176305597	724	15.72	23 296 001	4005176409127	73	303.49
22 046 000	4005176305627	724	9.01	23 296 DC1	4005176412738	73	416.06
22 053 000	4005176349027	725	11.29	23 302 000	4005176923876	596	327.43
22 054 001	4005176554162	184	72.80	23 303 000	4005176924088	62	359.93
22 917 000	4005176501388	726	46.43	23 303 IG0	4005176924095	62	463.45
22 939 000	4005176829369	726	19.94	23 310 000	4005176930331	62	359.93
22 940 000	4005176829376	726	19.94	23 310 IG0	4005176930348	62	463.45
22 958 00M	4005176034237	726	406.37	23 313 000	4005176930614	62	472.72
<b>23</b>				23 313 IG0	4005176930621	62	607.24
23 029 000	4005176898709	26	574.26	23 315 000	4005176930652	64	405.04
23 029 AL0	4005176353154	26	932.84	23 315 IG0	4005176930669	64	518.77
23 029 DC0	4005176489471	26	744.00	23 316 000	4005176930690	64	389.77
23 033 000	4005176898716	26	574.26	23 316 IG0	4005176930706	64	506.69
23 033 AL0	4005176489648	26	850.00	23 317 000	4005176930799	65	518.76
23 033 DC0	4005176489488	26	744.00	23 317 IG0	4005176930805	65	633.37
23 037 002	4005176886355	141	145.52	23 318 000	4005176930874	66	1,691.22
23 039 002	4005176886881	141	89.14	23 318 IG0	4005176930881	66	2,144.75
23 043 003	4005176472732	143	188.77	23 319 000	4005176931192	64	231.19
23 048 003	4005176429132	146	845.05	23 322 001	4005176934506	171	106.68
23 049 002	4005176887536	125	186.94	23 323 001	4005176934513	171	106.68
				23 324 001	4005176934520	171	95.90
				23 325 000	4005176933974	161	128.22
				23 327 000	4005176934094	161	117.45

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
23 327 KW0	4005176565205	161	153.50	23 491 A01	4005176407598	120	1,753.87
23 328 001	4005176556241	177	72.12	23 491 AL1	4005176407604	120	1,870.78
23 330 001	4005176556302	177	67.87	23 491 BE1	4005176426605	120	1,753.87
23 331 001	4005176556494	181	72.12	23 491 DA1	4005176407574	120	1,753.87
23 335 001	4005176529566	184	83.78	23 491 DC1	4005176371127	120	1,636.94
23 337 001	4005176555725	184	67.87	23 491 DL1	4005176426599	120	1,870.78
23 338 001	4005176555893	187	94.38	23 491 EN1	4005176371134	120	1,870.78
23 373 20E	4005176936661	142	122.95	23 491 GL1	4005176407581	120	1,753.87
23 374 003	4005176334153	149	122.98	23 491 GN1	4005176426582	120	1,870.78
23 374 20E	4005176936678	142	122.96	23 537 002	4005176312212	172	128.23
23 374 LS3	4005176334450	149	168.11	23 541 001	4005176313912	113	190.66
23 376 00E	4005176936623	160	112.07	23 559 001	4005176556326	177	75.22
23 377 00E	4005176936630	160	117.45	23 564 003	4005176334146	148	121.38
23 378 00E	4005176936647	160	104.59	23 567 003	4005176334214	150	122.98
23 379 001	4005176306891	111	168.11	23 569 003	4005176334238	151	213.24
23 380 10E	4005176938245	133	143.20	23 569 LS3	4005176334467	151	235.62
23 382 20E	4005176936708	126	179.41	23 570 003	4005176334245	151	235.80
23 384 20E	4005176936722	126	209.06	23 570 LS3	4005176334474	151	280.94
23 385 10E	4005176938269	133	132.90	23 571 000	4005176334276	74, 115	224.50
23 387 20E	4005176938382	141	122.96	23 589 001	4005176339172	110	162.47
23 389 20E	4005176938412	126	186.95	23 589 A01	4005176407338	110	239.72
23 390 00E	4005176938436	87	224.52	23 589 AL1	4005176407345	110	260.81
23 392 00E	4005176938450	87	224.51	23 589 BE1	4005176419638	110	239.72
23 393 10E	4005176938467	172	106.68	23 589 DA1	4005176407314	110	239.72
23 394 10E	4005176938474	172	95.90	23 589 DC1	4005176369919	110	223.72
23 395 10E	4005176938481	172	95.90	23 589 DL1	4005176419621	110	255.69
23 396 00E	4005176938504	161	128.23	23 589 EN1	4005176425844	110	255.69
23 403 000	4005176941627	35	687.11	23 589 GL1	4005176407321	110	244.52
23 405 001	4005176409134	73	280.93	23 589 GN1	4005176419614	110	255.69
23 405 AL1	4005176586163	73	468.18	23 590 001	4005176339189	110	151.19
23 405 DC1	4005176412745	73	443.80	23 590 A01	4005176426001	110	231.93
23 406 000	4005176941658	88	280.91	23 590 AL1	4005176425998	110	247.38
23 406 AL0	4005176584671	88	439.00	23 590 BE1	4005176426018	110	231.93
23 406 DC0	4005176524998	88	384.00	23 590 DA1	4005176425875	110	231.93
23 425 000	4005176993596	122	179.38	23 590 DC1	4005176369926	110	216.45
23 427 000	4005176993619	122	201.95	23 590 DL1	4005176425882	110	247.38
23 428 000	4005176993633	122	303.49	23 590 EN1	4005176426025	110	252.33
23 429 000	4005176993695	47, 82	235.80	23 590 GL1	4005176425851	110	231.93
23 430 000	4005176993725	123	220.12	23 590 GN1	4005176425868	110	247.38
23 431 000	4005176993749	123	224.51	23 591 001	4005176339196	110	134.25
23 432 000	4005176993763	127	292.21	23 602 001	4005176556029	188	94.98
23 444 001	4005176411977	74	280.92	23 604 001	4005176556593	182	94.98
23 444 AL1	4005176586187	74	413.10	23 633 001	4005176555923	187	72.48
23 444 DC1	4005176412769	74	391.49	23 635 001	4005176556524	181	72.48
23 445 000	4005176998706	88	235.81	23 654 000	4005176342080	81	235.82
23 445 AL0	4005176584657	88	333.00	23 656 000	4005176342103	81	213.23
23 445 DC0	4005176524974	88	291.00	23 657 000	4005176342110	81	292.21
23 446 000	4005176998720	88	224.50	23 658 000	4005176342127	81	224.51
23 447 000	4005176998737	89	258.37	23 661 000	4005176342158	81	303.49
23 448 002	4005176998744	127	190.68	23 664 000	4005176342202	82	247.08
23 449 002	4005176998768	127	179.38	23 665 000	4005176342219	82	269.64
23 450 001	4005176998775	134	153.50	23 666 000	4005176342226	83	314.79
23 451 001	4005176998799	134	143.20	23 667 001	4005176429019	85	1,648.37
23 456 002	4005176304941	169	93.75	23 672 001	4005176429002	95	1,632.57
23 462 001	4005176306907	111	190.66	23 672 AL1	4005176585555	95	2,366.00
23 462 A01	4005176425325	111	280.63	23 672 DC1	4005176525094	95	2,070.00
23 462 AL1	4005176426070	111	299.33	23 707 003	4005176364778	148	111.69
23 462 BE1	4005176426087	111	280.63	23 707 LS3	4005176364785	148	156.81
23 462 DA1	4005176426056	111	280.63	23 708 003	4005176364990	148	106.05
23 462 DC1	4005176369933	111	261.90	23 709 003	4005176365003	149	111.69
23 462 DL1	4005176426063	111	299.33	23 709 LS3	4005176365010	149	145.52
23 462 EN1	4005176426094	111	299.33	23 715 003	4005176365065	150	100.42
23 462 GL1	4005176426032	111	280.63	23 716 003	4005176365072	150	145.53
23 462 GN1	4005176426049	111	299.33	23 717 30L	4005176365089	151	100.42
23 463 001	4005176306914	112	179.38	23 718 003	4005176365096	151	190.68
23 480 001	4005176306921	112	184.00	23 718 LS3	4005176365102	151	224.51
23 491 001	4005176307263	120	1,160.96	23 719 003	4005176365119	152	224.53



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
24 061 000	4005176465680	83, 91	184.74	24 134 AL3	4005176480997	49	960.09
24 061 AL0	4005176585586	91	267.00	24 134 DA3	4005176564345	49	506.00
24 062 000	4005176465697	83, 92	203.98	24 134 DC3	4005176480973	49	840.09
24 062 AL0	4005176585579	92	294.00	24 134 GL3	4005176564369	49	821.00
24 062 DC0	4005176553905	92	257.00	24 135 003	4005176480966	50	642.86
24 063 001	4005176465703	76	192.24	24 135 AL3	4005176481000	50	1,026.96
24 063 AL1	4005176586248	76	282.54	24 135 DA3	4005176564413	50	888.00
24 063 DC1	4005176465727	76	267.97	24 135 DC3	4005176480980	50	898.59
24 064 001	4005176465710	76	211.45	24 135 GL3	4005176564437	50	878.00
24 064 AL1	4005176586255	76	311.10	24 138 003	4005176481017	50	642.86
24 064 DC1	4005176465734	76	294.77	24 138 AL3	4005176481031	50	1,026.96
24 065 003	4005176465741	48	318.25	24 138 DA3	4005176564482	50	888.00
24 065 AL3	4005176465765	48	507.03	24 138 DC3	4005176481024	50	898.59
24 065 DA3	4005176564550	48	438.60	24 138 GL3	4005176564505	50	878.00
24 065 DC3	4005176465758	48	443.66	24 153 000	4005176481178	84, 92	490.90
24 065 GL3	4005176564574	48	433.50	24 153 AL0	4005176585913	84, 92	699.00
24 066 003	4005176465772	48	349.22	24 153 DC0	4005176574221	84, 92	612.00
24 066 AL3	4005176465796	48	557.72	24 154 000	4005176481185	84, 93	547.24
24 066 DA3	4005176564628	48	482.46	24 154 AL0	4005176585920	84, 93	779.00
24 066 DC3	4005176465789	48	488.01	24 154 DC0	4005176574238	84, 93	682.00
24 066 GL3	4005176564642	48	477.36	24 155 000	4005176481192	85, 93	547.24
24 067 000	4005176465802	65	296.30	24 155 AL0	4005176585937	85, 93	779.00
24 067 IGO	4005176465819	65	355.98	24 155 DC0	4005176574245	85, 93	682.00
24 068 000	4005176465840	65	333.22	<b>25</b>			
24 068 IGO	4005176465857	65	391.57	25 010 003	4005176455407	54	583.55
24 069 000	4005176465888	38	342.81	25 010 AL3	4005176455421	54	1,060.37
24 070 000	4005176465895	38	376.97	25 010 DA3	4005176493904	54	905.76
24 071 000	4005176465901	29	364.36	25 010 DC3	4005176455414	54	927.83
24 071 AL0	4005176465925	29	537.00	25 010 GL3	4005176493881	54	905.76
24 071 DC0	4005176465918	29	470.00	25 044 003	4005176455438	55	1,822.88
24 072 000	4005176465932	29	401.01	25 044 AL3	4005176455452	55	3,313.67
24 072 AL0	4005176465956	29	590.00	25 044 DA3	4005176493973	55	2,830.50
24 072 DC0	4005176465949	29	517.00	25 044 DC3	4005176455445	55	2,899.44
24 075 000	4005176465987	255	372.70	25 044 GL3	4005176493959	55	2,830.50
24 076 000	4005176465994	255	415.42	25 098 000	4005176881633	175	182.11
24 077 000	4005176466007	255	415.42	25 102 000	4005176881671	139	235.92
24 078 000	4005176466038	253	372.70	25 104 000	4005176881794	77	416.31
24 079 000	4005176466045	253	415.42	25 105 000	4005176881800	175	214.44
24 080 000	4005176466052	253	415.42	25 109 000	4005176881848	139	266.82
24 092 001	4005176480522	118	209.32	25 113 000	4005176881862	77	450.17
24 092 A01	4005176481291	118	306.11	25 128 000	4005176905209	166	203.66
24 092 AL1	4005176481307	118	326.49	25 129 000	4005176905216	166	246.77
24 092 BE1	4005176480607	118	306.11	25 132 003	4005176529870	104	369.00
24 092 DA1	4005176480560	118	306.11	25 133 003	4005176529887	104	399.00
24 092 DC1	4005176480539	118	285.69	25 136 000	4005176906763	94	314.76
24 092 DL1	4005176480577	118	326.49	25 137 000	4005176906770	94	359.91
24 092 EN1	4005176480614	118	326.49	25 216 001	4005176556654	182	139.98
24 092 GL1	4005176480546	118	306.11	25 217 001	4005176556661	182	169.98
24 092 GN1	4005176480553	118	326.49	25 219 001	4005176466373	167	416.16
24 093 003	4005176530050	104	219.00	25 231 001	4005176554599	188	169.98
24 093 AL3	4005176585760	104	345.00	25 232 001	4005176554605	188	139.98
24 093 DC3	4005176574214	104	302.00	25 450 001	4005176843372	193	131.61
24 094 000	4005176480638	84, 92	227.46	25 452 001	4005176843075	193	123.21
24 094 AL0	4005176585593	92	328.00	25 460 10A	4005176456541	193	153.74
24 094 DC0	4005176574047	92	287.00	<b>26</b>			
24 095 001	4005176480645	77	236.02	26 003 003	4005176455377	54	437.91
24 095 AL1	4005176586262	77	346.80	26 003 AL3	4005176455391	54	795.27
24 095 DC1	4005176480652	77	328.58	26 003 DA3	4005176493836	54	679.32
24 096 003	4005176480669	49	373.78	26 003 DC3	4005176455384	54	695.85
24 096 AL3	4005176480683	49	596.32	26 003 GL3	4005176493812	54	679.32
24 096 DA3	4005176564697	49	516.12	26 037 001	4005176487392	68	108.37
24 096 DC3	4005176480676	49	521.81	26 037 IGO	4005176936210	69	147.67
24 096 GL3	4005176564710	49	510.00	26 038 000	4005176935404	69	224.28
24 099 000	4005176480744	29	425.07	26 042 000	4005176935954	367	203.68
24 099 AL0	4005176480768	29	677.61	26 050 001	4005176444166	377, 426	48.10
24 099 DC0	4005176480751	29	592.89				
24 134 003	4005176480959	49	600.98				



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
26 051 001	4005176443954	378, 418	53.80	26 250 LSO	4005176317002	318	1,429.90
26 052 000	4005176937064	362	388.10	26 254 000	4005176317026	321, 355	605.61
26 054 000	4005176937088	32, 361	548.37	26 254 LSO	4005176409806	322, 355	720.09
26 056 000	4005176937101	360	536.92	26 256 000	4005176318597	360	788.77
26 060 000	4005176937149	43, 361	479.69	26 257 000	4005176317927	360	571.28
26 062 000	4005176937163	362	388.10	26 264 001	4005176417108	322, 355	204.93
26 063 000	4005176937170	362	388.10	26 267 001	4005176444197	364, 424	59.51
26 064 000	4005176937187	361	548.37	26 302 001	4005176408137	349	508.45
26 065 000	4005176937194	361	502.57	26 308 001	4005176843129	193	98.45
26 066 000	4005176937200	360	536.92	26 328 000	4005176332111	428	68.69
26 066 A00	4005176427237	360	885.73	26 329 000	4005176332128	428	170.59
26 066 AL0	4005176427220	360	941.12	26 330 001	4005176843112	193	82.96
26 066 BE0	4005176427244	360	885.73	26 332 000	4005176332135	428	182.03
26 066 DA0	4005176427206	360	885.74	26 333 000	4005176332142	428	73.28
26 066 DC0	4005176371172	360	775.05	26 334 000	4005176332159	433	16.85
26 066 DL0	4005176427213	360	941.12	26 335 000	4005176332166	433	18.70
26 066 EN0	4005176427251	360	941.10	26 346 000	4005176332173	433	20.97
26 066 GL0	4005176427183	360	885.74	26 352 000	4005176333835	429	34.69
26 066 GN0	4005176427190	360	941.10	26 353 000	4005176333866	429	33.19
26 067 000	4005176937217	360	536.92	26 354 000	4005176333873	429	44.65
26 067 A00	4005176427312	360	885.74	26 355 IL0	4005176333880	429	33.20
26 067 AL0	4005176427305	360	941.12	26 356 IL0	4005176333903	430	33.12
26 067 BE0	4005176427329	360	885.73	26 357 000	4005176333927	430	90.42
26 067 DA0	4005176427282	360	885.73	26 358 000	4005176333941	430	119.07
26 067 DC0	4005176371189	360	775.05	26 361 000	4005176347580	319	1,326.84
26 067 DL0	4005176427299	360	941.12	26 361 LSO	4005176409707	319	1,315.42
26 067 EN0	4005176427336	360	941.12	26 362 LN0	4005176339257	354	20.64
26 067 GL0	4005176427268	360	885.74	26 363 000	4005176339264	339	720.11
26 067 GN0	4005176427275	360	941.10	26 370 000	4005176341380	311, 440	33.19
26 070 000	4005176937248	43, 361	479.69	26 373 001	4005176415593	310, 366	21,465.20
26 071 000	4005176937255	43, 361	479.69	26 374 000	4005176350825	314	926.17
26 073 000	4005176937279	363, 411	239.28	26 376 001	4005176415609	310, 366	2,043.54
26 075 000	4005176937606	336	846.03	26 381 001	4005176451980	352	246.77
26 075 001	4005176648014	333, 333	714.75	26 383 000	4005176369025	340	752.14
26 075 A00	4005176425387	336	1,716.10	26 383 001	4005176460050	340	920.44
26 075 AL0	4005176425370	336	2,293.09	26 384 000	4005176369032	336	902.13
26 075 BE0	4005176428593	336	1,716.10	26 385 000	4005176375057	323, 354	20.64
26 075 DA0	4005176425356	336	1,716.10	26 405 000	4005176385162	410	80.73
26 075 DC0	4005176371219	336	1,250.79	26 406 001	4005176451881	423	53.64
26 075 DL0	4005176425363	336	1,716.09	26 408 000	4005176390111	377, 426	93.90
26 075 EN0	4005176428609	336	1,716.09	26 409 000	4005176390128	377, 426	93.90
26 075 GL0	4005176425332	336	1,716.10	26 410 000	4005176390142	377, 426	93.90
26 075 GN0	4005176425349	336	1,716.09	26 412 000	4005176390173	364, 424	166.02
26 082 002	4005176443268	414	22.90	26 413 000	4005176390180	364, 425	166.03
26 083 002	4005176451546	415	66.40	26 414 000	4005176408090	364, 425	139.69
26 084 002	4005176451645	417	36.61	26 418 000	4005176407666	342	487.49
26 085 001	4005176444036	412	46.95	26 443 000	4005176409875	320	1,326.87
26 086 001	4005176451904	412	95.04	26 443 LSO	4005176409882	320	1,315.42
26 087 000	4005176940828	338	1,258.17	26 446 000	4005176409905	321	1,420.72
26 089 001	4005176444067	365, 412	70.96	26 446 LSO	4005176409912	321	1,420.75
26 090 001	4005176443992	365, 417	74.40	26 449 000	4005176409790	251, 322	285.04
26 114 001	4005176417870	343	725.82	26 450 000	4005176409813	322, 355	562.14
26 130 001	4005176443909	414	28.62	26 450 LSO	4005176409820	322, 355	562.13
26 145 000	4005176986000	381	136.25	26 455 000	4005176416903	375, 406	137.40
26 146 000	4005176986017	381	113.35	26 457 000	4005176416934	375, 406	137.40
26 146 LSO	4005176997266	381	113.33	26 458 000	4005176416958	362, 405	228.98
26 161 001	4005176444104	419	25.18	26 459 000	4005176416965	362, 405	228.98
26 162 001	4005176451713	421	58.00	26 460 000	4005176416972	362, 406	182.04
26 164 001	4005176451867	423	36.10	26 461 000	4005176416989	362, 406	182.04
26 171 000	4005176997310	361	410.99	26 465 000	4005176423918	384	150.65
26 187 000	4005176310744	338	971.97	26 465 A00	4005176459146	384	240.80
26 223 001	4005176408144	351	650.59	26 465 AL0	4005176459153	384	255.85
26 224 001	4005176408168	351	451.59	26 465 BE0	4005176459160	384	240.80
26 241 000	4005176316319	342	449.94	26 465 DA0	4005176459122	384	240.80
26 243 000	4005176316326	344	601.06	26 465 DC0	4005176459092	384	210.72
26 249 000	4005176317156	341	605.61	26 465 DL0	4005176459139	384	255.84
26 250 000	4005176316999	318	1,452.80	26 465 EN0	4005176423925	384	255.84

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
26 465 GL0	4005176459108	384	240.80	26 510 000	4005176457630	332	1,143.70
26 465 GN0	4005176459115	384	255.84	26 513 000	4005176457722	401	69.84
26 467 000	4005176423956	409	91.09	26 514 000	4005176476099	349	584.99
26 468 000	4005176423963	376	152.80	26 544 000	4005176478888	386	74.52
26 469 000	4005176423970	371	485.42	26 546 000	4005176479816	386	159.39
26 472 000	4005176424908	371	500.95	26 550 000	4005176479854	388	74.52
26 474 000	4005176424939	373	362.25	26 552 000	4005176486272	388	74.52
26 474 BE0	4005176424953	373	470.93	26 553 000	4005176479885	390	93.15
26 474 EN0	4005176424946	373	470.93	26 557 000	4005176481710	359	379.29
26 474 ZB0	4005176424960	373	470.93	26 558 000	4005176481727	359	379.29
26 475 000	4005176423758	356	538.07	26 559 000	4005176481734	359	379.29
26 475 A00	4005176557095	356	777.29	26 560 000	4005176481741	359	379.29
26 475 AL0	4005176557101	356	825.93	26 561 000	4005176481758	370	311.01
26 475 BE0	4005176557118	356	777.29	26 561 LSO	4005176482137	370	404.21
26 475 DA0	4005176557125	356	777.29	26 562 000	4005176481765	369	311.01
26 475 DC0	4005176526237	356	680.00	26 562 LSO	4005176482144	369	404.21
26 475 DL0	4005176557132	356	825.93	26 563 000	4005176481772	359	406.38
26 475 EN0	4005176557149	356	825.93	26 564 000	4005176481789	359	406.38
26 475 GL0	4005176557156	356	777.29	26 564 A00	4005176557736	359	711.05
26 475 GN0	4005176557163	356	825.93	26 564 AL0	4005176557743	359	748.31
26 475 LSO	4005176425899	356	706.35	26 564 DL0	4005176557774	359	748.31
26 477 000	4005176423772	356	538.07	26 564 GN0	4005176557804	359	748.31
26 477 A00	4005176557170	356	777.29	26 565 000	4005176482090	359	406.38
26 477 AL0	4005176557187	356	825.93	26 566 000	4005176482106	359	406.38
26 477 BE0	4005176557194	356	777.29	26 566 A00	4005176557811	359	711.05
26 477 DA0	4005176557200	356	777.29	26 566 AL0	4005176557828	359	748.31
26 477 DC0	4005176526244	356	680.00	26 566 DC0	4005176526282	359	722.20
26 477 DL0	4005176557217	356	825.93	26 566 DL0	4005176557859	359	748.31
26 477 EN0	4005176557224	356	825.93	26 566 GN0	4005176557880	359	748.31
26 477 GL0	4005176557231	356	777.29	26 567 000	4005176482113	370	338.11
26 477 GN0	4005176557248	356	825.93	26 567 LSO	4005176482151	370	439.95
26 477 LSO	4005176425912	356	706.35	26 568 000	4005176482120	370	338.11
26 479 000	4005176425196	357	566.70	26 568 LSO	4005176482168	370	439.95
26 479 A00	4005176557255	357	818.69	26 569 000	4005176482175	369	297.05
26 479 AL0	4005176557262	357	870.44	26 569 EN0	4005176482182	369	445.05
26 479 DC0	4005176526251	357	716.22	26 570 000	4005176482199	370	322.93
26 479 DL0	4005176557293	357	870.44	26 570 EN0	4005176482205	370	484.38
26 479 GN0	4005176557323	357	870.44	26 574 000	4005176485916	386	74.52
26 479 LSO	4005176425936	357	734.99	26 574 DC0	4005176526459	386	132.48
26 481 000	4005176425219	357	566.71	26 575 000	4005176485947	386	159.39
26 481 A00	4005176557330	357	818.69	26 578 000	4005176485985	386	163.53
26 481 AL0	4005176557347	357	870.44	26 578 LSO	4005176486197	387	163.53
26 481 DC0	4005176526268	357	716.22	26 579 LSO	4005176486203	387	164.57
26 481 DL0	4005176557378	357	870.44	26 580 000	4005176486210	387	123.17
26 481 GN0	4005176557408	357	870.44	26 580 LSO	4005176486227	388	123.17
26 481 LSO	4005176425950	357	734.99	26 581 000	4005176486234	387	104.54
26 483 000	4005176425103	358	112.19	26 581 LSO	4005176486241	387	104.54
26 484 000	4005176425110	358	112.19	26 582 000	4005176486258	388	74.52
26 507 000	4005176457586	106, 331	1,132.25	26 583 000	4005176486289	388	159.39
26 507 A00	4005176557415	331	1,726.38	26 584 000	4005176486296	388	159.39
26 507 AL0	4005176557422	106, 331	1,827.81	26 584 LSO	4005176486302	389	159.39
26 507 BE0	4005176557439	331	1,726.38	26 585 000	4005176486319	388	159.39
26 507 DA0	4005176557446	331	1,726.38	26 586 000	4005176486333	389	163.53
26 507 DC0	4005176526374	106, 331	1,523.52	26 586 LSO	4005176486357	389	163.53
26 507 DL0	4005176557453	331	1,827.81	26 587 000	4005176486340	389	164.57
26 507 EN0	4005176557460	331	1,827.81	26 587 LSO	4005176486364	389	164.57
26 507 GL0	4005176557477	331	1,726.38	26 588 000	4005176486371	390	123.17
26 507 GN0	4005176557484	331	1,827.81	26 588 LSO	4005176486388	390	123.17
26 507 LSO	4005176457609	106, 331	1,303.97	26 589 000	4005176486395	389	104.54
26 508 000	4005176457593	107, 331	1,132.25	26 589 LSO	4005176486401	390	104.54
26 508 A00	4005176557491	331	1,726.38	26 590 000	4005176486418	390	93.15
26 508 AL0	4005176557507	107, 331	1,827.81	26 591 000	4005176486425	391	188.37
26 508 DC0	4005176526367	107, 331	1,523.52	26 592 000	4005176486449	391	188.37
26 508 DL0	4005176557538	331	1,827.81	26 592 LSO	4005176486432	391	189.41
26 508 GN0	4005176557569	331	1,827.81	26 593 000	4005176486456	391	193.55
26 508 LSO	4005176457616	107, 331	1,303.97	26 594 000	4005176486470	391	194.58
26 509 000	4005176457623	332	983.41	26 594 LSO	4005176486463	392	194.58

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
26 602 000	4005176486531	392, 442	96.26	27 074 GLO	4005176338984	437	61.80
26 603 000	4005176486548	392, 442	101.43	27 074 GNO	4005176427084	437	61.79
26 603 A00	4005176558696	392, 442	202.86	27 074 LSO	4005176873591	437	44.63
26 603 AL0	4005176558702	392, 442	222.53	27 075 000	4005176833090	437	33.19
26 603 BE0	4005176558719	392, 442	202.86	27 076 000	4005176833106	440	56.08
26 603 DA0	4005176558726	392, 442	202.86	27 102 000	4005176600074	431	56.85
26 603 DL0	4005176558733	392, 442	222.53	27 134 000	4005176836060	373, 393	124.78
26 603 EN0	4005176558740	392, 442	222.53	27 135 000	4005176836077	372	123.52
26 603 GLO	4005176558757	392, 442	202.86	27 135 EN0	4005176836084	372	228.76
26 603 GNO	4005176558764	392, 442	222.53	27 137 000	4005176836237	433	20.31
26 638 000	4005176528347	420	60.03	27 151 000	4005176837012	439	101.89
26 639 000	4005176528354	423	44.51	27 174 001	4005176877162	328	1,303.98
26 640 000	4005176530203	358	585.81	27 180 000	4005176839306	354	44.63
26 641 000	4005176530210	369	540.27	27 206 000	4005176845444	444	21.76
26 642 000	4005176530227	358	609.62	27 220 000	4005176854118	402	44.63
26 643 000	4005176530234	369	565.11	27 221 000	4005176854125	401	56.10
26 647 000	4005176533013	324	884.93	27 221 001	4005176457708	401	64.12
26 647 LSO	4005176533051	324	1,018.44	27 222 000	4005176854132	401	67.53
26 648 000	4005176533020	325	884.93	27 224 000	4005176854156	402	33.18
26 648 LSO	4005176533068	325	1,018.44	27 225 001	4005176899508	404	101.89
26 649 000	4005176533037	326	884.93	27 226 001	4005176899515	404	113.33
26 652 000	4005176533044	326	884.93	27 227 001	4005176899522	404	113.33
26 657 000	4005176533075	326	1,018.44	27 230 001	4005176899546	403	96.14
26 662 000	4005176580499	376, 425	114.95	27 231 001	4005176899553	403	101.89
26 663 000	4005176580505	363, 424	189.35	27 232 001	4005176899560	402	113.34
26 664 000	4005176580512	363, 425	152.88	27 237 000	4005176854286	375, 406	78.99
26 666 000	4005176580536	376, 425	102.97	27 238 000	4005176854293	402	43.67
26 668 000	4005176580550	363, 424	177.38	27 239 000	4005176854323	401	61.80
26 669 000	4005176580567	363, 425	140.91	27 239 001	4005176457715	401	69.84
26 670 000	4005176580574	347	517.49	27 242 001	4005176899782	403	101.86
26 681 000	4005176580680	377, 426	118.97	27 243 001	4005176899799	403	101.89
26 682 000	4005176580697	363, 424	195.98	27 251 000	4005176856327	368	113.32
26 683 000	4005176580703	364, 425	158.23	27 251 A00	4005176338878	368	186.93
26 685 000	4005176580727	377, 426	106.57	27 251 AL0	4005176338885	368	198.60
26 687 000	4005176580741	363, 424	183.59	27 251 BE0	4005176431593	368	172.85
26 688 000	4005176580758	364, 425	145.84	27 251 DA0	4005176338854	368	172.85
26 689 000	4005176580765	347	517.49	27 251 DC0	4005176431586	368	151.11
26 690 000	4005176580772	348	620.99	27 251 DL0	4005176431579	368	183.20
26 691 000	4005176580789	350	672.74	27 251 EN0	4005176431562	368	183.20
26 723 000	4005176648021	333	762.13	27 251 GLO	4005176338861	368	172.85
				27 251 GNO	4005176431555	368	183.20
				27 252 000	4005176856334	368	113.32
				27 253 000	4005176856365	369	170.57
				27 254 000	4005176856372	368	170.57
				27 256 001	4005176899805	404	84.71
				27 265 000	4005176856983	402	33.18
				27 265 00E	4005176885693	402	33.18
				27 266 001	4005176899812	403	90.44
				27 266 00E	4005176890710	403	81.74
				27 267 001	4005176899829	405	98.44
				27 271 000	4005176860690	368	456.78
				27 272 000	4005176860836	396	113.34
				27 273 001	4005176875502	396	250.71
				27 274 000	4005176861383	397	113.34
				27 276 000	4005176861437	393	90.45
				27 276 LSO	4005176861451	393	90.45
				27 277 001	4005176875489	395	216.38
				27 285 000	4005176860713	368	456.78
				27 286 000	4005176860737	367	1,830.60
				27 296 001	4005176896293	341	600.30
				27 296 002	4005176417818	337	591.88
				27 296 003	4005176647963	334	603.37
				27 320 000	4005176600159	445	80.92
				27 354 000	4005176874444	405	56.10
				27 355 000	4005176874451	405	101.88
				27 367 000	4005176875939	408	44.66
				27 368 000	4005176875946	408	170.58

## 27

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
27 369 000	4005176875953	408	78.98	27 610 001	4005176444050	378, 412	61.81
27 400 000	4005176877292	408	44.66	27 615 001	4005176417825	337	591.88
27 406 000	4005176600166	383, 427	53.22	27 615 002	4005176647970	334	603.37
27 421 002	4005176417924	346	472.82	27 621 000	4005176898310	439	319.41
27 443 000	4005176880025	393	90.46	27 641 000	4005176901645	330	1,155.14
27 444 000	4005176880049	393	90.46	27 644 001	4005176451720	421	67.52
27 446 000	4005176880063	394	90.46	27 645 001	4005176451744	420	74.40
27 447 000	4005176880087	394	91.84	27 646 001	4005176985522	422	64.57
27 448 000	4005176880100	394	90.46	27 646 10E	4005176985423	422	64.57
27 449 000	4005176879982	394	90.46	27 693 000	4005176907043	437	21.76
27 467 000	4005176882609	367	628.51	27 696 000	4005176907074	346	708.66
27 469 000	4005176882593	42, 329	1,155.14	27 698 000	4005176907098	410	44.64
27 470 000	4005176882531	370	479.69	27 699 000	4005176907104	410	44.64
27 470 LSO	4005176997235	370	573.50	27 700 000	4005176907111	410	216.36
27 473 001	4005176417900	344	532.34	27 702 000	4005176907135	411	78.97
27 475 001	4005176417863	343	740.71	27 703 000	4005176907142	411	78.97
27 475 002	4005176647840	335	761.47	27 704 000	4005176907159	440	33.18
27 477 000	4005176883286	372	502.58	27 705 000	4005176907166	376, 411	147.68
27 478 000	4005176883293	372	502.58	27 706 000	4005176908439	32, 437	33.20
27 479 000	4005176883309	371	491.15	27 706 A00	4005176491030	437	48.65
27 480 000	4005176883316	371	491.14	27 706 AL0	4005176490972	32, 437	51.75
27 484 000	4005176885488	382	67.55	27 706 DC0	4005176490989	32, 437	42.44
27 485 000	4005176885495	382	56.11	27 707 000	4005176908446	32, 440	44.66
27 488 000	4005176885525	381	78.99	27 707 A00	4005176490941	440	77.63
27 492 000	4005176885556	375, 408	136.23	27 707 AL0	4005176490880	32, 440	81.77
27 499 000	4005176886041	406, 443	44.65	27 707 DC0	4005176490897	32, 440	67.28
27 500 000	4005176886058	406, 443	56.09	27 709 000	4005176909092	382	113.33
27 512 001	4005176333804	429	21.75	27 711 000	4005176909115	382	90.44
27 513 001	4005176333842	429	33.19	27 786 002	4005176451508	416	74.43
27 514 001	4005176333910	430	67.55	27 787 002	4005176451522	415	82.44
27 519 000	4005176886485	413, 443	56.10	27 790 002	4005176451614	416	79.70
27 520 000	4005176886492	413, 443	56.11	27 794 001	4005176451737	421	67.52
27 521 000	4005176886508	418, 443	44.64	27 795 001	4005176451751	420	74.40
27 522 000	4005176886515	418, 443	56.10	27 796 001	4005176451850	422	74.40
27 523 000	4005176886522	426, 443	44.63	27 798 10E	4005176985447	423	36.10
27 524 000	4005176886539	426, 443	67.53	27 799 001	4005176985539	423	36.10
27 530 000	4005176889219	374, 398	479.68	27 803 10E	4005176985454	423	38.30
27 531 000	4005176889486	439	270.45	27 805 001	4005176451911	412	69.84
27 541 001	4005176451676	378, 418	85.84	27 812 IL1	4005176333897	429	34.33
27 569 000	4005176894275	329	1,155.12	27 841 000	4005176916670	411, 442	204.93
27 571 002	4005176443893	414	28.62	27 852 001	4005176444081	419	19.69
27 571 20E	4005176443275	414	28.62	27 853 001	4005176451706	421	48.16
27 572 002	4005176443923	414	36.62	27 854 001	4005176451829	422	54.74
27 573 002	4005176443947	414	48.07	27 863 000	4005176918155	371	685.75
27 574 002	4005176443916	414	36.62	27 865 000	4005176918179	312, 366	4,364.44
27 575 002	4005176443930	414	48.07	27 869 001	4005176444005	365, 417	80.16
27 576 002	4005176451560	415	84.70	27 884 001	4005176919695	409	90.45
27 577 002	4005176451584	415	87.00	27 888 000	4005176921179	311, 409	90.45
27 578 002	4005176451386	416	63.47	27 889 000	4005176921186	409	136.23
27 578 20E	4005176451362	416	63.47	27 890 000	4005176921193	409	262.18
27 579 002	4005176451492	416	74.43	27 891 000	4005176921209	409	250.73
27 580 002	4005176451515	415	82.44	27 892 000	4005176921216	442	193.50
27 584 002	4005176451621	416	54.97	27 922 000	4005176923364	350	490.86
27 588 002	4005176451669	417	51.52	27 922 001	4005176985348	348	508.45
27 591 001	4005176443985	377, 417	67.55	27 923 001	4005176444074	419	19.69
27 594 000	4005176895920	438	12.47	27 924 001	4005176451690	421	48.16
27 595 000	4005176895937	436	18.33	27 925 001	4005176451812	422	54.74
27 596 000	4005176895944	407, 418	10.30	27 926 001	4005176451768	420	66.77
27 597 001	4005176985508	419	25.18	27 929 002	4005176451577	415	84.70
27 597 10E	4005176985409	419	25.18	27 932 000	4005176924231	342	571.29
27 598 001	4005176985515	421	58.01	27 934 000	4005176927157	313	3,387.59
27 598 10E	4005176985416	421	58.01	27 936 000	4005176927058	410	196.51
27 600 001	4005176451775	420	76.71	27 938 001	4005176927072	367	3,135.69
27 601 10E	4005176985430	422	41.60	27 939 001	4005176927287	367	3,135.74
27 606 001	4005176444180	377, 426	60.67	27 964 000	4005176929595	339	743.00
27 608 001	4005176444029	412	53.81	27 966 000	4005176929250	328	1,155.14
27 609 001	4005176451898	412	100.76	27 966 001	4005176532993	327	1,076.40

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
27 967 000	4005176929670	330	1,017.76	28 389 000	4005176269837	385, 445	12.93
27 968 000	4005176929687	328	1,155.14	28 401 000	4005176264474	436	47.68
27 968 001	4005176533006	327	1,076.40	28 403 000	4005176264511	437	42.36
27 969 000	4005176931123	69	90.44	28 404 000	4005176601736	379, 399	20.74
27 969 IGO	4005176931130	69	113.33	28 405 000	4005176264559	440, 597	53.22
27 970 000	4005176931154	69	124.79	28 406 000	4005176264566	441, 597	53.22
27 970 IGO	4005176931161	69	170.56	28 409 001	4005176933233	434	12.77
27 974 000	4005176932793	68, 373	445.35	28 410 001	4005176933240	434	19.44
27 974 IGO	4005176933486	68, 373	582.71	28 413 001	4005176933257	434	15.96
27 978 000	4005176932830	68, 383	78.98	28 417 000	4005176264702	432	24.36
27 986 000	4005176933011	68, 382	101.88	28 419 002	4005176444128	419	33.19
27 986 IGO	4005176933547	68, 382	136.22	28 421 002	4005176444142	419	44.65
27 993 000	4005176933080	69	159.12	28 422 002	4005176444111	419	25.18
27 993 IGO	4005176933585	69	204.91	28 429 000	4005176601910	383, 427	53.22
<b>28</b>				28 436 002	4005176451799	420	83.58
28 002 000	4005176858796	379, 400	193.46	28 438 001	4005176985553	421	59.12
28 020 L01	4005176333828	429	14.77	28 448 000	4005176265167	374	175.13
28 025 000	4005176284830	432	26.19	28 497 000	4005176270338	382	67.56
28 034 000	4005176231810	43, 384	147.68	28 528 000	4005176271199	374	139.81
28 094 000	4005176601132	379, 400	53.22	28 537 000	4005176040443	399	107.53
28 105 000	4005176601217	432	18.70	28 541 000	4005176040528	383, 427	42.36
28 139 000	4005176601316	432	20.51	28 576 000	4005176274022	381	78.99
28 140 000	4005176601323	432	22.81	28 578 002	4005176444159	419	44.65
28 142 000	4005176601330	432, 598	20.31	28 587 000	4005176282966	442, 597	191.60
28 143 000	4005176601347	311, 432	22.57	28 605 000	4005176041105	438	20.64
28 143 KSO	4005176842252	432, 598	29.63	28 620 000	4005176041259	442	140.11
28 143 LSO	4005176842269	432, 598	29.63	28 621 000	4005176041273	442	172.69
28 145 000	4005176601354	432, 598	26.62	28 622 000	4005176041297	438	31.76
28 146 000	4005176121753	434	51.42	28 623 000	4005176031595	436	31.50
28 150 001	4005176933196	434	8.94	28 626 000	4005176041358	441	53.22
28 151 001	4005176933202	434	10.82	28 628 000	4005176041396	441	53.63
28 151 L01	4005176935091	434	20.60	28 631 000	4005176019142	444	53.22
28 154 001	4005176933219	434	12.64	28 634 XX0	4005176041440	445	31.23
28 155 001	4005176933226	434	13.99	28 636 000	4005176078606	441	56.10
28 158 000	4005176601606	434	31.92	28 671 000	4005176103070	440, 597	33.19
28 161 001	4005176935107	433, 597	17.32	28 678 000	4005176116711	441	46.28
28 198 000	4005176038686	380	129.25	28 679 000	4005176116759	441	53.22
28 214 003	4005176444098	419	24.07	28 680 000	4005176116780	440	42.36
28 233 000	4005176868016	375, 408	90.46	28 690 000	4005176256196	384, 436	96.67
28 261 002	4005176444135	419	33.19	28 724 000	4005176812644	382	56.10
28 280 004	4005176306624	421	56.09	28 737 000	4005176872983	376, 411	56.09
28 286 000	4005176198526	380, 400	101.88	28 778 000	4005176820526	371	662.87
28 308 000	4005176254949	373, 384	129.25	28 789 002	4005176451843	422	74.40
28 341 000	4005176259463	384	147.68	28 796 000	4005176824296	398	136.22
28 342 000	4005176260070	379, 400	64.46	28 799 000	4005176602511	446	102.21
28 343 000	4005176260285	431	21.73	28 856 000	4005176603495	444	31.50
28 348 000	4005176263262	384	140.11	28 874 000	4005176042348	445, 594	75.08
28 361 000	4005176295157	381	101.88	28 897 000	4005176827044	398	133.48
28 362 000	4005176295225	433	14.45	28 912 000	4005176266751	80, 108	234.65
28 362 A00	4005176427633	433	22.11	28 912 AL0	4005176467844	80, 108	245.43
28 362 BE0	4005176295249	433	22.11	28 912 DC0	4005176467905	80, 108	217.15
28 362 DA0	4005176427602	433	22.11	28 917 000	4005176827112	398	227.90
28 362 DC0	4005176386435	433	19.41	28 939 000	4005176209161	198	83.94
28 362 GL0	4005176427589	433	22.11	28 943 000	4005176209178	198, 637	94.57
28 364 000	4005176295294	433	16.24	28 948 000	4005176209871	379, 400	140.11
28 368 000	4005176267253	372	233.32	28 964 001	4005176877254	398	227.83
28 368 00E	4005176867385	372	342.30	28 982 000	4005176829987	381	136.25
28 368 LSO	4005176997242	372	433.88	28 988 000	4005176042805	445, 594	102.91
28 369 000	4005176267260	373, 393	365.21	28 990 000	4005176174025	197	133.59
28 373 000	4005176267277	372	353.75	28 991 000	4005176174032	197, 637	190.19
28 388 000	4005176295362	433	18.50	28 993 000	4005176174056	197	94.04
28 388 A00	4005176427701	433	27.96	28 995 000	4005176175725	197	266.53
28 388 BE0	4005176295386	433	27.96	<b>29</b>			
28 388 DA0	4005176427671	433	27.96	29 007 000	4005176837678	594	156.25
28 388 DC0	4005176386428	433	24.82	29 025 002	4005176519895	27, 37	229.00
28 388 GL0	4005176427657	433	27.96	29 032 000	4005176845277	31, 42	32.08

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
29 033 000	4005176845338	31, 41	253.30	29 124 000	4005176413308	241	560.97
29 037 000	4005176865749	30, 66	777.34	29 124 A00	4005176558139	241	734.00
29 037 002	4005176519918	57, 105	724.00	29 124 AL0	4005176558146	241	783.00
29 069 000	4005176918384	312	136.23	29 124 DC0	4005176526329	241	685.00
29 072 000	4005176918421	312	250.72	29 124 DL0	4005176558177	241	783.00
29 073 000	4005176918445	313	250.72	29 124 GN0	4005176558207	241	783.00
29 074 000	4005176918469	313	399.55	29 125 000	4005176413315	242	673.15
29 078 001	4005176556555	181	119.98	29 126 000	4005176413322	242, 311	606.77
29 079 001	4005176556692	182	131.87	29 126 A00	4005176558290	242	794.00
29 080 001	4005176555961	188	119.98	29 126 AL0	4005176558306	242	847.00
29 081 001	4005176556081	188	131.87	29 126 DC0	4005176526343	242	741.00
29 086 000	4005176935497	26, 26	231.18	29 126 DL0	4005176558337	242	847.00
29 094 000	4005176354106	593	215.85	29 126 GN0	4005176558368	242	847.00
29 095 000	4005176354113	593	220.32	29 127 000	4005176413339	243	369.79
29 096 000	4005176354120	593	178.03	29 127 A00	4005176558375	243	485.00
29 097 003	4005176365133	152	208.08	29 127 AL0	4005176558382	243	517.00
29 097 LS3	4005176365140	152	274.38	29 127 DC0	4005176526350	243	453.00
29 098 003	4005176365225	156	122.96	29 127 DL0	4005176558412	243	517.00
29 098 LS3	4005176365232	156	165.24	29 127 GN0	4005176558443	243	517.00
29 099 003	4005176365300	157	145.53	29 150 LS0	4005176413544	248	662.87
29 099 LS3	4005176365317	157	179.15	29 151 LS0	4005176413551	248	708.67
29 118 000	4005176412240	57, 245	492.51	29 152 LS0	4005176413575	249	468.22
29 118 A00	4005176493010	245	666.00	29 153 LS0	4005176413582	243	662.88
29 118 AL0	4005176455049	57, 245	683.67	29 156 LS0	4005176413599	244	708.67
29 118 BE0	4005176492952	245	666.00	29 157 LS0	4005176413605	244	754.43
29 118 DA0	4005176492990	57, 245	666.00	29 158 LS0	4005176413612	245	468.22
29 118 DC0	4005176455032	57, 245	606.00	29 303 003	4005176529764	101	249.00
29 118 DL0	4005176493003	245	711.00	29 303 AL3	4005176585654	101	374.00
29 118 EN0	4005176492969	245	711.00	29 303 DC3	4005176574108	101	328.00
29 118 GL0	4005176492976	57, 245	666.00	29 306 003	4005176529771	101	259.00
29 118 GN0	4005176492983	245	711.00	29 307 003	4005176529993	104	799.00
29 119 000	4005176412257	58, 246	568.04	29 307 AL3	4005176585715	104	1,265.00
29 119 A00	4005176493089	246	726.00	29 307 DC3	4005176574160	104	1,107.00
29 119 AL0	4005176455063	58, 246	744.40	29 706 000	4005176102639	176	282.29
29 119 BE0	4005176493027	246	726.00	29 708 000	4005176102653	67, 176	292.78
29 119 DA0	4005176493065	58, 246	726.00	29 800 000	4005176504839	41, 96	30.43
29 119 DC0	4005176455056	58, 246	742.85	29 801 000	4005176504846	42, 96	25.08
29 119 DL0	4005176493072	246	774.00	29 802 000	4005176504853	41, 67	51.42
29 119 EN0	4005176493034	246	774.00	29 804 000	4005176504877	42, 96	39.88
29 119 GL0	4005176493041	58, 246	726.00	29 805 000	4005176504884	41, 96	86.36
29 119 GN0	4005176493058	246	774.00	29 811 000	4005176062711	42, 68	51.42
29 120 000	4005176412264	246	643.54	29 813 000	4005176062735	295	82.90
29 121 000	4005176412271	58, 247	580.09	29 904 LSO	4005176413568	249	754.43
29 121 A00	4005176493225	247	785.00	<b>30</b>			
29 121 AL0	4005176455100	58, 247	918.30	30 008 001	4005176843242	194	32.07
29 121 BE0	4005176493164	247	785.00	30 058 001	4005176989162	493	1,283.33
29 121 DA0	4005176493201	58, 247	785.00	30 058 A01	4005176489259	493	1,516.66
29 121 DC0	4005176455094	58, 247	714.00	30 058 AL1	4005176489266	493	1,583.33
29 121 DL0	4005176493218	247	837.00	30 058 DA1	4005176489273	493	1,516.66
29 121 EN0	4005176493171	247	837.00	30 058 DC1	4005176989179	493	1,474.99
29 121 GL0	4005176493188	58, 247	785.00	30 058 DL1	4005176489280	493	1,583.33
29 121 GN0	4005176493195	247	847.00	30 060 001	4005176989186	494	1,183.33
29 122 000	4005176412288	59, 247	353.53	30 064 001	4005176843259	529	43.14
29 122 A00	4005176515231	247	479.00	30 098 001	4005176843266	194, 528	32.07
29 122 AL0	4005176455124	59, 247	469.00	30 189 000	4005176914102	511	168.10
29 122 BE0	4005176493232	247	479.00	30 190 000	4005176914119	511	180.80
29 122 DA0	4005176515217	59, 247	479.00	30 193 000	4005176919459	522	128.22
29 122 DC0	4005176455117	59, 247	436.00	30 193 DC0	4005176938559	522	149.78
29 122 DL0	4005176515224	247	511.00	30 195 000	4005176919473	522	175.65
29 122 EN0	4005176413728	247	469.00	30 199 000	4005176922022	522	100.22
29 122 GL0	4005176515194	59, 247	479.00	30 208 000	4005176927836	600	258.37
29 122 GN0	4005176515200	247	511.00	30 215 001	4005176409066	512	358.79
29 123 000	4005176413292	241	515.17	30 215 DC1	4005176409073	512	365.65
29 123 A00	4005176558054	241	674.00	30 219 002	4005176466540	505	677.80
29 123 AL0	4005176558061	241	719.00	30 219 DC2	4005176466557	505	914.87
29 123 DL0	4005176558092	241	719.00	30 221 002	4005176984235	519	134.26
29 123 GN0	4005176558122	241	719.00				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
30 260 003	4005176635434	524	106.68	30 383 000	4005176565519	486	324.99
30 269 000	4005176314902	509	269.65	30 385 000	4005176565533	486	291.66
30 269 A00	4005176428661	509	348.63	30 387 000	4005176565557	487	249.99
30 269 AL0	4005176428654	509	348.64	30 468 000	4005176635755	525	182.50
30 269 DA0	4005176428630	509	348.63	30 978 000	4005176098918	605	213.22
30 269 DC0	4005176314919	509	337.35	31			
30 269 DL0	4005176428647	509	348.64	31 067 001	4005176845710	529	94.00
30 269 GL0	4005176428616	509	348.63	31 124 002	4005176886614	519	168.12
30 269 GN0	4005176428623	509	348.64	31 126 004	4005176466977	518	211.11
30 270 000	4005176314926	509	337.32	31 127 002	4005176886669	518	179.40
30 270 A00	4005176427473	509	450.13	31 128 001	4005176886737	516	192.88
30 270 AL0	4005176427466	509	450.13	31 128 DC1	4005176891007	516	246.77
30 270 BE0	4005176427480	509	450.16	31 129 001	4005176886744	516	235.99
30 270 DA0	4005176427442	509	450.16	31 129 DC1	4005176891021	516	300.65
30 270 DC0	4005176314933	509	393.75	31 159 002	4005176888106	519	303.48
30 270 DL0	4005176427459	509	450.13	31 161 000	4005176889158	523	203.66
30 270 EN0	4005176427497	509	450.13	31 170 000	4005176889165	523	225.22
30 270 GL0	4005176427428	509	450.16	31 179 000	4005176889172	522	149.78
30 270 GN0	4005176427435	509	450.13	31 180 000	4005176889288	521	192.88
30 273 001	4005176314964	517	268.31	31 187 001	4005176843327	528	87.38
30 273 DC1	4005176314971	517	343.75	31 212 003	4005176466762	515	240.72
30 274 000	4005176314988	501	268.31	31 214 001	4005176891090	517	236.64
30 274 A00	4005176488658	501	363.12	31 230 001	4005176478277	530	77.00
30 274 AL0	4005176488665	501	363.12	31 231 001	4005176478260	530	77.00
30 274 DA0	4005176488672	501	363.12	31 232 001	4005176478253	531	77.00
30 274 DC0	4005176314995	501	336.51	31 233 001	4005176478284	531	77.00
30 274 DL0	4005176488689	501	363.12	31 234 001	4005176478499	531	77.00
30 294 000	4005176341472	508	427.59	31 255 000	4005176901416	510	201.96
30 294 A00	4005176488054	508	556.92	31 255 DC0	4005176994319	510	416.35
30 294 AL0	4005176488061	508	556.92	31 302 002	4005176443343	475	1,858.33
30 294 BE0	4005176488511	508	556.92	31 302 DC2	4005176443350	475	2,074.99
30 294 DA0	4005176488498	508	556.92	31 323 002	4005176989933	471	1,949.99
30 294 DC0	4005176341489	508	551.71	31 323 DC2	4005176989940	471	2,191.66
30 294 DL0	4005176488504	508	556.92	31 325 002	4005176507274	473	2,049.99
30 294 EN0	4005176488528	508	556.92	31 325 DC2	4005176507250	473	2,341.66
30 294 GL0	4005176488078	508	556.92	31 326 002	4005176507236	474	2,049.99
30 294 GN0	4005176488085	508	556.92	31 326 DC2	4005176507212	474	2,341.66
30 305 001	4005176635465	525	160.55	31 347 003	4005176443336	472	1,949.99
30 305 DC1	4005176635472	525	203.67	31 347 DC3	4005176446559	472	2,191.66
30 309 000	4005176351235	499	352.86	31 358 002	4005176465000	500	579.75
30 321 DG0	4005176438219	508	98.45	31 358 DC2	4005176465017	500	724.98
30 321 DP0	4005176438264	508	98.45	31 360 001	4005176343025	500	562.99
30 321 DU0	4005176438257	508	98.45	31 360 DC1	4005176343032	500	732.22
30 321 GE0	4005176438271	508	98.45	31 367 001	4005176478512	530	77.00
30 321 HG0	4005176385742	508	60.85	31 368 001	4005176478529	530	77.00
30 321 MW0	4005176385728	508	60.85	31 375 000	4005176934155	501	214.43
30 321 TY0	4005176438240	508	98.45	31 375 A00	4005176488610	501	304.98
30 321 XC0	4005176385735	508	60.85	31 375 AL0	4005176488627	501	304.98
30 321 YF0	4005176438233	508	60.85	31 375 DA0	4005176488634	501	304.98
30 321 YR0	4005176438226	508	98.45	31 375 DC0	4005176934162	501	279.09
30 328 001	4005176414107	492	1,333.33	31 375 DL0	4005176488641	501	304.98
30 328 DC1	4005176414114	492	1,524.99	31 379 000	4005176938085	498	613.14
30 329 001	4005176414121	494	1,183.33	31 379 DC0	4005176938092	498	796.33
30 340 001	4005176414893	492	1,374.99	31 391 003	4005176635762	526	112.30
30 340 DC1	4005176414909	492	1,583.33	31 395 000	4005176304774	510	585.54
30 341 001	4005176414916	493	1,283.33	31 395 DC0	4005176304767	510	754.80
30 341 A01	4005176489297	493	1,516.66	31 454 001	4005176454110	480	1,441.66
30 341 AL1	4005176489303	493	1,583.33	31 454 A01	4005176488894	480	1,741.66
30 341 DA1	4005176489310	493	1,516.66	31 454 AL1	4005176488900	480	1,816.66
30 341 DC1	4005176414923	493	1,474.99	31 454 DA1	4005176488917	480	1,741.66
30 341 DL1	4005176489327	493	1,583.33	31 454 DC1	4005176454127	480	1,641.66
30 348 001	4005176464973	503	207.06	31 454 DL1	4005176488924	480	1,816.66
30 362 000	4005176496479	507	451.42	31 455 000	4005176323027	478	1,441.66
30 362 AL0	4005176497292	507	676.02	31 455 001	4005176454134	477	1,441.66
30 362 DC0	4005176496486	507	588.20	31 455 A01	4005176488931	477	1,741.66
30 382 000	4005176565496	486	474.99	31 455 AL1	4005176488948	477	1,816.66
30 382 DC0	4005176565502	486	541.66				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
31 455 DA1	4005176488955	477	1,741.66	31 615 GL0	4005176523670	508	509.54
31 455 DC0	4005176323034	478	1,641.66	31 615 GN0	4005176523687	508	545.72
31 455 DC1	4005176454141	477	1,641.66	31 639 AP0	4005176520457	547	230.33
31 455 DL1	4005176488962	477	1,816.66	31 639 AT0	4005176520464	547	230.33
31 456 001	4005176454158	482	1,441.66	31 640 AP0	4005176520471	547	290.02
31 456 DC1	4005176454165	482	1,641.66	31 640 AT0	4005176520488	547	290.02
31 481 001	4005176466922	521	191.76	31 641 AP0	4005176521102	547	312.01
31 482 003	4005176466984	518	244.63	31 641 AT0	4005176521119	547	312.01
31 483 002	4005176466809	516	244.32	31 642 AP0	4005176521126	548	333.99
31 483 DC2	4005176466816	516	319.01	31 642 AT0	4005176521133	548	333.99
31 491 000	4005176343308	515	343.75	31 643 AP0	4005176521140	548	354.93
31 491 DC0	4005176343315	515	451.50	31 643 AT0	4005176521157	548	354.93
31 498 001	4005176454172	484	1,391.66	31 644 AP0	4005176521164	545	309.91
31 498 A01	4005176488979	484	1,674.99	31 644 AT0	4005176521171	545	309.91
31 498 AL1	4005176488986	484	1,766.66	31 645 AP0	4005176521188	545	323.53
31 498 DA1	4005176488993	484	1,674.99	31 645 AT0	4005176521195	545	323.53
31 498 DC1	4005176454189	484	1,608.33	31 646 AP0	4005176521201	545	344.46
31 498 DL1	4005176489006	484	1,766.66	31 646 AT0	4005176521218	545	344.46
31 535 001	4005176478550	531	77.00	31 647 AP0	4005176521225	546	387.39
31 536 001	4005176478567	530	77.00	31 647 AT0	4005176521232	546	387.39
31 538 001	4005176478574	531	77.00	31 648 AP0	4005176521249	546	296.31
31 539 000	4005176437014	481	1,674.99	31 648 AT0	4005176521256	546	296.31
31 539 DC0	4005176437021	481	1,899.99	31 649 AP0	4005176521263	546	361.21
31 541 000	4005176437038	479	1,674.99	31 649 AT0	4005176521270	546	361.21
31 541 DC0	4005176437045	479	1,899.99	31 650 AP0	4005176521287	543	233.48
31 543 000	4005176437052	483	1,674.99	31 650 AT0	4005176521294	543	233.48
31 543 DC0	4005176437069	483	1,899.99	31 651 AP0	4005176521300	543	275.35
31 552 SD1	4005176623714	542	104.68	31 651 AT0	4005176521317	543	275.35
31 562 SD1	4005176623721	542	189.29	31 652 AP0	4005176521324	543	307.81
31 563 SD1	4005176623738	538	195.29	31 652 AT0	4005176521331	543	307.81
31 564 SD1	4005176623745	541	156.20	31 653 AP0	4005176521348	544	204.17
31 565 SD1	4005176623752	541	175.74	31 653 AT0	4005176521355	544	204.17
31 566 SD0	4005176473234	540	168.13	31 654 AP0	4005176521362	544	234.53
31 567 SD0	4005176473241	540	242.16	31 654 AT0	4005176521379	544	234.53
31 568 SD0	4005176473258	539	210.43	31 655 AP0	4005176521386	544	277.46
31 569 SD0	4005176473265	539	305.61	31 655 AT0	4005176521393	544	277.46
31 570 SD0	4005176473272	541	347.91	31 656 AP0	4005176521409	548	191.61
31 571 SD1	4005176626029	538	221.00	31 656 AT0	4005176521416	548	191.61
31 572 SD1	4005176626036	538	316.19	31 680 000	4005176530487	532	65.00
31 574 SD1	4005176607080	536	217.00	31 688 000	4005176530333	532	73.00
31 575 SD1	4005176607097	536	548.00	31 693 000	4005176530371	532	73.00
31 576 SD1	4005176607103	536	249.00	31 706 000	4005176530449	532	73.00
31 577 SD1	4005176607110	537	249.00	31 715 000	4005176564123	532	73.00
31 578 SD1	4005176607127	537	196.00	31 819 001	4005176843471	529	98.42
31 580 SD1	4005176607134	537	254.00	31 829 001	4005176845697	528	77.42
31 581 SD1	4005176607141	534	780.00	31 831 001	4005176843280	528	76.32
31 582 SD1	4005176607158	534	780.00	31 930 001	4005176843303	528	164.79
31 583 SD1	4005176607165	534	526.00				
31 584 SD1	4005176607172	535	585.00				
31 585 SD1	4005176607189	535	780.00				
31 586 SD1	4005176607196	535	683.00				
31 587 SD0	4005176473449	540	242.16	32 042 003	4005176454448	46	364.57
31 588 SD1	4005176626043	539	326.76	32 042 AL3	4005176454462	46	662.71
31 593 002	4005176521942	505	401.00	32 042 DA3	4005176492167	46	566.11
31 593 DC2	4005176521959	505	602.00	32 042 DC3	4005176454455	46	579.87
31 613 000	4005176521973	500	305.52	32 042 GL3	4005176492143	46	566.10
31 613 A00	4005176523601	500	427.13	32 043 003	4005176454479	46	316.05
31 613 DA0	4005176523595	500	427.13	32 043 AL3	4005176454691	46	574.40
31 613 DC0	4005176521980	500	395.97	32 043 DC3	4005176454486	46	502.57
31 615 000	4005176523649	508	363.81	32 043 GL3	4005176492211	46	496.74
31 615 A00	4005176523717	508	509.54	32 067 000	4005176811142	503	214.43
31 615 AL0	4005176523724	508	545.72	32 108 003	4005176454790	47	413.11
31 615 BE0	4005176523731	508	509.54	32 108 AL3	4005176454813	47	751.09
31 615 DA0	4005176523694	508	509.54	32 108 DA3	4005176492518	47	641.58
31 615 DC0	4005176523656	508	473.36	32 108 DC3	4005176454806	47	657.20
31 615 DL0	4005176523700	508	545.72	32 108 GL3	4005176492495	47	641.58
31 615 EN0	4005176523748	508	545.72	32 109 001	4005176408373	72	224.51
				32 109 AL1	4005176586118	72	314.16
				32 109 DC1	4005176412691	72	297.19

## 32



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
32 114 001	4005176409103	72	213.23	32 628 A01	4005176407376	112	307.90
32 114 DC1	4005176412714	72	317.00	32 628 AL1	4005176407383	112	328.42
32 146 000	4005176821622	35	517.86	32 628 BE1	4005176419669	112	307.90
32 147 000	4005176821653	37	405.04	32 628 DA1	4005176407352	112	307.90
32 154 002	4005176862113	170	96.98	32 628 DC1	4005176369940	112	287.36
32 168 000	4005176824425	501	214.43	32 628 DL1	4005176419652	112	328.42
32 168 DC0	4005176824432	501	279.09	32 628 EN1	4005176426100	112	328.42
32 172 002	4005176862311	173	95.90	32 628 GL1	4005176407369	112	307.90
32 202 10L	4005176903960	133	132.90	32 628 GN1	4005176419645	112	328.42
32 204 10E	4005176887345	132	143.20	32 629 002	4005176472619	135	174.11
32 207 001	4005176888878	132	99.99	32 647 003	4005176454707	46	511.28
32 208 001	4005176888908	136	132.90	32 647 AL3	4005176454721	46	927.83
32 210 001	4005176888939	136	150.49	32 647 DA3	4005176492303	46	792.54
32 211 001	4005176889028	137	174.11	32 647 DC3	4005176454714	46	811.86
32 212 001	4005176889035	137	205.01	32 647 GL3	4005176492280	46	792.54
32 213 001	4005176888960	139	150.49	32 650 003	4005176454820	47	437.91
32 214 001	4005176889097	139	170.69	32 650 AL3	4005176454844	47	795.26
32 221 003	4005176635427	524	95.90	32 650 DA3	4005176492587	47	679.32
32 223 003	4005176635618	525	128.22	32 650 DC3	4005176454837	47	695.85
32 224 003	4005176635786	526	136.85	32 650 GL3	4005176492563	47	679.32
32 229 002	4005176887055	144	133.84	32 652 003	4005176454851	48	511.28
32 230 002	4005176886577	519	121.87	32 652 AL3	4005176454875	48	927.83
32 240 10E	4005176906794	133	132.90	32 652 DA3	4005176492655	48	792.54
32 240 10L	4005176903977	133	122.59	32 652 DC3	4005176454868	48	811.86
32 249 000	4005176832383	36	717.87	32 652 GL3	4005176492631	48	792.54
32 257 001	4005176834165	514	209.06	32 653 003	4005176454912	51	1,409.78
32 257 002	4005176886591	513	264.34	32 653 AL3	4005176454936	51	2,562.56
32 259 003	4005176466908	513	217.93	32 653 DA3	4005176492723	51	2,188.92
32 294 002	4005176466496	505	344.46	32 653 DC3	4005176454929	51	2,242.25
32 294 DC2	4005176466502	505	447.08	32 653 GL3	4005176492709	51	2,188.92
32 321 002	4005176465109	502	212.31	32 659 001	4005176886713	517	171.33
32 321 A02	4005176488733	502	303.96	32 661 003	4005176466823	515	190.97
32 321 AL2	4005176488740	502	303.96	32 661 DC3	4005176466830	515	233.65
32 321 DA2	4005176488757	502	303.96	32 663 003	4005176466854	515	212.31
32 321 DC2	4005176465116	502	276.33	32 663 DC3	4005176466861	515	297.67
32 321 DL2	4005176488764	502	303.96	32 666 001	4005176887406	516	322.20
32 321 GN2	4005176618529	502	304.08	32 700 001	4005176887994	138	160.59
32 322 002	4005176465123	503	212.31	32 706 000	4005176855092	36	247.06
32 322 A02	4005176488818	503	303.96	32 750 000	4005176868238	527	87.38
32 322 AL2	4005176488825	503	303.96	32 752 000	4005176868252	527	98.44
32 322 DA2	4005176488832	503	303.96	32 754 002	4005176428876	40	2,300.49
32 322 DC2	4005176465130	503	276.33	32 757 000	4005176870897	35	405.04
32 322 DL2	4005176488849	503	303.96	32 760 000	4005176870927	35	673.62
32 467 002	4005176862069	170	85.13	32 762 000	4005176871023	600	111.69
32 467 20L	4005176304736	170	85.13	32 763 000	4005176871030	600	111.69
32 468 003	4005176334207	150	111.69	32 765 000	4005176871054	600	235.82
32 468 20E	4005176906886	142	122.95	32 766 000	4005176871061	600	247.07
32 468 20L	4005176917097	142	117.58	32 767 000	4005176871078	601	280.91
32 469 20E	4005176908835	126	179.41	32 768 000	4005176871689	601	261.18
32 469 20L	4005176917110	126	170.19	32 770 000	4005176871702	601	229.71
32 488 000	4005176289552	503	171.33	32 771 000	4005176871719	601	303.49
32 488 A00	4005176488771	503	243.78	32 772 000	4005176871726	602	264.35
32 488 AL0	4005176488788	503	243.78	32 773 000	4005176871733	602	273.78
32 488 DA0	4005176488795	503	243.78	32 774 000	4005176871740	602	305.26
32 488 DC0	4005176804939	503	225.79	32 775 000	4005176871757	602	317.83
32 488 DL0	4005176488801	503	243.78	32 776 000	4005176871764	601	232.88
32 511 000	4005176295621	502	257.54	32 778 000	4005176871788	601	258.37
32 553 002	4005176466649	506	322.48	32 779 000	4005176871795	601	292.22
32 553 DC2	4005176466656	506	506.04	32 780 000	4005176871801	602	108.12
32 612 003	4005176529696	98	199.00	32 783 000	4005176871832	603	127.04
32 612 30L	4005176529979	98	199.00	32 784 000	4005176871849	603	134.25
32 612 AL3	4005176585609	98	307.00	32 786 000	4005176871863	527, 603	134.26
32 612 DC3	4005176574054	98	269.00	32 787 000	4005176871870	527, 604	132.47
32 618 003	4005176529740	100	299.00	32 788 000	4005176871887	606	235.79
32 618 AL3	4005176585647	100	476.00	32 789 000	4005176871894	606	213.24
32 618 DC3	4005176574092	100	416.00	32 790 000	4005176871900	606	283.27
32 628 001	4005176306983	112	201.93	32 792 000	4005176871924	607	374.47

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
32 793 000	4005176871931	607	390.20	33 163 003	4005176529702	98	199.00
32 795 000	4005176871955	606	371.19	33 183 002	4005176887499	125	176.98
32 823 000	4005176877995	606	349.24	33 188 002	4005176862052	169	95.90
32 824 000	4005176874604	159	106.68	33 190 20E	4005176887482	125	190.68
32 824 00L	4005176917035	159	106.68	33 192 002	4005176887864	129	213.25
32 825 000	4005176874611	158	117.45	33 202 003	4005176635588	525	128.22
32 825 00E	4005176874628	158	117.45	33 241 003	4005176529849	101	199.00
32 825 00L	4005176917028	159	116.67	33 241 AL3	4005176585739	101	307.00
32 826 000	4005176882425	38	856.33	33 241 DC3	4005176574184	101	269.00
32 827 00E	4005176906565	159	117.45	33 244 002	4005176888779	128	175.87
32 830 001	4005176472749	162	148.30	33 265 002	4005176861543	169	95.90
32 831 000	4005176874703	164	149.78	33 265 20L	4005176304729	169	95.90
32 832 000	4005176874710	166	171.33	33 281 003	4005176635366	524	106.68
32 833 000	4005176874727	165	120.43	33 281 30E	4005176635410	524	106.68
32 836 000	4005176874758	164	146.84	33 281 DC3	4005176635397	524	120.68
32 837 000	4005176874772	163	125.71	33 300 002	4005176862182	173	106.68
32 839 000	4005176874802	163	106.68	33 302 20A	4005176456510	174	137.94
32 840 000	4005176874819	163	95.08	33 303 002	4005176862243	175	192.88
32 842 000	4005176874833	522	106.68	33 304 002	4005176862236	174	106.68
32 843 002	4005176466939	521	129.81	33 339 000	4005176222818	39	799.93
32 843 20E	4005176466946	521	132.60	33 390 002	4005176887796	129	213.25
32 843 DC2	4005176466953	521	194.82	33 395 002	4005176887802	130	275.40
32 845 002	4005176466960	521	122.40	33 412 002	4005176862205	173	106.68
32 846 000	4005176882432	38	701.60	33 547 003	4005176529818	103	339.00
32 870 000	4005176876523	604	94.45	33 552 20E	4005176886300	141	122.96
32 871 000	4005176876530	604	110.72	33 553 003	4005176529795	102	299.00
32 879 000	4005176877353	168	136.28	33 553 AL3	4005176585678	102	460.00
32 880 000	4005176877360	167	139.01	33 553 DC3	4005176574122	102	403.00
32 898 001	4005176306860	111	156.82	33 555 002	4005176862304	172	95.90
32 901 001	4005176306969	113	269.65	33 557 003	4005176334184	150	111.69
32 901 A01	4005176407512	113	417.06	33 558 003	4005176334139	148	122.98
32 901 AL1	4005176407529	113	444.85	33 558 LS3	4005176335686	148	166.99
32 901 BE1	4005176426131	113	417.06	33 561 002	4005176886379	142	142.69
32 901 DA1	4005176407499	113	417.06	33 561 003	4005176334160	149	122.98
32 901 DC1	4005176369957	113	389.24	33 565 002	4005176887000	144	122.96
32 901 DL1	4005176426124	113	444.85	33 565 003	4005176334283	152	100.41
32 901 EN1	4005176426148	113	444.85	33 565 LS3	4005176334504	152	169.24
32 901 GL1	4005176407505	113	417.06	33 569 002	4005176887734	129	190.68
32 901 GN1	4005176426117	113	444.85	33 577 003	4005176529801	102	239.00
32 917 000	4005176230950	501	171.33	33 577 AL3	4005176585685	102	368.00
32 917 A00	4005176488696	501	243.78	33 577 DC3	4005176574139	102	322.00
32 917 AL0	4005176488702	501	243.78	33 590 002	4005176887048	144	134.24
32 917 DA0	4005176488719	501	243.78	33 590 003	4005176334306	153	168.12
32 917 DC0	4005176804946	501	214.43	33 590 LS3	4005176334511	153	179.38
32 917 DL0	4005176488726	501	243.78	33 591 002	4005176887123	145	153.75
32 917 KS0	4005176980640	501	231.68	33 591 003	4005176334351	154	179.38
32 918 000	4005176230967	502	214.43	33 591 LS3	4005176334535	154	224.51
32 918 00E	4005176866616	502	214.43	33 592 20A	4005176454288	145	207.58
32 918 DC0	4005176804953	502	279.09	33 592 30A	4005176456497	154	194.37
32 926 002	4005176861567	170	95.90	33 614 002	4005176887208	145	198.33
32 929 002	4005176862366	172	85.13	33 624 001	4005176990786	116	201.97
32 935 001	4005176307171	115	156.82	33 624 A01	4005176426445	116	325.45
32 935 A01	4005176426360	115	239.72	33 624 AL1	4005176426438	116	347.14
32 935 AL1	4005176426353	115	255.69	33 624 BE1	4005176426452	116	325.45
32 935 BE1	4005176426377	115	239.72	33 624 DA1	4005176426414	116	325.45
32 935 DA1	4005176426339	115	239.72	33 624 DC1	4005176371097	116	303.77
32 935 DC1	4005176369988	115	223.72	33 624 DL1	4005176426421	116	347.14
32 935 DL1	4005176426346	115	255.69	33 624 EN1	4005176426469	116	347.14
32 935 EN1	4005176426384	115	255.69	33 624 GL1	4005176426391	116	325.45
32 935 GL1	4005176426315	115	239.72	33 624 GN1	4005176426407	116	347.14
32 935 GN1	4005176426322	115	255.69	33 628 001	4005176990793	117	247.07
32 950 000	4005176879838	498	634.70	33 635 003	4005176334344	156	149.94
32 950 DC0	4005176879845	498	828.66	33 636 001	4005176307287	116	168.12
32 955 000	4005176880117	158	106.68	33 636 A01	4005176426667	116	265.05
				33 636 AL1	4005176426650	116	282.71
				33 636 BE1	4005176426674	116	265.05
				33 636 DA1	4005176426636	116	265.05
33 155 002	4005176865947	109	258.36				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
33 636 DC1	4005176371141	116	247.36	34 567 000	4005176310157	174, 191	246.77
33 636 DL1	4005176426643	116	282.71	34 569 000	4005176310171	280	246.77
33 636 EN1	4005176426681	116	282.71	34 665 000	4005176351556	591	353.86
33 636 GL1	4005176426612	116	265.05	34 666 000	4005176351563	592	313.78
33 636 GN1	4005176426629	116	282.71	34 667 000	4005176351570	591	282.63
33 637 003	4005176334405	157	199.69	34 671 000	4005176351587	592	360.50
33 769 000	4005176819605	37	247.09	34 681 000	4005176354090	592	337.33
33 770 001	4005176828959	514	197.99	34 705 000	4005176413285	59, 79	1,429.88
33 770 002	4005176888137	513	220.11	34 706 000	4005176413797	39, 107	1,418.43
33 772 002	4005176890796	513	231.18	34 713 000	4005176409776	251	914.74
33 848 001	4005176409172	74	258.37	34 714 000	4005176409783	251	857.48
33 848 DC1	4005176412776	74	346.75	34 718 000	4005176457647	75, 102	422.44
33 849 001	4005176409189	75	292.22	34 719 000	4005176457654	75, 102	383.49
33 849 AL1	4005176586200	75	480.42	34 720 000	4005176457661	252	491.14
33 849 DC1	4005176412783	75	455.71	34 721 000	4005176457678	252	498.01
33 850 001	4005176409196	76	338.48	34 725 000	4005176457081	591	351.08
33 865 001	4005176409202	75	292.21	34 726 000	4005176466014	256	563.88
33 865 AL1	4005176586217	75	376.38	34 727 000	4005176466021	256	631.16
33 865 DC1	4005176412790	75	376.81	34 728 000	4005176466069	254	574.56
33 912 000	4005176111969	527, 603	404.43	34 729 000	4005176466076	254	645.05
33 961 000	4005176119972	294, 603	309.34	34 730 000	4005176466342	254	1,395.81
33 962 000	4005176119989	294, 603	208.83	34 731 000	4005176466359	256	1,395.81
33 963 000	4005176128387	294, 603	92.35	34 732 000	4005176466366	256	957.94
33 964 000	4005176128394	294, 603	93.40	34 734 000	4005176466403	254	984.65
33 975 004	4005176467004	518	188.78	34 735 000	4005176466410	257	786.00
33 977 002	4005176886560	519	145.55	34 741 000	4005176481208	85, 93	1,296.05
33 982 002	4005176890833	520	134.26	34 742 000	4005176484094	39, 249	1,338.34
<b>34</b>				34 743 000	4005176484100	250	1,246.74
34 143 003	4005176309618	153, 270	225.22	34 744 000	4005176484117	250	1,047.52
34 146 003	4005176309625	270	214.43	34 765 000	4005176612022	116, 136	192.36
34 151 004	4005176456664	272	274.79	34 766 000	4005176612039	117, 137	250.61
34 152 004	4005176456640	272	295.26	34 767 000	4005176612046	165, 276	187.48
34 155 003	4005176310027	154, 271	279.09	34 768 000	4005176612053	278	223.47
34 156 003	4005176310034	271	289.86	34 769 000	4005176612060	278	228.97
34 169 001	4005176926518	260	319.40	34 770 000	4005176612077	277	245.73
34 170 001	4005176926471	260	296.50	34 771 000	4005176612886	276	196.51
34 174 001	4005176926426	261	388.12	34 772 000	4005176612893	277	254.77
34 176 001	4005176926488	263	720.12	34 776 000	4005176612930	273	203.05
34 195 001	4005176926631	263	342.32	34 779 000	4005176612961	273	264.54
34 256 004	4005176456671	272	279.09	34 780 000	4005176612978	273	259.65
34 281 001	4005176926501	263	502.57	34 781 000	4005176612985	274	207.21
34 294 001	4005176306877	111	145.55	34 782 000	4005176612992	274	268.69
34 430 000	4005176917981	269	246.77	34 783 000	4005176613005	274	234.38
34 437 000	4005176918025	269	289.86	34 784 000	4005176613012	275	237.86
34 438 003	4005176309632	270	225.22	34 787 000	4005176613043	275	238.53
34 439 003	4005176310041	271	289.86	<b>35</b>			
34 446 001	4005176926402	260	319.40	35 028 000	4005176908316	41, 42	134.24
34 448 000	4005176919183	269	365.30	35 034 000	4005176915697	439	216.38
34 463 001	4005176926419	259	377.78	35 085 000	4005176207068	595	1,965.91
34 464 001	4005176926433	261	388.09	35 087 000	4005176207082	595	2,244.65
34 466 001	4005176926440	262	399.57	35 500 000	4005176831522	593, 593	258.36
34 469 001	4005176926396	259	342.31	35 600 000	4005176413469	29, 29	132.18
34 484 001	4005176932519	262	410.99	<b>36</b>			
34 487 000	4005176936234	590, 604	134.26	36 015 001	4005176929359	573	522.92
34 488 000	4005176940620	82, 90	365.21	36 016 001	4005176929366	573	451.02
34 491 000	4005176940644	265	410.98	36 078 000	4005176856532	317	109.51
34 497 000	4005176940675	83, 91	460.58	36 194 000	4005176140921	533	140.50
34 502 000	4005176940798	266	514.01	36 207 001	4005176929373	573	602.68
34 508 000	4005176941795	266	491.14	36 208 001	4005176929380	573	511.55
34 509 000	4005176941801	265	376.65	36 209 000	4005176207105	574, 608	72.04
34 519 000	4005176998515	269	277.12	36 233 000	4005176283338	608	539.36
34 557 001	4005176456688	272	246.77	36 249 000	4005176283345	608	615.01
34 558 000	4005176310089	173, 191	192.88	36 264 001	4005176416279	559, 562	216.76
34 562 000	4005176310102	279	203.66	36 265 000	4005176893131	610	124.19
34 565 001	4005176456718	280	214.43	36 266 000	4005176893148	610	101.38
34 566 001	4005176456701	280	234.92				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
36 267 000	4005176893155	610	101.40	36 464 000	4005176576706	582	599.46
36 268 000	4005176893162	610	101.38	37			
36 269 000	4005176893179	584	306.48	37 035 000	4005176143731	706	12.38
36 271 000	4005176893193	584	283.69	37 036 000	4005176143748	706	19.52
36 272 000	4005176893209	584	283.69	37 037 000	4005176143762	706	21.57
36 273 000	4005176893216	585	372.45	37 038 000	4005176143786	707	23.62
36 274 000	4005176893223	585	363.44	37 039 000	4005176143793	707	25.65
36 309 000	4005176894794	317	264.37	37 040 000	4005176143861	707	28.65
36 315 000	4005176896590	580	477.36	37 042 000	4005176143908	707	17.42
36 316 000	4005176896279	610	33.02	37 043 000	4005176143922	707	38.57
36 317 000	4005176896514	609	280.94	37 044 000	4005176160776	706	20.54
36 318 000	4005176896521	609	303.50	37 059 000	4005176142857	716	140.50
36 319 000	4005176896538	609	472.11	37 060 000	4005176142901	717	63.77
36 320 000	4005176896545	609	438.90	37 063 000	4005176142185	719	61.91
36 321 000	4005176896552	609	314.76	37 063 SH0	4005176142307	719	61.91
36 322 001	4005176595400	609	130.56	37 069 000	4005176142352	719	107.25
36 324 001	4005176305757	577	548.00	37 078 P10	4005176160783	690	82.75
36 325 001	4005176305764	576	386.22	37 085 P10	4005176149641	690	52.96
36 327 001	4005176305771	162, 575	340.65	37 088 P10	4005176149672	690	51.42
36 330 001	4005176305788	577	363.45	37 092 000	4005176145049	689	34.84
36 331 001	4005176305795	575	298.50	37 093 000	4005176145070	689	40.93
36 332 000	4005176896682	578	802.93	37 095 000	4005176145124	689	31.34
36 333 000	4005176896699	578	788.62	37 099 K00	4005176142086	690	30.74
36 334 SD0	4005176896705	579	443.20	37 100 SH0	4005176142093	690	20.54
36 335 SD0	4005176896712	579	420.39	37 104 K00	4005176160844	692	20.54
36 336 001	4005176991769	567, 579	313.12	37 105 K00	4005176141904	693	20.54
36 337 001	4005176595417	567, 579	118.45	37 107 000	4005176141713	696	46.07
36 338 000	4005176896743	560, 563	90.00	37 108 000	4005176141720	696	39.36
36 339 001	4005176595424	568, 580	216.30	37 112 000	4005176141911	696	71.51
36 340 000	4005176911385	559, 563	54.21	37 114 000	4005176141935	696	18.94
36 341 000	4005176911392	559, 563	97.46	37 119 000	4005176144370	693	4.21
36 359 000	4005176918414	312	1,292.55	37 131 000	4005176144585	681, 693	41.15
36 360 000	4005176918438	313	1,109.37	37 132 000	4005176144608	695	18.94
36 367 000	4005176923203	315	296.51	37 133 000	4005176144622	695	31.27
36 371 000	4005176928970	315	628.50	37 135 000	4005176144653	696	6.04
36 376 000	4005176932243	580	568.50	37 139 000	4005176143083	695	87.38
36 384 000	4005176982774	585	625.46	37 141 000	4005176143113	695	104.54
36 386 001	4005176311673	577	662.49	37 311 K00	4005176160851	692	20.54
36 397 000	4005176999413	314	1,109.35	37 321 001	4005176929496	702	534.32
36 407 001	4005176368974	559, 563	261.30	37 321 SD1	4005176929502	702	534.32
36 409 000	4005176320538	565	484.21	37 324 001	4005176929526	703	534.32
36 410 000	4005176320545	567	555.97	37 324 SD1	4005176929533	703	503.56
36 412 000	4005176320569	568	626.61	37 336 001	4005176929540	702	534.32
36 413 000	4005176320576	564	587.87	37 337 001	4005176929557	702	503.56
36 414 000	4005176320583	566	797.51	37 338 000	4005176837920	570, 704	135.56
36 415 000	4005176320590	569	527.01	37 339 000	4005176837937	706	109.49
36 416 001	4005176595394	569, 582	611.82	37 347 000	4005176837999	695	209.07
36 421 000	4005176368523	576	359.57	37 396 000	4005176907968	706	124.19
36 422 000	4005176368530	575	361.81	37 419 000	4005176933806	697	807.77
36 439 000	4005176389740	576	268.56	37 419 SD0	4005176933813	697	807.77
36 440 000	4005176415623	558	794.01	37 421 000	4005176933572	701	436.72
36 441 000	4005176415630	89, 558	761.35	37 489 000	4005176167386	692	9.72
36 442 000	4005176415647	558	859.37	37 503 000	4005176320507	570, 703	682.45
36 444 000	4005176415661	561	641.53	37 504 000	4005176320521	571, 698	853.33
36 445 000	4005176415678	113, 561	619.75	37 535 000	4005176416019	97, 108	65.87
36 446 000	4005176415685	562	576.19	37 535 A00	4005176431364	710	170.57
36 447 000	4005176416293	562	815.80	37 535 AL0	4005176431357	97, 108	170.57
36 451 000	4005176473678	181, 588	236.35	37 535 BE0	4005176431340	710	170.57
36 452 000	4005176473685	588	220.02	37 535 DA0	4005176431333	710	170.57
36 453 000	4005176473791	589	249.42	37 535 DC0	4005176416040	97, 108	170.57
36 454 000	4005176487774	578	908.46	37 535 DL0	4005176431326	710	170.57
36 455 000	4005176487781	578	883.74	37 535 EN0	4005176431319	710	170.57
36 456 000	4005176494758	581	220.32	37 535 GL0	4005176431302	710	170.57
36 457 000	4005176494765	580	829.15	37 535 GN0	4005176431296	710	170.57
36 458 000	4005176494772	581	666.41	37 535 PO0	4005176416026	710	65.87
36 459 000	4005176576188	581	715.85	37 535 SH0	4005176416033	710	68.35
36 463 000	4005176576690	582	195.84				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
37 547 000	4005176189425	719	74.58	38 573 SH0	4005176292309	716	61.91
37 547 P00	4005176189449	719	69.39	38 574 000	4005176292385	716	61.91
37 547 SH0	4005176189418	719	61.91	38 629 000	4005176293191	681	55.29
37 601 000	4005176416057	80, 121	75.43	38 661 000	4005176294907	686	170.59
37 601 A00	4005176528996	121, 710	170.64	38 672 SD0	4005176296468	716	124.19
37 601 AL0	4005176529030	80, 121	170.64	38 675 001	4005176863516	670, 678	341.66
37 601 BE0	4005176529009	121, 710	170.64	38 691 000	4005176815454	687	182.04
37 601 DA0	4005176524288	121, 710	170.64	38 698 SD1	4005176929571	697	716.61
37 601 DC0	4005176416088	80, 121	170.64	38 699 001	4005176929588	697	602.68
37 601 DL0	4005176529023	121, 710	170.64	38 714 000	4005176828454	694, 717	14.59
37 601 EN0	4005176529047	121, 710	170.64	38 721 001	4005176863431	666	249.99
37 601 GL0	4005176524271	121, 710	170.64	38 722 001	4005176863424	666	249.99
37 601 GN0	4005176529016	121, 710	170.64	38 732 000	4005176836114	714	72.92
37 601 P00	4005176416064	710	100.26	38 732 A00	4005176339110	714	143.49
37 601 SH0	4005176416071	710	62.06	38 732 AL0	4005176339127	714	143.49
37 624 000	4005176416095	108, 131	75.43	38 732 BE0	4005176427749	714	143.49
37 624 A00	4005176529078	711	170.64	38 732 BR0	4005176873676	714	124.17
37 624 AL0	4005176529115	108, 711	170.64	38 732 DA0	4005176339097	714	143.49
37 624 BE0	4005176529085	711	170.64	38 732 DC0	4005176431371	714	132.87
37 624 DA0	4005176529061	711	170.64	38 732 DL0	4005176427732	714	143.49
37 624 DC0	4005176416125	108, 711	170.67	38 732 EN0	4005176427756	714	143.49
37 624 DL0	4005176529108	711	170.64	38 732 GL0	4005176339103	714	143.49
37 624 EN0	4005176529122	711	170.64	38 732 GN0	4005176427725	714	143.49
37 624 GL0	4005176529054	711	170.64	38 732 P00	4005176836121	714	53.60
37 624 GN0	4005176529092	711	170.64	38 732 SD0	4005176847691	713	158.36
37 624 P00	4005176416101	711	100.26	38 732 SH0	4005176836138	714	55.80
37 624 SH0	4005176416118	711	62.06	38 733 000	4005176837289	681	32.05
37 761 000	4005176213243	717	42.36	38 735 000	4005176837500	691	55.82
37 762 SH0	4005176213250	686	74.58	38 736 000	4005176837517	691	44.44
37 791 SH0	4005176217241	686	166.85	38 748 002	4005176416323	559, 563	574.99
37 945 SH0	4005176256387	686	74.58	38 750 001	4005176863363	664	283.33
37 965 000	4005176442506	711	66.07	38 761 000	4005176841620	667	287.49
37 965 SH0	4005176442513	711	50.87	38 764 001	4005176863301	667	224.99
37 998 000	4005176262586	680	109.50	38 765 000	4005176846830	712	72.90
<b>38</b>				38 765 P00	4005176846847	712	71.77
38 338 000	4005176286179	682	29.24	38 765 SH0	4005176846854	712	55.83
38 422 000	4005176275203	687	182.04	38 771 000	4005176848551	717	44.44
38 445 SD0	4005176282850	719	105.88	38 772 001	4005176863288	666	249.99
38 488 000	4005176289866	717	42.16	38 773 000	4005176850288	667	287.49
38 496 000	4005176289958	717	193.48	38 776 SD0	4005176853555	713	158.35
38 505 000	4005176290053	714	50.10	38 778 000	4005176855269	698	665.33
38 505 P00	4005176290060	714	87.35	38 779 000	4005176855306	681	103.89
38 505 SH0	4005176290046	714	33.04	38 784 000	4005176855535	720	112.77
38 506 000	4005176290121	714	72.88	38 784 P00	4005176855542	720	116.20
38 506 P00	4005176290138	714	74.58	38 784 SD0	4005176877407	720	166.36
38 506 SH0	4005176290114	714	67.25	38 784 SH0	4005176855559	720	103.76
38 525 001	4005176863967	671	316.66	38 786 001	4005176864025	673	274.99
38 526 000	4005176291050	671	237.49	38 787 000	4005176855689	704	112.80
38 528 001	4005176863943	662	183.33	38 796 000	4005176857034	718	67.21
38 536 001	4005176863929	669	208.33	38 803 001	4005176864049	673	345.83
38 539 001	4005176863912	669	237.49	38 804 000	4005176861512	720	120.56
38 541 000	4005176291234	676, 678	162.49	38 804 P00	4005176861536	720	112.82
38 543 000	4005176291258	677	304.16	38 804 SH0	4005176861529	720	109.52
38 545 000	4005176291272	677	312.49	38 805 000	4005176865596	718	135.56
38 546 000	4005176291289	676	154.16	38 808 000	4005176864056	721	101.39
38 553 001	4005176863813	676	262.49	38 808 P00	4005176864063	721	113.94
38 554 001	4005176863806	675	133.33	38 808 SH0	4005176864070	721	88.81
38 557 001	4005176863783	675	124.99	38 809 000	4005176864681	712	591.28
38 558 00M	4005176291418	671, 674	26.81	38 821 000	4005176868986	713	238.12
38 559 001	4005176863776	679	195.83	38 827 000	4005176870477	664	308.33
38 562 001	4005176863752	681	98.44	38 844 000	4005176874963	714	72.90
38 564 000	4005176291784	716	78.64	38 844 P00	4005176875687	714	67.21
38 564 SH0	4005176291777	716	60.29	38 844 SH0	4005176874970	714	55.82
38 565 000	4005176291845	716	50.15	38 845 KSO	4005176878343	712	249.51
38 573 000	4005176292316	716	55.84	38 845 LSO	4005176878336	712	249.51
38 573 P00	4005176292323	716	74.58	38 845 MF0	4005176878619	712	249.51
				38 846 KSO	4005176878268	720	296.38

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
38 846 LS0	4005176878367	720	296.38	39 337 00H	4005176418334	643	153.65
38 857 000	4005176875694	721	112.82	39 338 000	4005176407260	645	222.46
38 857 P00	4005176875663	721	109.50	39 338 00H	4005176418501	645	274.04
38 857 SH0	4005176875793	721	103.98	39 339 000	4005176407277	646	218.24
38 858 000	4005176876714	714	72.90	39 339 00H	4005176418525	646	269.84
38 858 P00	4005176876721	714	67.21	39 340 000	4005176423697	647	222.43
38 858 SH0	4005176876738	714	55.82	39 340 00H	4005176423703	647	274.04
38 860 000	4005176878084	664	249.99	39 346 000	4005176449673	654	313.90
38 861 000	4005176832284	715	67.22	39 347 000	4005176449680	653	302.65
38 862 000	4005176832314	714	72.90	39 349 000	4005176449659	651	139.51
38 862 P00	4005176832321	714	64.65	39 351 000	4005176450006	653	190.14
38 862 SD0	4005176834721	715	164.80	39 354 SH1	4005176470448	618	2,233.33
38 862 SH0	4005176832338	714	54.18	39 367 000	4005176341533	705	530.35
38 863 000	4005176832345	687	136.23	39 368 000	4005176341540	704	514.90
38 868 000	4005176878091	667	287.49	39 369 000	4005176341557	705	685.07
38 882 000	4005176879197	718	8.40	39 374 KS0	4005176344770	662	719.12
38 885 000	4005176879609	665	379.16	39 374 LS0	4005176344787	662	719.12
38 888 000	4005176879630	664	441.66	39 376 000	4005176342998	673	283.33
38 915 KS0	4005176897108	712	870.00	39 383 000	4005176356926	566	55.82
38 915 LS0	4005176897115	712	883.78	39 386 00H	4005176438356	638	538.94
38 916 OA0	4005176896941	713	297.54	39 420 000	4005176405983	648	72.01
38 947 000	4005176911217	668	329.16	39 421 000	4005176428906	648	66.39
38 948 000	4005176911224	668	249.99	39 422 000	4005176406195	649	111.41
38 957 000	4005176914409	713	109.51	39 423 000	4005176406201	643, 650	111.41
38 987 000	4005176924798	686	113.94	39 424 000	4005176406218	650	60.75
38 994 000	4005176932335	670	333.33	39 425 000	4005176406225	650	60.75
38 995 000	4005176932342	670	399.99	39 426 000	4005176406232	650	66.40
<b>39</b>				39 427 000	4005176406249	650	111.39
39 002 000	4005176936920	663	349.99	39 428 000	4005176406256	651	128.26
39 052 000	4005176935961	675	187.49	39 429 000	4005176406263	651	139.51
39 053 000	4005176935978	687	78.98	39 430 000	4005176406270	651	94.52
39 054 000	4005176936289	687	78.98	39 431 000	4005176406287	652	94.52
39 056 000	4005176936302	688	20.54	39 432 000	4005176406294	652	190.13
39 140 000	4005176315268	678	687.49	39 433 000	4005176406300	652	190.15
39 201 000	4005176344947	643	73.39	39 436 000	4005176406331	651	111.38
39 202 000	4005176344954	644	84.84	39 437 000	4005176406348	651	111.38
39 206 000	4005176344992	644	262.59	39 438 000	4005176406355	652	212.65
39 206 00H	4005176418495	644	314.17	39 439 000	4005176406362	653	212.65
39 208 000	4005176345029	646	256.86	39 440 000	4005176405976	649	60.75
39 208 00H	4005176418532	646	308.45	39 462 000	4005176454608	646	480.81
39 245 00H	4005176524479	640	480.32	39 462 00H	4005176454615	646	530.29
39 300 000	4005176346026	656	249.00	39 469 00H	4005176438363	638	465.79
39 301 000	4005176346033	656	183.55	39 473 00H	4005176438370	638	252.03
39 302 000	4005176346040	656	176.03	39 474 00H	4005176438387	638	235.15
39 305 000	4005176346071	656	311.27	39 475 00H	4005176442599	638	538.94
39 306 000	4005176346088	657	202.86	39 476 00H	4005176442605	638	466.92
39 307 000	4005176346095	657	445.44	39 477 00H	4005176442612	639	253.15
39 308 000	4005176346101	657	383.18	39 478 00H	4005176442629	639	237.40
39 323 000	4005176407116	642	102.03	39 479 00H	4005176442636	639	243.02
39 323 00H	4005176417344	642	153.63	39 480 00H	4005176442643	639	227.27
39 324 000	4005176407123	643	67.66	39 481 00H	4005176442650	639	227.27
39 324 00H	4005176417375	643	119.26	39 482 00H	4005176442667	639	201.39
39 325 000	4005176407130	644	73.39	39 483 00H	4005176442674	640	195.77
39 327 000	4005176390104	643	84.84	39 484 00H	4005176442698	640	452.30
39 327 00H	4005176418341	643	136.45	39 485 00H	4005176442704	640	420.80
39 328 000	4005176407161	644	285.51	39 486 00H	4005176442711	641	369.05
39 328 00H	4005176417382	644	337.12	39 487 00H	4005176442728	641	381.41
39 330 001	4005176468834	646	102.07	39 488 000	4005176442735	641	174.40
39 331 001	4005176468827	646	72.73	39 489 000	4005176442742	640	237.42
39 332 000	4005176407208	645	205.25	39 490 000	4005176442759	641	237.42
39 333 000	4005176407215	645	205.25	39 491 000	4005176449994	650	78.00
39 335 000	4005176407239	642	96.32	39 492 000	4005176450013	652	43.89
39 335 00H	4005176417351	642	142.19	39 493 000	4005176450020	652	88.91
39 336 000	4005176407246	643	94.83	39 496 000	4005176450051	654	314.82
39 336 00H	4005176417368	643	140.46	39 497 000	4005176450068	653	143.78
39 337 000	4005176407253	643	102.04	39 500 000	4005176453861	663	316.66
				39 501 000	4005176453878	665	273.33

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
39 503 000	4005176454097	665	273.33	40 305 AL3	4005176462436	60	78.53
39 504 000	4005176454103	665	273.33	40 305 DA3	4005176494208	60	109.18
39 538 000	4005176468292	645	223.66	40 305 DC3	4005176462429	60	68.66
39 554 000	4005176484452	644	382.35	40 305 GL3	4005176494185	60	109.18
39 564 00H	4005176485602	630	275.84	40 306 003	4005176461545	60	48.91
39 565 00H	4005176485619	630	254.54	40 306 AL3	4005176461569	60	78.53
39 566 00H	4005176485626	630	605.99	40 306 DA3	4005176494093	60	109.18
39 567 00H	4005176485633	630	435.59	40 306 DC3	4005176461552	60	68.66
39 568 00H	4005176485640	630	297.14	40 306 GL3	4005176494079	60	109.18
39 570 000	4005176484865	631	158.69	40 307 003	4005176462450	60	65.65
39 571 00H	4005176485671	631	382.34	40 307 AL3	4005176462474	60	107.28
39 572 00H	4005176485688	631	424.94	40 307 DA3	4005176494260	60	146.26
39 573 00H	4005176485794	631	399.38	40 307 DC3	4005176462467	60	90.11
39 574 00H	4005176485800	632	382.34	40 307 GL3	4005176494246	60	146.26
39 575 00H	4005176485817	632	399.38	40 308 003	4005176462481	61	111.58
39 576 000	4005176485121	632	105.44	40 308 AL3	4005176462504	61	170.80
39 577 000	4005176485138	632	158.69	40 308 DA3	4005176494321	61	243.08
39 578 000	4005176485145	632	243.89	40 308 DC3	4005176462498	61	154.49
39 579 000	4005176485152	632	243.89	40 308 GL3	4005176494307	61	243.08
39 581 000	4005176496011	666	304.16	40 309 003	4005176462511	61	102.99
39 584 00H	4005176519161	642	358.91	40 309 AL3	4005176462627	61	167.36
39 585 00H	4005176519178	642	463.28	40 309 DA3	4005176494383	61	231.75
39 596 000	4005176527494	619, 660	254.16	40 309 DC3	4005176462528	61	145.91
39 598 000	4005176527517	619, 661	287.49	40 309 GL3	4005176494369	61	231.75
39 603 000	4005176527562	660	308.33	40 312 003	4005176462535	61	33.90
39 608 00H	4005176566493	630	579.36	40 312 AL3	4005176462559	61	54.06
39 609 00H	4005176566509	631	386.60	40 312 DA3	4005176494444	61	75.19
39 611 000	4005176571275	633	6,598.63	40 312 DC3	4005176462542	61	47.20
39 612 000	4005176571282	633	6,389.73	40 312 GL3	4005176494420	61	75.19
39 613 00H	4005176571299	633	6,734.13	40 313 003	4005176462566	61	74.24
39 614 00H	4005176571305	633	6,869.64	40 313 AL3	4005176462580	61	120.16
39 617 000	4005176571312	634	1,266.82	40 313 DA3	4005176494505	61	164.80
39 619 000	4005176571329	635	1,397.08	40 313 DC3	4005176462573	61	102.99
39 620 00H	4005176571336	635	1,397.08	40 313 GL3	4005176494482	61	164.80
39 621 00H	4005176571343	635	1,526.20	40 314 003	4005176462597	61	145.91
39 622 000	4005176571350	635	6,313.80	40 314 AL3	4005176462610	61	239.48
39 623 000	4005176571367	636	6,744.99	40 314 DA3	4005176494567	61	327.54
39 641 000	4005176570155	642	228.99	40 314 DC3	4005176462603	61	205.15
39 642 000	4005176570162	642	239.64	40 314 GL3	4005176494543	61	327.54
39 642 KW0	4005176573521	642	273.00	40 339 000	4005176824111	44	107.28
39 643 000	4005176570179	649	190.64	40 340 000	4005176824128	45	171.66
39 644 000	4005176570186	648	174.67	40 341 000	4005176824135	44	158.78
39 648 SH0	4005176575310	621, 654	247.00	40 342 000	4005176824142	44	158.78
39 649 00H	4005176571374	636	6,744.84	40 344 001	4005176323461	214	94.41
39 650 00H	4005176571381	636	6,882.29	40 344 DC1	4005176413209	214	133.03
39 651 SH0	4005176575327	621, 655	346.00	40 364 001	4005176326332	210	10.29
39 652 SH0	4005176575334	621, 655	470.00	40 364 A01	4005176429514	210	15.44
39 693 000	4005176581281	645	354.40	40 364 AL1	4005176429668	210	16.73
39 726 00H	4005176594861	634	6,869.64	40 364 BE1	4005176430114	210	15.44
39 727 00H	4005176594878	634	6,734.13	40 364 DA1	4005176428913	210	15.44
39 728 000	4005176594885	634	6,389.73	40 364 DL1	4005176429965	210	16.73
39 729 000	4005176594991	633	6,011.13	40 364 EN1	4005176326349	210	16.73
<b>40</b>				40 364 GL1	4005176429361	210	15.44
40 254 000	4005176211065	43, 43	26.60	40 364 GN1	4005176429811	210	16.73
40 254 003	4005176462405	60	40.17	40 365 001	4005176326240	208	18.88
40 256 000	4005176211089	43, 43	37.76	40 365 A01	4005176429521	208	28.31
40 256 003	4005176462443	60	37.33	40 365 AL1	4005176429675	208	30.47
40 278 000	4005176824081	43, 43	78.96	40 365 BE1	4005176430121	208	28.31
40 279 000	4005176824098	44	107.28	40 365 DA1	4005176428920	208	28.31
40 284 000	4005176824104	44	43.34	40 365 DC1	4005176412431	208	26.60
40 304 003	4005176461576	60	48.91	40 365 DL1	4005176429972	208	30.47
40 304 AL3	4005176462399	60	78.53	40 365 EN1	4005176326257	208	30.47
40 304 DA3	4005176494154	60	109.18	40 365 GL1	4005176429378	208	28.31
40 304 DC3	4005176461583	60	68.66	40 365 GN1	4005176429828	208	30.47
40 304 GL3	4005176494130	60	109.18	40 366 001	4005176326264	209	30.03
40 305 003	4005176462412	60	48.91	40 366 A01	4005176429552	209	45.05
				40 366 AL1	4005176429705	209	48.06

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
40 366 BE1	4005176430152	209	45.05	40 386 GN1	4005176429866	209	60.50
40 366 DA1	4005176428951	209	45.05	40 394 001	4005176326233	207, 215	15.44
40 366 DC1	4005176412448	209	42.05	40 394 A01	4005176429583	207	23.16
40 366 DL1	4005176430008	209	48.06	40 394 AL1	4005176429736	207, 215	24.88
40 366 EN1	4005176326271	209	48.06	40 394 BE1	4005176430183	207	23.16
40 366 GL1	4005176429408	209	45.05	40 394 DA1	4005176428982	207	23.16
40 366 GN1	4005176429859	209	48.06	40 394 DC1	4005176421532	207, 215	21.88
40 367 001	4005176326387	212	24.88	40 394 DL1	4005176430039	207	24.88
40 367 A01	4005176429620	212	37.33	40 394 EN1	4005176412646	207, 222	24.88
40 367 AL1	4005176429774	212	39.90	40 394 GL1	4005176429439	207	23.16
40 367 BE1	4005176430220	212	37.33	40 394 GN1	4005176429880	207	24.88
40 367 DA1	4005176429323	212	37.33	40 404 001	4005176984068	489	48.74
40 367 DC1	4005176412455	212	34.75	40 405 001	4005176698019	488	24.17
40 367 DL1	4005176430077	212	39.90	40 407 001	4005176328350	213	59.65
40 367 EN1	4005176326394	212	39.90	40 407 DC1	4005176413179	213	83.68
40 367 GL1	4005176429477	212	37.33	40 412 001	4005176984082	489	120.83
40 367 GN1	4005176429927	212	39.90	40 421 001	4005176326325	210	30.03
40 368 001	4005176326219	207, 215	5.23	40 421 A01	4005176429637	210	45.05
40 369 001	4005176326196	207	18.88	40 421 AL1	4005176429781	210	48.06
40 369 A01	4005176429576	207	28.31	40 421 BE1	4005176430237	210	45.05
40 369 AL1	4005176429729	207	30.47	40 421 DA1	4005176429330	210	45.05
40 369 BE1	4005176430176	207	28.31	40 421 DC1	4005176413117	210	42.05
40 369 DA1	4005176428975	207	28.31	40 421 DL1	4005176430084	210	48.06
40 369 DC1	4005176412462	207	26.60	40 421 EN1	4005176430305	210	48.06
40 369 DL1	4005176430022	207	30.47	40 421 GL1	4005176429484	210	45.05
40 369 EN1	4005176326202	207	30.47	40 421 GN1	4005176429934	210	48.06
40 369 GL1	4005176429422	207	28.31	40 422 000	4005176890246	490	66.66
40 369 GN1	4005176429873	207	30.47	40 423 000	4005176890253	491	83.33
40 371 001	4005176326318	209	33.46	40 430 001	4005176984075	489	91.66
40 371 A01	4005176429538	209	50.20	40 432 000	4005176883255	495	20.83
40 371 AL1	4005176429682	209	53.64	40 434 001	4005176985294	490	24.16
40 371 BE1	4005176430138	209	50.20	40 437 000	4005176885471	488	24.16
40 371 DA1	4005176428937	209	50.20	40 438 001	4005176984105	495	120.83
40 371 DC1	4005176412479	209	47.20	40 444 001	4005176328336	208	24.03
40 371 DL1	4005176429989	209	53.64	40 444 DC1	4005176413148	208	33.90
40 371 EN1	4005176430268	209	53.64	40 444 EN1	4005176335501	208	38.61
40 371 GL1	4005176429385	209	50.20	40 447 001	4005176328701	208	23.60
40 371 GN1	4005176429835	209	53.64	40 447 DC1	4005176413162	208	33.04
40 372 001	4005176326226	207, 215	6.26	40 447 EN1	4005176335518	208	37.33
40 374 001	4005176326400	212	30.89	40 448 001	4005176328343	208	35.18
40 374 A01	4005176429590	212	46.34	40 448 DC1	4005176413155	208	49.35
40 374 AL1	4005176429743	212	49.78	40 448 EN1	4005176335525	208	56.22
40 374 BE1	4005176430190	212	46.34	40 457 001	4005176327865	220	19.25
40 374 DA1	4005176429293	212	46.34	40 459 001	4005176327810	219	21.87
40 374 DC1	4005176412486	212	43.34	40 460 001	4005176327803	219	15.31
40 374 DL1	4005176430046	212	49.78	40 461 001	4005176327858	220	9.18
40 374 EN1	4005176430282	212	49.78	40 462 001	4005176327827	220	80.93
40 374 GL1	4005176429446	212	46.34	40 463 001	4005176327872	220	24.93
40 374 GN1	4005176429897	212	49.78	40 493 000	4005176899256	33	205.15
40 385 001	4005176326356	212	18.88	40 494 000	4005176899263	33	308.15
40 385 A01	4005176429606	212	28.31	40 496 000	4005176899287	33	167.36
40 385 AL1	4005176429750	212	30.47	40 497 000	4005176899294	33	187.98
40 385 BE1	4005176430206	212	28.31	40 498 000	4005176899300	34	80.68
40 385 DA1	4005176429309	212	28.31	40 499 000	4005176899317	34	163.08
40 385 DC1	4005176413094	212	26.60	40 500 000	4005176899324	34	265.23
40 385 DL1	4005176430053	212	30.47	40 503 000	4005176900068	33	239.48
40 385 EN1	4005176430299	212	30.47	40 504 000	4005176900075	33	248.05
40 385 GL1	4005176429453	212	28.31	40 507 001	4005176324598	217	28.75
40 385 GN1	4005176429903	212	30.47	40 507 AL1	4005176636639	217	59.74
40 386 001	4005176326301	209	37.76	40 507 DC1	4005176636530	217	52.53
40 386 A01	4005176429569	209	56.64	40 508 001	4005176324413	215	24.88
40 386 AL1	4005176429712	209	60.50	40 508 AL1	4005176636653	215	51.50
40 386 BE1	4005176430169	209	56.64	40 508 DC1	4005176636554	215	45.32
40 386 DA1	4005176428968	209	56.64	40 509 001	4005176324437	216	38.19
40 386 DL1	4005176430015	209	60.50	40 509 DC1	4005176636493	216	69.01
40 386 EN1	4005176430275	209	60.50	40 510 001	4005176324420	216	34.33
40 386 GL1	4005176429415	209	56.64	40 510 AL1	4005176636578	216	71.07



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
40 510 DC1	4005176636172	216	61.80	40 654 EN1	4005176324260	223	82.82
40 511 001	4005176324475	216	14.58	40 655 001	4005176324338	222	18.88
40 511 AL1	4005176636615	216	29.87	40 655 EN1	4005176324246	222	30.47
40 511 DC1	4005176636516	216	26.78	40 656 001	4005176324383	223	10.29
40 512 001	4005176324451	216	124.45	40 656 EN1	4005176324291	223	16.73
40 512 AL1	4005176636608	216	256.47	40 657 001	4005176324390	223	22.31
40 513 001	4005176324604	217	50.20	40 657 EN1	4005176324307	223	35.62
40 513 AL1	4005176636561	217	101.97	40 658 001	4005176324406	223	30.89
40 513 DC1	4005176636165	217	89.61	40 658 EN1	4005176324314	223	49.78
40 514 001	4005176324468	217	51.49	40 659 001	4005176324376	224	33.90
40 514 AL1	4005176636622	217	106.09	40 659 EN1	4005176324284	224	54.06
40 514 DC1	4005176636523	217	92.70	40 660 001	4005176324369	223	102.99
40 535 000	4005176905490	533	38.33	40 660 EN1	4005176324277	223	163.08
40 535 A00	4005176489396	533	86.00	40 663 001	4005176327834	212, 220	42.87
40 535 AL0	4005176489402	533	86.00	40 664 001	4005176327841	213, 221	34.56
40 535 BE0	4005176489457	533	86.00	40 684 000	4005176940088	504	62.22
40 535 DA0	4005176489433	533	86.00	40 684 DC0	4005176940095	504	65.39
40 535 DC0	4005176905520	533	53.74	40 687 000	4005176981838	490	29.16
40 535 DL0	4005176489440	533	86.00	40 688 001	4005176326288	209	27.46
40 535 GL0	4005176489419	533	86.00	40 688 A01	4005176429545	209	41.19
40 535 GN0	4005176489426	533	86.00	40 688 AL1	4005176429699	209	44.20
40 536 000	4005176905506	533	34.58	40 688 BE1	4005176430145	209	41.19
40 536 DC0	4005176905537	533	48.74	40 688 DA1	4005176428944	209	41.19
40 537 000	4005176905513	533	42.49	40 688 DC1	4005176413124	209	38.61
40 537 DC0	4005176905544	533	74.51	40 688 DL1	4005176429996	209	44.20
40 547 001	4005176984099	489	48.74	40 688 EN1	4005176326295	209	44.20
40 554 002	4005176458521	476	1,400.00	40 688 GL1	4005176429392	209	41.19
40 564 000	4005176912740	108	255.84	40 688 GN1	4005176429842	209	44.20
40 564 AL0	4005176491788	108	379.76	40 689 001	4005176326363	211	22.31
40 564 DC0	4005176491795	108	332.29	40 689 A01	4005176429613	211	33.46
40 575 001	4005176385766	489	95.83	40 689 AL1	4005176429767	211	35.62
40 575 002	4005176674082	489	95.83	40 689 BE1	4005176430213	211	33.46
40 585 001	4005176327797	219	15.31	40 689 DA1	4005176429316	211	33.46
40 623 001	4005176324482	217	24.03	40 689 DC1	4005176413131	211	31.32
40 623 AL1	4005176636646	217	49.44	40 689 DL1	4005176430060	211	35.62
40 623 DC1	4005176636547	217	43.26	40 689 EN1	4005176326370	211	35.62
40 624 001	4005176324444	216	48.49	40 689 GL1	4005176429460	211	33.46
40 624 AL1	4005176636585	216	98.88	40 689 GN1	4005176429910	211	35.62
40 624 DC1	4005176636486	216	86.52	40 691 002	4005176674099	489	62.48
40 625 000	4005176927706	71	124.45	40 694 000	4005176985300	490	10.41
40 625 EN0	4005176927720	71	196.55	40 711 001	4005176454301	485	1,100.00
40 625 IG0	4005176927713	71	163.08	40 754 001	4005176328367	216	30.47
40 626 000	4005176927737	70	120.16	40 755 001	4005176328374	215	30.03
40 626 IG0	4005176927744	70	154.49	40 756 001	4005176328381	215	40.33
40 627 000	4005176927768	70	158.78	40 757 001	4005176328497	217	84.11
40 627 IG0	4005176927775	70	205.15	40 758 001	4005176328503	218	128.74
40 628 000	4005176927898	70	145.91	40 766 000	4005176347849	204	47.20
40 628 IG0	4005176927904	70	187.98	40 767 000	4005176347856	205	90.11
40 629 000	4005176927928	70	167.36	40 768 000	4005176347863	204	133.03
40 629 EN0	4005176927942	70	338.87	40 775 001	4005176328626	213	58.79
40 629 IG0	4005176927935	70	213.73	40 775 DC1	4005176413186	213	82.39
40 630 000	4005176927959	70	102.99	40 775 EN1	4005176324765	213	94.41
40 630 EN0	4005176927973	70	163.08	40 776 001	4005176328633	213	75.95
40 630 IG0	4005176927966	70	133.03	40 776 DC1	4005176413193	213	107.28
40 631 000	4005176927980	70	48.06	40 777 001	4005176328640	218	73.38
40 631 IG0	4005176927997	70	62.22	40 778 001	4005176328657	218	102.99
40 632 000	4005176928017	71	175.95	40 781 000	4005176347870	205	72.52
40 632 IG0	4005176928024	71	230.90	40 782 000	4005176347887	205	24.88
40 633 000	4005176928048	71	111.58	40 783 000	4005176347894	204	22.31
40 633 EN0	4005176928062	71	179.40	40 784 000	4005176347900	205	33.46
40 633 IG0	4005176928055	71	145.91	40 791 001	4005176323409	61, 203	4.72
40 636 SD0	4005176706707	488	10.50	40 791 KS1	4005176336379	61, 203	4.72
40 652 001	4005176324321	222	18.88	40 793 001	4005176327599	211	42.91
40 652 EN1	4005176324239	222	30.47	40 793 DC1	4005176413230	211	60.08
40 653 001	4005176324345	222	30.03	40 794 001	4005176327605	211	51.49
40 653 EN1	4005176324253	222	48.06	40 794 DC1	4005176413247	211	72.09
40 654 001	4005176324352	223	51.49	40 797 001	4005176327636	211	133.03

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
40 799 001	4005176327971	211	34.33	41 028 000	4005176576942	199	50.47
40 799 DC1	4005176413216	211	48.06	41 028 A00	4005176577024	199	76.22
40 800 001	4005176327988	210	102.99	41 028 AL0	4005176577031	199	81.37
40 800 A01	4005176429644	210	150.20	41 028 BE0	4005176576966	199	76.22
40 800 AL1	4005176429798	210	163.08	41 028 DA0	4005176577000	199	76.22
40 800 BE1	4005176430244	210	150.20	41 028 DC0	4005176576959	199	71.07
40 800 DA1	4005176429347	210	150.20	41 028 DL0	4005176577017	199	81.37
40 800 DC1	4005176413223	210	141.61	41 028 EN0	4005176576973	199	81.37
40 800 DL1	4005176430091	210	163.08	41 028 GL0	4005176576980	199	76.22
40 800 EN1	4005176430312	210	163.08	41 028 GN0	4005176576997	199	81.37
40 800 GL1	4005176429491	210	150.20	41 029 000	4005176577055	199	24.72
40 800 GN1	4005176429941	210	163.08	41 035 000	4005176577062	199	56.65
40 802 001	4005176328107	210	51.49	41 035 A00	4005176577147	199	85.49
40 802 A01	4005176429651	210	77.67	41 035 AL0	4005176577154	199	90.64
40 802 AL1	4005176429804	210	82.82	41 035 BE0	4005176577086	199	85.49
40 802 BE1	4005176430251	210	77.67	41 035 DA0	4005176577123	199	85.49
40 802 DA1	4005176429354	210	77.67	41 035 DC0	4005176577079	199	79.31
40 802 DL1	4005176430107	210	82.82	41 035 DL0	4005176577130	199	90.64
40 802 EN1	4005176430329	210	82.82	41 035 EN0	4005176577093	199	90.64
40 802 GL1	4005176429507	210	77.67	41 035 GL0	4005176577109	199	85.49
40 802 GN1	4005176429958	210	82.82	41 035 GN0	4005176577116	199	90.64
40 804 000	4005176347917	205	248.05	41 036 000	4005176577178	200	32.96
40 805 000	4005176347924	204	41.62	41 037 000	4005176577185	200	14.42
40 806 000	4005176347931	204	27.89	41 038 000	4005176577192	200	66.95
40 807 000	4005176347948	205	137.33	41 038 A00	4005176577277	200	99.91
40 808 000	4005176347955	206	124.45	41 038 AL0	4005176577284	200	107.12
40 809 000	4005176347962	206	98.70	41 038 BE0	4005176577215	200	99.91
40 834 001	4005176335280	495	750.00	41 038 DA0	4005176577253	200	99.91
40 841 001	4005176335358	494	91.66	41 038 DC0	4005176577208	200	93.73
40 842 001	4005176335365	495	700.00	41 038 DL0	4005176577260	200	107.12
40 843 000	4005176337109	491	34.99	41 038 EN0	4005176577222	200	107.12
40 846 001	4005176344091	213	94.41	41 038 GL0	4005176577239	200	99.91
40 847 001	4005176344107	218	120.16	41 038 GN0	4005176577246	200	107.12
40 848 000	4005176351082	488	7.08	41 039 000	4005176577307	200	18.54
40 848 AL0	4005176646997	488	14.16	41 039 A00	4005176577383	200	27.81
40 848 DL0	4005176647017	488	14.16	41 039 AL0	4005176577390	200	29.87
40 848 GN0	4005176647000	488	14.16	41 039 BE0	4005176577321	200	27.81
40 848 SD0	4005176386008	488	10.41	41 039 DA0	4005176577369	200	27.81
40 855 000	4005176356452	496	44.16	41 039 DC0	4005176577314	200	25.75
40 857 000	4005176378393	206	98.70	41 039 DL0	4005176577376	200	29.87
40 865 000	4005176378140	204	33.46	41 039 EN0	4005176577338	200	29.87
40 899 000	4005176413896	620, 671	38.72	41 039 GL0	4005176577345	200	27.81
40 911 000	4005176416132	682, 694	11.95	41 039 GN0	4005176577352	200	29.87
40 919 SD0	4005176450136	495	12.49	41 049 000	4005176577413	200	30.90
40 920 000	4005176470646	491	14.99	41 049 A00	4005176577499	200	45.32
40 949 000	4005176477881	682, 694	22.00	41 049 AL0	4005176577505	200	48.41
40 950 000	4005176478994	682, 694	16.95	41 049 BE0	4005176577437	200	45.32
40 954 000	4005176496844	103	99.00	41 049 DA0	4005176577475	200	45.32
40 962 000	4005176529412	488	17.49	41 049 DC0	4005176577420	200	43.26
40 980 000	4005176586446	496	224.17	41 049 DL0	4005176577482	200	48.41
40 981 000	4005176586453	496	224.17	41 049 EN0	4005176577444	200	48.41
40 982 000	4005176586460	496	240.83	41 049 GL0	4005176577451	200	45.32
40 983 000	4005176586477	496	240.83	41 049 GN0	4005176577468	200	48.41
40 984 000	4005176586484	497	36.24	41 056 000	4005176577529	201	81.37
<b>41</b>				41 056 A00	4005176577604	201	121.54
41 007 000	4005176281815	728	14.59	41 056 AL0	4005176577611	201	129.78
41 027 000	4005176576836	199	50.47	41 056 BE0	4005176577543	201	121.54
41 027 A00	4005176576911	199	76.22	41 056 DA0	4005176577581	201	121.54
41 027 AL0	4005176576928	199	81.37	41 056 DC0	4005176577536	201	113.30
41 027 BE0	4005176576850	199	76.22	41 056 DL0	4005176577598	201	129.78
41 027 DA0	4005176576898	199	76.22	41 056 EN0	4005176577550	201	129.78
41 027 DC0	4005176576843	199	71.07	41 056 GL0	4005176577567	201	121.54
41 027 DL0	4005176576904	199	81.37	41 056 GN0	4005176577574	201	129.78
41 027 EN0	4005176576867	199	81.37	41 057 000	4005176577635	201	94.76
41 027 GL0	4005176576874	199	76.22	41 058 000	4005176577642	201	105.06
41 027 GN0	4005176576881	199	81.37	41 058 A00	4005176577727	201	157.59
				41 058 AL0	4005176577734	201	167.89

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)	Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
41 058 BE0	4005176577666	201	157.59	41 069 000	4005176578410	203	81.37
41 058 DA0	4005176577703	201	157.59	41 069 A00	4005176578496	203	121.54
41 058 DC0	4005176577659	201	147.29	41 069 AL0	4005176578502	203	129.78
41 058 DL0	4005176577710	201	167.89	41 069 BE0	4005176578434	203	121.54
41 058 EN0	4005176577673	201	167.89	41 069 DA0	4005176578472	203	121.54
41 058 GL0	4005176577680	201	157.59	41 069 DC0	4005176578427	203	113.30
41 058 GN0	4005176577697	201	167.89	41 069 DL0	4005176578489	203	129.78
41 059 000	4005176577758	201	111.24	41 069 EN0	4005176578441	203	129.78
41 059 A00	4005176577833	201	166.86	41 069 GL0	4005176578458	203	121.54
41 059 AL0	4005176577840	201	178.19	41 069 GN0	4005176578465	203	129.78
41 059 BE0	4005176577772	201	166.86	41 076 000	4005176578526	203	100.94
41 059 DA0	4005176577819	201	166.86	41 076 A00	4005176578601	203	151.41
41 059 DC0	4005176577765	201	155.53	41 076 AL0	4005176578618	203	161.71
41 059 DL0	4005176577826	201	178.19	41 076 BE0	4005176578540	203	151.41
41 059 EN0	4005176577789	201	178.19	41 076 DA0	4005176578588	203	151.41
41 059 GL0	4005176577796	201	166.86	41 076 DC0	4005176578533	203	141.11
41 059 GN0	4005176577802	201	178.19	41 076 DL0	4005176578595	203	161.71
41 063 000	4005176577864	202	90.64	41 076 EN0	4005176578557	203	161.71
41 063 A00	4005176577949	202	135.96	41 076 GL0	4005176578564	203	151.41
41 063 AL0	4005176577956	202	145.23	41 076 GN0	4005176578571	203	161.71
41 063 BE0	4005176577888	202	135.96	41 077 000	4005176578632	203	151.41
41 063 DA0	4005176577925	202	135.96	41 077 A00	4005176578700	203	226.60
41 063 DC0	4005176577871	202	127.72	41 077 AL0	4005176578717	203	242.05
41 063 DL0	4005176577932	202	145.23	41 077 BE0	4005176578656	203	226.60
41 063 EN0	4005176577895	202	145.23	41 077 DA0	4005176575587	203	226.60
41 063 GL0	4005176577901	202	135.96	41 077 DC0	4005176578649	203	212.18
41 063 GN0	4005176577918	202	145.23	41 077 DL0	4005176578694	203	242.05
41 064 000	4005176577970	202	62.83	41 077 EN0	4005176578663	203	242.05
41 064 A00	4005176578052	202	93.73	41 077 GL0	4005176578670	203	226.60
41 064 AL0	4005176578069	202	99.91	41 077 GN0	4005176578687	203	242.05
41 064 BE0	4005176577994	202	93.73	41 275 000	4005176280481	729	40.67
41 064 DA0	4005176578038	202	93.73	<b>42</b>			
41 064 DC0	4005176577987	202	87.55	42 137 000	4005176259524	691	19.94
41 064 DL0	4005176578045	202	99.91	42 181 000	4005176286872	689	42.16
41 064 EN0	4005176578007	202	99.91	42 233 000	4005176300653	692	19.94
41 064 GL0	4005176578014	202	93.73	42 242 000	4005176804977	694	12.97
41 064 GN0	4005176578021	202	99.91	42 253 000	4005176814532	689	63.77
41 066 000	4005176578083	202	222.48	42 297 PI0	4005176832048	689	65.28
41 066 A00	4005176578168	202	332.69	42 314 000	4005176835636	691	63.77
41 066 AL0	4005176578175	202	355.35	42 320 000	4005176837487	691	63.77
41 066 BE0	4005176578106	202	332.69	42 327 000	4005176838705	672, 693	12.86
41 066 DA0	4005176578144	202	332.69	42 333 000	4005176845888	672, 693	14.59
41 066 DC0	4005176578090	202	311.06	42 429 000	4005176918520	314	113.35
41 066 DL0	4005176578151	202	355.35	42 766 000	4005176222115	682	12.97
41 066 EN0	4005176578113	202	355.35	42 774 000	4005176221590	692	61.91
41 066 GL0	4005176578120	202	332.69	42 886 000	4005176200670	608	40.93
41 066 GN0	4005176578137	202	355.35	<b>43</b>			
41 067 000	4005176578199	202	50.47	43 352 000	4005176832413	692	9.72
41 067 A00	4005176578274	202	76.22	43 486 000	4005176157158	691	52.96
41 067 AL0	4005176578281	202	81.37	43 537 000	4005176157653	689	40.93
41 067 BE0	4005176578212	202	76.22	43 544 000	4005176157738	693	9.72
41 067 DA0	4005176578250	202	76.22	43 617 000	4005176841163	683, 698	72.41
41 067 DC0	4005176578205	202	71.07	43 733 000	4005176158926	690	9.44
41 067 DL0	4005176578267	202	81.37	43 758 00M	4005176159121	690	40.93
41 067 EN0	4005176578229	202	81.37	43 907 PI0	4005176177545	689	82.90
41 067 GL0	4005176578236	202	76.22	43 908 000	4005176160257	692	19.94
41 067 GN0	4005176578243	202	81.37	43 977 000	4005176164798	700, 716	208.83
41 068 000	4005176578304	203	41.20	<b>45</b>			
41 068 A00	4005176578380	203	60.77	45 314 000	4005176099250	605	82.90
41 068 AL0	4005176578397	203	64.89	45 459 000	4005176056444	443	13.55
41 068 BE0	4005176578328	203	60.77	45 914 XE0	4005176842054	397, 443	25.25
41 068 DA0	4005176578366	203	60.77	45 973 001	4005176442919	435	10.02
41 068 DC0	4005176578311	203	56.65	45 984 001	4005176992056	30, 40	359.91
41 068 DL0	4005176578373	203	64.89				
41 068 EN0	4005176578335	203	64.89				
41 068 GL0	4005176578342	203	60.77				
41 068 GN0	4005176578359	203	64.89				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN / UPC	Page	Retail Guide Price (£)
<b>46</b>			
46 278 000	4005176131868	607	103.89
46 944 001	4005176479977	620	199.00
<b>47</b>			
47 175 000	4005176803895	264, 267	156.36
47 533 000	4005176207181	590, 604	30.43
47 780 000	4005176836541	581, 594	142.66
47 781 000	4005176836558	594	164.81
47 790 000	4005176841491	292	59.72
47 837 000	4005176918490	315	78.99
47 867 000	4005176923227	316	78.99
47 868 000	4005176923234	316	78.99
47 877 000	4005176923241	316	78.99
47 910 000	4005176938887	316	56.09
47 994 000	4005176364723	594	2.18
<b>48</b>			
48 051 000	4005176890024	406, 418	6.52
48 053 000	4005176890031	353	96.67
48 054 000	4005176890048	353	74.94
48 349 000	4005176409851	323, 353	114.47
48 350 000	4005176409868	323, 353	143.11
<b>49</b>			
49 003 000	4005176413537	293	208.31
49 113 000	4005176571398	637	2,031.84
49 113 SH0	4005176571404	637	2,036.14
49 115 000	4005176571411	637	102.02
49 533 000	4005176478475	657	31.78
49 533 SH0	4005176560033	657	48.72
49 534 000	4005176478482	657	31.78
49 534 SH0	4005176560040	657	48.72
<b>64</b>			
64 508 001	4005176984112	490	27.91
<b>66</b>			
66 791 000	4005176866562	682	15.64

---

# LIXIL MAKES BETTER HOMES

## A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.


We innovate with meaningful designs that improve how people live, like the smart Ecocarát wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.

› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**





Visit us:



## QUALITY

*"No.1 most trusted brand in  
the sanitary industry" –  
Wirtschaftswoche, 2017*



## TECHNOLOGY

*"Top 50 companies  
to change the world" –  
Fortune Magazine, 2017*



## DESIGN

*Over 400 design awards  
won since 2003*



## SUSTAINABILITY

*CSR Award winner of the  
German Government, 2017*

GROHE Limited  
World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel: 0208 283 2840  
Fax: 0871 200 3415  
E-Mail: [info-uk@grohe.com](mailto:info-uk@grohe.com)

GB\_03/2021 – Copyright by GROHE

PART OF **LIXIL**