

Pure Freude  
an Wasser



# GROHE PRICE LIST

2019 – 2020 



# QUICK REFERENCE BY DESIGN

## GROHE SPA® Collections



Allure Brilliant  
Pages 51–57



Allure  
Pages 58–68



Atrio  
Pages 74–85



Atrio New  
Pages 86–97



Grandera  
Pages 169–177



Kensington  
Pages 178–185

## Cosmopolitan



BauLoop  
Pages 98–102



Concetto  
Pages 103–110



Eurocube  
Pages 117–127



Eurocube Joy  
Pages 117–127



Essence  
Pages 111–116



Eurosmart Cosmopolitan  
Pages 138–143



Eurostyle Cosmopolitan  
Pages 150–154



Lineare  
Pages 186–192

## Contemporary



Agira  
Pages 45–50



Arden  
Pages 69–73



Europlus  
Pages 128–131



Eurosmart  
Pages 132–137



Eurostyle  
Pages 144–149

## Authentic



Fairborn  
Pages 155–160



Geneva  
Pages 161–168



Parkfield  
Pages 193–198



Seabury  
Pages 199–206

# TABLE OF CONTENTS

Warranty Information	Inside Back Cover
GROHE Icons and Colour Codes	2
Moments of Truth	3
About GROHE	4–5
Product Number/Page Number Index	6–14

## **GROHE SENSE™ AND GROHE SENSE GUARD™** 15–20

### **KITCHEN**

GROHE Blue®	21–25
Foot Control Faucets / Retrofit Set	26–27
Touch Faucets	28–29
Semi-Pro Faucets	30–32
Pull-down Faucets	33–36
Pull-out Faucets	37–39
Prep Sink Faucets	40
Bar Faucets	41
Pot Fillers	42
Escutcheons / Foot Control / Quick Connect	43
Soap/Lotion Dispensers	44

### **BATH**

Agira™	45–50
Allure Brilliant™	51–57
GROHE Allure™	58–68
Arden®	69–73
Atrio®	74–85
Atrio® New	86–97
BauLoop™	98–102
Concetto™	103–110
Essence™	111–116
Eurocube® / Eurocube® Joy	117–127
Europlus®	128–131
Eurosmart®	132–137
Eurosmart® Cosmopolitan	138–143
Eurostyle™	144–149
Eurostyle™ Cosmopolitan	150–154
Fairborn™	155–160
Geneva®	161–168
Grandera®	169–177
Kensington®	178–185
Lineare™	186–192
Parkfield®	193–198
Seabury®	199–206

### **ACCESSORIES**

Selection Cube™	208–209
Essentials™	210–213
Essentials™ Cube	214–216
Essentials™ Authentic	217–218

### **SHOWER**

Safety Valve Comparison Chart	220
Custom Shower Positioning Guide	221
Grohtherm® SmartControl	222–230
Grohtherm® 2-Handle Thermostats	231–234
GrohFlex® Advanced Universal Rough-In Valve System	235–244
Grohsafe® Pressure Balance Valve and Trims	245–250
Grohsafe® Pressure Balance Diverter Valve and Trims	251
Grohtherm® Thermostatic Temp. Control Valves and Trims	252–253
Grohtherm® I000	254
Grohtherm® Exposed Thermostats	255
Diverter Valves and Trims	256–260
Volume Control Valves and Trims	261–263
F-Digital Deluxe	264–268
F-Digital	269–271
Shower Systems	272–285
SmartControl	272–277
Euphoria®, Tempesta®	278–280
Retro-Fit™	281–285
Shower Kits	286–292
Shower Heads	293–302
Shower Arms	303–305
Shower Sets	306–310
Hand Showers	311–315
Shower Bars	316–318
Hand Sprays	319
Body Sprays	320
Shower Hoses	321
Wall Unions	322
Hand Shower Holders	323
Shower Accessories	324
Diverter Tub Spouts	325–326
Tub Spouts	327–328

### **WALL CARRIERS**

Rapid SL Flushing System	330–331
Actuation Plates	332–334

### **COMMERCIAL**

Electronic Centresets	336–338
Grohtherm® XL	339
Shower Products and Accessories	340

### **SPARE PARTS**

341–351

### **HANDLES**

342–343

### **FLOW RATES**

352

# GROHE ICONS



## ADA/Handicap Symbol

All products displaying this symbol comply with the applicable ADA requirements as stated in the American with Disabilities Act of 2010.



## California Energy Commission

The California Energy Commission or CEC enacted California Title 20 Water Efficiency Standards in 2015 to address severely depleted water supplies throughout the state. The CEC's water efficiency standards are comparable or lower than the CALGreen code and WaterSense program standard.



Certified by  
IAPMO R&T

## WaterSense

All products displaying this symbol are recognized by the Environmental Protection Agency's partnership program, WaterSense and offer significant water savings while meeting strict performance standards including CALGreen building code standards.



## SPA Logo

All products displaying this symbol are part of the GROHE SPA® collections that offer an extensive range of premium fittings for all points of interaction in your bathroom. From the faucet to the bathtub and shower, each enticing collection offers a wide range of products that combine the latest technology with enticing and intuitive design.



## Work Smarter Logo

All products displaying this symbol are geared towards professionals who require products that are easy to use and offer a high level of comfort and reliability, award-winning design and innovation at outstanding value.

NOTE: Products listed with ★ (stars) are available while supplies last.

## PRODUCT COLOUR CODES:

000, 00M	Chrome or unfinished
A00	Hard Graphite
AL0	Brushed Hard Graphite
AR0	Satin Nickel/Polished Brass
AV0	Satin Nickel
BE0	Polished Nickel InfinityFinish™
BK0	Alu-XT
BR0	Titanium
BS0	Chrome Titanium
DA0	Warm Sunset
DC0	SuperSteel InfinityFinish™
DL0	Brushed Warm Sunset
EN0	Brushed Nickel InfinityFinish™
F00	Matte
G00	Gold
GL0	Cool Sunrise
GN0	Brushed Cool Sunrise
HP0	American Walnut
HR0	Macassar
HV0	Bamboo
HW0	Natural Oak
IE0	Chrome/Dark Gray
IG0	Chrome/Gold
IK0	Chrome/Black
IP0	Chrome/Matte Chrome
IR0	Chrome/Polished Brass
K00	Black
KD0	Stainless Steel/Soft Black
KH0	Soft Black
KS0	Velvet Black
KX0	Stainless Steel/Light Gray
L00	White
LR0	White/Polished Brass
LS0	Moon White
NC0	Chrome/Light Gray
ND0	SuperSteel/Light Gray
OA0	Mirror Glass
P00	Matte Chrome
R00	Polished Brass
RR0	Velour Chrome
SD0	Stainless Steel
SH0	Alpine White
UTO	Biscuit
W00	Bone
XG0	Black Print
XM0	Tannin Red Leather
XN0	Black Leather
XX0	Gray
ZB0	Oil Rubbed Bronze

# MOMENTS OF TRUTH AND FEATURES

Seven decades of research and development has resulted in a range of products that are renowned worldwide for their technical excellence and longevity. Throughout this price list you'll find references to our water technologies, all of them developed to make your experience with GROHE different, special and better.



## GROHE SilkMove®

Smoothest handling for effortless precision and ultimate comfort for a lifetime.



## GROHE StarLight®

Made-to-last surfaces ranging from precious matte to shiny like a diamond.



## GROHE CoolTouch®

No scalding on hot surfaces thanks to 100% GROHE CoolTouch®.



## GROHE TurboStat®

Always the right temperature, for the utmost convenience and safety.



## GROHE EcoJoy™

Save precious resources and enjoy 100% water comfort.



## GROHE DreamSpray®

Innovative quality showers for luxurious revitalization and wellbeing.



## GROHE Digital®

Intuitive digital technology at your fingertips.



## GROHE Whisper®

Innovative water technology delivering whisper-quiet acoustics.



## GROHE FeatherControl

The joy of effortless fingertip control and long-lasting silky smooth operation.



## GROHE QuickFix®

Faster, easier and hassle-free, GROHE QuickFix® cuts installation time by up to 40%.



## SpeedClean®

Remove limescale with a single wipe.



## Foot Control

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



## Touch

Just touch the faucet spout with your wrist, elbow or fingertip to turn the faucet ON and OFF.



## GROHE SmartControl®

Choose your preferred water outlet and adjust the water flow as desired.



## XL EasyReach Tray

Easy cleaning and maintenance with removable shampoo and soap tray.

# ABOUT GROHE



## QUALITY

### **GERMAN PERFECTIONISM INSPIRES ULTIMATE CUSTOMER CONFIDENCE.**

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage. Our history of great German engineering, rigorous internal tests and numerous external certification processes are what gives our customers complete confidence in a name they can trust.



## TECHNOLOGY

### **MASTERING WATER THROUGH TECHNOLOGY.**

In our relentless search for technological innovation, we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water. Our in-house experts harness the power of water to enhance the experience of our customers every day – the moment of truth, for our products and brand.



## DESIGN

### **SIGNATURE ELEMENTS STYLED TO PERFECTION.**

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you. This unique GROHE DNA that is both ergonomic and visually distinctive has earned us numerous design awards: world-class references are testimony to our world-wide recognition.



## SUSTAINABILITY

### **ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME.**

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. To be able to offer "Pure Freude an Wasser", not just to today's consumer but for generations to come, we offer sustainable product solutions like GROHE Blue®, GROHE EcoJoy™ and GROHE SilkMove®, and we demonstrate through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
115174	140	836.00	13 274 EN1	107, 327	200.00	14 060 000	95, 232, 233, 234	47.00
117161	290	1,194.00	13 274 GN1	107, 327	219.00	15 906 040	330	151.00
117162	289	2,073.00	13 275 001	107, 325	190.00	★ 18 026 000	76, 79, 342	118.00
117163	287	3,067.00	13 275 A01	107, 325	271.00	18 026 003	89, 91, 342	119.00
117166	292	983.00	13 275 BE1	107, 325	271.00	★ 18 026 EN0	76, 79, 342	153.00
★ 117167	291	985.00	13 275 EN1	107, 325	247.00	18 026 EN3	89, 91, 342	154.00
★ 117170	291	1,088.00	13 275 GN1	107, 325	271.00	★ 18 027 000	76, 79, 342	118.00
117982	121	839.00	13 284 002	152, 328	175.00	18 027 003	89, 91, 342	119.00
118050	288	1,268.00	13 285 002	152, 326	206.00	★ 18 027 EN0	76, 79, 342	153.00
★ 118306	143, 258	288.00	13 286 000	101, 327	132.00	18 027 EN3	89, 91, 342	154.00
★ 118307	143, 256	288.00	13 287 000	101, 325	161.00	★ 18 033 000	80, 342	122.00
122522	214	154.00	★ 13 300 000	55	520.00	18 033 003	92, 342	123.00
★ 122627	291	944.00	13 301 000	54	2,646.00	★ 18 033 EN0	80, 342	159.00
122629	292	528.00	13 305 000	123, 327	211.00	18 033 EN3	92, 342	160.00
122700	290	1,967.00	13 307 000	123, 325	229.00	★ 18 034 000	80, 342	122.00
★ 123155	287	3,131.00	★ 13 338 000	196, 326	157.00	18 034 003	92, 342	123.00
★ 123156	292	1,026.00	★ 13 338 EN0	196, 326	204.00	★ 18 034 EN0	80, 342	159.00
125913	316	334.00	★ 13 339 000	196, 328	136.00	18 034 EN3	92, 342	160.00
02 696 00M	346	20.00	★ 13 339 EN0	196, 328	177.00	★ 18 083 000	72, 342	80.00
02 697 R00	346	23.20	13 342 000	173, 328	349.00	★ 18 083 EN0	72, 342	107.00
03 671 000	254, 324	38.00	13 342 EN0	173, 328	454.00	★ 18 084 000	72, 342	80.00
05 291 000	344	5.00	★ 13 344 000	158, 326	72.00	★ 18 084 EN0	72, 342	107.00
06 427 000	346	23.00	★ 13 344 EN1	158, 326	93.00	★ 18 085 000	343	102.00
06 428 000	346	27.00	★ 13 344 ZC0	158, 326	101.00	★ 18 085 EN0	343	138.00
07 000 000	344	113.00	★ 13 345 000	158, 328	63.00	18 086 VP0	180, 343	503.00
07 025 000	344	31.00	★ 13 345 EN1	158, 328	82.00	18 087 000	180, 343	222.00
07 130 00M	346	58.00	★ 13 345 ZC0	158, 328	87.00	18 087 EN0	180, 343	290.00
07 146 000	344	27.00	★ 13 346 000	47, 325	72.00	18 244 000	41, 343	135.00
07 147 000	344	27.00	★ 13 346 EN1	47, 325	93.00	18 244 DC0	41, 343	178.00
07 150 000	344	48.00	★ 13 346 ZC0	47, 325	101.00	★ 18 244 ZB0	41, 343	183.00
07 151 000	344	54.00	★ 13 347 000	47, 327	63.00	18 731 000	201, 202, 343	110.00
07 156 000	344	46.00	★ 13 347 EN1	47, 327	82.00	18 731 BE0	201, 202, 343	143.00
★ 07 247 000	316	125.00	★ 13 347 ZC0	47, 327	87.00	18 731 EN0	201, 202, 343	143.00
07 551 000	43, 134	32.00	13 354 002	135, 327	60.00	18 731 ZB0	201, 202, 343	152.00
07 551 EN0	43, 134	42.00	13 354 EN2	135, 327	79.00	18 732 000	201, 202, 343	110.00
07 552 000	43	55.00	13 356 002	135, 325	75.00	18 732 BE0	201, 202, 343	143.00
07 552 SD0	43	82.00	13 356 EN2	135, 325	97.00	18 732 EN0	201, 202, 343	143.00
07 552 ZB0	43	77.00	13 366 000	107, 325	84.00	18 732 ZB0	201, 202, 343	152.00
07 555 000	43	64.00	13 366 EN0	107, 325	110.00	★ 18 733 000	163, 164, 343	131.00
07 911 000	324, 340	51.00	13 377 003	147, 328	97.00	★ 18 733 DC0	343	172.00
12 365 000	43	39.00	13 377 EN3	147, 328	127.00	★ 18 733 EN0	163, 164, 343	172.00
12 400 000	278, 279, 280	59.00	13 379 003	147, 325	121.00	★ 18 733 ZB0	163, 164, 343	183.00
12 417 000	339	119.00	13 379 EN3	147, 325	158.00	★ 18 734 000	163, 164, 343	131.00
12 424 000	339	129.00	13 381 001	189, 328	185.00	★ 18 734 EN0	163, 164, 343	172.00
12 428 000	339	201.00	13 381 EN1	189, 328	240.00	★ 18 734 ZB0	163, 164, 343	183.00
12 436 000	339	195.00	13 382 001	189, 326	129.00	★ 19 166 000	84, 256	340.00
12 444 000	339	250.00	13 382 EN1	189, 326	168.00	★ 19 166 EN0	84, 256	485.00
★ 13 164 000	85, 327	297.00	13 435 000	326	327.00	★ 19 169 000	82, 252	424.00
13 164 003	96, 327	298.00	13 603 000	206, 326	293.00	★ 19 169 EN0	82, 252	581.00
★ 13 164 EN0	85, 327	385.00	13 603 BE0	206, 326	381.00	★ 19 181 000	84, 259	340.00
13 164 EN3	96, 327	387.00	13 603 EN0	206, 326	381.00	★ 19 181 EN0	84, 259	485.00
★ 13 190 000	72, 325	204.00	13 603 ZB0	206, 326	406.00	★ 19 182 000	84, 262	287.00
★ 13 190 EN0	72, 325	266.00	★ 13 610 000	168, 326	319.00	★ 19 182 EN0	84, 262	377.00
★ 13 191 000	72, 327	156.00	★ 13 610 EN0	168, 326	429.00	★ 19 219 000	167, 256	288.00
★ 13 191 EN0	72, 327	203.00	★ 13 610 ZB0	168, 326	451.00	★ 19 219 EN0	167, 256	374.00
13 193 000	185, 328	369.00	13 611 000	326	74.00	★ 19 219 ZB0	167, 256	403.00
13 193 EN0	185, 328	482.00	13 611 EN0	326	95.00	★ 19 220 000	167, 256	288.00
13 194 000	185, 326	425.00	★ 13 612 000	168, 328	291.00	★ 19 220 EN0	167, 256	374.00
13 194 EN0	185, 326	556.00	★ 13 612 EN0	168, 328	382.00	★ 19 220 ZB0	167, 256	403.00
13 194 VP0	185, 326	609.00	★ 13 612 ZB0	168, 328	407.00	19 221 000	205, 257	256.00
13 218 000	63	2,646.00	13 615 000	206, 328	250.00	19 221 BE0	205, 257	332.00
13 265 000	63, 327	450.00	13 615 BE0	206, 328	322.00	19 221 EN0	205, 257	332.00
13 272 000	141, 328	151.00	13 615 EN0	206, 328	323.00	19 221 ZB0	205, 257	350.00
13 273 000	141, 325	205.00	13 615 ZB0	206, 328	350.00	19 222 000	205, 257	256.00
13 274 001	107, 327	154.00	14 048 000	230	200.00	19 222 BE0	205, 257	332.00
13 274 A01	107, 327	219.00	14 053 00M	95, 225, 226, 227, 228, 229,		19 222 EN0	205, 257	332.00
13 274 BE1	107, 327	219.00		230, 232, 233, 234	55.00	19 222 ZB0	205, 257	350.00



# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
19 265 VP0	183, 253	598.00	19 708 000	202, 250	208.00	19 880 000	130, 237	228.00
19 266 000	183, 252	412.00	19 708 BE0	202, 250	272.00	19 880 EN0	130, 237	296.00
19 266 EN0	183, 252	540.00	19 708 EN0	202, 250	272.00	19 881 000	130, 239	299.00
19 267 000	182, 250	365.00	19 708 ZB0	202, 250	289.00	19 881 EN0	130, 239	389.00
19 267 EN0	182, 250	492.00	★ 19 725 000	164, 250	293.00	★ 19 888 000	84, 262	287.00
19 268 VP0	182, 250	588.00	★ 19 725 EN0	164, 250	383.00	★ 19 888 EN0	84, 262	377.00
19 269 VP0	184, 262	401.00	★ 19 725 ZB0	164, 250	416.00	19 897 001	121	1,851.00
19 270 000	184, 262	239.00	19 784 00A	54	1,217.00	19 899 000	123, 249	350.00
19 270 EN0	184, 262	340.00	19 786 000	56, 238	551.00	19 910 000	126, 262	95.00
19 271 VP0	184, 257	551.00	19 787 001	55	2,513.00	★ 19 919 000	173	1,851.00
19 272 000	184, 257	358.00	19 790 000	56, 236	476.00	19 919 00A	173	1,851.00
19 272 EN0	184, 257	498.00	19 793 000	56, 240	846.00	★ 19 919 EN0	173	2,407.00
★ 19 291 00A	78	520.00	19 794 000	56, 242	899.00	19 919 ENA	173	2,407.00
★ 19 291 ENA	78	747.00	19 795 000	56, 244	793.00	★ 19 921 000	197, 250	114.00
19 300 00A	61	1,085.00	19 797 000	55, 261	317.00	★ 19 921 EN0	197, 250	153.00
19 302 001	62	2,460.00	19 799 000	55, 258	434.00	19 924 000	125, 236	387.00
19 305 000	63, 252	605.00	19 822 000	166, 240	511.00	19 925 000	125, 238	450.00
★ 19 311 001	72, 248	156.00	19 822 EN0	166, 240	673.00	19 926 000	125, 240	718.00
★ 19 311 EN1	72, 248	203.00	★ 19 822 ZB0	166, 240	716.00	19 927 000	125, 242	783.00
★ 19 312 001	72, 248	156.00	19 825 000	166, 242	582.00	19 928 000	126, 244	657.00
★ 19 312 EN1	72, 248	203.00	19 825 EN0	166, 242	751.00	19 931 00A	172	566.00
19 347 001	115, 236	243.00	★ 19 825 ZB0	166, 242	815.00	19 931 ENA	172	740.00
19 347 A01	115, 236	345.00	19 827 000	205, 263	161.00	19 933 000	174, 236	382.00
19 347 BE1	115, 236	345.00	19 827 BE0	205, 263	212.00	19 933 EN0	174, 236	496.00
19 347 EN1	115, 236	316.00	19 827 EN0	205, 263	212.00	19 935 000	174, 240	598.00
19 347 GN1	115, 236	345.00	19 827 ZB0	205, 263	230.00	19 935 EN0	174, 240	778.00
19 375 000	64, 248	444.00	19 828 000	205, 263	161.00	19 936 000	173	1,798.00
19 376 000	65, 251	508.00	19 828 BE0	205, 263	212.00	19 940 000	175, 244	657.00
19 385 000	65, 261	370.00	19 828 EN0	205, 263	212.00	19 940 EN0	175, 244	852.00
19 387 00A	61	1,163.00	19 828 ZB0	205, 263	230.00	19 942 000	175, 259	244.00
19 411 000	141, 249	164.00	★ 19 829 000	167, 262	218.00	19 942 EN0	175, 259	317.00
19 457 001	108, 249	164.00	★ 19 829 EN0	167, 262	283.00	19 944 000	175, 261	164.00
19 457 EN1	108, 249	213.00	★ 19 829 ZB0	167, 262	305.00	19 944 EN0	175, 261	214.00
19 458 002	136, 249	97.00	★ 19 837 000	167, 262	218.00	19 946 000	174, 238	487.00
19 458 EN2	136, 249	125.00	★ 19 837 EN0	167, 262	283.00	19 946 EN0	174, 238	633.00
19 494 001	115, 238	338.00	★ 19 837 ZB0	167, 262	305.00	19 947 000	174, 242	704.00
19 494 EN1	115, 238	439.00	19 839 000	166, 244	441.00	19 947 EN0	174, 242	915.00
19 572 002	153, 249	211.00	19 839 EN0	166, 244	577.00	★ 19 949 000	159, 249	84.00
19 576 002	106	1,375.00	19 839 ZB0	166, 244	620.00	★ 19 949 EN1	159, 249	108.00
19 576 EN2	106	1,788.00	19 843 000	166, 237	214.00	★ 19 949 ZC0	159, 249	118.00
19 577 001	189	1,520.00	19 843 BE0	166, 237	280.00	★ 19 955 000	158, 259	163.00
19 577 EN1	189	1,977.00	19 843 EN0	166, 237	280.00	★ 19 955 EN1	158, 259	213.00
★ 19 578 001	115	1,290.00	19 843 ZB0	166, 237	300.00	★ 19 955 ZC0	158, 259	229.00
19 578 00A	115	1,290.00	19 844 000	166, 239	287.00	★ 19 956 000	49, 248	84.00
19 578 A0A	115	1,841.00	19 844 BE0	166, 239	374.00	★ 19 956 EN1	49, 248	108.00
19 578 BEA	115	1,841.00	19 844 EN0	166, 239	374.00	★ 19 956 ZC0	49, 248	118.00
★ 19 578 EN1	115	1,677.00	19 844 ZB0	166, 239	401.00	★ 19 957 000	48, 259	163.00
19 578 ENA	115	1,677.00	★ 19 848 000	83, 241	512.00	★ 19 957 EN1	48, 259	213.00
19 578 GNA	115	1,841.00	★ 19 848 EN0	83, 241	667.00	★ 19 957 ZC0	48, 259	229.00
19 591 000	66, 258	360.00	★ 19 849 000	83, 243	570.00	19 970 002	137, 256	109.00
19 592 000	100	852.00	★ 19 849 EN0	83, 243	741.00	19 970 EN2	137, 256	142.00
19 595 000	101, 248	164.00	★ 19 865 000	83, 244	427.00	19 972 002	137, 259	120.00
19 612 000	204, 253	303.00	★ 19 865 EN0	83, 244	561.00	19 972 EN2	137, 259	156.00
19 612 BE0	204, 253	398.00	★ 19 866 000	82, 237	248.00	★ 19 982 000	254	203.00
19 612 EN0	204, 253	398.00	19 866 003	93, 248	298.00	19 987 001	116, 241	477.00
19 612 ZB0	204, 253	427.00	★ 19 866 EN0	82, 237	331.00	19 987 EN1	116, 241	621.00
19 614 000	204, 253	303.00	19 866 EN3	93, 248	388.00	19 988 001	116, 243	555.00
19 614 BE0	204, 253	398.00	★ 19 867 000	82, 239	338.00	19 988 EN1	116, 243	721.00
19 614 EN0	204, 253	398.00	19 867 003	94, 251	463.00	19 989 003	147, 249	126.00
19 614 ZB0	204, 253	427.00	★ 19 867 EN0	82, 239	444.00	19 989 EN3	147, 249	164.00
★ 19 615 000	165, 252	379.00	19 867 EN3	94, 251	602.00	19 991 004	146	883.00
★ 19 615 EN0	165, 252	492.00	19 869 000	131, 241	528.00	19 991 EN4	146	1,149.00
★ 19 615 ZB0	165, 252	531.00	19 869 EN0	131, 241	688.00	19 993 003	149, 256	123.00
19 707 000	202, 250	208.00	19 878 000	131, 243	588.00	19 993 EN3	149, 256	160.00
19 707 BE0	202, 250	272.00	19 878 EN0	131, 243	764.00	19 995 003	149, 259	134.00
19 707 EN0	202, 250	272.00	19 879 000	131, 244	440.00	19 995 EN3	149, 259	175.00
19 707 ZB0	202, 250	289.00	19 879 EN0	131, 244	578.00	20 069 003	90	664.00

Note: Products listed with ★ (stars) are available while supplies last.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
★ 20 069 00A	77	661.00	20 800 00A	201	367.00	★ 23 402 ZC0	47	331.00
20 069 EN3	90	907.00	20 800 BEA	201	477.00	23 485 00A	113	376.00
★ 20 069 ENA	77	904.00	20 800 ENA	201	477.00	23 485 A0A	113	537.00
20 072 003	90	664.00	20 800 ZBA	201	518.00	23 485 BEA	113	537.00
★ 20 072 00A	77	661.00	★ 20 801 00A	163	560.00	23 485 ENA	113	488.00
20 072 EN3	90	907.00	★ 20 801 ENA	163	728.00	23 485 GNA	113	537.00
★ 20 072 ENA	77	904.00	★ 20 801 ZBA	163	784.00	23 486 00A	113	497.00
★ 20 121 00A	71	282.00	21 027 003	89	818.00	23 486 A0A	113	709.00
★ 20 121 ENA	71	369.00	★ 21 027 00A	76	815.00	23 486 BEA	113	709.00
20 124 00A	180	783.00	21 027 EN3	89	1,082.00	23 486 ENA	113	644.00
20 124 ENA	180	1,018.00	★ 21 027 ENA	76	1,078.00	23 486 GNA	113	709.00
20 148 00A	60	1,194.00	21 031 003	88	801.00	★ 23 491 001	115	1,795.00
20 173 003	91	437.00	★ 21 031 00A	76	798.00	23 491 00A	115	1,795.00
★ 20 173 00A	79	435.00	21 031 EN3	88	1,115.00	23 491 A0A	115	2,561.00
20 173 EN3	91	603.00	★ 21 031 ENA	76	1,111.00	23 491 BEA	115	2,561.00
★ 20 173 ENA	79	601.00	21 046 003	89	967.00	★ 23 491 EN1	115	2,326.00
20 179 001	41	188.00	★ 21 046 00A	78	963.00	23 491 ENA	115	2,326.00
20 191 00A	60	1,194.00	21 046 EN3	89	1,257.00	23 491 GNA	115	2,561.00
20 199 00A	140	387.00	★ 21 046 ENA	78	1,277.00	23 538 00A	114	609.00
20 209 00A	152	433.00	21 108 00A	172	768.00	23 538 A0A	114	869.00
20 217 00A	106	423.00	21 108 ENA	172	1,001.00	23 538 BEA	114	869.00
20 217 ENA	106	572.00	22 503 LN0	20	1,029.00	23 538 ENA	114	768.00
20 225 000	100	376.00	22 506 LN0	19	72.00	23 538 GNA	114	869.00
20 294 00A	134	391.00	22 521 LN0	20	42.00	23 577 003	146	264.00
20 294 ENA	134	508.00	22 601 LN0	19	144.00	23 577 EN3	146	343.00
20 297 00A	114	471.00	22 603 000	20	171.00	23 579 003	146	369.00
20 297 A0A	114	672.00	★ 22 940 000	319	28.00	23 579 EN3	146	482.00
20 297 BEA	114	672.00	23 034 00A	53	951.00	23 592 00A	113	376.00
20 297 ENA	114	613.00	23 036 00A	152	299.00	23 592 A0A	113	537.00
20 297 GNA	114	672.00	23 042 00A	152	272.00	23 592 BEA	113	537.00
20 302 00A	130	503.00	23 048 003	152	1,481.00	23 592 ENA	113	488.00
20 302 ENA	130	656.00	23 077 00A	60	805.00	23 592 GNA	113	537.00
20 343 00A	53	1,217.00	23 084 000	100	235.00	23 655 000	119	466.00
20 370 00A	121	572.00	23 085 000	100	212.00	23 659 000	120	503.00
★ 20 388 00A	71	269.00	23 115 00A	53	1,455.00	23 662 000	120	634.00
★ 20 388 ENA	71	351.00	23 119 001	54	4,021.00	23 667 001	122	2,009.00
★ 20 390 00A	195	348.00	23 129 00A	119	401.00	23 670 000	119	434.00
★ 20 390 ENA	195	453.00	23 133 00A	119	365.00	23 671 000	120	577.00
★ 20 391 00A	195	257.00	23 148 000	123	657.00	23 672 001	122	1,798.00
★ 20 391 ENA	195	334.00	23 184 00A	120	493.00	★ 23 737 001	105	349.00
20 418 00A	171	625.00	23 254 000	54	309.00	23 737 002	105	349.00
20 418 ENA	171	814.00	★ 23 305 00A	195	257.00	★ 23 737 EN1	105	457.00
20 419 00A	171	709.00	★ 23 305 ENA	195	334.00	23 737 EN2	105	457.00
20 419 ENA	171	922.00	★ 23 306 00A	195	267.00	23 792 001	189	1,749.00
★ 20 423 00A	157	307.00	★ 23 306 ENA	195	344.00	23 792 EN1	189	2,343.00
★ 20 423 EN1	157	400.00	23 311 00A	171	528.00	23 794 00A	188	411.00
★ 20 423 ZC0	157	430.00	23 311 ENA	171	688.00	23 794 ENA	188	535.00
★ 20 424 00A	157	187.00	23 312 00A	171	482.00	23 824 00A	188	390.00
★ 20 424 EN1	157	243.00	23 312 ENA	171	630.00	23 824 ENA	188	510.00
★ 20 424 ZC0	157	262.00	23 314 00A	172	757.00	23 825 00A	188	504.00
★ 20 425 00A	47	307.00	23 314 ENA	172	984.00	23 825 ENA	188	654.00
★ 20 425 EN1	47	400.00	★ 23 318 000	173	2,646.00	23 826 001	190	283.00
★ 20 425 ZC0	47	430.00	23 318 00A	173	2,646.00	23 826 EN1	190	370.00
★ 20 426 00A	47	187.00	★ 23 318 EN0	173	3,439.00	23 828 003	88	545.00
★ 20 426 EN1	47	243.00	23 318 ENA	173	3,439.00	23 828 EN3	88	709.00
★ 20 426 ZC0	47	262.00	23 320 000	172	345.00	23 831 003	88	462.00
20 431 00A	114	593.00	★ 23 399 00A	157	221.00	23 831 EN3	88	602.00
20 431 A0A	114	845.00	★ 23 399 EN1	157	287.00	23 834 003	88	751.00
20 431 BEA	114	845.00	★ 23 399 ZC0	157	309.00	23 834 EN3	88	976.00
20 431 ENA	114	771.00	★ 23 400 00A	157	236.00	★ 24 016 000	79	1,329.00
20 431 GNA	114	845.00	★ 23 400 EN1	157	307.00	★ 24 033 000	196	883.00
20 486 003	146	391.00	★ 23 400 ZC0	157	331.00	★ 24 033 EN0	196	1,149.00
20 486 EN3	146	507.00	★ 23 401 00A	47	221.00	24 107 000	233	512.00
20 572 001	106	391.00	★ 23 401 EN1	47	287.00	24 107 EN0	233	667.00
20 572 EN1	106	510.00	★ 23 401 ZC0	47	309.00	24 110 000	234	539.00
20 578 00A	188	535.00	★ 23 402 00A	47	236.00	24 110 EN0	234	699.00
20 578 ENA	188	696.00	★ 23 402 EN1	47	307.00	24 111 000	234	599.00

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
24 111 EN0	234	779.00	★ 25 506 ZB1	163	1,927.00	26 465 EN0	315	250.00
24 133 000	234	570.00	26 017 000	101	344.00	26 465 GN0	315	271.00
24 133 EN0	234	741.00	26 030 000	285	69.00	26 466 000	275, 315	80.00
24 150 003	95, 232	579.00	26 030 EN0	285	90.00	26 466 EN0	315	115.00
24 150 EN3	95, 232	749.00	★ 26 035 000	176, 298	147.00	26 467 000	315	143.00
24 151 003	95, 232	639.00	26 035 001	176, 298	147.00	26 468 000	294	232.00
24 151 EN3	95, 232	829.00	★ 26 035 EN0	176, 298	193.00	26 469 000	294	753.00
24 157 000	233	589.00	26 035 EN1	176, 298	193.00	26 470 000	294	940.00
24 157 EN0	233	765.00	26 036 000	176, 304	67.00	26 471 000	293	2,588.00
24 158 000	233	639.00	26 036 EN0	176, 304	87.00	26 472 000	295	834.00
24 158 EN0	233	829.00	★ 26 037 000	176, 315	172.00	26 473 000	176, 296	698.00
★ 25 044 000	81	3,142.00	26 037 001	176, 315	172.00	26 473 EN0	176, 296	907.00
★ 25 048 000	80	1,010.00	★ 26 037 EN0	176, 315	225.00	26 474 000	296	589.00
25 048 003	92	983.00	26 037 EN1	176, 315	225.00	26 474 BE0	296	767.00
★ 25 048 EN0	80	1,341.00	26 043 001	300	99.00	26 474 EN0	296	767.00
25 048 EN3	92	1,317.00	26 043 A01	300	139.00	26 474 ZB0	296	831.00
★ 25 049 001	80	1,481.00	26 043 BE1	300	139.00	26 485 000	282	644.00
25 049 003	92	1,679.00	26 043 EN1	300	128.00	26 485 EN0	282	837.00
★ 25 049 EN1	80	1,904.00	26 043 GN1	300	139.00	26 486 000	282	623.00
25 049 EN3	92	2,183.00	26 044 001	301	83.00	26 486 EN0	282	814.00
★ 25 054 000	164	995.00	26 044 EN1	301	109.00	26 487 000	283	602.00
★ 25 054 EN0	164	1,294.00	26 045 001	302	99.00	26 487 EN0	283	782.00
★ 25 054 ZB0	164	1,394.00	26 045 EN1	302	128.00	26 488 000	283	559.00
★ 25 055 000	201	888.00	26 046 002	313	47.00	26 488 EN0	283	729.00
★ 25 055 EN0	201	1,154.00	26 046 EN2	313	66.00	26 490 000	278	1,057.00
★ 25 055 ZB0	201	1,241.00	26 047 001	314	38.00	26 490 EN0	278	1,374.00
★ 25 071 000	72	591.00	26 047 EN1	314	50.00	26 502 000	295	899.00
★ 25 071 EN0	72	765.00	26 048 001	314	47.00	26 502 EN0	295	1,149.00
★ 25 072 000	71	899.00	26 048 EN1	314	66.00	26 504 000	293	999.00
★ 25 072 EN0	71	1,166.00	26 050 001	301	52.00	26 511 000	274	999.00
25 073 000	181	2,222.00	26 051 001	300	64.00	26 512 000	274	1,199.00
25 073 EN0	181	2,888.00	26 076 002	309	126.00	26 513 000	275, 313	97.00
25 074 000	181	1,798.00	26 077 001	310	96.00	26 545 000	311	191.00
25 074 EN0	181	2,338.00	★ 26 117 000	158	103.00	26 545 A00	311	277.00
25 083 001	62	2,645.00	★ 26 117 EN1	158	134.00	26 545 BE0	311	277.00
25 097 001	62	2,645.00	★ 26 117 ZC0	158	144.00	26 545 EN0	311	248.00
★ 25 152 000	196	605.00	★ 26 118 000	48	103.00	26 545 GN0	311	277.00
★ 25 152 EN0	196	787.00	★ 26 118 EN1	48	134.00	26 547 000	307	455.00
★ 25 153 001	196	858.00	★ 26 118 ZC0	48	144.00	26 547 EN0	307	592.00
★ 25 153 EN1	196	1,129.00	26 123 001	284	720.00	26 552 000	311	203.00
25 154 000	173	1,031.00	26 123 EN1	284	936.00	26 552 EN0	311	264.00
25 154 EN0	173	1,342.00	26 128 001	279	1,046.00	26 569 000	295	532.00
★ 25 160 000	157	523.00	26 128 EN1	279	1,360.00	26 569 A00	295	771.00
★ 25 160 EN1	157	680.00	26 177 001	279	1,258.00	26 569 BE0	295	771.00
★ 25 160 ZC0	157	732.00	26 184 000	322	105.00	26 569 EN0	295	692.00
★ 25 162 000	157	816.00	26 362 LN0	278, 279, 280, 285, 317, 318	47.00	26 569 GN0	295	771.00
★ 25 162 EN1	157	1,062.00	26 366 001	300	64.00	26 570 000	293	600.00
★ 25 162 ZC0	157	1,143.00	★ 26 371 000	268	6,161.00	26 570 EN0	293	780.00
★ 25 163 000	47	523.00	26 379 000	277	1,585.00	26 585 000	306	470.00
★ 25 163 EN1	47	680.00	26 409 000	298	129.00	26 585 EN0	306	611.00
★ 25 163 ZC0	47	732.00	26 409 EN0	298	168.00	26 602 000	316	219.00
★ 25 164 000	48	816.00	26 410 000	298	129.00	26 602 A00	316	318.00
★ 25 164 EN1	48	1,062.00	26 410 EN0	298	168.00	26 602 BE0	316	318.00
★ 25 164 ZC0	48	1,143.00	26 419 000	278	804.00	26 602 EN0	316	285.00
25 168 002	134	597.00	26 419 EN0	278	1,046.00	26 602 GN0	316	318.00
25 168 EN2	134	778.00	26 420 000	278	1,109.00	26 603 000	316	264.00
★ 25 170 002	135	888.00	26 421 000	280	581.00	26 603 A00	316	383.00
25 170 00A	135	915.00	26 456 000	275, 297	168.00	26 603 BE0	316	383.00
★ 25 170 EN2	135	1,155.00	26 456 EN0	275, 297	221.00	26 603 EN0	316	343.00
25 170 ENA	135	1,190.00	26 457 000	275, 297	168.00	26 603 GN0	316	383.00
25 502 001	202	1,283.00	26 457 EN0	275, 297	221.00	26 604 000	311	338.00
25 502 BE1	202	1,670.00	26 464 000	285	129.00	26 604 EN0	311	439.00
25 502 EN1	202	1,670.00	26 464 EN0	285	168.00	26 605 000	311	350.00
25 502 ZB1	202	1,804.00	26 465 000	315	193.00	26 605 EN0	311	455.00
★ 25 506 001	163	1,376.00	26 465 A00	315	271.00	26 632 000	303	200.00
★ 25 506 BE1	163	1,742.00	26 465 BE0	315	271.00	26 632 EN0	303	260.00
★ 25 506 EN1	163	1,789.00				26 633 000	304	59.00

Note: Products listed with ★ (stars) are available while supplies last.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
26 634 000	322	107.00	27 412 BE0	304	136.00	27 814 001	296	551.00
26 635 000	322	113.00	27 412 EN0	304, 340	127.00	★ 27 814 EN0	296	716.00
26 635 A00	322	164.00	27 412 GN0	304	136.00	27 814 EN1	296	716.00
26 635 BE0	322	164.00	27 414 000	304, 340	45.00	★ 27 815 000	293	717.00
26 635 EN0	322	147.00	27 414 EN0	304, 340	60.00	27 815 001	293	717.00
26 635 GN0	322	164.00	27 468 000	293	969.00	★ 27 816 000	293	969.00
27 011 000	204, 304	83.00	27 471 000	277, 295	752.00	27 816 001	293	969.00
27 011 BE0	204, 304	109.00	27 478 000	295	834.00	★ 27 837 000	277, 295	752.00
27 011 EN0	204, 304	109.00	27 480 000	294	753.00	27 841 000	317	242.00
27 011 ZB0	204, 304	132.00	27 486 000	305	126.00	27 867 001	284	740.00
★ 27 012 000	167, 304	112.00	27 487 000	305	126.00	27 867 EN1	284	962.00
★ 27 012 EN0	167, 304	146.00	27 489 000	303	134.00	27 888 000	315	143.00
★ 27 012 ZB0	167, 304	153.00	27 492 000	277, 298	186.00	27 891 000	308	330.00
27 034 000	184, 304	153.00	27 499 000	317	87.00	27 892 000	317	182.00
27 034 EN0	184, 304	200.00	27 500 000	317	102.00	27 921 000	346	129.00
27 070 000	320	206.00	27 512 001	319	31.00	27 933 000	278	143.00
27 070 EN0	320	269.00	27 513 001	319	52.00	27 969 000	176, 323	121.00
27 074 000	323	68.00	27 514 001	319	126.00	27 969 EN0	176, 323	155.00
27 074 A00	323	99.00	27 519 000	318	82.00	27 971 000	176, 322	196.00
27 074 BE0	323	99.00	27 519 EN0	318	108.00	27 971 EN0	176, 322	256.00
27 074 EN0	323	88.00	27 520 000	318	105.00	★ 27 976 000	176, 296	698.00
27 074 GN0	323	99.00	27 521 000	317	82.00	★ 27 976 EN0	176, 296	907.00
27 075 000	323	55.00	27 521 EN0	317	108.00	27 984 000	176, 305	148.00
27 085 000	312	297.00	27 522 000	317	105.00	27 984 EN0	176, 305	196.00
27 085 EN0	312	387.00	27 523 000	318	76.00	27 988 000	176, 304	150.00
27 125 000	312	221.00	27 523 EN0	318	100.00	27 988 EN0	176, 304	195.00
27 125 BE0	312	287.00	27 524 000	318	99.00	28 025 000	321	132.00
27 125 EN0	312	287.00	27 530 000	297	810.00	28 025 EN3	321	172.00
27 125 ZB0	312	310.00	27 547 000	101	233.00	28 025 ZB0	321	184.00
27 126 001	299	200.00	27 571 20E	314	47.00	28 036 000	324	81.00
27 126 BE1	299	261.00	27 575 002	313	80.00	28 105 000	321	73.00
27 126 EN1	299	261.00	27 577 002	309	158.00	28 142 000	321	43.00
27 126 ZB1	299	280.00	27 578 20E	309	126.00	28 143 000	321, 340	90.00
★ 27 129 000	312	220.00	27 591 001	300	99.00	28 145 000	321, 340	108.00
27 129 BE0	312	293.00	27 596 000	285, 317, 318	18.00	28 150 001	321	36.00
27 129 EN0	312	293.00	27 597 10E	314	38.00	28 151 001	321	42.00
27 130 000	297	273.00	27 598 10E	310	99.00	28 154 001	321	48.00
27 130 EN0	297	355.00	27 606 001	301	83.00	28 155 001	321	55.00
27 135 000	296	311.00	27 608 001	314	80.00	28 233 000	298	121.00
27 135 EN0	296	404.00	27 609 001	310	146.00	28 341 000	315	193.00
27 137 000	321	77.00	27 610 001	301	99.00	28 342 000	302	73.00
★ 27 140 000	306	541.00	27 620 000	66, 244	878.00	28 342 00E	302	73.00
★ 27 140 EN0	306	702.00	27 621 000	67, 323	455.00	28 342 EN0	302	96.00
27 142 000	306	527.00	27 623 000	66, 261	316.00	28 364 000	321	60.00
27 142 BE0	306	687.00	27 625 000	67, 263	815.00	28 373 000	296	551.00
27 142 EN0	306	687.00	27 664 000	312	190.00	28 373 BE0	296	716.00
27 180 000	278, 279	105.00	27 664 EN0	312	246.00	28 373 EN0	296	716.00
27 206 000	317	26.00	27 673 000	277, 312	167.00	★ 28 375 000	296	589.00
27 217 000	305	105.00	27 693 000	323	57.00	★ 28 375 BE0	296	767.00
27 217 EN0	305	136.00	27 705 000	294	232.00	★ 28 375 EN0	296	767.00
27 239 000	313	97.00	27 706 000	323	68.00	★ 28 375 ZB0	296	831.00
27 239 001	275, 313	97.00	27 708 000	322	115.00	28 383 000	303	275.00
27 239 EN0	313	127.00	27 710 000	303	141.00	28 383 EN0	303	358.00
27 242 001	308	179.00	27 712 000	305	129.00	28 388 000	321	70.00
27 243 001	308	208.00	27 732 000	307	354.00	28 389 000	315	36.00
27 247 001	299	136.00	27 736 000	307	334.00	28 403 000	323	58.00
27 247 EN1	299	183.00	27 765 000	297	265.00	28 403 EN0	323	74.00
27 252 000	320	264.00	27 765 EN0	297	349.00	28 409 001	321	52.00
27 254 000	294	388.00	27 767 000	297	253.00	28 410 001	321	66.00
27 265 00E	277, 313	58.00	27 784 000	316	165.00	28 413 001	321	74.00
27 266 00E	308	168.00	27 785 000	316	210.00	28 417 000	321	105.00
27 285 000	293	717.00	★ 27 806 000	315	76.00	28 417 A00	321	148.00
★ 27 288 000	293	2,588.00	★ 27 808 000	277, 298	186.00	28 417 BE0	321	148.00
27 400 000	275, 315	80.00	27 809 000	277, 313	58.00	28 417 EN0	321	137.00
27 400 EN0	315	115.00	27 810 001	299	127.00	28 417 GN0	321	148.00
27 412 000	304, 340	97.00	27 810 EN1	299	158.00	28 418 000	324	69.00
27 412 A00	304	136.00	★ 27 814 000	296	551.00	28 421 002	314	63.00

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
28 436 002	309	126.00	★ 29 073 000	268	369.00	29 903 000	95, 110, 116, 127, 192, 260	277.00
28 444 000	311	265.00	29 100 001	108, 248	164.00	30 026 000	41	423.00
28 444 EN0	311	344.00	29 100 EN1	108, 248	213.00	30 026 DC0	41	548.00
28 448 000	299	232.00	29 102 001	109, 251	206.00	30 026 SD0	41	654.00
28 448 EN0	299	302.00	29 102 EN1	109, 251	271.00	30 205 001	29, 33	913.00
28 459 000	322	126.00	29 104 001	110, 257	122.00	30 205 DC1	29, 33	1,161.00
28 459 BE0	322	163.00	29 104 EN1	110, 257	158.00	30 210 001	36	390.00
28 459 EN0	322	163.00	29 106 001	110, 260	146.00	30 210 DC1	36	507.00
28 459 R00	322	158.00	29 106 EN1	110, 260	190.00	30 210 ZC1	36	547.00
28 459 ZB0	322	177.00	29 108 001	110, 257	122.00	30 211 001	35	390.00
28 484 000	322	140.00	29 108 EN1	110, 257	158.00	30 211 DC1	35	507.00
28 484 BE0	322	182.00	29 122 000	229	507.00	30 211 ZC1	35	547.00
28 484 EN0	322	182.00	29 122 EN0	229	655.00	30 213 001	36	517.00
28 484 ZB0	322	195.00	29 127 000	227	507.00	30 213 DC1	36	672.00
28 492 000	305	126.00	29 136 000	227	703.00	30 213 ZC1	36	724.00
28 492 BE0	305	179.00	29 136 A00	227	990.00	30 218 001	29, 37	846.00
28 492 EN0	305	179.00	29 136 BE0	227	990.00	30 218 DC1	29, 37	1,099.00
28 492 ZB0	305	190.00	29 136 EN0	227	915.00	30 271 000	37	508.00
28 528 000	320	239.00	29 136 GN0	227	990.00	30 271 A00	37	740.00
28 528 EN0	320	313.00	29 137 000	228	767.00	30 271 BE0	37	740.00
28 535 000	304	275.00	29 137 A00	228	1,080.00	30 271 DC0	37	661.00
28 535 EN0	304	357.00	29 137 BE0	228	1,080.00	30 271 GN0	37	740.00
28 540 000	303	185.00	29 137 EN0	228	996.00	30 295 000	31	814.00
28 540 A00	303	261.00	29 137 GN0	228	1,080.00	30 295 A00	31	1,185.00
28 540 BE0	303	234.00	29 138 000	229	824.00	30 295 BE0	31	1,185.00
28 540 EN0	303	241.00	29 138 A00	229	1,160.00	30 295 DC0	31	1,057.00
28 540 GN0	303	261.00	29 138 BE0	229	1,160.00	30 295 GN0	31	1,185.00
28 540 ZB0	303	268.00	29 138 EN0	229	1,073.00	30 296 001	36, 40	449.00
28 577 000	303	134.00	29 138 GN0	229	1,160.00	30 296 DC1	36, 40	587.00
28 577 EN0	303	175.00	29 140 000	225	703.00	30 296 ZC1	36, 40	633.00
28 620 000	316	193.00	29 141 000	225	767.00	30 300 000	37	600.00
28 622 000	323	58.00	29 142 000	226	824.00	30 300 DC0	37	802.00
28 622 EN0	323	76.00	29 152 LS0	230	655.00	30 306 000	39	296.00
28 623 000	323	100.00	29 158 LS0	227	655.00	30 306 DC0	39	386.00
28 627 000	322	115.00	29 159 LS0	228	898.00	30 310 000	27, 43	446.00
28 627 EN0	322	158.00	29 160 LS0	228	972.00	30 313 000	27, 33	1,066.00
28 629 000	322	121.00	29 161 LS0	229	1,057.00	30 313 DC0	27, 33	1,260.00
28 631 000	316	71.00	29 163 LS0	225	898.00	30 314 000	27, 32	1,497.00
28 672 000	322	64.00	29 164 LS0	226	972.00	30 314 DC0	27, 32	1,805.00
★ 28 737 000	298	109.00	29 165 LS0	226	1,057.00	30 321 DG0	31	128.00
★ 28 750 000	44	163.00	29 167 001	190, 250	195.00	30 321 DU0	31	128.00
28 751 001	44	282.00	29 167 EN1	190, 250	253.00	30 321 GE0	31	128.00
28 751 SD1	44	422.00	29 168 001	191, 251	267.00	30 321 MW0	31	128.00
28 754 000	78, 91, 114, 121, 172	158.00	29 168 EN1	191, 251	349.00	30 321 TY0	31	128.00
28 754 EN0	78, 91, 114, 172	232.00	29 203 001	116, 260	169.00	30 321 XC0	31	128.00
28 783 000	295	1,903.00	29 203 A01	116, 260	249.00	30 321 YF0	31	128.00
28 783 EN0	295	2,474.00	29 203 BE1	116, 260	249.00	30 321 YR0	31	128.00
28 797 001	316	231.00	29 203 EN1	116, 260	219.00	31 041 SD0	42	1,585.00
28 797 BE1	316	316.00	29 203 GN1	116, 260	249.00	31 055 000	41	592.00
28 797 EN1	316	316.00	29 215 001	192, 260	169.00	31 055 DC0	41	751.00
28 819 001	316	276.00	29 215 EN1	192, 260	219.00	31 075 SD0	42	1,520.00
28 819 EN1	316	419.00	29 216 001	95, 260	208.00	★ 31 251 001	22	3,999.00
28 857 000	44	179.00	29 216 EN1	95, 260	269.00	31 251 002	23	3,999.00
28 857 SD0	44	275.00	29 217 001	127, 260	197.00	★ 31 251 DC1	22	4,599.00
★ 28 871 000	312	226.00	29 218 001	127, 257	185.00	31 251 DC2	23	4,599.00
28 897 000	313	228.00	29 273 000	84, 126, 167, 184, 205, 262	94.00	31 312 001	22	1,153.00
28 897 EN0	313	296.00	29 274 000	84, 126, 167, 184, 205, 262	153.00	31 312 DC1	22	1,502.00
28 917 000	306	545.00	29 712 000	84, 137, 143, 149, 167, 184, 205, 256	334.00	★ 31 349 00E	35	543.00
28 917 EN0	306	709.00	29 900 000	110, 127, 257	238.00	31 349 10E	35	543.00
28 951 000	338	63.00	29 901 000	110, 127, 257	238.00	★ 31 359 001	29	821.00
28 983 000	303	414.00	29 902 000	95, 110, 116, 127, 192, 260	277.00	31 359 002	29	821.00
28 983 EN0	303	539.00				★ 31 359 DC1	29	1,067.00
29 035 000	55, 66, 143, 258	344.00				31 359 DC2	29	1,067.00
29 038 001	54, 62, 81, 93, 115, 122, 173, 189	381.00				★ 31 378 000	34	583.00
★ 29 069 000	268	287.00				31 378 003	34	583.00
★ 29 072 000	268	488.00				★ 31 378 DC0	34	779.00

Note: Products listed with ★ (stars) are available while supplies last.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
31 378 DC3	34	779.00	33 870 002	36	655.00	35 064 001	49, 64, 73, 93, 102, 108, 124, 136, 142, 148, 154, 159, 164, 182, 190, 198, 203, 247	175.00
31 380 000	32	1,051.00	33 870 DC2	36	852.00	35 065 001	50, 64, 73, 94, 102, 109, 124, 136, 142, 148, 154, 160, 165, 182, 191, 198, 203, 247	175.00
31 380 DC0	32	1,359.00	★ 33 870 ZB2	36	866.00	35 066 001	50, 65, 73, 94, 102, 109, 124, 136, 142, 148, 154, 160, 165, 183, 191, 198, 203, 247	144.00
31 401 000	32	1,051.00	33 885 000	79, 91	328.00	35 073 10A	107	327.00
31 401 DC0	32	1,359.00	33 893 000	38	664.00	35 073 ENA	107	426.00
31 453 001	37	412.00	33 893 DC0	38	868.00	35 075 10A	107	249.00
31 453 DC1	37	536.00	33 893 SD0	38	1,029.00	35 075 ENA	107	324.00
★ 31 479 000	35, 40	410.00	34 150 003	255	416.00	35 085 000	339	2,180.00
31 479 001	35, 40	410.00	34 159 003	255	457.00	35 087 000	339	1,720.00
★ 31 479 DC0	35, 40	554.00	★ 34 240 000	254	354.00	35 204 000	122, 263, 340	228.00
31 479 DC1	35, 40	554.00	34 270 00A	105	270.00	35 601 000	95, 230, 232	168.00
31 492 000	31	633.00	34 270 ENA	105	351.00	★ 36 078 000	271	134.00
31 492 DC0	31	824.00	34 271 00A	105	248.00	★ 36 294 000	270	2,003.00
31 518 000	41	376.00	34 271 ENA	105	322.00	★ 36 297 000	270	2,295.00
31 518 DC0	41	468.00	34 331 000	63, 82, 165, 183, 204, 252	339.00	★ 36 309 000	270	410.00
31 608 002	24	3,999.00	34 397 000	63, 82, 165, 183, 204, 252	508.00	36 314 000	338	652.00
31 608 DC2	24	4,599.00	34 507 000	338, 345	290.00	36 328 000	337	826.00
32 128 00A	60	1,029.00	34 702 001	105	253.00	36 329 000	337	826.00
★ 32 135 003	81	2,854.00	34 702 EN1	105	330.00	★ 36 356 000	271	144.00
32 138 002	106	349.00	34 745 000	290	1,099.00	★ 36 359 000	268	1,724.00
★ 32 138 00A	106	349.00	34 745 EN0	290	1,349.00	★ 36 360 000	268	1,090.00
32 138 EN2	106	454.00	34 747 000	288	1,499.00	36 367 000	267	740.00
★ 32 138 ENA	106	454.00	34 750 000	289	2,100.00	36 371 000	267	846.00
32 178 000	37	1,090.00	34 751 000	289	1,350.00	36 385 000	338	794.00
32 178 DC0	37	1,416.00	34 752 000	287	1,990.00	36 407 001	337	401.00
32 216 00A	113	376.00	34 753 000	288	2,349.00	★ 36 417 000	267	266.00
32 216 A0A	113	537.00	35 012 20A	135	257.00	★ 36 418 000	267	1,745.00
32 216 BEA	113	537.00	35 014 20A	135	191.00	★ 36 419 000	267	605.00
32 216 ENA	113	488.00	35 015 001	49, 64, 73, 93, 101, 108, 124, 136, 142, 148, 153, 159, 164, 182, 190, 197, 203, 247	175.00	38 505 000	332	162.00
32 216 GNA	113	537.00	35 016 000	65, 94, 109, 191, 251	264.00	38 505 P00	332	162.00
32 226 000	33	644.00	35 019 000	141	497.00	38 505 SH0	332	159.00
32 226 DC0	33	840.00	35 020 000	141	323.00	38 506 000	333	162.00
32 226 SD0	33	965.00	35 023 002	153	337.00	38 506 P00	333	162.00
32 283 000	33, 40	602.00	35 025 002	153	519.00	38 506 SH0	333	159.00
32 283 DC0	33, 40	790.00	35 026 000	56, 66, 83, 116, 126, 131, 167, 175, 235	187.00	38 553 001	331	508.00
32 283 SD0	33, 40	903.00	35 027 000	123	868.00	38 732 000	332	162.00
32 298 001	33	620.00	35 029 000	55, 65, 66, 175, 261	188.00	38 732 BE0	332	200.00
32 298 DC1	33	814.00	35 032 000	67, 263	544.00	38 732 BR0	332	181.00
32 298 SD1	33	930.00	35 033 000	65, 94, 109, 191, 251	264.00	38 732 EN0	332	200.00
★ 32 319 000	34	708.00	35 035 000	67, 323	296.00	38 732 P00	332	162.00
32 319 003	34	708.00	★ 35 039 000	197	221.00	38 732 SD0	332	211.00
★ 32 319 00E	34	708.00	★ 35 039 EN0	197	288.00	38 732 SH0	332	159.00
★ 32 319 DC0	34	914.00	★ 35 040 000	197	349.00	38 749 002	330	602.00
32 319 DC3	34	914.00	★ 35 040 EN0	197	454.00	38 765 000	332	162.00
32 641 000	78	314.00	★ 35 046 000	159	180.00	38 765 P00	332	162.00
32 642 00A	134	196.00	★ 35 046 EN1	159	234.00	38 765 SH0	332	159.00
32 642 ENA	134	249.00	★ 35 046 ZC0	159	252.00	38 771 000	333	158.00
32 643 00A	134	169.00	★ 35 047 000	158	256.00	38 776 SD0	332	211.00
32 653 003	93	2,200.00	★ 35 047 EN1	158	333.00	38 821 000	333	233.00
32 653 EN3	93	2,860.00	★ 35 047 ZC0	158	358.00	38 845 KS0	334	423.00
★ 32 665 001	35	543.00	★ 35 048 000	49	180.00	38 845 LS0	334	423.00
32 665 003	35	543.00	★ 35 048 EN1	49	234.00	★ 38 845 MF0	334	447.00
★ 32 665 DC1	35	707.00	★ 35 048 ZC0	49	252.00	★ 38 849 HP0	334	330.00
32 665 DC3	35	707.00	★ 35 049 000	48	256.00	★ 38 849 HR0	334	330.00
32 754 002	62	3,286.00	★ 35 049 EN1	48	333.00	38 861 000	333	158.00
32 875 00A	140	238.00	★ 35 049 ZC0	48	358.00	38 862 000	333	162.00
32 877 00A	140	216.00	35 060 003	147	243.00	38 862 P00	333	162.00
32 951 000	32	1,262.00	35 060 EN3	147	317.00	38 862 SD0	333	211.00
32 951 DC0	32	1,651.00	35 062 003	147	327.00			
33 170 00A	130	369.00	35 062 EN3	147	433.00			
33 170 ENA	130	481.00						
33 330 001	39	455.00						
33 330 002	38	582.00						
33 330 DC1	39	591.00						
33 755 SD1	34	815.00						
33 759 SD0	38	889.00						
33 780 000	61	316.00						

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
38 862 SH0	333	151.00	40 313 EN3	96	240.00	40 507 001	214	142.00
★ 38 914 XM0	334	475.00	40 339 000	68	260.00	40 508 001	215	92.00
38 916 0A0	334	503.00	40 341 000	68	387.00	40 509 001	214	171.00
38 996 000	330	662.00	40 344 001	213	265.00	40 510 001	214	171.00
★ 40 146 000	168	199.00	40 344 EN1	213	345.00	40 511 001	214	84.00
★ 40 146 EN0	168	261.00	40 364 001	210	48.00	40 512 001	214	349.00
★ 40 151 000	168	139.00	40 364 A01	210	68.00	40 513 001	215	218.00
★ 40 151 EN0	168	181.00	40 364 BE1	210	68.00	40 514 001	215	189.00
★ 40 155 000	168	99.00	40 364 EN1	210	63.00	40 535 000	44	108.00
★ 40 155 EN0	168	128.00	40 364 GN1	210	68.00	40 535 A00	44	151.00
★ 40 156 000	168	128.00	40 365 001	210	58.00	40 535 BE0	44	151.00
★ 40 156 EN0	168	167.00	40 365 A01	210	83.00	40 535 DC0	44	139.00
40 157 000	206	171.00	40 365 BE1	210	83.00	40 535 GN0	44	151.00
40 157 BE0	206	235.00	40 365 EN1	210	76.00	40 536 000	44	94.00
40 157 EN0	206	235.00	40 365 GN1	210	83.00	40 536 DC0	44	122.00
40 157 ZB0	206	244.00	40 366 001	210	79.00	40 537 000	44	109.00
40 158 000	206	127.00	40 366 A01	210	112.00	40 537 ZB0	44	152.00
40 158 BE0	206	165.00	40 366 BE1	210	112.00	40 547 001	25	112.00
40 158 EN0	206	165.00	40 366 EN1	210	102.00	40 553 000	44	120.00
40 158 ZB0	206	180.00	40 366 GN1	210	112.00	40 553 DC0	44	158.00
40 159 000	206	106.00	40 367 001	210	72.00	40 623 001	214	84.00
40 159 BE0	206	139.00	40 367 EN1	210	94.00	40 624 001	214	205.00
40 159 EN0	206	139.00	40 368 001	211, 215, 218	17.00	40 625 000	177	334.00
40 159 ZB0	206	149.00	40 369 001	211	45.00	40 625 EN0	177	431.00
40 160 000	206	129.00	40 369 EN1	211	58.00	40 626 000	177	296.00
40 160 BE0	206	168.00	40 371 001	210	119.00	40 627 000	177	401.00
40 160 EN0	206	168.00	40 371 EN1	210	155.00	40 628 000	177	365.00
40 160 ZB0	206	182.00	40 372 001	211, 215, 218	31.00	40 629 000	177	419.00
40 222 000	185	200.00	40 374 001	211	94.00	40 629 EN0	177	545.00
40 222 EN0	185	260.00	40 385 001	211	55.00	40 630 000	177	270.00
40 222 VP0	185	302.00	40 385 A01	211	79.00	40 630 EN0	177	350.00
40 224 000	185	299.00	40 385 BE1	211	79.00	40 631 000	177	129.00
40 224 EN0	185	388.00	40 385 EN1	211	71.00	40 631 EN0	177	168.00
40 224 VP0	185	429.00	40 385 GN1	211	79.00	40 632 000	177	466.00
40 226 000	185	161.00	40 386 001	210	94.00	40 633 000	177	244.00
40 226 EN0	185	213.00	40 386 A01	210	134.00	40 633 EN0	177	317.00
40 226 VP0	185	276.00	40 386 BE1	210	134.00	40 652 001	218	38.00
40 235 000	185	195.00	40 386 EN1	210	123.00	40 652 EN1	218	49.00
40 235 EN0	185	254.00	40 386 GN1	210	134.00	40 653 001	217	80.00
40 235 VP0	185	317.00	40 394 001	211, 215, 218	48.00	40 653 EN1	217	105.00
40 254 003	97	88.00	40 394 EN1	211, 218	62.00	40 654 001	217	106.00
40 256 003	97	33.00	40 404 001	25	132.00	40 654 EN1	217	136.00
40 279 000	68	270.00	40 405 000	25	99.00	40 655 001	217	54.00
40 284 000	68	181.00	40 407 001	213	168.00	40 655 EN1	217	71.00
40 304 003	97	88.00	40 412 001	25	244.00	40 656 001	217	34.00
40 304 EN3	97	115.00	40 421 001	212	90.00	40 656 EN1	217	45.00
40 305 003	97	88.00	40 421 A01	212	128.00	40 657 001	217	66.00
40 305 EN3	97	115.00	40 421 BE1	212	128.00	40 657 EN1	217	83.00
40 306 003	97	88.00	40 421 EN1	212	117.00	40 658 001	217	116.00
40 306 EN3	97	115.00	40 421 GN1	212	128.00	40 658 EN1	217	146.00
★ 40 307 000	85	234.00	40 430 001	25	175.00	40 659 001	217	77.00
40 307 003	96	257.00	40 434 001	25	84.00	40 659 EN1	217	100.00
★ 40 307 EN0	85	326.00	40 444 001	211	61.00	40 660 001	217	206.00
40 307 EN3	96	334.00	40 444 EN1	211	79.00	40 660 EN1	217	270.00
40 308 003	96	319.00	40 447 001	211	75.00	40 663 001	212	106.00
40 308 EN3	96	415.00	40 447 EN1	211	92.00	40 664 001	212	80.00
★ 40 309 000	85	352.00	40 448 001	211	90.00	★ 40 674 001	160	71.00
40 309 003	96	391.00	40 448 EN1	211	112.00	★ 40 674 EN1	160	92.00
★ 40 309 EN0	85	480.00	40 493 000	57	503.00	★ 40 674 ZC1	160	100.00
40 309 EN3	96	508.00	40 494 000	57	634.00	★ 40 675 001	160	67.00
★ 40 312 000	85	166.00	40 496 000	57	508.00	★ 40 675 EN1	160	87.00
40 312 003	96	175.00	40 497 000	57	556.00	★ 40 675 ZC1	160	93.00
★ 40 312 EN0	85	217.00	40 498 000	57	270.00	★ 40 676 001	160	50.00
40 312 EN3	96	227.00	40 499 000	57	487.00	★ 40 676 EN1	160	66.00
★ 40 313 000	85	234.00	40 500 000	57	778.00	★ 40 676 ZC1	160	71.00
40 313 003	96	185.00	40 503 000	57	572.00	★ 40 677 001	160	31.00
★ 40 313 EN0	85	326.00	40 504 000	57	593.00	★ 40 677 EN1	160	41.00

Note: Products listed with ★ (stars) are available while supplies last.

# PRODUCT NUMBER INDEX

PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE	PRODUCT #	PAGE	PRICE
★ 40 677 ZC1	160	45.00	40 823 EN1	213	264.00	47 715 000	345	272.00
★ 40 678 001	160	59.00	40 846 001	213	274.00	★ 47 727 000	271	54.00
★ 40 678 EN1	160	76.00	40 847 001	216	486.00	47 820 000	346	150.00
★ 40 678 ZC1	160	82.00	40 857 000	209	264.00	★ 47 838 000	268	84.00
★ 40 679 000	50	71.00	40 865 000	209	85.00	★ 47 867 000	268	97.00
★ 40 679 EN1	50	92.00	42 464 000	338	101.00	47 877 000	267	101.00
★ 40 679 ZC0	50	100.00	43 553 000	333	185.00	47 889 000	346	82.00
★ 40 680 000	50	67.00	45 202 000	346	31.00	47 890 000	346	82.00
★ 40 680 EN1	50	87.00	45 203 000	346	34.00	47 995 000	345	127.00
★ 40 680 ZC0	50	93.00	45 220 000	344	11.00	47 996 000	49, 50, 64, 65, 73, 93, 94, 101, 102, 108, 109, 124, 136, 142, 148, 153, 154, 159, 160, 164, 165, 182, 183, 190, 191, 197, 198, 203, 247, 346	83.00
★ 40 681 000	50	50.00	45 342 000	344	52.00	48 052 000	100	13.00
★ 40 681 EN1	50	66.00	45 346 000	344	52.00	48 053 000	278, 279, 280	142.00
★ 40 681 ZC0	50	71.00	★ 45 473 000	81	999.00	48 054 000	278, 279, 280	100.00
★ 40 682 000	50	31.00	45 565 000	346	64.00	48 186 000	344	48.00
★ 40 682 EN1	50	41.00	45 565 AV0	346	86.70	48 187 000	344	48.00
★ 40 682 ZC0	50	45.00	45 565 R00	346	86.70	48 188 000	344	48.00
★ 40 683 000	50	59.00	★ 45 603 000	342	70.00	48 189 000	344	45.00
★ 40 683 EN1	50	76.00	★ 45 603 EN0	342	91.00	48 190 000	344	45.00
★ 40 683 ZC0	50	82.00	★ 45 609 000	342	70.00	48 191 000	344	45.00
40 688 001	210	66.00	★ 45 609 EN0	342	91.00	48 220 000	43	39.00
40 688 A01	210	95.00	45 882 000	344	57.00	48 361 000	230	37.00
40 688 BE1	210	95.00	45 883 000	344	57.00	49 003 000	230	253.00
40 688 EN1	210	86.00	45 885 000	344	80.00	64 999 000	43	39.00
40 688 GN1	210	95.00	45 887 000	344	131.00	★ 65 815 000	271	69.00
40 689 001	210	66.00	45 888 000	344	131.00	65 818 000	53, 61, 121	154.00
40 689 A01	210	95.00	45 979 000	346	31.00	★ 65 912 000	271	88.00
40 689 BE1	210	95.00	46 048 000	345	102.00	95 866 000	324, 340	41.00
40 689 EN1	210	86.00	46 090 000	344	29.00			
40 689 GN1	210	95.00	46 191 000	346	118.00			
40 691 001	25	152.00	46 238 000	346	65.00			
40 694 000	25	112.00	46 374 000	345	102.00			
★ 40 710 000	271	170.00	46 580 000	345	114.00			
40 754 001	215	113.00	46 875 NC0	345	120.00			
40 755 001	215	122.00	46 875 ND0	345	189.00			
40 756 001	215	139.00	46 875 EN0	345	189.00			
40 757 001	216	349.00	46 875 ZB0	345	189.00			
40 758 001	216	545.00	47 010 000	345	245.00			
40 766 000	208	126.00	47 012 000	345	267.00			
40 767 000	208	190.00	47 016 000	345	267.00			
40 768 000	208	349.00	47 025 000	345	295.00			
40 775 001	213	164.00	47 032 000	345	554.00			
40 775 EN1	213	214.00	47 040 000	345	478.00			
40 776 001	213	206.00	47 050 000	345	208.00			
40 777 001	216	313.00	47 080 000	345	125.00			
40 778 001	216	465.00	47 111 000	345	293.00			
40 781 000	208	175.00	47 157 000	345	139.00			
40 782 000	208	66.00	47 159 000	345	107.00			
40 783 000	209	37.00	47 175 000	345	254.00			
40 784 000	208	87.00	47 186 000	345	134.00			
40 793 001	212	84.00	47 220 000	345	273.00			
40 794 001	212	116.00	47 282 000	345	267.00			
★ 40 795 001	212	163.00	47 328 000	346	255.00			
★ 40 796 001	212	190.00	47 329 000	346	485.00			
40 797 001	212	338.00	47 344 000	346	106.80			
40 799 001	212	338.00	47 358 000	346	155.00			
40 800 001	210	211.00	47 367 000	346	155.00			
40 800 EN1	210	267.00	47 379 000	345	428.00			
40 802 001	210	109.00	47 439 000	345	73.00			
40 802 EN1	210	142.00	47 450 000	345	208.00			
40 804 000	208	624.00	47 483 000	345	84.00			
40 805 000	209	87.00	47 582 000	345	273.00			
40 806 000	209	32.00	47 653 000	346	213.00			
40 807 000	208	369.00	47 657 000	345	405.00			
40 808 000	209	296.00	47 658 000	345	799.00			
40 809 000	209	253.00	47 662 000	345	208.00			
40 821 EN1	213	211.00	47 678 000	345	134.00			
40 823 001	213	203.00	47 702 000	346	105.00			



# GROHE SENSE™ AND GROHE SENSE GUARD™: YOUR **SECURITY TEAM** FOR WATER SAFETY IN THE HOME

GROHE Sense and GROHE Sense Guard offer a comprehensive water security system that both detects and prevents water damage.



DETECTS LEAKS  
ON THE FLOOR

---



SENSES  
HUMIDITY



SENSES  
TEMPERATURE  
AND DETECTS  
FROST RISK





DETECTS  
PIPE BURSTS\*  
AND SHUTS OFF  
WATER FLOW  
AUTOMATICALLY



SENSES  
WATER  
PRESSURE,  
TEMPERATURE  
AND FLOW



DETECTS  
FROST AND  
MICRO LEAKS\*\*



TRACKS WATER  
CONSUMPTION



\* Burst pipes detection depends on the general water usage profile, therefore there may be some time-lag in shutting off the main water line. Achieve higher detection speed by combining the installation with GROHE Sense in critical locations.

\*\* A micro leak test is conducted once every 24 hours. Pipe material, volume and other piping system characteristics can impact the result. Micro leak detection is limited to the cold water system in most cases. Combine with GROHE Sense to monitor potential humidity increase over time.

# GROHE SENSE™

THE SMART WATER SENSOR  
THAT DETECTS WATER LEAKS  
IN YOUR HOME



GROHE Sense monitors temperature and humidity levels and gives warning if the levels become too high or too low compared to your set thresholds.

When water touches the base of the sensor due to leaks or flooding, GROHE Sense alerts you instantly so you have time to react.



## The GROHE Ondus® app – your personal digital water profile

Know what is going on in your house anytime and stay in control with the GROHE Ondus app on your smartphone.
















For Android 4.3+ and Apple iOS 9+



# GROHE SENSE™ AND GROHE SENSE GUARD™

## ALL THE BENEFITS AT A GLANCE

		GROHE SENSE	GROHE SENSE GUARD
<b>Detects flooding</b>	Emits a pulsating red light and a beeping sound if flooding is detected and alerts you via smartphone.		
<b>Monitors humidity</b>	Checks room humidity level and alerts based on your personal thresholds.		
<b>Monitors room temperature and detects frost risk</b>	Checks temperature and if the room temperature is above* or below your thresholds, it sends out an alert. If the temperature drops below 3°C (37°F), a frost risk alert is sent out.		
<b>Easily installed</b>	Set up GROHE Sense quickly and easily throughout the home – in just 10 minutes. Includes 3 x AAA batteries.		
<b>Sends alerts when problems are detected</b>	Situation-dependent alerts sent straight to your smartphone.		
<b>GROHE Ondus app</b>	One app to access and manage all GROHE connected products from your mobile device.		
<b>Detects pipe bursts**</b>	If a pipe break is detected, shuts off the water supply automatically and sends an alert to your smartphone.		
<b>Detects micro leaks*** and dripping faucets</b>	Receive a warning on your smartphone about detected micro leaks on your cold water system.		
<b>Monitors water pressure and flow</b>	Monitors water pressure and warns you if it becomes critical. In addition, it allows for detection of unusual water consumption.****		
<b>Monitors water temperature and detects frost risk</b>	Warns you if the incoming water temperature drops below 3°C (37°F).		
<b>Tracks water consumption*****</b>	Makes your water consumption transparent and helps to keep water bills under control.		

\* Not to be used as fire detection











\*\* Burst pipes detection depends on the general water usage profile, therefore there may be some time-lag in shutting off the main water line. Achieve higher detection speed by combining the installation with GROHE Sense in critical locations.

\*\*\* A micro leak test is conducted once every 24 hours. Pipe material, volume and other piping system characteristics can impact the result. Micro leak detection is limited to the cold water system in most cases. Combine with GROHE Sense to monitor potential humidity increase over time.

\*\*\*\* Detection speed depending on the water usage profile in the house. Achieve higher detection speed by combining the installation with GROHE Sense on critical locations.












\*\*\*\*\*Delivers indicative water consumption

# GROHE SENSE™ AND GROHE SENSE GUARD™

		Product #	Colour/Description	Price
	<p><b>GROHE Sense™</b> Smart Water Sensor</p> <ul style="list-style-type: none"> <li>• Wireless LAN 2.4 GHz required to connect to the ONDUS app</li> <li>• Battery powered</li> <li>• Instant flooding alarm</li> <li>• Senses room temperature and humidity</li> <li>• Receives updates on temperature and humidity once a day</li> <li>• Customized settings via GROHE Ondus® App for iOS and Android</li> <li>• Status indication via LED light, buzzer and app</li> <li>• For placement on a flat non-conductive surface</li> <li>• Supports connections to wireless LAN protected by password of up to 32 characters in length</li> <li>• LongLife Battery: expected lifetime up to 4 years, depending on the use of the water sensor</li> <li>• Includes:                             <ul style="list-style-type: none"> <li>- (1) Water sensor</li> <li>- (3) AAA batteries</li> </ul> </li> <li>• Two-year limited warranty</li> <li>• Made in Germany</li> </ul>	<b>22 601 LN0</b>	White	<b>\$ 144</b>
	<p><b>2017 AWARDS</b></p> <p>Good Design Award  Iconic Award </p> <p><b>2018 AWARDS</b></p> <p>IDEA Award Gold Winner  IF Design  German Design Award  German Innovation Award  Green Good Design Award  RedDot Design Award </p>			
	<p><b>GROHE Sense™</b> Extension Set</p> <ul style="list-style-type: none"> <li>• For GROHE Sense (22 601 LN0)</li> <li>• For difficult-to-reach locations</li> <li>• For placement on a flat non-conductive surface or installation on the wall</li> <li>• Includes:                             <ul style="list-style-type: none"> <li>- Base plate</li> <li>- Sensor extension cable 47" (1.2m) length</li> <li>- Dowels and screw set</li> </ul> </li> <li>• Not included: Smart water sensor (22 601 LN0)</li> </ul>	<b>22 506 LN0</b>	White	<b>\$ 72</b>

# GROHE SENSE™ AND GROHE SENSE GUARD™

SENSE GUARD

		Product #	Colour/Description	Price
	<p><b>GROHE Sense Guard™</b> Smart Water Controller</p> <ul style="list-style-type: none"> <li>• 110 V US plug type A standard electrical outlet required</li> <li>• Wireless LAN 2.4 GHz required to connect to the ONDUS app</li> <li>• For single-family residential use only</li> <li>• Detects pipe breaks, micro leaks, frost and unusual water flow</li> <li>• Automatic, manual or remote shut-off function to limit water damage</li> <li>• Senses flow rate and water pressure</li> <li>• Valve normally open. Without electricity, the solenoid valve opens.</li> <li>• Customize settings via GROHE Ondus® App for iOS and Android</li> <li>• Status indication via LED light, buzzer and app</li> <li>• For horizontal or vertical installation right after the water metre</li> <li>• Includes:                             <ul style="list-style-type: none"> <li>- 1 x GROHE Sense Guard unit with 1" outlets</li> <li>- 2 x ¾" (19 mm) adapters</li> <li>- 70 7/8" power cable, plug type A</li> </ul> </li> <li>• Noise classification 1 in accordance with DIN 4109 incl. certificate</li> <li>• Acoustic group I in accordance with DIN 4109</li> <li>• Two-year limited warranty</li> <li>• Made in Germany</li> </ul>	22 503 LN0	White	\$ 1,029
	<p>2017 AWARDS</p> <p>Good Design Award </p> <p>Iconic Award </p>	<p>2018 AWARDS</p> <p>IDEA Award Gold Winner </p> <p>IF Design </p> <p>German Design Award </p> <p>German Innovation Award </p> <p>Green Good Design Award </p> <p>RedDot Design Award </p>		
	<p><b>GROHE Sense Guard™</b> Power Extension Cable</p> <ul style="list-style-type: none"> <li>• 2 Pole</li> <li>• Cable length 3 metres (118")</li> <li>• For GROHE Sense Guard™ (all plug types)</li> </ul>	22 521 LN0	White	\$ 42
	<p><b>GROHE Sense Guard™</b> Mounting Set</p> <ul style="list-style-type: none"> <li>• Wall mounting set</li> <li>• For GROHE Sense Guard™ water controller</li> <li>• For installation on the wall</li> <li>• For use with (22 503 LN0)</li> <li>• 1" NPT-MIP outlets</li> </ul>	22 603 000	Chrome	\$ 171

# GROHE GROHE BLUE®

## It's so easy to get your glass of perfect water

Simply use the buttons on the handle.

For cool, still water: just push the top button. The LED lights up blue, filling your glass with pure refreshment.

Your choice is medium sparkling? Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.

For water that bubbles with refreshment: just press the lower button – the LED lights up green – for your perfect glass of sparkling water.

**Blue:** Still water



**Turquoise:** Medium sparkling water







**Green:** Full sparkling water



# GROHE BLUE PURE

GROHE BLUE

	Product #	Colour/Description	Price
 <p><b>GROHE Blue® Pure</b> Dual Function Faucet</p> <ul style="list-style-type: none"> <li>• 16" Faucet height</li> <li>• 8<sup>7</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 9<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• 180° Swivel spout</li> <li>• Single-hole installation</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Separate handle for filtered drinking water</li> <li>• CE approved</li> <li>• Power supply 110 V AC, 50/60 Hz with safety extra-low voltage (SELV)</li> <li>• Starter kit includes a 600 L 4-stage filter</li> <li>• Filter head with flexible adjustment</li> <li>• Metal lever handle</li> <li>• Separate inner water ways for filtered and non-filtered water</li> <li>• Lever swing clearance (2<sup>5</sup>/<sub>16</sub>" centre to backsplash), shorter lever (40 621) available</li> <li>• Flexible connection hoses and filter connector piece</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 312 001 31 312 DC1</p> <p></p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,153 1,502</p>
 <p><b>GROHE Blue® Chilled &amp; Sparkling</b> Dual Function Faucet</p> <ul style="list-style-type: none"> <li>• 16" Faucet height</li> <li>• 8<sup>7</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 9<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• Single-hole installation</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Separate handle for 3 filtered water settings: still, lightly sparkling, and full sparkling water</li> <li>• 180° Swivel spout</li> <li>• Lever swing clearance (2<sup>5</sup>/<sub>16</sub>" centre to backsplash), shorter lever (40 621) available</li> <li>• CE approved</li> <li>• 270 watt cooling unit, 115V</li> <li>• Power supply 110 V AC, 50/60 Hz with safety extra-low voltage (SELV)</li> <li>• Starter kit includes a 600 L 4-stage filter</li> <li>• Filter head with flexible adjustment</li> <li>• Metal lever handle</li> <li>• Separate inner water ways for filtered and non-filtered water</li> <li>• Includes water chiller, back flow preventer, water pressure regulator, CO<sub>2</sub> pressure regulator and electrical plug-ins</li> <li>• Flexible connection hoses and filter connector piece</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> <li>• CO<sub>2</sub> cartridge not included</li> <li>• Cleaning kit not included (see page 25)</li> </ul> <p>GROHE Blue Chilled &amp; Sparkling cannot be used with softened water. Any water hardness measurement below 36 mg/L (ppm) prevents carbonation.</p> <p>Customers MUST purchase CO<sub>2</sub> cartridges separately through a local beverage supply company.</p> <p>Only CO<sub>2</sub> cylinders up to max. 2 kg (5 lb) may be used.</p>	<p>★ 31 251 001 ★ 31 251 DC1</p> <p></p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 3,999 4,599</p>

## GROHE WATER SYSTEMS

Filtered and fresh, cool, still, or sparkling water. It's your choice with GROHE Blue® Water Systems. Instant access to great-tasting water from the convenience of your kitchen faucet whenever you want it – 24 hours a day, 7 days a week.

### MORE TASTE

GROHE Blue® water systems feature a revolutionary high-performance filter that removes the impurities that affect the taste and odour of ordinary tap water.


### COOL TECHNOLOGY

Turning ordinary tap water into pure refreshment is made possible by GROHE's advanced technology and innovation. GROHE Blue® Pure and GROHE Blue® Chilled & Sparkling filters water and cools it to the perfect drinking temperature directly from the faucet. GROHE Blue® Chilled & Sparkling serves you still, lightly sparkling or full sparkling water.

### LESS ENVIRONMENTAL IMPACT

GROHE Blue® Pure and GROHE Blue® Chilled & Sparkling combine convenience and a healthy lifestyle in an environmentally conscious package. Compared to the pollution and energy consumption caused by filling and transporting bottled mineral water, filtering tap water has a negligible environmental impact. GROHE Blue® products save resources and money, since seven litres of water are needed to put just one litre of bottled water on a supermarket shelf.

## FUNCTIONALITY





# GROHE BLUE CHILLED+SPARKLING



GROHE Blue Chilled & Sparkling cannot be used with softened water. Any water hardness measurement below 36 mg/L (ppm) prevents carbonation.

Customers MUST purchase CO<sub>2</sub> tanks separately through a local beverage supply company.

Only CO<sub>2</sub> cylinders up to max. 2 kg (5 lb) may be used.

Available Fall 2019

**GROHE Blue®**  
**Chilled & Sparkling 2.0**  
 Kitchen Faucet with Pull-down Hand Spray

- 16½" Faucet height
- 8 ⅝" Swivel spout reach
- 9 ⅜" Aerator height
- 150° Swivel spout
- Forward rotation lever, does not hit backsplash
- Single-hole installation
- Pull-down spray
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- Push buttons for 3 types of filtered and chilled water: still, medium, and sparkling
- Separate inner water ways for filtered and non-filtered water
- Flexible connection hoses and filter connector piece
- GROHE Blue® Professional cooler
- Delivers 12 liters of chilled water per hour
- Colour display with push and turn control
- 270 watt cooling unit, 110V
- Requires ventilation holes in the bottom of the kitchen cabinet
- Software set-up and monitoring of filter and CO<sub>2</sub> capacity via GROHE Ondus app\*
- Additional monitoring via GROHE Blue® Professional Browser - Monitor possible with Bluetooth 4.0\*\* and WiFi interface for wireless data communication
- App can be downloaded to Apple\*\*\* and Android devices
- Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
- Filter head with flexible water hardness adjustment
- Metal lever handle
- Includes water chiller and back flow preventer
- CALGreen compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)
- **GROHE Blue Filter, CO<sub>2</sub> tank not included**
- Cleaning kit not included (see page 25)

**System requirements:**

- WPA2 encrypted and password protected network, MAC address filters are not supported.
- iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher
- Mobile devices and GROHE Ondus App are not included in delivery and must be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\*\*The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\*\*Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

Product #

31 251 002  
 31 251 DC2

Colour/Description

GROHE StarLight® Chrome  
 SuperSteel InfinityFinish™

Price

\$ 3,999  
 4,599

GROHE BLUE

# GROHE BLUE CHILLED+SPARKLING

GROHE BLUE



new

**GROHE Blue®  
Chilled & Sparkling 2.0**  
Kitchen Faucet with Pull-out Hand Spray

- 14 1/2" Faucet height
- 13 1/16" Aerator height
- 8 3/4" Faucet reach
- 150° Swivel radius
- Forward rotation lever, does not hit backsplash
- Single hole installation
- Pull-out spray
- GROHE SilkMove®
- GROHE StarLight®
- Push buttons for 3 types of filtered and chilled water: still, medium, and sparkling
- Separate inner water ways for filtered and non-filtered water
- Flexible connection hoses
- GROHE Blue® Professional cooler
- Delivers 12 liters of chilled water per hour
- Color display with push and turn control
- 270 Watt cooling unit, 110 V AC
- Requires ventilation holes in the bottom of the kitchen cabinet
- Software set-up and monitoring of filter and CO<sub>2</sub> capacity via GROHE Ondus app\*
- Additional monitoring via GROHE Blue® Professional Browser - Monitor possible with Bluetooth 4.0\*\* and WiFi interface for wireless data communication
- App can be downloaded to Apple\*\*\* and Android devices
- Bluetooth range (max. 10 m) varies depending on used materials and walls between transmitter and receiver
- Includes filter head with flexible water hardness adjustment
- Includes water chiller and back flow preventer
- Max. Flow Rate: 6.6 L/min (1.75 gpm)
- CALGreen compliant
- **GROHE Blue® Filter, CO<sub>2</sub> tank and cleaning cartridge are not included**

**System requirements**

- WPA2 encrypted and password protected network, MAC address filters are not supported.
- iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher
- Mobile devices and GROHE Ondus App are not included in delivery and must be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\*\*The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\*\*Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

Product #

31 608 002  
31 608 DC2



Colour/Description

GROHE StarLight® Chrome  
SuperSteel InfinityFinish™

Price

\$ 3,999  
4,599







GROHE Blue Chilled & Sparkling cannot be used with softened water. Any water hardness measurement below 36 mg/L (ppm) prevents carbonation.

Customers MUST purchase CO<sub>2</sub> tanks separately through a local beverage supply company.

Only CO<sub>2</sub> cylinders up to max. 2 kg (5 lb) may be used.

Available Fall 2019

# GROHE BLUE ACCESSORIES

		Product #	Colour/Description	Price
	<b>GROHE Blue® Filter</b> Carbon filter for regular water hardness <ul style="list-style-type: none"> <li>• Improves water taste and reduces water hardness</li> <li>• Filters chlorine, organic compounds such as trace substances of pesticides and reduces heavy metals like lead, copper, iron or zinc</li> <li>• Filtration technology: activated carbon and ion exchanger resin</li> </ul>	40 404 001	600 litres (158.5 gallons)	\$ 132
		40 430 001	1500 litres (396.25 gallons)	175
		40 412 001	3000 litres (792.5 gallons)	244
	<b>GROHE Blue® Filter</b> Carbon filter for low water hardness <ul style="list-style-type: none"> <li>• Improves water taste</li> <li>• Reduces odours and flavours such as chlorine and filters organic substances such as trace substances of pesticides (insecticides, herbicides, fungicides)</li> <li>• Filtration technology: activated carbon</li> </ul>	40 547 001	3000 litres (792.5 gallons)	\$ 112
	<b>GROHE Blue® Filter</b> Magnesium filter for premium taste <ul style="list-style-type: none"> <li>• Improves water taste and mineralization</li> <li>• Filters chlorine and organic compounds such as trace substances of pesticides, reduces heavy metals like lead, copper, iron, zinc; reduces the carbonate hardness and adds 5-35 mg/L of magnesium (depending on the water quality and stagnation time)</li> <li>• Filtration technology: Activated carbon and magnesium ion exchanger resin</li> </ul>	40 691 001	400 litres (105 gallons)	\$ 152
	<b>GROHE Blue® Cleaning Cartridge</b> Must be used with Kit Adapter	40 434 001		\$ 84
	<b>GROHE Blue® Cleaning Kit Adapter</b> Reusable with new cleaning cartridge	40 694 000		\$ 112
	<b>GROHE Blue® Carafe</b>	40 405 000		\$ 99

# GROHE FOOTCONTROL

Foot Control faucets from GROHE deliver a totally hands-free experience. Water is activated with a simple tap of the sensor with your foot. Water temperature can be pre-set, and the faucet can still be operated as normal.

A retro-fit kit is also available to convert any GROHE pull-out or pull-down kitchen faucet.








## **FOOTCONTROL**

Just touch the sensor installed underside of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



# FOOT CONTROL FAUCETS – K7 / LADYLUX<sup>3</sup> CAFE / RETROFIT

		Product #	Colour/Description	Price
	<p><b>K7 with Foot Control</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 1/4" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 7/16" Spout reach</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Foot control: activation of water via contact with sensor</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• 1/2" single hole installation</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 314 000 30 314 DC0  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 1,497 1,805</p>
	<p><b>Ladylux<sup>3</sup> Café with Foot Control</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 3/4" Faucet height</li> <li>• 7 13/16" Aerator height</li> <li>• 8 5/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Foot control: activation of water via contact with sensor</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 313 000 30 313 DC0  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 1,066 1,260</p>
 <p>Add sensor functionality to an existing GROHE pull-out or pull-down kitchen faucet.</p>	<p><b>GROHE Foot Control</b> Retro-fit Set</p> <p>GROHE Retro-Fit™ can be used with the following models:</p> <p><b>Bridgeford:</b> 33 870  <b>Concetto:</b> 32 665, 31 479, 31 453  <b>Essence:</b> 30 271  <b>Eurodisc/Eurodisc Cosmopolitan:</b> 33 330  <b>Europlus:</b> 32 946  <b>Eurosmart:</b> 30 306  <b>K7:</b> 32 178  <b>Ladylux:</b> 32 298, 32 226, 32 283, 33 893, 32 245, 33 755, 33 759  <b>Minta:</b> 32 319, 31 378, 30 300  <b>Parkfield:</b> 30 213, 30 296</p>	<p>30 310 000</p>	GROHE StarLight® Chrome	<p>\$ 446</p>

# GROHE TOUCH FAUCETS

GROHE Touch faucets instantly react to the slightest touch, but can distinguish between a “touch” and a “grab”, letting you move the faucet without activating the water flow. The handy cleaning mode lets you temporarily de-activate the touch feature, leaving you time to clean the faucet. Water can be pre-set to the desired temperature.



## TOUCH

Just touch the faucet spout or body with your wrist, back of your hand, or even your elbow to turn the faucet ON or OFF

Touching the spout to move it will not activate the water flow

To activate the cleaning mode, touch for 8 seconds

Touch activation: water can be set to desired temperature



## DUAL SPRAY WITH PUSH BUTTON LOCK

Switches from regular water flow to spray



## SMOOTH TURN

360° spout rotation gives full sink coverage



## WATER CARE

Automatic safety stop of water flow after 60 seconds





Adjustable flow rate limiter



## GROHE SILKMOVE®

Smoothest handling for effortless precision and ultimate comfort for a lifetime

# TOUCH FAUCETS – MINTA / LADYLUX<sup>3</sup> CAFÉ

		Product #	Colour/Description	Price
	<p><b>Minta Touch</b> Single Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 1/8" Faucet height</li> <li>• 11 1/16" Aerator height</li> <li>• 8 13/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 6V lithium-battery, Type CR-P2</li> <li>• Safety shutdown circuit (when battery at low capacity)</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• Stainless steel braided flexible supplies</li> <li>• Rapid installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 218 001 30 218 DC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 846 1,099</p>
	<p><b>Minta Touch</b> Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 15 1/8" Faucet height</li> <li>• 8 9/16" Aerator height</li> <li>• 8 11/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• 6V lithium-battery, Type CR-P2</li> <li>• Safety shutdown circuit (when battery nearly empty)</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Dual spray with push button lock: switches from regular water flow to spray</li> <li>• Rapid installation system</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 31 359 001 ★ 31 359 DC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 821 1,067</p>
	<p><b>Same as above - replaces (31 359)</b></p> <ul style="list-style-type: none"> <li>• 7 5/16" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> </ul>	<p>31 359 002 31 359 DC2 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 821 1,067</p>
	<p><b>Ladylux<sup>3</sup> Café Touch</b> Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 15/16" Faucet height</li> <li>• 8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• 360° Swivel spout</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• 6 V lithium-battery, Type CR-P2</li> <li>• CE approved</li> <li>• IP44 protection</li> <li>• Battery life indicator - water pulses 3 times</li> <li>• Safety shut-down circuit (when battery at low capacity)</li> <li>• Solenoid valve</li> <li>• Automatic safety stop after 60 sec. (factory set)</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Integrated non-return valve protects against backflow</li> <li>• Stainless steel braided flexible supplies</li> <li>• Installation from above</li> <li>• Touch activation: water can be set to desired temperature</li> <li>• To activate the cleaning mode, touch for 8 sec.</li> <li>• Grasping the spout to move it will not activate the water flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 205 001 30 205 DC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<p>\$ 913 1,161</p>

# GROHE SEMI-PRO FAUCETS

Semi-professional faucets from GROHE feature the highest quality materials to withstand heavy use as well as convenient features for at-home chefs, including easy, one-hand operation, a spring arm that allows for full 360° coverage and high-performance spray.



## DUAL SPRAY WITH TOGGLE FUNCTION

Easily switches between regular water flow and high-performance spray without turning off the water

Solid metal spray

Tall solid brass base for superior construction and professional functionality



## SPEED CLEAN®

Remove limescale with a single wipe

Shower arm swivels to 140° - easy clearance for tall pots and cleaning

Spring arm allows for full 360° sink coverage with easy, one-hand operation








# SEMI-PRO FAUCETS – ESSENCE / CONCETTO




SEMI-PRO FAUCETS

		Product #	Colour/Description	Price	
	<p><b>Essence</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 20 7/8" Faucet height</li> <li>• 7 3/4" Aerator height</li> <li>• 9 7/16" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Solid metal professional hand spray</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Magnetic docking</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Interchangeable coloured hoses available (30 321 sold separately - see below)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 295 000 30 295 A00 <small>NEW</small> 30 295 BE0 <small>NEW</small> 30 295 DC0 30 295 GNO <small>NEW</small></p> <p></p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ SuperSteel InfinityFinish™ Brushed Cool Sunrise</p>	<p>\$ 814 1,185 1,185 1,057 1,185</p>	
					<p><b>A00, BE0, GNO</b> Available December 2019</p>
<p><b>2017 AWARDS</b></p>	<p>Architectural Digest Great Design Award </p>	<p>Good Design Award </p>	<p>Iconic Award </p>	<p>KB Culture Award </p>	<p>RedDot Design Award </p>
<p><b>2018 AWARDS</b></p>	<p>IF Design  GOLD AWARD 2018</p>				
	<p><b>Optional hose replacements for 30 295</b></p> <ul style="list-style-type: none"> <li>• Silicon hose</li> <li>• Clean with dish detergent and water</li> </ul>	<p>30 321 DG0 30 321 YR0 30 321 YF0 30 321 GE0 30 321 TY0 30 321 DU0 30 321 MW0 30 321 XC0</p>	<p>Red Orange Yellow Green Blue Purple Matte Sheer Marble Matte Dark Grey</p>	<p>\$ 128 128 128 128 128 128 128 128</p>	
	<p><b>Concetto</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 20 1/16" Faucet height</li> <li>• 7 7/8" Aerator height</li> <li>• 9 1/4" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Magnetic docking</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 492 000 31 492 DC0</p> <p></p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 633 824</p>	
					<p><b>2017 AWARDS</b></p>
<p><b>2018 AWARDS</b></p>	<p>IF Design  GOLD AWARD 2018</p>				

# SEMI-PRO FAUCETS – EUROUCUBE / K7












		Product #	Colour/Description	Price
	<p><b>Eurocube®</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 9/16" Faucet Height</li> <li>• 6 1/4" Aerator Height</li> <li>• 9 3/16" Faucet Reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Single-lever sink mixer</li> <li>• Forward rotating lever</li> <li>• Adjustable flow rate limiter</li> <li>• 360° Maneuverable spring arm</li> <li>• 140° Swivel area in docking station</li> <li>• Stainless steel braided flexible supplies</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 401 000 31 401 DC0</p> 	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,051 1,359</p>
		<p><b>K7</b> Semi-Pro Faucet</p> <ul style="list-style-type: none"> <li>• 26 9/16" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 3/16" Spout reach</li> <li>• Solid brass body</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>		<p>32 951 000 32 951 DC0</p> 
	<p><b>K7</b> Semi-Pro Medium Faucet</p> <ul style="list-style-type: none"> <li>• 21 1/4" Faucet height</li> <li>• 5 7/8" Aerator height</li> <li>• 9 3/16" Spout reach</li> <li>• Solid brass body</li> <li>• 140° Swivel spout</li> <li>• 360° Maneuverable spring arm</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Adjustable flow rate limiter</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Also available: As above with Foot Control activation (See page 27)</b></p>	<p>31 380 000 31 380 DC0</p> 	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,051 1,359</p>
		<p>30 314 000 30 314 DC0</p> 		<p>\$ 1,497 1,805</p>

# PULL-DOWN FAUCETS – LADYLUX







		Product #	Colour/Description	Price	
	<b>Ladylux3 Café</b> Main Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 14 3/4" Faucet height</li> <li>• 7 13/16" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® stainless steel construction - produced from solid, Grade 304 stainless steel (SD1 only)</li> <li>• 001, DC1 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	32 298 001 32 298 DC1 32 298 SD1 ♿	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 620 814 930	
		<b>Also available:</b> <b>As above with Foot Control activation</b> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant (See Page 27)</li> </ul>	30 313 000 30 313 DC0 ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 1,066 1,260
		<b>As above with Touch activation</b> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant (See Page 29)</li> </ul>	30 205 001 30 205 DC1 ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 913 1,161
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<b>Ladylux3 Pro</b> Main Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 16 5/16" Faucet height</li> <li>• 10 1/8" Aerator height</li> <li>• 8 7/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction – produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control – to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	32 226 000 32 226 DC0 32 226 SD0 ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 644 840 965	
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<b>Ladylux3 Pro</b> Prep Sink Dual Spray Pull-Down <ul style="list-style-type: none"> <li>• 14 9/16" Faucet height</li> <li>• 8 11/16" Aerator height</li> <li>• 7 7/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction—produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control – to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	32 283 000 32 283 DC0 32 283 SD0 ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	\$ 602 790 903	

# PULL-DOWN FAUCETS – LADYLUX, MINTA

PULL-DOWN FAUCETS





		Product #	Colour/Description	Price
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Ladylux Café</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 6<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• 8<sup>5</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p><b>33 755 SD1</b>  </p>	GROHE RealSteel®	<b>\$ 815</b>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Minta</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14<sup>15</sup>/<sub>16</sub>" Faucet height</li> <li>• 8<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• 8<sup>9</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel spout</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control – to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable Handle Positioning</li> <li>• Laminar Flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>31 378 000</b>            ★ <b>31 378 DC0</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 583 779</b>
 <p><b>NEW</b></p>	<p><b>Same as above - replaces (31 378)</b></p> <ul style="list-style-type: none"> <li>• 7<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> </ul> <p><b>See page 29 for Minta Touch (31 359)</b></p>	<p><b>31 378 003</b>  <b>31 378 DC3</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 583 779</b>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Minta</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13<sup>15</sup>/<sub>16</sub>" Faucet height</li> <li>• 8<sup>9</sup>/<sub>16</sub>" Aerator height</li> <li>• 8<sup>13</sup>/<sub>16</sub>" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid Brass Body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control – to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable handle positioning</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>32 319 000</b>            ★ <b>32 319 DC0</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 708 914</b>
 <p><b>NEW</b></p>	<p><b>00E = Max. Flow Rate: 5.7 L/min (1.5 gpm)</b></p> <ul style="list-style-type: none"> <li>• CALGreen/CEC compliant</li> </ul> <p><b>Same as above - replaces (31 319)</b></p> <ul style="list-style-type: none"> <li>• 5<sup>7</sup>/<sub>8</sub>" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ <b>32 319 00E</b>  </p> <p><b>32 319 003</b>  <b>32 319 DC3</b>  </p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 708 914</b>

# PULL-DOWN FAUCETS – CONCETTO / ELBERON



		Product #	Colour/Description	Price	
  <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Concetto</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 15 1/16" Faucet height</li> <li>• 8 5/8" Aerator height</li> <li>• 8 7/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control – to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable handle positioning</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 32 665 001 ★ 32 665 DC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 543 707	
		<p>00E = Max. Flow Rate: 5.7 L/min (1.5 gpm) • CALGreen/CEC compliant</p> <p><b>Same as above - replaces (32 665)</b></p> <ul style="list-style-type: none"> <li>• 7 3/8" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>31 349 10E - replaces 31 349 00E</b> • Max. Flow Rate: 5.7 L/min (1.5 gpm)</p>	<p>★ 31 349 00E ♿ CEC</p> <p>32 665 003 32 665 DC3 ♿ CEC</p> <p>31 349 10E ♿ CEC</p>	GROHE StarLight® Chrome	\$ 543
		<p><b>NEW</b></p>			\$ 543 707
  <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Concetto</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7 15/16" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Dual spray with push button lock: switches from regular water flow to spray</li> <li>• Single lever handle</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 31 479 000 ★ 31 479 DC0 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 410 554	
		<p><b>NEW</b></p>	<p><b>Same as above - replaces (31 479)</b></p> <ul style="list-style-type: none"> <li>• 6 5/8" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> </ul>	<p>31 479 001 31 479 DC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™
 	<p><b>Elberon</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 5/8" Faucet height</li> <li>• 7 5/8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Swivel tubular spout (swivel area 360°)</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve</li> <li>• Includes 10" Escutcheon (2 11/16" wide)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 211 001 30 211 DC1 30 211 ZC1 ♿ CEC</p>	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze	\$ 390 507 547	

# PULL-DOWN FAUCETS – BRIDGEFORD / PARKFIELD / JOLIETTE

PULL-DOWN FAUCETS

		Product #	Colour/Description	Price
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Bridgeford</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 1/16" Faucet height</li> <li>• 7 7/8" Aerator height</li> <li>• 8 1/4" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Quick installation system</li> <li>• Single lever handle</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>33 870 002 33 870 DC2 ★ 33 870 ZB2 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 655</p>
				<p>852 866</p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Parkfield</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 3/4" Faucet height</li> <li>• 7 11/16" Aerator height</li> <li>• 8 5/16" Spout reach</li> <li>• 360° Swivel spout</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose allows full rotation of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve protects against backflow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 213 001 30 213 DC1 30 213 ZC1 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p>\$ 517</p>
				<p>672 724</p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Parkfield</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7" Aerator height</li> <li>• 7 3/8" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 296 001 30 296 DC1 30 296 ZC1 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p>\$ 449</p>
				<p>587 633</p>
	<p><b>Joliette</b> Main Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 5/8" Faucet height</li> <li>• 7 5/8" Aerator height</li> <li>• 8 5/16" Swivel spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Single-hole Installation</li> <li>• Swivel tubular spout (Swivel area 360°)</li> <li>• Locking dual spray control - switches back and forth between regular flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Integrated non return valve</li> <li>• Includes 10" Escutcheon (2 11/16" wide)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 210 001 30 210 DC1 30 210 ZC1 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p>\$ 390</p>
				<p>507 547</p>

# PULL-OUT FAUCETS – K7 / MINTA / ESSENCE / CONCETTO

		Product #	Colour/Description	Price
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>K7</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 10 1/4" Aerator height</li> <li>• 9 1/8" swivel spout reach</li> <li>• 140° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control—switches back and forth between regular flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>32 178 000 32 178 DC0 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 1,090 1,416</p>
		<p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>		<p>30 300 000 30 300 DC0 ♿ CEC</p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Minta</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 1/8" Faucet height</li> <li>• 11 11/16" Aerator height</li> <li>• 8 13/16" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> <li>• Stainless steel braided flexible supplies</li> <li>• Rapid installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Also available:</b> <b>As above with Touch activation</b> (see page 29)</p>	<p>30 218 001 30 218 DC1 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 846 1,099</p>
		<p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>		<p>30 271 000 30 271 A00 <small>NEW</small> 30 271 BE0 <small>NEW</small> 30 271 DC0 30 271 GN0 <small>NEW</small> ♿ CEC</p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p> <p>A00, BE0, GN0 Available December 2019</p>	<p><b>Essence</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 13 11/16" Faucet height</li> <li>• 12 3/8" Aerator height</li> <li>• 8 1/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Integrated temperature limiter</li> <li>• Adjustable flow rate limiter</li> <li>• Forward rotating lever to prevent backsplash interference</li> <li>• Solid metal spray</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 453 001 31 453 DC1 ♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 412 536</p>
		<p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>		<p><b>Concetto</b> Main Sink Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 10 3/8" Faucet height</li> <li>• 4 1/2" Aerator height</li> <li>• 7 15/16" Swivel spout reach</li> <li>• 100° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Solid brass body</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Adjustable flow rate limiter</li> <li>• Single lever handle</li> <li>• Solid metal spray</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>

PULL-OUT FAUCETS

# PULL-OUT FAUCETS – LADYLUX / EURODISC COSMOPOLITAN

PULL-OUT FAUCETS



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Ladylux Plus**  
Main Sink Dual Spray Pull-Out

- 11 11/16" Faucet height
- 9 5/8" Aerator height
- 9 1/8" Swivel spout reach
- 360° Swivel radius
- GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel
- GROHE SilkMove® ceramic cartridge
- SpeedClean® anti-lime system
- Locking dual spray control — switches back and forth between regular flow and spray
- Polyethylene spray hose with retraction weight
- Stainless steel braided flexible supplies
- Quick installation system
- Forward rotation lever, does not hit backsplash
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

Product #

33 759 SD0



Colour/Description

GROHE RealSteel®

Price

\$ 889



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Ladylux3 Plus**  
Main Sink Dual Spray Pull-Out

- 14 1/8" Faucet height
- 11 7/8" Aerator height
- 8 7/16" Swivel spout reach
- 360° Swivel radius
- GROHE RealSteel® stainless steel construction - produced from solid, Grade 304 stainless steel (SD0 only)
- 000, DC0 = Solid brass body
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- SpeedClean® anti-lime system
- Locking dual spray control — switches back and forth between regular flow and spray
- Polyethylene spray hose with retraction weight
- Stainless steel braided flexible supplies
- Quick installation system
- Single lever handle
- Forward rotation lever, does not hit backsplash
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

33 893 000

33 893 DC0

33 893 SD0



GROHE StarLight® Chrome SuperSteel InfinityFinish™  
GROHE RealSteel®

\$ 664

868

1,029



Compatible with GROHE Foot Control retro-fit set (30 310 000)

**Eurodisc Cosmopolitan**  
Dual Spray Pull-Out

- 8 11/16" Faucet height
- 10 1/4" Faucet height (lever in open position)
- 5 1/2" Aerator height
- 8 3/4" Swivel spout reach
- 100° Swivel radius
- Solid brass body construction
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- SpeedClean® anti-lime system
- Locking dual spray control — switches back and forth between regular flow and spray
- Polyethylene spray hose with retraction weight
- Nylon reinforced braided flexible inlet hoses
- Quick installation system
- Single lever handle
- CALGreen/CEC compliant
- Max. Flow Rate: 6.6 L/min (1.75 gpm)

33 330 002









GROHE StarLight® Chrome

\$ 582





# PULL-OUT FAUCETS – EURODISC / EUROSMART

		Product #	Colour/Description	Price
  <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Eurodisc</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 7<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 8<sup>7</sup>/<sub>16</sub>" Faucet height (lever in open position)</li> <li>• 5<sup>1</sup>/<sub>4</sub>" Aerator height</li> <li>• 9<sup>5</sup>/<sub>8</sub>" Swivel spout reach</li> <li>• 140° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control – switches back and forth between regular flow and spray</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Quick installation system</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>33 330 001 33 330 DC1  </p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 455 591</p>
  <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Eurosmart</b> Dual Spray Pull-Out</p> <ul style="list-style-type: none"> <li>• 8<sup>13</sup>/<sub>16</sub>" Faucet height (lever in open position)</li> <li>• 5<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• 8<sup>7</sup>/<sub>8</sub>" Swivel spout reach</li> <li>• 90° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking dual spray control – switches back and forth between regular flow and spray</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 306 000 30 306 DC0  </p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 296 386</p>






PULL-OUT FAUCETS

# PREP SINK FAUCETS – LADYLUX / CONCETTO / PARKFIELD

PREP SINK FAUCETS






		Product #	Colour/Description	Price
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Ladylux3 Pro</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 14 5/8" Faucet height</li> <li>• 10 1/8" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE RealSteel® construction—produced from solid, Grade 304 stainless steel (SD0)</li> <li>• 000, DC0 = solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Locking push button control — to switch from regular flow to spray</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick installation system</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Laminar flow</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>32 283 000 32 283 DC0 32 283 SD0</p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®</p>	<p>\$ 602 790 903</p>
	 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Concetto</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7 15/16" Aerator height</li> <li>• 7 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Dual spray with push button lock: switches from regular water flow to spray</li> <li>• Single lever handle</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Variable handle positioning</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>★ 31 479 000 ★ 31 479 DC0</p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>
 <p><b>NEW</b></p>	<p><b>Same as above - replaces (31 479)</b></p> <ul style="list-style-type: none"> <li>• 6 5/8" Aerator height</li> <li>• Dual spray with toggle function: switches between regular water flow and spray without turning off the water</li> </ul>	<p>31 479 001 31 479 DC1</p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™</p>	<p>\$ 410 554</p>
 <p>Compatible with GROHE Foot Control retro-fit set (30 310 000)</p>	<p><b>Parkfield®</b> Prep Sink Dual Spray Pull-Down</p> <ul style="list-style-type: none"> <li>• 13 3/4" Faucet height</li> <li>• 7" Aerator height</li> <li>• 7 3/8" Faucet reach</li> <li>• 360° Swivel radius</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Single-hole installation</li> <li>• Forward rotation lever, does not hit backsplash</li> <li>• Dual spray with toggle function: switches between regular water flow and spray</li> <li>• 360° Ball-joint on hose for flexible handling of spray head</li> <li>• Polyethylene spray hose with retraction weight</li> <li>• Stainless steel braided flexible supplies</li> <li>• Quick-Installation coupling</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>30 296 001 30 296 DC1 30 296 ZC1</p> <p>♿ CEC</p>	<p>GROHE StarLight® Chrome SuperSteel InfinityFinish™ Antique Bronze</p>	<p>\$ 449 587 633</p>

# BAR FAUCETS – BRIDGEFORD / LADYLUX<sup>3</sup> / CONCETTO / CLASSIC II






		Product #	Colour/Description	Price
	<b>Bridgeford</b> Kitchen/Bar Faucet	<b>31 055 000</b> <b>31 055 DC0</b> CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 592</b> <b>751</b>
	<ul style="list-style-type: none"> <li>• 10 7/8" Faucet height</li> <li>• 7 3/16" Aerator height</li> <li>• 6 15/16" Swivel spout reach</li> <li>• 0° / 150° / 360° Adjustable swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Less Handles - order 18 244 / 18 733 handles (sold separately, see below)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	FAUCET AND HANDLES SOLD SEPARATELY, SEE BELOW		
	<b>Same as above + Lever handles</b> • 18 244 lever handles (sold separately, see below)	<b>31 055 000+18 244 000</b> <b>31 055 DC0+18 244 DC0</b> ♿	GROHE StarLight® Chrome SuperSteel InfinityFinish™	
	<b>Bridgeford</b> Lever Handles (Sold In Pairs)	<b>18 244 000</b> <b>18 244 DC0</b> ★ <b>18 244 ZB0</b> ♿	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 135</b> <b>178</b> <b>183</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> For use with Bridgeford Kitchen faucets.			
	<b>Ladylux3</b> Beverage Faucet (Basin/Pillar Tap)	<b>30 026 000</b> <b>30 026 DC0</b> <b>30 026 SD0</b> ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™ GROHE RealSteel®	<b>\$ 423</b> <b>548</b> <b>654</b>
	<ul style="list-style-type: none"> <li>• 10 1/2" Faucet height</li> <li>• 7 1/8" Aerator height</li> <li>• 5 5/16" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass construction (000, DC0)</li> <li>• GROHE RealSteel® construction—produced from solid, Grade 304 stainless steel (SD0)</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Single inlet — cold water only</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>			
	 <b>Concetto</b> Bar Faucet	<b>31 518 000</b> <b>31 518 DC0</b> ♿ CEC	GROHE StarLight® Chrome SuperSteel InfinityFinish™	<b>\$ 376</b> <b>468</b>
	<ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 8 1/16" Aerator height</li> <li>• 6" Spout reach</li> <li>• Solid brass body</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Stainless steel braided flexible supplies</li> <li>• Optional pivot 90° or 360°</li> <li>• Adjustable flow rate limiter</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>			
	<b>Classic II</b> Beverage Faucet (Basin/Pillar Tap)	<b>20 179 001</b> CEC	GROHE StarLight® Chrome	<b>\$ 188</b>
	<ul style="list-style-type: none"> <li>• 8 3/4" Faucet height</li> <li>• 5 3/4" Aerator height</li> <li>• 5 3/8" Swivel spout reach</li> <li>• 360° Swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Brass handle</li> <li>• Single inlet — cold water only</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>			

# POT FILLERS – LADYLUX<sup>3</sup>

POT FILLERS

		Product #	Colour/Description	Price
	<p><b>Ladylux3</b> Wall Mount Pot Filler</p> <ul style="list-style-type: none"> <li>• Maximum 20 1/16" reach capability to cooktops</li> <li>• Jointed swing spout</li> <li>• Wall and spout shut-off valves</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• Coordinated Ladylux<sup>3</sup> design</li> <li>• Single-hole installation</li> <li>• Cold water only</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 075 SD0</p> <p> </p>	GROHE RealSteel®	\$ 1,520
	<p><b>Pot Filler</b> Wall Mount</p> <ul style="list-style-type: none"> <li>• Maximum 20" reach capability to cooktops</li> <li>• Jointed swing spout</li> <li>• Wall and spout shut-off valves</li> <li>• GROHE RealSteel® stainless steel construction produced from solid, Grade 304 stainless steel</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• Single-hole installation</li> <li>• Cold water only</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>31 041 SD0</p> <p></p>	GROHE RealSteel®	\$ 1,585

# ESCUTCHEONS / FOOT CONTROL / QUICK CONNECT

		Product #	Colour/Description	Price
	<p><b>10" Escutcheon</b></p> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with centreset kitchen, bar, lavatory, and bidet faucets to cover unused mounting holes.</p>	<p>07 552 000 07 552 SD0 07 552 ZB0</p>	<p>GROHE StarLight® Chrome GROHE RealSteel® Oil Rubbed Bronze</p>	<p>\$ 55 82 77</p>
	<p><b>10" Escutcheon with Two Holes</b></p> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with centreset kitchen faucets with a soap/lotion dispenser to cover unused mounting hole.</p>	07 555 000	GROHE StarLight® Chrome	\$ 64
	<p><b>6" Escutcheon</b></p> <ul style="list-style-type: none"> <li>• 2 1/16" Wide</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with centreset kitchen, bar, lavatory, and bidet faucets to cover unused mounting holes.</p>	<p>07 551 000 07 551 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 32 42</p>
	<p><b>GROHE Foot Control Retro-fit Set</b></p> <p>GROHE Retro-Fit™ can be used with the following models:</p> <p><b>Bridgeford:</b> 33 870 <b>Concetto:</b> 32 665, 31 479, 31 453 <b>Essence:</b> 30 271 <b>Eurodisc/Eurodisc Cosmopolitan:</b> 33 330 <b>Europlus:</b> 32 946 <b>Eurosmart:</b> 30 306 <b>K7:</b> 32 178 <b>Ladylux:</b> 32 298, 32 226, 32 283, 33 893, 32 245, 33 755, 33 759 <b>Minta:</b> 32 319, 31 378, 30 300 <b>Parkfield:</b> 30 213, 30 296</p> <p>Add sensor functionality to an existing GROHE pull-out or pull-down kitchen faucet.</p>	30 310 000	GROHE StarLight® Chrome	\$ 446
	<p><b>GROHE Quick Connect Coupling with Flow-Restriction</b></p> <p>GROHE Quick Connect Coupling with Flow-Restriction can be used with all models EXCEPT the following:</p> <p><b>Eurocube Semi-Pro:</b> 31 401 <b>GROHE Blue:</b> 31 251, 31 312 <b>K7 Semi-Pro:</b> 32 951, 31 380 <b>Kitchen/Bar faucets:</b> 31 055, 31 074, 20 179, 30 026, 31 075, 31 041, 31 518, 30 295, 31 492</p>	<p>12 365 000  48 220 000  64 999 000</p>	<p>Black / Red 8.3 L/min (2.2 gpm)  Black / Brown 6.6 L/min (1.75 gpm)  Black / Gray 5.7 L/min (1.5 gpm)</p>	<p>\$ 39  \$ 39  \$ 39</p>

ESCUTCHEONS / FOOT CONTROL / QUICK CONNECT

# SOAP / LOTION DISPENSERS

SOAP / LOTION DISPENSERS

		Product #	Colour/Description	Price
	<b>Authentic</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	40 537 000 40 537 ZB0	GROHE StarLight® Chrome Oil Rubbed Bronze	\$ 109 152
	<b>Cosmopolitan</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	40 535 000 40 535 A00 <small>NEW</small> 40 535 BE0 <small>NEW</small> 40 535 DC0 40 535 GN0 <small>NEW</small>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ SuperSteel InfinityFinish™ Brushed Cool sunrise	\$ 108 151 151 139 151
<b>A00, BE0, GN0</b> Available December 2019				
	<b>Deluxe Rustic</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	★ 28 750 000	GROHE StarLight® Chrome	\$ 163
	<b>Deluxe XL</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Solid brass components (001);</li> <li>• Stainless steel components (SD1)</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	28 751 001 28 751 SD1	GROHE StarLight® Chrome GROHE RealSteel®	\$ 282 422
	<b>Deluxe Cosmopolitan</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Solid brass components (000);</li> <li>• Stainless steel components (SD0)</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	28 857 000 28 857 SD0	GROHE StarLight® Chrome GROHE RealSteel®	\$ 179 275
	<b>Ladylux</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	40 553 000 40 553 DC0	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 120 158
	<b>Timeless</b> Soap/Lotion Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Brass head and flange</li> <li>• One-piece cartridge pump unit</li> <li>• Fillable from above</li> <li>• 444 mL (15 oz.) capacity</li> </ul>	40 536 000 40 536 DC0	GROHE StarLight® Chrome SuperSteel InfinityFinish™	\$ 94 122

# GROHE **AGIRA**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 425 00A/EN1/ZCO



Lavatory Centreset  
23 401 00A/EN1/ZCO



4" Centreset  
20 426 00A/EN1/ZCO

### BATH FIXTURES



Roman Tub Filler  
25 163 000/EN1/ZCO



Roman Tub Filler  
with Hand Shower  
25 164 000/EN1/ZCO



Diverter Tub Spout  
13 346 000/EN1/ZCO



Tub Spout  
13 347 000/EN1/ZCO

### SHOWER FIXTURES



Shower Head + Shower Arm  
26 118 000/EN1/ZCO



Shower/Tub  
Combination  
35 049 000/EN1/ZCO



Shower Combination  
35 048 000/EN1/ZCO



Tempesta 100  
Shower Set  
28 436 002



Pressure Balance  
Valve Trim  
19 956 000/EN1/ZCO



3-Way Diverter Trim  
19 957 000/EN1/ZCO



Tempesta Contemporary 100  
Hand Shower  
28 421 002

### ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 682 000/EN1/ZCO



24" Towel Bar  
40 679 000/EN1/ZCO



Towel Ring  
40 681 000/EN1/ZCO





















Paper Holder  
40 683 000/EN1/ZCO














Nova Cosmopolitan  
38 765 000











# AGIRA








		Product #	Colour/Description	Price
	 <p>Certified by IAPMO RST</p>	<b>Agira</b> Lavatory Wideset	★ 20 425 00A ★ 20 425 EN1 ★ 20 425 ZC0  	GROHE StarLight® Chrome \$307 Brushed Nickel InfinityFinish™ 400 Antique Bronze 430
		<b>Agira</b> 4" Centreset	★ 20 426 00A ★ 20 426 EN1 ★ 20 426 ZC0  	GROHE StarLight® Chrome \$187 Brushed Nickel InfinityFinish™ 243 Antique Bronze 262
		<b>Agira</b> Lavatory Centreset	★ 23 401 00A ★ 23 401 EN1 ★ 23 401 ZC0  	GROHE StarLight® Chrome \$221 Brushed Nickel InfinityFinish™ 287 Antique Bronze 309
	 <p>Certified by IAPMO RST</p>	<b>Agira</b> Lavatory Centreset with Escutcheon	★ 23 402 00A ★ 23 402 EN1 ★ 23 402 ZC0  	GROHE StarLight® Chrome \$236 Brushed Nickel InfinityFinish™ 307 Antique Bronze 331
		<b>Agira</b> Diverter Tub Spout	★ 13 346 000 ★ 13 346 EN1 ★ 13 346 ZC0 	GROHE StarLight® Chrome \$72 Brushed Nickel InfinityFinish™ 93 Antique Bronze 101
	 <p>Certified by IAPMO RST</p>	<b>Agira</b> Tub Spout	★ 13 347 000 ★ 13 347 EN1 ★ 13 347 ZC0	GROHE StarLight® Chrome \$63 Brushed Nickel InfinityFinish™ 82 Antique Bronze 87
	 <p>Certified by IAPMO RST</p>	<b>Agira</b> Roman Tub Filler	★ 25 163 000 ★ 25 163 EN1 ★ 25 163 ZC0 	GROHE StarLight® Chrome \$523 Brushed Nickel InfinityFinish™ 680 Antique Bronze 732

AGIRA

		Product #	Colour/Description	Price
	<p><b>Agira</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/4" Spout height</li> <li>• 8 7/8" Hand shower height when installed</li> <li>• 6 15/16" Spout reach</li> <li>• 5 3/4" Outlet height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 1/2" Valves</li> <li>• Tempesta 100 hand shower (26 047), 7.6 L/min (2.0 gpm)</li> </ul>	<p>★ 25 164 000 ★ 25 164 EN1 ★ 25 164 ZC0</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$816</b> <b>1,062</b> <b>1,143</b></p>
	<p><b>Agira</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p><b>For use with Diverter Rough-In Valve (29 714)</b></p>	<p>★ 19 957 000 ★ 19 957 EN1 ★ 19 957 ZC0</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$163</b> <b>213</b> <b>229</b></p>
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p>	<p>29 714 000</p>	<p>5-Port</p>	<p><b>\$344</b></p>
	<p><b>Agira</b> Shower Arm + Shower Head</p> <ul style="list-style-type: none"> <li>• Tempesta 100 shower head (26 050), 7.6 L/min (2.0 gpm)</li> <li>• GROHE DreamSpray®</li> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 26 118 000 ★ 26 118 EN1 ★ 26 118 ZC0</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$103</b> <b>134</b> <b>144</b></p>
	<p><b>Agira</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Shower Arm + Shower Head (26 118), 7.6 L/min (2.0 gpm)</li> <li>• Pressure Balance Valve Trim (19 956)</li> <li>• Diverter Tub Spout (13 346)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 35 049 000 ★ 35 049 EN1 ★ 35 049 ZC0</p> <p></p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$256</b> <b>333</b> <b>358</b></p>

# AGIRA

		Product #	Colour/Description	Price
	<p><b>Agira</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Shower Arm + Shower Head (26 118), 7.6 L/min (2.0 gpm)</li> <li>• Pressure Balance Valve Trim (19 956)</li> <li>• GROHE DreamSpray®</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe™ Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 35 048 000</p>	GROHE StarLight® Chrome	\$ 180
		<p>★ 35 048 EN1</p>	Brushed Nickel InfinityFinish™	234
	<p><b>Agira</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 35 048 ZC0</p>	Antique Bronze	252
		<p>♿</p>		
	<p><b>Agira</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 19 956 000</p>	GROHE StarLight® Chrome	\$ 84
		<p>★ 19 956 EN1</p>	Brushed Nickel InfinityFinish™	108
	<p><b>Agira</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>★ 19 956 ZC0</p>	Antique Bronze	118
		<p>♿</p>		
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p>	Inlets: ½" Universal† Outlets: ½" Universal†	\$ 175
		<p>† Universal connection is ½" male by copper sweat</p>		
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>47 996 000</p>		\$ 83
		<p>Optional 1" Extension Kit (see page 247)</p>		
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 064 001</p>	Inlets: ½" PEX Expansion (1960) Outlets: ½" Universal†	\$ 175
		<p>† Universal connection is ½" male by copper sweat</p>		
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>47 996 000</p>		\$ 83
		<p>Optional 1" Extension Kit (see page 247)</p>		

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p><b>35 065 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal †</p>	<p><b>\$175</b></p>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p><b>35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal †</p>	<p><b>\$144</b></p>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>Agira</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ <b>40 679 000</b> ★ <b>40 679 EN1</b> ★ <b>40 679 ZC0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$71</b> <b>92</b> <b>100</b></p>
	<p><b>Agira</b> 18" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ <b>40 680 000</b> ★ <b>40 680 EN1</b> ★ <b>40 680 ZC0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$67</b> <b>87</b> <b>93</b></p>
	<p><b>Agira</b> 7" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ <b>40 681 000</b> ★ <b>40 681 EN1</b> ★ <b>40 681 ZC0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$50</b> <b>66</b> <b>71</b></p>
	<p><b>Agira</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ <b>40 682 000</b> ★ <b>40 682 EN1</b> ★ <b>40 682 ZC0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$31</b> <b>41</b> <b>45</b></p>
	<p><b>Agira</b> Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ <b>40 683 000</b> ★ <b>40 683 EN1</b> ★ <b>40 683 ZC0</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze</p>	<p><b>\$ 59</b> <b>76</b> <b>82</b></p>

# GROHE ALLURE BRILLIANT



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 343 00A



Lavatory Centreset  
23 034 00A



Deck Mount Vessel  
23 115 00A



2-Hole Wall Mount Vessel Trim  
19 784 00A

## BATH FIXTURES



Roman Tub Filler  
19 787 001



Floor-Mounted Tub Filler  
23 119 001



Floor-Mounted Tub Spout  
13 301 000



Tub Spout  
13 300 000

## SHOWER FIXTURES



Rainshower "F" Series  
Ceiling Shower Head  
27 468 000  
27 816 001 (low flow option)



Rainshower Ceiling Shower Arm  
27 487 000



Euphoria Cube  
Shower Set  
27 891 000



Power&Soul  
Handshower  
27 664 000/ENO



GrohFlex Allure Brilliant  
Thermostat Trim  
19 793 000



Rainshower Allure 230  
27 480 000  
26 469 000 (low flow option)



Rainshower Shower Arm  
27 489 000



Allure Brilliant  
Wall Union  
27 708 000



Diverter Trim  
19 799 000



Rainshower "F" Series  
27 254 000



Rainshower F-Series Body Spray  
27 252 000



Euphoria Cube Hand Shower  
27 888 000  
26 467 000 (low flow option)



Euphoria Cube  
Hand Shower Holder  
27 693 000



Volume Control Trim  
19 797 000

## ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 498 000



24" Towel Bar  
40 497 000













Paper Holder  
40 499 000



Soap Dish  
40 504 000














Skate Cosmopolitan  
38 732 000

		Product #	Colour/Description	Price
 	<b>Allure Brilliant</b> Lavatory Centreset	23 034 00A 	GROHE StarLight® Chrome	\$ 951
 	<b>Allure Brilliant</b> Lavatory Wideset	20 343 00A 	GROHE StarLight® Chrome	\$ 1,217
 	<b>Allure Brilliant</b> Lavatory Centreset for Vessel Basin	23 115 00A 	GROHE StarLight® Chrome	\$ 1,455
 	<b>Vessel Sink Pop-Up Drain</b>	65 818 000 	GROHE StarLight® Chrome	\$ 154

		Product #	Colour/Description	Price
	 <p><b>Allure Brilliant</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 8 1/4" Spout/Aerator reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Lever handle</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p>Requires Vessel Rough-In Valve 23 254 (see below)</p> <p>For vessel sink pop-up drain, see 65 818 on page 53.</p>	<b>19 784 00A</b> 	GROHE StarLight® Chrome	\$ 1,217
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 4 5/16" Centre to centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<b>23 254 000</b>		\$ 309
	<p><b>Allure Brilliant</b> Floorstanding Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 37 13/16" – 40 15/16" Product height*</li> <li>• 10 5/8" Spout/Aerator reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Dreamspray®</li> <li>• Fixed spout</li> <li>• 49" Metal hose</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower (26 467), 6.6 L/min (1.75 gpm)</li> <li>• Metal lever handle</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<b>23 119 001</b> 	GROHE StarLight® Chrome	\$ 4,021
	<p><b>Allure Brilliant</b> Floorstanding Tub Spout</p> <ul style="list-style-type: none"> <li>• 37 13/16" – 40 15/16" Product height *</li> <li>• 10 5/8" Spout/Aerator reach</li> <li>• Fixed spout</li> <li>• GROHE StarLight® finish</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<b>13 301 000</b> 	GROHE StarLight® Chrome	\$ 2,646
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<b>29 038 001</b> 		\$ 381



		Product #	Colour/Description	Price
	<p><b>Allure Brilliant</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 7 13/16" Diverter spout</li> <li>• 7 13/16" Aerator height</li> <li>• Metal lever handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• 1/2" Valve</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower (26 467), 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply</p>	19 787 001 	GROHE StarLight® Chrome	\$ 2,513
	<p><b>Allure Brilliant</b> 6 3/8" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 6 3/8" Spout/Aerator reach</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 300 000	GROHE StarLight® Chrome	\$ 520
	<p><b>Allure Brilliant</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 035 (see below)</p>	19 799 000	GROHE StarLight® Chrome	\$ 434
	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays.</p>	29 035 000	5-Port	\$ 344
	<p><b>Allure Brilliant</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 35 029 (see below)</p> <p>When using 3/4" volume control valve (29 274) you must follow the rough-in dimensions from the valve (35 029)</p>	19 797 000	GROHE StarLight® Chrome	\$ 317
	<p><b>Grohtherm F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohTherm® F system and GrohFlex®</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	35 029 000	1/2" NPT	\$ 188

		Product #	Colour/Description	Price
		<b>19 790 000</b> ♿	GROHE StarLight® Chrome	<b>\$ 476</b>
	<p><b>Grohflex Allure Brilliant</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>			
		<b>19 786 000</b>	GROHE StarLight® Chrome	<b>\$ 551</b>
	<p><b>Grohflex Allure Brilliant</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>			
		<b>19 793 000</b>	GROHE StarLight® Chrome	<b>\$ 846</b>
	<p><b>Grohflex Allure Brilliant</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>			
		<b>19 794 000</b>	GROHE StarLight® Chrome	<b>\$ 899</b>
	<p><b>Grohflex Allure Brilliant</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>			
		<b>19 795 000</b>	GROHE StarLight® Chrome	<b>\$ 793</b>
	<p><b>Grohflex Allure Brilliant</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®Technology</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>			
		<b>35 026 000</b>		<b>\$ 187</b>
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½ " inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>			

# ALLURE BRILLIANT



		Product #	Colour/Description	Price
	<b>Allure Brilliant</b> 17" Two-Arm Towel Bar • GROHE StarLight® finish	40 496 000	GROHE StarLight® Chrome	\$ 508
	<b>Allure Brilliant</b> 24" Towel Bar • GROHE StarLight® finish	40 497 000	GROHE StarLight® Chrome	\$ 556
	<b>Allure Brilliant</b> Robe Holder • GROHE StarLight® finish	40 498 000	GROHE StarLight® Chrome	\$ 270
	<b>Allure Brilliant</b> Paper Holder • GROHE StarLight® finish	40 499 000	GROHE StarLight® Chrome	\$ 487
	<b>Allure Brilliant</b> Tumbler with Holder • GROHE StarLight® finish	40 493 000	GROHE StarLight® Chrome	\$ 503
	<b>Allure Brilliant</b> Tumbler with Shelf • GROHE StarLight® finish	40 503 000	GROHE StarLight® Chrome	\$ 572
	<b>Allure Brilliant</b> Soap Dish with Shelf • GROHE StarLight® finish	40 504 000	GROHE StarLight® Chrome	\$ 593
	<b>Allure Brilliant</b> Toilet Brush Set • GROHE StarLight® finish	40 500 000	GROHE StarLight® Chrome	\$ 778
	<b>Allure Brilliant</b> Soap Dispenser • GROHE StarLight® finish	40 494 000	GROHE StarLight® Chrome	\$ 634

ALLURE BRILLIANT

# GROHE ALLURE



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 148 00A



Lavatory Centreset  
32 128 00A



Lavatory Centreset  
23 077 00A



2-Hole Wall Mount Vessel Trim  
19 387 00A

## BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
25 097 001



Floor Mounted Tub Filler  
32 754 002



Floor Mounted Tub Spout  
13 218 000



Tub Spout  
13 265 000

## SHOWER FIXTURES



Rainshower "F" Series  
Ceiling Shower Head  
27 468 000  
27 816 001 (low flow option)



Rainshower Ceiling Shower Arm  
27 487 000



GrohTherm F Wall union  
27 621 000



Pressure Balance and Thermostat Trim  
19 375 000 and 27 620 000



Rainshower "F" Series  
27 285 000



Rainshower Shower Arm  
27 489 000



Sena Hand Shower  
28 341 000  
26 465 000 (low flow option)



Diverter and Triple Volume Control Trims  
27 625 000 and 19 591 000



Rainshower "F" Series  
27 254 000



Rainshower Allure 230  
27 480 000  
26 469 000 (low flow option)



Rainshower F-Series Body Spray  
27 252 000



Power&Soul Handshower  
27 664 000/ENO



Volume Control Trims  
27 623 000 and 19 385 000

## ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 284 000



24" Towel Bar  
40 341 000


















Paper Holder  
40 279 000



8" Towel Ring  
40 339 000



Skate Cosmopolitan  
38 732 000

		Product #	Colour/Description	Price
	 Certified by IAPMO R&T	<b>GROHE Allure</b> Lavatory Wideset • 9 1/16" Faucet height • 6 5/16" Spout reach • 7 1/2" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridges • GROHE StarLight® finish • GROHE EcoJoy® • Spoke handles • Stainless steel braided flexible supplies • Includes drain assembly • CALGreen/CEC compliant • Max. Flow Rate: 4.5 L/min (1.2 gpm)	<b>20 148 00A</b> 	GROHE StarLight® Chrome \$ 1,194
	 Certified by IAPMO R&T	<b>GROHE Allure</b> Lavatory Wideset • 9 1/16" Faucet height • 6 5/16" Spout reach • 7 1/2" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridges • GROHE StarLight® finish • GROHE EcoJoy® • Lever handles • Stainless steel braided flexible supplies • Includes drain assembly • CALGreen/CEC compliant • Max. Flow Rate: 4.5 L/min (1.2 gpm)	<b>20 191 00A</b>  	GROHE StarLight® Chrome \$ 1,194
	 Certified by IAPMO R&T	<b>GROHE Allure</b> Lavatory Centreset • 9 1/8" Faucet height • 5 1/2" Spout reach • 7 3/4" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridge • GROHE StarLight® finish • GROHE EcoJoy® • GROHE QuickFix®- Quick installation system • Metal lever handle • 23 1/2" Nylon reinforced braided flexible supplies • Includes drain assembly • CALGreen/CEC compliant • Max. Flow Rate: 4.5 L/min (1.2 gpm)	<b>32 128 00A</b>  	GROHE StarLight® Chrome \$ 1,029
	 Certified by IAPMO R&T	<b>GROHE Allure</b> Lavatory Centreset • 6 7/16" Faucet height (when in use) • 4 1/16" Spout reach • 2 7/16" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridge • GROHE StarLight® finish • GROHE EcoJoy® • GROHE QuickFix®- Quick installation system • Metal lever handle • 23 1/2" Nylon reinforced braided flexible inlet hoses • Includes drain assembly • CALGreen/CEC compliant • Max. Flow Rate: 4.5 L/min (1.2 gpm)	<b>23 077 00A</b>  	GROHE StarLight® Chrome \$ 805






		Product #	Colour/Description	Price
 	<p><b>GROHE Allure</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 6¾" Spout reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• Lever handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p><b>Requires Vessel Rough-In Valve 33 780 (see below)</b></p> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p>19 300 00A</p> 	GROHE StarLight® Chrome	\$ 1,085
 	<p><b>GROHE Allure</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 8<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• Lever handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul> <p><b>Requires Vessel Rough-In Valve 33 780 (see below)</b></p> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p>19 387 00A</p> 	GROHE StarLight® Chrome	\$ 1,163
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• ½" NPT female inlets</li> <li>• 4<sup>5</sup>/<sub>16</sub>" Centre to centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>For vessel sink pop-up drain, see 65 818 below.</p>	<p>33 780 000</p>		\$ 316
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finish</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p>65 818 000</p> 	GROHE StarLight® Chrome	\$ 154






		Product #	Colour/Description	Price
	<p><b>GROHE Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 ¼" Spout reach</li> <li>• 3 ¼" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• ¾" Copper connections</li> <li>• Spoke Handles</li> </ul>	<p>25 083 001</p> 	GROHE StarLight® Chrome	\$ 2,645
	<p><b>GROHE Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 ¼" Spout reach</li> <li>• 3 ¼" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 79" Hose</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• ¾" Copper connections</li> <li>• Lever handles</li> </ul>	<p>25 097 001</p> 	GROHE StarLight® Chrome	\$ 2,645
	<p><b>GROHE Allure</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 ¼" Diverter spout reach</li> <li>• 7 ⅜" Aerator height</li> <li>• Single lever control</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p>19 302 001</p> 	GROHE StarLight® Chrome	\$ 2,460
	<p><b>GROHE Allure</b> Floor-Mounted Tub Filler**</p> <ul style="list-style-type: none"> <li>• 31 ½" - 34 ⅝" Product height*</li> <li>• 29 ⅜" - 32 ⅜" Aerator height*</li> <li>• 11 ⅜" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" Metal shower hose</li> <li>• Sena hand shower (26 465), 6.6 L/min (1.75 gpm)</li> <li>• Metal lever handle</li> </ul> <p>Requires Rough-In Set 29 038 (see below)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	<p>32 754 002</p> 	GROHE StarLight® Chrome	\$ 3,286
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• ½" NPT female connections (hot/cold supplies)</li> </ul>	<p>29 038 001</p>		\$ 381















		Product #	Colour/Description	Price
	<p><b>GROHE Allure</b> Floor-Mounted Tub Spout**</p> <ul style="list-style-type: none"> <li>• 31 1/2" - 34 5/8" Product height*</li> <li>• 29 1/4" - 32 3/8" Aerator height*</li> <li>• 11 13/16" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• Fixed spout</li> </ul> <p>Requires Rough-In Set 29 038 (see page 62)</p> <p>Optional in-line remote pressure balance valve (35 204)</p>	13 218 000	GROHE StarLight® Chrome	\$ 2,646
	<p><b>GROHE Allure</b> 6 3/4" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 265 000	GROHE StarLight® Chrome	\$ 450
	<p><b>GROHE Allure</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Grip handle temperature control</li> <li>• Requires separate volume control (See page 65 for matching volume control trim/valve.)</li> <li>• GROHE StarLight® finish</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p><b>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</b></p>	19 305 000	GROHE StarLight® Chrome	\$ 605
	<p><b>Grohtherm</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul>	34 331 000	1/2" Valve - with Service Stops	\$ 339
	<p><b>REQUIRES SEPARATE VOLUME CONTROL</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 324)</p> <p>34 331 – 34 L/min (9 gpm) at 45 PSI (1/2" Valve) 34 397 – 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>MEETS ASSE STANDARD 1016</b></p>	34 397 000	3/4" Valve - with Service Stops	\$ 508

\* Overall height dependent upon installation of rough-in set | \*\* To be installed in accordance with local plumbing codes

		Product #	Colour/Description	Price
	<p><b>GROHE Allure</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066, see below and page 65.</p>	19 375 000 	GROHE StarLight® Chrome	\$ 444
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (see page 247)	47 996 000		\$ 83
	<b>GROHE Allure</b> Pressure Balance Diverter Valve Trim	19 376 000	GROHE StarLight® Chrome	\$ 508
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe Rough-In Valves 35 033 and 35 016 (see below)			
	<b>Grohsafe</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter	35 033 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264
	<ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat.		
	<b>Same as above (with automatic diverter)</b> Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi	35 016 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264
		† Universal connection is 1/2" male by copper sweat.		
	<b>GROHE Allure</b> Volume Control Trim	19 385 000 ♿	GROHE StarLight® Chrome	\$ 370
	<ul style="list-style-type: none"> <li>• GROHE Allure lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <b>For use with Rough-In Valve 35 029 (see below)</b>			
	When using the 3/4" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)			
	<b>Grohtherm F</b> Volume Control Rough-In Set	35 029 000	1/2" NPT	\$ 188
	<ul style="list-style-type: none"> <li>• For grid installation with GrohFlex Grohtherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>			





		Product #	Colour/Description	Price
	<p><b>GROHE Allure</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p><b>For use with Diverter Rough-In Valve 29 035 (see below)</b></p>	19 591 000 ♿	GROHE StarLight® Chrome	\$ 360
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays.</p>	29 035 000	5-Port	\$ 344
 	<p><b>GrohFlex Grotherm F</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Metal handle for temperature control</li> <li>• Metal trim plate</li> <li>• SafeStop at 100° F / 38° C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see below)</p>	27 620 000	GROHE StarLight® Chrome	\$ 878
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 1/2" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>	35 026 000		\$ 187
	<p><b>Grohtherm F</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohtherm F Volume Control Rough-In Set 35 029 000 sold separately (see below).</p>	27 623 000	GROHE StarLight® Chrome	\$ 316
	<p><b>Grohtherm F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex Grohtherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	35 029 000	1/2" NPT	\$ 188

		Product #	Colour/Description	Price
	<p><b>Grotherm F</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handles</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm F Triple Volume Control Rough-In Set 35 032 000, sold separately (see below).</p>	27 625 000	GROHE StarLight®Chrome	\$ 815
	<p><b>Grotherm F</b> Triple Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex Grotherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridges, 90° turn</li> <li>• 1 inlet, 3 outlets</li> <li>• 1/2" NPT connections</li> <li>• 2 3/4" – 3 15/16" installation depth</li> </ul> <p>Flow rates: 1 shut-off valve open - 55 L/min (14.5 gpm) 2 shut-off valves open - 110 L/min (29 gpm) 3 shut-off valves open - 140 L/min (37 gpm)</p>	35 032 000	1/2" NPT	\$ 544
	<p><b>Grotherm F</b> Wall Union with Integrated Hand Shower Holder</p> <ul style="list-style-type: none"> <li>• Horizontal or vertical installation</li> <li>• 1/2" Shower outlet</li> <li>• GROHE StarLight® finish</li> <li>• Protected against backflow</li> <li>• Hand shower and hose sold separately</li> </ul> <p>Requires Grotherm F Wall Union Rough-In Set 35 035 000 sold separately</p>	27 621 000	GROHE StarLight®Chrome	\$ 455
	<p><b>Grotherm F</b> Wall Union Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with Grotherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• Flushing plug</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> </ul>	35 035 000	1/2" NPT	\$ 296

# GROHE ALLURE



GROHE ALLURE

		Product #	Colour/Description	Price
	<p><b>GROHE Allure</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	40 341 000	GROHE StarLight® Chrome	\$ 387
	<p><b>GROHE Allure</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	40 339 000	GROHE StarLight® Chrome	\$ 260
	<p><b>GROHE Allure</b> Robe Hook</p> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	40 284 000	GROHE StarLight® Chrome	\$ 181
	<p><b>GROHE Allure</b> Paper Holder</p> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	40 279 000	GROHE StarLight® Chrome	\$ 270

# GROHE ARDEN



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 121 00A/ENA + 18 084 000/ENO



Lavatory Wideset  
20 121 00A/ENA + 18 083 000/ENO



4" Centreset  
20 388 00A/ENA

## BATH FIXTURES



Roman Tub Filler  
25 071 000/ENO + 18 084 000/ENO



Roman Tub Filler  
with Personal Hand Shower  
25 072 000/ENO + 18 083 000/ENO



Tub Spout  
13 191 000/ENO



Diverter Tub Spout  
13 190 000/ENO

## SHOWER FIXTURES



Tempesta Contemporary 100  
27 606 001



Tempesta Contemporary  
Shower Set  
28 436 002



Pressure Balance Valve Trims  
19 312 001/EN1 and 19 311 001/EN1



Shower Arm  
27 414 000/ENO



Tempesta Contemporary  
Hand Shower  
28 421 002

## ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1










Essentials  
Paper Holder  
40 689 001/EN1



Essentials  
Soap Dish  
40 444 001/EN1



	Product #	Handle #	Colour/Description	Price	
	<b>Arden</b> Lavatory Wideset		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 282 369	
	★ 20 121 00A	★ 20 121 ENA			FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING, PAGE 72
	<ul style="list-style-type: none"> <li>• 4 5/8" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 7/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Less Handles - order 18 083 or 18 084 (sold separately)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>				
	<b>Same as above + Arden Spoke Handles</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 269 351	
	★ 20 121 00A + 18 084 000	★ 20 121 ENA + 18 084 ENO			Arden Spoke Handles (sold separately, see page 72)
	<ul style="list-style-type: none"> <li>• Arden Spoke Handles (sold separately, see page 72)</li> </ul>				
	<b>Same as above + Arden Lever Handles</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 269 351	
	★ 20 121 00A + 18 083 000	★ 20 121 ENA + 18 083 ENO			Arden Lever Handles (sold separately, see page 72)
	<ul style="list-style-type: none"> <li>• Arden Lever Handles (sold separately, see page 72)</li> </ul>				
	<b>Arden</b> Lavatory 4" Centreset		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 269 351	
	★ 20 388 00A	★ 20 388 ENA			<ul style="list-style-type: none"> <li>• 5 3/8" Faucet height</li> <li>• 3 3/4" Spout/Aerator reach</li> <li>• 4 3/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Includes drain assembly</li> <li>• Lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>
	<b>Arden</b> Roman Tub Filler with Personal Hand Shower**		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 899 1,166	
	★ 25 072 000	★ 25 072 ENO			FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING, PAGE 72
	<ul style="list-style-type: none"> <li>• 8 7/16" Diverter spout reach</li> <li>• 4 1/8" Aerator height</li> <li>• 79" Metal shower hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Dreamspray®</li> <li>• 1/2" Valves</li> <li>• GROHE StarLight® finish</li> <li>• Relexa Ultra champagne hand shower (28 894), 9.5 L/min (2.5 gpm)</li> <li>• Less Handles - order 18 083 or 18 084 (sold separately)</li> </ul> Flexible stainless steel braided hoses connect all components and valves to supply.				
	<b>Same as above + Arden Spoke Handles</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 899 1,166	
	★ 25 072 000 + 18 084 000	★ 25 072 ENO + 18 084 ENO			Arden Spoke Handles (sold separately, see page 72)
	<ul style="list-style-type: none"> <li>• Arden Spoke Handles (sold separately, see page 72)</li> </ul>				
	<b>Same as above + Arden Lever Handles</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 899 1,166	
	★ 25 072 000 + 18 083 000	★ 25 072 ENO + 18 083 ENO			Arden Lever Handles (sold separately, see page 72)
	<ul style="list-style-type: none"> <li>• Arden Lever Handles (sold separately, see page 72)</li> </ul>				

	Product #	Handle #	Colour/Description	Price
	<b>Arden</b> Roman Tub Filler	★ 25 071 000 ★ 25 071 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 591 765
	<ul style="list-style-type: none"> <li>• 8 7/16" Spout reach</li> <li>• 4 1/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• 1/2" Valves</li> <li>• GROHE StarLight® finish</li> <li>• Less Handles - order 18 083 or 18 084 (sold separately)</li> </ul> Flexible stainless steel braided hoses connect all components and valves to supply.	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW		
	<b>Same as above + Arden Spoke Handles</b> <ul style="list-style-type: none"> <li>• Arden Spoke Handles (sold separately, see below)</li> </ul>	★ 25 071 000 + 18 084 000 ★ 25 071 EN0 + 18 084 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
<b>Same as above + Arden Lever Handles</b> <ul style="list-style-type: none"> <li>• Arden Lever Handles (sold separately, see below)</li> </ul>	★ 25 071 000 + 18 083 000 ★ 25 071 EN0 + 18 083 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™		
	<b>Arden</b> Spoke Handles (Sold In Pairs)	★ 18 084 000 ★ 18 084 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 107
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>				
	<b>Arden</b> Lever Handles (Sold In Pairs)	★ 18 083 000 ★ 18 083 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 107
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>				
	<b>Arden</b> 6" Diverter Tub Spout	★ 13 190 000 ★ 13 190 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 204 266
<ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>				
	<b>Arden</b> 6" Tub Spout	★ 13 191 000 ★ 13 191 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 156 203
<ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>				
	<b>Arden</b> Pressure Balance Valve Trim	★ 19 312 001 ★ 19 312 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 156 203
<ul style="list-style-type: none"> <li>• Arden Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe Rough-In Valves 35 015 001, 35 064 001, 35 065 001, 35 066 001 (see page 73)				
	<b>Arden</b> Pressure Balance Valve Trim	★ 19 311 001 ★ 19 311 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 156 203
<ul style="list-style-type: none"> <li>• Arden Spoke Handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe Rough-In Valves 35 015 001, 35 064 001, 35 065 001, 35 066 001 (see page 73)				

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve  <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<b>Optional 1" Extension Kit</b> (see page 247)	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve  <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<b>Optional 1" Extension Kit</b> (see page 247)	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve  <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<b>Optional 1" Extension Kit</b> (see page 247)	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve  <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<b>Optional 1" Extension Kit</b> (see page 247)	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83

For matching accessories please refer to the Essentials collection starting on page 210.

# GROHE ATRIO



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory  
High Spout Wideset  
20 069 00A/ENA +  
18 027 000/ENO



Lavatory  
Low Spout Wideset  
20 072 00A/ENA +  
18 026 000/ENO



Lavatory  
High Spout Centreset  
21 027 00A/ENA +  
18 026 000/ENO



Lavatory  
Low Spout Centreset  
21 031 00A/ENA +  
18 027 000/ENO



2-Hole Wall Mount  
Vessel Trim  
19 291 00A/ENA



3-Hole Wall Mount  
Vessel Trim  
20 173 00A/ENA +  
18 026 000/ENO

### BATH FIXTURES



Roman Tub Filler  
25 048 000/ENO +  
18 033 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
25 049 001/EN1 + 18 026 000/ENO



Floor Mounted Tub Spout  
13 216 001



Floor Mounted Tub Filler  
with Hand Shower  
32 135 003



Tub Spout  
13 164 000/ENO

### SHOWER FIXTURES



Rainshower Cosmopolitan 400 Jumbo  
28 783 000/ENO



Rainshower Jumbo  
Shower Arm  
28 983 000/ENO



Rainshower Cosmopolitan 210  
28 373 000/ENO



Rainshower Shower Arm  
28 577 000/ENO



Power&Soul Cosmopolitan 190  
27 765 000/ENO



Relaxa Ultra Body Spray  
27 070 000/ENO



Power&Soul Shower Set  
27 736 000



GrohFlex  
Pressure Balance Valve Trim  
19 867 000/ENO



3-Way Diverter Trim  
19 181 000/ENO



Euphoria Cosmopolitan  
27 492 000



Shower Arm  
27 414 000/ENO



Rainshower Hand Shower  
27 085 000/ENO



Volume Control Trim  
19 182 000/ENO

### ACCESSORIES/BIDET FIXTURES



Robe Hook  
40 312 000/ENO



24" Towel Bar  
40 309 000/ENO



Paper Holder  
40 313 000/ENO













Towel Ring  
40 307 000/ENO






Wideset Bidet  
24 016 000/ENO + 18 027 000/ENO












	Product #	Handle #	Colour/Description	Price
	<p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio</b> High Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 3/8" Faucet height</li> <li>• 6" Swivel Spout reach</li> <li>• 7 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Less Handles - order 18 026 or 18 027 handles (sold separately)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p><b>Same as above + Trio Spoke Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio spoke handles (sold separately, see below)</li> </ul> <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>		<p>★ 21 027 00A \$ 815</p> <p>★ 21 027 ENA 1,078</p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>
		★ 21 027 00A + 18 026 000	GROHE StarLight® Chrome	
		★ 21 027 ENA + 18 026 ENO	Brushed Nickel InfinityFinish™	
★ 21 027 00A + 18 027 000	GROHE StarLight® Chrome			
★ 21 027 ENA + 18 027 ENO	Brushed Nickel InfinityFinish™	CEC		
	<p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio</b> Low Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 5 1/16" Faucet height</li> <li>• 4 5/8" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Less Handles - order 18 026 or 18 027 handles (sold separately)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p><b>Same as above + Trio Spoke Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio spoke handles (sold separately, see below)</li> </ul> <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>		<p>★ 21 031 00A \$ 798</p> <p>★ 21 031 ENA 1,111</p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>
		★ 21 031 00A + 18 026 000	GROHE StarLight® Chrome	
		★ 21 031 ENA + 18 026 ENO	Brushed Nickel InfinityFinish™	
★ 21 031 00A + 18 027 000	GROHE StarLight® Chrome			
★ 21 031 ENA + 18 027 ENO	Brushed Nickel InfinityFinish™	CEC		
	<p><b>Atrio</b> Trio Spoke Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 026 - For kitchen/bar &amp; lavatory faucets</p>		<p>★ 18 026 000 \$ 118</p> <p>★ 18 026 ENO 153</p>	
	<p><b>Atrio</b> Lever Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 027 - For kitchen/bar &amp; lavatory faucets</p>		<p>★ 18 027 000 \$ 118</p> <p>★ 18 027 ENO 153</p> <p>CEC</p>	

	Product #	Handle #	Colour/Description	Price
 <p> Certified by IAPMO R&amp;T</p>	<b>Atrio High Spout Lavatory Wideset</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 661</b> <b>904</b>
	★ 20 069 00A ★ 20 069 ENA 		FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 76	
	<b>Same as above + Trio Spoke Handles</b>		★ 20 069 00A + 18 026 000 ★ 20 069 ENA + 18 026 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<b>Same as above + Lever Handles</b>		★ 20 069 00A + 18 027 000 ★ 20 069 ENA + 18 027 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
 <p> Certified by IAPMO R&amp;T</p>	<b>Atrio Low Spout Lavatory Wideset</b>		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 661</b> <b>904</b>
	★ 20 072 00A ★ 20 072 ENA 		FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 76	
	<b>Same as above + Trio Spoke Handles</b>		★ 20 072 00A + 18 026 000 ★ 20 072 ENA + 18 026 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<b>Same as above + Lever Handles</b>		★ 20 072 00A + 18 027 000 ★ 20 072 ENA + 18 027 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™

\* Additional Low Flow Solutions, see page 344 | Note: Products listed with ★ (stars) are available while supplies last.

	Product #	Handle #	Colour/Description	Price
 <p><b>Atrio</b> Lavatory Centreset for Vessel Basin</p> <p><small>Certified by IAPMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 16 1/2" Faucet height</li> <li>• 6" Swivel Spout reach</li> <li>• 12 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less Handles - order 18 026 or 18 027 handles (sold separately)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>For vessel sink pop-up drain, see 28 754 / 65 818 below.</p> <p><b>Same as above + Trio Spoke Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio spoke handles</li> <li>• (sold separately, see page 79)</li> </ul> <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles</li> <li>• (sold separately, see page 79)</li> </ul>	<ul style="list-style-type: none"> <li>★ 21 046 00A</li> <li>★ 21 046 ENA</li> </ul> <p><small>CEC</small></p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING ON PAGE 79</p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 963</p> <p>1,277</p>	
	<ul style="list-style-type: none"> <li>★ 21 046 00A + 18 026 000</li> <li>★ 21 046 ENA + 18 026 ENO</li> </ul> <p><small>CEC</small></p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>		
	<ul style="list-style-type: none"> <li>★ 21 046 00A + 18 027 000</li> <li>★ 21 046 ENA + 18 027 ENO</li> </ul> <p><small>CEC</small></p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>		
 <p><b>Atrio</b> 2-Hole Wall Mount Vessel Trim</p> <p><small>Certified by IAPMO R&amp;T</small></p> <ul style="list-style-type: none"> <li>• 7 1/16" Spout reach</li> <li>• Solid brass construction</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Atrio Lever Handle</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p><b>Requires Vessel Rough-In Valve 32 641 (see below)</b></p> <p>For vessel sink pop-up drain, see 28 754 below.</p>	<ul style="list-style-type: none"> <li>★ 19 291 00A</li> <li>★ 19 291 ENA</li> </ul> <p><small>CEC</small></p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 520</p> <p>747</p>	
	<p><b>2-Hole Wall Mount Vessel Rough-In Valve</b></p> <p>32 641 000</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 4 5/16" centre to centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>For vessel sink pop-up drain, see 28 754 below.</p>			\$ 314
 <p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p>28 754 000</p> <p>28 754 ENO</p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 158</p> <p>232</p>	



	Product #	Handle #	Colour/Description	Price
  	<b>Atrio</b> Wall Mount Vessel Trim	★ 20 173 00A ★ 20 173 ENA CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW	\$ 435 601
	<b>Requires Vessel Rough-In Valve 33 885 (see below)</b>  For vessel sink pop-up drain, see 28 754 on page 78.			
	<b>Same as above + Trio Spoke Handles</b> • Atrio spoke handles (sold separately, see below)	★ 20 173 00A + 18 026 000 ★ 20 173 ENA + 18 026 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	<b>Same as above + Lever Handles</b> • Atrio lever handles (sold separately, see below)	★ 20 173 00A + 18 027 000 ★ 20 173 ENA + 18 027 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	<b>3-Hole Wall Mount Vessel</b> Rough-In Valve  • 1/2" NPT female inlets • 8" On-centre rough-in valve • Cast brass construction • GROHE SilkMove® 1/4 turn ceramic cartridges	33 885 000		\$ 328
	<b>Atrio</b> Wideset Bidet**  • Solid brass construction • GROHE SilkMove® ceramic cartridges • GROHE StarLight® finish • Vertical spray and rim flush • Vacuum breaker • Combination transfer valve/pop-up lift rod • Includes drain assembly • Less Handles - order 18 026 or 18 027 (sold separately)	★ 24 016 000  FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW	GROHE StarLight® Chrome	\$ 1,329
	<b>Same as above + Trio Spoke Handles</b> • Atrio spoke handles (sold separately, see below)	★ 24 016 000 + 18 026 000	GROHE StarLight® Chrome	
	<b>Same as above + Lever Handles</b> • Atrio lever handles (sold separately, see below)	★ 24 016 000 + 18 027 000 CEC	GROHE StarLight® Chrome	
	<b>Atrio</b> Trio Spoke Handles (Sold In Pairs)  • GROHE StarLight® finish  18 026 - For kitchen/bar and lavatory faucets	★ 18 026 000 ★ 18 026 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 118 153
	<b>Atrio</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish  18 027 - For kitchen/bar and lavatory faucets	★ 18 027 000 ★ 18 027 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 118 153





ATRIO

	Product #	Handle #	Colour/Description	Price
	★ 25 049 001 ★ 25 049 EN1 CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW	\$ 1,481 1,904
	★ 25 049 001 + 18 033 000 ★ 25 049 EN1 + 18 033 EN0 CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	★ 25 049 001 + 18 034 000 ★ 25 049 EN1 + 18 034 EN0 CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	★ 25 048 000 ★ 25 048 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW	\$ 1,010 1,341
	★ 25 048 000 + 18 033 000 ★ 25 048 EN0 + 18 033 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	★ 25 048 000 + 18 034 000 ★ 25 048 EN0 + 18 034 EN0 CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	★ 18 033 000 ★ 18 033 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 122 159
	★ 18 034 000 ★ 18 034 EN0 CEC		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 122 159

		Product #	Colour/Description	Price
 	<p><b>Atrio</b> Floorstanding Tub Filler**</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Floor-mounted installation with high pillar unions (30")</li> <li>• Carborund ceramic cartridges 1/2" - 90° turn</li> <li>• Automatic diverter: bath/shower</li> <li>• Swivel tubular spout with aerator</li> <li>• 100° Swivel spout</li> <li>• Integrated non-return valve in 1/2" shower outlet with shower holder</li> <li>• Sena handshower</li> <li>• 59" Metal shower hose</li> <li>• Includes Atrio Trio Spoke handles (18 026)</li> <li>• Protected against backflow</li> </ul> <p><b>TO BE USED WITH 45 473 Sold Separately (See below)</b></p>	★ 25 044 000	GROHE StarLight® Chrome	\$3,142
 	<p><b>Rough-in Set</b> For Bath Mixer 25 044</p> <ul style="list-style-type: none"> <li>• Without finishing trim set</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor. Must lie within 3 1/4" to 6 1/4"</li> <li>• 1/2" connections (hot/cold-supplies)</li> <li>• Plug fixing material</li> </ul>	★ 45 473 000		\$ 999
	<p><b>Atrio 7°</b> Floorstanding Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 36 3/16" - 39 11/16" Product height*</li> <li>• 11 7/8" Spout reach</li> <li>• 34 7/8" - 38" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" Metal hose</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• Atrio lever handle</li> </ul> <p><b>Requires Rough-In Set 29 038 (see below)</b></p>	★ 32 135 003	GROHE StarLight® Chrome	\$2,854
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	29 038 001		\$ 381






ATRIO

		Product #	Colour/Description	Price
	<p><b>Atrio</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Trio spoke handle</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See page 84 for matching volume control trim/valve.)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</p>	<p>★ 19 169 000 ★ 19 169 ENO</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 424 581</p>
	<p><b>Grotherm</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>REQUIRES SEPARATE VOLUME CONTROL</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 324)</p> <p>34 331 – 34 L/min (9 gpm) at 45 PSI (1/2" Valve) 34 397 – 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>MEETS ASSE STANDARD 1016</b></p>	<p>34 331 000  34 397 000</p>	<p>1/2" Valve - with Service Stops  3/4" Valve - with Service Stops</p>	<p>\$ 339  \$ 508</p>
	<p><b>GroFlex Timeless</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p><b>Requires GroFlex Universal Rough-In Box 35 026 000 sold separately</b> (see page 83)</p>	<p>★ 19 866 000 ★ 19 866 ENO ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 248 331</p>
	<p><b>GroFlex Timeless</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> <li>• ABS trim plate</li> </ul> <p><b>Requires GroFlex Universal Rough-In Box 35 026 000 sold separately</b> (see page 83)</p>	<p>★ 19 867 000 ★ 19 867 ENO ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 338 444</p>

		Product #	Colour/Description	Price
	<p><b>GrohFlex Timeless</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p><b>Requires GrohFlex Universal Rough-In Box 35 026 000 sold separately</b> (see below)</p>	<p>★ 19 848 000 ★ 19 848 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 512 667</p>
	<p><b>GrohFlex Timeless</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p><b>Requires GrohFlex Universal Rough-In Box 35 026 000 sold separately</b> (see below)</p>	<p>★ 19 849 000 ★ 19 849 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 570 741</p>
	<p><b>GrohFlex Timeless</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Requires separate volume controls</li> <li>• 53 L/min (14 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p><b>Requires GrohFlex Universal Rough-In Box 35 026 000 sold separately</b> (see below)</p>	<p>★ 19 865 000 ★ 19 865 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 427 561</p>
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 1/2" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>	<p>35 026 000</p>		<p>\$ 187</p>

ATRIO

		Product #	Colour/Description	Price
	<p><b>Atrio</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Trio spoke handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>★ 19 888 000 ★ 19 888 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 287 377</p>
	<p><b>Atrio</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>★ 19 182 000 ★ 19 182 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 287 377</p>
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<p>29 273 000 29 274 000</p>	1/2" NPT 3/4" NPT	<p>\$ 94 153</p>
	<p><b>Atrio</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>★ 19 166 000 ★ 19 166 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 340 485</p>
	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 2 Discrete, 1 shared function</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> 	<p>29 712 000</p>	3-Port	<p>\$ 334</p>
	<p><b>Atrio</b> 3-way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714 (see below)</p>	<p>★ 19 181 000 ★ 19 181 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 340 485</p>
	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p> 	<p>29 714 000</p>	5-Port	<p>\$ 344</p>

		Product #	Colour/Description	Price
	<p><b>Atrio</b> 6 1/2" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul> <p>For Diverter Spouts, see pages 325–326.</p>	<p>★ 13 164 000 ★ 13 164 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 297 385</p>
	<p><b>Atrio</b> 24" Towel Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 309 000 ★ 40 309 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 352 480</p>
	<p><b>Atrio</b> 8" Towel Ring</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 307 000 ★ 40 307 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 234 326</p>
	<p><b>Atrio</b> Robe Hook</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 312 000 ★ 40 312 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 166 217</p>
	<p><b>Atrio</b> Paper Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 40 313 000 ★ 40 313 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 234 326</p>

ATRIO

# GROHE ATRIO® NEW





# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory  
High Spout Wideset  
20 069 003/EN3 +  
18 027 003/EN3



Lavatory  
Low Spout Wideset  
20 072 003/EN3 +  
18 026 003/EN3



Lavatory  
High Spout Centreset  
21 027 003/EN3 +  
18 026 003/EN3



Lavatory  
Low Spout Centreset  
21 031 003/EN3 +  
18 027 003/EN3



3-Hole Wall Mount  
Vessel Trim  
20 173 003/EN3 +  
18 026 003/EN3

### BATH FIXTURES



Roman Tub Filler  
25 048 003/EN3 +  
18 033 003/EN3



Roman Tub Filler with Hand Shower  
25 049 003/EN3 +  
18 034 003/EN3



Floor-Mounted Tub Filler  
with Hand Shower  
32 653 003



Tub Spout  
13 164 003/EN3

### SHOWER FIXTURES



Rainshower Cosmopolitan 400  
28 783 000/ENO



Rainshower Jumbo  
Shower Arm  
28 983 000/ENO



Rainshower Cosmopolitan 310  
27 478 000



Rainshower Shower Arm  
28 577 000/ENO



Rainshower Cosmopolitan 210  
28 373 000/ENO



6 5/8" Tubular Shower Arm  
27 412 000/ENO



Power & Soul Cosmopolitan 130  
Shower Set  
27 732 000



Pressure Balance  
Valve Trim  
19 866 003/EN3



Single Function  
Thermostatic Trim  
24 150 003/EN3



Pressure Balance  
Diverter Valve Trim  
19 867 003/EN3



Dual Function  
Thermostatic Trim  
24 151 003/EN3



Power & Soul Cosmopolitan 190  
27 765 000/ENO



Rainshower Hand Shower  
27 085 000/ENO



Tub Spout  
13 164 003/EN3



3-Way Diverter Trim  
29 216 001/EN1

### ACCESSORIES



Robe Hook  
40 312 003/EN3



Towel Ring  
40 307 003/EN3



18" Double Towel Bar  
40 308 003/EN3

24" Towel Bar  
40 309 003/EN3



Paper Holder  
40 313 003/EN3



Glass  
40 254 003



Soap Dish  
40 256 003















Soap Dispenser  
40 306 003

		Product #	Colour/Description	Price
	<p><b>new</b> <b>Atrio New</b> M-Size, Lavatory Centreset</p> <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 9 3/16" Faucet height</li> <li>• 4 15/16" Swivel spout reach</li> <li>• 6 7/16" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 831 003 23 831 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 462 602
	<p><b>new</b> <b>Atrio New</b> L-Size, Lavatory Centreset</p> <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 11 7/8" Faucet height</li> <li>• 6 9/16" Swivel spout reach</li> <li>• 7 15/16" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 828 003 23 828 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 545 709
	<p><b>new</b> <b>Atrio New</b> XL-Size, Lavatory Centreset</p> <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 16 5/8" Faucet height</li> <li>• 7 1/16" Swivel spout reach</li> <li>• 12 13/16" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 834 003 23 834 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 751 976
	<p><b>new</b> <b>Atrio New</b> Low Spout Lavatory Centreset</p> <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 9 3/16" Faucet height</li> <li>• 4 15/16" Spout reach</li> <li>• 6 7/16" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Less handles – order 18 026 or 18 027 handles (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>21 031 003 21 031 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 801 1,115
	<p><b>Same as above with Atrio cross handles</b> • Atrio cross handles (sold separately, see page 89)</p> <p><b>Same as above with Atrio lever handles</b> • Atrio lever handles (sold separately, see page 89)</p>	<p>21 031 003 + 18 026 003 21 031 EN3 + 18 026 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
	<p>21 031 003 + 18 027 003 21 031 EN3 + 18 027 EN3</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™		

		Product #	Colour/Description	Price	
	<p><b>new</b></p> <p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio New</b> High Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 11 7/8" Faucet height</li> <li>• 6 9/16" Swivel spout reach</li> <li>• 7 15/16" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Less handles – order 18 026 or 18 027 handles (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>21 027 003 21 027 EN3</p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p>\$ 818 1,082</p>	
		<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p>21 027 003 + 18 026 003 21 027 EN3 + 18 026 EN3</p> <p>CEC</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
		<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p>21 027 003 + 18 027 003 21 027 EN3 + 18 027 EN3</p> <p>CEC</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>new</b></p> <p>Certified by IAPMO R&amp;T</p>	<p><b>Atrio New</b> Lavatory Centreset for Vessel Basin</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 16 9/16" Faucet height</li> <li>• 7 1/16" Swivel spout reach</li> <li>• 12 3/4" Aerator height</li> <li>• Solid brass body</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Adjustable high temperature limit stop</li> <li>• Push-open 1 1/4" drain assembly</li> <li>• Less handles – order 18 026 or 18 027 handles (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>21 046 003 21 046 EN3</p> <p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p>\$ 967 1,257</p>	
		<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p>21 046 003 + 18 026 003 21 046 EN3 + 18 026 EN3</p> <p>CEC</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
		<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p>21 046 003 + 18 027 003 21 046 EN3 + 18 027 EN3</p> <p>CEC</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>new</b></p>	<p><b>Atrio New</b> Cross handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 026 – For lavatory faucets</p>	<p>18 026 003 18 026 EN3</p>	<p>\$ 119 154</p>	
	<p><b>new</b></p>	<p><b>Atrio New</b> Lever handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 027 – For lavatory faucets</p>	<p>18 027 003 18 027 EN3</p> <p>CEC</p>	<p>\$ 119 154</p>	

ATRIO NEW

\* Additional Low Flow Solutions, see page 344

	Product #	Colour/Description	Price	
 <p><b>new</b></p>  <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 6<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>13</sup>/<sub>16</sub>" Spout reach</li> <li>• 3<sup>1</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>Atrio New</b> Low Spout Lavatory Wideset</p> <p>20 072 003 20 072 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 91</p>	<p>\$ 664 907</p>	
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see page 91)</li> </ul>	<p>20 072 003 + 18 026 003 20 072 EN3 + 18 026 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see page 91)</li> </ul>	<p>20 072 003 + 18 027 003 20 072 EN3 + 18 027 EN3</p> <p> </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
 <p><b>new</b></p>  <p>Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 11<sup>7</sup>/<sub>16</sub>" Faucet height</li> <li>• 6<sup>9</sup>/<sub>16</sub>" Spout reach</li> <li>• 7<sup>1</sup>/<sub>2</sub>" Aerator height</li> <li>• Solid brass body</li> <li>• Stainless steel flex lines</li> <li>• Includes drain assembly</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p><b>Atrio New</b> High Spout Lavatory Wideset</p> <p>20 069 003 20 069 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 91</p>	<p>\$ 664 907</p>	
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see page 91)</li> </ul>	<p>20 069 003 + 18 026 003 20 069 EN3 + 18 026 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see page 91)</li> </ul>	<p>20 069 003 + 18 027 003 20 069 EN3 + 18 027 EN3</p> <p> </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	

		Product #	Colour/Description	Price
	<p><b>new</b></p> <p><b>Atrio New</b> Wall Mount Vessel Trim</p>  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• 7 1/16" Spout reach</li> <li>• Solid brass body</li> <li>• Less handles – order 18 026 or 18 027 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Requires Vessel Rough-In Valve 33 885</p> <p>Vessel sink pop-up drain 28 754 sold separately.</p>	<p>20 173 003 20 173 EN3</p> <p></p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 437 603</p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p>20 173 003 + 18 026 003 20 173 EN3 + 18 026 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p>20 173 003 + 18 027 003 20 173 EN3 + 18 027 EN3</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>3-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 8" On-centre rough-in valve</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® 1/4 turn ceramic cartridges</li> </ul>	<p>33 885 000</p>		<p>\$ 328</p>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<p>28 754 000 28 754 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 158 232</p>
	<p><b>new</b></p> <p><b>Atrio New</b> Cross handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 026 – For lavatory faucets</p>	<p>18 026 003 18 026 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 119 154</p>
	<p><b>new</b></p> <p><b>Atrio New</b> Lever handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 027 – For lavatory faucets</p>	<p>18 027 003 18 027 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 119 154</p>

ATRIO NEW





\* Additional Low Flow Solutions, see page 344

		Product #	Colour/Description	Price
	<p><b>new</b> <b>Atrio New</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 8 7/16" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• 79" Hose</li> <li>• 3/4" Copper connections</li> <li>• Less handles – order 18 033 or 18 034 (sold separately)</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> <li>• Max. Flow Rate: 25 L/min (6.6 gpm)</li> </ul>	<p>25 049 003 25 049 EN3</p> <p><b>CEC</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p>\$ 1,679 2,183</p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p>25 049 003 + 18 033 003 25 049 EN3 + 18 033 EN3</p> <p><b>CEC</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p>25 049 003 + 18 034 003 25 049 EN3 + 18 034 EN3</p> <p><b>CEC</b></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>new</b> <b>Atrio New</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 9 1/16" Spout reach</li> <li>• 6" Aerator height</li> <li>• 3/4" Copper connections</li> <li>• Less handles – order 18 033 or 18 034 (sold separately)</li> <li>• Max. Flow Rate: 25 L/min (6.6 gpm)</li> </ul>	<p>25 048 003 25 048 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>	<p>\$ 983 1,317</p>
	<p><b>Same as above with Atrio cross handles</b></p> <ul style="list-style-type: none"> <li>• Atrio cross handles (sold separately, see below)</li> </ul>	<p>25 048 003 + 18 033 003 25 048 EN3 + 18 033 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>Same as above with Atrio lever handles</b></p> <ul style="list-style-type: none"> <li>• Atrio lever handles (sold separately, see below)</li> </ul>	<p>25 048 003 + 18 034 003 25 048 EN3 + 18 034 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	
	<p><b>new</b> <b>Atrio New</b> Cross handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 033 – For Roman Tub Fillers</p>	<p>18 033 003 18 033 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 123 160</p>
	<p><b>new</b> <b>Atrio New</b> Lever handles (Sold in pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>18 034 – For Roman Tub Fillers</p>	<p>18 034 003 18 034 EN3</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 123 160</p>






		Product #	Colour/Description	Price
	<p><b>new</b></p> <p><b>Atrio New</b> Floor-Mounted Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 36 3/16"–40 15/16" Product height*</li> <li>• 11 7/8" Spout reach</li> <li>• 30 5/16"–34 3/8" Aerator height*</li> <li>• 49" SilverFlex hose</li> <li>• Adjustable high temperature limit stop</li> <li>• Adjustable flow rate limiter</li> <li>• 1/2" (13 mm) Integrated non-return valve in the shower outlet</li> <li>• Sena hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set 29 038 (sold separately)</p> <p>Optional In-line Remote Pressure Balance Valve 35 204</p>	<p>32 653 003 32 653 EN3 ♿ CEC</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 2,200 2,860</p>
<p><b>EN3 Available July 2019</b></p>				
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	<p>29 038 001</p>		<p>\$ 381</p>
	<p><b>new</b></p> <p><b>Atrio New</b> Pressure Balance Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>Requires GrohSafe™ Rough-In Valve 35 015, 35 064, 35 065, or 35 066 (sold separately)</p>	<p>19 866 003 19 866 EN3 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 298 388</p>
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<p>\$ 175</p>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p>47 996 000</p>		<p>\$ 83</p>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 064 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†</p>	<p>\$ 175</p>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p>47 996 000</p>		<p>\$ 83</p>







\* Overall height will depend on installation of Rough-In Set | \*\*To be installed in accordance with local plumbing codes






ATRIO NEW

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83
	<p><b>new</b> <b>Atrio New</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>Requires GrohSafe™ Rough-In Valve 35 016 or 35 033 (sold separately)</p>	19 867 003 19 867 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 463 602
	 <p><b>GrohSafe</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> <p>Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p>	35 033 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264
<p>† Universal connection is 1/2" male by copper sweat.</p>				
<p><b>Same as above (with automatic diverter)</b> Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>	35 016 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264	
<p>† Universal connection is 1/2" male by copper sweat.</p>				



		Product #	Colour/Description	Price	
 <p><b>new</b></p> <p>Available June 2019</p>	<p><b>Atrio New</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® compact cartridge with wax thermostatic element</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 ¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> </ul> <p>For use with GROHE Rapido SmartBox 35 601 000</p>	<p>24 150 003 24 150 EN3 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 579 749</p>	
		<p><b>Optional Service Stops</b></p>		<p>14 053 00M</p>	<p>\$ 55</p>
 <p><b>new</b></p> <p>Available June 2019</p>	<p><b>Atrio New</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® compact cartridge with wax thermostatic element</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 ¼" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> </ul> <p>For use with GROHE Rapido SmartBox 35 601 000</p>	<p>24 151 003 24 151 EN3 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 639 829</p>	
		<p><b>Optional Aquadimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>		<p>14 060 000</p>	<p>\$ 47</p>
		<p><b>Optional Service Stops</b></p>		<p>14 053 00M</p>	<p>\$ 55</p>
	<p><b>GrohTherm Rapido SmartBox</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 3 outlets ½" female NPT/Sweat</li> <li>• 2 Inlets below, ½" female NPT</li> <li>• Installation depth 3"-4 ½" (75-105 mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate:                             <ul style="list-style-type: none"> <li>- 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>- 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>	<p>35 601 000</p>		<p>\$ 168</p>	
 <p><b>new</b></p> <p>Available September 2019</p>	<p><b>Atrio New</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 902 or 29 903</p>	<p>29 216 001 29 216 EN1 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 208 269</p>	
		<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet / 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul>		<p>29 902 000 ♿</p>	<p>3-Way (Discrete functions)</p>
	<p><b>Same as above (Shared functions)</b> 3 Discrete / 3 shared functions</p>	<p>29 903 000</p>	<p>3-Way (Shared functions)</p>	<p>\$ 277</p>	

		Product #	Colour/Description	Price
	<b>new</b> <b>Atrio New</b> 6 3/4" Tub Spout <ul style="list-style-type: none"><li>• GROHE StarLight® finish</li><li>• 6 3/4" Spout reach</li><li>• Wall mount</li><li>• 1/2" Inlet</li></ul>	13 164 003 13 164 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 298 387
	<b>new</b> <b>Atrio New</b> 24" Towel Bar <ul style="list-style-type: none"><li>• GROHE StarLight®</li></ul>	40 309 003 40 309 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 391 508
	<b>new</b> <b>Atrio New</b> 18" Double Towel Bar <ul style="list-style-type: none"><li>• GROHE StarLight®</li></ul>	40 308 003 40 308 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 319 415
	<b>new</b> <b>Atrio New</b> 8" Towel Ring <ul style="list-style-type: none"><li>• GROHE StarLight®</li></ul>	40 307 003 40 307 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 257 334
	<b>new</b> <b>Atrio New</b> Robe Hook <ul style="list-style-type: none"><li>• GROHE StarLight®</li></ul>	40 312 003 40 312 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 175 227
	<b>new</b> <b>Atrio New</b> Toilet Paper Holder <ul style="list-style-type: none"><li>• GROHE StarLight®</li></ul>	40 313 003 40 313 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 185 240

		Product #	Colour/Description	Price
	<b>new</b> <b>Atrio New</b> Glass Holder  • GROHE StarLight® finish  For use with Glass 40 254 or Soap Dispenser 40 306	40 304 003 40 304 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 88 115
	<b>new</b> <b>Atrio New</b> Soap Dispenser  • GROHE StarLight® finish  <b>Requires Holder 40 304</b>	40 306 003 40 306 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 88 115
	<b>new</b> <b>Atrio New</b> Glass  • Material: Glass  <b>Requires Holder 40 304</b>	40 254 003	Clear Glass	\$ 88
	<b>new</b> <b>Atrio New</b> Holder For Soap Dish  • GROHE StarLight® finish  For use with Soap Dish 40 256	40 305 003 40 305 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 88 115
	<b>new</b> <b>Atrio New</b> Soap Dish  • Material: Glass  <b>Requires Holder 40 305</b>	40 256 003	Clear Glass	\$ 33

# GROHE BAULOOP



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
**20 225 000**



Lavatory Centreset  
**23 084 000**

## BATH FIXTURES



Roman Tub Filler  
with Personal Hand Shower  
**19 592 000**



Tub Spout  
**13 286 000**



Diverter Tub Spout  
**13 287 000**

## SHOWER FIXTURES



Tempesta Cosmopolitan  
**27 591 001**



Shower/Tub  
Combination  
**26 017 000**



Shower  
Combination  
**27 547 000**



Tempesta Cosmopolitan 100  
Shower Set  
**27 577 002**



Pressure Balance  
Valve Trim  
**19 595 000**



Euphoria Cosmopolitan 160  
**28 233 000**  
**27 807 000 (low flow option)**



Tempesta Cosmopolitan 100  
Hand Shower  
**27 575 002**

## ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
**40 364 001/EN1**



Essentials  
24" Towel Bar  
**40 366 001/EN1**



Essentials  
8" Towel Ring  
**40 365 001/EN1**



Essentials  
Paper Holder  
**40 689 001/EN1**



Skate  
**38 862**  
**000/P000/SD0/SH0**

		Product #	Colour/Description	Price
	<p>Certified by IAPMO R&amp;T</p>	<b>BauLoop</b> Lavatory Wideset 20 225 000 	GROHE StarLight® Chrome	\$ 376
	<ul style="list-style-type: none"> <li>• 4 1/4" Faucet height</li> <li>• 3 9/16" Spout reach</li> <li>• 3 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal Loop Handles</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>			
	<p>Certified by IAPMO R&amp;T</p>	<b>BauLoop</b> Lavatory Centreset 23 084 000 	GROHE StarLight® Chrome	\$ 235
	<ul style="list-style-type: none"> <li>• 7" Faucet height (when in use)</li> <li>• 3 9/16" Spout reach</li> <li>• 3 7/16" Aerator height</li> <li>• 1 5/16" Ø hole mounting required</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Single Loop Handle</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Quick installation system</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>			
		<b>Optional Base Escutcheon Ring (48 052 000)</b> Use if the existing hole is 1 1/2" Ø 48 052 000	GROHE StarLight® Chrome	\$ 13
	<p>Certified by IAPMO R&amp;T</p>	<b>BauLoop</b> Lavatory Centreset 23 085 000 	GROHE StarLight® Chrome	\$ 212
	<ul style="list-style-type: none"> <li>• 7" Faucet height (when in use)</li> <li>• 3 9/16" Spout reach</li> <li>• 3 7/16" Aerator height</li> <li>• 1 5/16" Ø hole mounting required</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible supplies</li> <li>• Less drain</li> <li>• For pop-up drain, see page 114.</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)*</li> </ul>			
		<b>Optional Base Escutcheon Ring (48 052 000)</b> Use if the existing hole is 1 1/2" Ø 48 052 000	GROHE StarLight® Chrome	\$ 13
		<b>BauLoop</b> Roman Tub Filler with Personal Hand Shower** 19 592 000	GROHE StarLight® Chrome	\$ 852
		<ul style="list-style-type: none"> <li>• 7 1/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• Single loop handle control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Tempesta Cosmopolitan 100 hand shower (26 046), 7.6 L/min (2.0 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>		

**NOTE - UNDERMOUNT INSTALLATIONS**

If using the BauLoop lavatory faucet in an undermount installation, consult the sink template or specification sheet. The faucet hole position indicated will determine if the BauLoop spout reach is suitable.

		Product #	Colour/Description	Price
	<p><b>BauLoop</b> 5 1/2" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall Mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	13 287 000 ♿	GROHE StarLight® Chrome	\$ 161
	<p><b>BauLoop</b> 5 1/2" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall Mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 286 000	GROHE StarLight® Chrome	\$ 132
  	<p><b>BauLoop</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Tempesta Cosmopolitan 100 shower head (26 078), 6.6 L/min (1.75 gpm)</li> <li>• Diverter tub spout (13 287)</li> </ul> <p>For use with Grohsafe™ Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	26 017 000 ♿	GROHE StarLight® Chrome	\$ 344
 	<p><b>BauLoop</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Tempesta Cosmopolitan 100 shower head (26 078), 6.6 L/min (1.75 gpm)</li> </ul> <p>For use with Grohsafe™ Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	27 547 000 ♿	GROHE StarLight® Chrome	\$ 233
	<p><b>BauLoop</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe™ Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	19 595 000 ♿	GROHE StarLight® Chrome	\$ 164
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (see page 247)</p>	35 015 001 ♿	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
		47 996 000	† Universal connection is 1/2" male by copper sweat	\$ 83

		<b>Product #</b>	<b>Colour/Description</b>	<b>Price</b>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<b>35 064 001</b>	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<b>35 065 001</b>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<b>35 066 001</b>	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	<b>\$ 144</b>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>

For matching accessories please refer to the Essentials collection starting on page 210.  
For thermostatic valves and custom shower solutions please refer to GrohFlex Cosmopolitan starting on page 236.



# GROHE CONCETTO



# GROHE POPULAR COMBINATIONS



## FAUCETS



Lavatory Centreset  
34 702 001/EN1



Lavatory Centreset  
34 270 00A/ENA



Lavatory Centreset  
23 737 002/EN2



Lavatory Centreset  
32 138 002/EN2



Lavatory Wideset  
20 572 001/EN1



Lavatory Wideset  
20 217 00A/ENA

## BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
19 576 002/EN2



Diverter Tub Spout (Slip fit)  
13 366 000/ENO



Diverter Tub Spout  
13 275 001/EN1



Tub Spout  
13 274 001/EN1

## SHOWER FIXTURES



Euphoria Cosmopolitan 180  
27 492 000  
27 808 000 (low flow option)



Tempesta  
Cosmopolitan 100  
27 591 001



Tempesta  
Cosmopolitan 100  
26 366 001



Shower/Tub  
Combination  
35 073 10A/ENA



Shower  
Combination  
35 075 10A/ENA



Tempesta Cosmopolitan  
Shower Set  
27 577 002



Tempesta Cosmopolitan  
Hand Shower  
27 575 002



Pressure Balance  
Trim with Diverter  
29 102 001/EN1



Pressure Balance  
Valve Trim  
29 100 001/EN1



2-Way Diverter Trim  
(Shower Head / Tub Spout)  
29 104 001/EN1



2-Way Diverter Trim  
(Shower Head / Hand Shower)  
29 108 001/EN1



3-Way Diverter Trim  
(Shower Head / Hand Shower /  
Tub Spout)  
29 106 001/EN1

## ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1



Essentials  
8" Towel Ring  
40 365 001/EN1
















Essentials  
Paper Holder  
40 689 001/EN1



Skate  
38 862 000/P000/SD0/SH0












# CONCETTO



















		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Concetto</b> XS-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6" Faucet height (when in use)</li> <li>• 4 1/2" Spout reach</li> <li>• 1 3/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• QuickFix™ installation</li> <li>• Adjustable hot limit safety stop</li> <li>• Solid brass body</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>34 702 001 34 702 EN1</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$253 330</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Concetto</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 5/16" Faucet height (when in use)</li> <li>• 3 15/16" Spout reach</li> <li>• 2 9/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• Single lever handle</li> <li>• High temperature limit stop</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>34 270 00A 34 270 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 270 351</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Concetto</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 5/16" Faucet height (when in use)</li> <li>• 3 15/16" Spout reach</li> <li>• 2 9/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• Single lever handle</li> <li>• High temperature limit stop</li> <li>• Less drain</li> <li>• For pop-up drain, see page 114.</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>34 271 00A 34 271 ENA</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 248 322</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Concetto</b> L-Size, Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 7/16" Faucet height (when in use)</li> <li>• 5 5/8" Spout reach</li> <li>• 10 3/8" Aerator height</li> <li>• GROHE SilkMove®</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix™ installation</li> <li>• Metal lever handle</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Optional Hot Limit Safety Stop (46 375)</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 23 737 001 ★ 23 737 EN1</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$349 457</p>
<p><b>new</b></p>	<p><b>Same as above - replaces (23 737)</b></p>	<p>23 737 002 23 737 EN2</p> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$349 457</p>

CONCETTO

\* Additional Low Flow Solutions, see page 344 | Note: Products listed with ★ (stars) are available while supplies last.

		Product #	Colour/Description	Price
		<b>Concetto</b> Lavatory Centreset	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 349 454
		<ul style="list-style-type: none"> <li>• 11 7/8" Faucet height</li> <li>• 6" Spout reach</li> <li>• 8 1/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix®- Quick installation system</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop optional – order 46 375 000</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	★ 32 138 00A ★ 32 138 ENA 	
		<b>Concetto</b> Lavatory Wideset	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 391 510
		<ul style="list-style-type: none"> <li>• 4 11/16" Faucet height (when in use)</li> <li>• 5 5/16" Spout reach</li> <li>• 3 3/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix™ installation</li> <li>• Solid brass body</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	20 572 001 20 572 EN1 	
		<b>Concetto</b> Lavatory Wideset	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 423 572
		<ul style="list-style-type: none"> <li>• 10 7/16" Faucet height</li> <li>• 6 1/16" Spout reach</li> <li>• 6 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	20 217 00A 20 217 ENA 	
		<b>Concetto</b> Roman Tub Filler with Personal Hand Shower**	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,375 1,788
		<ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• 4 3/16" Aerator height</li> <li>• Single Lever Control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria® Cosmopolitan Stick hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	19 576 002 19 576 EN2 	

		Product #	Colour/Description	Price
	<b>Concetto</b> 4 <sup>11/16</sup> " Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• For 1/2" copper pipe</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	13 366 000 13 366 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$84 110
	<b>Concetto</b> 6 <sup>11/16</sup> " Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" NPT-FIP inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	13 275 001 13 275 A01 NEW 13 275 BE1 NEW 13 275 EN1 13 275 GN1 NEW ♿	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 190 271 271 247 271
	<b>Concetto</b> 6 <sup>11/16</sup> " Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" NPT-FIP inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 274 001 13 274 A01 NEW 13 274 BE1 NEW 13 274 EN1 13 274 GN1 NEW	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 154 219 219 200 219
  	 <b>Concetto</b> Shower/Tub Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Tempesta® Cosmopolitan 100 with white spray face (26 366 001), 6.6 L/min (1.75 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure Balance Valve trim (29 100)</li> <li>• Lever handle</li> <li>• Red/blue hot and cold markings</li> <li>• Slip-fit diverter tub spout (13 366)</li> <li>• Pull-up diverter activation</li> </ul> For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see pages 108 and 109)	35 073 10A 35 073 ENA CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 327 426
 	 <b>Concetto</b> Shower Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Tempesta® Cosmopolitan 100 with white spray face (26 366 001), 6.6 L/min (1.75 gpm)</li> <li>• Brass shower arm (27 414)</li> <li>• Pressure Balance Valve trim (29 100)</li> <li>• Lever handle</li> <li>• Red/blue hot and cold markings</li> </ul> For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see pages 108 and 109)	35 075 10A 35 075 ENA ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 249 324

		Product #	Colour/Description	Price
CONCETTO	 <p><b>Concetto</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal Lever handle</li> <li>• Red/blue hot and cold markings</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 109)</p>	<b>29 100 001</b> <b>29 100 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 164</b> <b>213</b>
	 <p><b>Concetto</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 109)</p>	<b>19 457 001</b> <b>19 457 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 164</b> <b>213</b>
	 <p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<b>35 015 001</b>  † Universal connection is ½" male by copper sweat	Inlets: ½" Universal† Outlets: ½" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>
	 <p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<b>35 064 001</b>  † Universal connection is ½" male by copper sweat	Inlets: ½" PEX Expansion (1960) Outlets: ½" Universal†	<b>\$ 175</b>
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<b>47 996 000</b>		<b>\$ 83</b>

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	<b>35 065 001</b>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (see page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	<b>35 066 001</b>	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	<b>\$ 144</b>
	<ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (see page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Concetto</b> Pressure Balance Diverter Valve Trim	<b>29 102 001</b> <b>29 102 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 206</b> <b>271</b>
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• Red / blue hot and cold markings</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe Rough-In Valves 35 016, 35 033			
	<b>Grohsafe</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter	<b>35 033 000</b>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 264</b>
	<ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets</li> </ul> Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat.		
	<b>Same as above</b> <b>(with automatic diverter)</b> Max Flow Rate: 22 L/min (5.8 gpm) at 45 psi	<b>35 016 000</b>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<b>\$ 264</b>
		† Universal connection is 1/2" male by copper sweat.		

		Product #	Colour/Description	Price
	<p><b>Concetto</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> <p>For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901</p>	<p>29 108 001 29 108 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 122 158</p>
	<p><b>Concetto</b> 2-Way Diverter Trim (Shower Head / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/tub spout</li> </ul> <p>For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901</p>	<p>29 104 001 29 104 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 122 158</p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 2 outlets</li> <li>• 2 discrete functions (Non-shared)</li> <li>• ½" NPT</li> </ul>	<p>29 900 000 CEC</p>	2-Way (Discrete functions)	\$ 238
	<p><b>Same as above (Shared functions)</b> • 2 Discrete, 1 shared function</p>	<p>29 901 000</p>	2-Way (Shared functions)	\$ 238
	<p><b>Concetto</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> <p>For use with 3-Way Diverter Rough-In Valves 29 902 or 29 903</p>	<p>29 106 001 29 106 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 146 190</p>
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen/CEC Compliant</li> </ul>	<p>29 902 000 CEC</p>	3-Way (Discrete functions)	\$ 277
	<p><b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions</p>	<p>29 903 000</p>	3-Way (Shared functions)	\$ 277

For matching accessories please refer to the Essentials collection starting on page 210.  
For thermostatic valves and custom shower solutions refer to GrohFlex Timeless starting on page 236.



# GROHE ESSENCE



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
32 216 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 592 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 485 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
23 486 00A/A0A /  
BEA / ENA / GNA



Lavatory Centreset  
For Vessel Basin  
23 538 00A/A0A /  
BEA / ENA / GNA



Lavatory Wideset  
20 297 00A/A0A /  
BEA / ENA / GNA



Lavatory Wideset  
20 431 00A/A0A /  
BEA / ENA / GNA

### BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
19 578 00A / A0A /  
BEA / ENA / GNA



Floor Standing Tub Filler  
with Hand Shower  
23 491 00A / A0A /  
BEA / ENA / GNA



Concetto Diverter Tub Spout  
(Slip fit)  
13 366 000/EN0



Concetto Diverter Tub Spout  
13 275 001/A01 /  
BE1 / EN1 / GN1



Concetto Tub Spout  
13 274 001/A01 /  
BE1 / EN1 / GN1

### SHOWER FIXTURES



Tempesta Cosmopolitan 100  
26 043 001 / A01 /  
BE1 / EN1 / GN1



6 5/8" Tubular Shower Arm  
27 412 000 / A00  
/ BE0 / EN0 / GNO



Rainshower  
15" Shower Arm  
28 540 000 / A00 /  
BE0 / EN0 / GNO



Single Function  
Pressure Balance Trim  
with Control Module  
19 347 001 / A01 /  
BE1 / EN1 / GN1



GrohTherm SmartControl  
Single Function  
Thermostatic Trim  
29 136 000 / A00 /  
BE0 / EN0 / GNO



Rainshower Mono 310 Shower Head  
26 569 000 / A00 /  
BE0 / EN0 / GNO



Rainshower Wall Union  
26 635 000 / A00  
/ BE0 / EN0 / GNO



Rainshower Wall Mount  
Hand Shower Holder  
27 074 000 / A00  
/ BE0 / EN0 / GNO



3-Way Diverter Trim  
29 203 001 / A01 /  
BE1 / EN1 / GN1



GrohTherm SmartControl  
Dual Function  
Thermostatic Trim  
29 137 000 / A00 /  
BE0 / EN0 / GNO



Sena Stick Hand Shower  
26 465 000 / A00 /  
BE0 / EN0 / GNO



RotaFlex Metal Longlife  
Metallic Hose  
28 417 000 / A00  
/ BE0 / EN0 / GNO



Rainshower  
24" Shower Bar  
26 602 000 / A00 /  
BE0 / EN0 / GNO



Rainshower  
36" Shower Bar  
26 603 000 / A00 /  
BE0 / EN0 / GNO



GrohTherm SmartControl  
Triple Function  
Thermostatic Trim  
29 138 000 / A00 /  
BE0 / EN0 / GNO



Rainshower SmartActive  
Hand Shower  
26 545 000 / A00 /  
BE0 / EN0 / GNO

### ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1 /  
BE1 / GN1 / A01



Essentials 18" Towel Bar  
40 688 001 / EN1 / BE1 / GN1 / A01  
Essentials 24" Towel Bar  
40 366 001 / EN1 / BE1 / GN1 / A01  
Essentials 32" Towel Bar  
40 386 001 / EN1 / BE1 / GN1 / A01



Essentials  
8" Towel Ring  
40 365 001/EN1 /  
BE1 / GN1 / A01



Essentials  
Paper Holder  
40 689 001/EN1 /  
BE1 / GN1 / A01















Essentials  
Spare Toilet Paper Holder  
40 385 001/EN1 /  
BE1 / GN1 / A01













Essentials  
12" Grab Bar  
40 421 001 / EN1 /  
BE1 / GN1 / A01

# ESSENCE

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 3/16" Faucet height (when in use)</li> <li>• 3 11/16" Spout reach</li> <li>• 4 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• 23 1/2" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>32 216 00A</p> <p>32 216 A0A <b>NEW</b></p> <p>32 216 BEA <b>NEW</b></p> <p>32 216 ENA</p> <p>32 216 GNA <b>NEW</b></p> <p></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p>\$ 376</p> <p>537</p> <p>537</p> <p>488</p> <p>537</p>
		<p>A0A, BEA, GNA</p> <p>Available December 2019</p>		
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 3/16" Faucet height (when in use)</li> <li>• 4 3/16" Spout reach</li> <li>• 4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20°- 40° aerator angle</li> <li>• High temperature limit stop</li> <li>• 23 1/2" Nylon-reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 592 00A</p> <p>23 592 A0A <b>NEW</b></p> <p>23 592 BEA <b>NEW</b></p> <p>23 592 ENA</p> <p>23 592 GNA <b>NEW</b></p> <p></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p>\$ 376</p> <p>537</p> <p>537</p> <p>488</p> <p>537</p>
		<p>A0A, BEA, GNA</p> <p>Available December 2019</p>		
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 7 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 6 5/8" Aerator height</li> <li>• Rotation disc allows for 150° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20°- 40° aerator angle</li> <li>• 23 1/2" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 485 00A</p> <p>23 485 A0A <b>NEW</b></p> <p>23 485 BEA <b>NEW</b></p> <p>23 485 ENA</p> <p>23 485 GNA <b>NEW</b></p> <p></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p>\$ 376</p> <p>537</p> <p>537</p> <p>488</p> <p>537</p>
		<p>A0A, BEA, GNA</p> <p>Available December 2019</p>		
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Essence</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 9 5/8" Faucet height</li> <li>• 5" Spout reach</li> <li>• 8 5/16" Aerator height</li> <li>• Rotation disc allows for 150° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20°- 40° aerator angle</li> <li>• 23 1/2" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Quick installation system</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 486 00A</p> <p>23 486 A0A <b>NEW</b></p> <p>23 486 BEA <b>NEW</b></p> <p>23 486 ENA</p> <p>23 486 GNA <b>NEW</b></p> <p></p>	<p>GROHE StarLight® Chrome</p> <p>Hard Graphite</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Brushed Cool Sunrise</p>	<p>\$ 497</p> <p>709</p> <p>709</p> <p>644</p> <p>709</p>
		<p>A0A, BEA, GNA</p> <p>Available December 2019</p>		






\* Additional Low Flow Solutions, see page 344

		Product #	Colour/Description	Price
 <p><b>A0A, BEA, GNA</b> Available December 2019</p>	 <p><b>Essence</b> Lavatory Centreset for Vessel Basin, XL-Size</p> <ul style="list-style-type: none"> <li>• 14 5/16" Faucet height</li> <li>• 7 1/16" Spout reach</li> <li>• 12 1/16" Aerator height</li> <li>• Rotation disc allows for 90° or 360° swivel radius</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® Plus</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• 23 1/2" Nylon-reinforced braided flexible supplies</li> <li>• High temperature limit stop</li> <li>• Forward rotating handle</li> <li>• Less drain – sold separately See 28 754 below</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>23 538 00A</b> <b>23 538 A0A</b> <small>NEW</small> <b>23 538 BEA</b> <small>NEW</small> <b>23 538 ENA</b> <b>23 538 GNA</b> <small>NEW</small> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 609</b> <b>869</b> <b>869</b> <b>768</b> <b>869</b>
		 <p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<b>28 754 000</b> <b>28 754 ENO</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
 <p><b>A0A, BEA, GNA</b> Available December 2019</p>	 <p><b>Essence</b> Lavatory Wideset, M-Size</p> <ul style="list-style-type: none"> <li>• 7 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 6 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>20 297 00A</b> <b>20 297 A0A</b> <small>NEW</small> <b>20 297 BEA</b> <small>NEW</small> <b>20 297 ENA</b> <b>20 297 GNA</b> <small>NEW</small> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 471</b> <b>672</b> <b>672</b> <b>613</b> <b>672</b>
		 <p><b>A0A, BEA, GNA</b> Available December 2019</p>	 <p><b>Essence</b> Lavatory Wideset, L-Size</p> <ul style="list-style-type: none"> <li>• 9 5/8" Faucet height</li> <li>• 4 1/2" Spout reach</li> <li>• 8 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE AquaGuide, 20° - 40° aerator angle</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>20 431 00A</b> <b>20 431 A0A</b> <small>NEW</small> <b>20 431 BEA</b> <small>NEW</small> <b>20 431 ENA</b> <b>20 431 GNA</b> <small>NEW</small> 

# ESSENCE

		Product #	Colour/Description	Price
 <p>AOA, BEA, GNA Available December 2019</p> <p><b>new</b></p>	<p><b>Essence</b> Roman Tub Filler with Hand Shower**</p> <ul style="list-style-type: none"> <li>• 7 3/4" Spout reach</li> <li>• 5 7/16" Aerator height</li> <li>• Single lever control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria Cosmopolitan Stick Hand Shower (27 806), 7.6 L/min (2.0 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p> <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Euphoria Cosmopolitan Stick Hand Shower (26 466), 6.8 L/min (1.75 gpm)</li> </ul>	<p>★ 19 578 001</p> <p>★ 19 578 EN1</p> <p><b>CEC</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,290 1,677
		<p>19 578 00A</p> <p>19 578 A0A</p> <p>19 578 BEA</p> <p>19 578 ENA</p> <p>19 578 GNA</p> <p><b>CEC</b></p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$1,290 1,841 1,841 1,677 1,841
 <p>AOA, BEA, GNA Available December 2019</p> <p><b>new</b></p>	<p><b>Essence</b> Floorstanding Tub Filler</p> <ul style="list-style-type: none"> <li>• 30 1/16" - 33 7/8" Height*</li> <li>• 29 1/8" - 32 1/4" Aerator height*</li> <li>• 10 15/16" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 49" SilverFlex hose (28 362 040)</li> <li>• Euphoria Cosmopolitan Stick Hand Shower (27 806), 7.6 L/min (2.0 gpm)</li> </ul> <p><b>Requires Rough-In Set 29 038 (see below)</b></p> <p>Optional In-line Remote Pressure Balance Valve (35 204)</p> <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Euphoria Cosmopolitan Stick Hand Shower (26 466), 6.8 L/min (1.75 gpm)</li> </ul>	<p>★ 23 491 001</p> <p>★ 23 491 EN1</p> <p><b>CEC</b></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,795 2,326
		<p>23 491 00A</p> <p>23 491 A0A</p> <p>23 491 BEA</p> <p>23 491 ENA</p> <p>23 491 GNA</p> <p><b>CEC</b></p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 1,795 2,561 2,561 2,326 2,561
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold-supplies)</li> </ul>	29 038 001		\$ 381
 <p>AO1, BE1, GN1 Available December 2019</p>	<p><b>Grohflex Essence</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see page 116)</p>	<p>19 347 001</p> <p>19 347 A01 <b>NEW</b></p> <p>19 347 BE1 <b>NEW</b></p> <p>19 347 EN1</p> <p>19 347 GN1 <b>NEW</b></p> <p>♿</p>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 243 345 345 316 345
		<p>19 494 001</p> <p>19 494 EN1</p> <p>♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 338 439
	<p><b>Grohflex Essence</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 20 L/min (5.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see page 116)</p>	<p>19 494 001</p> <p>19 494 EN1</p> <p>♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 338 439

\*Overall height will depend on installation of Rough-In Set | \*\* To be installed in accordance with local plumbing codes.

		Product #	Colour/Description	Price
	<p><b>Grohflex Essence</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p>19 987 001 19 987 EN1 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 477 621</p>
	<p><b>Grohflex Essence</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p>19 988 001 19 988 EN1 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 555 721</p>
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p>35 026 000</p>		<p>\$ 187</p>
	<p><b>new</b> <b>Essence</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Diverter Rough-In Valve 29 902 or 29 903</p>	<p>29 203 001 29 203 A01 <b>NEW</b> 29 203 BE1 <b>NEW</b> 29 203 EN1 29 203 GN1 <b>NEW</b> ♿</p>	<p>GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise</p>	<p>\$ 169 249 249 219 249</p>
<p><b>A0A, BEA, GNA</b> Available December 2019</p>				
	<p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul>	<p>29 902 000 CEC</p>	<p>3-Way (Discrete functions)</p>	<p>\$ 277</p>
	<p><b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions</p>	<p>29 903 000</p>	<p>3-Way (Shared functions)</p>	<p>\$ 277</p>

For matching accessories please refer to the Essentials collection starting on page 210.

# GROHE EUROCUBE / EUROCUBE JOY



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 370 00A



Lavatory Centreset  
23 129 00A



Lavatory Centreset  
23 659 000



Lavatory Centreset  
23 184 00A



Lavatory Centreset For Vessel Basin  
23 671 000

### BATH FIXTURES



Roman Tub Filler with Personal Hand Shower  
19 897 000



Roman Tub Filler  
117982



Diverter Tub Spout  
13 307 000



Tub Spout  
13 305 000

### SHOWER FIXTURES



Rainshower Allure 230  
27 480 000



Power&Soul Cosmopolitan 190  
27 765 000/ENO



Euphoria Cube 150  
27 705 000



Tempesta Cosmopolitan 100  
27 591 001



Shower  
Combination  
23 148 000



Shower/Tub  
Combination  
35 027 000



Euphoria Cube  
Shower Set  
27 891 000



Euphoria Cube  
Hand Shower  
27 888 000



Allure Brilliant  
Wall Union  
27 708 000



Pressure Balance  
Valve Trim  
19 899 000



GrohFlex  
Cosmopolitan Square  
Pressure Balance  
Valve Trim  
19 925 000



Euphoria Cube  
Hand Shower Holder  
27 693 000



2-Way Diverter  
29 218 001



3-Way Diverter  
29 217 001



Volume Control Trim  
19 910 000

### ACCESSORIES/ACTUATION PLATE



Selection Cube Robe Hook  
40 782 000



Selection Cube Towel Bar  
40 767 000



Selection Cube Paper Holder  
40 781 000



Selection Cube Soap dish  
40 806 000



Essentials Cube Robe Hook  
40 511 001



Essentials Cube 24" Towel Bar  
40 509 001



Essentials Cube Paper Holder  
40 507 001















Essentials Cube Soap Dish  
40 754 001



Skate Cosmopolitan  
38 732 000/P00/SH0/  
BE0/BR0/ENO



# EUROCUBE / EUROCUBE JOY













		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7 5/16" Faucet height (when in use)</li> <li>• 4 1/16" Spout reach</li> <li>• 3 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 129 00A</p> 	GROHE StarLight® Chrome	\$ 401
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7 5/16" Faucet height (when in use)</li> <li>• 4 1/16" Spout reach</li> <li>• 3 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single Loop Handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>Vessel sink pop-up drain (65 818) sold separately</p>	<p>23 133 00A</p> 	GROHE StarLight® Chrome	\$ 365
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 7 15/16" Faucet height (when in use)</li> <li>• 5 1/4" Spout reach</li> <li>• 4 5/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass construction</li> <li>• Single loop handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 670 000</p> 	GROHE StarLight® Chrome	\$ 434
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurocube Joy</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 7 7/8" Faucet height</li> <li>• 3 7/8" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 655 000</p> 	GROHE StarLight® Chrome	\$ 466

EUROCUBE / EUROCUBE JOY









\* Additional Low Flow Solutions, see page 344

# EUROCUBE / EUROCUBE JOY

EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
  <p><b>Eurocube Joy</b> Lavatory Centreset, M-Size</p> <ul style="list-style-type: none"> <li>• 8 7/16" Faucet height</li> <li>• 5 1/4" Spout reach</li> <li>• 4 5/16" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		23 659 000 	GROHE StarLight® Chrome	\$ 503
  <p><b>Eurocube</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 9 3/4" Faucet height</li> <li>• 5 7/8" Spout reach</li> <li>• 8 3/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Installation</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• High temperature limit stop</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>		23 184 00A 	GROHE StarLight® Chrome	\$ 493
  <p><b>Eurocube</b> Lavatory Centreset for Vessel Basin, XL-Size</p> <ul style="list-style-type: none"> <li>• 13 7/16" Faucet height</li> <li>• 7 1/16" Spout reach</li> <li>• 9 13/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Single loop handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>For vessel sink pop-up drain, see 65 818 and 28 574 on page 121.</p>		23 671 000 	GROHE StarLight® Chrome	\$ 577
  <p><b>Eurocube Joy</b> Lavatory Centreset for Vessel Basin XL-Size</p> <ul style="list-style-type: none"> <li>• 14" Faucet height</li> <li>• 7 1/16" Spout reach</li> <li>• 9 13/16" Aerator height</li> <li>• GROHE FeatherControl Joystick ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Joystick handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>For vessel sink pop-up drain, see 65 818 and 28 574 on page 121.</p>		23 662 000 	GROHE StarLight® Chrome	\$ 634








# EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
	<b>Vessel Sink Pop-Up Drain</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	65 818 000	GROHE StarLight® Chrome	\$ 154
	<b>Vessel Sink Pop-Up Drain</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finishes</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	28 754 000	GROHE StarLight® Chrome	\$ 158
	<b>Eurocube</b> Lavatory Wideset <ul style="list-style-type: none"> <li>• 4 9/16" Faucet height</li> <li>• 3 13/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal loop handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	20 370 00A 	GROHE StarLight® Chrome	\$ 572
	<b>Eurocube</b> Roman Tub Filler <ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• 3 3/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	117982 	GROHE StarLight® Chrome	\$ 839
	<b>Eurocube</b> Roman Tub Filler with Personal Hand Shower** <ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• 3 5/16" Aerator height</li> <li>• 1/2" Valves</li> <li>• Single loop handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 79" Hose</li> <li>• Pull diverter activation</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	19 897 001 	GROHE StarLight® Chrome	\$ 1,851

\*\* To be installed in accordance with local plumbing codes.

# EUROCUBE / EUROCUBE JOY

EUROCUBE / EUROCUBE JOY





		Product #	Colour/Description	Price
	<p><b>Eurocube</b> Floor Mounted Tub Filler with Hand Shower</p> <ul style="list-style-type: none"> <li>• 34<sup>7</sup>/<sub>8</sub> - 39" Height*</li> <li>• 11<sup>3</sup>/<sub>4</sub>" Spout reach</li> <li>• 29<sup>3</sup>/<sub>8</sub> - 34" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex hose (28 362)</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set (29 038 001)</p> <p>Optional In-Line Remote Pressure Balance Valve (35 204), see below.</p>	<p>23 672 001</p> 	GROHE StarLight® Chrome	\$ 1,798
	<p><b>Eurocube Joy</b> Floor Mounted Tub Filler with Hand Shower</p> <ul style="list-style-type: none"> <li>• 34<sup>14</sup>/<sub>16</sub> - 38<sup>3</sup>/<sub>4</sub>" Height*</li> <li>• 11<sup>3</sup>/<sub>4</sub>" Spout reach</li> <li>• 29<sup>3</sup>/<sub>8</sub> - 33<sup>7</sup>/<sub>16</sub>" Aerator height*</li> <li>• GROHE FeatherControl Joystick handle</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 49" SilverFlex hose (28 362)</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cube hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Requires Rough-In Set (29 038 001)</p> <p>Optional In-Line Remote Pressure Balance Valve (35 204), see below.</p>	<p>23 667 001</p> 	GROHE StarLight® Chrome	\$ 2,009
	<p><b>Rough-In Set</b> For Floor-Mounted Tub Spout</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT female connections (hot/cold supplies)</li> </ul>	<p>29 038 001</p>		\$ 381
 	<p><b>Inline Remote</b> Pressure Balance Valve</p> <p>TO BE INSTALLED UPSTREAM OF THE MIXING VALVE(S)</p> <ul style="list-style-type: none"> <li>• 1/2" Female inlets</li> </ul> <p>For use with non-safety mixing valves</p> <p>20.1 L/min (5.3 gpm) at 45 psi</p>	<p>35 204 000</p>		\$ 228

# EUROCUBE / EUROCUBE JOY





		Product #	Colour/Description	Price
	<p><b>Eurocube</b> 6<sup>11</sup>/<sub>16</sub>" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	13 307 000 ♿	GROHE StarLight® Chrome	\$ 229
	<p><b>Eurocube</b> 6<sup>11</sup>/<sub>16</sub>" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 305 000	GROHE StarLight® Chrome	\$ 211
	<p><b>Eurocube</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Loop Handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria Cube Shower Head (27 705), 9.5 L/min (2.5 gpm)</li> <li>• Brass arm (27 710)</li> <li>• Tub spout (13 307)</li> <li>• Push-down diverter activation</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 124)</p>	35 027 000 ♿	GROHE StarLight® Chrome	\$ 868
	<p><b>Eurocube</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Loop Handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria Cube Shower Head (27 705), 9.5 L/min (2.5 gpm)</li> <li>• Brass arm (27 710)</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 124)</p>	23 148 000 ♿	GROHE StarLight® Chrome	\$ 657
	<p><b>Eurocube</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 124)</p>	19 899 000 ♿	GROHE StarLight® Chrome	\$ 350

# EUROCUBE / EUROCUBE JOY

EUROCUBE / EUROCUBE JOY





		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b> (see page 247)</p>	47 996 000		\$ 83

# EUROCUBE / EUROUCUBE JOY

		Product #	Colour/Description	Price
	<p><b>GrohFlex Cosmopolitan Square</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see page 126)</p>	19 924 000 ♿	GROHE StarLight® Chrome	\$ 387
	<p><b>GrohFlex Cosmopolitan Square</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see page 126)</p>	19 925 000	GROHE StarLight® Chrome	\$ 450
	<p><b>GrohFlex Cosmopolitan Square</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see page 126)</p>	19 926 000	GROHE StarLight® Chrome	\$ 718
	<p><b>GrohFlex Cosmopolitan Square</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see page 126)</p>	19 927 000	GROHE StarLight® Chrome	\$ 783





# EUROCUBE / EUROCUBE JOY

EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
	<p><b>GrohFlex Cosmopolitan Square</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Requires separate volume controls</li> <li>• Metal trim plate</li> <li>• 53 L/min (14 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 sold separately (see below)</p>	19 928 000	GROHE StarLight® Chrome	\$ 657
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	35 026 000		\$ 187
	<p><b>Eurocube</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273, 29 274 (see below)</p>	19 910 000	GROHE StarLight® Chrome	\$ 95
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	½" NPT ¾" NPT	\$ 94 153



# EUROCUBE / EUROCUBE JOY

		Product #	Colour/Description	Price
 <p><b>new</b></p> <p><b>Eurocube</b> 2-Way Diverter Trim Shower Head / Hand Shower</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> <p>For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901</p> <p><b>Available December 2019</b></p>		29 218 001 ♿	GROHE StarLight® Chrome	\$ 185
	 <p><b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 2 outlets</li> <li>• 2 discrete functions (Non-shared)</li> <li>• ½" NPT</li> </ul> <p><b>Same as above (Shared functions)</b> • 2 Discrete, 1 shared function</p>	29 900 000 CEC	2-Way (Discrete functions)	\$ 238
		29 901 000	2-Way (Shared functions)	\$ 238
 <p><b>new</b></p> <p><b>Eurocube</b> 3-Way Diverter Trim Shower Head / Hand Shower / Tub Spout</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with 3-way Diverter Rough-In Valve 29 902 or 29 903</p> <p><b>Available December 2019</b></p>		29 217 001 ♿	GROHE StarLight® Chrome	\$ 197
	 <p><b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1 inlet, 3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen Compliant</li> </ul> <p><b>Same as above (Shared functions)</b> • 3 Discrete, 3 shared functions</p>	29 902 000 CEC	3-Way (Discrete functions)	\$ 277
		29 903 000	3-Way (Shared functions)	\$ 277

EUROCUBE / EUROCUBE JOY

For matching accessories please refer to the Selection Cube collection starting on page 208 or the Essentials Cube collection starting on page 214.

GROHE  
**EUROPLUS**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 302 00A/ENA



Lavatory Centreset  
33 170 00A/ENA

### BATH FIXTURES



Eurostyle Cosmopolitan  
Roman Tub Filler with Personal Hand Shower  
23 048 003



Eurostyle Cosmopolitan  
Diverter Tub Spout  
13 285 002



Eurostyle Cosmopolitan  
Tub Spout  
13 284 002

### SHOWER FIXTURES



Power&Soul Cosmopolitan 190  
27 767 000/ENO



Rainshower Shower Arm  
28 540 000/ENO



Euphoria Cosmopolitan 180  
27 492 000



Shower Arm  
28 577 000/ENO



Euphoria 110 Massage  
27 247 001/EN1



Shower Arm  
27 414 000/ENO



Tempesta 100  
27 606 001



Tempesta 100  
Shower Set  
28 436 002



GroFlex Pressure  
Balance Valve Trim  
19 869 000/ENO

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1












Essentials  
Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1



Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SHO

		Product #	Colour/Description	Price
	<p><b>Europlus</b> Lavatory Wideset</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 5<sup>3</sup>/<sub>16</sub>" Faucet height</li> <li>• 5<sup>1</sup>/<sub>16</sub>" Spout reach</li> <li>• 4<sup>5</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 302 00A 20 302 ENA</p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 503 656</p>
	<p><b>Europlus</b> Lavatory Centreset</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 7<sup>15</sup>/<sub>16</sub>" Faucet height (when in use)</li> <li>• 4<sup>1</sup>/<sub>8</sub>" Spout reach</li> <li>• 2<sup>15</sup>/<sub>16</sub>" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® installation system</li> <li>• 23<sup>1</sup>/<sub>2</sub>" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Metal lever handle</li> <li>• High temperature limit stop</li> <li>• Adjustable flow rate limiter</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>33 170 00A 33 170 ENA</p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 369 481</p>
	<p><b>GrohFlex Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see page 131)</p>	<p>19 880 000 19 880 EN0</p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 228 296</p>
	<p><b>GrohFlex Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see page 131)</p>	<p>19 881 000 19 881 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 299 389</p>

		Product #	Colour/Description	Price
	<p><b>GrohFlex Cosmopolitan</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p>19 869 000 19 869 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 528 688</p>
	<p><b>GrohFlex Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p>19 878 000 19 878 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 588 764</p>
	<p><b>GrohFlex Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Requires separate volume controls</li> <li>• ABS trim plate</li> <li>• 53 L/min (14 gpm) at 45 psi</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GrohFlex Universal Rough-In Box 35 026 000 sold separately (see below)</p>	<p>19 879 000 19 879 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 440 578</p>
	<p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 1/2" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p>35 026 000</p>		<p>\$ 187</p>

For matching accessories please refer to the Essentials collection starting on page 210.

# GROHE EUROSMART



# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory Wideset  
20 294 00A/ENA



Lavatory Centreset  
32 642 00A/ENA



Lavatory Centreset  
(without pop-up)  
32 643 00A

### BATH FIXTURES



Roman Tub Filler  
25 168 002/EN2



Roman Tub Filler with  
Personal Hand Shower  
25 170 00A/ENA



Diverter Tub Spout  
13 356 002/EN2



Tub Spout  
13 354 002/EN2

### SHOWER FIXTURES



Tempesta Contemporary 100  
26 044 001 / EN1



Shower Arm  
27 414 000/EN0



Tub/Shower  
Combination  
35 012 20A



Shower  
Combination  
35 014 20A



Tempesta  
Contemporary 100  
Shower Set  
28 436 002



Pressure Balance  
Valve Trim  
19 458 002/EN2



2-Way Diverter Trim  
19 970 002/EN2



3-Way Diverter Trim  
19 972 002/EN2

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1















Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1



Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SHO

		Product #	Colour/Description	Price
 	<b>Eurosmart®</b> Lavatory Centreset	32 642 00A 32 642 ENA 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$196 249
 	<b>Eurosmart®</b> Lavatory Centreset Without Pop-Up	32 643 00A 	GROHE StarLight® Chrome	\$169
	<b>6" Escutcheon</b>	07 551 000 07 551 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$32 42
 	<b>Eurosmart®</b> Lavatory Wideset	20 294 00A 20 294 ENA 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$391 508
	<b>Eurosmart®</b> Roman Tub Filler	25 168 002 25 168 EN2 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$597 778

- 7 1/4" Faucet height (when in use)
- 4 3/16" Spout reach
- 2 3/16" Aerator height
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- GROHE EcoJoy®
- GROHE QuickFix installation
- Solid brass body
- 2 3/2" Nylon reinforced braided flexible inlet hoses
- Single lever handle
- Includes drain assembly
- CALGreen/CEC compliant
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*

- 7 1/4" Faucet height (when in use)
- 4 3/16" Spout reach
- 2 3/16" Aerator height
- GROHE SilkMove® ceramic cartridge
- GROHE StarLight® finish
- GROHE EcoJoy®
- GROHE QuickFix installation
- Solid brass body
- 2 3/2" Nylon reinforced braided flexible inlet hoses
- Single lever handle
- Less drain
- For pop-up drain, see page 114.
- CALGreen/CEC compliant
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*

• 2 11/16" Wide

• GROHE StarLight® finish






For use with centreset kitchen, bar, and lavatory faucets to cover unused mounting holes.





- 3 15/16" Faucet height
- 4 1/8" Spout reach
- 2 15/16" Aerator height
- GROHE SilkMove® ceramic cartridges
- GROHE StarLight® finish
- GROHE EcoJoy™
- Solid brass body
- Metal lever handles
- Nylon reinforced braided flexible inlet hoses
- Includes drain assembly
- CALGreen/CEC compliant
- Max. Flow Rate: 4.5 L/min (1.2 gpm)\*

- 5" Faucet height
- 7 5/16" Spout reach
- 3 1/16" Aerator height
- GROHE SilkMove® ceramic cartridges
- GROHE StarLight® finish



		Product #	Colour/Description	Price
	<b>Eurosmart®</b> Roman Tub Filler with Personal Hand Shower**	★ 25 170 002 ★ 25 170 EN2 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$888 1,155
	<b>new</b> <b>Same as above</b> • Tempesta® 100 Hand Shower (26 047 001), 6.6 L/min (1.75 gpm)	25 170 00A 25 170 ENA 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$915 1,190
	<b>Eurosmart®</b> 6 3/8" Tub Spout	13 354 002 13 354 EN2	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$60 79
	<b>Eurosmart®</b> 6 3/8" Diverter Tub Spout	13 356 002 13 356 EN2 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$75 97
	<b>Eurosmart®</b> Shower/Tub Combination	35 012 20A 	GROHE StarLight® Chrome	\$257
	<ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen compliant</li> <li>• Tempesta® 100 Shower Head (26 050), 5.7 L/min (1.5 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 458)</li> <li>• Diverter tub spout (13 356)</li> <li>• Pull-up diverter activation</li> </ul> <p>For use with Grohsafe Rough-In Valves                      35 015, 35 064, 35 065, 35 066                      (see page 136)</p>			
	<b>Eurosmart®</b> Shower Combination	35 014 20A 	GROHE StarLight® Chrome	\$191
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Tempesta® 100 shower head with white spray face (26 050), 5.7 L/min (1.5 gpm)</li> <li>• CALGreen/CEC compliant</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 458)</li> <li>• Single lever handle</li> </ul> <p>For use with Grohsafe Rough-In Valves                      35 015, 35 064, 35 065, 35 066                      (see page 136)</p>			

		Product #	Colour/Description	Price
	<p><b>Eurosmart®</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066, see below</p>	<p>19 458 002 19 458 EN2 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 97 125</p>
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	<p>\$ 175</p>
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 064 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	<p>\$ 175</p>
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 065 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<p>\$ 175</p>
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 066 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	<p>\$ 144</p>
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

		Product #	Colour/Description	Price
	<p><b>Eurosmart®</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve (29 712)</p>	<p>19 970 002 19 970 EN2 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 109 142</p>
	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	29 712 000	3-Port	\$ 334
	<p><b>Eurosmart®</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve (29 714)</p>	<p>19 972 002 19 972 EN2 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 120 156</p>
	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	29 714 000	5-Port	\$ 344

EUROSMART

For matching accessories please refer to the Essentials collection starting on page 210.

# GROHE EUROSMART COSMOPOLITAN



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 199 00A



Lavatory Centreset  
32 875 00A



Lavatory Centreset  
(without pop-up)  
32 877 00A

## BATH FIXTURES



Roman Tub Filler  
115174



Diverter Tub Spout  
13 273 000



Tub Spout  
13 272 000

## SHOWER FIXTURES



Power&Soul  
Cosmopolitan 190  
27 765 000



Shower Arm  
28 577 000



Euphoria  
Cosmopolitan 180  
27 492 000



Shower Arm  
27 414 000



Shower/Tub  
Combination  
35 019 000



Shower  
Combination  
35 020 000



Tempesta  
Cosmopolitan 100  
Shower Set  
27 577 002



Pressure Balance  
Valve Trim  
19 411 000



Euphoria 110 Massage  
27 247 001



Eurosmart Cosmopolitan  
2-Way Diverter Trim  
118307



Tempesta  
Cosmopolitan 100  
27 591 001



Eurosmart Cosmopolitan  
3-Way Diverter Trim  
118306

## ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001



Essentials  
24" Towel Bar  
40 366 001

















Essentials  
8" Towel Ring  
40 365 001



Essentials  
Paper Holder  
40 689 001



Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SH0





	Product #	Colour/Description	Price
  <p><b>Eurosmart Cosmopolitan</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 4 1/4" Faucet height</li> <li>• 3 1/2" Spout reach</li> <li>• 3 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>20 199 00A</b>  	GROHE StarLight® Chrome	<b>\$ 387</b>
  <p><b>Eurosmart Cosmopolitan</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height (when in use)</li> <li>• 4 1/4" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>32 875 00A</b>  	GROHE StarLight® Chrome	<b>\$ 238</b>
  <p><b>Eurosmart Cosmopolitan</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height (when in use)</li> <li>• 4 1/4" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain</li> <li>• For pop-up drain, see page 114.</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>32 877 00A</b>  	GROHE StarLight® Chrome	<b>\$ 216</b>
 <p><b>Eurosmart Cosmopolitan</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 7 1/8" Spout reach</li> <li>• 3 5/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" valves</li> <li>• Lever handles</li> </ul> <p>Flexible braided hoses connect all components and valves to supply.</p>	<b>115174</b> 	GROHE StarLight® Chrome	<b>\$ 836</b>

# EUROSMART COSMOPOLITAN









		Product #	Colour/Description	Price
	<p><b>Eurosmart Cosmopolitan</b> 6 1/2" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	13 273 000 ♿	GROHE StarLight® Chrome	\$ 205
	<p><b>Eurosmart Cosmopolitan</b> 6 1/2" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 272 000	GROHE StarLight® Chrome	\$ 151
  	<p><b>Eurosmart Cosmopolitan</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria Shower Head (27 247), 9.5 L/min (2.5 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Diverter tub spout (13 273)</li> <li>• Push-down diverter activation</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 142)</p>	35 019 000 ♿	GROHE StarLight® Chrome	\$ 497
 	<p><b>Eurosmart Cosmopolitan</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria Shower Head (27 247), 9.5 L/min (2.5 gpm)</li> <li>• Brass arm (27 414)</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 142)</p>	35 020 000 ♿	GROHE StarLight® Chrome	\$ 323
	<p><b>Eurosmart Cosmopolitan</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 142)</p>	19 411 000 ♿	GROHE StarLight® Chrome	\$ 164

EUROSMART COSMOPOLITAN

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	47 996 000		\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	47 996 000		\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	47 996 000		\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	47 996 000		\$ 83



		Product #	Colour/Description	Price
	<p><b>Eurosmart® Cosmopolitan</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Eurosmart lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Adjustable installation depth from 2 5/8" to 4 7/16"</li> <li>• 90 degree needle nose pliers required for tight installation of escutcheon</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712</p>	★ 118307 ♿	GROHE StarLight® Chrome	\$288
	 <p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	29 712 000	3-Port	\$ 334
	<p><b>Eurosmart® Cosmopolitan</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Eurosmart lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Adjustable installation depth from 2 5/8" to 4 7/16"</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 035</p>	★ 118306 ♿	GROHE StarLight® Chrome	\$288
	 <p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	29 035 000	5-Port	\$ 344

For matching accessories please refer to the Essentials collection starting on page 210.  
 For thermostatic valves and custom shower solutions please refer to  
 GrohFlex Cosmopolitan starting on page 236.

# GROHE EUROSTYLE



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
23 577 003/EN3



Lavatory Centreset  
23 579 003/EN3



Lavatory Wideset  
20 486 003/EN3

### BATH FIXTURES



Roman Tub Filler  
with Personal Hand Shower  
19 991 004/EN4



Diverter Tub Spout  
13 379 003/EN3



Tub Spout  
13 377 003/EN3

### SHOWER FIXTURES



Euphoria 260  
26 457 000 / EN0



Euphoria Cosmopolitan 180  
27 492 000



Euphoria Mono 110  
27 810 001/EN1



Euphoria 110 Massage  
27 243 001



Retro-Fit Bundle  
27 867 001



Shower/Tub Combination  
35 062 003/EN3



Pressure Balance  
Valve Trim  
19 989 003/EN3



2-Way Diverter Trim  
19 993 003/EN3



3-Way Diverter Trim  
19 995 003/EN3



12" Shower Arm  
28 577 000/EN0



Shower Arm  
27 414 000/EN0

### ACCESSORIES



Essentials  
Robe Hook  
40 364 001/EN1















Essentials  
24" Towel Bar  
40 366 001/EN1











Essentials  
8" Towel Ring  
40 365 001/EN1







Essentials  
Paper Holder  
40 689 001/EN1







		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Centreset, S-Size</p> <ul style="list-style-type: none"> <li>• 8 1/4" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handle</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm) *</li> </ul>	<p>23 577 003 23 577 EN3</p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 264 343</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Centreset, L-Size</p> <ul style="list-style-type: none"> <li>• 10 5/8" Faucet height</li> <li>• 5" Spout reach</li> <li>• 9 5/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handle</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 579 003 23 579 EN3</p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 369 482</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 6 11/16" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 5 11/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® Installation</li> <li>• Solid brass construction</li> <li>• Metal loop handles</li> <li>• Nylon reinforced braided flexible inlet hoses</li> <li>• Drain assembly included</li> <li>• Brushed nickel version features chrome accents</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 486 003 20 486 EN3</p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 391 507</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Eurostyle</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 7 1/16" Faucet height</li> <li>• 7 3/4" Spout reach</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> <li>• Euphoria 110 Mono hand shower (27 265), 5.7 L/min (1.5 gpm)</li> </ul>	<p>19 991 004 19 991 EN4</p> 	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 883 1,149</p>

# EUROSTYLE

		Product #	Colour/Description	Price
	<b>Eurostyle</b> Diverter Tub Spout <ul style="list-style-type: none"> <li>• 5<sup>15</sup>/<sub>16</sub>" Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Brushed nickel version features chrome accents</li> <li>• Pull diverter activation</li> </ul>	13 379 003 13 379 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 121 158
	<b>Eurostyle</b> Tub Spout <ul style="list-style-type: none"> <li>• 5<sup>15</sup>/<sub>16</sub>" Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Brushed nickel version features chrome accents</li> </ul>	13 377 003 13 377 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 97 127
 	<b>Eurostyle</b> Shower/Tub Combination <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria 110 Mono Shower Head (27 810), 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 989)</li> <li>• Diverter tub spout (13 379)</li> <li>• Pull diverter activation</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 148)</p>	35 062 003 35 062 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$327 433
 	<b>Eurostyle</b> Shower Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Euphoria 110 Mono Shower Head (27 810), 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Pressure balance valve trim (19 989)</li> <li>• Metal loop handle</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 148)</p>	35 060 003 35 060 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$243 317
	<b>Eurostyle</b> Pressure Balance Valve Trim <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 148)</p>	19 989 003 19 989 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$126 164

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

# EUROSTYLE

		Product #	Colour/Description	Price
	<p><b>Eurostyle</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlets, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712</p>	<p>19 993 003 19 993 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 123 160</p>
	 <p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	29 712 000	3-Port	\$ 334
	<p><b>Eurostyle</b> 3-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714</p>	<p>19 995 003 19 995 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 134 175</p>
	 <p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	29 714 000	5-Port	\$ 344

EUROSTYLE

For matching accessories please refer to the Essentials collection starting on page 210.

GROHE  
**EUROSTYLE COSMOPOLITAN**





# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 209 00A



Lavatory Centreset  
23 036 00A



Lavatory Centreset  
(without pop-up)  
23 042 00A

### BATH FIXTURES



Roman Tub Filler with  
Personal Hand Shower  
23 048 003



Diverter Tub Spout  
13 285 002



Tub Spout  
13 284 002

### SHOWER FIXTURES



Rainshower  
Cosmopolitan 160  
27 135 000



Euphoria Cosmopolitan 180  
27 492 000



Euphoria 110 Massage  
27 247 001



Tempesta®  
Cosmopolitan 100  
27 591 001



Shower/Tub  
Combination  
35 025 002



Shower  
Combination  
35 023 002



Tempesta®  
Cosmopolitan 100  
Shower Set  
27 577 002



Pressure Balance  
Valve Trim  
19 572 002

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001



Essentials  
24" Towel Bar  
40 366 001



Essentials  
8" Towel Ring  
40 365 001

















Essentials  
Paper Holder  
40 689 001










Nova Cosmopolitan  
Actuation Plate  
38 765 000/P00/SH0

# EUROSTYLE COSMOPOLITAN

EUROSTYLE COSMOPOLITAN

	Product #	Colour/Description	Price
  <p><b>Eurostyle Cosmopolitan</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 4 1/8" Faucet height</li> <li>• 5 1/8" Spout reach</li> <li>• 3 1/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	20 209 00A 	GROHE StarLight® Chrome	\$ 433
  <p><b>Eurostyle Cosmopolitan</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 7/8" Faucet height (when in use)</li> <li>• 4" Spout reach</li> <li>• 3 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	23 036 00A 	GROHE StarLight® Chrome	\$ 299
  <p><b>Eurostyle Cosmopolitan</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 7 7/8" Faucet height (when in use)</li> <li>• 4" Spout reach</li> <li>• 3 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Less drain</li> <li>• For pop-up drain, see page 172.</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	23 042 00A 	GROHE StarLight® Chrome	\$ 272
 <p><b>Eurostyle Cosmopolitan</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 11/16" Spout reach</li> <li>• 4" Aerator height</li> <li>• Single lever control</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• CALGreen/CEC compliant</li> <li>• Euphoria Cosmopolitan Stick hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible braided hoses connect all components and valves to supply.</p>	23 048 003 	GROHE StarLight® Chrome	\$ 1,481
 <p><b>Eurostyle Cosmopolitan</b> 6 1/16" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push button diverter activation</li> </ul>	13 285 002 	GROHE StarLight® Chrome	\$ 206
 <p><b>Eurostyle Cosmopolitan</b> 6 1/16" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 284 002	GROHE StarLight® Chrome	\$ 175

# EUROSTYLE COSMOPOLITAN

		Product #	Colour/Description	Price
	<p><b>Eurostyle Cosmopolitan</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria 110 Mono shower head (27 810) 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> <li>• Diverter tub spout (13 285)</li> <li>• Push button diverter activation</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 154)</p>	<p>35 025 002</p> 	GROHE StarLight® Chrome	\$ 519
	<p><b>Eurostyle Cosmopolitan</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Single lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Euphoria 110 Mono shower head (27 810) 7.6 L/min (2.0 gpm)</li> <li>• Brass arm (27 414)</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 154)</p>	<p>35 023 002</p> 	GROHE StarLight® Chrome	\$ 337
	<p><b>Eurostyle Cosmopolitan</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 154)</p>	<p>19 572 002</p> 	GROHE StarLight® Chrome	\$ 211
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p> <p>† Universal connection is ½" male by copper sweat</p>	Inlets: ½" Universal† Outlets: ½" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

# EUROSTYLE COSMOPOLITAN

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

For matching accessories please refer to the Essentials collection starting on page 210.  
For thermostatic valves and custom shower solutions please refer to  
GrohFlex Cosmopolitan starting on page 236.

# GROHE FAIRBORN



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 423 00A / EN1 / ZC0



Lavatory Centreset  
23 399 00A / EN1 / ZC0



4" Centreset  
20 424 00A / EN1 / ZC0

### BATH FIXTURES



Roman Tub Filler  
25 160 000 / EN1 / ZC0



Roman Tub Filler  
with Hand Shower  
25 162 000 / EN1 / ZC0



Diverter Tub Spout  
13 344 000 / EN1 / ZC0



Tub Spout  
13 345 000 / EN1 / ZC0

### SHOWER FIXTURES



Shower Arm + Shower Head  
26 117 000/EN1/ZC0



Shower/Tub  
Combination  
35 047 000/EN1/ZC0



Shower Combination  
35 046 000/EN1/ZC0



Tempesta Rustic 100  
Shower Set  
27 609 001



Pressure Balance  
Valve Trim  
19 949 000/EN1/ZC0



Tempesta Rustic 100  
Hand Shower  
27 608 001

### ACCESSORIES/ACTUATION PLATE



Robe Hook  
40 677 001/EN1/ZC1



24" Towel Bar  
40 674 001/EN1/ZC1



Towel Ring  
40 676 001/EN1/ZC1















Paper Holder  
40 678 001/EN1/ZC1



Nova Cosmopolitan  
38 765 000













# FAIRBORN

		Product #	Colour/Description	Price
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> Lavatory Wideset	<ul style="list-style-type: none"> <li>• 5 7/8" Faucet height</li> <li>• 5 9/16" Spout reach</li> <li>• 3 11/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE QuickFix® installation</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	★ 20 423 00A \$307
				★ 20 423 EN1 400 ★ 20 423 ZC0 430
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> 4" Centreset	<ul style="list-style-type: none"> <li>• 6 5/16" Faucet height</li> <li>• 5 9/16" Spout reach</li> <li>• 4 1/8" Aerator height</li> <li>• 2 7/8" Deck width</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	★ 20 424 00A \$187
				★ 20 424 EN1 243 ★ 20 424 ZC0 262
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> Lavatory Centreset	<ul style="list-style-type: none"> <li>• 8 1/4" Faucet height (when in use)</li> <li>• 5 3/16" Spout reach</li> <li>• 2 13/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• 23 1/2" braided flexible supply lines</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	★ 23 399 00A \$221
				★ 23 399 EN1 287 ★ 23 399 ZC0 309
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> Lavatory Centreset with Escutcheon	<ul style="list-style-type: none"> <li>• 8 1/16" Faucet height (when in use)</li> <li>• 5 3/16" Spout reach</li> <li>• 2 9/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Includes 6 1/2" escutcheon</li> <li>• 2 5/8" Escutcheon width</li> <li>• 23 1/2" braided flexible supply lines</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	★ 23 400 00A \$236
				★ 23 400 EN1 307 ★ 23 400 ZC0 331
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> Roman Tub Filler	<ul style="list-style-type: none"> <li>• 8 1/4" Spout height</li> <li>• 6 15/16" Spout reach</li> <li>• 5 3/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> </ul>	★ 25 160 000 \$523
				★ 25 160 EN1 680 ★ 25 160 ZC0 732
	 <p>Certified by IAPMO R&amp;T</p>	<b>Fairborn</b> Roman Tub Filler with Hand Shower**	<ul style="list-style-type: none"> <li>• 8 1/4" Spout height</li> <li>• 8 7/8" Hand shower height when installed</li> <li>• 6 15/16" Spout reach</li> <li>• 5 3/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• 1/2" Valves</li> <li>• Tempesta Rustic 100 hand shower (26 048), 7.6 L/min (2.0 gpm)</li> </ul>	★ 25 162 000 \$816
				★ 25 162 EN1 1,062 ★ 25 162 ZC0 1,143

FAIRBORN


# FAIRBORN








FAIRBORN

		Product #	Colour/Description	Price
	<b>Fairborn</b> Diverter Tub Spout <ul style="list-style-type: none"> <li>• 5 9/16" Spout reach</li> <li>• 1/2" NPT inlet</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 344 000 ★ 13 344 EN1 ★ 13 344 ZC0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$72</b> <b>93</b> <b>101</b>
	<b>Fairborn</b> Tub Spout <ul style="list-style-type: none"> <li>• 5 9/16" Spout reach</li> <li>• 1/2" NPT inlet</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 345 000 ★ 13 345 EN1 ★ 13 345 ZC0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$63</b> <b>82</b> <b>87</b>
	<b>Fairborn</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout) <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714	★ 19 955 000 ★ 19 955 EN1 ★ 19 955 ZC0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$163</b> <b>213</b> <b>229</b>
	<b>Diverter/Transfer</b> 5-Port Rough-In Valve <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> 2 Inlets, 3 Outlets Note: For mixed water, select one inlet and plug the other. Not recommended for use with body sprays	29 714 000	5-Port	<b>\$ 344</b>
	<b>Fairborn</b> Shower Arm + Shower Head <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• Tempesta® Rustic 100 Shower Head (26 080), 7.6 L/min (2.0 gpm)</li> </ul>	★ 26 117 000 ★ 26 117 EN1 ★ 26 117 ZC0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$103</b> <b>134</b> <b>144</b>
    	<b>Fairborn</b> Shower/Tub Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• Shower Arm + Shower Head (26 117), 7.6 L/min (2.0 gpm)</li> <li>• Pressure Balance Valve Trim (19 949)</li> <li>• Diverter Tub Spout (13 344)</li> </ul> For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 159 and 160)	★ 35 047 000 ★ 35 047 EN1 ★ 35 047 ZC0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$256</b> <b>333</b> <b>358</b>



# FAIRBORN

		Product #	Colour/Description	Price
	<b>Fairborn</b> Shower Combination <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• Shower Arm + Shower Head (26 117)</li> <li>• Pressure Balance Valve Trim (19 949)</li> </ul> For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 160)	★ 35 046 000 ★ 35 046 EN1 ★ 35 046 ZCO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$ 180 234 252
				<b>Fairborn</b> Pressure Balance Valve Trim <ul style="list-style-type: none"> <li>• Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 160)
	<b>Grohsafe</b> Universal Pressure Balance Rough-In Valve <ul style="list-style-type: none"> <li>• For installation with ½" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	<b>35 015 001</b>  † Universal connection is ½" male by copper sweat	Inlets: ½" Universal† Outlets: ½" Universal†	<b>\$ 175</b>
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve <ul style="list-style-type: none"> <li>• For installation with ½" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	<b>35 064 001</b>  † Universal connection is ½" male by copper sweat	Inlets: ½" PEX Expansion (1960) Outlets: ½" Universal†	<b>\$ 175</b>
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	<b>35 065 001</b>  † Universal connection is 1/2" male by copper sweat	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal †	<b>\$175</b>
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	<b>35 066 001</b>  † Universal connection is 1/2" male by copper sweat	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal †	<b>\$144</b>
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Fairborn</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 674 001 ★ 40 674 EN1 ★ 40 674 ZC1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$71</b> <b>92</b> <b>100</b>
	<b>Fairborn</b> 18" Towel Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 675 001 ★ 40 675 EN1 ★ 40 675 ZC1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$67</b> <b>87</b> <b>93</b>
	<b>Fairborn</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 676 001 ★ 40 676 EN1 ★ 40 676 ZC1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$50</b> <b>66</b> <b>71</b>
	<b>Fairborn</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 677 001 ★ 40 677 EN1 ★ 40 677 ZC1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$31</b> <b>41</b> <b>45</b>
	<b>Fairborn</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 678 001 ★ 40 678 EN1 ★ 40 678 ZC1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<b>\$59</b> <b>76</b> <b>82</b>

# GROHE GENEVA



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 801 00A/ ENA/ZBA +  
18 734 000/ EN0/ZB0

### BATH FIXTURES



Roman Tub Filler  
25 054 000/ EN0/ZB0 +  
18 733 000/ EN0/ZB0



Roman Tub Filler with  
Personal Hand Shower  
25 506 001/ EN1/ZB1 +  
18 734 000/ EN0/ZB0



Diverter Tub Spout  
13 610 000/ EN0/ZB0



Tub Spout  
13 612 000/ EN0/ZB0

### SHOWER FIXTURES



Rainshower Rustic 210  
26 474 000/ EN0/ZB0



Rainshower  
Retro Shower Arm  
28 383 000/ EN0



Relexa Rustic 100  
Shower Set  
27 142 000/ EN0



GrohFlex Thermostatic Trim  
19 843 000/ EN0/ZB0



Geneva Pressure  
Balance Trim  
19 725 000/ EN0/ZB0



Rainshower Rustic 160  
27 130 000/ EN0/ZB0



Geneva Shower Arm  
27 012 000/ EN0/ZB0



Diverter Trims  
19 220 000/ EN0/ZB0 +  
19 219 000/ EN0/ZB0



Relexa Rustic 100  
27 126 001/ EN1/ZB1



Relexa Rustic 100  
27 125 000/ EN0/ZB0



Volume Control Trims  
19 837 000/ EN0/ZB0 +  
19 829 000/ EN0/ZB0

### ACCESSORIES



Robe Hook  
40 155 000/ EN0



24" Towel Bar  
40 146 000/ EN0











8" Towel Ring  
40 151 000/ EN0















Paper Holder  
40 156 000/ EN0



# GENEVA

	Product #	Handle #	Colour/Description	Price
  	<b>Geneva</b> Lavatory Wideset	★ 20 801 00A ★ 20 801 ENA ★ 20 801 ZBA CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 560 728 784
	<ul style="list-style-type: none"> <li>• 67/16" Faucet height</li> <li>• 55/16" Spout reach</li> <li>• 43/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Less Handles - order 18 733 or 18 734 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW		
	<b>Same as above + Cross Handles</b> • 18 733 Cross Handles (sold separately, see below)	★ 20 801 00A + 18 733 000 ★ 20 801 ENA + 18 733 EN0 ★ 20 801 ZBA + 18 733 ZB0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
<b>Same as above + Lever Handles</b> • 18 734 Lever Handles (sold separately, see below)	★ 20 801 00A + 18 734 000 ★ 20 801 ENA + 18 734 EN0 ★ 20 801 ZBA + 18 734 ZB0 ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze		
  	<b>Geneva</b> Roman Tub Filler with Personal Hand Shower**	★ 25 506 001 ★ 25 506 BE1 ★ 25 506 EN1 ★ 25 506 ZB1 CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 1,376 1,742 1,789 1,927
	<ul style="list-style-type: none"> <li>• 10" Diverter spout</li> <li>• 91/8" Diverter spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• Hand shower, 6.6 L/min (1.75 gpm)</li> <li>• 79" Metal shower hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 733 or 18 734 (sold separately)</li> </ul>	Flexible nylon braided hoses connect all components and valves to supply.		
	<b>Same as above + Cross Handles</b> • 18 733 Cross Handles (sold separately, see below)	★ 25 506 001 + 18 733 000 ★ 25 506 BE1 + 18 733 BE0 ★ 25 506 EN1 + 18 733 EN0 ★ 25 506 ZB1 + 18 733 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
<b>Same as above + Lever Handles</b> • 18 734 Lever Handles (sold separately, see below)	★ 25 506 001 + 18 734 000 ★ 25 506 BE1 + 18 734 BE0 ★ 25 506 EN1 + 18 734 EN0 ★ 25 506 ZB1 + 18 734 ZB0 ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze		
	<b>Geneva</b> Cross Handles (Sold In Pairs)	★ 18 733 000 ★ 18 733 EN0 ★ 18 733 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<b>Geneva</b> Lever Handles (Sold In Pairs)	★ 18 734 000 ★ 18 734 EN0 ★ 18 734 ZB0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>			
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>			

\* Additional Low Flow Solutions. See Page 344\*\* To be installed in accordance with local plumbing codes. | Note: Products listed with ★ (stars) are available while supplies last.

	Product #	Colour/Description	Price
	<b>Geneva</b> Roman Tub Filler	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 995 1,294 1,394
	<ul style="list-style-type: none"> <li>• 9 1/8" Spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• 10" Spout</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 733 or 18 734 (sold separately)</li> </ul>	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW	
	Flexible braided hoses connect all components and valves to supply.		
	<b>Same as above + Cross Handles</b> • 18 733 Cross Handles (sold separately, see below)	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<b>Same as above + Lever Handles</b> • 18 734 Lever Handles (sold separately, see below)	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<b>Geneva</b> Cross Handles (Sold In Pairs)	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<b>Geneva</b> Lever Handles (Sold In Pairs)	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131 172 183
	<b>Geneva</b> Pressure Balance Valve Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 293 383 416
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul>	† Universal connection is 1/2" male by copper sweat	
	Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi		
	<b>Optional 1" Extension Kit</b> (See page 247)		\$ 83
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul>	† Universal connection is 1/2" male by copper sweat	
	Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi		
	<b>Optional 1" Extension Kit</b> (See page 247)		\$ 83

		Product #	Colour/Description	Price
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	<b>35 065 001</b>	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	<b>\$ 175</b>
	<ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>GrohSafe</b> Universal Pressure Balance Rough-In Valve	<b>35 066 001</b>	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	<b>\$ 144</b>
	<ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi	† Universal connection is 1/2" male by copper sweat		
	<b>Optional 1" Extension Kit</b> (See page 247)	<b>47 996 000</b>		<b>\$ 83</b>
	<b>Geneva</b> Thermostat Trim	★ 19 615 000 ★ 19 615 EN0 ★ 19 615 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<b>\$ 379</b> <b>492</b> <b>531</b>
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Cross Handle Temperature Control</li> <li>• Requires separate volume control (See page 167 for matching volume control trim/valve)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)			
	<b>Grohtherm</b> Thermostat Rough-In Valve	<b>34 331 000</b>	1/2" Valve - with Service Stops	<b>\$ 339</b>
	<ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing - No additional parts required</li> </ul>	<b>34 397 000</b>	3/4" Valve - with Service Stops	<b>\$ 508</b>
	<b>REQUIRES SEPARATE VOLUME CONTROL</b>  Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 324)			
	34 331 - 34 L/min (9 gpm) at 45 PSI (1/2" Valve) 34 397 - 61 L/min (16 gpm) at 45 PSI (3/4" Valve)			
	<b>MEETS ASSE STANDARD 1016</b>			

		Product #	Colour/Description	Price
 	<p><b>GroFlex Authentic</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GroFlex Universal Rough-In Box 35 026 000 sold separately (see p. 167)</p>	<p>19 843 000 19 843 BE0 19 843 EN0 19 843 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 214 280 280 300</p>
	<p><b>GroFlex Authentic</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GroFlex Universal Rough-In Box 35 026 000 sold separately (see p. 167)</p>	<p>19 844 000 19 844 BE0 19 844 EN0 19 844 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 287 374 374 401</p>
	<p><b>GroFlex Authentic</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GroFlex Universal Rough-In Box 35 026 000 sold separately (see p. 167)</p>	<p>19 822 000 19 822 EN0 ★ 19 822 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 511 673 716</p>
	<p><b>GroFlex Authentic</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GroFlex Universal Rough-In Box 35 026 000 sold separately (see p. 167)</p>	<p>19 825 000 19 825 EN0 ★ 19 825 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 582 751 815</p>
	<p><b>GroFlex Authentic</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• ABS trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul> <p>For use with GroFlex Universal Rough-In Box 35 026 000 sold separately (see p. 167)</p>	<p>★ 19 839 000 ★ 19 839 EN0 ★ 19 839 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 441 577 620</p>










# GENEVA

		Product #	Colour/Description	Price
	<b>GrohFlex</b> Universal Rough-In Box <ul style="list-style-type: none"> <li>• 1/2" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul>	35 026 000		\$ 187
	<b>Geneva</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Geneva Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274 (see below)	★ 19 829 000 ★ 19 829 EN0 ★ 19 829 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 218 283 305
	<b>Geneva</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Geneva Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274 (see below)	★ 19 837 000 ★ 19 837 EN0 ★ 19 837 ZB0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 218 283 305
	<b>Volume Control</b> Rough-In Valve <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	1/2" NPT 3/4" NPT	\$ 94 153
	<b>Geneva</b> 6 7/8" Shower Arm & Flange <ul style="list-style-type: none"> <li>• 1/2" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	★ 27 012 000 ★ 27 012 EN0 ★ 27 012 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 112 146 153
	<b>Geneva</b> 2-Way Diverter Trim (Shower Head / Hand Shower) <ul style="list-style-type: none"> <li>• Geneva Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712 (see below)	★ 19 219 000 ★ 19 219 EN0 ★ 19 219 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 288 374 403
	<b>Geneva</b> 2-Way Diverter Trim (Shower Head / Hand Shower) <ul style="list-style-type: none"> <li>• Geneva Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712 (see below)	★ 19 220 000 ★ 19 220 EN0 ★ 19 220 ZB0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 288 374 403
	<b>Diverter/Transfer</b> 3-Port Rough-In Valve <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> 1 Inlet, 2 Outlets Not recommended for use with body sprays	29 712 000	3-Port	\$ 334

Note: Products listed with ★ (stars) are available while supplies last.

# GENEVA

		Product #	Colour/Description	Price
	<b>Geneva</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push down activation</li> </ul>	★ 13 610 000 ★ 13 610 ENO ★ 13 610 ZBO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 319 429 451
	<b>Geneva</b> 6" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 612 000 ★ 13 612 ENO ★ 13 612 ZBO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 291 382 407
	<b>Geneva</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 146 000 ★ 40 146 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 199 261
	<b>Geneva</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 151 000 ★ 40 151 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 139 181
	<b>Geneva</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 155 000 ★ 40 155 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 99 128
	<b>Geneva</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	★ 40 156 000 ★ 40 156 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 128 167

GENEVA

# GROHE GRANDERA



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Centreset  
23 311 00A/ENA



Lavatory Centreset  
with Swivel Spout  
21 108 00A/ENA



Lavatory Wideset  
20 419 00A/ENA



Lavatory Centreset  
for Vessel Basin  
23 314 00A/ENA

## BATH FIXTURES



Roman Tub Filler  
25 154 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
19 936 000



Roman Tub Filler with  
Personal Hand Shower  
19 919 00A/ENA



Floor Standing  
Tub Filler  
23 318 00A/ENA



Tub Spout  
13 342 000/ENO

## SHOWER FIXTURES



Rainshower Grandera  
26 473 000/ENO



Rainshower Grandera  
Shower Arm 11 1/4"  
27 988 000/ENO



Hand Shower Holder  
27 969 000/ENO



GrohFlex Grandera  
Pressure Balance Valve Trim  
19 933 000/ENO



Shower Head  
26 035 001/EN1



Rainshower Grandera  
Ceiling Shower Arm 11 1/2"  
27 984 000/ENO



Wall Union  
27 971 000/ENO



Diverter Trim  
19 942 000/ENO



Relaxa Ultra Body Spray  
27 070 000/ENO



Shower Arm 6 5/8"  
26 036 000/ENO



Grandera Stick  
26 037 001/EN1



Volume Control Trim  
19 944 000/ENO

## ACCESSORIES / ACTUATION PLATE



Robe Hook  
40 631 000/ENO



24" Towel Bar  
40 629 000/ENO



















Towel Ring  
40 630 000/ENO











Paper Holder  
40 625 000/ENO



Skate Cosmopolitan  
38 732 000





		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Grandera</b> Low Spout Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 7 1/4" Faucet height</li> <li>• 6 1/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 418 00A 20 418 ENA  </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 625 814</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Grandera</b> High Spout Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 10 3/8" Faucet height</li> <li>• 4 15/16" Spout reach</li> <li>• 6 3/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>20 419 00A 20 419 ENA  </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 709 922</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Grandera</b> Low Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6 7/8" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• Includes drain assembly</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 311 00A 23 311 ENA  </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 528 688</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Grandera</b> Low Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6 7/8" Faucet height</li> <li>• 4 3/8" Spout reach</li> <li>• 3 1/4" Aerator height</li> <li>• Solid brass construction</li> <li>• Less drain</li> <li>• For pop-up drain, see page 172.</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>23 312 00A 23 312 ENA  </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 482 630</p>

\* Additional Low Flow Solutions. See Page 344.








		Product #	Colour/Description	Price
	 <p><b>Grandera</b> High Spout Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 11 13/16" Faucet height</li> <li>• 6 1/8" Spout reach</li> <li>• 7 13/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<b>21 108 00A</b> <b>21 108 ENA</b>  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 768</b> <b>1,001</b>
	 <p><b>Grandera</b> Lavatory Centreset for Vessel Basin</p> <ul style="list-style-type: none"> <li>• 14 3/8" Faucet height</li> <li>• 6 3/16" Spout reach</li> <li>• 9 3/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Metal lever handle</li> <li>• 23 1/2 Nylon reinforced braided flexible inlet hoses</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p>For vessel sink pop-up drain, see 28 754 below.</p>	<b>23 314 00A</b> <b>23 314 ENA</b>  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 757</b> <b>984</b>
	 <p><b>Grandera</b> 2-Hole Wall Mount Vessel Trim</p> <ul style="list-style-type: none"> <li>• 9 1/4" Spout reach</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE AquaGuide flow control</li> <li>• Solid brass construction</li> <li>• Metal lever handle</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul> <p><b>Requires Vessel Rough-In Valve 23 320</b> <b>(see below)</b></p> <p>For vessel sink pop-up drain, see 28 754 below.</p>	<b>19 931 00A</b> <b>19 931 ENA</b>  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 566</b> <b>740</b>
	<p><b>2-Hole Wall Mount Vessel</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• 1/2" NPT female inlets</li> <li>• 4 5/16" Centre to Centre</li> <li>• Cast brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<b>23 320 000</b>		<b>\$ 345</b>
	<p><b>Vessel Sink Pop-Up Drain</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Matches faucet finish</li> <li>• One-touch, spring action pop-up (No overflow)</li> <li>• No lift rod required</li> </ul>	<b>28 754 000</b> <b>28 754 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 158</b> <b>232</b>


















		Product #	Colour/Description	Price
	<b>Grandera</b> Floor Standing Tub Filler with Hand Shower**	★ 23 318 000 ★ 23 318 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 2,646 3,439
	• 39 5/16" - 43 3/16" Height* • 33 3/16" - 37 5/16" Aerator height* • 12 5/8" Spout reach • GROHE SilkMove® ceramic cartridge • GROHE StarLight® finish • 49" Metal hose • Grandera stick hand shower (26 037), 7.6 L/min (2.0gpm)  Requires Rough-In Set 29 038 (see below)	<b>Same as above</b> • Grandera stick hand shower (26 037), 6.6 L/min (1.75gpm)	23 318 00A 23 318 ENA 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<b>Rough-In Set</b> For Floor Standing Tub Filler	29 038 001 		\$ 381
	• Floor mounted • Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor • 1/2" NPT female connections (hot/cold-supplies)			
	<b>Grandera</b> Roman Tub Filler with Personal Hand Shower**	★ 19 919 000 ★ 19 919 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,851 2,407
	• 8 1/2" Spout reach • 3 3/4" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridges • GROHE StarLight® finish • 79" Metal shower hose • Grandera stick hand shower (26 037), 7.6 L/min (2.0 gpm) • 3/4" Copper connections • Metal lever handles	<b>Same as above</b> • Grandera stick hand shower (26 037), 6.6 L/min (1.75gpm)	19 919 00A 19 919 ENA 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<b>Grandera</b> Roman Tub Filler with Personal Hand Shower**	19 936 000 	GROHE StarLight® Chrome	\$ 1,798
	• 8 1/2" Spout reach • 3 3/4" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridge • GROHE StarLight® finish • 79" Metal shower hose • Grandera stick hand shower (26 037), 7.6 L/min (2.0 gpm) • 3/4" Copper connections			
	<b>Grandera</b> Roman Tub Filler	25 154 000 25 154 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,031 1,342
	• 8 3/8" Spout reach • 3 3/4" Aerator height • Solid brass construction • GROHE SilkMove® ceramic cartridges • GROHE StarLight® finish • 1/2" Valves  Flexible stainless steel braided hoses connect all components and valves to supply			
	<b>Grandera</b> 6 15/16" Tub Spout	13 342 000 13 342 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 349 454
	• Wall Mount • 1/2" Inlet • GROHE StarLight® finish			









GRANDERA

		Product #	Colour/Description	Price
	<p><b>GrohFlex Grandera</b> Single Function Pressure Balance Valve Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Rough-In Box 35 026 000 sold separately, see next page.</p>	<p>19 933 000 19 933 ENO ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$382 496</p>
	<p><b>GrohFlex Grandera</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Rough-In Box 35 026 000 sold separately, see next page.</p>	<p>19 946 000 19 946 ENO</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$487 633</p>
	<p><b>GrohFlex Grandera</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul> <p>For use with GrohFlex Rough-In Box 35 026 000 sold separately, see next page.</p>	<p>19 935 000 19 935 ENO</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$598 778</p>
	<p><b>GrohFlex Grandera</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul> <p>For use with GrohFlex Rough-In Box 35 026 000 sold separately, see next page.</p>	<p>19 947 000 19 947 ENO</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$704 915</p>



		Product #	Colour/Description	Price
	<p><b>GroFlex Grandera</b> Custom Shower Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume controls</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F/38°C</li> <li>• 53 L/min (14gpm) at 45psi</li> </ul> <p>For use with GroFlex Rough-In Box 35 026 000 sold separately, see below.</p>	<p>19 940 000 19 940 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 657 852</p>
	<p><b>GroFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 1/2" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GroFlex Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	<p>35 026 000</p>		<p>\$ 187</p>
	<p><b>Grandera</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 35 029 (see below)</p>	<p>19 944 000 19 944 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 164 214</p>
	<p><b>Grotherm F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	<p>35 029 000</p>		<p>\$ 188</p>
	<p><b>Grandera</b> 3-Way Diverter Trim (Shower Head / Hand Shower / Tub Spout)</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>For use with Diverter Rough-In Valve 29 714, (see below)</p>	<p>19 942 000 19 942 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 244 317</p>
 	<p><b>Diverter/Transfer</b> 5-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 3 Discrete, 3 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>2 Inlets, 3 Outlets</p> <p>Note: For mixed water, select one inlet and plug the other.</p> <p>Not recommended for use with body sprays</p>	<p>29 714 000</p>	<p>5-Port</p>	<p>\$ 344</p>

		Product #	Colour/Description	Price
	<b>Rainshower Grandera</b> Shower Head - 1 spray <ul style="list-style-type: none"> <li>• 8 1/4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DripStop - eliminates drips once the water is off</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain Recommended for use with any Grandera shower arms below in an open installation.	★ 27 976 000 ★ 27 976 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 698 907
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 473 000 26 473 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 698 907
	<b>Rainshower Grandera</b> 11 1/2" Ceiling Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 984 000 27 984 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 148 196
	<b>Rainshower Grandera</b> 11 1/4" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 988 000 27 988 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 150 195
	 <b>Euphoria Grandera 130 Massage</b> Shower Head – 3 Sprays <ul style="list-style-type: none"> <li>• 5 1/4" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• SpeedClean® anti-lime system</li> <li>• CALGreen compliant</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Adjustable Spray: Rain / Smart Rain / Massage	★ 26 035 000 ★ 26 035 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 147 193
	 <b>Same as above</b> (Replaces 26 035) • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 035 001 26 035 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 147 193
	<b>Grandera</b> 6 5/8" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	26 036 000 26 036 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 67 87
	 <b>Grandera</b> Hand Shower – 1 spray <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: Non-Adjustable Normal Spray	★ 26 037 000 ★ 26 037 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 172 225
	 <b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 037 001 26 037 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 172 225
	<b>Grandera</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 969 000 27 969 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 121 155
	<b>Grandera</b> Wall Union <ul style="list-style-type: none"> <li>• 1/2" NPT threads</li> <li>• GROHE StarLight® finish</li> <li>• Non-return valve for backflow prevention</li> </ul>	27 971 000 27 971 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 196 256

		Product #	Colour/Description	Price
	<b>Grandera</b> Ceramic Tumbler with Holder • GROHE StarLight® finish	40 626 000	GROHE StarLight® Chrome	\$296
	<b>Grandera</b> Ceramic Soap Dispenser with Holder • GROHE StarLight® finish	40 627 000	GROHE StarLight® Chrome	\$401
	<b>Grandera</b> Ceramic Soap Dish with Holder • GROHE StarLight® finish	40 628 000	GROHE StarLight® Chrome	\$365
	<b>Grandera</b> 24" Towel Bar • GROHE StarLight® finish	40 629 000 40 629 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$419 545
	<b>Grandera</b> 8" Towel Ring • GROHE StarLight® finish	40 630 000 40 630 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$270 350
	<b>Grandera</b> Robe Hook • GROHE StarLight® finish	40 631 000 40 631 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$129 168
	<b>Grandera</b> 15 3/16" Grab Bar • GROHE StarLight® finish	40 633 000 40 633 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$244 317
	<b>Grandera</b> Paper Holder • GROHE StarLight® finish	40 625 000 40 625 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$334 431
	<b>Grandera</b> Toilet Brush • GROHE StarLight® finish	40 632 000	GROHE StarLight® Chrome	\$466

# GROHE KENSINGTON



# GROHE POPULAR COMBINATIONS

## FAUCETS



Lavatory Wideset  
20 124 00A/ENA +  
18 087 000/ENO



Lavatory Wideset  
20 124 00A + 18 086 VP0

## BATH FIXTURES



Roman Tub Filler  
25 074 000/ENO +  
18 087 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
25 073 000 + 18 086 VP0



Diverter Tub Spout  
13 194 000/ENO/VP0



Tub Spout  
13 193 000/ENO

## SHOWER FIXTURES



Rainshower Rustic 210  
26 474 000/ENO



Rainshower Retro Shower Arm  
28 383 000/ENO



Relexa Rustic  
100 Shower Set  
27 142 000/ENO



Kensington  
Pressure Balance Valve Trims  
19 268 VP0 +  
19 267 000/ENO



Rainshower Rustic 190  
27 130 000/ENO



Rainshower Ceiling Shower Arm  
28 492 000/ENO



Diverter Trims  
19 271 VP0 +  
19 272 000/ENO



Relexa Rustic 100  
27 126 001/EN1



Kensington Shower Arm  
27 034 000/ENO



Relexa Rustic 100  
27 125 000/ENO



Volume Control Trims  
19 269 VP0 +  
19 270 000/ENO

## ACCESSORIES



Robe Hook  
40 226  
000/ENO/VP0









24" Towel Bar  
40 224  
000/ENO/VP0



8" Towel Ring  
40 222  
000/ENO/VP0








Paper Holder  
40 235  
000/ENO/VP0

	Product #	Handle #	Colour/Description	Price
 	<b>Kensington</b> Lavatory Wideset	20 124 00A 20 124 ENA	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 783 1,018
<ul style="list-style-type: none"> <li>• 6 7/16" Faucet height</li> <li>• 5 5/16" Spout reach</li> <li>• 4 1/8" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Includes drain assembly</li> <li>• Braided flexible supply lines</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	• CEC FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW.			
	<b>Same as above + Swarovski® Crystal Handles</b>	20 124 00A + 18 086 VP0	GROHE StarLight® Chrome /Swarovski® Crystal	
<ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see below)</li> </ul>	• CEC			
	<b>Same as above + Lever Handles</b>	20 124 00A + 18 087 000 20 124 ENA + 18 087 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	
<ul style="list-style-type: none"> <li>• 18 087 Lever Handles (sold separately, see below)</li> </ul>	• CEC ♿			
	<b>Kensington</b> Lever Handles (Sold In Pairs)	18 087 000 18 087 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 222 290
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	♿			
	<b>Kensington</b> Swarovski® Crystal Handles (Sold In Pairs)	18 086 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 503
<p>Note: Set includes Swarovski® crystal accent for faucet lift rod or diverter.</p>				





		Product #	Handle #	Colour/Description	Price
	<p><b>Kensington</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 10" Diverter Spout</li> <li>• 9 1/8" Diverter Spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• Hand shower, 9.5 L/min (2.5 gpm)</li> <li>• 79" Hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	25 073 000 25 073 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 2,222 2,888
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 180				
	<p><b>Same as above + Swarovski® Crystal Handles</b></p> <ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see page 180)</li> </ul>	25 073 000 + 18 086 VP0		GROHE StarLight® Chrome /Swarovski® Crystal	
<p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 087 Lever Handles (sold separately, see page 180)</li> </ul>	25 073 000 + 18 087 000 25 073 EN0 + 18 087 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™		
	<p><b>Kensington</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 9 1/8" Spout reach</li> <li>• 3 1/2" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 087 or 18 086 VP0 (sold separately)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	25 074 000 25 074 EN0		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,798 2,338
	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING PAGE 180				
	<p><b>Same as above + Swarovski® Crystal Handles</b></p> <ul style="list-style-type: none"> <li>• 18 086 VP0 Handles (sold separately, see page 180)</li> </ul>	25 074 000 + 18 086 VP0		GROHE StarLight® Chrome /Swarovski® Crystal	
<p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 087 Lever Handles (sold separately, see page 180)</li> </ul>	25 074 000 + 18 087 000 25 074 EN0 + 18 087 EN0 ♿		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™		

KENSINGTON










\*\* To be installed in accordance with local plumbing codes.

		Product #	Colour/Description	Price
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 183)</p>	<p>19 267 000 19 267 ENO ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 365 492</p>
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 183)</p>	19 268 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 588
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83



		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (See page 247)</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
		† Universal connection is 1/2" male by copper sweat	47 996 000	
	<p><b>Kensington</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Kensington lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</p>	19 266 000 19 266 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 412 540
	<p><b>Kensington</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® crystal handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</p>	19 265 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 598
	<p><b>Grotherm</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>REQUIRES SEPARATE VOLUME CONTROL</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 324)</p> <p>34 331 - 34 L/min (9 gpm) at 45 PSI (1/2" Valve) 34 397 - 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>MEETS ASSE STANDARD 1016</b></p>	34 331 000	1/2" Valve - with Service Stops	\$ 339
		34 397 000	3/4" Valve - with Service Stops	\$ 508

		Product #	Colour/Description	Price
	<p><b>Kensington</b> 6" Shower Arm &amp; Flange</p> <ul style="list-style-type: none"> <li>• 1/2" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 034 000 27 034 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 153 200
	<p><b>Kensington</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	19 270 000 19 270 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 239 340
	<p><b>Kensington</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	19 269 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 401
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	1/2" NPT 3/4" NPT	\$ 94 153
	<p><b>Kensington</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	19 272 000 19 272 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 358 498
	<p><b>Kensington</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	19 271 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 551
 	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	29 712 000	3-Port	\$ 334

		Product #	Colour/Description	Price
	<b>Kensington</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 194 000 13 194 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 425 556
	<b>Kensington</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Swarovski® Crystal inset</li> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 194 VP0 	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 609
	<b>Kensington</b> 6" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 193 000 13 193 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 369 482
	<b>Kensington</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 224 000 40 224 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 299 388
	VP0 = Swarovski® crystal inset	40 224 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 429
	<b>Kensington</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 222 000 40 222 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 200 260
	VP0 = Swarovski® crystal inset	40 222 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 302
	<b>Kensington</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 226 000 40 226 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 161 213
	VP0 = Swarovski® crystal inset	40 226 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 276
	<b>Kensington</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 235 000 40 235 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 195 254
	VP0 = Swarovski® crystal inset	40 235 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 317

# GROHE LINEARE



2017 AWARDS	Good Design Award		Iconic Award		RedDot Design Award	 reddot award 2017 winner
	2018 AWARDS	IF Design		GOLD AWARD 2018		
2019 AWARDS	German Design Award		GERMAN DESIGN AWARD WINNER 2018			

# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Centreset  
23 824 00A/ENA



Lavatory Centreset  
23 794 00A/ENA



Lavatory Centreset  
23 825 00A/ENA



Lavatory Wideset  
20 578 00A/ENA

### BATH FIXTURES



Roman Tub Filler  
with Hand Shower  
19 577 001/EN1



Floor Standing Tub Filler  
with Hand Shower  
23 792 001/EN1



Tub Spout  
13 381 001/EN1



Diverter Tub Spout  
13 382 001/EN1



Eurostyle Cosmopolitan  
Diverter Tub Spout  
13 285 002

### SHOWER FIXTURES



Rainshower  
28 373 000/ENO



Power & Soul  
27 767 000/ENO



Euphoria Cosmopolitan 180  
27 492 000



Retro-Fit Bundle  
27 867 001



Shower Combination  
23 826 001/EN1



Pressure Balance  
Diverter Valve Trim  
29 168 001/EN1



Pressure Balance  
Valve Trim  
29 167 001/EN1



3-Way Diverter Trim  
29 215 001/EN1



Euphoria Cosmopolitan Stick Hand Shower  
27 400 000

### ACCESSORIES/ACTUATION PLATE



Essentials  
Robe Hook  
40 364 001/EN1



Essentials  
24" Towel Bar  
40 366 001/EN1















Essentials  
8" Towel Ring  
40 365 001/EN1



Essentials  
Paper Holder  
40 689 001/EN1











Skate  
38 862 000/P00/SD0/SH0

		Product #	Colour/Description	Price
	<p><b>new</b></p> <p><b>Lineare</b> XS-Size, Lavatory Centreset</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 7 3/8" Faucet height</li> <li>• 4 3/16" Spout reach</li> <li>• 3 3/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Solid brass construction with metal lever</li> <li>• High temperature limit stop</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 824 00A 23 824 ENA</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 390 510</p>
	<p><b>new</b></p> <p><b>Lineare</b> S-Size, Lavatory Centreset</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 8 3/8" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 4 3/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Solid brass construction with metal lever</li> <li>• High temperature limit stop</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 794 00A 23 794 ENA</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 411 535</p>
	<p><b>new</b></p> <p><b>Lineare</b> L-Size, Lavatory Centreset for Vessel Basin</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 9 15/16" Faucet height</li> <li>• 4 7/16" Spout reach</li> <li>• 9 1/8" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® Plus installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Metal lever</li> <li>• 90° Swivel spout</li> <li>• High temperature limit stop</li> <li>• 23 1/2" Flexible supply lines with compression fittings</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>23 825 00A 23 825 ENA</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 504 654</p>
	<p><b>new</b></p> <p><b>Lineare</b> M-Size, Lavatory Wideset</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 4 3/4" Faucet height</li> <li>• 5" Spout reach</li> <li>• 3 13/16" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• GROHE AquaGuide adjustable aerator; 20°- 40°</li> <li>• Flexible connection hoses between spout and side valves</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)</li> </ul>	<p>20 578 00A 20 578 ENA</p> <p></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 535 696</p>





# LINEARE

		Product #	Colour/Description	Price
 <p><b>new</b></p> <p><b>Lineare</b> Roman Tub Filler with Hand Shower**</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 8<sup>3</sup>/<sub>8</sub>" Spout reach</li> <li>• 4<sup>1</sup>/<sub>8</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Sena Stick Hand shower (28 034), 6.6 L/min (1.75 gpm)</li> <li>• 79" Metal hose</li> <li>• Metal lever</li> <li>• Flexible connection hoses</li> <li>• Non-return valve for backflow prevention</li> </ul>		<b>19 577 001</b> <b>19 577 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,520</b> <b>1,977</b>
 <p><b>new</b></p> <p><b>Lineare</b> Floor Standing Tub Filler with Hand Shower**</p> <p> Certified by IAPMO R&amp;T</p> <ul style="list-style-type: none"> <li>• 31<sup>9</sup>/<sub>16</sub>" Product height*</li> <li>• 10<sup>11</sup>/<sub>16</sub>" Spout reach</li> <li>• 30<sup>11</sup>/<sub>16</sub>" Aerator height*</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• Sena Stick hand shower (26 465), 6.6 L/min (1.75 gpm)</li> <li>• 49" SilverFlex shower hose (28 362)</li> <li>• Automatic diverter: bath/shower</li> <li>• 1/2" Integrated non-return valve in the shower outlet</li> <li>• With hand shower holder</li> </ul> <p>Requires Rough-In Set 29 038 001</p>		<b>23 792 001</b> <b>23 792 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 1,749</b> <b>2,343</b>
 <p><b>Rough-In Set</b> For Floor-Mounted Tub Filler</p> <ul style="list-style-type: none"> <li>• Floor mounted</li> <li>• Installation plate for precise fitting from the bottom edge of the plate to the finished surface of the floor</li> <li>• 1/2" NPT Female connections (Hot/cold-supplies)</li> </ul>		<b>29 038 001</b>		<b>\$ 381</b>
 <p><b>new</b></p> <p><b>Lineare</b> 4 7/16" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• 4 7/16" Spout reach</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>		<b>13 382 001</b> <b>13 382 EN1</b> 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 129</b> <b>168</b>
 <p><b>new</b></p> <p><b>Lineare</b> 6 11/16" Tub Spout</p> <ul style="list-style-type: none"> <li>• 6 11/16" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>		<b>13 381 001</b> <b>13 381 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 185</b> <b>240</b>

\* Overall height will depend on installation of rough-in set. | \*\* To be installed in accordance with local plumbing codes.

		Product #	Colour/Description	Price
	<p><b>new</b></p> <p><b>Lineare</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Single lever handle</li> <li>• Tempesta Cosmopolitan 100 shower head, 4 Sprays (26 043)</li> <li>• Shower arm (27 414)</li> <li>• Lineare Pressure Balance Valve Trim (29 167)</li> </ul> <p>For use with GrohSafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p> <p>Optional Lineare diverter tub spout (13 382) sold separately</p> <p>Optional Eurostyle Cosmopolitan diverter tub spout (13 285) sold separately (chrome only)</p>	<p>23 826 001 23 826 EN1</p> <p> </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 283 370</p>
	<p><b>new</b></p> <p><b>Lineare</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>For use with GrohSafe Rough-In Valves 35 015, 35 064, 35 065, 35 066</p>	<p>29 167 001 29 167 EN1</p> <p> </p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 195 253</p>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p>35 015 001</p> <p>† Universal connection is 1/2" male by copper sweat</p> <p>47 996 000</p>	<p>Inlets: 1/2" Universal† Outlets: 1/2" Universal†</p>	<p>\$ 175</p> <p>\$ 83</p>
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p>35 064 001</p> <p>† Universal connection is 1/2" male by copper sweat</p> <p>47 996 000</p>	<p>Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†</p>	<p>\$ 175</p> <p>\$ 83</p>



		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p><b>35 065 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†</p>	<p><b>\$ 175</b></p>
		<p><b>47 996 000</b></p>	<p><b>\$ 83</b></p>	
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (see page 247)</p>	<p><b>35 066 001</b></p> <p>† Universal connection is 1/2" male by copper sweat</p>	<p>Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†</p>	<p><b>\$ 144</b></p>
		<p><b>47 996 000</b></p>	<p><b>\$ 83</b></p>	
	<p><b>new</b> <b>Lineare</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with GrohSafe Rough-In Valve with built-in diverter 35 016, 35 033</p>	<p><b>29 168 001</b> <b>29 168 EN1</b></p> <p><small>CEC</small></p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$267</b> <b>349</b></p>
	<p><b>Grohsafe</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Built-in diverter</li> <li>• Service stops</li> </ul> <p>Max. Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p> <p><b>Same as above with Automatic Diverter</b> Max. Flow Rate: 22 L/min (5.8 gpm) at 45 psi</p>	<p><b>35 033 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p>	<p>Inlets: 1/2" universal† Outlets: 1/2" universal†</p>	<p><b>\$264</b></p>
		<p><b>35 016 000</b></p> <p>† Universal connection is 1/2" male by copper sweat.</p>	<p>Inlets: 1/2" universal† Outlets: 1/2" universal†</p>	<p><b>\$264</b></p>



new

**Lineare**  
3-Way Diverter Trim  
(Shower Head / Hand Shower / Tub Spout)

- GROHE StarLight® finish
- Metal lever handle

1 inlet, 3 outlets

For use with Diverter Rough-In Valve  
29 902 or 29 903

Available September 2019

Product #

Colour/Description

Price

29 215 001  
29 215 EN1  
♿

GROHE StarLight® Chrome  
Brushed Nickel InfinityFinish™

\$ 169  
219



**Diverter/Transfer (Discrete Functions)**  
3-Way Diverter Rough-In Valve

- 1 inlet, 3 outlets
- 3 discrete functions (non-shared)
- ½" NPT
- CALGreen compliant

**Same as above (Shared Functions)**  
3 discrete, 3 shared functions

29 902 000  
CFB

3-Way (Discrete functions)

\$ 277

29 903 000

3-Way (Shared functions)

\$ 277

# GROHE PARKFIELD



# GROHE

## POPULAR COMBINATIONS



### FAUCETS



Lavatory Wideset  
20 390 00A/ENA



4" Centreset  
20 391 00A/ENA



Lavatory Centreset  
23 305 00A/ENA



Lavatory Centreset  
with Escutcheon  
23 306 00A/ENA

### BATH FIXTURES



Roman Tub Filler  
25 152 000/ENO



Roman Tub Filler with  
Personal Hand Shower  
25 153 00A/ENA



Diverter Tub Spout  
13 338 000/ENO



Tub Spout  
13 339 000/ENO

### SHOWER FIXTURES



Rainshower Rustic 160  
27 130 000/ENO



Relexa Rustic 100  
27 126 001/EN1



Tempesta Rustic 100  
26 045 001/EN1



12" Rainshower  
Ceiling Shower Arm  
28 492 000/ENO



12" Rainshower Shower Arm  
28 577 000/ENO



6 5/8" Tubular Shower Arm  
27 412 000/ENO



Tempesta Rustic 100  
Shower Set  
27 609 001



Shower/Tub Combination  
35 040 00/ENO



Shower Combination  
35 039 000/ENO



Pressure Balance  
Valve Trim  
19 921 000/ENO

### ACCESSORIES



Essentials Authentic  
Robe Hook  
40 656 001/EN1















Essentials Authentic  
Towel Bar  
40 653 001/EN1












Essentials Authentic  
Paper Holder  
40 657 001/EN1



Essentials Authentic  
Towel Ring  
40 655 001/EN1

		Product #	Colour/Description	Price
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Parkfield</b> Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 8" Faucet height (when in use)</li> <li>• 5" Spout reach</li> <li>• 2 1/2" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 23 305 00A ★ 23 305 ENA ♿️ </p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 257 334</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Parkfield</b> Lavatory Centreset with Escutcheon</p> <ul style="list-style-type: none"> <li>• 7 13/16" Faucet height (when in use)</li> <li>• 5" Spout reach</li> <li>• 2 1/4" Spout Height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridge</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Single lever handle</li> <li>• 23 1/2" Nylon reinforced braided flexible inlet hoses</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 23 306 00A ★ 23 306 ENA ♿️ </p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 267 344</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Parkfield</b> Lavatory Wideset</p> <ul style="list-style-type: none"> <li>• 6 3/8" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 4 5/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE QuickFix® installation</li> <li>• Metal lever handles</li> <li>• Nylon reinforced braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 20 390 00A ★ 20 390 ENA ♿️ </p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 348 453</p>
  <p>Certified by IAPMO R&amp;T</p>	<p><b>Parkfield</b> 4" Lavatory Centreset</p> <ul style="list-style-type: none"> <li>• 6 9/16" Faucet height</li> <li>• 5 1/16" Spout reach</li> <li>• 4 1/2" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Metal lever handles</li> <li>• Includes drain assembly</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	<p>★ 20 391 00A ★ 20 391 ENA ♿️ </p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 257 334</p>

		Product #	Colour/Description	Price
	<p><b>Parkfield</b> Wideset Bidet**</p> <ul style="list-style-type: none"> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• Vertical spray and rim flush</li> <li>• Vacuum breaker</li> <li>• Combination transfer valve/pop-up lift rod</li> <li>• Includes drain assembly</li> <li>• Metal lever handles</li> </ul> <p>CHECK INSTALLATION COMPATIBILITY WITH BIDET FIXTURE.</p>	<p>★ 24 033 000 ★ 24 033 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 883 1,149</p>
	<p><b>Parkfield</b> Roman Tub Filler</p> <ul style="list-style-type: none"> <li>• 8<sup>3</sup>/<sub>16</sub>" Spout height</li> <li>• 7" Spout reach</li> <li>• 5<sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Metal lever handles</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p>★ 25 152 000 ★ 25 152 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 605 787</p>
	<p><b>Parkfield</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8<sup>3</sup>/<sub>16</sub>" Spout height</li> <li>• 7" Spout reach</li> <li>• 5<sup>3</sup>/<sub>4</sub>" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Metal lever handles</li> <li>• Tempesta® Rustic 100 hand shower, 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	<p>★ 25 153 001 ★ 25 153 EN1 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 858 1,129</p>
	<p><b>Parkfield</b> 6 1/8" Diverter Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" NPT Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	<p>★ 13 338 000 ★ 13 338 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 157 204</p>
	<p><b>Parkfield</b> 6 1/8" Tub Spout</p> <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" NPT Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	<p>★ 13 339 000 ★ 13 339 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 136 177</p>

		Product #	Colour/Description	Price
   	<p><b>Parkfield</b> Shower/Tub Combination</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• 5<sup>5</sup>/<sub>8</sub>" Tubular shower arm (27 414)</li> <li>• CALGreen compliant</li> <li>• Tempesta Rustic 100 shower head, 7.6 L/min (2.0 gpm) (26 045)</li> <li>• Diverter tub spout (13 338)</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 198)</p>	<p>★ 35 040 000 ★ 35 040 ENO ♿ CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 349 454</p>
  	<p><b>Parkfield</b> Shower Combination</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• 5<sup>5</sup>/<sub>8</sub>" Tubular shower arm (27 414)</li> <li>• CALGreen compliant</li> <li>• Tempesta Rustic 100 shower head, 7.6 L/min (2.0 gpm) (26 045)</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 198)</p>	<p>★ 35 039 000 ★ 35 039 ENO ♿ CEC</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 221 288</p>
	<p><b>Parkfield</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see below and page 198)</p>	<p>★ 19 921 000 ★ 19 921 ENO ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 114 153</p>
	<p><b>Grohsafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	<p>35 015 001</p> <p>† Universal connection is 1/2" male by copper sweat</p>	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b> (See page 247)</p>	47 996 000		\$ 83

For matching accessories please refer to the Essentials Authentic collection on page 217.



GROHE  
**SEABURY**



# GROHE

## POPULAR COMBINATIONS

### FAUCETS



Lavatory Wideset  
20 800 00A / BEA / ENA / ZBA  
+ 18 732 000 / BE0 / EN0 / ZB0



Lavatory Wideset  
20 800 00A / BEA / ENA / ZBA  
+ 18 731 000 / BE0 / EN0 / ZB0

### BATH FIXTURES



Roman Tub Filler with Personal Hand Shower  
25 502 001 / BE1 / EN1 / ZB1  
+ 18 731 000 / BE0 / EN0 / ZB0



Diverter Tub Spout  
13 603 000 / BE0 / EN0 / ZB0



Tub Spout  
13 615 000 / BE0 / EN0 / ZB0

### SHOWER FIXTURES



Rainshower Rustic 210  
26 474 000 / BE0 / EN0 / ZB0



Rainshower Shower Arm  
28 540 000 / BE0 / EN0 / ZB0



Rainshower Rustic 100  
27 126 001 / BE1 / EN1 / ZB1



Rainshower Retro Shower Arm  
28 383 000 / EN0




Seabury Shower Arm & Flange  
27 011 000 / BE0 / EN0 / ZB0



Relexa Rustic 100  
27 142 000 / BE0 / EN0



Seabury Thermostatic Trims  
19 612 000 / BE0 / EN0 / ZB0 +  
19 614 000 / BE0 / EN0 / ZB0



Diverter Trims  
19 222 000 / BE0 / EN0 / ZB0 +  
19 221 000 / BE0 / EN0 / ZB0



Relexa Rustic 100  
Hand Shower  
27 125 000 / BE0 / EN0 / ZB0



Volume Control Trims  
19 827 000 / BE0 / EN0 / ZB0 +  
19 828 000 / BE0 / EN0 / ZB0

### ACCESSORIES



Robe Hook  
40 159  
000 / BE0 / EN0 / ZB0









24" Towel Bar  
40 157  
000 / BE0 / EN0 / ZB0



Paper Holder  
40 160  
000 / BE0 / EN0 / ZB0











Towel Ring  
40 158  
000 / BE0 / EN0 / ZB0

		Product #	Colour/Description	Price
 <p style="text-align: right; font-size: small;">                       Certified by                      IAPMO R&amp;T                 </p>	<b>Seabury</b> Lavatory Wideset	20 800 00A 20 800 BEA 20 800 ENA 20 800 ZBA CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 367 477 477 518
	<ul style="list-style-type: none"> <li>• 3 1/4" Faucet height</li> <li>• 4 3/4" Spout reach</li> <li>• 1 11/16" Aerator height</li> <li>• Solid brass construction</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• Braided flexible supplies</li> <li>• Includes drain assembly</li> <li>• Less Handles - order 18 731 or 18 732 (sold separately)</li> <li>• Max. Flow Rate: 4.5 L/min (1.2 gpm)*</li> </ul>	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW		
	<b>Same as above + Cross Handles</b> • 18 731 Cross Handles (sold separately, see below)	20 800 00A + 18 731 000 20 800 BEA + 18 731 EN0 20 800 ENA + 18 731 EN0 20 800 ZBA + 18 731 ZB0 CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
	<b>Same as above + Lever Handles</b> • 18 732 Lever Handles (sold separately, see below)	20 800 00A + 18 732 000 20 800 BEA + 18 732 EN0 20 800 ENA + 18 732 EN0 20 800 ZBA + 18 732 ZB0 CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
	<b>Seabury</b> Roman Tub Filler	★ 25 055 000 ★ 25 055 EN0 ★ 25 055 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 888 1,154 1,241
	<ul style="list-style-type: none"> <li>• 8 1/16" Spout reach</li> <li>• 2 1/4" Aerator height</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 731 or 18 732 (sold separately)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW		
	<b>Same as above + Cross Handles</b> • 18 731 Cross Handles (sold separately, see below)	★ 25 055 000 + 18 731 000 ★ 25 055 EN0 + 18 731 EN0 ★ 25 055 ZB0 + 18 731 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
	<b>Same as above + Lever Handles</b> • 18 732 Lever Handles (sold separately, see below)	★ 25 055 000 + 18 732 000 ★ 25 055 EN0 + 18 732 EN0 ★ 25 055 ZB0 + 18 732 ZB0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	
	<b>Seabury</b> Cross Handles (Sold In Pairs)	18 731 000 18 731 BE0 18 731 EN0 18 731 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 110 143 143 152
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>				
	<b>Seabury</b> Lever Handles (Sold In Pairs)	18 732 000 18 732 BE0 18 732 EN0 18 732 ZB0 CEC	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 110 143 143 152
<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>				








\* Additional Low Flow Solutions. See Page 344 | Note: Products listed with ★ (stars) are available while supplies last.

	Product #	Handle #	Colour/Description	Price
 <p><b>Seabury</b> Roman Tub Filler with Personal Hand Shower**</p> <ul style="list-style-type: none"> <li>• 8 1/16" Diverter Spout reach</li> <li>• 2 1/4" Aerator height</li> <li>• 8 3/4" Diverter spout</li> <li>• 79" Hose</li> <li>• GROHE SilkMove® ceramic cartridges</li> <li>• GROHE StarLight® finish</li> <li>• 1/2" Valves</li> <li>• Less Handles - order 18 731 or 18 732 (sold separately)</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Flexible stainless steel braided hoses connect all components and valves to supply.</p>	25 502 001		GROHE StarLight® Chrome	\$ 1,283
	25 502 BE1		Polished Nickel InfinityFinish™	1,670
	25 502 EN1		Brushed Nickel InfinityFinish™	1,670
	25 502 ZB1		Oil Rubbed Bronze	1,804
	<p>CEC</p> <p>FAUCET AND HANDLES SOLD SEPARATELY, SEE HANDLE PRICING BELOW</p>			
 <p><b>Same as above + Cross Handles</b></p> <ul style="list-style-type: none"> <li>• 18 731 Cross Handles (sold separately, see below)</li> </ul>	25 502 001 + 18 731 000		GROHE StarLight® Chrome	
	25 502 BE1 + 18 731 BE0		Polished Nickel InfinityFinish™	
	25 502 EN1 + 18 731 EN0		Brushed Nickel InfinityFinish™	
	25 502 ZB1 + 18 731 ZB0		Oil Rubbed Bronze	
	<p>CEC</p>			
 <p><b>Same as above + Lever Handles</b></p> <ul style="list-style-type: none"> <li>• 18 732 Lever Handles (sold separately, see below)</li> </ul>	25 502 001 + 18 732 000		GROHE StarLight® Chrome	
	25 502 BE1 + 18 732 BE0		Polished Nickel InfinityFinish™	
	25 502 EN1 + 18 732 EN0		Brushed Nickel InfinityFinish™	
	25 502 ZB1 + 18 732 ZB0		Oil Rubbed Bronze	
	<p>CEC</p> <p>♿</p>			
 <p><b>Seabury</b> Cross Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	18 731 000		GROHE StarLight® Chrome	\$ 110
	18 731 BE0		Polished Nickel InfinityFinish™	143
	18 731 EN0		Brushed Nickel InfinityFinish™	143
	18 731 ZB0		Oil Rubbed Bronze	152
 <p><b>Seabury</b> Lever Handles (Sold In Pairs)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	18 732 000		GROHE StarLight® Chrome	\$ 110
	18 732 BE0		Polished Nickel InfinityFinish™	143
	18 732 EN0		Brushed Nickel InfinityFinish™	143
	18 732 ZB0		Oil Rubbed Bronze	152
	<p>♿</p>			
 <p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valve 35 015, 35 064, 35 065, 35 066 (see page 203).</p>	19 707 000		GROHE StarLight® Chrome	\$ 208
	19 707 BE0		Polished Nickel InfinityFinish™	272
	19 707 EN0		Brushed Nickel InfinityFinish™	272
	19 707 ZB0		Oil Rubbed Bronze	289
 <p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valve 35 015, 35 064, 35 065, 35 066 (see page 203).</p>	19 708 000		GROHE StarLight® Chrome	\$ 208
	19 708 BE0		Polished Nickel InfinityFinish™	272
	19 708 EN0		Brushed Nickel InfinityFinish™	272
	19 708 ZB0		Oil Rubbed Bronze	289
	<p>♿</p>			







		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (See page 247)</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
		† Universal connection is 1/2" male by copper sweat		
		47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (See page 247)</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
		† Universal connection is 1/2" male by copper sweat		
		47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (See page 247)</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
		† Universal connection is 1/2" male by copper sweat		
		47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p> <p><b>Optional 1" Extension Kit</b> (See page 247)</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
		† Universal connection is 1/2" male by copper sweat		
		47 996 000		\$ 83

		Product #	Colour/Description	Price
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Cross handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</p>	19 612 000	GROHE StarLight® Chrome	\$ 303
		19 612 BE0	Polished Nickel InfinityFinish™	398
		19 612 EN0	Brushed Nickel InfinityFinish™	398
		19 612 ZB0	Oil Rubbed Bronze	427
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See next page for matching volume control trim/valve)</li> <li>• Temperature provided in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397 (see below)</p>	19 614 000	GROHE StarLight® Chrome	\$ 303
		19 614 BE0	Polished Nickel InfinityFinish™	398
		19 614 EN0	Brushed Nickel InfinityFinish™	398
		19 614 ZB0	Oil Rubbed Bronze	427
	<p><b>Grontherm</b> Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>REQUIRES SEPARATE VOLUME CONTROL</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 324)</p> <p>34 331 – 34 L/min (9 gpm) at 45 PSI (½" Valve) 34 397 – 61 L/min (16 gpm) at 45 PSI (¾" Valve)</p> <p><b>MEETS ASSE STANDARD 1016</b></p>	34 331 000	½" Valve - with Service Stops	\$ 339
		34 397 000	¾" Valve - with Service Stops	\$ 508
	<p><b>Seabury</b> 6 ½" Shower Arm and Flange</p> <ul style="list-style-type: none"> <li>• ½" Male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 011 000	GROHE StarLight® Chrome	\$ 83
		27 011 BE0	Polished Nickel InfinityFinish™	109
		27 011 EN0	Brushed Nickel InfinityFinish™	109
		27 011 ZB0	Oil Rubbed Bronze	132

# SEABURY

		Product #	Colour/Description	Price
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>19 827 000 19 827 BE0 19 827 EN0 19 827 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274 (see below)</p>	<p>19 828 000 19 828 BE0 19 828 EN0 19 828 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Volume Control</b> Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	<p>29 273 000 29 274 000</p>	<p>1/2" NPT 3/4" NPT</p>	<p>\$ 94 153</p>
	<p><b>Seabury</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>19 222 000 19 222 BE0 19 222 EN0 19 222 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 256 332 332 350</p>
	<p><b>Seabury</b> 2-Way Diverter Trim (Shower Head / Hand Shower)</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>For use with Diverter Rough-In Valve 29 712 (see below)</p>	<p>19 221 000 19 221 BE0 19 221 EN0 19 221 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 256 332 332 350</p>
 	<p><b>Diverter/Transfer</b> 3-Port Rough-In Valve</p> <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared functions</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> <p>1 Inlet, 2 Outlets</p> <p>Not recommended for use with body sprays</p>	<p>29 712 000</p>	<p>3-Port</p>	<p>\$ 334</p>

# SEABURY

		Product #	Colour/Description	Price
	<b>Seabury</b> 6" Diverter Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 603 000	GROHE StarLight® Chrome	\$ 293
		13 603 BE0	Polished Nickel InfinityFinish™	381
		13 603 EN0	Brushed Nickel InfinityFinish™	381
		13 603 ZB0	Oil Rubbed Bronze	406
	<b>Seabury</b> 6" Tub Spout  <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 615 000	GROHE StarLight® Chrome	\$ 250
		13 615 BE0	Polished Nickel InfinityFinish™	322
		13 615 EN0	Brushed Nickel InfinityFinish™	323
		13 615 ZB0	Oil Rubbed Bronze	350
	<b>Seabury</b> 24" Towel Bar  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 157 000	GROHE StarLight® Chrome	\$ 171
		40 157 BE0	Polished Nickel InfinityFinish™	235
		40 157 EN0	Brushed Nickel InfinityFinish™	235
		40 157 ZB0	Oil Rubbed Bronze	244
	<b>Seabury</b> 8" Towel Ring  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 158 000	GROHE StarLight® Chrome	\$ 127
		40 158 BE0	Polished Nickel InfinityFinish™	165
		40 158 EN0	Brushed Nickel InfinityFinish™	165
		40 158 ZB0	Oil Rubbed Bronze	180
	<b>Seabury</b> Robe Hook  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 159 000	GROHE StarLight® Chrome	\$ 106
		40 159 BE0	Polished Nickel InfinityFinish™	139
		40 159 EN0	Brushed Nickel InfinityFinish™	139
		40 159 ZB0	Oil Rubbed Bronze	149
	<b>Seabury</b> Paper Holder  <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 160 000	GROHE StarLight® Chrome	\$ 129
		40 160 BE0	Polished Nickel InfinityFinish™	168
		40 160 EN0	Brushed Nickel InfinityFinish™	168
		40 160 ZB0	Oil Rubbed Bronze	182



# GROHE **ACCESSORIES**















# SELECTION CUBE









SELECTION CUBE










		Product #	Colour/Description	Price
	<b>Selection Cube</b> 10" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 766 000	GROHE StarLight® Chrome	\$ 126
	<b>Selection Cube</b> 19" Towel Bar <ul style="list-style-type: none"> <li>• Functional length 18"</li> <li>• GROHE StarLight® finish</li> </ul>	40 767 000	GROHE StarLight® Chrome	\$ 190
	<b>Selection Cube</b> 15¾" Double Towel Bar <ul style="list-style-type: none"> <li>• 2 Arms, pivotable</li> <li>• 40 cm (15 ¾") long</li> <li>• GROHE StarLight® finish</li> </ul>	40 768 000	GROHE StarLight® Chrome	\$ 349
	<b>Selection Cube</b> Toilet Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 781 000	GROHE StarLight® Chrome	\$ 175
	<b>Selection Cube</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 782 000	GROHE StarLight® Chrome	\$ 66
	<b>Selection Cube</b> Reserve Toilet Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 784 000	GROHE StarLight® Chrome	\$ 87
	<b>Selection Cube</b> 24" Towel Rack <ul style="list-style-type: none"> <li>• Functional length 22"</li> <li>• GROHE StarLight® finish</li> </ul>	40 804 000	GROHE StarLight® Chrome	\$ 624
	<b>Selection Cube</b> 23 5/8" Grab Bar <ul style="list-style-type: none"> <li>• Functional length 54.8 cm (21 9/16")</li> <li>• GROHE StarLight® finish</li> </ul>	40 807 000	GROHE StarLight® Chrome	\$ 369

# SELECTION CUBE

		Product #	Colour/Description	Price
	<b>Selection Cube</b> 7" Shaving Mirror <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Concealed fastening</li> <li>• Magnification: x 3</li> </ul>	40 808 000	GROHE StarLight® Chrome	\$296
	<b>Selection Cube</b> 11" Corner Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 809 000	GROHE StarLight® Chrome	\$253
	<b>Selection Cube</b> Toilet Brush Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 857 000	GROHE StarLight® Chrome	\$264
	<b>Selection Cube</b> Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> For use with Glass Tumbler (40 783), Soap Dispenser (40 805) or Soap Dish (40 806)	40 865 000	GROHE StarLight® Chrome	\$85
	<b>Selection Cube</b> Glass Tumbler  Requires Holder (40 865)	40 783 000	Clear Glass	\$37
	<b>Selection Cube</b> Soap Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> Requires Holder (40 865)	40 805 000	Clear Glass	\$87
	<b>Selection Cube</b> Soap Dish  Requires Holder (40 865)	40 806 000	Clear Glass	\$32








		Product #	Colour/Description	Price
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 364 001	GROHE StarLight® Chrome	\$ 48
		40 364 A01 <small>NEW</small>	Hard Graphite	68
		40 364 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	68
		40 364 EN1	Brushed Nickel InfinityFinish™	63
		40 364 GN1 <small>NEW</small>	Brushed Cool Sunrise	68
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 365 001	GROHE StarLight® Chrome	\$ 58
		40 365 A01 <small>NEW</small>	Hard Graphite	83
		40 365 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	83
		40 365 EN1	Brushed Nickel InfinityFinish™	76
		40 365 GN1 <small>NEW</small>	Brushed Cool Sunrise	83
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> 18" Towel Bar <ul style="list-style-type: none"> <li>• 50.4 cm (19 7/8") long</li> <li>• Functional length 45 cm (17 2/3")</li> <li>• GROHE StarLight® finish</li> </ul>	40 688 001	GROHE StarLight® Chrome	\$ 66
		40 688 A01 <small>NEW</small>	Hard Graphite	95
		40 688 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	95
		40 688 EN1	Brushed Nickel InfinityFinish™	86
		40 688 GN1 <small>NEW</small>	Brushed Cool Sunrise	95
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• 65.4 cm (25 3/4") long</li> <li>• Functional length 60 cm (23 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 366 001	GROHE StarLight® Chrome	\$ 79
		40 366 A01 <small>NEW</small>	Hard Graphite	112
		40 366 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	112
		40 366 EN1	Brushed Nickel InfinityFinish™	102
		40 366 GN1 <small>NEW</small>	Brushed Cool Sunrise	112
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> 32" Towel Bar <ul style="list-style-type: none"> <li>• 85.4 cm (33 5/8") long</li> <li>• Functional length 80 cm (31 1/2")</li> <li>• GROHE StarLight® finish</li> </ul>	40 386 001	GROHE StarLight® Chrome	\$ 94
		40 386 A01 <small>NEW</small>	Hard Graphite	134
		40 386 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	134
		40 386 EN1	Brushed Nickel InfinityFinish™	123
		40 386 GN1 <small>NEW</small>	Brushed Cool Sunrise	134
	<b>Essentials</b> 24" Double Towel Bar <ul style="list-style-type: none"> <li>• 65.4 cm (25 3/4") long</li> <li>• Functional length 60 cm (23 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 802 001	GROHE StarLight® Chrome	\$ 109
		40 802 EN1 <small>NEW</small>	Brushed Nickel InfinityFinish™	142
	<b>Essentials</b> 22" Towel Rack <ul style="list-style-type: none"> <li>• 60.4 cm long (23 3/4") x 27 cm (10 5/8") wide</li> <li>• Functional length 55 cm (21 2/3")</li> <li>• GROHE StarLight® finish</li> </ul>	40 800 001	GROHE StarLight® Chrome	\$ 211
		40 800 EN1 <small>NEW</small>	Brushed Nickel InfinityFinish™	267
	<b>Essentials</b> 18" Two-Arm Towel Holder <ul style="list-style-type: none"> <li>• 45 cm (18") long</li> <li>• GROHE StarLight® finish</li> </ul>	40 371 001	GROHE StarLight® Chrome	\$ 119
		40 371 EN1 <small>NEW</small>	Brushed Nickel InfinityFinish™	155
	<b>Essentials</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 367 001	GROHE StarLight® Chrome	\$ 72
		40 367 EN1	Brushed Nickel InfinityFinish™	94
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> Toilet Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 689 001	GROHE StarLight® Chrome	\$ 66
		40 689 A01 <small>NEW</small>	Hard Graphite	95
		40 689 BE1 <small>NEW</small>	Polished Nickel InfinityFinish™	95
		40 689 EN1	Brushed Nickel InfinityFinish™	86
		40 689 GN1 <small>NEW</small>	Brushed Cool Sunrise	95

		Product #	Colour/Description	Price
 <p><b>A01, BE1, GN1</b> Available December 2019</p>	<b>Essentials</b> Spare Toilet Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 385 001</b> <b>40 385 A01</b> <small>NEW</small> <b>40 385 BE1</b> <small>NEW</small> <b>40 385 EN1</b> <small>NEW</small> <b>40 385 GN1</b> <small>NEW</small>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	<b>\$ 55</b> <b>79</b> <b>79</b> <b>71</b> <b>79</b>
	<b>Essentials</b> Toilet Brush Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 374 001</b>	GROHE StarLight® Chrome	<b>\$ 94</b>
	 <b>Essentials</b> Soap Dish Requires holder 40 369 (see below)	<b>40 368 001</b>	Clear Glass	<b>\$ 17</b>
	 <b>Essentials</b> Glass Tumbler Requires holder 40 369 (see below)	<b>40 372 001</b>	Clear Glass	<b>\$ 31</b>
	 <b>Essentials</b> Soap Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> Requires holder 40 369 (see below)	<b>40 394 001</b> <b>40 394 EN1</b> <small>NEW</small>	Clear Glass Brushed Nickel InfinityFinish™	<b>\$ 48</b> <b>62</b>
 <b>Essentials</b> Holder for Glass, Soap Dish or Soap Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 369 001</b> <b>40 369 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 45</b> <b>58</b>	
 <b>Essentials</b> Soap Dish with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 444 001</b> <b>40 444 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 61</b> <b>79</b>	
 <b>Essentials</b> Glass with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 447 001</b> <b>40 447 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 75</b> <b>92</b>	
 <b>Essentials</b> Soap Dispenser with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	<b>40 448 001</b> <b>40 448 EN1</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 90</b> <b>112</b>	









		Product #	Colour/Description	Price
	<b>Essentials</b> 20" Glass Shelf <ul style="list-style-type: none"> <li>• 53 cm (20") long</li> <li>• Functional length 38 cm (15")</li> <li>• GROHE StarLight® finish</li> </ul>	40 799 001	GROHE StarLight® Chrome	\$ 338
	<b>Essentials</b> 12" Grab Bar <ul style="list-style-type: none"> <li>• 35 cm long (13 3/4")</li> <li>• Functional length 29.5 cm (11 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 421 001 40 421 A01 <small>NEW</small> 40 421 BE1 <small>NEW</small> 40 421 EN1 <small>NEW</small> 40 421 GN1 <small>NEW</small> ♿	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 90 128 128 117 128
<b>A01, BE1, GN1</b> Available December 2019				
	<b>Essentials</b> 18" Grab Bar <ul style="list-style-type: none"> <li>• 50.7 cm (20") long</li> <li>• Functional length 45 cm (17 3/4")</li> <li>• GROHE StarLight® finish</li> </ul>	40 793 001 ♿	GROHE StarLight® Chrome	\$ 84
	<b>Essentials</b> 24" Grab Bar <ul style="list-style-type: none"> <li>• 65.7 cm (25 7/8") long</li> <li>• Functional length 60 cm (23 5/8")</li> <li>• GROHE StarLight® finish</li> </ul>	40 794 001 ♿	GROHE StarLight® Chrome	\$ 116
	<b>Essentials</b> 36" Grab Bar <ul style="list-style-type: none"> <li>• 95.7 cm (37 5/8") long</li> <li>• Functional length 90 cm (35 3/8")</li> <li>• GROHE StarLight® finish</li> </ul>	★ 40 795 001 ♿	GROHE StarLight® Chrome	\$ 163
	<b>Essentials</b> 42" Grab Bar <ul style="list-style-type: none"> <li>• 112.3 cm (44 1/4") long</li> <li>• Functional length 106.6 cm (42")</li> <li>• GROHE StarLight® finish</li> </ul>	★ 40 796 001 ♿	GROHE StarLight® Chrome	\$ 190
	<b>Essentials</b> 38" x 24" L-Shaped Grab Bar <ul style="list-style-type: none"> <li>• 73.7 x 99.7 cm (29" x 39 1/4")</li> <li>• Functional length 68 cm x 94 cm (26 3/4" x 37")</li> <li>• GROHE StarLight® finish</li> </ul>	40 797 001 ♿	GROHE StarLight® Chrome	\$ 338
	<b>Essentials</b> 8" Corner Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 664 001	GROHE StarLight® Chrome	\$ 80
	<b>Essentials</b> 12" Corner Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 663 001	GROHE StarLight® Chrome	\$ 106

# ESSENTIALS











		Product #	Colour/Description	Price
	<b>Essentials</b> Guest Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• Toilet Brush Set (40 374 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 407 001	GROHE StarLight® Chrome	\$ 168
	<b>Essentials</b> City Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 775 001 40 775 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 164 214
	<b>Essentials</b> City Bathroom Set, 3-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 EN 1)</li> <li>• Robe Hook (40 364 EN1)</li> <li>• 24" Towel Rail (40 366 EN1)</li> <li>• GROHE StarLight® finish</li> </ul>	40 821 EN1	Brushed Nickel InfinityFinish™	\$ 211
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 776 001	GROHE StarLight® Chrome	\$ 206
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365)</li> <li>• Robe Hook (40 364)</li> <li>• Toilet Paper Holder (40 689)</li> <li>• 24" Towel Rail (40 366)</li> <li>• GROHE StarLight® finish</li> </ul>	40 823 001 40 823 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 203 264
	<b>Essentials</b> Master Bathroom Set, 4-in-1 <ul style="list-style-type: none"> <li>• Robe Hook (40 364 001)</li> <li>• Soap Dispenser with Holder (40 448 001)</li> <li>• Glass with Holder (40 447 001)</li> <li>• 18" Double Towel Bar (40 371 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 846 001	GROHE StarLight® Chrome	\$ 274
	<b>Essentials</b> Master Bathroom Set, 5-in-1 <ul style="list-style-type: none"> <li>• Towel Ring (40 365 001)</li> <li>• Robe Hook (40 364 001)</li> <li>• 24" Towel Rail (40 366 001)</li> <li>• Toilet Paper Holder with Cover (40 367 001)</li> <li>• Soap Dish with Holder (40 444 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 344 001 40 344 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 265 345

# ESSENTIALS CUBE

		Product #	Colour/Description	Price
	<b>Essentials Cube</b> Robe Hook • GROHE StarLight® finish	40 511 001	GROHE StarLight® Chrome	\$ 84
	<b>Essentials Cube</b> 8" Towel Ring • GROHE StarLight® finish	40 510 001	GROHE StarLight® Chrome	\$ 171
	<b>Essentials Cube</b> 18" Towel Bar • GROHE StarLight® finish	122522	GROHE StarLight® Chrome	\$ 154
	<b>Essentials Cube</b> 24" Towel Bar • 60 cm (23 <sup>5</sup> / <sub>8</sub> ") long • Functional length 55.8 cm (22") • GROHE StarLight® finish	40 509 001	GROHE StarLight® Chrome	\$ 171
	<b>Essentials Cube</b> 24" Multi-Towel Rack • 60 cm (23 <sup>5</sup> / <sub>8</sub> ") long x 21 cm (8 <sup>1</sup> / <sub>4</sub> ") wide • Functional length 55.8 cm (22") • GROHE StarLight® finish	40 512 001	GROHE StarLight® Chrome	\$ 349
	<b>Essentials Cube</b> 18" Two-Arm Towel Holder • 44 cm (17 <sup>1</sup> / <sub>4</sub> ") long • GROHE StarLight® finish	40 624 001	GROHE StarLight® Chrome	\$ 205
	<b>Essentials Cube</b> Toilet Paper Holder • GROHE StarLight® finish	40 507 001	GROHE StarLight® Chrome	\$ 142
	<b>Essentials Cube</b> Spare Toilet Paper Holder • GROHE StarLight® finish	40 623 001	GROHE StarLight® Chrome	\$ 84








# ESSENTIALS CUBE









		Product #	Colour/Description	Price
	<b>Essentials Cube</b> 12" Grab Bar <ul style="list-style-type: none"> <li>• 39.2 cm (15½") long</li> <li>• Functional length 29 cm (11 ⅜")</li> <li>• GROHE StarLight® finish</li> </ul>	40 514 001	GROHE StarLight® Chrome	\$ 189
	<b>Essentials Cube</b> Toilet Brush Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 513 001	GROHE StarLight® Chrome	\$ 218
	<b>Essentials Cube</b> Soap Dish with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 754 001	GROHE StarLight® Chrome	\$ 113
	<b>Essentials Cube</b> Glass Cup with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 755 001	GROHE StarLight® Chrome	\$ 122
	<b>Essentials Cube</b> Soap Dispenser with Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 756 001	GROHE StarLight® Chrome	\$ 139
	<b>Essentials</b> Soap Dish Requires 40 508 001 Wall Mount Holder (see below)	40 368 001	Clear Glass	\$ 17
	<b>Essentials</b> Glass Tumbler Requires 40 508 001 Wall Mount Holder (see below)	40 372 001	Clear Glass	\$ 31
	<b>Essentials</b> Soap Dispenser <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> Requires 40 508 001 Wall Mount Holder (see below)	40 394 001	GROHE StarLight® Chrome	\$ 48
	<b>Essentials Cube</b> Wall Mount Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 508 001	GROHE StarLight® Chrome	\$ 92

# ESSENTIALS CUBE







ESSENTIALS CUBE

		Product #	Colour/Description	Price
	<p><b>Essentials Cube</b> Guest Bathroom Set 3-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• Toilet Brush Set (40 513 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 757 001	GROHE StarLight® Chrome	\$ 349
	<p><b>Essentials Cube</b> City Bathroom Set 3-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 777 001	GROHE StarLight® Chrome	\$ 313
	<p><b>Essentials Cube</b> Master Bathroom Set 4-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• 8" Towel Ring (40 510 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 778 001	GROHE StarLight® Chrome	\$ 465
	<p><b>Essentials Cube</b> Master Bathroom Set 4-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Soap Dispenser with Holder (40 756 001)</li> <li>• Glass Cup with Holder (40 755 001)</li> <li>• 18" Double Towel Bar (40 624 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 847 001	GROHE StarLight® Chrome	\$ 486
	<p><b>Essentials Cube</b> Master Bathroom Set 5-in-1</p> <ul style="list-style-type: none"> <li>• Robe Hook (40 511 001)</li> <li>• Toilet Paper Holder (40 507 001)</li> <li>• 24" Towel Rail (40 509 001)</li> <li>• 8" Towel Ring (40 510 001)</li> <li>• Soap Dish with Holder (40 754 001)</li> <li>• GROHE StarLight® finish</li> </ul>	40 758 001	GROHE StarLight® Chrome	\$ 545

# ESSENTIALS AUTHENTIC

		Product #	Colour/Description	Price
	<b>Essentials Authentic</b> 24" Towel Bar <ul style="list-style-type: none"> <li>• 61 cm (24") long</li> <li>• Functional length 50.8 cm (20")</li> <li>• GROHE StarLight® finish</li> </ul>	40 653 001 40 653 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 105
	<b>Essentials Authentic</b> 24" Double Towel Bar <ul style="list-style-type: none"> <li>• 61 cm (24") long</li> <li>• Functional length 50.8 cm (20")</li> <li>• GROHE StarLight® finish</li> </ul>	40 654 001 40 654 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 106 136
	<b>Essentials Authentic</b> 23" Multi-Towel Rack <ul style="list-style-type: none"> <li>• 58.6 cm (23") long x 28 cm (11") wide</li> <li>• Functional length 54.2 cm (21 5/16")</li> <li>• GROHE StarLight® finish</li> </ul>	40 660 001 40 660 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 206 270
	<b>Essentials Authentic</b> 8" Towel Ring <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 655 001 40 655 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 54 71
	<b>Essentials Authentic</b> Robe Hook <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 656 001 40 656 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 34 45
	<b>Essentials Authentic</b> 5 1/4" Soap Basket <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 659 001 40 659 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 77 100
	<b>Essentials Authentic</b> Paper Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 657 001 40 657 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 66 83
	<b>Essentials Authentic</b> Toilet Brush Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 658 001 40 658 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 116 146

# ESSENTIALS AUTHENTIC

		Product #	Colour/Description	Price
	<p><b>Essentials</b> Soap Dish</p> <p>Requires 40 652 Wall Mount Holder</p>	40 368 001	Clear Glass	\$ 17
	<p><b>Essentials Authentic</b> Wall Mount Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 652 001 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49
	<p><b>Essentials</b> Glass Tumbler</p> <p>Requires 40 652 Wall Mount Holder</p>	40 372 001	Clear Glass	\$ 31
	<p><b>Essentials Authentic</b> Wall Mount Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 652 001 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49
	<p><b>Essentials</b> Soap Dispenser</p> <p>Requires 40 652 Wall Mount Holder</p>	40 394 001 40 394 EN1 <small>NEW</small>	Clear Glass Brushed Nickel InfinityFinish™	\$ 48 62
	<p><b>Essentials Authentic</b> Wall Mount Holder</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	40 652 001 40 652 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 49

**Additional accessories are available within the following collections:**

Agira (see page 50)

Allure Brilliant (see page 57)

GROHE Allure (see page 68)

Atrio (see page 85)

Atrio New (see page 96)

Fairborn (see page 160)

Geneva (see page 168)

Grandera (see page 177)

Kensington (see page 185)

Seabury (see page 206)

# GROHE **SHOWER**



# What is a Safety Valve?

We've all been there before. You've just stepped under your nice hot shower when someone else in the house either turns on a faucet or flushes the toilet; suddenly the temperature of your shower plummets to freezing cold or becomes scalding hot – leaving you with soap in your eyes as you try to manually adjust the temperature back to a comfortable level. While style and versatility are important when it comes to planning a new bathroom, so is safety ... and particularly important for small children, physically disabled people, and elderly people. Safety valves prevent the temperature shocks associated with accidental scalding and falls in the shower.

GROHE offers two options in Safety Valve technology: Thermostatic Temperature Control Valves and Pressure Balance Valves. With GROHE, you can be sure of a safe and enjoyable showering experience every time.

## SHOWER SAFETY FOR THE ENTIRE FAMILY

Thermostatic temperature control valves and pressure balance valves both offer scald protection for you and your family, but there are differences. Use the following feature comparison chart to help you make the best choice for meeting your needs.

Performance Features	Thermostatic Temperature Control Valves	Pressure Balance Valves
Compensates for hot or cold water pressure fluctuations and maintains selected shower temperature. No matter how the water pressure is affected by someone washing dishes or laundry, watering the lawn, or flushing a toilet, etc., you are protected.	●	●
Protects against scalding if the cold water supply is cut off by automatically shutting off the flow of hot water.	●	●
Protects against cold water shock if the hot water supply is cut off by automatically shutting off the flow of cold water.	●	●
Automatically maintains your selected shower temperature (within 0.6°C [1° F]) regardless of changes in the temperature of your hot or cold water supply. Eliminates the need to manually re-adjust the temperature setting as your hot water heater empties.	●	
Allows you to precisely <u>pre-select</u> your water temperature before you step into your shower which saves water and energy.†	●	
Allows you to run multiple shower outlets simultaneously while accurately maintaining water temperature at each outlet.	●	
Ultra-quiet, low noise operation.	●	
Available in decorative finishes to compliment your decor.	●	●
Offers multiple handle options to coordinate with GROHE faucet lines.	●	●
Allows back to back installation, eliminating expensive piping.*	●	●

†...when calibrated correctly.  
\*except model 34 126.

# CUSTOM SHOWER SYSTEMS

## Positioning Guide For Custom Shower Components

Ⓐ User height is one of the critical factors in setting the heights of shower outlets in the custom shower ... and all users should be taken into account. Children and anyone confined to a wheelchair can be accommodated with a height-adjustable hand shower bar.

Ⓑ The shower head should be set at a level above the head of the tallest user but not out of reach for shorter users (excluding children). The reasons are simple: taller users should not have to duck or crouch to rinse their hair; shorter users need to be able to reach the shower head so that they can manually adjust the spray pattern of the head and the angle of the water flow.

Ⓒ The top body spray is normally set at shoulder or back height. It should not spray horizontally into a user's face or ears.


Ⓓ The middle body spray is normally set at waist or hip level.

Ⓔ The lowest body spray is normally set at thigh or knee height.

Note: Body sprays, no matter how many are installed, are intended, primarily, to have the entire body covered by water no matter which direction the user faces. Body sprays should be installed on a different wall from the shower head, whether facing it or perpendicular to it, so that the body sprays flow from a different angle from the shower head. Do not aim body sprays at the shower door.

Ⓕ The thermostatic temperature control valve should be set at approximately waist height and should be easily accessible.

Ⓖ Volume controls (the on/off valves) should be easily accessible to anyone using the shower, usually about waist high and slightly above the thermostat valve (depending on piping requirements).




# GROHE GROHTHERM® SMARTCONTROL



<b>2017 AWARDS</b>	Good Design Award 	Iconic Award 				
<b>2018 AWARDS</b>	CT Cottages & Gardens Innovation 	Green Good Design Award 	IF Design 	Kitchen & Bath Product Innovator 	Metropolis Likes Award #METROPOLISlikes	RedDot Design Award 





## SLIM PROFILE CONTEMPORARY DESIGN

### 1 5/8" (43 mm) total depth

Whatever the installation depth of the rough-in, the total depth of the trim never exceeds 1 5/8" (43 mm). The Grotherm® GROHE SmartControl® trim combines space-saving convenience in the shower and slim good looks.

### Thinner wall plate

With a depth of only 3/8" (10 mm), its super slim design makes the GROHE SmartControl wall plate both elegant and compact.

### Hidden sealing system

The GROHE SmartControl has an integrated sealing system, eliminating the possibility of water seeping in behind the wall.

### Interchangeable volume control shower outlet symbols

The volume control knobs come with a range of different symbols, representing the different shower options. These symbols are clear and recognizable and their functionality distinct. They can be individually configured and also easily changed, if required.

## LESS IS MUCH MORE – ONE TRIM DOES IT ALL

### Control up to three shower outlets with just one trim

With just one rough-in and one trim, it is possible to enjoy multiple shower options. Featuring up to three GROHE SmartControl volume controls plus thermostat in one trim, GROHE SmartControl means half the work for three times the showering pleasure.



Single function trim




Dual function trim



Triple function trim



Triple volume control trim



**JUST ONE ROUGH-IN AND ONE TRIM NEEDED**

## PUSH, TURN, SHOWER



Push the button to start the shower.









Turn to adjust the water volume gradually from light to full water flow.





Push again to stop or pause the shower. The volume is now preset when you restart.

# FLOW RATES






	Outlet	Flow Rate*	
<b>Single Function</b> 	B or C	7.7 gpm	29 L/min.
<b>Dual Function</b> 	B C B+C	6.3 gpm 6.9 gpm 7.7 gpm	24 L/min. 26 L/min. 29 L/min.
<b>Triple Function</b> 	A B C A+B B+C	6.1 gpm 7.1 gpm 6.1 gpm 8.7 gpm 9.5 gpm	23 L/min. 27 L/min. 23 L/min. 33 L/min. 36 L/min.
<b>Triple Volume Control</b> 	D E A D+E+A	7.4 gpm 7.4 gpm 7.4 gpm 17.2 gpm	28 L/min. 28 L/min. 28 L/min. 65 L/min.

	Outlet	Flow Rate*	
<b>Four Function</b> 	D E A C	5.5 gpm 5.5 gpm 5.5 gpm 7.7 gpm	20.8 L/min. 20.8 L/min. 20.8 L/min. 29 L/min.
	D+E+A D+E+A+C To Valve Box	7.7 gpm 9.5 gpm 9.0 gpm	29 L/min. 36 L/min. 34 L/min.




\*At 45 psi / 3 Bar, X = Cap Off Outlet

# GROHTHERM® SMARTCONTROL




		Product #	Colour/Description	Price
	<b>GrohTherm® SmartControl</b> Single Function Thermostatic Trim with Control Module	29 140 000	GROHE StarLight® Chrome	\$703
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p> <b>Optional Service Stops</b>	14 053 00M		\$55
	<b>GrohTherm® SmartControl</b> Single Function Thermostatic Trim with Control Module	29 163 LS0	Moon White Acrylic	\$898
	<ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p> <b>Optional Service Stops</b>	14 053 00M		\$55
	<b>GrohTherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module	29 141 000	GROHE StarLight® Chrome	\$767
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Both outlets can be run simultaneously</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p> <b>Optional Service Stops</b>	14 053 00M		\$55

# GROHTHERM® SMARTCONTROL

GROHTHERM SMARTCONTROL

		Product #	Colour/Description	Price
	<b>GrohTherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module	29 164 LS0	Moon White Acrylic	\$ 972
	<ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Both outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead, and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>			
	<b>Optional Service Stops</b>	14 053 00M		\$ 55
	<b>GrohTherm® SmartControl</b> Triple Function Thermostatic Trim with Control Module	29 142 000	GROHE StarLight® Chrome	\$ 824
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>			
	<b>Optional Service Stops</b>	14 053 00M		\$ 55
	<b>GrohTherm® SmartControl</b> Triple Function Thermostatic Trim with Control Module	29 165 LS0	Moon White Acrylic	\$ 1,057
	<ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>			
	<b>Optional Service Stops</b>	14 053 00M		\$ 55




# GROHTHERM® SMARTCONTROL

		Product #	Colour/Description	Price
 <p>Two GrohTherm Rapido SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<p><b>GrohTherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reduce</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230) and GrohTherm SmartControl Single Function Thermostatic Trim with Control Module 29 140 000 (see page 225) to control up to four outlets.</p>	29 127 000	GROHE StarLight® Chrome	\$507
		<b>Optional Service Stops</b>	14 053 00M	\$55
 <p>Two GrohTherm Rapido SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<p><b>GrohTherm® SmartControl</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230) and GrohTherm SmartControl Single Function Thermostatic Trim with Control Module 29 163 LS0 (see page 225) to control up to four outlets.</p>	29 158 LS0	Moon White Acrylic	\$655
		<b>Optional Service Stops</b>	14 053 00M	\$55
 <p><b>A00, BE0 and GN0</b> Available December 2019</p>	<p><b>GrohTherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact 3/4" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• 6 1/4" Metal wall escutcheon with GROHE QuickFix®</li> <li>• 3/8" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>	29 136 000	GROHE StarLight® Chrome	\$703
		<b>Optional Service Stops</b>	14 053 00M	\$55
		29 136 A00 <small>NEW</small>	Hard Graphite	990
		29 136 BE0 <small>NEW</small>	Polished Nickel InfinityFinish™	990
		29 136 EN0	Brushed Nickel InfinityFinish™	915
		29 136 GN0 <small>NEW</small>	Brushed Cool Sunrise	990

GROHTHERM SMARTCONTROL

# GROHTHERM SMARTCONTROL

GROHTHERM SMARTCONTROL

		Product #	Colour/Description	Price
	<p><b>GrohTherm® SmartControl</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push button: Hand Shower, Showerhead and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>	29 159 LS0	Moon White Acrylic	\$898
	<p><b>Optional Service Stops</b></p>	14 053 00M		\$55
 <p>A00, BE0 and GNO Available December 2019</p>	<p><b>GrohTherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes icons to customize push buttons: Hand Shower, Showerhead and Tub Filler</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>	29 137 000 29 137 A00 <small>NEW</small> 29 137 BE0 <small>NEW</small> 29 137 EN0 29 137 GNO <small>NEW</small>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$767 1,080 1,080 996 1,080
	<p><b>Optional Service Stops</b></p>	14 053 00M		\$55
	<p><b>GrohTherm® SmartControl</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• GROHE TurboStat® compact ¾" cartridge with wax thermo element</li> <li>• GROHE SafeStop safety button with manual override at 100°F / 38°C</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer for CALGreen compliance</li> <li>• Includes various shower fixture icons to customize push buttons</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see page 230)</p>	29 160 LS0	Moon White Acrylic	\$972
	<p><b>Optional Service Stops</b></p>	14 053 00M		\$55

# GROHTHERM SMARTCONTROL



A00, BE0 and GNO  
Available December 2019

## Grotherm® SmartControl

Triple Function Thermostatic Trim with Control Module

- GROHE StarLight® finish
- GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow
- GROHE TurboStat® compact 3/4" cartridge with wax thermo element
- GROHE SafeStop safety button with manual override at 100°F / 38°C
- Multiple outlets can be run simultaneously
- 6 1/4" Metal wall escutcheon with GROHE QuickFix®
- 3/8" Thin profile escutcheon
- Optional flow reducer
- Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)

For use with Grotherm® Rapido SmartBox 35 601 (see page 230)

### Optional Service Stops

### Product #

29 138 000  
29 138 A00 **NEW**  
29 138 BE0 **NEW**  
29 138 EN0  
29 138 GNO **NEW**

### Colour/Description

GROHE StarLight® Chrome  
Hard Graphite  
Polished Nickel InfinityFinish™  
Brushed Nickel InfinityFinish™  
Brushed Cool Sunrise

### Price

\$ 824  
1,160  
1,160  
1,073  
1,160

14 053 00M

\$ 55



## Grotherm® SmartControl

Triple Function Thermostatic Trim with Control Module

- GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow
- GROHE TurboStat® compact 3/4" cartridge with wax thermo element
- GROHE SafeStop safety button with manual override at 100°F / 38°C
- Multiple outlets can be run simultaneously
- Acrylic face-plate in moon white
- 6 1/4" Metal wall escutcheon with GROHE QuickFix®
- 3/8" Thin profile escutcheon
- Optional flow reducer
- Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)

For use with Grotherm® Rapido SmartBox 35 601 (see page 230)

### Optional Service Stops

29 161 LS0

Moon White Acrylic

\$ 1,057

14 053 00M

\$ 55



## Grotherm® SmartControl

Triple Volume Control Trim

- GROHE StarLight® finish
- GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow
- Multiple outlets can be run simultaneously
- 6 1/4" Metal wall escutcheon with GROHE QuickFix®
- 3/8" Thin profile escutcheon
- Optional flow reducer
- Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)

For use with Grotherm® Rapido SmartBox 35 601 (see page 230) and Grotherm SmartControl Single Function Thermostatic Trim with Control Module 29 136 (see page 227) to control up to four outlets.

### Optional Service Stops

29 122 000  
29 122 EN0

GROHE StarLight® Chrome  
Brushed Nickel InfinityFinish™










\$ 507  
655

14 053 00M

\$ 55

Two Grotherm Rapido SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.

# GROHTHERM SMARTCONTROL





	Product #	Colour/Description	Price	
 <p>Two GrohTherm Rapido SmartBoxes required for this configuration – one for thermostatic trim and one for the triple volume control.</p>	<b>GrohTherm® SmartControl</b> Triple Volume Control Trim	29 152 LS0	Moon White Acrylic	\$655
	<ul style="list-style-type: none"> <li>• GROHE SmartControl: push for ON-OFF, turn for volume adjustment from EcoJoy™ to Full Flow</li> <li>• Multiple outlets can be run simultaneously</li> <li>• Acrylic face-plate in moon white</li> <li>• 6 ¼" Metal wall escutcheon with GROHE QuickFix®</li> <li>• ⅜" Thin profile escutcheon</li> <li>• Optional flow reducer</li> <li>• Includes additional icons to customize volume control buttons based on fixtures installed (e.g., tub spout, body sprays etc.)</li> </ul> <p>For use with GrohTherm® Rapido SmartBox 35 601 (see below) and GrohTherm SmartControl Single Function Thermostatic Trim with Control Module 29 159 LS0 (see page 228) to control up to four outlets.</p>			
	<b>Optional Service Stops</b>	14 053 00M		\$55
	<b>GrohTherm Rapido SmartBox</b> Universal Rough-In Box	35 601 000		\$168
	<ul style="list-style-type: none"> <li>• 3 outlets ½" female NPT/Sweat</li> <li>• Bottom 2 inlets, ½" female NPT/Sweat</li> <li>• Installation depth 3"-4 ⅛" (75-105mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate:               <ul style="list-style-type: none"> <li>- 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>- 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>			
	<b>Service Stops (2 pcs)</b>	14 053 00M		\$55
	<ul style="list-style-type: none"> <li>• Fits GrohTherm® SmartControl thermostatic trim sets for final installation in combination with GrohTherm Rapido SmartBox</li> </ul>			
	<b>1" (25 mm) Universal Extension Set</b>	14 048 000		\$200
	<ul style="list-style-type: none"> <li>• Fits GrohTherm® SmartControl thermostatic trim sets for final installation in combination with GrohTherm Rapido SmartBox</li> </ul>			
	<b>¾" Reversed TurboStat® Cartridge</b>	49 003 000		\$253
	<ul style="list-style-type: none"> <li>• For concealed GrohTherm SmartControl</li> <li>• For reversed inlets (hot water right)</li> </ul>			
	<b>SmartControl Button Replacement Kit with Icon Caps</b>	48 361 000		\$37
	<ul style="list-style-type: none"> <li>• Includes: Set of 6 icons and 1 SmartControl Button</li> <li>• Includes 1 of each of the following: Hand Shower, Showerhead, Showerhead (2nd shower outlet), Showerhead (3rd shower outlet), Tub Filler and Body Spray</li> </ul>			
   <p>Hand Shower Showerhead Showerhead (2nd Spray)</p>				
   <p>Bath Filler Body Spray Showerhead (3rd Spray)</p>				






# GROHE GROHTHERM® 2-HANDLE THERMOSTATS






# GROHTHERM 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>GrohTherm Rapido SmartBox</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• 3 outlets 1/2" female NPT/Sweat</li> <li>• 2 bottom inlets, 1/2" female NPT</li> <li>• Installation depth 3"-4 1/8" (75-105 mm)</li> <li>• Connection unit in DR brass</li> <li>• Includes integrated pre-mounted flushing plug</li> <li>• Stable built-in box / protective cover</li> <li>• Mud guard with installation template</li> <li>• Leak-proof housing</li> <li>• Max. flow rate:                             <ul style="list-style-type: none"> <li>- 1 or 2 outlets - 29 L/min (7.7 gpm)</li> <li>- 3 outlets - 36 L/min (9.5 gpm)</li> </ul> </li> </ul> <p><b>Service Stops for maintenance of cartridge should be ordered with trim</b></p>	35 601 000		\$ 168
	<p><b>Service Stops (2 pcs)</b></p> <ul style="list-style-type: none"> <li>• Fits GrohTherm® thermostatic trim sets for final installation in combination with GrohTherm Rapido SmartBox</li> </ul>	14 053 00M		\$ 55
 <b>new</b>	<p><b>Atrio New</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermostatic element</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> <p>For use with GROHE Rapido SmartBox 35 601 000</p>	<p>24 150 003 24 150 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 579 749
<b>Available June 2019</b>	<p><b>Optional Service Stops</b></p>	14 053 00M		\$ 55
 <b>new</b>	<p><b>Atrio New</b> Dual Function Thermostatic Trim with Integrated 2-way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermostatic element</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> <p>For use with GROHE Rapido SmartBox 35 601 000</p>	<p>24 151 003 24 151 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 639 829
<b>Available June 2019</b>	<p><b>Optional Aquadimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	14 060 000		\$ 47
	<p><b>Optional Service Stops</b></p>	14 053 00M		\$ 55

# GROHTHERM 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
 <p><b>new</b></p> <p><b>GrohTherm® Cube</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> <p>For use with GROHE Rapido® SmartBox 35 601 000</p> <p><b>Optional Service Stops</b></p>	<p>Available May 2019</p>	<p>24 157 000</p> <p>24 157 ENO</p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 589</p> <p>765</p>
		<p>14 053 00M</p>		<p>\$ 55</p>
 <p><b>new</b></p> <p><b>GrohTherm® Cube</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> <p>For use with GROHE Rapido® SmartBox 35 601 000</p> <p><b>Optional Aquadimmer Stop Ring for Shared Function</b></p> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul> <p><b>Optional Service Stops</b></p>	<p>Available May 2019</p>	<p>24 158 000</p> <p>24 158 ENO</p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 639</p> <p>829</p>
		<p>14 060 000</p>		<p>\$ 47</p>
		<p>14 053 00M</p>		<p>\$ 55</p>
 <p><b>new</b></p> <p><b>GrohTherm® Round</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module</p> <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> <p>For use with GROHE Rapido® SmartBox 35 601 000</p> <p><b>Optional Service Stops</b></p>	<p>Available May 2019</p>	<p>24 107 000</p> <p>24 107 ENO</p> <p>♿</p>	<p>GROHE StarLight® Chrome</p> <p>Brushed Nickel InfinityFinish™</p>	<p>\$ 512</p> <p>667</p>
		<p>14 053 00M</p>		<p>\$ 55</p>

# GROHTHERM 2-HANDLE THERMOSTATS

		Product #	Colour/Description	Price
 <p>Available May 2019</p>	<b>new</b>	<b>GroTherm® Round</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> For use with GROHE Rapido® SmartBox 35 601 000	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 570</b> <b>741</b>
		<b>Optional Aquadimmer Stop Ring for Shared Function</b> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	14 060 000	\$ 47
		<b>Optional Service Stops</b>	14 053 00M	\$ 55
 <p>Available May 2019</p>	<b>new</b>	<b>GroTherm® Square</b> Single Function Thermostatic Trim with Integrated Volume Control and Control Module <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated volume control and On/Off</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> For use with GROHE Rapido® SmartBox 35 601 000	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 539</b> <b>699</b>
		<b>Optional Service Stops</b>	14 053 00M	\$ 55
 <p>Available May 2019</p>	<b>new</b>	<b>GroTherm® Square</b> Dual Function Thermostatic Trim with Integrated 2-Way Diverter and Control Module <ul style="list-style-type: none"> <li>• GROHE StarLight®</li> <li>• GROHE TurboStat® compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop button at 100°F / 38°C</li> <li>• 6 1/4" Metal escutcheon with GROHE QuickFix®</li> <li>• Upper handle includes integrated 2-way diverter (2 discrete functions)</li> <li>• 27 L/min (7.1 gpm) at 45psi</li> </ul> For use with GROHE Rapido® SmartBox 35 601 000	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$599</b> <b>779</b>
		<b>Optional Aquadimmer Stop Ring for Shared Function</b> <ul style="list-style-type: none"> <li>• Special stop ring for Aquadimmer handle to allow shared function: 2 discrete functions + 1 shared function</li> </ul>	14 060 000	\$ 47
		<b>Optional Service Stops</b>	14 053 00M	\$ 55


# GROHE GROHFLEX®

## ONE ROUGH-IN DOES IT ALL

Easy to install, easy to upgrade, and easy to maintain.  
A better universal valve system.


Multiple functions/multiple trims – all designed to fit in one universal rough-in box. GrohFlex provides the groundwork for any shower or tub/shower installation, making complex planning, ordering and installation easy and efficient. It simplifies rough-in construction – allowing work to proceed, even without final function or trim selection. Plus, integrated service stops and an enhanced flushing system make for fast and easy installation/maintenance.

### Universal Rough-In



Box

### Bathroom Solution Kit




Control Module







Trim

Single Function	Dual Function	Custom Shower
<p><b>Pressure Balance or Thermostatic</b></p> <p>Ideal for Secondary Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• Shower only (one outlet) or</li> <li>• Shower/tub with diverter spout</li> </ul>	<p><b>Pressure Balance or Thermostatic</b></p> <p>Ideal for Master Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• Shower with 2 outlets or</li> <li>• Shower/tub with non-diverter spout</li> </ul> <p><b>NB – By using a diverter tub spout and Twin elbow 03 671 000 (p. 254), three outlets are possible.</b></p>	<p><b>Thermostatic</b></p> <p>Ideal for Master Baths</p> <p><b>Applications</b></p> <ul style="list-style-type: none"> <li>• High-flow custom shower, separate volume controls are required</li> </ul>

	Product #	Colour/Description	Price
 <p><b>GrohFlex</b> Universal Rough-In Box</p> <ul style="list-style-type: none"> <li>• ½" inlets and outlets</li> <li>• Fixing points for front and back wall</li> <li>• Leakproof housing</li> <li>• Integrated service stops</li> <li>• Flushing plug</li> <li>• Removable protection cover with installation information</li> </ul> <p>For use with the GrohFlex Bathroom Solution Kits (sold separately): Single Function, Dual Function, or Custom Shower.</p>	35 026 000		\$ 187




# SINGLE FUNCTION PRESSURE BALANCE

		Product #	Colour/Description	Price
	<p><b>Grohflex Allure Brilliant</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	19 790 000 ♿	GROHE StarLight® Chrome	\$ 476
	<p><b>Grohflex Cosmopolitan Square</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	19 924 000 ♿	GROHE StarLight® Chrome	\$ 387
	<p><b>Grohflex Grandera</b> Single Function Pressure Balance Valve Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	19 933 000 19 933 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$382 496
	<p><b>Grohflex Essence</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	19 347 001 19 347 A01 <small>NEW</small> 19 347 BE1 <small>NEW</small> 19 347 EN1 19 347 GN1 <small>NEW</small> ♿	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 243 345 345 316 345

A01, BE1 and GN1  
Available December 2019

ALL SINGLE FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235





# SINGLE FUNCTION PRESSURE BALANCE

			Product #	Colour/Description	Price
	<p><b>GrohFlex Authentic</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	<p>19 843 000 19 843 BE0 19 843 EN0 19 843 ZB0</p> <p>♿</p>	GROHE StarLight® Chrome	\$ 214	
			Polished Nickel InfinityFinish™	280	
			Brushed Nickel InfinityFinish™	280	
			Oil Rubbed Bronze	300	
	<p><b>GrohFlex Cosmopolitan</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	<p>19 880 000 19 880 EN0</p> <p>♿</p>	GROHE StarLight® Chrome	\$ 228	
			Brushed Nickel InfinityFinish™	296	
	<p><b>GrohFlex Timeless</b> Single Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 23 L/min (6.1 gpm) at 45 psi</li> </ul>	<p>★ 19 866 000 ★ 19 866 EN0</p> <p>♿</p>	GROHE StarLight® Chrome	\$ 248	
			Brushed Nickel InfinityFinish™	331	

GROHFLEX

**ALL SINGLE FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235**

# DUAL FUNCTION PRESSURE BALANCE




		Product #	Colour/Description	Price
	<p><b>Grohflex Allure Brilliant</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• Integrated volume control</li> <li>• GROHE StarLight® finish</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 786 000	GROHE StarLight® Chrome	\$ 551
	<p><b>Grohflex Cosmopolitan Square</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 925 000	GROHE StarLight® Chrome	\$ 450
	<p><b>Grohflex Grandera</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 946 000 19 946 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 487 633
	<p><b>Grohflex Essence</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Concealed installation (no screws visible)</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 494 001 19 494 EN1 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 338 439

GROHFLEX

ALL DUAL FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235











# DUAL FUNCTION PRESSURE BALANCE

		Product #	Colour/Description	Price
	<p><b>GrohFlex Authentic</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 844 000	GROHE StarLight® Chrome	\$ 287
		19 844 BE0	Polished Nickel InfinityFinish™	374
		19 844 EN0	Brushed Nickel InfinityFinish™	374
		19 844 ZB0	Oil Rubbed Bronze	401
	<p><b>GrohFlex Cosmopolitan</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	19 881 000	GROHE StarLight® Chrome	\$ 299
		19 881 EN0	Brushed Nickel InfinityFinish™	389
	<p><b>GrohFlex Timeless</b> Dual Function Pressure Balance Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• ABS trim plate</li> <li>• 20 L/min (5.3 gpm) at 45 psi (bottom outlet)</li> <li>• 11 L/min (2.9 gpm) at 45 psi (top outlet)</li> </ul>	★ 19 867 000	GROHE StarLight® Chrome	\$ 338
		★ 19 867 EN0	Brushed Nickel InfinityFinish™	444

GROHFLEX

**ALL DUAL FUNCTION PRESSURE BALANCE TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235**




# SINGLE FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price	
		<b>Grohflex Allure Brilliant</b> Single Function Thermostatic Trim with Control Module	19 793 000	GROHE StarLight® Chrome	\$ 846
		<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>			
		<b>Grohflex Cosmopolitan Square</b> Single Function Thermostatic Trim with Control Module	19 926 000	GROHE StarLight® Chrome	\$ 718
		<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• Metal trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>			
		<b>Grohflex Grandera</b> Single Function Thermostatic Trim with Control Module	19 935 000 19 935 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 598 778
		<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>			
		<b>Grohflex Authentic</b> Single Function Thermostatic Trim with Control Module	19 822 000 19 822 ENO ★ 19 822 ZBO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 511 673 716
		<ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>			

GROHFLEX









**ALL SINGLE FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235**

# SINGLE FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price
	<p><b>GrohFlex Cosmopolitan</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>	<p>19 869 000 19 869 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 528 688</p>
	<p><b>GrohFlex Timeless</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>	<p>★ 19 848 000 ★ 19 848 EN0 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 512 667</p>
	<p><b>GrohFlex Essence</b> Single Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower only or shower/tub with diverter applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• Integrated bypass option when used with diverter tub spout</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi</li> </ul>	<p>19 987 001 19 987 EN1 ♿</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 477 621</p>

ALL SINGLE FUNCTION THERMOSTATIC TRIMS REQUIRE GROHLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235




# DUAL FUNCTION THERMOSTATIC

			Product #	Colour/Description	Price
		<p><b>Grohflex Allure Brilliant</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2gpm) at 45 psi (top outlet)</li> </ul>	19 794 000	GROHE StarLight® Chrome	\$ 899
		<p><b>GrohFlex Cosmopolitan Square</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	19 927 000	GROHE StarLight® Chrome	\$ 783
		<p><b>GrohFlex Grandera</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	19 947 000 19 947 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 704 915
		<p><b>GrohFlex Authentic</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® Technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	19 825 000 19 825 EN0 ★ 19 825 ZB0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 582 751 815

GROHFLEX

ALL DUAL FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235








# DUAL FUNCTION THERMOSTATIC

		Product #	Colour/Description	Price
	<p><b>GrohFlex Cosmopolitan</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	<p>19 878 000 19 878 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 588 764</p>
	<p><b>GrohFlex Essence</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• Concealed installation (no screws visible)</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	<p>19 988 001 19 988 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 555 721</p>
	<p><b>GrohFlex Timeless</b> Dual Function Thermostatic Trim with Control Module</p> <ul style="list-style-type: none"> <li>• For shower/tubs with non-diverter tub spout or for 2 shower outlet applications</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Integrated volume control</li> <li>• 2-way diverter function</li> <li>• 1 axis operation</li> <li>• SafeStop at 100°F / 38°C</li> <li>• ABS trim plate</li> <li>• 24 L/min (6.3 gpm) at 45 psi (bottom outlet)</li> <li>• 12 L/min (3.2 gpm) at 45 psi (top outlet)</li> </ul>	<p>★ 19 849 000 ★ 19 849 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 570 741</p>

GROHFLEX

ALL DUAL FUNCTION THERMOSTATIC TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235

# CUSTOM SHOWER THERMOSTATIC

			Product #	Colour/Description	Price
GROHFLEX		<b>GrohFlex Grotherm F</b> Custom Shower Thermostatic Trim with Control Module	27 620 000	GROHE StarLight® Chrome	\$ 878
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal handle for temperature control</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>Grohflex Allure Brilliant</b> Custom Shower Thermostatic Trim with Control Module	19 795 000	GROHE StarLight® Chrome	\$ 793
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>GrohFlex Cosmopolitan Square</b> Custom Shower Thermostatic Trim with Control Module	19 928 000	GROHE StarLight® Chrome	\$ 657
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
		<b>GrohFlex Grandera</b> Custom Shower Thermostatic Trim with Control Module	19 940 000 19 940 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 657 852
		<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume controls</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F/38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>			
	<b>GrohFlex Authentic</b> Custom Shower Thermostatic Trim with Control Module	19 839 000 19 839 ENO 19 839 ZBO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 441 577 620	
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• Metal trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				
	<b>GrohFlex Cosmopolitan</b> Custom Shower Thermostatic Trim with Control Module	19 879 000 19 879 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 440 578	
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• ABS trim plate</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				
	<b>GrohFlex Timeless</b> Custom Shower Thermostatic Trim with Control Module	★ 19 865 000 ★ 19 865 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 427 561	
	<ul style="list-style-type: none"> <li>• For high-flow, multiple outlet custom shower applications</li> <li>• Requires separate volume controls</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology</li> <li>• SafeStop at 100°F / 38°C</li> <li>• 53 L/min (14 gpm) at 45 psi</li> </ul>				

ALL CUSTOM SHOWER THERMOSTATIC TRIMS REQUIRE GROHFLEX UNIVERSAL ROUGH-IN BOX 35 026, SEE PAGE 235

# GROHESAFE PRESSURE BALANCE VALVE

GROHESAFE

## Features And Benefits

The GROHE Pressure Balance Valves combine shower safety and performance with a choice of PEX or Sweat installation options. The 265° handle rotation provides a wide comfort range for precise temperature control. The GROHE Blue Core cartridge is proof of the German design and engineering.



**Metal Support Brackets**  
Allowing quick, secure and easy installation in particular when using pex piping




**Cartridge Fastening Nut**  
Quickly remove within seconds for access to the cartridge ideally for initial installation (sweating) and back-to-back installation when cartridge needs to be reversed



**Solid Brass Inlet Connections (PEX, Sweat, NPT)**  
Fast and easy installation without adapters for most common piping connection reducing leak points



**Integrated Service Stops**  
Ensure easy service at the valve  
(Available on 35 015 001, 35 064 001, 35 065 001)




**265° Comfort Range**  
Allows user to fine tune the perfect shower temperature




**Blue Core Cartridge**  
The Blue Core Cartridge is proof of GROHE quality and allows plumbers to easily identify the cartridge


35 015




35 064



35 065



35 066



## Product Description:

Universal Pressure Balance Rough-In Valve

## Standard Specification:

- Solid brass body
- One-piece cartridge design
- Reversible cartridge (back-to-back installation)
- 265° Temperature comfort range
- ASSE 1016 Compliant
- Support bracket
- Service stops (replaceable)
- Multiple built-in connections
  - 1/2" Sweat/NPT
  - PEX Expansion (1960)
  - PEX Crimp (1807)
- Separate valve direct sweat only
- Max Flow Rates:
  - Top port - 14 L/min (3.7 gpm) at 45 psi
  - Bottom port - 15 L/min (4.0 gpm) at 45 psi
- Extension kit available (deep wall installation)  
SKU# 47 996 000

## Codes & Standards:








# PRESSURE BALANCE VALVE TRIM OVERVIEW






# PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" copper and iron pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 015 001	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX expansion (1960) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 064 001	Inlets: 1/2" PEX Expansion (1960) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For installation with 1/2" PEX crimp/clamp (1807) pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• Service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 065 001	Inlets: 1/2" PEX Crimp/Clamp (1807) Outlets: 1/2" Universal†	\$ 175
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>GrohSafe</b> Universal Pressure Balance Rough-In Valve</p> <ul style="list-style-type: none"> <li>• For sweat installation with 1/2" copper pipe</li> <li>• Includes Blue Core cartridge</li> <li>• 265° Handle rotation provides wide comfort range for precise temperature control</li> <li>• Handle limit stop</li> <li>• Check valves</li> <li>• Includes plug for 3-Port installation</li> <li>• Includes metal support bracket</li> <li>• No service stops</li> </ul> <p>Max Flow Rates: Top port - 14 L/min (3.7 gpm) at 45 psi Bottom port - 15 L/min (4.0 gpm) at 45 psi</p>	35 066 001	Inlets: 1/2" Direct Sweat Outlets: 1/2" Universal†	\$ 144
	<p><b>Optional 1" Extension Kit</b></p>	47 996 000		\$ 83
	<p><b>Extension Kit</b></p> <ul style="list-style-type: none"> <li>• To install PBV trims with valves installed too deep in the wall</li> <li>• 2.5 cm (1") depth</li> </ul> <p>For use with rough-in valves 35 015 001, 35 064 001, 35 065 001, 35 066 001</p>	47 996 000		\$ 83

GROHSAFE








# PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<p><b>Agira</b> Pressure Balance Valve Trim</p> <p>Lever handle GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 956 000 ★ 19 956 EN1 ★ 19 956 ZC0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<p>\$ 84 108 118</p>
	<p><b>GROHE Allure</b> Pressure Balance Valve Trim</p> <p>Metal lever handle GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 375 000 ♿</p>	GROHE StarLight® Chrome	\$ 444
	<p><b>Arden</b> Pressure Balance Valve Trim</p> <p>Arden Lever Handle GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 312 001 ★ 19 312 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 156 203</p>
	<p><b>Arden</b> Pressure Balance Valve Trim</p> <p>Arden Spoke Handle GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 311 001 ★ 19 311 EN1</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 156 203</p>
	<p><b>new</b> <b>Atrio New</b> Pressure Balance Trim</p> <p>GROHE StarLight® finish Metal lever handle</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 866 003 19 866 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 298 388</p>
	<p><b>BauLoop</b> Pressure Balance Valve Trim</p> <p>Single lever handle GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 595 000 ♿</p>	GROHE StarLight® Chrome	\$ 164
	<p><b>Concetto</b> Pressure Balance Valve Trim</p> <p>Lever handle Red/blue hot and cold markings GROHE StarLight® finish</p> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>29 100 001 29 100 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 164 213</p>






# PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<p><b>Concetto</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 457 001 19 457 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 164 213</p>
	<p><b>Eurocube</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 899 000 ♿</p>	GROHE StarLight® Chrome	\$ 350
	<p><b>Eurosmart</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 458 002 19 458 EN2 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 97 125</p>
	<p><b>Eurosmart Cosmopolitan</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 411 000 ♿</p>	GROHE StarLight® Chrome	\$ 164
	<p><b>Eurostyle</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal loop handle</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 989 003 19 989 EN3 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 126 164</p>
	<p><b>Eurostyle Cosmopolitan</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 572 002 ♿</p>	GROHE StarLight® Chrome	\$ 211
	<p><b>Fairborn</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 949 000 ★ 19 949 EN1 ★ 19 949 ZC0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	<p>\$84 108 118</p>






# PRESSURE BALANCE VALVE TRIM

		Product #	Colour/Description	Price
	<p><b>Geneva</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Geneva Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 725 000 ★ 19 725 EN0 ★ 19 725 ZB0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<p>\$ 293 383 416</p>
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 267 000 19 267 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 365 492</p>
	<p><b>Kensington</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	19 268 VPO	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 588
	<p><b>new</b> <b>Linear</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with GrohSafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>29 167 001 29 167 EN1 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 195 253</p>
	<p><b>Parkfield</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>★ 19 921 000 ★ 19 921 EN0 ♿</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 114 153</p>
	<p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 707 000 19 707 BE0 19 707 EN0 19 707 ZB0</p>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<p>\$ 208 272 272 289</p>
	<p><b>Seabury</b> Pressure Balance Valve Trim</p> <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valves 35 015, 35 064, 35 065, 35 066 (see page 247)</p>	<p>19 708 000 19 708 BE0 19 708 EN0 19 708 ZB0 ♿</p>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	<p>\$ 208 272 272 289</p>




# PRESSURE BALANCE VALVE TRIM WITH DIVERTER

		Product #	Colour/Description	Price
	<p><b>Grohsafe</b> Pressure Balance Rough-In Valve with Built-In Manual Diverter</p> <ul style="list-style-type: none"> <li>• Handle limit stop</li> <li>• Diaphragm cartridge</li> <li>• Check valves</li> <li>• Service stops</li> <li>• Allows for easy diversion between two outlets. Recommended for shower head and hand shower installations.</li> </ul> <p>Max Flow Rate: 17 L/min (4.6 gpm) at 45 psi</p> <p>†Universal connection is 1/2" male by copper sweat.</p>	35 033 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264
		35 016 000	Inlets: 1/2" Universal† Outlets: 1/2" Universal†	\$ 264
	<p><b>GROHE Allure</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valve with Built-In Diverter 35 033 or 35 016</p>	19 376 000	GROHE StarLight® Chrome	\$ 508
	<p><b>Atrio New</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> </ul> <p>Requires GrohSafe™ Rough-In Valve 35 016 or 35 033 (sold separately)</p>	19 867 003 19 867 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 463 602
	<p><b>Concetto</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• Red / blue hot and cold markings</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohsafe Rough-In Valve with Built-In Diverter 35 033 or 35 016</p>	29 102 001 29 102 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 206 271
	<p><b>Lineare</b> Pressure Balance Diverter Valve Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with GrohSafe Rough-In Valve with built-in diverter 35 016, 35 033</p>	29 168 001 29 168 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 267 349

# THERMOSTATIC TEMPERATURE CONTROL TRIM

		Product #	Colour/Description	Price
	<b>Grohtherm</b> Thermostat Rough-In Valve	34 331 000	1/2" Valve - with Service Stops	\$ 339
	<ul style="list-style-type: none"> <li>• Paraffin cartridge</li> <li>• NPT</li> <li>• Service stops</li> <li>• Built-in check valves</li> <li>• Temperature control only</li> <li>• GROHE TurboStat® Technology</li> <li>• Back-to-back installation by reversing the cartridge housing – No additional parts required</li> </ul> <p><b>REQUIRES SEPARATE VOLUME CONTROL</b></p> <p>Requires Twin Ell For Shower/Tub Combinations with Diverter Spout (not included, see page 254)</p> <p>34 331 - 34 L/min (9 gpm) at 45 PSI (1/2" Valve)                      34 397 - 61 L/min (16 gpm) at 45 PSI (3/4" Valve)</p> <p><b>MEETS ASSE STANDARD 1016</b></p>	34 397 000	3/4" Valve - with Service Stops	\$ 508
	<b>GROHE Allure</b> Thermostat Trim	19 305 000	GROHE StarLight® Chrome	\$ 605
<ul style="list-style-type: none"> <li>• Grip handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHOTHERM Rough-In Valve 34 331 or 34 397</p>				
	<b>Atrio</b> Thermostat Trim	★ 19 169 000 ★ 19 169 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 424 581
<ul style="list-style-type: none"> <li>• Trio spoke handle</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHOTHERM Rough-In Valve 34 331 or 34 397</p>				
	<b>Geneva</b> Thermostat Trim	★ 19 615 000 ★ 19 615 ENO ★ 19 615 ZBO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 379 492 531
<ul style="list-style-type: none"> <li>• Cross handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHOTHERM Rough-In Valve 34 331 or 34 397</p>				
	<b>Kensington</b> Thermostat Trim	19 266 000 19 266 ENO ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 412 540
<ul style="list-style-type: none"> <li>• Kensington lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHOTHERM Rough-In Valve 34 331 or 34 397</p>				

# THERMOSTATIC TEMPERATURE CONTROL TRIM

		Product #	Colour/Description	Price
	<p><b>Kensington</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Swarovski® crystal handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397</p>	19 265 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 598
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Cross handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397</p>	<p>19 612 000</p> <p>19 612 BE0</p> <p>19 612 EN0</p> <p>19 612 ZB0</p>	<p>GROHE StarLight® Chrome</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Oil Rubbed Bronze</p>	<p>\$ 303</p> <p>398</p> <p>398</p> <p>427</p>
	<p><b>Seabury</b> Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Lever handle temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Requires separate volume control (See pages 261–263)</li> <li>• Temperature in degrees Fahrenheit</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>For use with GROHTHERM Rough-In Valve 34 331 or 34 397</p>	<p>19 614 000</p> <p>19 614 BE0</p> <p>19 614 EN0</p> <p>19 614 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome</p> <p>Polished Nickel InfinityFinish™</p> <p>Brushed Nickel InfinityFinish™</p> <p>Oil Rubbed Bronze</p>	<p>\$ 303</p> <p>398</p> <p>398</p> <p>427</p>



# GROHTHERM 1000

		Product #	Colour/Description	Price
	<p><b>Grotherm 1000</b> Integrated Shower Thermostat Trim</p> <ul style="list-style-type: none"> <li>• Grip volume control</li> <li>• Grip temperature control</li> <li>• GROHE StarLight® finish</li> <li>• Temperature provided in degrees Celsius</li> <li>• SafeStop at 100°F / 38°C</li> </ul> <p>Must use with GROHTHERM Rough-In Valve 34 240 (see below)</p>	★ 19 982 000	GROHE StarLight® Chrome	\$ 203
	<p><b>Grotherm 1000</b> Integrated Shower Thermostat Rough-In Valve</p> <ul style="list-style-type: none"> <li>• No service stops</li> </ul> <p>24 L/min (7.0 gpm) at 45 psi</p> <p>Requires Twin EII For Shower/Tub Combinations with Diverter Spout (not included, see below)</p>	★ 34 240 000		\$ 354
	<p><b>Twin EII</b></p> <p>Required for shower/tub combinations with diverter spout (excluding Grohsafe and GrohFlex Rough-In Valves)</p>	03 671 000		\$ 38














GROHTHERM 1000











# EXPOSED THERMOSTATS

		Product #	Colour/Description	Price
	<p><b>GrohTherm® 1000</b> Thermostatic Bath/Shower Valve</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat®</li> <li>• GROHE EcoJoy®</li> <li>• Metal Grip ergonomic handle</li> <li>• SafeStop® at 100°F / 38°C</li> <li>• AquaDimmer Eco with multi-function: flow control, bath/shower diverter and integrated GROHE EcoButton</li> <li>• Integrated mixed water shut off</li> <li>• ½" Male shower bottom outlet</li> <li>• Built-in non-return valves</li> <li>• Dirt strainers</li> <li>• S-union ½" NPT</li> <li>• Wall mounted</li> <li>• Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi</li> </ul>	<p><b>34 159 003</b> CEC</p>	GROHE StarLight® Chrome	<b>\$457</b>
	<p><b>GrohTherm® 1000</b> Thermostatic Shower Valve</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat®</li> <li>• GROHE EcoJoy®</li> <li>• Metal Grip ergonomic handle</li> <li>• SafeStop® at 100°F / 38°C</li> <li>• EcoButton for flow adjustment</li> <li>• Integrated mixed water shut off</li> <li>• Ceramic cartridge ½", 180°</li> <li>• ½" Male shower bottom outlet</li> <li>• Built-in non-return valves</li> <li>• Dirt strainers</li> <li>• S-union ½" NPT</li> <li>• Wall mounted</li> <li>• Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi</li> </ul>	<p><b>34 150 003</b></p>	GROHE StarLight® Chrome	<b>\$416</b>

# 3-PORT DIVERTER VALVE & TRIMS

		Product #	Colour/Description	Price
 	<b>Diverter/Transfer</b> 3-Port Rough-In Valve <ul style="list-style-type: none"> <li>• NPT threads</li> <li>• 2 Discrete, 1 shared function</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> 1 Inlet, 2 Outlets Not recommended for use with body sprays	29 712 000	3-Port	\$ 334
	<b>Atrio</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	★ 19 166 000 ★ 19 166 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 340 485
	<b>Eurosmart®</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 970 002 19 970 EN2 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 109 142
	<b>Eurosmart® Cosmopolitan</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Eurosmart lever handle</li> <li>• GROHE StarLight® finish</li> <li>• Adjustable installation depth from 2<sup>5</sup>/<sub>8</sub>" to 4<sup>7</sup>/<sub>16</sub>"</li> <li>• 90 degree needle nose pliers required for tight installation of escutcheon</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	★ 118307 	GROHE StarLight® Chrome	\$ 288
	<b>Eurostyle</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 993 003 19 993 EN3 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 123 160
	<b>Geneva</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Geneva Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	★ 19 219 000 ★ 19 219 EN0 ★ 19 219 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 288 374 403
	<b>Geneva</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Geneva Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	★ 19 220 000 ★ 19 220 EN0 ★ 19 220 ZB0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 288 374 403

# 3-PORT DIVERTER VALVE & TRIMS


		Product #	Colour/Description	Price
	<b>Kensington</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Kensington Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 272 000 19 272 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 358 498
	<b>Kensington</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Swarovski® Crystal Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 271 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 551
	<b>Seabury</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Seabury Cross Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 222 000 19 222 BE0 19 222 EN0 19 222 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 256 332 332 350
	<b>Seabury</b> 2-Way Diverter Trim <ul style="list-style-type: none"> <li>• Seabury Lever Handle</li> <li>• GROHE StarLight® finish</li> </ul> 1 Inlet, 2 Outlets For use with Diverter Rough-In Valve 29 712	19 221 000 19 221 BE0 19 221 EN0 19 221 ZB0 ♿	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 256 332 332 350
	<b>Diverter/Transfer (Discrete Functions)</b> 2-Way Diverter Rough-In Valve <ul style="list-style-type: none"> <li>• 1 inlet /2 outlets</li> <li>• 2 discrete functions (Non-shared)</li> <li>• ½" NPT</li> </ul>	29 900 000 GFC	2-Way (Discrete functions)	\$238
	<b>Same as above (Shared functions)</b> 2 Discrete /1 shared function	29 901 000	2-Way (Shared functions)	\$238
	<b>Concetto</b> 2-Way Diverter Trim (Shower Head / Hand Shower) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901	29 108 001 29 108 EN1 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$122 158
	<b>Concetto</b> 2-Way Diverter Trim (Shower Head / Tub Spout) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/tub spout</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901	29 104 001 29 104 EN1 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$122 158
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Eurocube</b> 2-Way Diverter Trim (Shower Head / Hand Shower) <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 2 outlets: shower head/hand shower</li> </ul> For use with 2-Way Diverter Rough-In Valves 29 900 or 29 901	29 218 001 ♿	GROHE StarLight® Chrome	\$ 185

DIVERTERS

Available September 2019

# 5-PORT DIVERTER VALVE & TRIMS

Product # Colour/Description Price



**Diverter/Transfer**  
5-Port Rough-In Valve

- NPT threads
- 3 Discrete, 3 shared functions
- GROHE SilkMove® ceramic cartridge

2 Inlets, 3 Outlets

Note: For mixed water, select one inlet and plug the other.

Not recommended for use with body sprays

29 035 000

5-Port

\$ 344



**Allure Brilliant**  
3-Way Diverter Trim

- Metal grip handle
- GROHE StarLight® finish

2 Inlets, 3 Outlets

For use with Diverter Rough-In Valve 29 035

19 799 000

GROHE StarLight® Chrome

\$ 434



**GROHE Allure**  
3-Way Diverter Trim

- Metal lever handle
- GROHE StarLight® finish

2 Inlets, 3 Outlets

For use with Diverter Rough-In Valve 29 035

19 591 000  
♿

GROHE StarLight® Chrome

\$ 360



**Eurosmart® Cosmopolitan**  
3-Way Diverter Trim

- Eurosmart Cosmopolitan lever handle
- GROHE StarLight® finish
- Adjustable installation depth from 2 5/8" to 4 7/16"
- 90 degree needle nose pliers required for tight installation of escutcheon

2 Inlets, 3 Outlets

For use with Diverter Rough-In Valve 29 035









★ 118306  
♿

GROHE StarLight® Chrome

\$ 288

DIVERTERS







# 5-PORT DIVERTER VALVE & TRIMS

		Product #	Colour/Description	Price
		<b>Diverter/Transfer</b> 5-Port Rough-In Valve	5-Port	\$ 344
		<ul style="list-style-type: none"> <li>• 3 Discrete, 3 shared functions</li> <li>• NPT threads</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul> 2 Inlets, 3 Outlets Note: For mixed water, select one inlet and plug the other.		
		<b>Agira</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$ 163 213 229
		<ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		
		<b>Atrio</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 340 485
		<ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		
		<b>Eurosmart</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 120 156
		<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		
		<b>Eurostyle</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 134 175
		<ul style="list-style-type: none"> <li>• Metal handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		
		<b>Fairborn</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$ 163 213 229
		<ul style="list-style-type: none"> <li>• Lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		
		<b>Grandera</b> 3-Way Diverter Trim	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 244 317
		<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> 2 Inlets, 3 Outlets For use with Diverter Rough-In Valve 29 714		






DIVERTERS

Note: Products listed with ★ (stars) are available while supplies last.







# 4-PORT DIVERTER VALVE & TRIMS

		Product #	Colour/Description	Price
	<b>Diverter/Transfer (Discrete Functions)</b> 3-Way Diverter Rough-In Valve	29 902 000 <small>CEC</small>	3-Way (Discrete functions)	\$277
	<ul style="list-style-type: none"> <li>• 1 inlet/3 outlets</li> <li>• 3 discrete functions (Non-shared)</li> <li>• ½" NPT</li> <li>• CALGreen/CEC compliant</li> </ul>			
	<b>Same as above (Shared functions)</b> 3 Discrete /3 shared functions	29 903 000	3-Way (Shared functions)	\$277
	<small>new</small> <b>Atrio New</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)	29 216 001 29 216 EN1 <small>♿</small>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 208 269
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with Diverter Rough-In Valve 29 902 or 29 903			
<b>Available September 2019</b>				
	<b>Concetto</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)	29 106 001 29 106 EN1 <small>♿</small>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 146 190
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with 3-Way Diverter Rough-In Valves 29 902 or 29 903			
	<small>new</small> <b>Essence</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)	29 203 001 29 203 A01 <small>NEW</small> 29 203 BE1 <small>NEW</small> 29 203 EN1 29 203 GN1 <small>NEW</small> <small>♿</small>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 169 249 249 219 249
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with Diverter Rough-In Valve 29 902 or 29 903			
<b>A0A, BEA, GNA</b> <b>Available September 2019</b>				
	<small>new</small> <b>Eurocube</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)	29 217 001 <small>♿</small>	GROHE StarLight® Chrome	\$ 197
	<ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with 3-way Diverter Rough-In Valve 29 902 or 29 903			
<b>Available September 2019</b>				
	<small>new</small> <b>Lineare</b> 3-Way Diverter Trim (Showerhead / Hand Shower / Tub Spout)	29 215 001 29 215 EN1 <small>♿</small>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 169 219
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Metal lever handle</li> <li>• For 3 outlets: shower head/hand shower/ tub spout</li> </ul> For use with Diverter Rough-In Valve 29 902 or 29 903			

# VOLUME CONTROLS







		Product #	Colour/Description	Price
	<p><b>Grotherm F</b> Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 3/4" GROHE SilkMove® ceramic cartridge, 90° turn</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 5/16" installation depth</li> <li>• 55 L/min (14.5 gpm) at 45 psi</li> </ul>	35 029 000	1/2" NPT	\$ 188
	<p><b>Allure Brilliant</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm F Rough-in Valve 35 029</p> <p>When using the 3/4" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)</p>	19 797 000	GROHE StarLight® Chrome	\$ 317
	<p><b>GROHE Allure</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• GROHE Allure lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm F Rough-in Valve 35 029</p> <p>When using the 3/4" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)</p>	19 385 000 ♿	GROHE StarLight® Chrome	\$ 370
	<p><b>Grandera</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm F Rough-in Valve 35 029</p> <p>When using the 3/4" volume control valve (29 274) you must follow the rough in dimensions from the valve (35 029)</p>	19 944 000 19 944 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 164 214
	<p><b>Grotherm F</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grotherm F Rough-in Valve 35 029</p>	27 623 000	GROHE StarLight® Chrome	\$ 316

# VOLUME CONTROLS

		Product #	Colour/Description	Price
	<b>Volume Control</b> Rough-In Valve <ul style="list-style-type: none"> <li>• NPT connections</li> <li>• GROHE SilkMove® ceramic cartridge</li> </ul>	29 273 000 29 274 000	1/2" NPT 3/4" NPT	\$ 94 153
	<b>Atrio</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Trio spoke handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	★ 19 888 000 ★ 19 888 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 287 377
	<b>Atrio</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Atrio lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	★ 19 182 000 ★ 19 182 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 287 377
	<b>Eurocube</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Grip handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	19 910 000	GROHE StarLight® Chrome	\$ 95
	<b>Geneva</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Geneva cross handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	★ 19 829 000 ★ 19 829 EN0 ★ 19 829 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 218 283 305
	<b>Geneva</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Geneva lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	★ 19 837 000 ★ 19 837 EN0 ★ 19 837 ZB0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 218 283 305
	<b>Kensington</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Kensington lever handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	19 270 000 19 270 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 239 340
	<b>Kensington</b> Volume Control Trim <ul style="list-style-type: none"> <li>• Swarovski® crystal handle</li> <li>• GROHE StarLight® finish</li> </ul> For use with Rough-In Valve 29 273 or 29 274	19 269 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 401



# VOLUME CONTROLS

		Product #	Colour/Description	Price
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury cross handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274</p>	<p>19 827 000 19 827 BE0 19 827 EN0 19 827 ZB0</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Seabury</b> Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Seabury lever handle</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Rough-In Valve 29 273 or 29 274</p>	<p>19 828 000 19 828 BE0 19 828 EN0 19 828 ZB0</p> <p>♿</p>	<p>GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze</p>	<p>\$ 161 212 212 230</p>
	<p><b>Grohtherm F</b> Triple Volume Control Rough-In Set</p> <ul style="list-style-type: none"> <li>• For grid installation with GrohFlex Grohtherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• ¾" GROHE SilkMove® ceramic cartridges, 90° turn</li> <li>• 1 inlet, 3 outlets</li> <li>• ½" NPT connection</li> <li>• 2¾" – 3 15/16" installation depth</li> </ul> <p>Flow rates: 1 shut-off valve open - 55 L/min (14.5 gpm) 2 shut-off valve open - 110 L/min (29 gpm) 3 shut-off valves open - 140 L/min (37 gpm)</p>	<p>35 032 000</p>	<p>½" NPT</p>	<p>\$ 544</p>
	<p><b>Grohtherm F</b> Triple Volume Control Trim</p> <ul style="list-style-type: none"> <li>• Metal grip handles</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Grohtherm F Triple Volume Control Rough-In Set 35 032 000, sold separately</p>	<p>27 625 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 815</p>
	<p><b>Inline Remote</b> Pressure Balance Valve</p> <p>TO BE INSTALLED UPSTREAM OF THE MIXING VALVE(S)</p> <ul style="list-style-type: none"> <li>• ¾" Female inlets</li> </ul> <p>For use with non-safety mixing valves</p> <p>20.1 L/min (5.3 gpm) at 45 psi</p> 	<p>35 204 000</p>		<p>\$ 228</p>

# GROHE F-DIGITAL DELUXE

## **Stimulate your Senses.**


Transform your shower into your very own multi-sensory spa with the pleasure of light, the joy of sound and the relaxing power of steam. The GROHE F-digital Deluxe brings all these elements together in a convenient spa management system, controlled by the GROHE SPA F-digital Deluxe App. The App lets you change the colour and intensity of the light, stream your favourite music, or control the steam system — all from your iPhone®, iPad® or Android® device.



### A Unique Experience For All The Senses


Using a wireless Bluetooth connection, the GROHE SPA® app\* and GROHE F-Digital Deluxe modules you can stimulate all of your senses with just a single touch of the hand – available for Apple and Android mobile devices.

\* Available for free via iTunes app or Google Play store



### TOUCH

With one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single touch of the hand.




### LIGHT

Colour has a positive effect on our sense of well-being; but we all perceive colours differently. With the GROHE light modules, you can change the colours to suit your mood and enjoy a personalized chromotherapy experience while showering.



### SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



### STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin, and helps the muscles to relax.

**NEW:** Pure essential oils may be added to the steam outlet to enrich the mist providing an all-embracing aroma and a truly relaxing experience.






### The Configuration – Made Easy

To make planning your GROHE SPA® shower easier, you'll find below some guidelines and recommendations for Small, Medium or Large shower configurations, including all products that are fitted behind the wall.

Looking for water savings? Consider the product options in the CEC column.

	GROHE SPA Product	Small	Medium	Large	CEC
<b>Shower</b>	27 816 000 Rainshower F-Series 10" ceiling shower head, 7.6 L/min (2.0 gpm)				1
	27 288 000 Rainshower F-Series 20" ceiling shower head, 9.5 L/min (2.5 gpm)			1	
	27 468 000 Rainshower F-Series 10" ceiling shower head, 9.5 L/min (2.5 gpm)	1			
<b>Shower + Light</b>	26 371 000 Rainshower F-Series 20" ceiling shower with 4 lights, 9.5 L/min (2.5 gpm)		1		
	29 069 000 Extension cables for Rainshower F-Series 20" with 4 lights		1		
<b>Light</b>	36 359 000 F-Digital Deluxe light modules	1		2	1
	29 072 000 Light module rough-in set	1		2	1
<b>Sound</b>	36 360 000 F-Digital Deluxe sound module	1	1	2	1
	29 073 000 Sound module rough-in set	1	1	2	1
<b>Steam</b>	Use Steamist SM- Series Steamers - SM Series Steamer only Steamist.com - Available Through Authorized Steamist Showrooms Steamist Steam Outlet 3160-PC	1	1	1	1
	36 419 000 Temperature sensor and rough-in set for steam temperature sensor	1	1	1	1
<b>Controller</b>	36 418 000 F-Digital Deluxe base unit box Bluetooth®	1	1	1	1
	36 371 000 Bluetooth® adapter BT-01A	1	1	1	1
	36 367 000 Rough-in box for control unit	1	1	1	1
	36 417 000 Power supply for base unit box	2	2	2	2
<b>Side Shower</b>	27 252 000 Rainshower F-Series 5" body spray, 9.5 L/min (2.5 gpm)	3	3	3	
<b>Water controls</b>	27 620 000 GrohFlex Grotherm F custom shower thermostatic trim	1	1	1	
	35 026 000 GrohFlex universal rough-in box	1	1	1	1
	27 625 000 Grohtherm F triple volume control trim	1	1	1	
	19 927 000 GrohFlex Cosmo Square dual function thermostatic trim				1
	35 032 000 GrohTherm F triple volume control rough-in set	1	1	1	
<b>Hand shower + Accessories</b>	27 621 000 Grohtherm F wall union with integrated shower holder	1	1	1	
	35 035 000 Grohtherm F wall union rough-in set	1	1	1	
	28 341 000 Sena stick hand shower, 9.5 L/min (2.5 gpm)	1	1	1	
	28 417 000 59" RotaFlex metallic hose	1	1	1	1
	27 806 000 Euphoria Cosmopolitan stick hand shower, 7.6 L/min (2.0 gpm)				1
	27 708 000 Allure Brilliant wall union				1
	27 693 000 Euphoria Cube wall mount hand shower holder				1

# F-DIGITAL DELUXE


		Product #	Colour/Description	Price
	<b>Power Supply</b> <ul style="list-style-type: none"> <li>• UL Approved Power supply</li> <li>• 2 power supplies are required for F-Digital control unit with more than 4 modules (4 Spectrum lights + 2 sound modules)</li> </ul>	★ 36 417 000		\$ 266
	<b>Bluetooth Control Unit</b> <ul style="list-style-type: none"> <li>• 2 connections for one pair of sound modules (36 360)</li> <li>• 2 connections, for one pair of light modules (36 359) or 1 ceiling shower head (26 371) with integrated light</li> <li>• 2 plug connections for Steamist SM Series steam unit, including 1 connection for temperature sensor</li> <li>• 2 plug connections for power supply (per power supply max. 4 devices light/ sound)</li> <li>• 2 plugs for Bluetooth adapter</li> <li>• Unit must be accessible for service</li> <li>• Control unit can be placed inside optional rough-in box 36 367 000</li> </ul>	★ 36 418 000		\$ 1,745
	<b>Bluetooth Adapter</b> <ul style="list-style-type: none"> <li>• Bluetooth Adapter for the control unit (36 418)</li> <li>• Allows Unit to be controlled by SPA App</li> </ul>	36 371 000		\$846
	<b>Temperature Sensor and Rough-In NPT</b> <ul style="list-style-type: none"> <li>• Temperature sensor for operation with Steamist SM series Steam units</li> </ul>	★ 36 419 000		\$ 605
	<b>Rough-in Box for Control unit</b> <ul style="list-style-type: none"> <li>• Metal floor-mounted casing for the control unit (36 418)</li> </ul>	36 367 000		\$ 740
	<b>Extension for Sensor</b> <ul style="list-style-type: none"> <li>• 196" Extension for Temperature Sensor</li> </ul>	47 877 000		\$ 101

# F-DIGITAL DELUXE

		Product #	Colour/Description	Price
	<b>F-Digital Deluxe Light Modules</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Includes 2 Multi Spectrum light modules</li> </ul> Requires Light Module Rough-in 29 072 for installation	★ 36 359 000	GROHE StarLight® Chrome	\$ 1,724
	<b>Light Module Rough-In</b> <ul style="list-style-type: none"> <li>Includes 2 rough in boxes</li> <li>Required for 36 359 installation</li> <li>Includes installation cords to control box</li> </ul>	★ 29 072 000		\$ 488
	<b>Light cable extension</b> <ul style="list-style-type: none"> <li>196" Extension cable for GROHE Light Module</li> </ul>	★ 47 867 000		\$ 97
	<b>Sound Module</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Includes 2 Water Proof Speakers</li> </ul> Requires Sound Module Rough-in 29 073 for installation	★ 36 360 000	GROHE StarLight® Chrome	\$ 1,090
	<b>Sound Module Rough-In</b> <ul style="list-style-type: none"> <li>Includes 2 rough-in boxes</li> <li>Required for 36 360 installation</li> <li>Includes installation cables to control box</li> </ul>	★ 29 073 000		\$ 369
	<b>Sensor Extension Cable</b> <ul style="list-style-type: none"> <li>196" Extension cable for GROHE Sound Module</li> </ul>	★ 47 838 000		\$ 84
	<b>Rainshower F-Series 20" Ceiling Shower with Light</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>GROHE DreamSpray®</li> <li>SpeedClean® anti-lime system</li> <li>20"x20"</li> <li>252 Spray Nozzles</li> <li>1/2" NPT</li> <li>9.5 L/min (2.5 gpm) Rainshower™ Spray</li> <li>4 built-in multi-colour lights</li> <li>For use with F-Digital Deluxe control box - see GROHE SPA phone app</li> </ul>	★ 26 371 000	GROHE Starlight® Chrome	\$ 6,161
	<b>Rainshower™ Extension Cables</b> <ul style="list-style-type: none"> <li>196" Extension cables for GROHE F-Series 20" ceiling shower with Lights</li> </ul>	★ 29 069 000		\$ 287

# GROHE F-DIGITAL

## EASY TO USE & INTUITIVE



**Digital Shower Diverter**  
Pushing a button is all it takes to switch between the water outlets.

Select between water outlets - one at a time, one after the other or all simultaneously.

**How Does It Work?**  
Radio signals from the digital controller send temperature and water volume changes to the thermostatic valve in the wall




**GROHE EcoJoy™**  
Allows pausing the water flow. If pressed again within 30 seconds water flow restarts with the same flow rate and temperature.

Useful when shampooing - saving water and energy.







**Memory Function**  
Pushing the Power/Pause Button for 2-4 seconds during the water supply, actual settings (temperature, flow rate, outlet) will be saved and recalled every time the faucet or shower is switched on again.

**Warm-Up Mode**  
Pushing the Power/Pause Button for 2-4 seconds starts your shower in the Warm-Up Mode. Blue flashing lights indicate Warm-Up Active. When pre-set temperature is reached water supply stops automatically and the ring flashes blue again - now it is time to enter the shower area.

Activating the Warm-Up Mode on the remote controller placed outside of the shower make cold showers a thing of the past.

	Product #	Colour/Description	Price
	★ 36 294 000	GROHE StarLight® Chrome	\$ 2,003
<p><b>F-Digital</b> Digital Controller</p> <ul style="list-style-type: none"> <li>• Max. hot water temperature 46°C (115°F)</li> <li>• Temperature and flow control function</li> <li>• Radio signal technology</li> <li>• 3/4" Thermostat unit (1/2" inlets/outlets)</li> <li>• Pause function</li> <li>• Memory function</li> <li>• LED indicator ring provides visual temperature feedback</li> <li>• Automatic safety shut-off function (after 20 mins)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE Digital®</li> <li>• Includes a 12" Digital gateway for optimal installation reach (36 356 000)</li> <li>• Includes three 3V lithium batteries for digital controller</li> <li>• CALGreen/CEC compliant</li> <li>• Max. Flow Rate: 50.7 L/min (13.4 gpm) at 45 psi</li> </ul> <p>Required: Plug-in power supply (65 912) or hardwire power supply (36 078)</p>	<p>CAUTION: The signal from the digital controller to the antenna (digital gateway) works within a distance of 15 ft. The signal maybe weaker when transmitting through custom tile/marble. Position the digital thermostat unit in an accessible, unobstructed area. Antenna extension cable (47 727 000) can be used to reach these optional installation areas.</p>		
	★ 36 297 000	GROHE StarLight® Chrome	\$ 2,295
<p><b>F-Digital</b> Digital Controller + Diverter (Shower Head/Handshower/Body Spray)</p> <ul style="list-style-type: none"> <li>• Max. hot water temperature 46°C (115°F)</li> <li>• Temperature and flow control function</li> <li>• Radio signal technology</li> <li>• 3/4" Thermostat unit (1/2" inlets/outlets)</li> <li>• Pause function</li> <li>• Memory function</li> <li>• LED indicator ring provides visual temperature feedback</li> <li>• Automatic safety shut-off function (after 20 mins)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®</li> <li>• GROHE EcoJoy®</li> <li>• GROHE Digital®</li> <li>• Includes three 3V lithium batteries for digital controller and diverter</li> <li>• Includes new 12" Digital gateway for optimal installation reach (36 356 000)</li> <li>• Max. Flow Rate: 50.7 L/min (13.4 gpm) at 45 psi</li> </ul> <p>NOTE: Plug power supply (65 912) sold separately.</p>	<p>CAUTION: The signal from the digital controller to the antenna (digital gateway) works within a distance of 15 ft. The signal maybe weaker when transmitting through custom tile/marble. Position the digital thermostat unit in an accessible, unobstructed area. Antenna extension cable (47 727 000) can be used to reach these optional installation areas.</p>		
	★ 36 309 000	GROHE StarLight® Chrome	\$ 410
<p><b>F-Digital</b> Additional Digital Controller</p> <ul style="list-style-type: none"> <li>• Temperature and flow control function</li> <li>• Radio Signal technology</li> <li>• Automatic safety shut-off function (after 20 mins)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• Includes three 3V lithium batteries for digital controller</li> </ul> <p>Optional square trim plate available (40 710)</p>			



		Product #	Colour/Description	Price
	<p><b>Allure F-Digital</b> Decorative Square Trim Plate for Digital Controller</p> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	★ 40 710 000	GROHE StarLight® Chrome	\$ 170
	<p><b>Plug-In Power Supply Cord</b></p>	★ 65 912 000		\$ 88
	<p><b>Hardwire Power Supply</b></p>	★ 36 078 000		\$ 134
	<p><b>Extension Cable</b></p> <ul style="list-style-type: none"> <li>For use with Plug-In (65 912 000) or Hardwire Power Supply (36 078 000)</li> </ul>	★ 65 815 000		\$ 69
	<p><b>Plug-In Extension Cable</b></p> <ul style="list-style-type: none"> <li>For use with Digital Gateway Antenna (36 356 000)</li> </ul>	★ 47 727 000		\$ 54
	<p><b>Digital Gateway Antenna</b></p> <ul style="list-style-type: none"> <li>12 ft. cord length</li> <li>For optional use with 36 345 000 / 36 284 000 in instances where transmission is poor/blocked</li> </ul>	★ 36 356 000		\$ 144

# GROHE EUPHORIA® SMARTCONTROL SHOWER SYSTEM

We've put a lot of thought into our new GROHE Euphoria® SmartControl Shower System. The result is a technologically advanced design that allows you to enjoy multiple shower head sprays and a hand shower, individually or all at once, with push-button ease. It promises the most exhilarating shower you've ever experienced in a style that enhances every bathroom.

## GROHE SMARTCONTROL® TECHNOLOGY

Provides water source and water force selection at the push of a button and turn of a knob, and stores the setting until next time.



## GROHE TURBOSTAT® TECHNOLOGY

Delivers water at the desired temperature within a fraction of a second, and keeps it constant for the duration of shower.



## GROHE COOLTOUCH®

Surface stays cool-to-the-touch to eliminate scalding.




## SWIVEL SHOWER ARM

Shower head rotates 180° to achieve the perfect angle.



## ADJUSTABLE SHOWER GLIDER


Allows the hand shower to be positioned at the ideal height.



## QUICKFIX SHOWER RAIL

Movable upper bracket allows use of existing drilled holes.





### EUPHORIA® 260 SHOWER HEAD

With the innovative button in the spray plate, it's easy to choose from a wide rain spray to a concentrate jet spray. (Shower head and hand shower sold separately)



### GROHE QUICKFIX®

For a 40% faster install, position upper bracket to use existing drilled hole.



### GROHE STARLIGHT®

Brilliant chrome finish is enduring and easy to clean.



### GROHE EASYREACH® TRAY

Removable, easy-clean tray keeps shampoo and soap handy.



### GROHE SMARTCONTROL®

Choose water source and intensity of water flow with ease.





### GROHE TURBOSTAT®









Maintains desired temperature for duration of shower.

# EUPHORIA® SMARTCONTROL SHOWER SYSTEM

SHOWER SYSTEMS – SMARTCONTROL

		Product #	Colour/Description	Price	
	<p><b>new</b></p>	<p><b>GROHE Euphoria® SmartControl</b> Shower System</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermostatic element</li> <li>• GROHE SmartControl® push buttons for ON-OFF, and turn for volume adjustment</li> <li>• GROHE QuickFix® adjustable upper mounting bracket</li> <li>• Exposed thermostatic temperature control with SafeStop at 100°F / 38°C</li> <li>• Max shower head weight: 2 kg (4.4 lb)</li> <li>• Shower arm rotation angle 180°</li> <li>• Swivel shower arm length: 45 cm (17¾")</li> <li>• Overall rail height: 110 cm (43⅞")</li> <li>• Adjustable hand shower holder height</li> <li>• 69" Rotaflex metal shower hose (28 025)</li> <li>• Integrated GROHE EasyReach shower tray</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Showerhead and hand shower are NOT included (sold separately). See page 275 for recommendations.</li> </ul>	<p>26 511 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 999</p>
	<p><b>new</b></p>	<p><b>GROHE Euphoria® SmartControl</b> Tub/Shower System</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermostatic element</li> <li>• GROHE SmartControl® push button for ON-OFF, and turn for volume adjustment</li> <li>• GROHE QuickFix® adjustable upper mounting bracket</li> <li>• Exposed thermostatic temperature control with SafeStop at 100°F / 38°C</li> <li>• Max shower head weight: 2 kg (4.4 lb)</li> <li>• Shower arm rotation angle 180°</li> <li>• Swivel shower arm length: 45 cm ( 17¾")</li> <li>• Overall rail height: 156 cm (61 ⅞")</li> <li>• 5⅝" Tub Spout reach</li> <li>• Adjustable hand shower holder height</li> <li>• 69" Rotaflex metal shower hose (28 025)</li> <li>• Integrated GROHE EasyReach shower tray</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Tub spout flow rate: 20 L/min (5.3gpm) at 45psi</li> <li>• Showerhead and hand shower are NOT included (sold separately). See page 275 for recommendations.</li> </ul>	<p>26 512 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 1,199</p>

# EUPHORIA® SMARTCONTROL SHOWER SYSTEM

		Product #	Colour/Description	Price
	<p><b>Euphoria 260</b> Shower Head - 3 Sprays</p> <ul style="list-style-type: none"> <li>• 10" Face</li> <li>• 3 Spray patterns</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Jet, SmartRain, Rain</p>	<p>26 457 000 26 457 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 168 221</p>
		 <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>26 456 000 26 456 EN0</p> <p></p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<p><b>Euphoria Cosmopolitan</b> Hand Shower - 1 Spray</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Non-adjustable normal spray</p>	<p>27 400 000</p>	GROHE StarLight® Chrome	<p>\$ 80</p>
		 <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>26 466 000</p> <p></p>	GROHE StarLight® Chrome
	<p><b>Euphoria® 110 Massage</b> Hand Shower - 3 Sprays</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray®</li> <li>• Speed Clean® anti-lime system</li> <li>• 4 5/8" Face</li> <li>• White spray face</li> <li>• Inner WaterGuide for a longer life</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Rain, SmartRain, Massage</p>	<p>27 239 001</p>	GROHE StarLight® Chrome	<p>\$ 97</p>
		<p><b>new</b></p> <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	<p>26 513 000</p> <p></p>	GROHE StarLight® Chrome

# GROHE RAINSHOWER SMARTCONTROL SHOWER SYSTEM

## XXL pleasure with 100% control.

You can enjoy your shower with intuitive flow control – revitalizing or relaxing, stimulating or soothing. With the exact desired temperature at all times.



### GROHE CoolTouch®

No scalding on hot surfaces thanks to 100% GROHE CoolTouch®



### XL EasyReach tray to store shampoo and soap

Easy cleaning and maintenance with removable tray



### GROHE SafeStop®

Set for 38° C / 100° F




### GROHE TurboStat®

GROHE TurboStat® ensures the water is always at the desired temperature




### GROHE SmartControl


Push the button to start the shower



Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.




# SMARTCONTROL SHOWER SYSTEM

		Product #	Colour/Description	Price
	<p><b>GROHE SmartControl</b> Shower System (Bare)</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat®</li> <li>• GROHE CoolTouch®</li> <li>• Dual functionality</li> <li>• Over all height: 42 15/16"</li> <li>• Shower arm length: 19 5/8"</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• SmartControl Technology - Volume control</li> <li>• Exposed thermostatic temperature control with SafeStop at 38°C / 100°F</li> <li>• 69" RotaFlex shower hose (28 025)</li> <li>• Hand shower holder with adjustable angle included</li> <li>• Head and hand shower are NOT included (sold separately)</li> <li>• Recommended Rainshower Veris 300 shower head (27 471) combined with Power&amp;Soul 130 hand shower (27 673)</li> </ul> <p>Rainshower Cosmopolitan 400 jumbo shower head (28 783) CANNOT be installed on this unit.</p>	26 379 000	GROHE StarLight® Chrome	\$ 1,585
		<p><b>2016 AWARDS</b></p> <p>Good Design Award</p> <p><b>2017 AWARDS</b></p> <p>Green Good Design Award</p>	<p>GOOD DESIGN</p> <p>Iconic Award</p> <p>GOOD DESIGN</p> <p>IF Design</p> <p>GOLD AWARD 2018</p>	
	<p><b>Rainshower Veris 300</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 5 7/8" x 11 3/4" face</li> <li>• 152 spray nozzles</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: GROHE PureRain</p>	27 471 000	GROHE StarLight® Chrome	\$ 752
	<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul>	★ 27 837 000	GROHE StarLight® Chrome	\$ 752
	<p><b>Euphoria Cosmopolitan 180</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 7 1/16" Chrome face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p>	27 492 000	GROHE StarLight® Chrome	\$ 186
	<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul>	★ 27 808 000	GROHE StarLight® Chrome	\$ 186
	<p><b>Power&amp;Soul Contemporary 130</b> Hand Shower - 4 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>	27 673 000	GROHE StarLight® Chrome	\$ 167
	<p><b>Euphoria 110 Mono</b> Hand Shower - 1 Spray</p> <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 1 spray pattern - Rain</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul>	27 809 000	GROHE StarLight® Chrome	\$ 58
	<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>	27 265 00E	GROHE StarLight® Chrome	\$ 58

SHOWER SYSTEMS – SMARTCONTROL



Note: Products listed with ★ (stars) are available while supplies last.

# EUPHORIA SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>Euphoria Cube</b> Thermostatic Shower System (Bare)	26 420 000	GROHE StarLight® Chrome	\$ 1,109
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™ technology for less water and perfect flow</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop® at 38°C / 100°F</li> <li>• Overall height 116 cm (45 3/4")</li> <li>• 40 cm (15 3/4") Shower arm projection</li> <li>• Exposed thermostatic shower with AquaDimmer function diverts between hand shower and showerhead</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> </ul>			
	<b>Optional Spacer Disc 1/4"</b>	27 933 000		\$ 143
	<b>Euphoria</b> Thermostatic Shower System (Bare)	26 419 000 26 419 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 804 1,046
	<ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Swivel shower arm with 45° rotation</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• Adjustable hand shower gliding element</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE SafeStop® at 38°C / 100°F</li> <li>• Exposed thermostatic temperature control</li> <li>• (113 cm) 44 1/2" Overall height</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LN0		\$ 47
	<b>Optional Spacer Disc 1/4"</b>	27 180 000		\$ 105
	<b>Optional Longer Rail 46" (1166 mm)</b>	48 053 000		\$ 142
	<b>Optional Shorter Rail 34" (866 mm)</b>	48 054 000		\$ 100
	<b>Optional Service Stop</b>	12 400 000		\$ 59
	<b>Euphoria</b> Thermostatic Tub / Shower System (Bare)	26 490 000 26 490 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,057 1,374
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• Exposed thermostatic temperature control with SafeStop® at 38°C / 100°F</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• 45 cm (17 11/16") shower arm</li> <li>• Optional fixed or 45° swivel shower arm</li> <li>• Bar with adjustable height hand shower holder</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• Includes manual tub/shower diverter</li> <li>• 17 cm (6 5/8") Tub spout reach</li> <li>• 159 cm (62 1/2") Overall rail height</li> <li>• 147 cm (58") Rail length between upper bracket and thermostat</li> <li>• Tub spout flow rate: 20 L/min (5.3 gpm) at 45 psi</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LN0		\$ 47
	<b>Optional Spacer Disc 1/4"</b>	27 180 000		\$ 105
	<b>Optional Service Stop</b>	12 400 000		\$ 59



# EUPHORIA SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>Euphoria</b> Thermostatic Shower System	26 128 001 26 128 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,046 1,360
	<ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Swivel shower arm with 45° rotation</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• Euphoria 260 shower head (26 457), 9.5 L/min (2.5 gpm)</li> <li>• Euphoria Duo hand shower (27 238) with normal / eco spray, 9.5 L/min (2.5 gpm)</li> <li>• Bar with adjustable height hand shower holder</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• GROHE Dreamspray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• GROHE SafeStop® at 38°C / 100°F</li> <li>• Exposed thermostatic temperature control</li> <li>• 113 cm (44 1/2") Overall height</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LN0		\$ 47
	<b>Optional Spacer Disc 1/4"</b>	27 180 000		\$ 105
	<b>Optional Longer Rail 46" (1166 mm)</b>	48 053 000		\$ 142
	<b>Optional Shorter Rail 34" (866 mm)</b>	48 054 000		\$ 100
	<b>Optional Service Stop</b>	12 400 000		\$ 59
	<b>Euphoria</b> Thermostatic Tub/Shower System	26 177 001	GROHE StarLight® Chrome	\$ 1,258
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• SpeedClean® anti-lime system</li> <li>• Exposed thermostatic temperature control with SafeStop® at 100°F / 38°C</li> <li>• Switch between hand shower and shower head via built-in AquaDimmer diverter</li> <li>• Two discrete functions (non-shared)</li> <li>• 45 cm (17 11/16") Shower arm</li> <li>• Optional fixed or 45° swivel shower arm</li> <li>• Adjustable height hand shower holder</li> <li>• Euphoria shower head (26 457), 9.5 L/min (2.5 gpm)</li> <li>• Euphoria Duo hand shower (27 238), 9.5 L/min (2.5 gpm)</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes manual tub/shower diverter</li> <li>• 17 cm (6 5/8") Tub spout reach</li> <li>• 159 cm (62 1/2") Overall rail height</li> <li>• 147 cm (58") Rail length between upper bracket and thermostat</li> <li>• Tub spout flow rate: 20 L/min (5.3 gpm) at 45 psi</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LN0		\$ 47
	<b>Optional Spacer Disc 1/4"</b>	27 180 000		\$ 105
	<b>Optional Service Stop</b>	12 400 000		\$ 59

# EUPHORIA / TEMPESTA SHOWER SYSTEMS


		Product #	Colour/Description	Price
	<b>Tempesta</b> Thermostatic Shower System (Bare)	26 421 000 ♿	GROHE StarLight® Chrome	\$ 581
	<ul style="list-style-type: none"> <li>• 120 cm (47 1/4") Overall height</li> <li>• 28 cm (10 13/16") Shower arm projection</li> <li>• Exposed thermostatic shower with AquaDimmer function diverts between hand shower and showerhead</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™ technology for less water and perfect flow</li> <li>• GROHE TurboStat® technology features a compact cartridge with wax thermoelement</li> <li>• 59" metal shower hose (28 417)</li> <li>• Includes adapters for easy installation (depth adjustable)</li> <li>• ADA compliant handles</li> </ul>			
	<b>Optional EasyReach Accessory Tray</b>	26 362 LN0		\$ 47
	<b>Optional Longer Rail 46" (1166mm)</b>	48 053 000		\$ 142
	<b>Optional Shorter Rail 34" (866mm)</b>	48 054 000		\$ 100
	<b>Optional Service Stop</b>	12 400 000		\$ 59
	<b>Optional Shower System Rails</b>			
	<b>Longer Rail</b> <ul style="list-style-type: none"> <li>• Increases rail height to 46" (1166 mm) for a higher shower head mounting position</li> <li>• GROHE StarLight® finish</li> <li>• Works with all Euphoria and Tempesta shower systems EXCEPT Euphoria Cube (26 420 000)</li> </ul>	48 053 000	GROHE StarLight® Chrome	\$ 142
	<b>Shorter Rail</b> <ul style="list-style-type: none"> <li>• Decreases rail height to 34" (866 mm) for a lower shower head mounting position</li> <li>• GROHE StarLight® finish</li> <li>• Works with all Euphoria and Tempesta shower systems EXCEPT Euphoria Cube (26 420 000)</li> </ul>	48 054 000	GROHE StarLight® Chrome	\$ 100
	<b>Euphoria/Tempesta</b> Easy Reach Tray	26 362 LN0	White	\$ 47
	<ul style="list-style-type: none"> <li>• Works with all Euphoria and Tempesta shower systems EXCEPT Euphoria Cube (26 420 000)</li> </ul>			
	<b>Service Stop</b> S-Union (Lockable)	12 400 000	GROHE StarLight® Chrome	\$ 59
	<ul style="list-style-type: none"> <li>• 1/2" x 3/4"</li> <li>• 3/8" Adjustment range</li> <li>• GROHE StarLight® finish</li> <li>• Escutcheon</li> <li>• Lockable for service</li> <li>• Set of 2</li> </ul>			

# GROHE RETRO-FIT™ SHOWER SYSTEM

## Transform a standard shower into a multifunctional, luxury shower

Ideal for retrofit or renovation, the GROHE Retro-Fit Shower System transforms an existing shower head installation into a luxurious shower system with a shower head plus the added convenience of a hand shower. The upgrade is quick and easy to install. Simply replace the existing shower arm – no need to change the tiles or alter any in-wall plumbing. Once installed, it's easy to use; simply turn the six-position diverter to switch the water flow from shower head to hand shower, or have both outlets on simultaneously. As an additional feature, the diverter includes Eco Mode options for water savings.

GROHE offers a range of shower kits with the shower head and hand shower included. The base (or bare) models let you choose the style of hand shower and shower head that suits your needs and bathroom decor. A renovation upgrade without the renovation price tag.





# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<p><b>GROHE Retro-Fit</b> 25" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Swivel shower arm with 180° rotation</li> <li>• Switch between hand shower and shower head shower via built-in 6-position diverter</li> <li>• Adjustable gliding element</li> <li>• 59" Metal hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p><b>Valve sold separately.</b></p> <p>Optional 6" height extension bar (26 464) sold separately, see page 285.</p> <p>Optional 8 mm (5/16") spacer (26 030) for installations where mounting brackets are on uneven surfaces such as tiled wall to drywall. Sold separately, see page 285.</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>	<p>26 485 000 26 485 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 644 837</p>
	<p><b>GROHE Retro-Fit</b> 18" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 45 cm (17 3/4") horizontal swivel shower arm with 180° rotation</li> <li>• Switch between hand shower and shower head via 6-position built-in diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>	<p>26 486 000 26 486 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 623 814</p>





# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<p><b>GROHE Retro-Fit</b> 25" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 26 cm (10 1/4") Optional fixed or swivel standard shower arm</li> <li>• Switch between hand shower and shower head or dual function via built-in 6-position diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>	<p>26 487 000 26 487 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 602 782</p>
	<p><b>GROHE Retro-Fit</b> 18" Shower System (Bare)</p> <p>Designed for new installations or retrofit to replace an existing shower arm</p> <ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 26 cm (10 1/4") Optional fixed or swivel standard shower arm</li> <li>• Switch between hand shower and shower head or dual function via built-in 6-position diverter</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" metal shower hose (28 417)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch® technology</li> <li>• Supply elbow connection</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p> <p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>	<p>26 488 000 26 488 EN0</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p>\$ 559 729</p>

# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<p><b>new</b></p>	<p><b>GROHE Retro-Fit Bundle</b> 25" Euphoria - 9.5 L/min (2.5 gpm)</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 740</b> <b>962</b></p>
		<p>Designed for new installations or retrofit to replace an existing shower arm</p>		
		<ul style="list-style-type: none"> <li>• Wall-mounted diverter shower system</li> <li>• 45 cm (17 11/16") Horizontal 180° swivel shower arm</li> <li>• Switch between hand shower and shower head shower via built-in 6-position diverter</li> <li>• Euphoria 260 shower head (26 457) with rain spray with ball joint, turning angle ± 20°, 9.5 L/min (2.5 gpm)</li> <li>• Euphoria hand shower (27 239) with normal / SmartRain / massage spray, 9.5 L/min (2.5 gpm)</li> <li>• Adjustable height bar with gliding element</li> <li>• 59" Metal hose (28 417)</li> <li>• Supply elbow connection</li> <li>• GROHE StarLight® finish</li> <li>• GROHE Dreamspray® technology</li> <li>• GROHE CoolTouch® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm) at 60 psi</li> </ul>		
		<p><b>Valve sold separately.</b></p>		
		<p>Optional 6" height extension bar (26 464) sold separately, see page 285.</p>		
		<p>Optional 8 mm (5/16") spacer (26 030) for installations where mounting brackets are on uneven surfaces such as tiled wall to drywall. Sold separately, see page 285.</p>		
		<p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>		
	<p><b>new</b></p>	<p><b>GROHE Retro-Fit Bundle</b> 25" Tempesta - 6.6 L/min (1.75 gpm)</p>	<p>GROHE StarLight® Chrome Brushed Nickel InfinityFinish™</p>	<p><b>\$ 720</b> <b>936</b></p>
		<ul style="list-style-type: none"> <li>• Wall mounted diverter shower system</li> <li>• 45 cm (17 11/16") Optional fixed or 180° swivel Rainshower™ shower arm</li> <li>• Switch between hand shower and shower head or dual function via built-in diverter</li> <li>• GROHE StarLight® finish</li> <li>• GROHE CoolTouch®</li> <li>• GROHE Dreamspray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Adjustable height bar with gliding element</li> <li>• Supply elbow connection</li> <li>• 59" metal shower hose (28 417)</li> <li>• Tempesta 210 shower head (26 409), 6.6 L/min (1.75 gpm)</li> <li>• Tempesta 100 hand shower (26 047), 6.6 L/min (1.75 gpm)</li> <li>• GROHE Retro-Fit™ shower system (26 485), 6.6 L/min (1.75 gpm)</li> </ul>		
		<p>Wall spacer for upper bracket (26 030) and shower system 6" height extension (26 464) available to be purchased separately</p>		
		<p>Compatible with EasyReach Accessory Trays 26 362 LN0 and 27 596 000. See page 285.</p>		

# RETRO-FIT SHOWER SYSTEMS

		Product #	Colour/Description	Price
	<b>GROHE Retro-Fit</b> 6" Bar Height Extension <ul style="list-style-type: none"> <li>• Extends rail height by 6" for a higher shower head mounting position</li> <li>• GROHE StarLight® finish</li> </ul>	26 464 000 26 464 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 129 168
	<b>GROHE Retro-Fit</b> Spacer <ul style="list-style-type: none"> <li>• 8 mm (5/16") spacer for upper bracket (use if the top bracket is installed on a bare wall and the bottom on a tiled wall)</li> <li>• GROHE StarLight® finish</li> </ul>	26 030 000 26 030 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 69 90
	<b>EasyReach Accessory Tray</b>	27 596 000	Acrylic	\$ 18
	<b>EasyReach Accessory Tray</b>	26 362 LN0	White	\$ 47

SHOWER SYSTEMS – RETRO-FIT

# GROHE SHOWER KITS

## **Convenience and unbeatable value**

These all-in-one kits take the guesswork out of designing your shower, and include the most popular features for shower systems. At the heart of each shower kit is GROHE valve technology, recognized in the industry for reliability and optimum performance. Kit options are available from one outlet to multiple outlets, and include both pressure balance and thermal valve options. Available in a range of design styles, there are options to suit any decor. Your shower, your way – everything you need in one convenient kit.






# SHOWER KITS

	Product #	Colour/Description	Price
GrohTherm F Custom Shower Kit	★ 123155	GROHE StarLight® Chrome	\$ 3,131

**Kit Includes:**

- Rainshower Allure shower head, 9" face (27 480 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 6" ceiling arm w/ square flange (27 486 000)
- GrohFlex Universal Rough-in Box (35 026 000)
  - 1/2" inlets and outlets
  - Integrated service stops
- GrohFlex GrohTherm F custom shower thermostat trim (27 620 000)
  - Includes control module and trim
  - Max. Flow Rate: 53 L/min (14 gpm) at 45 psi
- GrohTherm F volume control trim, triple (27 625 000)
- GrohTherm F volume control rough-in, Triple (35 032 000)
- GrohTherm F wall union with integrated hand shower holder (27 621 000)
- GrohTherm F wall union rough-in (35 035 000)
- Power&Soul Cosmopolitan hand shower (27 664 000)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, GROHE Bokoma Spray, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)
- Eurocube 6 11/16" tub spout (13 305 000)



## Square THM Custom Shower Kit


117163

GROHE StarLight® Chrome

\$ 3,067

**Kit Includes:**

- Rainshower "F" Series shower head, 10" (27 285 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 6" ceiling shower arm (27 486 000)
- GROHE Allure thermostat trim (19 305 000)
- GrohTherm thermostat rough-in valve (34 397 000)
  - Built-in check valves and service stops
  - Max. Flow Rate: 61 L/min (16 gpm) at 45 psi
- GROHE Allure volume control trim (3 x 19 385 000)
- Volume control rough-in valve (3 x 35 029 000)
- Rainshower "F" Series body spray 5" (3 x 27 252 000)
  - Spray: normal
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
  - Spray: normal
  - 69" Metal hose (28 025 000)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with 1/2" NPT threads (27 708 000)



## SmartControl Square THM Dual Function Shower Kit

new


34 752 000

GROHE StarLight® Chrome

\$ 1,990

**Kit Includes:**

- Rainshower Allure 230 Shower Head (27 480 000)
  - Spray: GROHE PureRain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Eurocube 6" Ceiling Shower Arm (27 712 000)
- GrohTherm SmartControl Dual Function Thermostatic Trim with Control Module (29 141 000)
- GrohTherm Rapido SmartBox (35 601 000)
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
  - Spray: Non-adjustable normal spray
  - 24" Shower bar
  - 69" Metal hose (28 025)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with 1/2" NPT threads (27 708 000)





# SHOWER KITS

	Product #	Colour/Description	Price
GroTherm® Cube THM Dual Function Shower Kit	<b>new</b> 34 747 000	GROHE StarLight® Chrome	\$ 1,499

**Kit Includes:**

- Euphoria Cube shower head 6" (26 468)
  - Spray: Rain
  - Max. Flow rate: 6.6 L/min (1.75 gpm)
- Eurocube 11 ¼" shower arm with square flange (27 710)
- GROHE Rapido SmartBox universal rough-in box (35 601)
- GroTherm Cube dual function thermostatic trim with control module (24 158)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 27 L/min (7.1 gpm) at 45psi
- Euphoria Cube 24" shower bar (27 892)
- 59" RotaFlex metal hose (28 417)
- Euphoria Cube hand shower (26 467)
  - Spray: Non-adjustable normal spray
  - Max. Flow Rate: 6.6 L/min (1.75gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708)

**Available September 2019**

Modern Square THM Dual Function Shower Kit	118050	GROHE StarLight® Chrome	\$ 1,268
--	--------	-------------------------	----------

**Kit Includes:**

- Euphoria Cube shower head, 6" (27 705 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 6" ceiling shower arm (27 486 000)
- GrohFlex universal rough-in box (35 026 000)
  - ½" inlets and outlets
  - Integrated service stops
- GrohFlex Cosmopolitan square dual function THM trim (19 927 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Euphoria Cube 24" shower set (27 891 000)
  - Euphoria Cube hand shower (27 888 000)
    - Spray: Normal
  - 69" Metal hose (28 025 000)
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Allure Brilliant wall union with ½" NPT threads (27 708 000)




SmartControl RainShower THM Triple Function Shower Kit	<b>new</b> 34 753 000	GROHE StarLight® Chrome	\$ 2,349
--	-----------------------	-------------------------	----------

**Kit Includes:**



- Rainshower Cosmopolitan 12" shower head (27 478 000)
  - Spray: GROHE PureRain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" Shower Arm (28 577 000)
- GrohTherm® SmartControl Triple Function Thermostatic Trim with Control Module (29 138 000)
- GrohTherm Rapido SmartBox (35 601 000)
- Power&Soul Contemporary 130 Hand Shower (27 673 000)
  - Sprays: GROHE Rain O², Rain, GROHE Bokoma Spray™, Jet
  - Max. Flow Rate: 9.5 L/min. (2.5 gpm)
- Power&Soul 24" Shower Bar (27 784 000)
- 59" Metal Hose (28 417 000)
- Wall union with ½" NPT threads (28 672 000)
- Relaxa Ultra Body Sprays (27 070 000) (x2)
  - Sprays: Normal, Massage
  - Max. Flow Rate: 9.5 L/min. (2.5 gpm)




# SHOWER KITS

	Product #	Colour/Description	Price
Timeless THM Custom Shower Kit	117162	GROHE StarLight® Chrome	\$ 2,073
<b>Kit Includes:</b>			
<ul style="list-style-type: none"> <li>• Rainshower shower head 8" face (28 373 000)                             <ul style="list-style-type: none"> <li>- Spray: Rain</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" shower arm (28 577 000)</li> <li>• GrohFlex universal rough-in box (35 026 000)                             <ul style="list-style-type: none"> <li>- ½" Inlets and outlets</li> <li>- Integrated service stops</li> </ul> </li> <li>• GrohFlex Timeless custom shower THM trim (19 865 000)                             <ul style="list-style-type: none"> <li>- Includes control module and trim</li> <li>- Max. Flow Rate: 53 L/min. (14 gpm) at 45 psi</li> </ul> </li> <li>• Atrio volume control trim (3 x 19 182 000)</li> <li>• Volume control rough-in valve (3 x 29 273 000)</li> <li>• Relexa body spray (3 x 27 070 000)</li> <li>• Tempesta Cosmopolitan 24" shower bar (27 521 000)</li> <li>• Tempesta Cosmopolitan hand shower 100 (27 575 002)                             <ul style="list-style-type: none"> <li>- Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• 59" Metal twist free hose (28 417 000)</li> <li>• Wall union with ½" NPT threads (28 672 000)</li> </ul>			
			

SmartControl Rainshower THM Dual Function Shower Kit	<b>new</b> 34 750 000	GROHE StarLight® Chrome	\$ 2,100
<b>Kit Includes:</b>			
<ul style="list-style-type: none"> <li>• Rainshower Cosmopolitan 12" shower head (27 478 000)                             <ul style="list-style-type: none"> <li>- Spray: GROHE PureRain</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" Shower Arm (28 577 000)</li> <li>• GrohTherm® SmartControl Dual Function Thermostatic Trim with Control Module (29 137 000)</li> <li>• GrohTherm Rapido SmartBox (35 601 000)</li> <li>• Power&amp;Soul Contemporary 130 Hand Shower (27 673 000)                             <ul style="list-style-type: none"> <li>- Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray / Jet</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Power&amp;Soul 24" Shower Bar (27 784 000)</li> <li>• 59" Metal hose (28 417 000)</li> <li>• Wall union with ½" NPT threads (28 672 000)</li> </ul>			
			

SmartControl Euphoria THM Dual Function Shower Kit	<b>new</b> 34 751 000	GROHE StarLight® Chrome	\$ 1,350
<b>Kit Includes:</b>			
<ul style="list-style-type: none"> <li>• Euphoria 10" shower head (26 457 000)                             <ul style="list-style-type: none"> <li>- Spray: Jet, SmartRain, Rain</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" Shower Arm (28 577 000)</li> <li>• GrohTherm SmartControl Dual Function Thermostatic Trim with Control Module (29 137 000)</li> <li>• GrohTherm Rapido SmartBox (35 601 000)</li> <li>• Euphoria 110 Massage Hand Shower (27 239 000)                             <ul style="list-style-type: none"> <li>- Spray: Rain, SmartRain, Massage</li> <li>- Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Euphoria 24" Shower Bar (27 499 000)</li> <li>• 59" Metal hose (28 417 000)</li> <li>• Wall union with ½" NPT threads (28 672 000)</li> </ul>			
			

# SHOWER KITS

	Product #	Colour/Description	Price
Grandera THM Dual Function Shower Kit	122700	GROHE StarLight® Chrome	\$ 1,967

**Kit Includes:**

- Grandera shower head, 8" face (27 976 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 11 1/2" Grandera ceiling shower arm (27 984 000)
- GrohFlex universal rough-in box (35 026 000)
  - 1/2" inlets and outlets
  - Integrated service stops
- GrohFlex Grandera dual function THM trim (19 947 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Power&Soul Contemporary Shower Set (27 736 000)
  - Power&Soul hand shower (27 664 000)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, GROHE Bokoma Spray, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
  - 24" Shower bar (27 784 000)
  - 69" SilverFlex shower hose (28 388 000)
- Grandera wall union with 1/2" NPT threads (27 971 000)




Timeless THM Dual Function Shower Kit	117161	GROHE StarLight® Chrome	\$ 1,194
---------------------------------------	--------	-------------------------	----------

**Kit Includes:**

- Rainshower shower head, 8" face (28 373 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" shower arm (28 577 000)
- GrohFlex universal rough-in box (35 026 000)
  - 1/2" inlets and outlets
  - Integrated service stops
- GrohFlex Timeless dual function THM trim (19 849 000)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
- Tempesta Cosmopolitan hand shower IV (27 575 002)
  - Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)
- Wall union with 1/2" NPT threads (28 672 000)




GrohTherm® Round THM Dual Function Shower Kit	<b>new</b> 34 745 000 34 745 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,099 1,349
---	--	---	-------------------

**Kit Includes:**

- Tempesta 8" shower head (26 409)
  - Spray: rain
  - Max. Flow rate: 6.6 L/min (1.75gpm)
- Rainshower 12" shower arm (28 577)
- GROHE Rapido SmartBox universal rough-in box (35 601)
- GrohTherm Round dual function thermostatic trim with control module (24 133)
  - Includes control module and trim
  - Integrated volume control
  - 2-way diverter function
  - Max. Flow Rate: 27 L/min (7.1 gpm) at 45psi
- Tempesta Cosmopolitan 24" shower bar (27 521)
- 59" RotaFlex metal hose (28 417)
- Tempesta Cosmopolitan 100 hand shower (26 046)
  - Spray: Rain, Jet
  - Max. Flow Rate: 6.6 L/min (1.75gpm)
- Wall union with 1/2" NPT female threads (28 627)




Available September 2019

# SHOWER KITS

	Product #	Colour/Description	Price
<b>Authentic THM Dual Function Shower Kit</b> <b>Kit Includes:</b> <ul style="list-style-type: none"> <li>• Rainshower Rustic shower head 6 1/4" face (27 130 000)                             <ul style="list-style-type: none"> <li>– Spray: Rain, Jet, Champagne, Laminar</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" shower arm (28 577 000)</li> <li>• GrohFlex universal rough-in box (35 026 000)                             <ul style="list-style-type: none"> <li>– 1/2" inlets and outlets</li> <li>– Integrated service stops</li> </ul> </li> <li>• GrohFlex Authentic dual function THM trim (19 825 000)                             <ul style="list-style-type: none"> <li>– Includes control module and trim</li> <li>– Integrated volume control</li> <li>– 2-way diverter function</li> <li>– Max. Flow Rate: 24 L/min (6.3 gpm) at 45 psi</li> </ul> </li> <li>• Tempesta Rustic 24" shower bar (27 519 000)</li> <li>• Tempesta Rustic hand shower IV (27 608 000)                             <ul style="list-style-type: none"> <li>– Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• 59" Metal twist free hose (28 417 000)</li> <li>• Wall union with 1/2" NPT threads (28 672 000)</li> </ul>	★ 117170	GROHE StarLight® Chrome	\$ 1,088
<b>Basic THM Single Function Shower Kit</b> <b>Kit Includes:</b> <ul style="list-style-type: none"> <li>• Grohtherm 1000 thermostat trim (19 982 000)                             <ul style="list-style-type: none"> <li>– Grip volume control and temperature control in °C</li> </ul> </li> <li>• Grohtherm 1000 integrated thermostat rough-in valve (34 240 000)                             <ul style="list-style-type: none"> <li>– No service stops</li> <li>– Max. Flow Rate: 24 L/min (7 gpm) at 45 psi</li> </ul> </li> <li>• Rainshower Rustic 24" shower set (27 140 000)                             <ul style="list-style-type: none"> <li>– Rainshower Rustic handheld; 5" face (27 129 000)</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> <li>– Spray: Rain, Jet, Laminar</li> <li>– 69" metal hose</li> <li>– Universal tray</li> </ul> </li> <li>• Wall union with 1/2" NPT threads (28 672 000)</li> </ul>	★ 122627	GROHE StarLight® Chrome	\$ 944
<b>Timeless PBV Dual Function Shower Kit</b> <b>Kit Includes:</b> <ul style="list-style-type: none"> <li>• Rainshower shower head 6 1/4" face (27 135 000)                             <ul style="list-style-type: none"> <li>– Spray: Rain, Jet, Champagne, Laminar</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• Rainshower 12" shower arm (28 577 000)</li> <li>• GrohFlex universal rough-in box (35 026 000)                             <ul style="list-style-type: none"> <li>– 1/2" inlets and outlets</li> <li>– Integrated service stops</li> </ul> </li> <li>• GrohFlex Timeless dual function PBV trim (19 867 000)                             <ul style="list-style-type: none"> <li>– Includes control module and trim</li> <li>– Integrated volume control</li> <li>– Two-way diverter function</li> <li>– Max. Flow Rate: 20 L/min (5.3 gpm) at 45 psi</li> </ul> </li> <li>• Tempesta Cosmopolitan 24" shower bar (27 521 000)</li> <li>• Tempesta Cosmopolitan hand shower IV (27 575 001)                             <ul style="list-style-type: none"> <li>– Spray: GROHE Rain O<sup>2</sup>, Rain, Massage, Jet</li> <li>– Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> </li> <li>• 59" Metal twist free hose (28 417 000)</li> <li>• Wall union with 1/2" NPT threads (28 672 000)</li> </ul>	★ 117167	GROHE StarLight® Chrome	\$ 985

SHOWER KITS

# SHOWER KITS

	Product #	Colour/Description	Price
Cosmopolitan PBV Dual Function Shower Kit	117166	GROHE StarLight® Chrome	\$ 983

**Kit Includes:**



- Euphoria Cosmopolitan shower head
  - 7 1/16" face (27 492 000)
  - Spray: Rain
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- Rainshower 12" shower arm (28 577 000)
- GrohFlex universal rough-in box (35 026 000)
  - 1/2" inlets and outlets
  - Integrated service stops
- GrohFlex Cosmopolitan dual function PBV trim (19 881 000)
  - Includes control module and trim
  - Integrated volume control
  - Two-way diverter function
  - Max. Flow Rate: 20 L/min (5.3 gpm) at 45 psi
- Euphoria 24" shower bar (27 499 000)
  - Variable height with adjustable top mounting bracket
- Euphoria hand shower (27 809 000)
  - Spray: Normal
  - Max. Flow Rate: 7.6 L/min (2.0 gpm)
- 59" Metal twist free hose (28 417 000)
- Wall union with 1/2" NPT threads (28 672 000)




GrohTherm 2000 Exposed THM Dual Function Shower Kit	★ 123156	GROHE StarLight® Chrome	\$ 1,026
---	----------	-------------------------	----------

**Kit Includes:**

- GrohTherm 2000 exposed thermostatic valve with tub spout (34 521 001)
  - Max. Flow Rate (Tub Spout): 20 L/min (5.3 gpm) at 45 psi
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
  - Adjustable hand shower holder
- Rainshower hand shower, 6.25" face (27 085 000)
  - Spray: Rain, Jet, Champagne, Laminar
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist free hose (28 417 000)

























GrohTherm 1000 Exposed THM Single Function Shower Kit	122629	GROHE StarLight® Chrome	\$ 528
---	--------	-------------------------	--------

**Kit Includes:**

- GrohTherm 1000 exposed shower mixer (34 150 003)
  - Max. Flow Rate: 21 L/min (5.5 gpm) at 45 psi
- Tempesta Cosmopolitan 24" shower bar (27 521 000)
- Tempesta Cosmopolitan hand shower 100 (27 575 002)
  - Spray: Rain O2, Rain, Massage, Jet
  - Max. Flow Rate: 9.5 L/min (2.5 gpm)
- 59" Metal twist-free hose (28 417 000)




# SHOWER HEADS













		Product #	Colour/Description	Price
	<b>Rainshower F-Series</b> Ceiling Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 20" x 20"</li> <li>• Flush mount installation</li> <li>• 252 spray nozzles</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain  	★ 27 288 000	GROHE StarLight® Chrome	\$ 2,588
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)  	26 471 000 	GROHE StarLight® Chrome	\$ 2,588
	<b>Rainshower 310 SmartActive Cube</b> Shower Head - 2 Sprays <ul style="list-style-type: none"> <li>• 12" face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Includes shower arm</li> <li>• Includes non-shared diverter</li> <li>• Includes rough-in valve</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain / ActiveRain  	26 504 000 	GROHE StarLight® Chrome	\$ 999
	<b>Rainshower Mono 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended Rainshower™ arm: 26 632</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain  	26 570 000 26 570 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 600 780
Available December 2019				
	<b>Rainshower F-Series</b> Ceiling Shower Head -1 Spray <ul style="list-style-type: none"> <li>• 10" x 10"</li> <li>• Flush mount installation</li> <li>• 120 spray nozzles</li> <li>• 1/2" Female threads</li> <li>• Overhead applications only</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain  <b>Same as above</b> • Max. Flow Rate: 7.6 L/min (2.0 gpm)  	27 468 000	GROHE StarLight® Chrome	\$ 969
	<b>Same as above</b> • Max. Flow Rate: 7.6 L/min (2.0 gpm)  	★ 27 816 000 	GROHE StarLight® Chrome	\$ 969
	<b>Same as above</b>  Replaces 27 816 000 • Max. Flow Rate: 6.6 L/min (1.75 gpm)  	27 816 001 	GROHE StarLight® Chrome	\$ 969
	<b>Rainshower F-Series</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 10" x 10"</li> <li>• 120 spray nozzles</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain  <b>Same as above</b> • Max. Flow Rate: 7.6 L/min (2.0 gpm)  	27 285 000	GROHE StarLight® Chrome	\$ 717
	<b>Same as above</b> • Max. Flow Rate: 7.6 L/min (2.0 gpm)  	★ 27 815 000 	GROHE StarLight® Chrome	\$ 717
	<b>Same as above</b>  Replaces 27 815 000 • Max. Flow Rate: 6.6 L/min (1.75 gpm)  	27 815 001 	GROHE StarLight® Chrome	\$ 717

SHOWER HEADS

Note: Products listed with ★ (stars) are available while supplies last.








# SHOWER HEADS

SHOWER HEADS

		Product #	Colour/Description	Price
	 <p><b>Rainshower Allure 230</b> Ceiling Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 8½" Face</li> <li>• Flush mount installation</li> <li>• Concealed installation (no screws visible)</li> <li>• 121 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® Technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Spray: Rain</p>	26 470 000 	GROHE StarLight® Chrome	\$ 940
	 <p><b>Rainshower Allure 230</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 8½" Face</li> <li>• 121 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with Grohe Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: GROHE PureRain</p>	27 480 000	GROHE StarLight® Chrome	\$ 753
	 <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 469 000 	GROHE StarLight® Chrome	\$ 753
	 <p><b>Euphoria Cube 150</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 6" Face</li> <li>• 121 spray nozzles</li> <li>• ½" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p>	27 705 000	GROHE StarLight® Chrome	\$ 232
	 <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 468 000 	GROHE StarLight® Chrome	\$ 232
	<p><b>Rainshower F-Series</b> Shower Head with Integrated Mounting Connection - 1 Spray</p> <ul style="list-style-type: none"> <li>• No shower arm required</li> <li>• 5" x 5"</li> <li>• ½" NPT Female threads</li> <li>• Spray plate with ball joint (12.5° rotation)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE FlowBalance (a regulating screw to adjust flow rate and spray performance of shower head) – have perfect water flow even in customized multiple shower installations</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Normal</p>	27 254 000	GROHE StarLight® Chrome	\$ 388














# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Rainshower Cosmopolitan 400</b> Jumbo Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 16" Face</li> <li>• 252 spray nozzles</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain <p>Recommended for use with 28 983 Rainshower Jumbo Shower Arm or 28 492 Rainshower Ceiling Mount Shower Arm in an open installation</p>	28 783 000 28 783 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 1,903 2,474
 	<b>Rainshower 310 SmartActive</b> Shower Head - 2 Sprays <ul style="list-style-type: none"> <li>• 12" face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Includes shower arm</li> <li>• Includes non-shared diverter</li> <li>• Includes rough-in valve</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: PureRain / ActiveRain	26 502 000 26 502 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 899 1,149
	<b>Rainshower Mono 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended Rainshower arm: 28 540</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Spray: Rain	26 569 000 26 569 A00 26 569 BE0 26 569 EN0 26 569 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 532 771 771 692 771
	<b>Rainshower Cosmopolitan 310</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 12" Face</li> <li>• 208 spray nozzles</li> <li>• 1/2" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	27 478 000	GROHE StarLight® Chrome	\$ 834
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 472 000	GROHE StarLight® Chrome	\$ 834
	<b>Rainshower Veris 300</b> Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 5 7/8" x 11 3/4" face</li> <li>• 152 spray nozzles</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	27 471 000	GROHE StarLight® Chrome	\$ 752
	<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul>	★ 27 837 000	GROHE StarLight® Chrome	\$ 752



SHOWER HEADS

Note: Products listed with ★ (stars) are available while supplies last.

# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Rainshower Cosmopolitan 210</b> Shower Head - 1 Spray	28 373 000 28 373 BE0 28 373 EN0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™	\$ 551 716 716
	<ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 120 spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: GROHE PureRain	★ 27 814 000 ★ 27 814 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 551 716
	 <b>new</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	27 814 001 27 814 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 551 716
	<b>Rainshower Rustic 210</b> Shower Head - 1 Spray	★ 28 375 000 ★ 28 375 BE0 ★ 28 375 EN0 ★ 28 375 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 589 767 767 831
	<ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 120 Spray nozzles</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Recommended for use with GROHE Rainshower shower arms (pages 303–305) in an open installation</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Rain	26 474 000 26 474 BE0 26 474 EN0 26 474 ZB0 	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 589 767 767 831
	 <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>			
	<b>Rainshower Grandera 210</b> Shower Head - 1 Spray	★ 27 976 000 ★ 27 976 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 698 907
	<ul style="list-style-type: none"> <li>• 8 ¼" Face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE DropStop</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: GROHE PureRain	26 473 000 26 473 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 698 907
	 <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Recommended for use with any of the Rainshower Grandera shower arms in an open installation.			
	<b>Rainshower Cosmopolitan 160</b> Shower Head - 4 Sprays	27 135 000 27 135 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 311 404
	<ul style="list-style-type: none"> <li>• 6 ¼" Face</li> <li>• 4 Spray patterns</li> <li>• ½" Female Threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar			

# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Rainshower Rustic 160</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 6¼" Face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar	27 130 000 27 130 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 273 355
	<b>Relaxa Deluxe</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 5 1/16" Face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Wide Champagne/Narrow Champagne/ Wide Rain/Needle Jet  Use with Shower Arms: 28 983 and 28 535 (pg 303) or 28 492 and 27 217 (pg 305)	27 530 000	GROHE StarLight® Chrome	\$ 810
	<b>Power&amp;Soul Cosmopolitan 190</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 7½" Face</li> <li>• 4 spray patterns</li> <li>• One-Click Showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 765 000 27 765 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$265 349
	<b>Power&amp;Soul Contemporary 190</b> Shower Head - 4 Sprays <ul style="list-style-type: none"> <li>• 7½" Face</li> <li>• 4 spray patterns</li> <li>• One-Click Showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 767 000	GROHE StarLight® Chrome	\$253
	<b>Euphoria 260</b> Shower Head - 3 Sprays <ul style="list-style-type: none"> <li>• 10" Face</li> <li>• 3 Spray patterns</li> <li>• Rotate 360° centre dial to change sprays</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Jet, SmartRain, Rain   Certified by APFMD R&T <b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 457 000 26 457 ENO  26 456 000 26 456 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 168 221  \$ 168 221

SHOWER HEADS

2017 AWARDS



Iconic Award



2018 AWARDS
















2019 AWARDS









# SHOWER HEADS















SHOWER HEADS

		Product #	Colour/Description	Price
	<p><b>Euphoria Cosmopolitan 180</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 7 1/16" Chrome face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p> 	27 492 000	GROHE StarLight® Chrome	\$ 186
	<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul>	★ 27 808 000 	GROHE StarLight® Chrome	\$ 186
	<p><b>Euphoria Cosmopolitan 160</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 6 5/16" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p>	28 233 000	GROHE StarLight® Chrome	\$ 121
	<p><b>Tempesta 210</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 8" Face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 1/2" Female threads</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Rain</p> 	26 410 000 26 410 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 129 168
	<p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul>	26 409 000 26 409 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$129 168
	<p><b>Euphoria Rustic 130</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 5 1/16" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Normal</p>	★ 28 737 000	GROHE StarLight® Chrome	\$ 109
	<p><b>Euphoria Grandera 130</b> Shower Head - 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5 1/4" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> <p>Adjustable Spray: Rain / Smart Rain / Massage</p> 	★ 26 035 000 ★ 26 035 ENO 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 147 193
	<p><b>new</b> <b>Same as above</b> Replaces (26 035)</p> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> 	26 035 001 26 035 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 147 193













# SHOWER HEADS

		Product #	Colour/Description	Price
	<b>Movario 100</b> Movario 5 Shower Head - 5 Sprays <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 5 spray patterns</li> <li>• Euro style with gray bellows</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	28 448 000 28 448 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 232 302
	<b>Relaxa Rustic 100</b> Shower Head - 5 Sprays <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	27 126 001 27 126 BE1 27 126 EN1 27 126 ZB1	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 200 261 261 280
	<b>Euphoria 110</b> Shower Head - 3 Sprays <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 3 Spray patterns</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / SmartRain / Massage	27 247 001 27 247 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 136 183
  Certified by IAPMO R&T	<b>Euphoria 110</b> Mono Shower Head - 1 Spray <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• 1 Spray pattern</li> <li>• 1/2" female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: Normal	27 810 001 27 810 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 127 158








# SHOWER HEADS

		Product #	Colour/Description	Price
	 <p><b>Tempesta Cosmopolitan 100</b> Shower Head - 4 Sprays</p> <ul style="list-style-type: none"> <li>• 4" Face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>	27 591 001	GROHE StarLight® Chrome	\$ 99
	  <p><b>Tempesta Cosmopolitan 100</b> Shower Head - 4 Sprays</p> <ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome – White spray face</li> <li>• Brushed Nickel – Graphite spray face</li> <li>• 1/2" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>	26 043 001 26 043 A01 <small>NEW</small> 26 043 BE1 <small>NEW</small> 26 043 EN1 26 043 GN1 <small>NEW</small> 	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 99 139 139 128 139
<b>A01, BE1, GN1</b> <b>Available December 2019</b>				
	  <p><b>Tempesta Cosmopolitan 100</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Spray: Rain</p>	26 366 001 	GROHE StarLight® Chrome	\$ 64
	  <p><b>Tempesta Cosmopolitan 100</b> Shower Head - 1 Spray</p> <ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Spray: Rain</p>	26 051 001 	GROHE StarLight® Chrome	\$ 64

# SHOWER HEADS

		Product #	Colour/Description	Price	
	 WORK SMARTER	<b>Tempesta Contemporary 100</b> Shower Head - 4 Sprays	27 606 001	GROHE StarLight® Chrome	\$ 83
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>			
	 WORK SMARTER  Certified by IAPMO R&T	<b>Tempesta Contemporary 100</b> Shower Head - 4 Sprays	26 044 001 26 044 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 83 109
		<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome (001) – White spray face</li> <li>• Brushed nickel (EN1) – Graphite spray face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>			
	 WORK SMARTER  Certified by IAPMO R&T	<b>Tempesta Contemporary 100</b> Shower Head - 1 Spray	26 050 001 	GROHE StarLight® Chrome	\$ 52
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 1 Spray pattern</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray®</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Spray: Rain</p>			
	 WORK SMARTER	<b>Tempesta Rustic 100</b> Shower Head - 4 Sprays	27 610 001	GROHE StarLight® Chrome	\$ 99
		<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• 4 Spray patterns</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>			

# SHOWER HEADS

		Product #	Colour/Description	Price	
	 	<b>Tempesta Rustic 100</b> Shower Head - 4 Sprays	26 045 001 26 045 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 99</b> <b>128</b>
		<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome (001) – White spray face</li> <li>• Brushed nickel (EN1) – Graphite spray face</li> <li>• ½" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet			
		<b>Non-Adjustable Shower Head</b>	28 342 000 28 342 EN0  28 342 00E 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 73</b> <b>96</b>
		<ul style="list-style-type: none"> <li>• 2 7/16" Face</li> <li>• ½" female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Normal			
		<b>Same as above</b> <ul style="list-style-type: none"> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul>		<b>\$ 73</b>	



# SHOWER ARMS










		Product #	Colour/Description	Price
	<b>Rainshower Jumbo</b> 16" Shower Arm <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul> <b>For use with Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</b> Arm and inlet pipe must be properly braced in the wall to support the weight of the shower head	28 983 000 28 983 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 414 539
	<b>Rainshower</b> 16" Shower Arm <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	28 540 000 28 540 A00 <small>NEW</small> 28 540 BE0 28 540 EN0 28 540 GN0 <small>NEW</small> 28 540 ZB0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise Oil Rubbed Bronze	\$ 185 261 234 241 261 268
	<b>Rainshower</b> 15" Shower Arm <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	26 632 000 26 632 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 200 260
	<b>Rainshower</b> 12" Shower Arm <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	28 577 000 28 577 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 134 175
	<b>Rainshower</b> 12" Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	27 489 000	GROHE StarLight® Chrome	\$ 134
	<b>Eurocube</b> 11 ¼" Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	27 710 000	GROHE StarLight® Chrome	\$ 141
	<b>Rainshower</b> 10" Retro Shower Arm <ul style="list-style-type: none"> <li>• ½" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head EXCEPT Rainshower Cosmopolitan Jumbo (28 783) and Relaxa Deluxe (27 530)</li> </ul>	28 383 000 28 383 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 275 358

A00, GN0  
Available December 2019

Available September 2019







SHOWER ARMS

# SHOWER ARMS

		Product #	Colour/Description	Price
	<b>Rainshower Grandera</b> 1 1/4" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 988 000 27 988 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 150 195
	<b>Grandera</b> 6 5/8" Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	26 036 000 26 036 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 67 87
	<b>6" Shower Arm</b> <ul style="list-style-type: none"> <li>• Cast Brass</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> </ul>	28 535 000 28 535 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 275 357
	<b>Kensington</b> 6" Shower Arm and Flange <ul style="list-style-type: none"> <li>• 1/2" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 034 000 27 034 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 153 200
	<b>Geneva</b> 6 1/4" Shower Arm & Flange <ul style="list-style-type: none"> <li>• 1/2" male threads</li> <li>• GROHE StarLight® finish</li> </ul>	★ 27 012 000 ★ 27 012 ENO ★ 27 012 ZBO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 112 146 153
	<b>Seabury</b> 6 1/4" Shower Arm & Flange <ul style="list-style-type: none"> <li>• 1/2" Male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 011 000 27 011 BE0 27 011 ENO 27 011 ZBO	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 83 109 109 132
	<span style="background-color: #cccccc; padding: 2px;">new</span> <b>Relaxa</b> 6 1/4" Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• 1/2" Male threads</li> <li>• Square escutcheon</li> <li>• GROHE StarLight® finish</li> </ul>	26 633 000	GROHE StarLight® Chrome	\$ 59
Available September 2019				
	<b>6 1/4" Tubular Shower Arm</b> <ul style="list-style-type: none"> <li>• 1/2" Male inlet threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 412 000 27 412 A00 <span style="background-color: #cccccc; padding: 2px;">NEW</span> 27 412 BE0 <span style="background-color: #cccccc; padding: 2px;">NEW</span> 27 412 ENO 27 412 GN0 <span style="background-color: #cccccc; padding: 2px;">NEW</span>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 97 136 136 127 136
A00, BE0, GN0 Available December 2019				
	<b>5 5/8" Tubular Shower Arm</b> <ul style="list-style-type: none"> <li>• 1/2" Male inlet threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 414 000 27 414 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 45 60






SHOWER ARMS

# SHOWER ARMS

		Product #	Colour/Description	Price
	<b>Rainshower</b> 12" Ceiling Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783)</li> </ul>	27 487 000	GROHE StarLight® Chrome	\$ 126
	<b>Rainshower</b> 12" Ceiling Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	28 492 000 28 492 BE0 28 492 EN0 28 492 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 126 179 179 190
	<b>Rainshower Grandera</b> 11 1/2" Ceiling Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 984 000 27 984 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 148 196
	<b>Eurocube</b> 6" Ceiling Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 712 000	GROHE StarLight® Chrome	\$ 129
	<b>Rainshower</b> 6" Ceiling Shower Arm with Square Flange <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783)</li> </ul>	27 486 000	GROHE StarLight® Chrome	\$ 126
	<b>Rainshower</b> 6" Ceiling Shower Arm <ul style="list-style-type: none"> <li>• 1/2" NPT male threads</li> <li>• GROHE StarLight® finish</li> <li>• Can be used with any shower head including Rainshower Cosmopolitan Jumbo (28 783) and Relexa Deluxe (27 530)</li> </ul>	27 217 000 27 217 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 105 136





# SHOWER SETS

SHOWER SETS

		Product #	Colour/Description	Price
	<p><b>Rainshower Rustic 130</b> Shower Set – 3 Sprays</p> <ul style="list-style-type: none"> <li>• Rainshower Rustic Hand-Held (27 129)</li> <li>• 5" face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Adjustable height shower bar</li> <li>• 69" Metal shower hose</li> <li>• Bar diameter 1"</li> <li>• Universal tray</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet / Laminar</p>	<p>★ 27 140 000 ★ 27 140 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 541 702</p>
	<p><b>Relexa Rustic 100</b> Shower Set 5 – 5 Sprays</p> <ul style="list-style-type: none"> <li>• Relexa Rustic Hand-Held (27 125)</li> <li>• 3 15/16" face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Adjustable height shower bar</li> <li>• 69" Metal shower hose (28 025)</li> <li>• Bar diameter 1"</li> <li>• Universal tray</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p>27 142 000 27 142 BE0 27 142 EN0</p>	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™	<p>\$ 527 687 687</p>
	<p><b>Relexa Ultra 100</b> Shower Set 5 – 5 Sprays</p> <ul style="list-style-type: none"> <li>• Relexa Ultra Hand Shower (28 897)</li> <li>• 3 15/16" face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• 69" Metal shower hose</li> <li>• Bar diameter 1"</li> <li>• 24" Adjustable height shower bar</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p>28 917 000 28 917 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 545 709</p>
 <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px; margin-right: 5px;">new</div>  </div>	<p><b>Rainshower SmartActive 130</b> Shower Set – Square, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• 24" Shower bar</li> <li>• 69" Rotaflex Longlife metal shower hose (28 025)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix Plus - adjustable upper and lower bracket height (1.5 cm up or down)</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• GROHE EasyReach Tray</li> <li>• GROHE TileFix - adjustable upper bracket depth (1.6 cm)</li> <li>• Spray selector conveniently located on backside of hand spray</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, SmartActive</p>	<p>26 585 000 26 585 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 470 611</p>





Available December 2019

# SHOWER SETS













		Product #	Colour/Description	Price
 <p><b>new</b></p> <p> Certified by IAPMO R&amp;T</p> <p><b>Rainshower SmartActive 130</b> Shower Set – Round, 3 Sprays</p> <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• 24" Shower bar</li> <li>• 69" Rotaflex Longlife metal shower hose (28 025)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• QuickFix Plus - adjustable upper and lower bracket height (1.5 cm up or down)</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• GROHE EasyReach Tray</li> <li>• GROHE TileFix - adjustable upper bracket depth (1.6 cm)</li> <li>• Spray selector conveniently located on backside of hand spray</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain, Jet, SmartActive</p> <p><b>Available December 2019</b></p>		<b>26 547 000</b> <b>26 547 EN0</b>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<b>\$ 455</b> <b>592</b>
 <p><b>Power&amp;Soul Cosmopolitan 130</b> Shower Set – 4 Sprays</p> <ul style="list-style-type: none"> <li>• Power&amp;Soul hand shower (27 664)</li> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Shower bar (27 784)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Bar diameter 1"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>		<b>27 732 000</b>	GROHE StarLight® Chrome	<b>\$ 354</b>
 <p><b>Power&amp;Soul Contemporary 130</b> Shower Set – 4 Sprays</p> <ul style="list-style-type: none"> <li>• Power&amp;Soul hand shower (27 673)</li> <li>• 5" Face</li> <li>• 4 Spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Shower bar (27 784)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Bar diameter 1"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Variable fixing point mounting brackets for easy retrofit and corner mounting</li> <li>• Multi-function mounting brackets also serve as a hose guide</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet</p>		<b>27 736 000</b>	GROHE StarLight® Chrome	<b>\$ 334</b>

SHOWER SETS

# SHOWER SETS

		Product #	Colour/Description	Price
	<p><b>Euphoria Cube</b> Shower Set – 1 Spray</p> <ul style="list-style-type: none"> <li>• Euphoria Cube hand shower (27 888)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Metal shower hose (28 025)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Non-adjustable normal spray</p>	27 891 000	GROHE StarLight® Chrome	\$ 330
	<p><b>Euphoria 110</b> Shower Set – 3 Sprays</p> <ul style="list-style-type: none"> <li>• Euphoria hand shower (27 239)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow)</li> <li>• SpeedClean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Shower bar features adjustable top mounting bracket</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable spray: Normal / Massage / Eco</p>	27 243 001	GROHE StarLight® Chrome	\$ 208
	<p><b>Euphoria 110 Duo</b> Shower Set – 2 Sprays</p> <ul style="list-style-type: none"> <li>• Euphoria hand shower (27 238)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow)</li> <li>• SpeedClean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Shower bar features adjustable top mounting bracket</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable spray: Normal / Eco</p>	27 242 001	GROHE StarLight® Chrome	\$ 179
	<p><b>Euphoria 110 Mono</b> Shower Set – 1 Spray</p> <ul style="list-style-type: none"> <li>• Euphoria hand shower (27 265 00E)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE EcoJoy™</li> <li>• SpeedClean® anti-lime system</li> <li>• GROHE EasyReach™ tray</li> <li>• 24" adjustable height shower bar with adjustable top bracket</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• Soap dish (27 596)</li> <li>• 69" SilverFlex shower hose (28 388)</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Spray: Normal</p>	27 266 00E <small>DEC</small>	GROHE StarLight® Chrome	\$ 168

# SHOWER SETS

		Product #	Colour/Description	Price	
		<b>Tempesta Cosmopolitan 100</b> Shower Set – 4 Sprays	27 577 002	GROHE StarLight® Chrome	\$ 158
		<ul style="list-style-type: none"> <li>• Tempesta hand shower (27 575)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Soap dish (27 596)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>			
	 	<b>Tempesta Cosmopolitan 100</b> Shower Set – 2 Sprays	26 076 002 	GROHE StarLight® Chrome	\$ 126
		<ul style="list-style-type: none"> <li>• Tempesta Hand Shower (26 046)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® Technology</li> <li>• SpeedClean® Anti-Lime System</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>			
	 	<b>Tempesta Cosmopolitan 100</b> Shower Set – 2 Sprays	27 578 20E 	GROHE StarLight® Chrome	\$ 126
		<ul style="list-style-type: none"> <li>• Tempesta Hand Shower (27 571 20E)</li> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® Technology</li> <li>• SpeedClean® Anti-Lime System</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>			
		<b>Tempesta Contemporary 100</b> Shower Set – 4 Sprays	28 436 002	GROHE StarLight® Chrome	\$ 126
		<ul style="list-style-type: none"> <li>• Tempesta hand shower (28 421)</li> <li>• 4" White spray face</li> <li>• 4 Spray patterns</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• 24" Shower bar</li> <li>• Bar diameter 7/8"</li> <li>• Swivel hand shower holder with adjustable height</li> <li>• 69" Plastic shower hose (28 154 001)</li> <li>• Soap dish (27 596)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sup>2</sup> / Rain / Massage / Jet</p>			

SHOWER SETS

# SHOWER SETS



## Tempesta Contemporary 100 Shower Set – 2 Sprays

- Tempesta Hand Shower (26 047)
- 4" White spray face
- GROHE StarLight® finish
- GROHE DreamSpray® technology
- GROHE EcoJoy™
- Speedclean® anti-lime system
- 24" Shower bar
- Bar diameter 7/8"
- Swivel hand shower holder with adjustable height
- 69" Plastic shower hose (28 154 001)
- Max. Flow Rate: 6.6 L/min (1.75gpm)

Adjustable Spray: Rain / Jet

Product #

26 077 001



Colour/Description

GROHE StarLight® Chrome

Price

\$ 96



## Tempesta Contemporary 100 Shower Set – 2 Sprays

- Tempesta Hand Shower (27 597 10E)
- 4" White spray face
- GROHE StarLight® finish
- GROHE EcoJoy™
- GROHE DreamSpray® technology
- Speedclean® anti-lime system
- 24" Shower bar
- Bar diameter 7/8"
- Swivel hand shower holder with adjustable height
- 69" Plastic shower hose (28 154 001)
- Max. Flow Rate: 5.7 L/min (1.5 gpm)

Adjustable Spray: Rain / Jet

27 598 10E

GROHE StarLight® Chrome

\$ 99



## Tempesta Rustic 100 Shower Set – 4 Sprays

- Tempesta hand shower (27 608)
- 4" White spray face
- GROHE StarLight® finish
- GROHE DreamSpray® technology
- SpeedClean® anti-lime system
- 24" Shower bar
- Bar diameter 7/8"
- Swivel hand shower holder with adjustable height
- 69" Plastic shower hose (28 154 001)
- Soap dish (27 596)
- Max. Flow Rate: 9.5 L/min (2.5 gpm)

Adjustable Spray:  
GROHE Rain O<sup>2</sup> / Rain / Massage / Jet








27 609 001

GROHE StarLight® Chrome

\$ 146
















# HAND SHOWERS

		Product #	Colour/Description	Price
	<b>Movario Five</b> Hand Shower - 5 Sprays	28 444 000 28 444 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 265 344
	<ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• 8-Position RotaHead™ System to adjust spray angle and position</li> <li>• RotaHead™ System allows hand shower to function as a shower head or a body spray when used with a shower bar</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne			
	<b>Rainshower SmartActive 130</b> Shower Set – Square, 3 Sprays	26 605 000 26 605 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 350 455
Available December 2019	new  <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• 59" Metal shower hose (28 417)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower bracket</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain, Jet, SmartActive			
	<b>Rainshower SmartActive 130</b> Shower Set – Round, 3 Sprays	26 604 000 26 604 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 338 439
Available December 2019	new  <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• 59" Metal shower hose (28 417)</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - no water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Hand shower bracket</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain, Jet, SmartActive			
	<b>Rainshower SmartActive 130</b> Hand Shower - 3 Sprays	26 552 000 26 552 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 203 264
Available December 2019	new <ul style="list-style-type: none"> <li>• 5" Square face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - No water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain, Jet, SmartActive			
	<b>Rainshower SmartActive 130</b> Hand Shower - 3 Sprays	26 545 000 26 545 A00 26 545 BE0 26 545 EN0 26 545 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 191 277 277 248 277
Available December 2019	new <ul style="list-style-type: none"> <li>• 5" Round face</li> <li>• GROHE StarLight®</li> <li>• GROHE DreamSpray®</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DripStop - No water drops once the water is turned off</li> <li>• Rear spray selector</li> <li>• Speed Clean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain, Jet, SmartActive			

# HAND SHOWERS














		Product #	Colour/Description	Price
	<b>Rainshower Cosmopolitan 160</b> Hand Shower - 4 Sprays <ul style="list-style-type: none"> <li>• 6¼" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Champagne / Laminar	27 085 000 27 085 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 297 387
	<b>Rainshower Cosmopolitan 130</b> Hand Shower - 3 Sprays <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Laminar	★ 28 871 000	GROHE StarLight® Chrome	\$ 226
	<b>Rainshower Rustic 130</b> Hand Shower - 3 Sprays <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet / Laminar	★ 27 129 000 27 129 BE0 27 129 EN0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™	\$ 220 293 293
	<b>Relexa Rustic 100</b> Hand Shower - 5 Sprays <ul style="list-style-type: none"> <li>• 3<sup>15</sup>/<sub>16</sub>" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: Normal / Rain / Jet / Massage / Champagne	27 125 000 27 125 BE0 27 125 EN0 27 125 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 221 287 287 310
	<b>Power&amp;Soul Cosmopolitan 130</b> Hand Shower - 4 Sprays <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 664 000 27 664 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 190 246
	<b>Power&amp;Soul Contemporary 130</b> Hand Shower - 4 Sprays <ul style="list-style-type: none"> <li>• 5" Face</li> <li>• 4 spray patterns</li> <li>• One-Click showering (one click – one spray)</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / GROHE Bokoma Spray™ / Jet	27 673 000	GROHE StarLight® Chrome	\$ 167

# HAND SHOWERS




















		Product #	Colour/Description	Price
	<p><b>Relaxa Ultra 100</b> Hand Shower - 5 Sprays</p> <ul style="list-style-type: none"> <li>• 3 15/16" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Rain / Jet / Massage / Champagne</p>	<p>28 897 000 28 897 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 228 296</p>
	<p><b>Euphoria 110 Massage</b> Hand Shower - 3 Sprays</p> <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• Grey spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE SprayDimmer (reduces flow by 40%)</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Rain / SmartRain / Massage</p>	<p>27 239 000 27 239 EN0</p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 97 127</p>
	<p><b>new</b></p> <p><b>Same as above</b> White spray face</p> <p><b>Same as above</b></p> <ul style="list-style-type: none"> <li>• White spray face</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p> Certified by IAPMO R&amp;T</p>	<p>27 239 001 26 513 000 </p>	GROHE StarLight® Chrome GROHE StarLight® Chrome	<p>\$ 97 \$ 97</p>
	<p><b>Euphoria 110 Mono</b> Hand Shower - 1 Spray</p> <ul style="list-style-type: none"> <li>• 4 5/8" Face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> <p>Spray: Normal</p> <p><b>Same as above</b> Max. Flow Rate: 5.7 L/min (1.5 gpm)</p>	<p>27 809 000 27 265 00E </p>	GROHE StarLight® Chrome GROHE StarLight® Chrome	<p>\$ 58 \$ 58</p>
	<p> WORK SMARTER</p> <p><b>Tempesta Cosmopolitan 100</b> Hand Shower - 4 Sprays</p> <ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: GROHE Rain O<sub>2</sub> / Rain/Massage / Jet</p>	27 575 002	GROHE StarLight® Chrome	\$ 80
	<p> WORK SMARTER</p> <p> Certified by IAPMO R&amp;T</p> <p><b>Tempesta Cosmopolitan 100</b> Hand Shower - 2 Sprays</p> <ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> <p>Adjustable Spray: Rain / Jet</p>	<p>26 046 002 26 046 EN2 </p>	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	<p>\$ 47 66</p>

# HAND SHOWERS

HAND SHOWERS

		Product #	Colour/Description	Price
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Cosmopolitan 100</b> Hand Shower - 2 Sprays 27 571 20E 	GROHE StarLight® Chrome	\$ 47
	<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet			
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Contemporary 100</b> Hand Shower - 4 Sprays 28 421 002	GROHE StarLight® Chrome	\$ 63
	<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet			
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Contemporary 100</b> Hand Shower - 2 Sprays 26 047 001 26 047 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 38 50
	<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain / Jet			
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Contemporary 100</b> Hand Shower - 2 Sprays 27 597 10E 	GROHE StarLight® Chrome	\$ 38
	<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 5.7 L/min (1.5 gpm)</li> </ul> Adjustable Spray: Rain / Jet			
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Rustic 100</b> Hand Shower - 4 Sprays 27 608 001	GROHE StarLight® Chrome	\$ 80
	<ul style="list-style-type: none"> <li>• 4" White spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Adjustable Spray: GROHE Rain O <sup>2</sup> / Rain / Massage / Jet			
	  <p>Certified by IAPMO R&amp;T</p>	<b>Tempesta Rustic 100</b> Hand Shower - 2 Sprays 26 048 001 26 048 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 47 66
	<ul style="list-style-type: none"> <li>• 4" Face</li> <li>• Chrome - white spray face</li> <li>• Brushed Nickel - charcoal spray face</li> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy™</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 6.6 L/min (1.75 gpm)</li> </ul> Adjustable Spray: Rain / Jet			







# HAND SHOWERS

		Product #	Colour/Description	Price
  	<b>Grandera</b> Hand Shower - 1 Spray <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 7.6 L/min (2.0 gpm)</li> </ul> Spray: Non-Adjustable Normal Spray	★ 26 037 000 ★ 26 037 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 172 225
	<b>Same as above - replaces 26 037</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 037 001 26 037 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 172 225
 Available September 2019  	<b>Sena</b> Hand Shower - 1 Spray <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Non-Adjustable Normal Spray	28 341 000	GROHE StarLight® Chrome	\$ 193
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 465 000 26 465 A00  26 465 BE0  26 465 EN0 26 465 GN0  	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 193 271 271 250 271
	<b>28 389 - Adapter Elbow</b> For use with hand shower holder or shower bar	28 389 000	GROHE StarLight® Chrome	\$ 36
	<b>Euphoria Cube</b> Hand Shower - 1 Spray <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Non-adjustable normal spray	27 888 000	GROHE StarLight® Chrome	\$ 143
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 467 000 	GROHE StarLight® Chrome	\$ 143
  	<b>Euphoria Cosmopolitan</b> Hand Shower - 1 Spray <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> Spray: Non-adjustable normal spray	27 400 000 27 400 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 115
	<b>Same as above</b> • Max. Flow Rate: 7.6 L/min (2.0 gpm)	★ 27 806 000 	GROHE StarLight® Chrome	\$ 76
	<b>Same as above</b> • Max. Flow Rate: 6.6 L/min (1.75 gpm)	26 466 000 26 466 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 115













HAND SHOWERS

Note: Products listed with ★ (stars) are available while supplies last.

# SHOWER BARS

		Product #	Colour/Description	Price
	<b>Rainshower</b> 24" Shower Bar	28 797 001 28 797 BE1 28 797 EN1 125913	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 231 316 316 334
	<b>Same as above</b> 36" Shower Bar	28 819 001 28 819 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 276 419
	<b>Rainshower Shower Bar Extension</b>	★ 07 247 000	GROHE StarLight® Chrome	\$ 125
	<b>new</b> <b>Rainshower</b> 24" Shower Bar	26 602 000 26 602 A00 26 602 BE0 26 602 EN0 26 602 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 219 318 318 285 318
	<b>Same as above</b> 36" Shower Bar	26 603 000 26 603 A00 26 603 BE0 26 603 EN0 26 603 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 264 383 383 343 383
<b>Available December 2019</b>				
	<b>Relaxa</b> 24" Shower Bar	28 620 000	GROHE StarLight® Chrome	\$ 193
	 <b>Soap Dish</b> For use with 28 620 Shower Bar	28 631 000	GROHE StarLight® Chrome	\$ 71
	<b>Power&amp;Soul</b> 36" Shower Bar	27 785 000	GROHE StarLight® Chrome	\$ 210
	<b>Same as above</b> 24" Shower Bar	27 784 000	GROHE StarLight® Chrome	\$ 165

# SHOWER BARS

		Product #	Colour/Description	Price		
		<b>Euphoria Cube</b> 24" Shower Bar  • GROHE StarLight® finish • Adjustable angle and height of hand shower	27 892 000	GROHE StarLight® Chrome	\$ 182	
		<b>Same as above</b> 36" Shower Bar	27 841 000	GROHE StarLight® Chrome	\$ 242	
		<b>Euphoria</b> 24" Shower Bar  • GROHE StarLight® finish • Adjustable height shower bar with adjustable top mounting bracket • Swivel hand shower holder • Bar diameter 7/8"	27 499 000	GROHE StarLight® Chrome	\$ 87	
		<b>Same as above – 36" Shower Bar</b>	27 500 000	GROHE StarLight® Chrome	\$ 102	
		<b>Soap Dish</b> Exclusively for use with Euphoria Shower Bar	27 206 000		\$ 26	
		<b>Tempesta Cosmopolitan</b> 24" Shower Bar  • GROHE StarLight® finish • Swivel hand shower holder • Adjustable angle and height of hand shower • Bar diameter 7/8"	27 521 000 27 521 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 82 108	
		<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	27 596 000	Acrylic	\$ 18	
			<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	26 362 LN0	White	\$ 47
			<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520			
		<b>Tempesta Cosmopolitan</b> 36" Shower Bar  • GROHE StarLight® finish • Swivel hand shower holder • Adjustable angle and height of hand shower • Bar diameter 7/8"	27 522 000	GROHE StarLight® Chrome	\$ 105	
		<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	27 596 000	Acrylic	\$ 18	
			<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520	26 362 LN0	White	\$ 47
			<b>EasyReach Accessory Tray</b> For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520			





SHOWER BARS

# SHOWER BARS





		Product #	Colour/Description	Price
	 <p><b>Tempesta Contemporary</b> 24" Shower Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	27 523 000 27 523 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 76 100
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	27 596 000	Acrylic	\$ 18
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	26 362 LNO	White	\$ 47
	 <p><b>Tempesta Contemporary</b> 36" Shower Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	27 524 000	GROHE StarLight® Chrome	\$ 99
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	27 596 000	Acrylic	\$ 18
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	26 362 LNO	White	\$ 47
	 <p><b>Tempesta Rustic</b> 24" Shower Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	27 519 000 27 519 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 82 108
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	27 596 000	Acrylic	\$ 18
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	26 362 LNO	White	\$ 47
	 <p><b>Tempesta Rustic</b> 36" Shower Bar</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Swivel hand shower holder</li> <li>• Adjustable angle and height of hand shower</li> <li>• Bar diameter 7/8"</li> </ul>	27 520 000	GROHE StarLight® Chrome	\$ 105
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	27 596 000	Acrylic	\$ 18
	 <p><b>EasyReach Accessory Tray</b></p> <p>For use with 27 521 / 27 522 / 27 523 / 27 524 / 27 519 / 27 520</p>	26 362 LNO	White	\$ 47










# HAND SPRAYS

		Product #	Colour/Description	Price
	<b>Hand Spray</b> Hand Shower <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> </ul> <b>A dedicated shut-off valve is required.</b>	27 512 001	GROHE StarLight® Chrome	\$ 31
	<b>Hand Spray</b> Hand Shower Set <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Hand shower with trigger control (27 512 001)</li> <li>• Wall shower holder (28 605 000)</li> <li>• 59" Silverflex Longlife shower hose (26 335 000)</li> </ul> <b>A dedicated shut-off valve is required.</b>	27 513 001	GROHE StarLight® Chrome	\$ 52
	<b>Hand Spray</b> Hand Shower Set with Valve <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• SpeedClean® anti-lime system</li> <li>• Hand shower with trigger control (27 512 001)</li> <li>• Wall shower holder (28 605 000)</li> <li>• Angle valve 1/2" (22 958 00M)</li> <li>• 59" Silverflex Longlife shower hose (26 335 000)</li> </ul>	27 514 001	GROHE StarLight® Chrome	\$ 126
	<b>1/2" Angle Valve</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Non-NPT inlet</li> <li>• Allows you to connect any GROHE shower hose and hand spray</li> </ul>	★ 22 940 000	GROHE StarLight® Chrome	\$ 28

# BODY SPRAYS

		Product #	Colour/Description	Price
 	<p><b>Rainshower "F" Series</b> Body Spray</p> <ul style="list-style-type: none"> <li>• 5" x 5"</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• GROHE FlowBalance (a regulating screw to adjust flow rate and spray performance of body spray) – have perfect water flow even in customized multiple shower installations</li> <li>• SpeedClean® anti-lime system</li> <li>• Spray plate with ball joint (12.5° rotation)</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Spray: Normal</p>	27 252 000	GROHE StarLight® Chrome	\$ 264
	<p><b>Movario</b> Massage Body Spray</p> <ul style="list-style-type: none"> <li>• Low profile</li> <li>• 2 spray patterns</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Massage</p>	28 528 000 28 528 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 239 313
	<p><b>Relaxa Ultra</b> Massage Body Spray</p> <ul style="list-style-type: none"> <li>• Low profile</li> <li>• 2 spray patterns</li> <li>• 1/2" NPT female threads</li> <li>• GROHE StarLight® finish</li> <li>• GROHE DreamSpray® technology</li> <li>• SpeedClean® anti-lime system</li> <li>• Max. Flow Rate: 9.5 L/min (2.5 gpm)</li> </ul> <p>Adjustable Spray: Normal / Massage</p>	27 070 000 27 070 ENO	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 206 269










# SHOWER HOSES

		Product #	Colour/Description	Price	
	<b>Movarior</b> Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Twist-free hand shower connection</li> </ul>	28 025 000	69" Metal	GROHE StarLight® Chrome	\$ 132
		28 025 EN3	69" Metal	Brushed Nickel InfinityFinish™	172
		28 025 ZB0	69" Metal	Oil Rubbed Bronze	184
	<b>RotaFlex Metal Longlife</b> Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Twist-free hand shower connection</li> <li>Silicone strip prevents hand shower from turning while in body spray position</li> </ul>	28 417 000	59" Metal	GROHE StarLight® Chrome	\$ 105
		28 417 A00	59" Metal	Hard Graphite	148
		28 417 BE0	59" Metal	Polished Nickel InfinityFinish™	148
		28 417 EN0	59" Metal	Brushed Nickel InfinityFinish™	137
		28 417 GN0	59" Metal	Brushed Cool Sunrise	148
<b>A00, GN0 Available December 2019</b>					
	<b>RotaFlex</b> Non-Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Twist-free hand shower connection</li> <li>Silicone strip prevents hand shower from turning while in body spray position</li> <li>Smooth, easy to clean, silver surface</li> </ul>	28 409 001	59"	GROHE StarLight® Chrome	\$ 52
		28 410 001	69"	GROHE StarLight® Chrome	\$ 66
		28 413 001	79"	GROHE StarLight® Chrome	\$ 74
	<b>RelaxaFlex Metal Longlife</b> Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 142 000	49"	GROHE StarLight® Chrome	\$ 43
		28 143 000	59"	GROHE StarLight® Chrome	\$ 90
		28 145 000	79"	GROHE StarLight® Chrome	\$ 108
	<b>RelaxaFlex</b> Non-Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Smooth, easy to clean, silver surface</li> </ul>	28 150 001	49"	GROHE StarLight® Chrome	\$ 36
		28 151 001	59"	GROHE StarLight® Chrome	42
		28 154 001	69"	GROHE StarLight® Chrome	48
		28 155 001	79"	GROHE StarLight® Chrome	55
	<b>SilverFlex</b> Non-Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish - connection nuts</li> <li>Smooth, easy to clean, silver surface</li> <li>Twist-free</li> </ul>	28 364 000	59"	GROHE StarLight® Chrome	\$ 60
		28 388 000	69"	GROHE StarLight® Chrome	\$ 70
		27 137 000	79"	GROHE StarLight® Chrome	\$ 77
	<b>RelaxaFlex Metal</b> Metallic Hose <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 105 000	59"	GROHE StarLight® Chrome	\$ 73







# WALL UNIONS

		Product #	Colour/Description	Price
	<b>Allure Brilliant</b> Wall Union <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Check valve included to prevent backflow</li></ul>	27 708 000	GROHE StarLight® Chrome	\$ 115
	<b>new</b> <b>Euphoria Cube</b> Wall Union <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Check valve included to prevent backflow</li></ul>	26 634 000	GROHE StarLight® Chrome	\$ 107
	<b>Rainshower</b> Wall Union <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	26 184 000	GROHE StarLight® Chrome	\$ 105
	<b>new</b> <b>Rainshower</b> Wall Union <ul style="list-style-type: none"><li>• GROHE StarLight® finish</li><li>• ½" NPT female threads - inlet</li><li>• Check valve included to prevent backflow</li></ul>	26 635 000 26 635 A00 26 635 BE0 26 635 EN0 26 635 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 113 164 164 147 164
<b>Available December 2019</b>				
	<b>Grandera</b> Wall Union <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Check valve included to prevent backflow</li></ul>	27 971 000 27 971 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 196 256
	<b>Wall Union</b> <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	28 459 000 28 459 BE0 28 459 EN0 28 459 R00 28 459 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Polished Brass InfinityFinish™ Oil Rubbed Bronze	\$ 126 163 163 158 177
	<b>Wall Union</b> <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	28 627 000 28 627 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 115 158
	<b>Wall Union</b> <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	28 672 000	GROHE StarLight® Chrome	\$ 64
	<b>Wall Union</b> with Hand Shower Holder <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	28 484 000 28 484 BE0 28 484 EN0 28 484 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 140 182 182 195
	<b>Wall Union</b> with Hand Shower Holder <ul style="list-style-type: none"><li>• ½" NPT female threads inlet</li><li>• GROHE StarLight® finish</li><li>• Metal elbow</li><li>• Plastic trim</li><li>• Check valve included to prevent backflow</li></ul>	28 629 000	GROHE StarLight® Chrome	\$ 121

# HAND SHOWER HOLDERS

		Product #	Colour/Description	Price
	<b>Grotherm F</b> Wall Union with Integrated Hand Shower Holder <ul style="list-style-type: none"> <li>• Horizontal or vertical installation</li> <li>• 1/2" Shower outlet</li> <li>• GROHE StarLight® finish</li> <li>• Check valve included to prevent backflow</li> <li>• Hand shower and hose sold separately</li> </ul> For use with Grotherm F Wall Union Rough-In Set 35 035 000 sold separately	27 621 000	GROHE StarLight® Chrome	\$ 455
	<b>Grotherm F</b> Wall Union Rough-In Set <ul style="list-style-type: none"> <li>• For grid installation with Grotherm F system</li> <li>• Built-in box with removable protection cover</li> <li>• Flushing plug</li> <li>• For masonry and drywall installations</li> <li>• Front and back fixing points</li> <li>• 1/2" NPT connection</li> <li>• 2 3/4" – 3 15/16" installation depth</li> </ul>	35 035 000	1/2" NPT	\$ 296
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Allure Brilliant</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 706 000	GROHE StarLight® Chrome	\$ 68
Available June 2019				
	<b>Euphoria Cube</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 693 000	GROHE StarLight® Chrome	\$ 57
	<b>Rainshower</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 075 000	GROHE StarLight® Chrome	\$ 55
	<span style="background-color: #333; color: white; padding: 2px;">new</span> <b>Rainshower</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 074 000 27 074 A00 27 074 BE0 27 074 EN0 27 074 GN0	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 68 99 99 88 99
Available December 2019				
	<b>Grandera</b> Wall Mount Hand Shower Holder <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	27 969 000 27 969 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 121 155
	<b>Adjustable Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	28 623 000	GROHE StarLight® Chrome	\$ 100
	<b>Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	28 403 000 28 403 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 58 74
	<b>Wall Mount Hand Shower Holder</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	28 622 000 28 622 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 58 76

# SHOWER ACCESSORIES

		Product #	Colour/Description	Price
	<b>Shower Arm Mount, Hand Shower Holder / Union</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul>	28 418 000	GROHE StarLight® Chrome	\$ 69
	<b>Volume Control for Shower Heads and Hand Showers</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> <li>Non-positive volume control for shower heads and hand showers</li> </ul> <p>Adjusts from 9.5 L/min (2.5 gpm) to a trickle flow</p> <p>Add to any hand shower for ADA compliance.</p>	95 866 000	GROHE StarLight® Chrome	\$ 41
	<b>1/2" Inline Vacuum Breaker</b> <ul style="list-style-type: none"> <li>1/2" Female inlet</li> <li>1/2" Male outlet</li> <li>GROHE StarLight® finish</li> </ul>	07 911 000	GROHE StarLight® Chrome	\$ 51
	<b>Shower Arm Diverter</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul> <p>Allows you to connect and divert between a shower head and hand shower with hose</p>	28 036 000	GROHE StarLight® Chrome	\$ 81
 	<b>Twin Ell</b> <ul style="list-style-type: none"> <li>GROHE StarLight® finish</li> </ul> <p>Required for shower/tub combinations with diverter spout (EXCLUDING Grohsafe Rough-In Valves)</p>	03 671 000		\$ 38




























# DIVERTER TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Agira</b> 5 9/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push-down diverter activation</li> </ul>	★ 13 346 000 ★ 13 346 EN1 ★ 13 346 ZC0 ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$72 93 101
	<b>Arden</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 190 000 ★ 13 190 EN0 ♿ CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 204 266
	<b>BauLoop</b> 5 1/2" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 287 000 ♿	GROHE StarLight® Chrome	\$ 161
	<b>Concetto</b> 4 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• For 1/2" copper pipe</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull-up diverter activation</li> </ul>	13 366 000 13 366 EN0 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$84 110
	<b>Concetto</b> 6 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 275 001 13 275 A01 <small>NEW</small> 13 275 BE1 <small>NEW</small> 13 275 EN1 13 275 GN1 <small>NEW</small> ♿ CEC	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 190 271 271 247 271
A01, BE1, GN1 Available December 2019				
	<b>Eurocube</b> 6 11/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 307 000 ♿ CEC	GROHE StarLight® Chrome	\$ 229
	<b>Eurosmart</b> 6 3/8" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• SlipFit</li> <li>• Pull diverter activation</li> </ul>	13 356 002 13 356 EN2 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$75 97
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 273 000 ♿ CEC	GROHE StarLight® Chrome	\$ 205
	<b>Eurostyle</b> 5 15/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Brushed nickel version features chrome accents</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	13 379 003 13 379 EN3 CEC	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 121 158

DIVERTER TUB SPOUTS










Note: Products listed with ★ (stars) are available while supplies last.

# DIVERTER TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Eurostyle Cosmopolitan</b> 6 1/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 285 002  	GROHE StarLight® Chrome	\$ 206
	<b>Fairborn</b> 5 9/16" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2 NPT inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 344 000 ★ 13 344 EN1 ★ 13 344 ZC0  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$ 72 93 101
	<b>Geneva</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 610 000 ★ 13 610 EN0 ★ 13 610 ZB0  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 319 429 451
	<b>Kensington</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 194 000 13 194 EN0  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 425 556
	<b>Kensington</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Swarovski® Crystal inset</li> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 194 VP0  	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 609
	<span style="background-color: #ccc; padding: 2px;">new</span> <b>Lineare</b> Diverter Tub Spout <ul style="list-style-type: none"> <li>• 4 7/16" Spout reach</li> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	13 382 001 13 382 EN1 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 129 168
	<b>Parkfield</b> 6 1/8" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	★ 13 338 000 ★ 13 338 EN0  	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 157 204
	<b>Relaxa</b> 5 1/2" Tub Filler <ul style="list-style-type: none"> <li>• 3/4" Female threads</li> <li>• GROHE StarLight® finish</li> <li>• Pull diverter activation</li> </ul> 1/2" hose connection on spout to connect hand shower	13 435 000 	GROHE StarLight® Chrome	\$ 327
	<b>Seabury</b> 6" Diverter Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> <li>• Push diverter activation</li> </ul>	13 603 000 13 603 BE0 13 603 EN0 13 603 ZB0  	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 293 381 381 406
	<b>5" Diverter Tub Spout</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Slip fit</li> <li>• Pull diverter activation</li> </ul>	13 611 000 13 611 EN0 	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 74 95



# TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Agira</b> 5 9/16" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 5 9/16" Spout reach</li> <li>• 1/2" NPT inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 347 000 ★ 13 347 EN1 ★ 13 347 ZC0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$63 82 87
	<b>GROHE Allure</b> 6 3/4" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 265 000	GROHE StarLight® Chrome	\$ 450
	<b>Arden</b> 6" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 3/4" Inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 191 000 ★ 13 191 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 156 203
	<b>Atrio</b> 6 1/2" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	★ 13 164 000 ★ 13 164 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 297 385
	<span style="background-color: #cccccc; padding: 2px;">new</span> <b>Atrio New</b> 6 3/4" Tub Spout <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• 6 3/4" Spout reach</li> <li>• Wall mount</li> <li>• 1/2" Inlet</li> </ul>	13 164 003 13 164 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 298 387
	<b>BauLoop</b> 5 1/2" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 286 000	GROHE StarLight® Chrome	\$ 132
	<b>Concetto</b> 6 11/16" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 274 001 13 274 A01 <span style="background-color: #cccccc; padding: 1px;">NEW</span> 13 274 BE1 <span style="background-color: #cccccc; padding: 1px;">NEW</span> 13 274 EN1 13 274 GN1 <span style="background-color: #cccccc; padding: 1px;">NEW</span>	GROHE StarLight® Chrome Hard Graphite Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Brushed Cool Sunrise	\$ 154 219 219 200 219
A01, BE1, GN1 Available December 2019				
	<b>Eurocube</b> 6 11/16" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• 1/2" inlet</li> <li>• GROHE StarLight® finish</li> </ul>	13 305 000	GROHE StarLight® Chrome	\$ 211
	<b>Eurosmart</b> 6 3/8" Tub Spout <ul style="list-style-type: none"> <li>• Wall mount</li> <li>• GROHE StarLight® finish</li> <li>• SlipFit</li> </ul>	13 354 002 13 354 EN2	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$60 79


TUB SPOUTS

# TUB SPOUTS

		Product #	Colour/Description	Price
	<b>Eurosmart Cosmopolitan</b> 6 1/2" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 1/2" inlet</li><li>• GROHE StarLight® finish</li></ul>	13 272 000	GROHE StarLight® Chrome	\$ 151
	<b>Eurostyle</b> 5 15/16" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• Slip fit</li><li>• GROHE StarLight® finish</li><li>• Brushed nickel version features chrome accents</li></ul>	13 377 003 13 377 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 97 127
	<b>Eurostyle Cosmopolitan</b> 6 11/16" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 1/2" inlet</li><li>• GROHE StarLight® finish</li></ul>	13 284 002	GROHE StarLight® Chrome	\$ 175
	<b>Fairborn</b> 5 9/16" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 1/2" inlet</li><li>• GROHE StarLight® finish</li></ul>	★ 13 345 000 ★ 13 345 EN1 ★ 13 345 ZC0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Antique Bronze	\$ 63 82 87
	<b>Geneva</b> 6" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 3/4" inlet</li><li>• GROHE StarLight® finish</li></ul>	★ 13 612 000 ★ 13 612 EN0 ★ 13 612 ZB0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 291 382 407
	<b>Grandera</b> 6 15/16" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 1/2" inlet</li><li>• GROHE StarLight® finish</li></ul>	13 342 000 13 342 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 349 454
	<b>Kensington</b> 6" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 3/4" inlet</li><li>• GROHE StarLight® finish</li></ul>	13 193 000 13 193 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 369 482
	<b>new</b> <b>Linear</b> Tub Spout <ul style="list-style-type: none"><li>• 6 11/16" Spout reach</li><li>• Wall mount</li><li>• 1/2" Inlet</li><li>• GROHE StarLight® finish</li></ul>	13 381 001 13 381 EN1	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 185 240
	<b>Parkfield</b> 6 1/8" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 3/4" NPT inlet</li><li>• GROHE StarLight® finish</li></ul>	★ 13 339 000 ★ 13 339 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 136 177
	<b>Seabury</b> 6" Tub Spout <ul style="list-style-type: none"><li>• Wall mount</li><li>• 3/4" inlet</li><li>• GROHE StarLight® finish</li></ul>	13 615 000 13 615 BE0 13 615 EN0 13 615 ZB0	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 250 322 323 350

TUB SPOUTS

# GROHE WALL CARRIERS



# RAPID SL

Product #

Colour/Description


Price



**Rapid SL for Toilet**  
4" Cavity Flushing System  
for 2x4 Wall Installation

- 24<sup>5</sup>/<sub>8</sub>" overall width
- Maintenance accessible through front plate
- Pre-assembled powder-coated steel frame with in-wall tank
- Dual flush technology – 3 L and 6 L (0.8 gpf and 1.6 gpf)
- Pneumatic discharge valve with stop feature
- Tank insulated to prevent condensation
- Low noise operation – meets strict European noise (DIN) standards
- Bowl rim height adjustments 40 to 50 cm (15<sup>3</sup>/<sub>4</sub>" to 19<sup>11</sup>/<sub>16</sub>")
- Frame can be mounted in a 2 x 4 wall
- For vertical actuation plates only, several to choose from (sold separately)
- Drain outlet can only be positioned vertically
- 1/2" angle valve included with rapid installation
- 1/2" water supply connection
- Includes 2 fixing bolts for the toilet installation
- CALGreen compliant

38 996 000




\$ 662



**Rapid SL for Toilet**  
6" Cavity Flushing System  
for 2x6 Wall Installation

- 19<sup>7</sup>/<sub>16</sub>" overall width
- Maintenance accessible through front
- Pre-assembled powder-coated steel frame with in-wall tank
- 3.9 ft. installation height
- Bowl rim height adjustments 40 to 50 cm (15<sup>3</sup>/<sub>4</sub>" to 19<sup>11</sup>/<sub>16</sub>")
- Dual flush – 3 L and 6 L (0.8 gpf and 1.6 gpf)
- Pneumatic discharge valve with stop feature
- Tank insulated to prevent condensation
- 1/2" water supply connection
- Low noise operation – meets strict European noise (DIN) standards
- Includes 2 fixing bolts for the toilet installation
- Drain outlet can be positioned vertically or horizontally
- For vertical and horizontal actuation plates, several to choose from (sold separately)
- CALGreen compliant

38 749 002



\$ 602



**Cast Iron Elbow**

For use with 38 709 002 where cast iron discharge is required.

15 906 040

\$151

# RAPID SL

Product #

Colour/Description


Price



**Rapid SL for Bidet**  
6" Cavity with small maintenance access







- 19 7/16" Overall width
- Pre-assembled powder-coated steel frame
- 3.9 ft. installation height
- Bowl rim height adjustments 40 to 50 cm (15 3/4" to 19 1/16")
- Includes 2 fixing bolts and installation hardware

38 553 001



\$ 508

# ACTUATION PLATES







		Product #	Colour/Description	Price
		<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• (BR0) for dual flush only</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	38 732 000 38 732 BE0 38 732 BR0 38 732 EN0 38 732 P00 38 732 SH0 ♿	GROHE StarLight® Chrome \$ 162 Polished Nickel InfinityFinish™ 200 Titanium 181 Brushed Nickel InfinityFinish™ 200 Matte Chrome 162 Alpine White 159
		<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• Made of stainless steel</li> </ul>	38 732 SD0 ♿	GROHE RealSteel® \$ 211
		<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start &amp; stop actuation</li> <li>• Horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> </ul>	38 776 SD0 ♿	GROHE RealSteel® \$ 211
		<b>Nova Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	38 765 000 38 765 P00 38 765 SH0 ♿	GROHE StarLight® Chrome \$ 162 Matte Chrome 162 Alpine White 159
		<b>Skate Air</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	38 505 000 38 505 P00 38 505 SH0 ♿	GROHE StarLight® Chrome \$ 162 Matte Chrome 162 Alpine White 159

For Vertical Installation Only




For Horizontal Installation Only

For Vertical Installation Only


# ACTUATION PLATES

		Product #	Colour/Description	Price
 <p>For Horizontal Installation Only</p>	<p><b>Skate Air</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	<p>38 506 000 38 506 P00 38 506 SH0</p>	<p>GROHE StarLight® Chrome Matte Chrome Alpine White</p>	<p>\$ 162 162 159</p>
		<p>♿</p>		
	<p><b>Skate</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS (except SD0)</li> </ul>	<p>38 862 000 38 862 P00 38 862 SD0 38 862 SH0</p>	<p>GROHE StarLight® Chrome Matte Chrome GROHE RealSteel® Alpine White</p>	<p>\$ 162 162 211 151</p>
		<p>♿</p>		
	<p><b>Surf</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of ABS</li> </ul>	<p>38 861 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 158</p>
		<p>♿</p>		
	<p><b>Eau2</b> Dual Flush Air Button</p> <ul style="list-style-type: none"> <li>• For dual flush or start and stop actuation</li> <li>• Front or top actuation</li> <li>• 24" Extended hose length for flexibility when positioning the actuation</li> <li>• Sleek and minimal styling allows the button to be fitted in any 360° orientation</li> <li>• 1 7/8" (48mm) diameter</li> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Surf cover plate (43 553)</p>	<p>38 771 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 158</p>
		<p>♿</p>		
 <p>For Vertical Installation Only</p>	<p><b>Surf</b> Cover Plate</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul> <p>For use with Eau2 dual flush air button (38 771)</p>	<p>43 553 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 185</p>
		<p>♿</p>		
	<p><b>Skate Cosmopolitan</b> Actuation Plate</p> <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156 mm x 197 mm)</li> <li>• GROHE StarLight® finish</li> <li>• Made of brass</li> </ul>	<p>38 821 000</p>	<p>GROHE StarLight® Chrome</p>	<p>\$ 233</p>
		<p>♿</p>		

# ACTUATION PLATES

		Product #	Colour/Description	Price
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> <li>• Made of ABS</li> </ul>	★ 38 914 XM0 ♿	Leather, Tannin Red	\$ 475
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> <li>• Made of ABS</li> </ul>	★ 38 849 HP0 ★ 38 849 HR0 ♿	American Walnut, Chrome Macassar, Chrome	\$ 330 330
	<b>Skate Cosmopolitan</b> Actuation Plate <ul style="list-style-type: none"> <li>• For dual flush</li> <li>• Vertical and horizontal installation</li> <li>• 6 1/4" x 7 3/4" (156mm x 197mm)</li> <li>• Made with glass</li> </ul>	38 845 KS0 38 845 LS0 ★ 38 845 MF0 38 916 0A0 ♿	Glass, Velvet Black Glass, Moon White Glass, Chrome DaVinci White Glass, Mirror Glass	\$ 423 423 447 503

ACTUATION PLATES





# GROHE **COMMERCIAL**



# ELECTRONIC CENTRESETS



## GROHE'S E ELECTRONIC FAUCETS

GROHE's E touch-free electronic faucets are built to withstand the rigours of commercial installations, engineered to utilize state-of-the-art battery and microelectronics technology, and designed to appeal to aesthetic sensibilities as well. Touch-free faucets are an appropriate solution anywhere function, design, and economy are key considerations ... in public lavatories, as well as residential bathrooms.

### FEATURES:




- Infrared Electronic Actuation
- Battery Operated - (6 Volt Lithium included)
- All Electronic Components are:
  - 1) Accessible from above the counter
  - 2) Contained within the faucet body
- Safety Shutdown Circuit
- Durable All-brass Construction

- Stainless Steel Braided Flexible Supplies
- Available with or without Temperature Control Lever
- Optional Flow Controls available
- Optional Remote Control Accessory available
- Low-noise Operation






### BENEFITS:

- Sanitary, Touch-free Operation
- Easy to Maintain
- Easy to Install, No Electrical Hook-up
- Completely Factory Pre-set
- Saves Water, Saves Energy
- Vandal Resistant

# ELECTRONIC CENTRESETS

		Product #	Colour/Description	Price
	<p><b>Eurosmart E</b> "Touch-Free" Electronic Centreset with Temperature Control Lever</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® installation</li> <li>• Multi-laminar spray</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years with 150 actuations a day</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Activation of thermal disinfection for 3.5 or 11 min.</li> <li>• Stainless steel braided flexible supplies with 3/8" compression fitting</li> <li>• Includes dirt strainers and check valves on the inlets</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 000), order separately</p> <p>Optional Remote Control Accessory (36 407 001) available, see below.</p>	36 328 000 ♿	GROHE StarLight® Chrome	\$ 826
	<p><b>Eurosmart E</b> "Touch-Free" Electronic Centreset with Concealed Temperature Control</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• QuickFix® installation</li> <li>• Multi-laminar spray</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years with 150 actuations a day</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Activation of thermal disinfection for 3.5 or 11 min.</li> <li>• Stainless steel braided flexible supplies with 3/8" compression fitting</li> <li>• Includes dirt strainers and check valves on the inlets</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 000), order separately</p> <p>Optional Remote Control Accessory (36 407 001) available, see below.</p>	36 329 000 ♿	GROHE StarLight® Chrome	\$ 826
	<p><b>Europlus E</b> Remote Control Accessory</p> <ul style="list-style-type: none"> <li>• Adjusts sensitivity of reception and trailing time</li> <li>• Allows "full on" or permanent stop</li> <li>• Allows reset to factory settings</li> </ul>	36 407 001		\$ 401


# ELECTRONIC CENTRESETS

		Product #	Colour/Description	Price
	<p><b>Euroeco E</b> "Touch-Free" Electronic Centreseat</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• QuickFix® installation</li> <li>• Infrared electronic activation</li> <li>• Battery operated (includes lithium battery 6 V, CR-P2)</li> <li>• Battery capacity 7 years (150 uses per day)</li> <li>• Multi-stage battery status display</li> <li>• 7 preset programs: <ul style="list-style-type: none"> <li>- 24/72 hour autoflush</li> <li>- Timer or motion-activated</li> <li>- Cleaning mode ON/OFF</li> </ul> </li> <li>• Single braided stainless steel inlet hose</li> <li>• Programmable automatic safety stop (60 sec. factory setting)</li> <li>• Includes dirt strainer and check valve on the inlet</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Max. Flow Rate: 1.9 L/min (0.5 gpm)</li> </ul> <p>Optional operation with power plug (42 464 00), order separately</p> <p>Optional GrohTherm® Micro (34 507 000) to temper water</p> <p>Optional remote control accessory (36 407 001) available, see page 337.</p>	36 314 000 ♿	GROHE StarLight® Chrome	\$ 652
	<p><b>Euroeco E + Powerbox</b> Infra-Red Electronic Centreseat</p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• GROHE EcoJoy®</li> <li>• GROHE QuickFix® installation</li> <li>• Includes Powerbox self-generating power system</li> <li>• 60 sec of daily usage creates a 24 hr. charge</li> <li>• Backup battery</li> <li>• Single braided supply line</li> <li>• Includes dirt strainers and check valves on the inlet</li> <li>• 3.8 L/min (1.0 gpm) aerator</li> <li>• 0.8 litres (0.2 gallons) per wash cycle (CALGreen compliant)</li> <li>• 12 seconds per cycle</li> <li>• Additional programming functions</li> <li>• Solid brass construction</li> <li>• IP44 Protection rating</li> </ul> <p>See GrohTherm® Micro (34 507) for tempered water and anti-scald protection or for pre-mixed water and anti-scald protection</p> <p>Optional remote control accessory (36 407 001) available, see page 337.</p>	36 385 000 ♿	GROHE StarLight® Chrome	\$ 794
	<p><b>Plug-in Power Supply</b></p> <ul style="list-style-type: none"> <li>• Inlet Voltage: 120 VAC, 60 Hz AC</li> <li>• Outlet Voltage: 6V DC</li> <li>• UL approved</li> </ul>	42 464 000		\$ 101
	<p><b>GrohTherm® Micro</b></p> <ul style="list-style-type: none"> <li>• Thermostatic scalding protection</li> <li>• GROHE StarLight® finish</li> <li>• GROHE TurboStat® thermoelement</li> <li>• Delivers pre-mixed water for single or multiple outlets.</li> <li>• ASSE 1070 certified thermostatic scalding protection</li> <li>• Built-in non return valves</li> <li>• Dirt strainers</li> <li>• Max. pressure differential 5:1</li> <li>• Min. recommended pressure 1.0 Bar (14.5 psi)</li> <li>• Includes connection set</li> </ul>	34 507 000	GROHE StarLight® Chrome	\$ 290
	<p><b>Lavatory Grid Waste</b></p> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> </ul>	28 951 000	GROHE StarLight® Chrome	\$ 63








## Thermostatic Control of the Hot Water Temperature for Central Water Systems

It is the responsibility of plumbing contractors to exercise due care in the planning of installations to include adequate protection from scalding at all draw-off points. For public lavatories and showers, special conditions, such as limitation of the hot water temperature to 43°C must be observed. Central hot water supply systems, which are served by high temperature water heaters, require thermostatic control of the water temperature at the draw-off points or in the proximity of the water heater. Central installation of the thermostat in the vicinity of the water heater simultaneously protects the user from scalding water and protects the piping from excessive scale deposits and other detrimental effects of hot water. Furthermore, the reduction of thermal losses in the piping system renders the operation more economical.

With a view towards safety against scalding, by limiting the hot water temperature at the draw-off points, a Grotherm XL Thermostat is installed directly downstream of the water heater. The Grotherm XL Thermostat supplies the system with mixed water at a temperature pre-selected by the operator.








Possible installations would include: schools, health clubs, sports facilities, hospitals, nursing homes, prisons, hotels, etc.

		Product #	Colour/Description	Price
 	<b>Grotherm XL</b> Exposed Central Thermostat	35 085 000	GROHE StarLight® Chrome	\$ 2,180
	<ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Paraffin cartridge</li> <li>• Built-in check valves</li> <li>• Centigrade scale handle</li> <li>• Supplies up to 14 showers individually or in series systems simultaneously</li> <li>• Simplified thermal disinfection (protection against legionella)</li> <li>• 1 1/2" outlet thread</li> <li>• Temperature scale handle with pre-adjustable safety stop between 33°C and 43°C</li> </ul> <p>140 L/min at 310 kPa (45 psi) (37 gpm at 45 psi)</p> <p>Requires GROHE connection unions. Two 1 1/4" unions required for inlets and one 1 1/2" union required for outlet, see below.</p>			
	<b>Same as above</b> • 2" outlet thread	35 087 000	GROHE StarLight® Chrome (Special Order)	\$ 1,720
<b>INLET UNIONS – SELECT APPROPRIATE UNION</b>				
	<b>1 1/4" Inlet Elbow</b> • GROHE StarLight® finish	12 428 000	GROHE StarLight® Chrome	\$ 201
	<b>1 1/4" Straight Inlet</b> • GROHE StarLight® finish	12 417 000	GROHE StarLight® Chrome (requires 2, price each)	\$ 119
<b>OUTLET UNIONS – SELECT APPROPRIATE UNION</b>				
	<b>1 1/2" Outlet Elbow</b> • GROHE StarLight® finish	12 436 000	GROHE StarLight® Chrome	\$ 195
	<b>1 1/2" Straight Outlet</b> • GROHE StarLight® finish	12 424 000	GROHE StarLight® Chrome	\$ 129
	<b>1 1/2" Outlet Elbow</b> • GROHE StarLight® finish • With centigrade thermometer	12 444 000	GROHE StarLight® Chrome (Recommended)	\$ 250

# SHOWER PRODUCTS AND ACCESSORIES

For a complete selection of shower products including Grotherm temperature control valves, Grohsafe pressure balance valves, custom shower components, shower heads, hand showers, shower accessories and tub spouts, refer to the Shower section of this book.

		Product #	Colour/Description	Price	
	<b>Inline Remote Pressure Balance Valve</b> To be installed upstream of the mixing valve(s) <ul style="list-style-type: none"> <li>• 1/2" female inlet</li> </ul> For use with non-safety mixing valves 20.1 L/min (5.3 gpm) at 45 psi	35 204 000		\$ 228	
	<b>1/2" Inline Vacuum Breaker</b> <ul style="list-style-type: none"> <li>• 1/2" female inlet</li> <li>• 1/2" male outlet</li> <li>• GROHE StarLight® finish</li> </ul>	07 911 000	GROHE StarLight® Chrome	\$ 51	
	<b>Brass Shower Arm &amp; Flange</b> <ul style="list-style-type: none"> <li>• 1/2" Male inlet threads</li> <li>• GROHE StarLight® finish</li> </ul>	27 414 000	5 5/8"	GROHE StarLight® Chrome	\$ 45
		27 414 ENO	5 5/8"	Brushed Nickel InfinityFinish™	60
		27 412 000	6 1/4"	GROHE StarLight® Chrome	97
		27 412 ENO	6 1/4"	Brushed Nickel InfinityFinish™	127
	<b>Hoses</b> RelaxaFlex Metal Longlife	28 143 000	59"	GROHE StarLight® Chrome	\$ 90
		28 145 000	79"	GROHE StarLight® Chrome	108
	<b>Volume Control for Shower Heads and Hand Showers</b> <ul style="list-style-type: none"> <li>• GROHE StarLight® finish</li> <li>• Non-positive volume control for shower heads and hand showers</li> </ul> Adjusts from 2.5 gpm to a trickle flow Add to any hand shower for ADA compliance.	95 866 000 ♿	GROHE StarLight® Chrome	\$ 41	

# GROHE SPARE PARTS



# HANDLES

		Product #	Colour/Description	Price
	<b>Arden</b> Spoke Handles (Sold In Pairs) • GROHE StarLight® finish	★ 18 084 000 ★ 18 084 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 107
	<b>Arden</b> Lever Handles (Sold In Pairs) • GROHE StarLight® finish	★ 18 083 000 ★ 18 083 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 80 107
	<b>Atrio</b> Trio Spoke Handles (Sold In Pairs) • GROHE StarLight® finish 18 026 - For Kitchen/Bar & Lavatory Faucets 18 033 - For Roman Tub Fillers	★ 18 026 000 ★ 18 026 EN0  ★ 18 033 000 ★ 18 033 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 118 153  \$ 122 159
	<b>Atrio</b> Trio Spoke Handle (Sold Each) • GROHE StarLight® finish For Atrio Kitchen/Bar and Pillar Taps	★ 45 603 000 ★ 45 603 EN0	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 70 91
	<b>Atrio</b> Lever Handles (Sold In Pairs) • GROHE StarLight® finish 18 027 - For Kitchen/Bar & Lavatory Faucets 18 034 - For Roman Tub Fillers	★ 18 027 000 ★ 18 027 EN0 ♿  ★ 18 034 000 ★ 18 034 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 118 153  \$ 122 159
	<b>Atrio</b> Lever Handle (Sold Each) • GROHE StarLight® finish For Atrio Kitchen/Bar and Pillar Taps	★ 45 609 000 ★ 45 609 EN0 ♿	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 70 91
	<b>Atrio New</b> Cross handles (Sold in pairs) GROHE StarLight® finish 18 026 – For lavatory faucets  18 033 – For Roman Tub Fillers	18 026 003 18 026 EN3   18 033 003 18 033 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 119 154  \$ 123 160
	<b>Atrio New</b> Lever handles (Sold in pairs) GROHE StarLight® finish 18 027 – For lavatory faucets  18 034 – For Roman Tub Fillers	18 027 003 18 027 EN3   18 034 003 18 034 EN3	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™  GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 119 154  \$ 123 160




# HANDLES

		Product #	Colour/Description	Price
	<b>Bridgeford</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish  Note: Use 18 244 lever handles for Bridgeford Kitchen faucets with side spray.	18 244 000	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Oil Rubbed Bronze	\$ 135
		★ 18 244 DC0		\$ 178
★ 18 244 ZB0	\$ 183			
	<b>Geneva</b> Cross Handles (Sold In Pairs)  • GROHE StarLight® finish  May also be used with Bridgeford® bridge and Bridgeford® kitchen wideset faucets.	★ 18 733 000	GROHE StarLight® Chrome SuperSteel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131
		★ 18 733 DC0		\$ 172
★ 18 733 EN0	\$ 172			
★ 18 733 ZB0	\$ 183			
	<b>Geneva</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish	★ 18 734 000	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 131
		★ 18 734 EN0		\$ 172
★ 18 734 ZB0	\$ 183			
	<b>Kensington</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish	18 087 000		GROHE StarLight® Chrome Brushed Nickel InfinityFinish™
	<b>Kensington</b> Swarovski® Crystal Handles (Sold In Pairs)  • GROHE StarLight® finish  Note: Set includes Swarovski® crystal accent for faucet lift rod or diverter.	18 087 EN0	\$ 290	
	<b>Kensington</b> Swarovski® Crystal Handles (Sold In Pairs)  • GROHE StarLight® finish  Note: Set includes Swarovski® crystal accent for faucet lift rod or diverter.	18 086 VP0	GROHE StarLight® Chrome / Swarovski® Crystal	\$ 503
				<b>Seabury</b> Cross Handles (Sold In Pairs)  • GROHE StarLight® finish
	<b>Seabury</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish	18 731 BE0	\$ 143	
		18 731 EN0	\$ 143	
		18 731 ZB0	\$ 152	
	<b>Seabury</b> Lever Handles (Sold In Pairs)  • GROHE StarLight® finish	18 732 000	GROHE StarLight® Chrome Polished Nickel InfinityFinish™ Brushed Nickel InfinityFinish™ Oil Rubbed Bronze	\$ 110
		18 732 BE0		\$ 143
18 732 EN0	\$ 143			
18 732 ZB0	\$ 152			
	<b>Talia</b> Volo Lever Handles (Sold In Pairs)  • GROHE StarLight® finish • Solid Brass Handles	★ 18 085 000	GROHE StarLight® Chrome Brushed Nickel InfinityFinish™	\$ 102
		★ 18 085 EN0		\$ 138
				

Note: Products listed with ★ (stars) are available while supplies last.

# SPARE PARTS – FLOW CONTROL / CARTRIDGES

## LOW FLOW SOLUTION KITS



Application	Product #	Price
Low Flow Solution Kit for 1-Hole Faucets, 3.8 L/min (1.0 gpm)	48 186 000	\$ 48.00
Low Flow Solution Kit for 1-Hole Faucets, 1.9 L/min (0.5 gpm)	48 187 000	48.00
Low Flow Solution Kit for 1-Hole Faucets, 1.3 L/min (0.35 gpm)	48 188 000	48.00
Low Flow Solution Kit for 3-Hole Faucets, 3.8 L/min (1.0 gpm)	48 189 000	45.00
Low Flow Solution Kit for 3-Hole Faucets, 1.9 L/min (0.5 gpm)	48 190 000	45.00
Low Flow Solution Kit for 3-Hole Faucets, 1.3 L/min (0.35 gpm)	48 191 000	45.00

For use only with faucets with aerator.  
 Solution Kit contains (1) aerator and (2) flow reducers for each water supply.  
 Recommended to prevent scalding when water flow is restricted.  
 Cannot be used with Allure, Allure Brilliant or Essence.  
 CALGreen compliant.

## FLOW CONTROL FOR LAVATORY FAUCETS



Application	Product #	Price
Laminar Flow Control 8.3 L/min (2.2 gpm)	45 220 000	\$ 11.00

## COMPRESSION CARTRIDGES



Application	Product #	Price
For ALL Kitchen and Lavatory Models	07 146 000 1/Pkg.	\$ 27.00
For ALL 1/2" models in the 25 000 series, and 29 260, 29 271, 29 263 - (Prior to 1993)	07 147 000 1/Pkg.	27.00
For 3/4" Valves 29 238, 29 239	07 150 000 1/Pkg.	48.00
For 3/4" Valves 29 256, 29 214	07 151 000 1/Pkg.	54.00
For 3/4" Valves 29 225, 29 226	07 156 000 1/Pkg.	46.00
For 3/4" Low Profile Valves	07 025 000 1/Pkg.	31.00
Seat Washers For Cartridges 07 146, 07 147, 11 011	05 291 000 1/Pkg.	5.00

## CERAMIC CARTRIDGES



Application	Product #	Price
For ALL Wideset Kitchen and Lavatory Models and 1/2" Volume Control Valves	45 882 000 1/Pkg. 90° Right Close	\$ 57.00
For ALL Wideset Kitchen and Lavatory Models	45 883 000 1/Pkg. 90° Left Close	57.00
For 3/4" Roman Tubs and Aquatower 3000	45 885 000 1/Pkg. 180° Right Close	80.00
For 3/4" Wall Mount Valves and Roman Tubs	45 887 000 1/Pkg. 90° Left Close	131.00
For 3/4" Wall Mount Valves and Roman Tubs	45 888 000 1/Pkg. 90° Right Close	131.00
For ALL Kitchen and Lavatory Models and 1/2" Wall Mount Valves	45 342 000 1/Pkg. 180° Left Close	52.00
For ALL Kitchen and Lavatory Models and 1/2" Wall Mount Valves	45 346 000 1/Pkg. 180° Right Close	52.00

## SINGLE-HANDLE CARTRIDGES, EUROMIX AND LADYLUX



Application	Product #	Price
For Euromix and Ladylux	07 000 000	\$ 113.00
Cartridge/Repair Kit with Brass Stem	46 090 000	29.00

# SPARE PARTS – CARTRIDGES

## THERMOSTAT / PRESSURE BALANCE VALVE CARTRIDGES



Application	Product #	Price
For ¾" Thermostat 34 419, 34 457, 34 542, 34 474	47 025 000 Paraffin Cartridge	\$295.00
For ¾" Thermostat 34 419, 34 457, 34 542, 34 474	47 032 000 Reverse Cartridge	554.00
For Grohmix Thermostat 34 434, 34 436, 34 485	47 040 000 Reverse Cartridge w/Pressure Balance	478.00
For Grohmix Thermostat 34 434, 34 436, 34 485	47 111 000 Paraffin Cartridge	293.00
For Grohmix 34 448, 34 456, 34 493, 34 540, 34 535	47 012 000 Paraffin Cartridge	267.00
For Grohmix 34 448, 34 456, 34 493, 34 540, 34 535	47 016 000 Reverse Cartridge	267.00
For Grohtherm 34 122, 34 448	47 010 000 ½" Thermoelement	245.00
For Grohtemp / Grohtherm 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 050 000 Paraffin Cartridge, faster reaction time	208.00
For Grohtemp / Grohtherm 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 450 000 Paraffin Cartridge	208.00
For Grohtemp / Grohtherm 34 902, 34 908, 34 124	47 582 000 Paraffin Cartridge <b>**REPLACES 47 310**</b>	273.00
For Grohtemp / Grohtherm 34 900, 34 901, 34 472, 34 907, 34 909, 34 122	47 282 000 Reverse Cartridge	267.00
For Grohtemp / Grohtherm 34 902, 34 908, 34 124	47 379 000 Reverse Cartridge	428.00
Pressure Balance Valve Cartridge for 35 000 Series	47 080 000 PBV Control Cartridge	125.00
Pressure Balance Valve Cartridge for 35 250 Series	47 157 000 TIIEF Cartridge	139.00
Pressure Balance Valve Cartridge for 35 204 Series	47 159 000 RPBV Cartridge	107.00
For Atrio Exposed Thermostats 34 090, 34 091, 34 088, 34 089/Grohtherm 34 123, 34 126	47 662 000 Paraffin Cartridge	208.00
For Atrio Exposed Thermostats 34 090, 34 091, 34 088, 34 089, 34 123, 34 126	47 657 000 Reverse Cartridge	405.00
For ¾" Grohtherm Thermostat 34 125	47 220 000 Thermoelement ¾"	273.00
For ¾" Grohtherm Thermostat 34 125	47 658 000 Reverse Cartridge	799.00
For Grohtherm 3000 Exposed Thermostat 34 182, 34 189, 34 331	47 439 000 Thermostatic Compact Cartridge ½"	73.00
For Automatic 1000	47 175 000 Reverse Cartridge	254.00
Pressure Balance Valve Cartridge for 35 015, 35 016 and 35 033	47 678 000	134.00
Thermostatic Cartridge for Aquatower 3000 27 010	47 715 000	272.00
For ¾" Grohtherm Thermostat Valve 34 397	47 483 000	84.00
For ¾" 34 397 and GrohFlex	47 186 000	134.00
For Universal Pressure Balance Rough-In Valve 35 015 001, 35 064 001, 35 065 001 and 35 066 001	47 995 000 Reverse Cartridge	127.00

## SINGLE-HANDLE MIXING VALVE CERAMIC CARTRIDGE



Application	Product #	Price
For Chiara, Talia, Europlus, Euroeco, Eurowing, Eurotrend, Ladylux Plus, Ladylux Café, Eurofresh 19 196, 19 197	46 048 000	\$ 102.00
For Taron 33 133, 33 144, Ectos 32 923, Tenso 32 924, 32 425, Eurofresh 32 392, 24 024	46 374 000	102.00
For Allure 32 128	46 580 000	114.00

## GROHTHERM® MICRO



Provides tempered water

Application	Product #	Price
For Euroeco E	34 507 000	\$290.00

## PULL OUT SPRAY HEAD



Application	Product #	Finish	Price
For Bridgeford, LadyLux Café, LadyLux <sup>3</sup> Café	46 875 NCO	GROHE StarLight® Chrome	\$ 120.00
	46 875 ENO	Brushed Nickel InfinityFinish™	189.00
	46 875 ZBO	Oil Rubbed Bronze	189.00
	46 875 NDO	SuperSteel InfinityFinish™	189.00

# SPARE PARTS – EXTENSIONS

Product #	Description	Colour	Price
02 696 00M	3 1/2" Long Escutcheon Screw, Grohmix	Chrome	\$20.00
02 697 R00	3" Long Escutcheon Screw, Grohmix	Polished Brass InfinityFinish™	23.20
06 427 000	1 1/2" Extension for Volume Controls and Two-Handle Valves with Flat Flange	Chrome	23.00
06 428 000	1 1/2" Extension for 3/4" Wall Mount Volume Controls (Flat Flange) & Classic Wall Mount Diverters	Chrome	27.00
07 130 00M	3/4" Ext. (2 needed), Exposed Wall Mounts (except 34 472)	Chrome	58.00
45 202 000	Extension for Low Profile Roman Tub	Chrome	31.00
45 203 000	Extension Kit for Volume Controls & Two-Handle Valves with a deep flange	N/A	34.00
45 565 000	Extension Kit for Geneva/Seabury Volume Control	Chrome	64.00
45 565 AV0	Extension Kit for Geneva/Seabury Volume Control	Satin Nickel InfinityFinish™	86.70
45 565 R00	Extension Kit for Geneva/Seabury Volume Control	Polished Brass InfinityFinish™	86.70
45 979 000	Extension Kit for Geneva/Seabury Diverter	N/A	31.00
46 191 000	Extension for Atrio 2-hole Wall Mount Vessel 19 291	Chrome	118.00
46 238 000	1 1/8" Extension for Chiara Exposed Thermostat Tub Filler 34 472	Chrome	65.00
47 328 000	1 1/8" Extension for GrohTemp Non-Integrated Rough-In Valve	N/A	255.00
47 329 000	1 1/2" Extension for 34 436, 34 458	Chrome	485.00
47 344 000	Grohsafe Extension for 35 015	N/A	106.80
47 358 000	1 1/8" Extension Kit for Grohtherm Rough-In Valves 34 907, 34 908, 34 909, 34 122, 34 124	N/A	155.00
47 367 000	1 1/8" Extension Kit for GrohTherm Rough-In Valves 34 907, 34 908, 34 909, 34 122, 34 124	Chrome	155.00
47 653 000	1 1/8" Extension Kit for Grohtherm Rough-In Valves 34 123, 34 125, 34 126	N/A	213.00
47 702 000	Extension Kit for 35 033 or 35 016	N/A	105.00
47 820 000	1 1/8" Extension Kit for Grohtherm Rough-In Valve 34 331	N/A	150.00
47 889 000	GrohFlex Extension Kit – Thermostatic, round and square sleeve	N/A	82.00
47 890 000	GrohFlex Extension Kit – Pressure Balance, round and square sleeve	N/A	82.00
47 996 000	GroheSafe® Extension for 35 015 001, 35 064 001, 35 065 001, 35 066 001	N/A	83.00

For extension kit applications please consult Technical Product Installation booklet which is provided with each trim set.  
 \*Decorative Finishes: 000 - Chrome; R00 - Polished Brass; AV0 - Satin Nickel; N/A - Not Applicable

## GROHE RETRO-FIT 6" BAR HEIGHT EXTENSION

27 921 000	Extends rail height for a higher shower head mounting position	GROHE StarLight® Chrome	\$129.00
------------	--	-------------------------	----------



# SPARE PARTS

PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$
113595	1.5 gpm check insert (kitchen pull-out)	16.00	03 980 031	O-Ring seal 19 x3 NBR/EPDM	2.00	07 627 000	Atrio Thermostat Temp Hdl	73.00
113657	Handshower Adapter	21.00	04 174 000	Hose Stop	34.00	07 653 000	Temp. Limit Ring Chrome	19.00
114496	Soap dispenser bottle	16.00	04 198 031	Chiara Handle Clip - Green	5.00	07 659 000	Handshower Holder - 28 820	93.00
115848	2.0gpm flow control for showers, lilac	20.80	04 425 000	Lift Rod Knob	37.00	07 772 000	Pressure Hose	66.00
115849	1.75 gpm flow control for showers, Light Blue	22.00	04 538 031	Set Screw ISO 4026-M6x8-A2-21H-KL	2.00	07 899 000	Flow Control 13 144	16.00
116179	Insert for Perlator RR 2.2 gpm Red 443034	6.00	04 853 000	Retainer Clamp	13.00	07 911 000	1/2 X 1/2 Inline Vacuum Breaker	51.00
117371	1.5 gpm Aquaguide aerator	9.00	04 853 00M	Retainer Clamp -5-	12.00	★ 07 943 000	Chiara Neu Lift Rod	29.00
117440	Ball Rod Extension	23.00	04 922 00M	Filter	16.00	07 970 000	Diverter For Kit. w/Spray	58.00
117828	Shower Head Face for 28 342 000	8.00	04 952 000	Grohtherm 3000 Temp Hdl Sleeve	34.00	08 060 000	Green cap for Grohtemp	7.00
124629	Easy Installation Adapter 1/2 NPT to G1/2	63.00	04 954 000	Slip Ring	9.00	08 060 140	Nut	10.00
124716	Easy install adapter w/shut off valves	105.00	04 976 00M	Replaces 46 272 (pair)	19.00	08 065 000	Locking ring	8.00
00 038 00M	Screw	40.00	05 111 000	Sleeve	31.00	08 065 00M	Spout Clip For Atrio 21 027	24.00
00 114 000	Flange For Talia Valve - Chrome	52.00	05 291 000	Cartridge Washer 07 146 / 07 147	5.00	08 090 231	Screw	7.00
00 136 000	Reverse Nut For Auto 2000	85.00	05 292 000	Nut	5.00	08 124 000	Atrio Esc. Sleeve for Wideset	62.00
00 149 000	O-Ring	10.00	05 334 000	Ladylux Support Plate	14.00	08 124 EN2	Flange Sleeve For 20 072	166.00
00 152 038	Plate Screw - 19 655 Auto 1000 Trim	7.00	05 386 00M	Snap Insert	14.00	08 137 000	Sleeve for Atrio Wall Mount	85.00
00 322 038	Screw For 28 627 / 28 672 Wall Union	2.00	05 575 031	Seal	4.00	08 224 000	Plaster Guard	44.00
00 444 000	Ladylux Plus O-Ring	14.00	05 627 EN2	Screw Cover Cap For 25 597	15.00	08 296 L00	Escutcheon w/Hold Down - White	55.70
00 479 000	Chrome Cap For 28 820 / 28 821	14.00	05 628 000	Stop Ring for Grohtherm 3000 handle	10.00	08 328 000	Seat	12.00
00 546 031	O-Ring seal 25,0x3,0 NBR/EPDM	2.00	05 744 00M	Thermostat Hdl Clip, pair - 00M	14.00	08 350 000	Grohmix Handle Chrome	80.00
00 610 031	O-Ring seal 15,1x2,7 NBR/EPDM	2.00	05 874 038	Caps For Talia Handles - Chrome	6.00	08 355 00M	Piston Assembly for 34 434 / 34 436 (pair)	230.00
00 869 000	Return spring	29.00	05 971 000	Sleeve for 34 310	36.00	08 367 000	Escutcheon 34 436 / 34 458	133.00
00 913 131	Insert	2.00	05 978 031	Holddown Insert for Atrio / Taron THM Trim	2.00	08 407 331	Connection Nipple	12.00
00 931 R00	Europlus ring	23.60	05 999 00M	O-Ring	10.00	08 470 ZB4	Set	47.00
01 049 031	Ring For 33 283	2.00	06 048 000	Europlus Lift Rod Chrome	31.00	08 477 037	S-union NPT 1/2xG3/4 CW617N	6.00
01 153 000	Flange For 28 958 Chrome	40.00	06 073 000	Lift Rod Chrome	48.00	08 565 000	Check Valve	15.00
01 153 AV0	Flange 28 958 AV0 Satin Nickel	80.70	06 078 000	Lift Rod Chrome	36.00	08 567 000	Ladylux Hose Guide - Chrome	7.00
01 153 EN0	Housing	30.00	06 085 000	Hinge Rod	53.00	★ 08 620 000	Aquatower S Union	48.60
01 153 R00	Housing	64.00	06 094 000	Cartridge For 29 704	176.00	08 691 K00	Black Snap Coupling	85.00
01 196 000	O-Ring - Grohtemp	10.00	06 110 000	Diverter	21.00	08 741 031	Key	3.00
01 206 00M	O-Ring	12.00	06 188 000	Cartridge For 29 700 / 29 702	131.00	08 747 031	Screw	87.00
01 210 031	O-Ring SEAL 28,0x3,0 NBR/EPDM	2.00	★ 06 211 000	Lift Rod 33 413	29.20	08 842 SD0	Cart. Cap 32 999	120.00
01 224 000	O-Ring For 13 628 Talia Spout (5 Pcs)	2.00	06 275 SA2	Membrane	4.00	08 864 000	Atrio R/T Handshower Adapter	44.00
01 282 00M	Ladylux Sprayhead O-Ring (10 pcs)	12.00	06 329 000	Lift Rod	28.00	08 915 000	Dvtr Asmby/Exposed Auto 2000	52.00
01 283 00M	O-Ring	18.00	06 356 00M	Caps for Allure	23.00	08 943 000	Atrio Exposed Hdl Insulator	16.00
01 284 00M	Washer	14.00	06 386 000	Flange	23.00	08 949 031	Longer Hand Screw for 19 167 / 19 168	19.00
01 285 000	O-Ring For Swivel Spouts	12.00	06 388 000	Flange For 13 600	23.00	08 962 031	Screw for Atrio Trim	10.00
01 285 00M	O-Ring -20-	14.00	★ 06 397 040	Hose flex	9.00	09 038 000	Cap	32.00
01 287 000	O-Ring	7.00	06 427 000	1/2" Extension Kit	23.00	09 439 031	Connection Bend	3.40
01 288 000	O-Ring	9.00	06 428 000	3/4" Extension Kit	27.00	09 532 000	Rose Ring Taron/Amera/Aquatower	31.00
01 322 000	Rubber Mnt Washer For Ladylux	9.00	06 486 000	Tdl Handle Chrome	104.00	09 844 000	Seat	107.00
01 386 00M	Fiber Washer For 12 007	17.00	★ 06 486 AV0	Tdl Handle Satin Nickel	75.30	09 949 000	Talia Grohtherm Sleeve	23.00
01 389 000	Fiber washer for Relaxa hose	5.00	06 490 000	1/2" Tdl Handle Chrome	104.00	10 099 00M	Handle Cover For 19 238	16.00
01 389 00M	Fiber washer for Relaxa hose (10)	14.00	★ 06 490 AV0	Tdl Handle Satin Nickel	87.90	10 220 000	Temp Limit Ring - 19 304 / 19 256	8.00
01 416 00M	Body Seal Washer - 5 -	13.00	★ 06 491 000	1/2" Tdl Handle/Blue Chrome	100.00	10 319 038	Cover	7.00
01 460 000	Seat 1/2" - Grohtemp	19.00	06 572 EN2	Cap for 28 873 EN0	25.00	10 403 040	Scale Ring - Celsius	7.00
01 616 031	Tool For Ladylux Kitchen Faucet	7.00	06 575 000	Atrio Lift Rod	46.00	★ 10 410 000	S-Union Lockable	143.20
01 734 000	Europlus Cap - Chrome	22.00	06 575 BE0	Atrio Lift Rod	69.00	10 671 XX1	Stop sleeve	1.60
01 970 000	5 mm Stud Extension	7.00	06 675 XE1	Insert For Rainshower Shower Bar	2.00	10 769 EN0	Lift Rod for 32 216	44.00
02 210 00M	3/4" Flange For Auto 2000	16.00	06 689 000	Chrome 3/4" Sleeve	20.00	10 958 040	Quick Connect With N/Flow Restrictor	16.00
02 271 038	Base ring	17.00	06 765 000	Slide Element for Shower Bar	95.00	11 136 000	Pull-Out Spray	195.00
02 271 DC2	Base ring	29.60	06 765 EN0	Holder for sliding rail	123.00	11 136 EN0	Pull-Out Spray	328.00
02 426 00M	Grohmix Handle Screw -2-	16.00	06 768 00M	Filter	15.00	11 136 ZB0	Pull-Out Spray	328.00
02 490 P0M	Grohtherm 3000 19 663 / 19 664 handle caps	15.00	06 795 140	Flexible Hose	12.00	11 148 000	Key Control For Angle Stop	27.00
02 599 031	O-Ring For 05 978 031 Insert	2.00	06 804 000	Diverter	73.00	11 153 000	Shower Hose	131.00
02 653 000	Screw For Lever Adapter	8.00	06 880 000	Scale Handle For Grohmix	60.00	11 197 031	Seal Modular Cartridge	19.00
02 661 031	O-Ring Seal 24 x 3 NBR/EPDM	2.00	06 905 000	Headpart	29.00	11 222 EN0	Escutcheon	166.00
★ 02 664 AV0	Vert. Spray Face Plate / Bidets	67.10	07 000 000	Euromix Cartridge	113.00	11 223 000	Atrio R/T Div. Escutcheon	47.00
02 680 000	O-Ring For 47 379 Cartridge	10.00	07 002 00M	Filter Screen for handshowers	11.00	11 223 BE0	Atrio R/T Div. Escutcheon	89.00
02 696 00M	3.5 Escutcheon Screw (pair)	20.00	07 014 040	Flex Tube For Aquatower	24.00	11 223 EN2	Diverter flange for 25 049 - Sterling	92.00
02 697 R00	Escutcheon Screws (3)	23.20	07 130 00M	Union Ext. Wall Mnt Valves (2 pcs)	58.00	11 232 00M	Trio Handle Set Screws (pair)	12.00
★ 02 730 000	Sleeve	35.80	07 146 000	1/2" Comp. Cart./Short Stem	27.00	11 280 P00	Chiara Neu Lever Handle Cap	15.00
02 807 000	4mm Studs	12.00	07 147 000	1/2" Comp. Cart./Long Stem	27.00	11 366 P0M	Clip	29.00
02 972 031	Nipple with seal	10.00	07 148 000	Cartridge For Colani 29 324	27.00	11 482 000	Movario Wall Bar Bracket Cap	18.00
02 990 00M	Grohmix Filter Screen -2-	19.00	07 150 000	Cartridge For 29 238/29 239	48.00	11 482 EN0	Cover	41.00
03 052 000	Pressure Hose	39.00	07 151 000	3/4" Comp. Cartridge/Long Stem	54.00	11 482 EN2	Movario Wall Bar Bracket Cap	57.00
03 070 000	Guide Ring For 20 892	5.00	07 156 000	3/4" Comp. Cartridge/Short Stem	46.00	11 741 000	Escutcheon	74.00
03 117 00M	G/S Diverter Spout Set Screws, (5)	16.00	07 182 000	28 910 Stopper	46.00	★ 11 741 AV0	Escutcheon	45.00
03 154 00M	Flow Regulator For 13 548 Spout	25.00	07 227 000	Hose	50.00	11 741 EN0	Escutcheon	94.00
03 214 00M	Joint Ring, 5 Pcs	16.00	07 239 000	Spring Ring 33 171	40.00	11 938 031	Movario Body Spray Nut	15.00
03 288 EN2	Cap For Diverter Knob For 25 049	35.00	07 240 000	Ladylux Spring	44.00	12 058 000	S-Union For 34 367 Valve - Chrome	28.00
03 356 000	Ladylux Mounting Nut	18.00	07 264 00M	Filter Strainers for Atrio Exp.THM -2-	10.00	12 075 000	S-Union 1/2 X 3/4"	15.00
03 362 XX1	Bearing Ring	2.00	07 292 000	Cap	56.00	12 080 000	10 mm Comp. X 1/2" MPT Adapter	63.00
03 394 000	Wideset Flange Chrome	33.00	07 300 000	Eurodisic R/T Ext. to Handshower	49.00	★ 12 100 000	S-Union	118.60
03 671 000	Twin Ell	38.00	07 342 131	Aerator, cache	9.00	12 140 000	Holder for Sliding Rail	96.00
03 758 000	3/4 Temp Limit Ring	128.00	07 379 SA1	Diaphragm	7.00	★ 12 301 000	Eurofresh Lav Lift Rod	24.80
03 764 000	1/2" Temp Limit Ring	162.00	07 467 000	Connection Hose	77.00	12 353 000	Movario Wall Bar Hdshwr Holder	65.00
03 798 031	OHM Seal NBR/EPDM IRHD 52+5	2.00	07 531 000	Diverter Cartridge	94.00	12 353 EN0	Holder for sliding rail	106.00
03 924 000	O-Ring	5.00	07 576 000	Diverter Knob for 08 270 / 29 738 / 25 582	44.00	12 365 000	Quick Coupling (Red)	39.00
03 924 00M	Cartridge O-Ring -10-	16.00	07 576 EN0	Diverter knob	53.00	12 400 000	Shutoff Valve - S-Union G1/2" X G3/4"	59.00
			07 606 040	Flow regulator 9.5L/min (2.5 gpm), lime-green	6.00	12 433 000	Aquadimmer	53.00
						12 465 000	S-Union	65.00
						12 475 000	Handshower Ashford	153.00

Note: Products listed with ★ (stars) are available while supplies last.

# SPARE PARTS

PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$
12 475 EN0	Pull Out Spray	198.00	37 115 P10	Press Button	9.00	43 551 000	Bracket	5.00
12 510 000	Non-Return Valve 34 124 / 34 125	58.00	37 117 P10	Push Button For Tank Lid	10.00	43 552 000	GroheDal protection plate	16.00
12 662 000	S-Union	22.00	37 119 000	Connector	3.00	43 717 000	Set Of Seals - Grohedal	13.00
★ 12 899 045	Assembly Group Outlet Pipe	125.00	37 311 K00	GroheDal Connecting pipe(s)	33.00	43 719 000	Seal Kit	16.00
12 901 00M	Union Nut	18.00	★ 37 547 000	Cover Plate	90.50	43 722 000	GroheDal seal set	13.00
12 902 00M	Union Nut	17.00	38 082 000	Cartridge (08-20-4200)	92.70	43 733 000	Membrane (06 217 800)	8.00
12 914 000	Connect Nut and Seal	18.00	38 733 000	Fixing set for Rapid SL WC- frame	33.00	43 734 000	GroheDal lever (filling valve)	9.00
★ 12 926 000	2 Extension Set For 21 601 / 31 663	71.10	40 0777 040	Fastening Set	32.00	43 735 000	GroheDal screw cap (filling valve)	10.00
13 005 000	6" Spout	29.00	40 1060 031	Soap dish ring usr	2.00	43 745 000	Seal (08 019 300)	10.00
13 028 000	Spout	26.00	40 2206 XE1	Stop sleeve	2.00	43 758 00M	GroheDal membrane (10 pk) - Sell as 10	29.00
13 049 000	Swivel Spout For 33 877 / 33 980 / 33 986	73.00	40 2823 XE1	Guide ring	5.00	43 773 00M	Membrane, 10 Pcs.	9.00
13 170 000	Spout	191.00	40 3107 040	Weight	10.00	43 791 00M	Valve Float	12.00
13 170 BE0	Spout	216.00	40 392 000	Brush	45.00	43 808 000	GroheDal seal (discharge valve)	13.00
13 176 000	Spout	186.00	40 393 000	Spare glass for brush	30.00	43 821 000	Angle Stop	31.00
13 220 000	Allure Mousseur	32.00	40 404 00X	GROHE Blue filter conversion kit 600L	125.00	43 828 000	Solenoid Valve	239.00
★ 13 229 000	Spout	123.90	40 4195 040	Non-Return Valve	281.00	43 944 000	Protection Cap	23.00
13 234 000	Spout	58.00	40 549 001	Chiller for Grohe Blue	2816.00	43 991 000	filler valve	28.00
13 351 000	Flow control 4.5 L/min (1.2 gpm)	15.00	40 5788 031	Corrugated hose - FFMYD TYP 17, 480 mm	7.50	45 000 000	Mounting Set	21.00
13 352 000	Flow control 4.5 L/min (1.2 gpm)	15.00	40 6097 00U	Connection hose	18.00	45 001 000	Handle Connecting Set	12.00
13 352 EN1	Flow control 4.5 L/min (1.2 gpm)	20.00	40 684 000	Minta Lever short	79.00	45 004 000	Screw coupling	12.00
13 907 000	Strainer	13.00	40 684 DCO	Minta lever	171.00	45 012 000	Euromix Lav Mounting Set	19.00
13 915 000	CII Aerator w/male thread	26.00	40 7500 040	Plastic fabric hose for pull-out shower	37.00	45 023 000	1/2" Renewable Seat Set	14.00
13 922 000	Flow control	13.00	41 0450 038	Square cap	9.00	45 025 000	Classic Wideset Mounting Set	32.00
13 926 000	Flow control	11.00	42 137 000	Servo Discharge Valve	25.00	45 027 000	Seal Kit	26.00
13 927 000	Flow Regulator	25.00	42 229 000	Solenoid Valve Europlus E	257.00	45 044 000	Union Nut Set	21.00
★ 13 927 R00	Flow control	62.00	42 233 000	Connection Hose	16.00	45 048 000	Diverter	46.00
13 929 000	Aerated flow control (Male)	16.00	42 235 000	Angle Stop	26.00	45 052 000	3/4" Renewable Seat Set	14.00
13 931 000	Geneva Lav Flow Control	46.00	42 243 000	Fixing device	8.00	45 055 000	3/4" Hdl Connecting Set	18.00
13 931 EN0	Flow straightener	43.00	42 246 000	Bracket	8.00	45 060 000	Escutcheon	48.00
13 934 000	Geneva R/T Flow Control	46.00	42 300 000	Flow reducer for GD2	44.00	45 064 000	Lever Set 29 700	116.00
13 935 000	Flow Control Atrio Bar / Kit / Lav	44.00	42 302 000	Surf Wall Plate	92.00	45 066 000	Washer Set For 229 700 / 29 702	24.00
13 935 DCO	Flow control Atrio Bar / Kit / Lav	53.00	42 303 000	Skate top plate w/ push button	119.00	45 067 000	Renewable Seat Set 29 700 / 29 702	28.00
13 937 000	Flow Control	18.00	42 310 000	Seal	7.00	45 069 000	Chrome Lever Set For 29 704	113.00
★ 13 940 000	Ball-joint flow control	47.40	42 315 000	Valve seat for GD2	46.00	45 080 000	Tecorn Handle 1/2, Blue	35.00
13 950 000	Economy Flow Control	5.00	42 320 000	AV1 complete with pipe extension	53.00	45 081 000	Tecorn Handle 1/2, Red	35.00
13 951 000	Economy Flow Control	8.00	★ 42 324 000	Inspection Shaft for Rapid SL	17.50	★ 45 098 000	Renewable Seat Set For 21 190	24.30
13 952 000	Flow control	7.00	42 327 000	PP-outlet bend DN 80 with adjustment	16.00	45 120 000	Metal Tube	32.00
13 954 000	Female Laminar Control	20.00	42 390 000	Solenoid valve	206.00	45 130 000	Repair Kit For 28 452	26.00
13 954 EN0	Flow straightener	52.00	42 399 000	Solenoid valve	180.00	45 147 000	Face Cap 28 287	51.00
13 955 000	Male Laminar Control	26.00	42 400 000	Mounting set	91.00	45 148 000	Adaptor For 28 287 Rose Kit	12.00
13 959 000	Flow Straightener	24.00	42 402 000	Mixer spindle	40.00	45 162 000	F1 Lav A.C.T. Cartridge for centreset	1,085.40
13 966 000	Spout	66.00	42 406 000	Flow straightener	14.00	45 163 000	O-ring kit for Roman tub Shank	90.00
13 967 000	Flow control	12.00	42 407 000	Adaptor	45.00	45 164 000	Mounting Set For 08 270	31.00
13 990 000	Strainer	53.00	42 408 000	Cap	38.00	45 166 000	Diverter Assem. For 13 600	62.00
13 991 000	Strainer	49.00	★ 42 748 000	Escutcheon Europlus E	65.10	45 167 000	Flow Regulator For 13 600 / 13 628	23.00
13 997 000	Flow control	57.00	42 751 000	0.5 gpm flow regulator Assem. w/key	28.00	45 179 BK0	Diverter	111.30
14 116 00M	Check valve -2-	76.00	42 764 00M	Mounting Bolts	20.00	45 186 000	Handle Connecting Set	14.00
14 117 00M	Non-return valve (34 419 000) -2-	139.00	42 773 000	Valve Seat For Duravit Toilet	20.00	45 187 000	Diverter For 25 622	52.00
15 905 045	S-union NPT 1/2XG3/4 CPL.w.filter	23.00	42 774 000	Spare Part For Duravit Toilet	95.00	45 196 IPO	Shower rail holder	16.00
15 906 040	Cast Iron Elbow	151.00	42 775 000	Tubes	10.00	45 199 BI0	Bellows	22.00
19 017 000	Tool	58.00	42 798 000	Dirt Strainer	36.00	45 201 000	Extension spindle	7.00
19 131 000	Key	116.00	42 820 00M	Rings For 36 223 (10 Pcs)	27.00	45 202 000	Extension For Low Profile R.T.	31.00
19 132 000	Disassembly wrench	87.00	42 831 000	Screw	23.00	45 203 000	Extension Kit For Vol.Controls	34.00
19 332 000	Socket wrench	72.00	42 831 00M	Body Screw Europlus E - 5 -	21.00	45 204 000	Secondary Spindle/Low Profile	31.00
19 377 000	Flat Spanner	92.00	★ 42 836 000	O-Ring	13.70	45 219 000	Flange for 08 296	32.00
24 210 000	Vertical Spray for Bidets	101.00	42 837 000	Clip Europlus E	13.00	45 220 000	2.2 gpm Laminar flow control	11.00
27 186 000	Hose guide	29.00	42 839 000	Lever Assembly Europlus E	168.00	45 220 150	1.5 gpm Flow Insert	21.00
27 206 000	Soap Dish for 27 140 / 27 142 Shower Bar	26.00	42 886 000	Battery For Europlus E	52.00	★ 45 223 000	Flange For Exq. R.T. and Wideset	61.50
★ 27 412 R00	Shower arm	107.00	42 985 000	Contropress Cartridge	94.00	★ 45 223 R00	Flange For Exq. R.T. and Wideset	87.90
27 596 000	Soap dish for Tempesta 27 521, 27 523, 27 519	18.00	43 043 000	Hand Wheel	5.00	★ 45 233 000	End bracket for 28 169	24.90
27 845 000	Euphoria Cube packing disc	3.00	43 122 000	Lid	40.00	45 260 000	Head Pump For 28 857	125.00
28 025 EN3	Metal shower hose 69" RotaFlex	172.00	43 207 000	Retaining Frame	15.00	45 260 800	Pump only for soap dispensers	31.00
28 112 000	Hose For 31 546 Chrome	100.00	43 326 000	Outlet Socket	11.00	45 260 SD0	Head Pump Assy - 28 857	169.00
28 142 000	Metal Tube Supra	43.00	43 349 000	GroheDal flexible hose	21.00	45 261 000	Flange/Bottle For 28 857	84.00
28 146 000	25 597 Handshower Hose	82.00	43 407 000	Throttle Nozzle	17.00	45 261 SD0	Soap Tank	105.00
28 154 AV3	Shower hose	38.00	43 422 000	Safety Valve	31.00	45 264 000	Ball Rod W/Spring For 28 958	28.00
28 158 000	79" Hose For 27 112	112.00	43 431 000	Non-Return Valve Europlus E	51.00	45 277 000	Arabesk Cross Handle W/Flange	76.00
★ 28 307 000	Geneva R/T Hand Shower	330.00	43 450 000	Piston	11.00	★ 45 277 R00	Arabesk Cross Handle w/Flange	103.00
28 389 000	Sena Handshower Adapter Elbow	36.00	43 451 000	Piston	19.00	45 304 000	Outlet Elbow	24.00
28 459 R00	Movario wall union	158.00	43 486 000	Waste Valve	36.00	45 305 000	Sinfonia Hot/Cold Buttons	20.00
28 637 XX0	Union	21.00	43 511 SH0	Fixing set	5.00	45 324 000	Pop-Up Stopper For 28 958	40.00
★ 28 729 000	Spray Holder Chrome	54.40	43 533 000	Seat	26.00	45 324 AV0	Pop-Up Stopper For 28 958	55.70
★ 28 856 000	Soap Dish for 28 666 Chrome	58.50	43 535 000	Piston Rod For Flush Valve	14.00	45 324 EN0	Plug	29.00
28 947 000	P-Trap 1 1/4	37.00	43 536 000	GroheDal plastic cap (filling valve)	7.00	45 324 G00	Plug	106.00
28 957 000	Pop-up waste	92.00	43 536 000	GroheDal plastic cap (filling valve)	7.00	45 324 L00	Pop-Up Stopper For 28 958	54.40
28 957 BE0	Waste set	164.00	43 540 000	Threaded Sleeve For Flush Valve	21.00	45 324 R00	Pop-Up Stopper For 28 958	55.70
28 957 EN0	Pop-up waste	164.00	43 542 000	GroheDal valve seat/cage (discharge val)	23.00	45 342 000	180 L/Close Carbodur Cartridge	52.00
28 957 ZB0	Pop-up waste	164.00	43 544 000	Discharge Piston (06 217 800)	13.00	45 345 000	3/4" Seat Set	27.00
★ 36 077 000	Installation Kit ONDUS Aquafountain	556.00	43 546 000	GroheDal plastic bolt	10.00	45 346 000	180 R/Close Carbodur Cartridge	52.00
36 133 000	Aerator M24X1	27.00	43 547 000	GroheDal plastic Control Sleeve	5.00	45 352 000	Plastic Tube	51.00
37 085 P10	Discharge Valve (06 032 300)	137.00	43 550 000	GroheDal plastic ext. for push button ac	10.00	45 362 000	Complete end bracket for 28 666 Bar	20.00
37 092 000	Filling Valve (06 00 2000)	87.00				45 363 000	Caps for 28 435	10.00
						45 364 000	Cap	11.00

# SPARE PARTS

PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$
45 393 000	Secondary spindle for Volo handles (Pair)	54.00	45 824 SD1	(New) Head Pump Assy / 28 751	250.00	46 191 000	1" Extension, 2-hole wall-mount vessel	118.00
45 396 000	Set screw and cover cap for 32 232	17.00	45 826 000	Talia Volume Control Escutcheon	49.00	46 213 000	Lift rod	8.00
45 399 000	Connection set for K4	16.00	★ 45 826 R00	Talia Volume Control Escutcheon	82.20	46 229 IP0	Chiara Lever	274.00
45 412 XX0	Eurodisc R/T Handshower Hldr Nut	21.00	45 835 000	Eurodisc R/T Diverter Knob	86.00	46 230 000	Chiara cover cap	31.00
45 433 000	Escutcheon	81.00	45 852 000	Sinfonia VB (Short)	434.00	46 230 P00	Chiara Cover Cap	15.00
45 435 000	19 905 Escutcheon	66.00	45 855 000	Vacuum Breaker Mounting Set	49.00	46 238 000	30 mm Extension For 34 472	65.00
45 438 000	Sleeve	66.00	45 858 000	25 597 Diverter Handle	85.00	46 241 000	Lever connection set	18.00
45 439 000	Extension	42.00	45 860 IX0	25 597 Hose Guide	151.00	46 243 000	Cartridge cap (33 870 / 33 877)	19.00
45 442 000	Flex Hose For Widesets	68.00	45 869 000	Cartridge For 34 909	68.00	46 249 000	Mounting set for Eurostyle kitchen	21.00
45 443 000	L/P Diverter Cartridge	88.00	45 875 000	Lift Rod	247.00	46 254 000	Mixed water hose	43.00
45 444 000	L/P Handshower Mounting Set	46.00	45 877 P00	Rose Kit 27 006 / 27 008	37.00	46 255 000	Supply hose	23.00
45 446 000	L/P Hose - Diverter To Spout	79.00	45 878 000	O-Ring kit for Freehander	23.00	46 264 000	Cap for 19 704 / 19 705 / 19 706	54.00
★ 45 448 000	Counter Spacer Relexa Lift Bar	14.10	45 879 000	Cover 27 006 / 27 007	46.00	46 265 000	Lever adapter 19 704 / 19 705 / 19 706	32.00
45 456 000	Shank For 25 622	247.00	★ 45 879 AV0	Cover 27 006 / 27 007	82.00	46 298 AV0	Ladylux Plus Handspray	278.90
45 459 000	Wall Bar Spacer / 28 620 (Clear)	24.00	45 881 000	Non-Return Valves	13.00	46 298 IE0	Ladylux Plus Handspray	186.00
45 461 000	Pressure Hose	43.00	45 882 000	1/2" Carbodur 1/4 Turn Right	57.00	46 298 K00	Ladylux Plus Handspray	186.00
45 470 000	Rt Diverter Assembly Kit	91.00	45 883 000	1/2" Cardodur 1/4 Turn Left	57.00	46 298 KH0	Ladylux Plus Handspray	186.00
45 474 000	Spout Fitting Set	23.00	45 885 000	3/4" cartridge 1/2 turn right close	80.00	46 298 LC0	Ladylux Plus Handspray	186.00
★ 45 475 000	Ultra 500 Handle w/Lever	125.90	45 887 000	3/4" Carbodur 1/4 Turn L/Close	131.00	46 298 R00	Ladylux Plus Handspray	278.90
45 477 000	Ultra 400 handle	90.00	45 888 000	3/4" Carbodur 1/4 Turn R/Close	131.00	46 298 S00	Ladylux Plus Handspray	288.00
45 484 000	Pressure hose	35.00	45 899 000	Hose Coupler - 27 006	32.00	46 298 WAO	Ladylux Plus Handspray	186.00
45 539 IG0	Sentosa Hdl (Red Code) For 21 105	116.00	45 900 000	Handshower Coupler - 27006	16.00	46 308 000	Temp. limit stop (New Version)	21.00
45 539 IP0	Sentosa Hdl (Red Code) For 21 106	29.20	45 901 000	O-Ring & Membrane - 27 007	16.00	46 309 KK0	Ladylux Plus Lever	116.00
45 540 000	Sentosa body escutcheon ring	46.00	45 906 000	Geneva Lower Flange RT and Lav	46.00	★ 46 309 SD0	Ladylux Plus Lever	164.00
45 545 000	Flange For Grohtherm 3000 bath/shower Mixer	36.00	45 907 000	G/S Top Flange RT and Lav	46.00	46 310 000	Lever Connection Set	24.00
45 565 000	Extension volume controls	64.00	★ 45 907 R00	G/S Top Flange RT and Lav	53.60	46 311 L00	Ladylux Plus/Cafe Cap	51.70
45 565 AV0	Sea / Gen Extension Vol. Controls	86.70	45 907 ZB0	Cap	70.00	46 312 IE0	Pull out spray	68.00
45 565 R00	Extension Volume Controls	86.70	★ 45 908 000	Atrio 3-Port Div. Escutcheon	111.20	46 312 KH0	Pull out spray	186.00
45 592 000	Diverter	85.00	45 912 000	Handshower	282.00	46 312 LC0	Pull out spray	76.00
45 605 000	Handle fixing	21.00	45 922 000	End Caps For Movario Shower Bar - Chrome	12.00	46 312 SD0	Pull out spray	131.00
45 607 000	Inner spindle Atrio wall mount	26.00	45 922 EN0	Cap	20.00	46 315 000	Quick Coupling (Green)	36.00
45 608 000	Atrio Esc. Vol. Control	73.00	45 923 000	Movario Wall Bar Bracket	52.00	46 318 000	Headpart 1/2	43.00
45 611 000	Inner Spindle Atrio Diverter	27.00	45 923 EN0	Bracket	67.00	46 322 000	Pressure hose	26.00
45 629 000	Atrio Esc (C-Set/W-Set Spout)	36.00	45 924 000	Adjusting Nut (Movario Wall Bar)	15.00	46 324 000	Flow rate limiter	13.00
45 630 000	Atrio Escutcheons w/set (H-C)	106.00	45 933 000	Rainshower Washer Kit	16.00	46 335 000	Mounting Set	13.00
45 650 IP0	28 620 Wall Bar Holder	102.00	★ 45 934 000	Groheclean Bottles Each	22.00	46 345 000	Ladylux Plus Mounting Kit	51.00
45 652 000	Wall Bar Cap	10.00	45 937 000	15 X 18012 Grohe Lube	16.00	46 346 000	Mounting Kit K4 Pull-out and 33 939	32.00
45 652 P00	Wall Bar Cap	12.00	45 954 IP0	Chiara Neu handle for 19 838	98.00	46 348 SD0	Ladylux Cafe Hose and Head	159.00
45 654 000	Relexa Plus Tool	10.00	45 955 000	Escutcheon	45.00	★ 46 371 000	Taron Lever Handle	189.00
45 656 XX0	Pulsator Element	23.00	45 976 000	Snap Insert	12.00	46 374 000	Ceramic Cartridge K4 / Taron / Ectos	102.00
45 661 XX0	Rose Kit 28 199	69.00	45 979 000	Geneva / Seabury Diverter Ext Kit	31.00	46 375 000	Temp Limit 33 144 / Tenso Hdl	19.00
45 662 000	Flange For 28 199	38.00	★ 45 981 000	Spout	99.30	★ 46 377 NB0	Taron Handle - Green Frosted Glass	155.40
45 663 000	Rose Kit 28 191	81.00	45 985 000	handle	34.00	46 413 000	Inlet Hose 33 939	79.00
45 665 000	Mounting Screw/O-Ring	15.00	45 988 000	Spindle Extension	15.00	46 415 000	Handle Assembly Europlus II	111.00
45 669 000	Shower Rose Kit (28 197)	59.00	45 995 000	Handle Costa C	22.00	★ 46 415 L00	Handle Assembly Europlus II	141.30
45 676 000	Cartridge 29 712 / 29 714	144.00	45 996 000	Escutcheon	9.00	★ 46 415 R00	Handle Assembly Europlus II	144.00
45 679 000	Cover plate	62.00	46 007 000	Diverter Knob For 13 600	27.00	46 427 000	Cap- Europlus II 33 939	21.00
45 682 000	25 580 / 25 597 fitting set	24.00	46 008 000	Diverter Button	24.00	46 429 K00	Set of Seals 33 937	23.00
45 704 000	Wideset hose	34.00	46 015 000	Lever	41.00	46 429 SA0	Sealing Set 32 170 / 33 936 / 33 937	38.00
45 728 000	Escutcheon	105.00	46 015 DC0	Lever	73.00	★ 46 433 000	Pull-Out Spray 33 171	76.10
45 734 000	G/S diverter spout cap	68.00	46 023 000	Chrome Euromix Hdl Assembly	87.00	46 436 000	Cap	28.00
★ 45 734 AV0	G/S Diverter Spout Cap	56.80	46 025 000	Cap	15.00	46 439 000	New Eurodisc Handle (Old - 46 183)	85.00
★ 45 734 R00	G/S Diverter Spout Cap	76.50	46 025 DC0	Cap	36.00	46 439 L00	New Eurodisc Handle (Old - 46 183)	77.70
45 735 000	G/S Diverter Spout Assembly	40.00	46 026 000	Euromix Lever-Lavatory	44.00	46 458 000	Handle for 33 980 / 33 986	62.00
45 763 L00	G/S Complete Set Buttons - White	38.00	46 043 L00	Ladylux Handle Assembly	185.00	46 460 000	Screw coupling	14.00
45 764 000	Seabury VLM Control Cross Hdl.	129.00	46 048 000	OHM Ceramic Cartridge	102.00	46 469 000	Escutcheon	85.00
★ 45 764 AV0	Seabury Vol. Ctrl. Cross Hdl.	146.30	46 049 K00	Ladylux Handle Assembly - black	414.90	46 485 000	Diverter	100.00
45 766 000	Seabury Lift Rod	62.00	46 050 H00	Ladylux Handle Assembly - mocha	132.00	46 485 EN0	Diverter	145.00
★ 45 766 AV0	Seabury Lift Rod	69.50	46 050 K00	Ladylux Handle Assembly - black	132.00	46 486 000	Eurodisc R/T Handshower Adap.	34.00
45 766 EN0	Seabury Lift Rod	72.00	46 050 L00	Ladylux Handle Assembly - white	132.00	46 487 000	Eurodisc R/T Handshower Holder	118.00
★ 45 766 R00	Seabury Lift Rod	67.50	46 050 W00	Ladylux Handle Assembly - bone	132.00	46 487 IX0	Eurodisc R/T Handshower Holder	114.00
45 766 ZB0	Seabury Lift Rod	66.00	46 058 000	Diverter	48.00	46 490 000	Tenso Lever Handle	135.00
45 769 000	Seabury Rt Diverter Knob/Cap	70.00	46 062 000	Escutcheon For 33 683	102.00	46 502 000	Lever	55.00
45 769 EN0	Seabury Rt Diverter Knob/Cap	76.00	46 065 000	Euromix Washer Set - 33 857 / 33 516	36.00	46 513 SD0	Lever Handle 32 999	331.00
45 773 000	G/S Rt Hand Shower Holder	143.00	46 077 000	Seal Kit For 33 864 / 33 867	44.00	46 535 000	Lever	27.00
45 773 EN0	G/S RT Hand Shower Holder	238.00	46 078 000	Mounting Set For Europlus	36.00	46 535 DC0	Lever	75.00
45 774 000	Geneva Vol/Control Cross Hdl.	199.00	46 088 000	Set of screws	36.00	46 554 000	Lever Hdl Ashford	147.00
★ 45 774 AV0	Geneva Vol. Ctrl. Cross Hdl.	222.90	46 090 000	O-Ring Set For 07 000 Sgl Hdl	29.00	46 554 EN0	Lever	153.00
45 775 000	Geneva Vol/Control Lever Hdl.	132.00	46 092 000	Ladylux/Europlus Hose	124.00	46 555 EN0	Cap	62.00
★ 45 777 000	Chrome Sinfonia Diverter Escut	47.80	46 104 000	Europlus Lavatory Hose	88.00	46 556 EN0	Decorative ring	79.00
★ 45 785 AV0	1-1/2" Extension Kit	82.20	46 116 000	Cap	18.00	46 561 000	Lever	43.00
★ 45 785 R00	1-1/2" Extension Kit	82.20	46 129 000	Europlus Dome Lever	101.00	46 568 000	Lever	48.00
45 791 000	Geneva Lift Rod	85.00	46 130 000	Europlus Dome Cap	49.00	46 568 DC0	Lever	68.00
★ 45 798 000	25 597 Diverter Flange	42.40	★ 46 137 000	DbI Ball Vacuum Breaker	73.10	46 572 000	K4 Main/Prep Kitchen Lever	49.00
45 816 000	Talia Diverter Spout Knob	40.00	46 138 000	Quick Coupling (Yellow)	67.00	46 572 SD0	K4 Main/Prep Kitchen Lever	134.00
45 817 000	Geneva Rt Diverter Rod/Cap	73.00	46 173 EN0	Pull-Out Spray	179.00	46 573 000	K4 Main/Prep Kitchen Handspray	199.00
45 817 EN0	Lift rod	57.00	46 173 IE0	Pull-Out Spray	183.00	46 573 DC0	K4 Main/Prep Kitchen Handspray	250.00
45 819 EN0	Handshower Holder for Geneva R/T	156.00	46 173 KH0	Pull-Out Spray	183.00	46 577 000	Lever	21.00
45 819 ZB0	Handshower Holder for Geneva R/T	164.00	46 173 SD0	Pull-Out Spray	183.00	46 577 EN0	Lever	72.00
★ 45 821 000	Escutcheon Atrio 2073	97.30	46 174 000	59" Hose for K4 / Ladylux Cafe	124.00	46 580 000	Allure Centreset Ceramic Cartridge	114.00
45 822 000	Talia Side Valve Escutcheon	44.00	46 184 000	Cap	12.00	46 581 000	Cap	9.00
45 822 EN0	Talia Side Valve Escutcheon	71.00	★ 46 188 000	Connection Nipple	15.90	46 582 000	Lever	39.00
45 823 000	Talia Lift Rod	57.00	★ 46 189 000	Ectos Lift Rod	51.00	46 585 000	Diverter Knob	181.00

Note: Products listed with ★ (stars) are available while supplies last.

# SPARE PARTS

PART NO.	DESCRIPTION	PRICE \$
46 590 000	Pull-out spray	63.00
46 590 DCO	Pull-out spray	158.00
46 592 000	Ladylux Pro hose and head	177.00
46 592 DCO	Ladylux Pro hose and head	191.00
46 593 000	OHM lever, Bridgeford	120.00
46 593 ENO	OHM lever, Bridgeford	245.00
46 593 ZBO	OHM lever, Bridgeford	240.00
46 595 000	Lever	37.00
46 597 000	Cap	18.00
46 601 000	Cap	15.00
46 601 DCO	Cap	42.00
46 609 000	Lever	36.00
46 610 000	Lever	47.00
46 612 000	Diverter	100.00
46 627 000	Extension	162.00
46 628 000	Lever	26.00
46 629 000	Spout	107.00
★ 46 630 000	Lever	28.90
46 632 V00	Guide and slide ring	13.00
46 633 ENO	Lever	88.00
46 635 000	Lever	45.00
46 645 000	Mounting set	16.00
46 647 000	Lever	32.00
46 649 000	Lever PBV	51.00
46 650 000	Escutcheon	482.00
46 651 000	Lever	33.00
46 654 000	Lever	43.00
46 654 DCO	Lever	129.00
46 655 000	Cap	19.00
46 655 DCO	Cap	68.00
46 655 SD0	Cap	74.00
46 656 NCO	Pull-out spray	71.00
46 656 NDO	Pull-out spray	136.00
46 658 NCO	Pull-out spray	106.00
46 658 NDO	Pull-out spray	164.00
46 659 KX0	Pull-out spray	239.00
46 659 NCO	Pull-out spray	120.00
46 659 NDO	Pull-out spray	189.00
46 662 000	Cap	40.00
46 670 000	Set of screws	18.00
46 671 000	Mounting set	26.00
46 672 000	Cap	24.00
46 681 000	Lever	23.00
46 682 000	Lever	20.00
46 687 000	Lever	41.00
46 710 000	Pull-out spray	96.00
46 710 DCO	Pull-out spray	216.00
46 711 000	Flow control	26.00
46 716 000	Cap	18.00
46 716 DCO	Cap	23.00
46 721 000	Diverter knob	85.00
46 726 000	Lever	25.00
46 731 000	Pull-out spray	132.00
46 731 DCO	Pull-out spray	192.00
46 732 000	Shower hose	108.00
46 732 DCO	Shower hose	168.00
46 733 SD0	Spring	180.00
46 734 000	Holder pull-out spray	132.00
46 734 DCO	Holder pull-out spray	264.00
46 738 000	Lever	31.00
46 739 000	Lift Rod	23.00
46 746 000	Flow control	14.00
46 748 000	Lever	26.00
46 752 000	Lever	24.00
46 753 000	lever	21.00
46 754 000	Lever	23.00
46 754 DCO	Lever	80.00
46 765 000	Flow control	18.00
46 770 000	Pull-out spray	59.00
46 786 000	Lever	21.00
46 787 000	Lift rod	47.00
46 794 000	Race	46.00
46 803 000	Race	40.00
46 819 000	Pull-out spray	73.00
46 820 000	Shower hose	66.00
46 837 000	Flow straightener adjust	26.00
46 840 000	Flow control	19.00
46 857 000	Pull-out spray	93.00
46 857 DCO	Pull-out spray	138.00
46 858 DCO	Pull-out spray	150.00
46 871 000	Shower hose	67.00
46 871 DCO	Shower hose	99.00
46 873 SD0	Spring	116.00
46 875 ENO	Pull-out spray head, locking - Brushed nickel	189.00

PART NO.	DESCRIPTION	PRICE \$
46 875 NCO	Pull-out spray head, locking - Starlight chrome	120.00
46 875 NDO	Pull-out spray head, locking - Supersteel	189.00
46 875 ZBO	Pull-out spray head, locking - Oil rubbed bronze	189.00
46 880 000	Lever	28.00
46 885 ZBO	Lever	37.00
46 886 NCO	Pull-out spray	63.00
46 886 NDO	Pull-out spray	88.00
46 886 ZCO	Pull-out spray	96.00
46 887 000	Shower hose	86.00
46 890 NCO	Pull-out spray	91.00
46 890 NDO	Pull-out spray	123.00
★ 46 917 000	Lever	27.00
46 924 000	Pull-out spray	104.00
46 924 DCO	Pull-out spray	100.00
46 926 000	Pull-out spray	87.00
46 926 DCO	Pull-out spray	98.00
46 956 000	Pull-out spray	52.00
46 956 DCO	Pull-out spray	79.00
47 010 000	Thermostat Cartridge (4) 34 448	245.00
47 012 000	Wax Cartridge For 34 540	267.00
47 016 000	Reverse cartridge - 34 448 / 34 535 / 34 540	267.00
47 017 000	Check Stop For Grohmix	40.00
47 019 000	Thermo-element 3/4 bimetallic	263.00
47 025 000	Wax cartridge For 34 474 / 542	295.00
47 032 000	Reverse cartridge For 34 474 / 34 542	554.00
47 040 000	Reverse cartridge-34 434 / 34 485	478.00
47 044 000	Yoke plate and sleeve	74.00
47 045 000	Washer set for 34 434	66.00
47 050 000	1/2" THM cartridge	208.00
47 052 000	Washer set for 34 485	74.00
47 077 000	Plastic chrome-plated handle	60.00
47 080 000	Pressure Bal. cartridge - 35 200	125.00
47 092 000	Auto 1000 Volume control handle	19.00
47 111 000	Wax Cartridge 34 434 / 34 485	293.00
47 157 000	Enhanced Flow PBV cartridge	139.00
47 158 000	Check inserts EF PBV (Pair)	60.00
47 159 000	RPBV cartridge	107.00
47 167 000	Stop Ring w/adj nut for 34 310	39.00
47 170 000	Cover Plate For 34 300	64.00
47 172 000	Extension for Auto 1000 - Chrome	147.00
47 175 000	47 175 000 for 34 240 / 34 241	254.00
47 186 000	THM compact cartridge 3/4 Right	134.00
47 187 000	Volume control handle for 34 310	36.00
47 188 000	Escutcheon plate and screws for Auto 2000	134.00
47 189 000	Europlus exposed union nut	41.00
47 211 000	Metal Esc. for 35 200	275.00
47 217 000	Thermoelement 1/2	64.00
47 220 000	3/4" THM cartridge (non-rising)	273.00
47 238 000	Diverter for 34 334	43.00
47 245 000	Shut Off Hdl for Auto 2000	46.00
47 255 000	Scale handle Auto 2000	68.00
47 255 L00	Thermostat knob	63.80
47 261 000	Extention Auto 2000 (Use 47 172 Auto 1000)	149.00
47 282 000	Reverse THM 1/2 cartridge	267.00
47 295 000	Grohmix escutcheon 34 419 / 34 457	221.00
47 296 000	Grohmix lever and sleeve set	145.00
47 298 000	Chrome Grohmix scale handle	264.00
47 298 R00	New Grohmix scale handle	485.20
47 299 000	New Grohmix lever handle	267.00
47 300 000	Non-rising spindle	38.00
47 303 000	Filter screen	24.00
47 304 000	Check valve washer set	30.00
47 305 000	Thm valve washer set	19.00
47 308 000	Seal kit	19.00
47 310 000	3/4" Thm cartridge	114.00
47 311 000	Atrio Therm. Vol. Contr. Hdl	60.00
47 318 000	25 597 Coupling	81.00
47 328 000	1-1/8 THM extension	255.00
47 329 000	Extension for 34 436 / 34 458	485.00
47 332 000	Handle for 19 700 / 19 702	254.00
47 336 000	Cap and screw	38.00
47 339 000	Escutcheon For 19 702 / 19 703	195.00
47 339 ENO	Escutcheon	243.00
47 342 000	Screw Set - 4 -	14.00
47 343 000	Plastic Guide	46.00
47 343 550	Grohsafe valve cover w/trim set	145.00
47 343 560	Tempsafe valve cover	81.00
47 344 000	Grohsafe Extension	106.80

PART NO.	DESCRIPTION	PRICE \$
47 349 000	Thermoelement Cartrdg. for 34 679	184.00
47 352 000	THM Handle for Auto 1000 Trim 19 655 / 19 656	29.00
47 354 000	Diverter knob for 34 334 Chrome	24.00
47 355 000	Connection nipple	20.00
47 358 000	Grohtherm extension	155.00
47 364 000	Aquadimmer cartridge	108.00
47 367 000	Atrio THM extension kit	155.00
47 368 000	Atrio Therm escutcheon	181.00
47 375 IP0	Vol. Ctrl Hdl for 34 367 -Chr/Matte	44.00
47 376 000	AquaDimmer seat	44.00
47 379 000	3/4" reverse cartridge	428.00
47 398 000	Sound absorber	7.00
47 399 000	Seat for 34 909	13.00
47 417 000	Handshower holder flange	40.00
47 426 000	Fast reacting cartridge for 1/2" THM	175.00
47 427 000	Thermostat handle	182.00
47 427 AV0	Thermostat handle	230.20
47 439 000	1/2" turbo stat cartridge - 34 182 / 34 189	73.00
47 440 IP0	THM Hdl for 34 367 - Chr/Matte	35.00
47 442 IP0	Handle	44.00
47 450 000	1/2" Thm Crt	208.00
47 451 IP0	Chiara handle	270.00
47 453 IP0	THM volume control handle	174.00
47 456 000	Chiara diverter - 34 472	54.00
47 459 IP0	THM escutcheon	263.00
★ 47 462 000	1/2" spacer for THM	107.10
47 463 IP0	Escutcheon	343.00
47 465 000	3/4 Seat	49.00
47 466 000	3/4 check valve	169.00
47 467 000	3/4 Service Stop	32.00
47 477 000	Non-Ret valve 34 908	58.00
47 483 000	Cartridge for 3/4" Grohtherm - THM Valve 34 397	84.00
47 487 000	Talia PBV escutcheon	151.00
47 489 000	Talia PBV lever handle	96.00
47 524 000	Trim plate for Sentosa 19 667	134.00
47 525 000	Sleeve	29.00
47 526 000	Escutcheon	90.00
47 542 IP0	Shower Control Hdl Aquatower	43.00
47 543 000	Escutcheon for 19 419	134.00
47 544 IP0	THM handle for 19 682 / 19 683	110.00
47 546 IP0	Vol. Control Hdl For 19 682 - Chrome /Matte Chrome	114.00
47 565 000	Wax thermo-element	478.00
47 566 000	Seal kit	45.00
47 567 000	Grotherm XL check valve	181.00
47 568 000	Seal kit	14.00
47 582 000	3/4 THM cartridge	273.00
47 589 000	Square Grohtherm escutcheon	210.00
47 601 000	Diverter	59.00
47 602 000	G-S THM / PBV handle screw	16.00
47 604 000	THM screw	19.00
47 604 AV0	THM screw	23.20
47 609 000	G-S PBV escutcheon screws - pair	31.00
47 609 AV0	PBV screw sn (sp)	17.40
47 611 000	Seabury / Geneva lever set screw (pair)	18.00
47 613 000	Geneva THM escutcheon	90.00
47 616 ZBO	Escutcheon	212.00
47 619 000	Tempra 4000 cartridge cover	69.00
47 621 000	VCD spool replacement kit	27.00
47 642 000	Escutcheon	285.00
47 653 000	Extension kit for 34 123, 34 125, 34 126	213.00
47 655 000	Diverter knob	51.00
47 657 000	Atrio reverse cartridge	405.00
47 658 000	3/4 reverse cartridge (non-rising)	799.00
47 662 000	Atrio exposed THM Cart. - Non-Rising Comple	208.00
47 668 000	Atrio R/T handshower receiver	183.00
47 670 000	Atrio R/T spout set screw	18.00
47 678 000	Cartridge for PBV 35 015, 35 016	134.00
47 680 000	Atrio spoke HDL thermostat	157.00
47 684 000	Atrio / Tenso / Ectos PBV Esc	157.00
★ 47 684 AV0	Atrio / Tenso / Ectos PBV Esc Handle	222.90
47 685 ENO	Handle	148.30
47 687 000	Check valves	57.00
47 688 000	Handle adaptor	60.00
47 689 000	Diverter	72.00
47 702 000	Extension kit for PBV 35 015 / 35 016	105.00
47 703 000	Seabury Cross PBV Hdl Assem.	145.00
★ 47 703 AV0	PBV cross handle	127.00
47 706 000	Lever	123.00



# SPARE PARTS

PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$	PART NO.	DESCRIPTION	PRICE \$
47 711 000	Temperature control handle	144.00	47 955 000	Lever pressure balancing valve	32.00	48 217 000	Diverter knob	24.00
47 712 000	Temperature lever	164.00	47 956 000	Escutcheon	95.00	48 220 000	Quick Connect coupling at 6.6 L/min (1.75 gpm)	39.00
47 714 000	Temperature lever	200.00	47 972 000	GRT 1000 Shut-off hdl eco. button	38.00	48 224 000	Non-return valves	11.00
47 715 000	THM Cartridge For 27010	272.00	47 973 000	GRT 1000 Temp. control handle	39.00	48 228 000	Pressure indicator / reducer	374.00
47 719 000	Lever pressure balancing valve	51.00	47 974 00M	Cap	5.00	48 231 000	Lever	19.00
47 721 000	Escutcheon	250.00	47 976 000	GRT 1000 Shut-off hdl eco. button	44.00	48 232 000	Headpart 3/8", 90°, ceramic, right	55.00
47 722 000	Lever pressure balancing valve	35.00	47 977 000	Stop	10.00	48 233 000	Headpart 3/8", 90°, ceramic, left	55.00
47 724 000	Cartridge	99.00	47 981 000	GRT 800 temp. control handle	41.00	48 235 000	Lever	44.00
47 725 000	Handle adaptor for 34 331	23.00	47 983 000	Lever pressure balancing valve	26.00	48 236 000	Lever	28.00
47 726 000	Set of screws	14.00	47 984 000	Handle	41.00	48 243 000	Headpart 3/8", 90°, ceramic, right	53.00
47 729 000	Temperature control handle	212.00	47 995 000	Cartridge pressure balancing valve	127.00	48 244 000	Headpart 3/8", 90°, ceramic, left	53.00
★ 47 735 000	Handicap handle GRT 2000 special	51.20	47 996 000	Extension	83.00	48 251 000	Flow control	8.00
47 738 000	Escutcheon	101.00	48 000 000	Lever handle PBV	54.00	48 270 000	Flow control	18.00
47 739 000	Temperature complete handle for 19 238 / 19 239	22.00	48 000 ENO	Lever handle PBV	88.00	48 275 000	Flow straightener	22.00
47 740 000	Shut-off handle	58.00	48 001 000	Cross handle PBV	54.00	48 280 000	Flow control	14.00
47 741 000	Escutcheon for 19 239	148.00	48 001 ENO	Cross handle PBV	88.00	48 280 ENO	Flow control	16.00
47 743 000	Retaining ring	58.00	48 002 000	Lift rod for Arden Lav.	31.00	48 293 000	Flexible shower hose with weight	57.00
47 751 000	Water guide	16.00	48 002 ENO	Lift rod for Arden Lav.	74.00	48 304 000	Control unit	215.00
47 753 000	Check Valve For 34 240	25.00	48 007 000	Filter + set screw	21.00	48 309 000	Eurostyle cosmo HDLs (pair) bl/red	74.00
47 760 000	Temperature control handle	217.00	48 008 000	Diverter Manual	102.00	48 310 000	Concetto pair of HDLs blue/red	53.00
47 762 000	Talia Volo handle - PBV	200.00	48 009 000	Ondus Aerator	21.00	48 319 000	Bauloop pair of HDLs blue/red	69.00
47 784 000	Handle	98.90	48 014 000	Lever	32.00	48 331 000	Plug	4.00
47 785 000	Escutcheon	265.00	48 014 DCO	Lever	60.00	48 332 000	Actuating rod	6.00
47 786 000	Temperature control handle	116.00	48 015 000	Veris handle blue	52.50	48 333 000	Shower rail holder	67.00
47 787 000	Escutcheon	256.00	48 017 000	Connection hose	63.00	48 346 000	Spindle extension	153.00
47 788 000	Lever	52.00	48 018 000	Connection hose	87.00	48 359 000	Cartridge	108.00
47 788 ENO	Somerset lever handle	96.00	48 021 000	Disassembly tool	9.00	48 361 000	Pushbutton	37.00
47 789 ENO	Lever	72.00	48 022 000	Diverter knob	10.00	49 003 000	Cartridge	253.00
47 815 000	Escutcheon	126.00	48 023 000	Diverter	16.00	49 028 000	THM compact cartridge 3/4"	93.00
47 818 00M	Cap	6.60	48 024 000	Flow straightener	16.00	49 029 000	Temp. ctrl handle safety button	131.00
47 820 000	1-1/8" extension kit for Grohtherm 34 331	150.00	48 043 000	Handle	27.00	64 156 000	Pull Out spray	144.00
47 826 000	Escutcheon	57.00	48 044 000	Spindle extension	48.00	64 156 DCO	Pull-out spray	210.00
47 827 000	Lever pressure balancing valve	30.00	48 045 000	Spindle extension	55.00	64 175 00M	Locking washer	37.00
47 830 000	Handle pressure balancing valve	33.00	48 046 000	Cover Ring	76.00	64 196 000	Flow Control	22.00
47 831 000	Cartridge	112.00	48 047 000	Cover Ring	76.00	64 304 000	Lift rod	32.00
47 832 000	Non-Return Valves	11.00	48 052 000	Escutcheon	13.00	64 304 ENO	Lift rod	33.00
47 833 000	Lever pressure balancing valve	37.00	48 058 000	Diverter	85.00	64 309 000	Diverter knob	10.00
47 834 000	Escutcheon	316.00	48 063 000	Flow straightener	56.00	64 374 000	Flow control	33.00
47 847 000	Lever	108.00	48 065 000	Connection nipple	14.00	64 451 000	Aquaguide flow straightener	12.00
47 847 ENO	Lever	263.00	48 076 000	Diverter knob	42.00	64 451 040	Jet Regulator, Cascade M 24X1 SSR-A	9.00
47 849 00M	Screws	13.00	48 092 000	Shower rail holder	23.00	64 508 001	GROHE Blue filter head - for 31 312 000 DCO or 31 251 000 DCO to use GROHE Blue filter	111.00
47 849 ZBM	Screws	29.00	48 093 000	Holder for sliding rail	37.00	64 511 000	BLUE replacement handle sensor	123.00
47 850 000	Control unit THM Kit #1	254.00	48 095 000	Shower rail holder	19.00	64 600 040	Flow regulator 5.7 L / 1.5 gpm	4.00
47 851 000	Non-return valves	18.00	48 098 000	Shower rail holder	18.00	★ 64 601 040	Flow regulator 5.7 L / 1.5 gpm	3.90
47 852 000	Escutcheon	115.00	48 099 000	Holder for sliding rail	23.00	64 689 000	Non-return valves	19.00
47 853 000	Control Unit THM Kit #2	239.00	48 100 000	Shower rail holder	17.00	64 999 000	Snap coupling	39.00
47 855 000	Control unit THM Kit #3	261.00	48 101 000	Pump jack	72.00	65 066 131	Connection nipple	82.00
47 857 000	Control unit PBV Kit #1	179.00	48 101 DCO	Pump jack	87.00	65 196 000	Lift Rod	15.00
47 858 000	Lever pressure balancing valve	90.00	48 104 000	Lift rod	19.00	65 196 ENO	Lift rod	35.00
47 858 ENO	Lever pressure balancing valve	216.00	48 113 000	Remote control	575.00	65 380 000	Hand shower holder for 27 016	72.00
47 860 000	Control Unit PBV Kit #2	278.00	48 114 000	Remote control	575.00	65 380 ZBO	Holder for sliding rail	195.00
47 861 000	Lever pressure balancing valve	65.00	48 116 000	Handle BauLoop - red	36.00	★ 65 412 000	Lift rod	11.30
47 862 000	Escutcheon	118.00	48 117 000	Handle BauLoop - blue	36.00	65 541 00M	Clamper	20.00
47 862 ENO	Escutcheon	153.00	48 118 000	Escutcheon	13.00	65 592 038	Escutcheon, Lever	33.00
47 863 000	Handle adaptor	21.00	48 124 000	Lift rod	21.00	65 648 000	Diverter knob	6.00
47 864 000	Control unit PBV kit # 2	250.00	48 126 000	Diverter knob	87.00	65 655 000	Diverter	14.00
47 866 000	Escutcheon	92.00	48 139 000	Universal Cube handle	21.00	65 800 040	Connection hose	14.00
47 870 000	Escutcheon	118.00	48 150 000	Control unit	275.00	65 816 040	Adapter cable	26.00
47 871 000	Lever	102.00	48 159 000	Flow control	13.00	65 818 000	Waste set	154.00
47 873 000	Lever pressure balancing valve	61.00	48 159 ENO	Flow control	17.00	66 362 00M	Screw	11.00
47 874 000	Escutcheon	99.00	48 159 ZBO	Flow control	95.00	66 791 000	Inspection cover	15.00
47 876 000	Escutcheon	120.00	48 160 000	Flow rate limiter	19.00			
47 878 000	Escutcheon	118.00	48 165 000	Escutcheon	21.00			
47 879 000	Escutcheon	101.00	48 167 000	Pump jack	81.00			
47 880 000	Lever	69.00	48 167 DCO	Pump jack	73.00			
47 880 ENO	Lever	92.00	48 168 000	Pipe	8.00			
47 885 000	Thermostatic compact cartridge 1/2"	49.00	48 169 000	Soap tank	12.00			
47 889 000	GroHFlex Extension kit THM	82.00	48 170 000	Pump jack	103.00			
47 890 000	GroHFlex Extension kit PBV	82.00	48 170 ENO	Pump jack	125.00			
47 892 000	Escutcheon	225.00	48 171 000	Pump jack	144.00			
47 896 000	Lever pressure balancing valve	403.00	48 171 DCO	Pump jack	172.00			
47 897 000	Lever	428.00	48 177 000	Holder for sliding rail	58.00			
47 903 000	Escutcheon	250.00	48 179 000	Shower rail holder	41.00			
47 911 000	Escutcheon	210.00	48 180 000	Holder for sliding rail	31.00			
47 916 000	GRT 2000 shut-off handle	52.00	48 183 000	Non-return valves	17.00			
47 923 000	GRT 2000 shut-off handle	62.00	48 192 000	Handle	32.00			
47 925 000	Stop	16.00	48 202 000	Headpart 1/2", ceramic, right	40.00			
47 928 000	Escutcheon	92.00	48 203 000	Headpart 1/2", ceramic, left	40.00			
47 939 000	Lever	292.00	★ 48 206 000	Parkfield lever blue/red	61.80			
47 939 ENO	Lever	241.00	48 207 000	Lift rod	21.00			
47 940 000	Escutcheon	183.00	48 207 ENO	Lift rod	36.00			
47 941 ENO	Escutcheon	262.00	48 208 000	Strainer	23.00			
47 943 ENO	Lever pressure balancing valve	359.00	48 213 000	Solenoid valve	190.00			
			48 214 000	Control unit	204.00			
			48 216 000	Diverter knob	74.00			

Note: Products listed with ★ (stars) are available while supplies last.

# FLOW RATES

Valves		L/min at 45 PSI	GPM at 45 PSI
SMARTCONTROL Rapido SmartBox	35 601 000 - Single outlet	29.0	7.7
	- Two outlets	29.0	7.7
	- Three outlets	36.0	9.5
F-DIGITAL Thermostatic Mixer	36 294 000	50.7	13.4
	26 297 000	50.7	13.4
GROHFLEX	PBV – Single Function	23.0	6.1
	PBV – Dual Function	20.0	5.3
	Thermostatic – Single Function	24.0	6.3
	Thermostatic – Dual Function	24.0	6.3
	Thermostatic – Custom Shower	53.0	14.0
GROHSAFE – PBV	35 015 001 - Top port - 1/2"	14.0	3.7
	- Bottom port - 1/2"	15.0	4.0
	35 064 001 - Top port - 1/2"	14.0	3.7
	- Bottom port - 1/2"	15.0	4.0
	35 065 001 - Top port - 1/2"	14.0	3.7
	- Bottom port - 1/2"	15.0	4.0
GROHSAFE – PBV with Diverter	35 033 000 - 1/2"	17.0	4.6
	35 016 000 - 1/2"	22.0	5.8
GROHTHERM	34 331 000 - 1/2"	34.0	9.0
	34 397 000 - 3/4"	61.0	16.0
GROHTHERM 1000	34 240 000 - 1/2"	24.0	7.0
	34 241 000 - 1/2"	34.0	9.0
GROHTHERM EXPOSED THERMOSTATS	34 150 003 - 1/2"	21.0	5.5
	34 159 003 - 1/2"	21.0	5.5
	34 521 001 - 1/2"	20.0	5.3
	34 523 001 - 1/2"	26.0	6.8
DIVERTER VALVES	29 712 000 - Shower head - 1/2"	70.0	18.5
	- Hand shower - 1/2"	100.0	26.4
	29 900 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	45.5	12.0
	29 901 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	45.5	12.0
	29 035 000 - 3/4" outlet	90.0	23.7
	29 035 000 - 1/2" outlets	70.0	18.5
	29 902 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	41.7	11.0
	29 903 000 - Shower head - 1/2"	30.3	8.0
	- Hand shower - 1/2"	30.3	8.0
	- Tub spout - 1/2"	41.7	11.0
	29 714 000 - 3/4" outlet	90.0	23.7
29 714 000 - 1/2" outlet	70.0	18.5	
VOLUME CONTROLS	35 029 000 - 1/2" outlet	55.0	14.5
	29 273 000	35.0	9.2
	29 274 000	85.0	22.4
	35 032 000 - 1 shut-off valve open	14.5	55.0
	- 2 shut-off valves open	29.0	110.0
- 3 shut-off valves open	37.0	140.0	
IN-LINE REMOTE PBV	35 204 000	20.1	5.3
All fixed shower heads, hand showers and body sprays	All GROHE shower heads and hand showers are restricted to a maximum 9.5 L/min at 80 psi (552 kPa).		

All flow rates measured at the shower outlet.

Flow rates are approximate.

1 gpm = 3.8 L/min

The flow rates provided are based on an average pressure of 45 psi. Use these flow rates to determine if the valve selected supports the total output from all the shower outlets. The maximum output of a shower outlet is 9.5 L/min or 2.5 gpm at 80 psi (tub spout 26.6 L/min [7 gpm]).

Example:

3 body sprays - 3 x 9.5 L/min = 28.5 L/min (7.5 gpm)

Shower head - 9.5 L/min (2.5 gpm)

Hand shower - 9.5 L/min (2.5 gpm)

Total flow = 47.5 L/min (12.5 gpm)

Therefore, the 3/4" valve 34 397 000 would support the total flow output while the 1/2" valve 34 331 000 would not.

If installation is using pex piping, it is important to size up pipe (3/4" pex for 1/2" valves, etc).

## GROHE LIMITED LIFETIME WARRANTY FOR RESIDENTIAL PRODUCTS\*

LIXIL Canada Inc. provides the following warranties on its GROHE products to the original purchaser, installed in a residential application. This warranty is effective for all faucets sold after January 1, 1997.

**Mechanical Warranty:** A Limited Lifetime Warranty is provided on all mechanical parts to the original purchaser to be free from manufacturing defects in materials and workmanship under normal use for as long as the original purchaser owns their home.

**GROHE Sense and Sense Guard:** Two (2) years limited warranty.

**Electronic Faucets, Valves and Controls Warranty:** LIXIL warrants GROHE electronic faucets, valves and controls to be free from manufacturing defects in material and workmanship under normal use for five (5) years from the date of purchase.

**General Finish Warranty:** A Limited Lifetime Warranty is provided on all GROHE products to the original purchaser against manufacturing defects in materials and workmanship.

At its option, LIXIL will repair or replace any part or finish that proves to be defective in material and/or workmanship under normal installation, use and service.

To obtain warranty repair or replacement the faulty part or product is to be sent along with proof-of-purchase (original sales receipt) from the original consumer purchaser to:

LIXIL Canada Inc., 5900 Avebury Road, Mississauga, Ontario L5R 3M3  
groheinfo.ca@lixil.com  
Telephone inquiries can be directed to: 1.888.64GROHE (47643)

Please be sure to provide all applicable information regarding your claim, including:

- Product / model number
- Proof-of-Purchase (copy of your original sales receipt, purchase order, or invoice), the date the product was purchased, and installation date
- Complete description of the problem with supporting documentation as applicable (i.e., photographs)

This warranty is extended to the original consumer owner, but does not cover installation, labour, or other incidental or consequential costs and shall not apply to any products or parts of products which have been:

- a) Repaired by unqualified persons or not using original GROHE spare parts or altered in any manner unless previously authorized in writing by LIXIL; or
- b) Damaged as a result of misuse, negligence, accident or faulty installation or maintenance; or
- c) Installed or used in a manner contrary to GROHE's printed instructions; or
- d) Damaged by the effects of dirt, limescale or aggressive cleaners.

This is the exclusive warranty by LIXIL, which does not make any other warranty of any kind, including the implied warranty of merchantability.

This warranty excludes filter and cooler parts and accessories, outdoor, marine applications, all industrial, commercial, and business usage whose purchasers are extended a one (1) year limited warranty from the date of purchase, with all other terms of this warranty. (See below for commercial products.)

LIXIL warrants all GROHE wall carrier products installed in a commercial application to be free from manufacturing defects for a period of ten (10) years from the date of acquisition by original owner.

Pure Freude  
an Wasser



## TERMS AND CONDITIONS OF SALE

- PRICES:** Prices and terms are subject to change without notice.
- FREIGHT:** Shipper reserves the right to ship merchandise by the method of our choosing. Shipments are FOB Roselle, Illinois. Freight pre-paid on orders with a minimum value of CAN \$1500 net. No freight allowances on air shipments.
- DELIVERIES:** LIXIL is not responsible for delays in deliveries due to circumstances beyond its control such as fires, strikes, transportation delays, materials shortages, accidents, adverse weather conditions or other contingencies of similar nature.
- RETURNS:** Product may not be returned for credit or replacement without prior inspection and written authorization from LIXIL. There will be a charge of 20% to cover handling and restocking for all authorized returns. Only merchandise currently appearing in the GROHE Price List, which is in resalable condition, will be considered by LIXIL for return or replacement.
- LABOUR:** No labour charges of any kind will be allowed. Refer to the GROHE Limited Warranty.
- CLAIMS:** All claims must be made within 10 days after receipt of goods.
- DAMAGE OR LOSS:** Delivery to the carrier constitutes delivery to the customer. Any loss or damage in transit should be made within 48 hours by the customer to the carrier. Our responsibility ceases when the goods are delivered in good condition to the carrier.
- PRODUCT CHANGES:** We reserve the right to discontinue, alter, modify, or redesign products without liability for the obsolescence of customers' inventories.
- GENERAL:** The possession of this price list by anyone will not be accepted by this Corporation (LIXIL Canada Inc.) as an obligation or offer to sell any goods listed herein. All prices herein quoted supersede all prior price lists and bulletins. Existing Trade Terms continue in effect.
- No order, contract or agreement, will become an obligation of the Corporation until accepted, in writing, by the Head Office.
- These Terms and Conditions shall be deemed to be a part of all such acceptances by the Corporation and shall supersede any conflicting provisions of customer's purchase order.

## WARRANTY FOR COMMERCIAL APPLICATIONS\*

LIXIL warrants its GROHE products installed in a commercial application to be free from manufacturing defects for a period of one (1) year from the date of acquisition by original owner. Replaced products or parts are warranted only for the period remaining under the initial warranty.

\* THIS WARRANTY IS LIMITED SOLELY TO THE ABOVE AND THIS WARRANTY AND ANY WARRANTIES IMPLIED BY PROVINCIAL LAW WILL APPLY ONLY FOR THE APPLICABLE WARRANTY PERIOD SPECIFIED HEREIN. ALSO, LIXIL WILL NOT BE LIABLE FOR ANY LOSS, DAMAGE, EXPENSE OR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, WHETHER BASED ON WARRANTY, CONTRACT OR NEGLIGENCE AND ARISING IN CONNECTION WITH THE SALE, USE OR REPAIR OF THE PRODUCT. SOME PROVINCES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF CONSEQUENTIAL DAMAGE OR LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATIONS OR EXCLUSIONS MAY NOT APPLY. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM PROVINCE TO PROVINCE. UNLESS OTHERWISE CONTRARY TO PROVINCIAL LAW GOVERNING THE PURCHASE, LIXIL'S LIABILITY WILL NOT EXCEED THE CONTRACT PRICE FOR THE PRODUCT CLAIMED TO BE DEFECTIVE OR UNSUITABLE.

LIXIL Canada Inc.  
Tel: 1.888.64.GROHE (47643)  
Fax: 1.905.366.2071  
groheinfo.ca@lixil.com

Printed in Canada  
© 06/2019  
LIXIL Canada Inc.

Prices listed in this document  
are subject to change without  
notice. LIXIL reserves the  
right to discontinue, alter,  
modify or re-design products  
without liability.



## DISCOVER THE WORLD OF GROHE AT [WWW.GROHE.CA](http://WWW.GROHE.CA)



Follow us



PART OF **LIXIL**