
Pure Freude an Wasser

GROHE



SPECIFIERS' CATALOGUE **2019**

EDITION FOR PROFESSIONALS

PRICES VALID FROM 1ST APRIL 2019 I GROHE.CO.UK

GROHE
TABLE OF CONTENTS

Our brand			8
GROHE Rapido SmartControl			12
GROHE Sense			24
Bath Taps	Single Lever Mixers	Allure Brilliant	51
		Allure	61
		Atrio	75
		Grandera	91
		Lineare	103
		Eurocube Joy	115
		Eurocube	121
		Plus	131
		Europlus	143
		Essence	149
		Eurodisc Joy	163
		Eurodisc Cosmopolitan	167
		Concetto	173
		Eurostyle Cosmopolitan	181
		Eurostyle	187
		Eurosmart Cosmopolitan	195
		Eurosmart	201
		BauEdge	207
		BauLoop	211
		BauFlow	215
	Two Handle fittings	Costa L	219
	Bath Sets	Talentofill	223
	Accessories	Selection Cube	227
		Essentials	231
		Essentials Cube	239
		BauCosmopolitan	245
		Essentials Authentic	249
Thermostats		Grohtherm SmartControl	267

GROHE
TABLE OF CONTENTS

		Grohtherm 2 handle trim sets	279
		Grohtherm 3000 Cosmopolitan	287
		Grohtherm 2000	291
		Grohtherm Cube	297
		Grohtherm 1000 Cosmopolitan M	301
		Grohtherm 1000	305
		Grohtherm 800	309
Concealed Solutions		GROHE Rapido SmartBox	323
		GROHE Rapido C / stop valves	326
Showers	GROHE Digital	F-digital Deluxe	335
		F-digital Controllers	343
	Shower Systems	Rainshower System SmartControl	347
		Rainshower System	355
		Euphoria SmartControl System	361
		Euphoria Shower System	365
		Tempesta System	373
		Retro-fit Shower System	377
		Shower System Accessories	379
	Head Showers	Head Showers	381
	Showers	Sena	407
		Rainshower	411
		Power&Soul	419
		Relexa	425
		Euphoria	429
		Tempesta	439
		Sena Trigger Sprays	453
		Tempesta-F Trigger Sprays	455
		Shower Hoses	457
		Shower Accessories	461
Kitchen Fittings	Water Systems	GROHE Blue Professional	489
		GROHE Blue Home	499

GROHE
TABLE OF CONTENTS

		GROHE Blue Pure	509
		GROHE Blue Accessories	511
		GROHE Red	515
	Premium Lines	K7	521
		Foot Control	523
		Minta / Minta Touch	525
		Zedra / Zedra Touch	531
		Atrio	533
		Essence	535
		Eurocube	539
	Competence Lines	Ambi	541
		Parkfield	543
		Eurodisc Cosmopolitan	545
		Eurodisc	547
		Concetto	549
		Eurostyle Cosmopolitan	553
		Eurosmart Cosmopolitan	557
		Eurosmart	559
		Euroeco / Euroeco Special	563
		Costa	565
		Bau Lines	567
		Soap dispensers	569
	Kitchen sinks	Stainless steel sinks	571
		Composite sinks	581
Commercial fittings	Electronic Fittings	Essence E	593
		Eurocube E	597
		Bluetooth monitoring	601
		Europlus E	611
		Eurosmart Cosmopolitan E	615
		Euroeco Cosmopolitan E	621
		Bau Cosmopolitan E	625

GROHE
TABLE OF CONTENTS

	Special Thermostats	Grohtherm Micro	629
		Grohtherm Special	631
		Grohtherm XL	637
	Single-Lever Mixers	Commercial Showers	639
		Euroeco Special	643
		Hospita	647
		Euroeco Single Sequential	649
	Self-closing Fittings	Eurodisc SE	653
		Eurosmart Cosmopolitan T	655
		Euroeco Cosmopolitan T	657
Shower Toilet		Sensia IGS	663
		Sensia Arena	665
Ceramics		Essence	671
		Cube Ceramic	677
		Euro Ceramic	683
		Bau Ceramic	693
		Acrylic shower trays	701
Installation Systems	Rapid SL	Rapid SL for WC	717
		Rapid SL for Urinal	727
		Rapid SL for Wash Basin and Bidet	729
		Rapid SL for the Disabled	733
		Rapid SL Fitting Supports	737
		Rapid SL Accessories	739
Flushing Systems	WC	Flushing Cisterns	745
		Accessories for Flushing Cisterns	749
		Electronic Actuations for WC	755
	Urinal	Electronic Actuations for Urinal	759
		Urinal Flush Valves	763
Actuations	WC	Flush Plates for WC	781
		GROHE Fresh	789
	Urinal	Flush Plates for Urinal	791

GROHE
TABLE OF CONTENTS

Connection and Security Technology	Angle Valves	796
Spare Parts and Accessories	Cartridges	800
	Thermo elements and thermostatic cartridges	802
	Aquadimmer	805
	Head parts	806
	Extension sets	808
	Unions	809
	Flow straighteners	810
	Waste sets and traps	812
	Connections and non-return valves	814
	Spare parts for electronics	815
	Spare parts for showers	816
	Miscellaneous	817
	Special tools	818
	Cleaning and care	820
	Spare parts for sanitary systems	821
	Spare parts for shower toilet	822
	Spare parts for Ceramics	824
Survey of Contents		826

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.


Over 350 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

CSR Award winner of the German Government, 2017

THE UNIVERSAL SOLUTION
FOR THE NEEDS OF TOMORROW





Exchangeable function units for single-lever mixers, thermostats and SmartControl, fully pre-configured and 100 % factory tested

new

TWO-HANDLE THERMOSTATS
More space and more control with our new thermostats



SMARTCONTROL
Ultimate and intuitive control of every shower function, space-saving and slim design

All thermostats with retrofit service stops


Subsequently adjustable by up to six degrees: ensures that the wall plate is always in level and allows for perfect alignment with tile joints



new


SINGLE-LEVER MIXERS
Simple to operate, control up three functions with our new mixers

INSTALLER-FRIENDLY
INSTALLATION




Few things count more in the installation business than efficiency and convenience. That makes the GROHE Rapido SmartBox System an obvious choice. One box offers unlimited options. And the easy installation is a huge plus: job-side mounting, shallow installation depth and with three outlets, only one rough-in needs to be installed, instead of the usual two. This is simply well thought through.





2
GROHE
A B C
D E
D E A C
A
C
HOT
COLD
3

SLIMMED DOWN DESIGN
FOR MORE SPACE IN THE SHOWER



GROHE SMARTCONTROL



43 mm

NEW TWO-HANDLE THERMOSTATS



43 mm



Creating a beautiful area for bathing and showering can often be a challenge, since the space available is frequently very limited. The GROHE Rapido SmartBox System offers the luxury of extra space thanks to our super slim trimsets. One great advantage is the extra flexibility that comes with our system, allowing you to install the box now and decide on the final design and look later on.

GROHE SMARTCONTROL
FEATURES AT A GLANCE

Slim design,
overall outreach
only 43 mm,
all wall plates
only 10 mm high

All trims
subsequently
adjustable by
up to 6°

Perfect shower
experience with
GROHE SmartControl:
push, turn, shower

Retrofit back-flow
protection combination
for bath fill and
overflow unit



Original Size 1:1

VARIANTS
- Mixer with 1, 2, 3-function
- Thermostat with 1, 2, 3-function
- Triple volume control trim
- Round and square design + colour options





GROHE TurboStrat | **GROHE QuickFix** | **GROHE StarLight** | **SafeStop** | **SafeStop Plus**

GROHE Turbostat, SafeStop and SafeStop Plus only for thermostats

reddot award 2018
winner

#METROPOLISlikes



Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

Available as a mixer
and thermostat

38 °C SafeStop Button
(thermostat)

Thermostats come
with optional
43 °C temperature limiter

All plates are **metal**
made

Thermostat with **GROHE**
TurboStat technology
ensuring constant shower
temperature for comfort
and safety

Retrofit service stops

NEW TWO-HANDLE THERMOSTATS
FEATURES AT A GLANCE

new

Slim design, overall outreach **only 43 mm,** independant from installation depth + all plates only 10 mm high

new

All trims subsequently **adjustable by up to 6°**

Retrofit back-flow protection combination for bath fill and overflow unit



Original Size 1:1

VARIANTS

- Volume control (shower)
- AquaDimmer (head/hand shower symbol)
- AquaDimmer (bath/shower symbol)
- Round, square, cube design
- Atrio design with wide range of colour options





GROHE TurboStrat



GROHE QuickFix



GROHE StarLight



SafeStop



SafeStop Plus



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

38 °C SafeStop Button

Optional
43 °C temperature
limiter included

new

All plates are **metal made**

Thermostat with **GROHE**
TurboStat technology
ensuring constant shower
temperature for comfort
and safety

new

Retrofit service stops

NEW SINGLE-LEVER MIXERS
FEATURES AT A GLANCE

new

Slim design, **all plates 10 mm high***

new

All trims subsequently **adjustable by up to 6°**


Retrofit back-flow protection combination for 2-way diverter trims in combination with bath fill and overflow unit



Original Size 1:1

VARIANTS

- Volume control (shower)
- 2-way diverter trims
- 3-way diverter trims for selected designs



GROHE SilkMove

GROHE QuickFix

GROHE StarLight



new

Small plates,
all trims **only 158 mm**
square or in diameter
(Illustration in original size)

new

QuickFix System for
force-fit fixation
and hidden fixation
and sealing

new

3-way diverter variants
to operate:
- 2-spray head shower +
  hand shower
- head shower + hand
  shower + bath spout

2-way diverter –
only 43 mm total outreach*,
3-way diverter –
only 30 mm total outreach*
(independent of rough-in
installation depth)

new

All plates are **metal made**

Design variants for all
GROHE bath lines

*with exception of Allure Brillant due to special design




BEFORE A DRIP
BECOMES A FLOOD.


DETECT TO TAKE CARE WITH GROHE SENSE.


GROHE
CONNECTION
WATER ON/OFF

GROHE SENSE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	**22 505 LN0**	**4005176411779**	**white**	43.74

GROHE Sense
Smart water sensor
for wireless LAN, battery powered
automatic flooding alarm and frost risk alarm
senses room temperature
receive notifications and customize settings via GROHE Ondus App
status indication via LED light, audible alarm and app
for placement on a flat non-conductive surface
wireless LAN 2.4 GHz, WPA/WPA2 protected
including 3 x AAA batteries
CE approved
Made in Germany

 	**22 506 LN0**	**4005176411786**	**white**	21.66

GROHE Sense
Extension set
for difficult to reach locations
for installing GROHE Sense smart water sensor on the wall
sensor extension cable 1.2 m length
including rawl and screw set
GROHE Sense smart water sensor not included
CE approved

	**22 517 LN0**	**4005176416729**	**white**	474.17


GROHE_Sense_kit
1 x GROHE Sense Guard smart water controller + 3 x GROHE Sense smart water sensor
CE approved
Made in Germany

1 x GROHE Sense Guard
for Wifi, mains powered, 230 V
for single-family houses
cold water only
detects pipe breaks, micro leaks, frost risk and unusual water flow
automatic, manual or remote shut off function to limit water damage
senses flow rate, water pressure and system temperature
tracks water consumption
receive notifications and customize settings via GROHE Ondus App
status indication via LED light, buzzer and push notifications
wireless LAN 2.4 GHz, WPA/WPA2 protected
for horizontal or vertical installation right downstream the water meter
including mounting nuts R3/4" and extendable power cable 0.7 m, plug type G
use of wall mounting set 22 501 000 with G1" connection recommended, sold separately
noise classification 1 in accordance
with DIN4109
to be installed on cold water pipes only


3 x GROHE Sense smart water sensor
for wireless LAN, battery powered
automatic flooding alarm and frost risk alarm
senses room temperature
receive notifications and customize settings via GROHE Ondus App
status indication via LED light, audible alarm and app
for placement on a flat non-conductive surface
wireless LAN 2.4 GHz, WPA/WPA2 protected
including 9 x AAA batteries

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE SENSE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	**22 513 LN0**	**4005176416484**	**white**	365.83

GROHE Sense Guard
Smart water controller
for Wifi, mains powered, 230 V
for single-family houses
detects pipe breaks, micro leaks, frost risk and unusual water flow
automatic, manual or remote shut off function to limit water damage
senses flow rate, water pressure and system temperature
tracks water consumption
receive notifications and customize settings via GROHE Ondus App
status indication via LED light, buzzer and push notifications
wireless LAN 2.4 GHz, WPA/WPA2 protected
for horizontal or vertical installation right downstream the water meter
including mounting nuts R3/4“ and extendable power cable 0.7 m, plug type G
use of wall mounting set 22 501 000 with G1“ connection recommended, sold separately
noise classification 1 in accordance with DIN4109
to be installed on cold water pipes only
CE approved
Made in Germany

 	**22 521 LN0**	**4005176437151**	**white**	14.58

GROHE Sense Guard
Power extension cable
cable length 3 m

 	**22 501 000**	**4005176409318**		58.33

GROHE Sense Guard
Wall mounting set
for installation on the wall
easy and stable installation
mounting nuts with G1“ connection
for use with 22 513 LN0, 22 517 LN0

IDENTIFY YOUR **WATER SYSTEM**

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in Bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each meter in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 meters in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 meters as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3




Fig 4

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min)

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - An expansion vessel replaces the storage tank in loft to deal with expansion

4 - The water pressure is determined by mains pressure (Fig 4)

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)

2 - Water is heated as it travels through the combination boiler providing hot water on demand

3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "Grohe 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK
YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service
No matter what issues or questions you may have, you can find the right contact person for you.

Order management
(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service
(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects
(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:
Monday- Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES

The Water Regulations Advisory Scheme (WRAS) assesses water fittings products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 500 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.









Pure Freude an Wasser

GROHE

SPECIFIERS' CATALOGUE **2019**

EDITION FOR PROFESSIONALS

GROHE
BATH TAPS





CONTENTS

Single Lever Mixers	Allure Brilliant	51
	Allure	61
	Atrio	75
	Grandera	91
	Lineare	103
	Eurocube Joy	115
	Eurocube	121
	Plus	131
	Europlus	143
	Essence	149
	Eurodisc Joy	163
	Eurodisc Cosmopolitan	167
	Concetto	173
	Eurostyle Cosmopolitan	181
	Eurostyle	187
	Eurosmart Cosmopolitan	195
	Eurosmart	201
	BauEdge	207
	BauLoop	211
	BauFlow	215
Two Handle fittings	Costa L	219
Bath Sets	Talentofill	223
Accessories	Selection Cube	227
	Essentials	231
	Essentials Cube	239
	BauCosmopolitan	245
	Essentials Authentic	249

GROHE
SILKMOVE

Only GROHE faucets operate with an action so smooth we have dubbed it GROHE SilkMove. Naturally, they also offer delicately precise control of water flow and temperature to match. GROHE SilkMove cartridge discs are made from a space-proven ceramic alloy with Teflon technology so that working a mixer lever is effortlessly easy – and remains that way for decades to come. In fact, in a comprehensive battery of mechanical wear tests conducted by the German Technical Inspection Agcy, TÜV, our high-tech cartridges produced in-house at GROHE outstripped all products from big-name international manufacturers.





GROHE
ECOJOY

SAVE PRECIOUS RESOURCES AND ENJOY 100% WATER COMFORT.


All GROHE EcoJoy products are systematically designed to save water and energy so that precious resources are conserved. These products, equipped with water-saving technologies, offer the perfect water experience without the need to compromise. Reducing water and energy consumption goes hand in hand with convenience and attractive design. Less water. Perfect flow.





ATRIO - IN HARMONY WITH EVERY **BATHROOM** STYLE

The Atrio collection means design without restrictions. Each item is available in various finishes and size options to meet all demands of personal taste and different design schemes.





CONTEMPORARY



CLASSIC



COSMOPOLITAN

GROHE
LINEARE

The cosmopolitan aesthetic of Lineare is minimal yet highly inviting. In keeping with the concept of minimalism, Lineare has been reduced to only the necessary elements to achieve the thinnest possible appearance. The line is based on a composition of two simple geometric structures - cylindrical bodies and thin rectangular forms of the handle and spout create beautiful harmonious compositions.

The thin rectangular geometries of the spout and lever extend parallel from the pure cylindrical body. The spout has been moved up to achieve an elegant and lightweight appearance to create a product that perfectly fits in the modern architectural context. With thin proportions and pure composition of both round and square forms, Lineare offers ultimate flexibility when it comes to bathroom design choices.



reddot award 2017
winner



20 304 001
3-hole basin mixer



23 405 001
XL-Size basin mixer



23 444 001
L-Size wall mounted
basin mixer



19 577 001 + 29 037 000
4 hole single-lever bath combination

CORDINATED BATHROOM
IN SPA COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed SPA Colours as an enabler to put vision into reality.

The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of cool sunrise or the intriguing elegance of brushed hard graphite - GROHE SPA Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE SPA Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.

GROHE SPA colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Faucets, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.





GROHE
SPA COLOURS

PRODUCT RANGE		COLOUR OPTIONS									
		CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE
GRANDERA		●		●*	●*	●*	●*	●*	●*	●*	●*
ALLURE BRILLIANT		●	●							●	●
ATRIO		●	●	●	●	●	●	●	●	●	●
ESSENCE		●	●	●	●	●	●	●	●	●	●
EUROCUBE		●									
LINEARE		●	●								

* not all SKUs in all SPA colours

GROHE
EUROSMART

GROHE'S NUMBER 1 IN PREMIUM PERFORMANCE.
For almost 2 decades, its legendary quality has made the GROHE's Eurosmart range the obvious choice for planners, architects and plumbers. Making it the number 1 worldwide with over 30 million sold. With its wide range of designs and functionalities, its long-lasting GROHE SilkMove Technology and German engineering know-how, Eurosmart is valued for every kind of project – bath, kitchen, commercial, large-scale or small. Eurosmart: always a first class choice since 1999.





GROHE
BATHROOM COMBINATIONS

	THERMOSTATS								SHOWER SYSTEMS						HEAD SHOWERS					
	DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 / 1000 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT		●		●					●	●	●	●			●	●		●		
ALLURE		●			●				●	●	●				●	●		●		
ATRIO	●	●			●				●	●	●				●	●	●	●		
GRANDERA										●	●				●	●		●		
LINEARE		●	●		●				●	●	●		●			●	●	●	●	
EUROCUBE		●	●	●							●	●				●		●		
PLUS		●	●		●				●	●	●		●			●	●	●	●	
EUROPLUS		●	●			●			●		●		●						●	
ESSENCE		●	●		●				●	●	●					●		●		
EURODISC COSMOPOLITAN		●	●			●			●		●		●					●	●	
CONCETTO			●				●						●						●	
EUROSTYLE COSMOPOLITAN			●				●						●						●	
EUROSTYLE			●				●						●						●	
EUROSMART COSMOPOLITAN			●				●							●						●
EUROSMART			●				●							●						●
BAUEDGE								●						●						●
BAULOOP								●						●						●
BAUFLOW								●						●						●

HAND SHOWERS						CERAMIC				ACCESSORIES					ACTUATIONS			
DESIGN HAND SHOWERS	SENA	POWER & SOUL	EUPHORIA CUBE	EUPHORIA	TEMPESTA	CUBE CERAMIC	ESSENCE	EURO CERMAIC	BAU CERAMIC	DESIGN ACCESSORIES	SELECTION CUBE	ESSENTIALS CUBE	ESSENTIALS	BAU COSMOPOLITAN	SKATE COSMOPOLITAN	NOVA COSMOPOLITAN	ARENA COSMOPOLITAN	SKATE AIR
●			●			●				●	●	●			●			
●	●					●				●	●				●			
	●						●			●						●		
●										●								
	●	●		●		●	●				●		●			●		
			●			●					●	●			●			
	●		●			●	●					●	●		●	●	●	
		●		●									●				●	
		●		●			●						●			●		
		●		●									●			●		
				●									●			●		
				●				●					●			●		
				●				●					●					●
					●			●					●				●	
					●			●					●					●
					●				●					●				●
					●				●					●				●
					●				●					●				●


GROHE
ALLURE BRILLIANT



GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 029 000	**Chrome**	**4005176898709**	**537.73**
23 029 DC0	**supersteel**	**4005176489471**	**725.00**
23 029 A00	**hard graphite**	**4005176338335**	**876.86**
23 029 AL0	**Brushed Hard Graphite**	**4005176353154**	**876.86**





Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 033 000	**Chrome**	**4005176898716**	**537.73**
23 033 DC0	**supersteel**	**4005176489488**	**725.00**
23 033 A00	**hard graphite**	**4005176489631**	**868.18**
23 033 AL0	**Brushed Hard Graphite**	**4005176489648**	**868.18**

Ditto, smooth body

---

23 109 000	**Chrome**	**4005176898754**	**675.07**
23 109 DC0	**supersteel**	**4005176489860**	**902.00**





Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 112 000	**Chrome**	**4005176898778**	**675.07**
23 112 A00	**hard graphite**	**4005176489778**	**971.00**
23 112 AL0	**Brushed Hard Graphite**	**4005176489785**	**971.00**

Ditto, smooth body

---

23 114 000	**Chrome**	**4005176898792**	**833.54**
23 114 DC0	**supersteel**	**4005176489914**	**1,117.00**
23 114 A00	**hard graphite**	**4005176352690**	**1,203.00**
23 114 AL0	**Brushed Hard Graphite**	**4005176353178**	**1,203.00**






Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses

---

20 344 000	**Chrome**	**4005176898884**	**791.28**
20 344 DC0	**supersteel**	**4005176489815**	**1,058.00**
20 344 A00	**hard graphite**	**4005176338342**	**1,280.43**
20 344 AL0	**Brushed Hard Graphite**	**4005176353185**	**1,224.12**






Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 342 000	**Chrome**	**4005176898860**	**664.51**
20 342 DC0	**supersteel**	**4005176490071**	**887.00**
20 342 A00	**hard graphite**	**4005176490125**	**955.00**
20 342 AL0	**Brushed Hard Graphite**	**4005176490064**	**955.00**






Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

20 346 000	**Chrome**	**4005176898907**	**685.64**
20 346 DC0	**supersteel**	**4005176490217**	**921.00**
20 346 A00	**hard graphite**	**4005176490262**	**992.00**
20 346 AL0	**Brushed Hard Graphite**	**4005176490200**	**992.00**






Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 000
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
projection 161 mm

20 348 000	**Chrome**	**4005176898921**	**727.90**
20 348 DC0	**supersteel**	**4005176490309**	**980.00**
20 348 A00	**hard graphite**	**4005176490354**	**1,055.00**
20 348 AL0	**Brushed Hard Graphite**	**4005176490293**	**1,055.00**

Ditto, projection 210 mm

29 025 000		**4005176841927**	**231.36**






Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device

19 781 000	**Chrome**	**4005176898822**	**653.94**
19 781 DC0	**supersteel**	**4005176490392**	**882.00**
19 781 A00	**hard graphite**	**4005176490446**	**950.00**
19 781 AL0	**Brushed Hard Graphite**	**4005176490385**	**950.00**









Allure Brilliant
2-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200 000
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm

19 783 000	**Chrome**	**4005176898846**	**696.20**
19 783 DC0	**supersteel**	**4005176490484**	**941.00**
19 783 A00	**hard graphite**	**4005176490538**	**1,013.00**
19 783 AL0	**Brushed Hard Graphite**	**4005176490477**	**1,013.00**

Ditto, projection 210 mm

GROHE
ALLURE BRILLIANT


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 200 000**		**4005176908354**	**220.80**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
 	**23 117 000**	**Chrome**	**4005176898938**	**611.69**
	23 117 DC0	**supersteel**	**4005176490576**	**823.00**
	23 117 A00	**hard graphite**	**4005176490620**	**887.00**
	23 117 AL0	**Brushed Hard Graphite**	**4005176490569**	**887.00**
	Allure Brilliant **Bidet mixer 1/2"** **M-Size** 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE QuickFix** installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	**24 071 000**	**Chrome**	**4005176465901**	**348.00**
	Allure Brilliant **Single-lever shower mixer trim** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min **without roughing-in-set**			
	35 600 000		**4005176413469**	**126.25**
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	**24 072 000**	**Chrome**	**4005176465932**	**383.00**
	Allure Brilliant **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min **without roughing-in-set**			
	35 600 000		**4005176413469**	**126.25**
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 099 000	**Chrome**	**4005176480744**	**406.00**
24 099 DC0	**supersteel**	**4005176480751**	**527.00**
24 099 A00	**hard graphite**	**4005176564758**	**569.00**
24 099 AL0	**Brushed Hard Graphite**	**4005176480768**	**568.00**





Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

19 789 000	**Chrome**	**4005176899058**	**410.96**






Allure Brilliant
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered coupling

---

19 785 000	**Chrome**	**4005176898969**	**453.22**
19 785 A00	**hard graphite**	**4005176338649**	**668.74**






Allure Brilliant
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered coupling

---

19 787 001	**Chrome**	**4005176429057**	**1,493.00**
19 787 DC1	**supersteel**	**4005176489570**	**1,940.00**
19 787 A01	**hard graphite**	**4005176495427**	**2,089.00**
19 787 AL1	**Brushed Hard Graphite**	**4005176489563**	**2,089.00**






Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

---

29 037 000		**4005176865749**	**727.90**





4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water


45 388 000		**4005176212758**	**74.84**

Supporting legs for baseframe

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 119 000	Chrome	4005176899027	2,428.80
23 119 DC0	supersteel	4005176489679	3,253.00
23 119 A00	hard graphite	4005176338601	3,577.18
23 119 AL0	Brushed Hard Graphite	4005176353208	3,541.76






Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

13 301 000	Chrome	4005176899041	1,367.56
13 301 DC0	supersteel	4005176490804	1,940.00
13 301 A00	hard graphite	4005176490859	2,089.00
13 301 AL0	Brushed Hard Graphite	4005176490798	2,089.00






Allure Brilliant
Bath spout, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE StarLight chrome finish
spout with integrated mousseur
total height 1070 mm
projection 270 mm

45 984 001		4005176992056	337.01






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

13 319 000	Chrome	4005176912627	706.77
13 319 DC0	supersteel	4005176490651	943.00
13 319 A00	hard graphite	4005176352782	1,016.00
13 319 AL0	Brushed Hard Graphite	4005176353284	1,016.00






Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm

13 299 000	Chrome	4005176899003	305.31
13 299 DC0	supersteel	4005176490712	408.00
13 299 A00	hard graphite	4005176490767	439.00
13 299 AL0	Brushed Hard Graphite	4005176490705	439.00

















Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 798 000	Chrome	4005176899157	252.49
	19 798 DC0	supersteel	4005176489969	334.00
	19 798 A00	hard graphite	4005176352614	359.00
	19 798 AL0	Brushed Hard Graphite	4005176353079	359.00
	Allure Brilliant **5-way diverter** set for final installation for **29 033 000** **without concealed body** **GROHE StarLight** chrome finish installation depth adjustable 66 - 113 mm			
 	29 033 000		4005176845338	241.93
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth adjustable 66 - 113 mm DR-brass			
 	19 796 000	Chrome	4005176899133	178.54
	19 796 DC0	supersteel	4005176490019	240.00
	19 796 A00	hard graphite	4005176352607	258.00
	19 796 AL0	Brushed Hard Graphite	4005176353062	258.00
	Allure Brilliant **Concealed stop-valve trim** set for final installation for 29 032 000 (preassembled headpart 1/2“) 29 068 000 (preassembled ceramic headpart 1/2“ - not to be used as shut-off) 35 028 000 **GROHE StarLight** chrome finish installation depth adjustable 43 - 91 mm			
 	29 032 000		4005176845277	30.63
	Concealed valve pre-assembled headpart 1/2“ threaded union 1/2“ installation depth adjustable 43 - 91 mm DR-brass			
 	27 707 000	Chrome	4005176908446	41.20
	27 707 DC0	supersteel	4005176490897	64.00
	27 707 A00	hard graphite	4005176490941	69.00
	27 707 AL0	Brushed Hard Graphite	4005176490880	69.00
	Allure Brilliant **Shower outlet elbow, 1/2“** male thread protected against backflow metal **GROHE StarLight** chrome finish			
 	27 706 000	Chrome	4005176908439	30.63
	27 706 DC0	supersteel	4005176490989	40.00
	27 706 A00	hard graphite	4005176491030	43.00
	27 706 AL0	Brushed Hard Graphite	4005176490972	43.00
	Allure Brilliant **Wall hand Shower holder** non-adjustable metal **GROHE StarLight** chrome finish			

GROHE
ALLURE BRILLIANT


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 494 000	Chrome	4005176899263	302.16
	40 494 DC0	supersteel	4005176491078	399.00
	40 494 A00	hard graphite	4005176491122	429.00
	40 494 AL0	Brushed Hard Graphite	4005176491061	429.00
	Allure Brilliant **Holder with soap dispenser** **GROHE StarLight** chrome finish			
 	40 493 000	Chrome	4005176899256	201.16
	40 493 DC0	supersteel	4005176491160	269.00
	40 493 A00	hard graphite	4005176491214	289.00
	40 493 AL0	Brushed Hard Graphite	4005176491153	289.00
	Allure Brilliant **Holder with tumbler** **GROHE StarLight** chrome finish			
 	40 503 000	Chrome	4005176900068	234.83
	40 503 DC0	supersteel	4005176491252	289.00
	40 503 A00	hard graphite	4005176491306	309.00
	40 503 AL0	Brushed Hard Graphite	4005176491245	309.00
	Allure Brilliant **Shelf with tumbler** **GROHE StarLight** chrome finish			
 	40 504 000	Chrome	4005176900075	234.83
	40 504 DC0	supersteel	4005176491436	299.00
	40 504 A00	hard graphite	4005176491481	329.00
	40 504 AL0	Brushed Hard Graphite	4005176491429	329.00
	Allure Brilliant **Shelf with soap dish** **GROHE StarLight** chrome finish			
 	40 496 000	Chrome	4005176899287	164.11
	40 496 DC0	supersteel	4005176491887	249.00
	40 496 A00	hard graphite	4005176491931	269.00
	40 496 AL0	Brushed Hard Graphite	4005176491870	269.00
	Allure Brilliant **Towel bar** Two arms **GROHE StarLight** chrome finish length 431 mm **non swivelling**			
 	40 497 000	Chrome	4005176899294	184.33
	40 497 DC0	supersteel	4005176491528	269.00
	40 497 A00	hard graphite	4005176491573	289.00
	40 497 AL0	Brushed Hard Graphite	4005176491511	289.00
	Allure Brilliant **Towel rail** 600 mm **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 498 000	Chrome	4005176899300	77.85
40 498 DC0	supersteel	4005176491344	99.00
40 498 A00	hard graphite	4005176491399	109.00
40 498 AL0	Brushed Hard Graphite	4005176491337	109.00






Allure Brilliant
Robe hook
GROHE StarLight chrome finish

40 499 000	Chrome	4005176899317	159.91
40 499 DC0	supersteel	4005176491610	249.00
40 499 A00	hard graphite	4005176491665	269.00
40 499 AL0	Brushed Hard Graphite	4005176491603	269.00






Allure Brilliant
Toilet roll holder
GROHE StarLight chrome finish

40 500 000	Chrome	4005176899324	260.08
40 500 DC0	supersteel	4005176491979	299.00
40 500 A00	hard graphite	4005176492020	329.00
40 500 AL0	Brushed Hard Graphite	4005176491962	329.00










Allure Brilliant
Toilet brush set
GROHE StarLight chrome finish

GROHE ALLURE



GROHE ALLURE


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 757 000**	**Chrome**	**4005176870897**	**379.27**
		Allure **Basin mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		**32 146 000**	**Chrome**	**4005176821622**	**484.91**
		Allure **Single-lever basin mixer 1/2"** **L-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		23 076 000	**Chrome**	**4005176890505**	**484.91**
		Ditto, smooth body			
		**32 760 000**	**Chrome**	**4005176870927**	**643.38**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm			
		**23 403 000**	**Chrome**	**4005176941627**	**643.38**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation metal lever **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter **GROHE QuickFix Plus** installation system smooth body projection 180 mm flexible connection hoses temperature limiter			
		**32 249 000**	**Chrome**	**4005176832383**	**685.64**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






20 143 000 **Chrome** **4005176832581** **601.12**

Allure
Three-hole basin mixer 1/2"
M-Size
with metal plate
GROHE StarLight chrome finish
ceramic headpart 1/2", 180°
flow limiter 8 l/min.
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves






20 188 000 **Chrome** **4005176875724** **601.12**

Allure
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
pressure-proof, flexible connection hoses between spout and side valves
pop-up waste set 1 1/4"






20 190 000 **Chrome** **4005176875748** **537.73**

Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, **without concealed body**
set for final installation for 32 706 000
with metal plate
valves hot/cold with Carbodur ceramic headparts 1/2" - 180
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
centre distance 200 mm
projection 172 mm,


20 192 000 **Chrome** **4005176875991** **569.43**
Ditto, projection 220 mm






32 706 000 **4005176855092** **231.36**

Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set










20 189 000 **Chrome** **4005176875731** **537.73**

Allure
Three-hole basin mixer 1/2"
S-Size
wall mounted, **without concealed body**
set for final installation for 29 025 000
with lever handles
with metal plate
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
flow limiter 8 l/min.
spout with mousseur
projection 172 mm,

20 193 000 **Chrome** **4005176876004** **569.43**
Ditto, projection 220 mm

GROHE
ALLURE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**29 025 000**		**4005176841927**	**231.36**
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device			
 	**19 309 000**	**Chrome**	**4005176820656**	**537.73**
	Allure **2-hole basin mixer** **S-Size** wall mounted **without concealed body** set for final installation for 33 769 000 with metal plate **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm			
	19 386 000	**Chrome**	**4005176876011**	**579.99**
	Ditto, projection 220 mm			
 	**33 769 000**		**4005176819605**	**231.36**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter			
 	**32 147 000**	**Chrome**	**4005176821653**	**379.27**
	Allure **Bidet mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	**32 846 000**	**Chrome**	**4005176882432**	**670.10**
	Allure **Single-lever shower mixer 1/2"** wall mounted **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE QuickFix** system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






32 826 000 **Chrome** **4005176882425** **801.85**

Allure
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flat wall installation with covered unions
protected against backflow






24 069 000 **Chrome** **4005176465888** **321.00**

Allure
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 070 000 **Chrome** **4005176465895** **353.00**

Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 317 000 **Chrome** **4005176821806** **347.57**

Allure
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered coupling






19 315 000 **Chrome** **4005176821677** **389.83**

Allure
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered coupling

GROHE ALLURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 123 000 **Chrome** **4005176413292** **475.41**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 124 000 **Chrome** **4005176413308** **517.67**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 125 000 **Chrome** **4005176413315** **621.20**

Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 126 000 **Chrome** **4005176413322** **559.92**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 127 000 **Chrome** **4005176413339** **341.24**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 706 000 **Chrome** **4005176413797** **1,308.95**

Grohtherm SmartControl
Perfect shower set with Rainshower 310 SmartActive Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)










19 316 000 **Chrome** **4005176821783** **1,213.87**


Allure
3-hole single-lever bath combination
trim set for 33 339 000
without baseframe
single lever mixer operating element
bath inlet with automatic diverter
bath/shower
hand shower (28 034 000)
metal shower hose 2000 mm

GROHE ALLURE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**33 339 000**		**4005176222818**	**749.03**
	3-hole single-lever bath combination baseframe for installation under tiled surround without finishing trim set mounting plate and base frame 46 mm cartridge with **GROHE SilkMove** and spout fixing pre-assembled flexible connection hoses connection for shower hose drainage box with integrated outlet for splash water this part should be easy to access protected against backflow			
	45 388 000		**4005176212758**	**74.84**
	Supporting legs for baseframe			
 	**32 754 002**	**Chrome**	**4005176428876**	**2,154.12**
	Allure **Single-lever bath mixer 1/2", floor mounted** set for final installation for 45 984 001 **without roughing-in-set** **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 300 mm integrated non-return valve in the shower outlet 1/2" with shower holder Sena hand shower 6.6 l/min shower hose 1500 mm protected against backflow			
 	**13 218 000**	**Chrome**	**4005176847110**	**1,305.39**
	Allure **Bath spout, floor mounted** set for final installation for 45 984 001 **without roughing-in-set** **GROHE StarLight** chrome finish spout with mousseur projection 300 mm total height 910 mm			
 	**45 984 001**		**4005176992056**	**337.01**
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers **without finishing trim set** installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material			
 	**13 317 000**	**Chrome**	**4005176912603**	**706.77**
	Allure **Cascade spout for bath and shower** wall mounted **GROHE StarLight** chrome finish projection 180 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**13 264 000**	**Chrome**	**4005176882449**	**220.80**


Allure
Bath spout 3/4“
wall mounted
GROHE StarLight chrome finish
projection 172 mm
mousseur

 	**19 590 000**	**Chrome**	**4005176890529**	**189.10**



Allure
5-way diverter
set for final installation for
29 033 000
without concealed body
bayonet union escutcheon
installation depth adjustable
66 - 113 mm
only for use with concealed body
GROHE StarLight chrome finish

 	**29 033 000**		**4005176845338**	**241.93**


5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2“
2 outlets 1/2“
1 bath outlet 3/4“
installation depth adjustable
66 - 113 mm
DR-brass

 	**19 334 000**	**Chrome**	**4005176823800**	**136.28**

Allure
Concealed stop-valve trim
set for final installation for
35 028 000
for concealed valves, 1/2“, 3/4“
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
without concealed body
GROHE StarLight chrome finish






 	**35 028 000**		**4005176908316**	**125.71**

GROHE Rapido C / Concealed Valves
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4“
connection threads 1/2“
installation depth 70 - 95 mm

  	**29 811 000**		**4005176062711**	**49.49**



Concealed stop valve 1/2“
preassembled ceramic headpart 1/2“
180°
threaded union 1/2“
installation depth adjustable
25 - 80 mm
DR-brass

GROHE ALLURE







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 384 000**	**Chrome**	**4005176875755**	**136.28**
	Allure **Concealed stop-valve trim** with lever handle set for final installation for **29 032 000** 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon **without concealed body** **GROHE StarLight** chrome finish			
	35 028 000		**4005176908316**	**125.71**
	GROHE Rapido C rough-in box for single volume control			
 	**29 032 000**		**4005176845277**	**30.63**
	Concealed valve pre-assembled headpart 1/2“ threaded union 1/2“ installation depth adjustable 43 - 91 mm DR-brass			
 	**26 070 000**	**Chrome**	**4005176937248**	**442.65**
	Rainshower F-Series 10“ 254 x 254 **Head shower set 275 mm, 1 spray** Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Shower arm Rainshower 275 mm (27 488 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	26 060 000	**Chrome**	**4005176937149**	**442.65**
	ditto, with non-restricted flow			
 	**26 071 000**	**Chrome**	**4005176937255**	**442.65**
	Rainshower F-Series 10“ **Head shower set ceiling 142 mm, 1 spray** Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (27 485 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	26 061 000	**Chrome**	**4005176937156**	**442.65**
	ditto, with non-restricted flow			
 	**26 054 000**	**Chrome**	**4005176937088**	**506.04**
	Rainshower Allure 230 **Head shower set 286 mm, 1 spray** Rainshower Allure 230 metal head shower (27 479) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**26 065 000**	**Chrome**	**4005176937194**	**463.78**
	Rainshower Allure 230 **Head shower set ceiling 154 mm, 1 spray** Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	26 055 000 **ditto, with non-restricted flow**	**Chrome**	**4005176937095**	**495.48**
 	**27 271 000**	**Chrome**	**4005176860690**	**421.52**
	Rainshower F-Series 10" **Head shower 1 spray** Rain 254 x 254 mm Ball joint +/- 20° rotatable connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

GROHE
ALLURE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**40 278 000** **40 254 000**	**Chrome**	**4005176824081** **4005176211065**	**76.59** **26.09**
	Allure **Glass/soap dish holder** for glass or soap dish without glass without soap dish **GROHE StarLight** chrome finish **Glass**			
 	**40 278 000** **40 256 000**	**Chrome**	**4005176824081** **4005176211089**	**76.59** **36.60**
	Allure **Glass/soap dish holder** for glass or soap dish without glass without soap dish **GROHE StarLight** chrome finish **Soap dish**			
 	**40 339 000**	**Chrome**	**4005176824111**	**100.99**
	Allure **Towel ring** **GROHE StarLight** chrome finish			
 	**40 342 000**	**Chrome**	**4005176824142**	**151.49**
	Allure **Towel bar** Two arms swivelling **GROHE StarLight** chrome finish length 426 mm			
 	**40 341 000**	**Chrome**	**4005176824135**	**151.49**
	Allure **Towel rail** 600 mm **GROHE StarLight** chrome finish			
 	**40 284 000**	**Chrome**	**4005176824104**	**42.08**
	Allure **Robe hook** **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**40 279 000**	**Chrome**	**4005176824098**	**100.99**

Allure
Toilet roll holder
without cover
GROHE StarLight chrome finish

 	**40 340 000**	**Chrome**	**4005176824128**	**164.11**

Allure
Toilet brush set
wall model
GROHE StarLight chrome finish


GROHE ATRIO



GROHE
ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	**32 043 003**	**Chrome**	**4005176454479**	**295.93**






Atrio
Basin mixer 1/2“
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

new	**32 042 003**	**Chrome**	**4005176454448**	**341.38**
	32 042 DC3	**supersteel**	**4005176454455**	**444.40**
	32 042 GL3	**cool sunrise**	**4005176492143**	**544.00**
	32 042 DA3	**warm sunset**	**4005176492167**	**544.00**
	32 042 AL3	**Brushed Hard Graphite**	**4005176454462**	**478.74**






Atrio
Single-lever basin mixer 1/2“
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

new	**32 647 003**	**Chrome**	**4005176454707**	**478.74**
	32 647 DC3	**supersteel**	**4005176454714**	**621.15**
	32 647 GL3	**cool sunrise**	**4005176492280**	**762.00**
	32 647 DA3	**warm sunset**	**4005176492303**	**762.00**
	32 647 AL3	**Brushed Hard Graphite**	**4005176454721**	**669.63**






Atrio
Basin mixer 1/2“
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4“
flexible connection hoses

new	**19 287 003**	**Chrome**	**4005176454738**	**341.38**
	19 287 DC3	**supersteel**	**4005176454745**	**444.40**
	19 287 GL3	**cool sunrise**	**4005176492358**	**544.00**
	19 287 DA3	**warm sunset**	**4005176492372**	**544.00**
	19 287 AL3	**Brushed Hard Graphite**	**4005176454752**	**478.74**





Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)

new






19 918 003	**Chrome**	4005176454769	386.83
19 918 DC3	**supersteel**	4005176454776	502.98
19 918 GL3	**cool sunrise**	4005176492426	617.00
19 918 DA3	**warm sunset**	4005176492440	617.00
19 918 AL3	**Brushed Hard Graphite**	4005176454783	542.37

Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 221 mm






23 429 000		4005176993695	220.80

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass

new






32 108 003	**Chrome**	4005176454790	386.83
32 108 DC3	**supersteel**	4005176454806	502.98
32 108 GL3	**cool sunrise**	4005176492495	617.00
32 108 DA3	**warm sunset**	4005176492518	617.00
32 108 AL3	**Brushed Hard Graphite**	4005176454813	542.37

Atrio
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

new






32 650 003	**Chrome**	4005176454820	410.06
32 650 DC3	**supersteel**	4005176454837	533.28
32 650 GL3	**cool sunrise**	4005176492563	653.00
32 650 DA3	**warm sunset**	4005176492587	653.00
32 650 AL3	**Brushed Hard Graphite**	4005176454844	573.68

Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

new






32 652 003	**Chrome**	4005176454851	478.74
32 652 DC3	**supersteel**	4005176454868	621.15
32 652 GL3	**cool sunrise**	4005176492631	762.00
32 652 DA3	**warm sunset**	4005176492655	762.00
32 652 AL3	**Brushed Hard Graphite**	4005176454875	669.63

Atrio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 065 003	Chrome	4005176465741	298.00
24 065 DC3	supersteel	4005176465758	387.00
24 065 GL3	cool sunrise	4005176564574	416.00
24 065 AL3	Brushed Hard Graphite	4005176465765	416.00






Atrio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 066 003	Chrome	4005176465772	327.00
24 066 DC3	supersteel	4005176465789	425.00
24 066 GL3	cool sunrise	4005176564642	459.00
24 066 AL3	Brushed Hard Graphite	4005176465796	458.00






Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 096 003	Chrome	4005176480669	350.00
24 096 DC3	supersteel	4005176480676	455.00
24 096 GL3	cool sunrise	4005176564710	489.00
24 096 AL3	Brushed Hard Graphite	4005176480683	490.00





Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 134 003	**Chrome**	**4005176480959**	**574.00**
24 134 DC3	**supersteel**	**4005176480973**	**747.00**
24 134 GL3	**cool sunrise**	**4005176564369**	**799.00**
24 134 AL3	**Brushed Hard Graphite**	**4005176480997**	**804.00**






Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 135 003	**Chrome**	**4005176480966**	**614.00**
24 135 DC3	**supersteel**	**4005176480980**	**799.00**
24 135 GL3	**cool sunrise**	**4005176564437**	**859.00**
24 135 AL3	**Brushed Hard Graphite**	**4005176481000**	**860.00**





Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 138 003	**Chrome**	**4005176481017**	**614.00**
24 138 DC3	**supersteel**	**4005176481024**	**799.00**
24 138 GL3	**cool sunrise**	**4005176564505**	**859.00**
24 138 AL3	**Brushed Hard Graphite**	**4005176481031**	**860.00**





Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**


GROHE Rapido SmartBox universal rough-in box for concealed installation

---

new

32 653 003	**Chrome**	**4005176454912**	**1,320.07**
32 653 DC3	**supersteel**	**4005176454929**	**1,715.99**
32 653 GL3	**cool sunrise**	**4005176492709**	**1,830.00**
32 653 DA3	**warm sunset**	**4005176492723**	**1,830.00**
32 653 AL3	**Brushed Hard Graphite**	**4005176454936**	**1,848.30**






Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

---

45 984 001		**4005176992056**	**337.01**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	20 021 003	Chrome	4005176455193	228.26
	20 021 DC3	supersteel	4005176455209	295.93
	20 021 GL3	cool sunrise	4005176493393	316.00
	20 021 DA3	warm sunset	4005176493416	316.00
	20 021 AL3	Brushed Hard Graphite	4005176455216	319.16






Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
flexible connection hoses
with lever handle

new	21 022 003	Chrome	4005176454943	364.61
	21 022 DC3	supersteel	4005176454950	473.69
	21 022 GL3	cool sunrise	4005176492778	505.00
	21 022 DA3	warm sunset	4005176492792	505.00
	21 022 AL3	Brushed Hard Graphite	4005176454967	510.05






Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

new	21 019 003	Chrome	4005176455223	364.61
	21 019 DC3	supersteel	4005176455230	473.69
	21 019 GL3	cool sunrise	4005176493461	505.00
	21 019 DA3	warm sunset	4005176493485	505.00
	21 019 AL3	Brushed Hard Graphite	4005176455247	510.05






Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

new	21 044 003	Chrome	4005176455254	500.96
	21 044 DC3	supersteel	4005176455261	625.19
	21 044 GL3	cool sunrise	4005176493539	694.00
	21 044 DA3	warm sunset	4005176493553	694.00
	21 044 AL3	Brushed Hard Graphite	4005176455278	700.94






Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 009 003	Chrome	4005176454974	364.61
20 009 DC3	supersteel	4005176454981	473.69
20 009 GL3	cool sunrise	4005176492839	505.00
20 009 DA3	warm sunset	4005176492853	505.00
20 009 AL3	Brushed Hard Graphite	4005176454998	510.05

new






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 008 003	Chrome	4005176455285	455.51
20 008 DC3	supersteel	4005176455292	591.86
20 008 GL3	cool sunrise	4005176493607	631.00
20 008 DA3	warm sunset	4005176493621	631.00
20 008 AL3	Brushed Hard Graphite	4005176455308	637.31

new






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 169 003	Chrome	4005176455001	386.83
20 169 DC3	supersteel	4005176455018	502.98
20 169 GL3	cool sunrise	4005176492907	537.00
20 169 DA3	warm sunset	4005176492921	537.00
20 169 AL3	Brushed Hard Graphite	4005176455025	542.37

new






Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 164 003	Chrome	4005176455315	386.83
20 164 DC3	supersteel	4005176455322	502.98
20 164 GL3	cool sunrise	4005176493676	537.00
20 164 DA3	warm sunset	4005176493690	537.00
20 164 AL3	Brushed Hard Graphite	4005176455339	542.37

new







Atrio
3-hole basin mixer
wall mounted
set for final installation for
29 025 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ATRIO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	29 025 000		4005176841927	231.36

Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device

---

new





24 027 003	Chrome	4005176455346	386.83
24 027 DC3	supersteel	4005176455353	502.98
24 027 GL3	cool sunrise	4005176493744	537.00
24 027 DA3	warm sunset	4005176493768	537.00
24 027 AL3	Brushed Hard Graphite	4005176455360	542.37

Atrio
Bidet mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

---

new





26 003 003	Chrome	4005176455377	410.06
26 003 DC3	supersteel	4005176455384	533.28
26 003 GL3	cool sunrise	4005176493812	568.00
26 003 DA3	warm sunset	4005176493836	568.00
26 003 AL3	Brushed Hard Graphite	4005176455391	573.68

Atrio
Shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
shower outlet 1/2"
integrated non-return valves in the
shower outlet 1/2"
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

---

new

25 010 003	Chrome	4005176455407	546.41
25 010 DC3	supersteel	4005176455414	710.03
25 010 GL3	cool sunrise	4005176493881	757.00
25 010 DA3	warm sunset	4005176493904	757.00
25 010 AL3	Brushed Hard Graphite	4005176455421	764.57


Atrio
Bath / shower mixer 1/2"
wall mounted
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
25 044 003	**Chrome**	**4005176455438**	**1,706.90**
25 044 DC3	**supersteel**	**4005176455445**	**2,218.97**
25 044 GL3	**cool sunrise**	**4005176493959**	**2,366.00**
25 044 DA3	**warm sunset**	**4005176493973**	**2,366.00**
25 044 AL3	**Brushed Hard Graphite**	**4005176455452**	**2,389.66**

new






Atrio
Bath / shower mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow, with cross handles
Two different sets of caps included. One set with
„H" and „C" marking, one set without marking.

---

45 984 001		**4005176992056**	**337.01**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

new

19 088 003	**Chrome**	**4005176455162**	**103.02**
19 088 DC3	**supersteel**	**4005176455179**	**133.32**
19 088 GL3	**cool sunrise**	**4005176493324**	**142.00**
19 088 DA3	**warm sunset**	**4005176493348**	**142.00**
19 088 AL3	**Brushed Hard Graphite**	**4005176455186**	**143.42**






Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle

---

new

19 069 003	**Chrome**	**4005176455469**	**79.79**
19 069 DC3	**supersteel**	**4005176455476**	**104.03**
19 069 GL3	**cool sunrise**	**4005176494017**	**111.00**
19 069 DA3	**warm sunset**	**4005176494031**	**111.00**
19 069 AL3	**Brushed Hard Graphite**	**4005176455483**	**112.11**







Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle

---

35 028 000		**4005176908316**	**125.71**






GROHE Rapido C / Concealed Valves
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 032 000		**4005176845277**	**30.63**

Concealed valve
pre-assembled headpart 1/2“
threaded union 1/2“
installation depth adjustable
43 - 91 mm
DR-brass






19 922 003	**Chrome**	**4005176455568**	**1,166.00**
19 922 DC3	**supersteel**	**4005176455575**	**1,515.00**
19 922 GL3	**cool sunrise**	**4005176494673**	**1,632.00**
19 922 DA3	**warm sunset**	**4005176494697**	**1,632.00**
19 922 AL3	**Brushed Hard Graphite**	**4005176455582**	**1,632.00**

Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 001
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.






19 923 003	**Chrome**	**4005176455537**	**1,166.00**
19 923 DC3	**supersteel**	**4005176455544**	**1,515.00**
19 923 GL3	**cool sunrise**	**4005176494611**	**1,632.00**
19 923 DA3	**warm sunset**	**4005176494635**	**1,632.00**
19 923 AL3	**Brushed Hard Graphite**	**4005176455551**	**1,632.00**

Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 001
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

new






13 139 003	**Chrome**	**4005176455131**	**205.03**
13 139 DC3	**supersteel**	**4005176455148**	**266.64**
13 139 GL3	**cool sunrise**	**4005176493263**	**284.00**
13 139 DA3	**warm sunset**	**4005176493287**	**284.00**
13 139 AL3	**Brushed Hard Graphite**	**4005176455155**	**286.84**

Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 118 000	**Chrome**	**4005176412240**	**454.50**
29 118 DC0	**supersteel**	**4005176455032**	**606.00**
29 118 GL0	**cool sunrise**	**4005176492976**	**653.00**
29 118 DA0	**warm sunset**	**4005176492990**	**653.00**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**653.00**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 119 000	**Chrome**	**4005176412257**	**524.19**
29 119 DC0	**supersteel**	**4005176455056**	**647.41**
29 119 GL0	**cool sunrise**	**4005176493041**	**711.00**
29 119 DA0	**warm sunset**	**4005176493065**	**711.00**
29 119 AL0	**Brushed Hard Graphite**	**4005176455063**	**711.00**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000		**4005176413469**	**126.25**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 120 000	**Chrome**	**4005176412264**	**593.88**
29 120 DC0	**supersteel**	**4005176455070**	**792.00**
29 120 GL0	**cool sunrise**	**4005176493119**	**853.00**
29 120 DA0	**warm sunset**	**4005176493133**	**853.00**
29 120 AL0	**Brushed Hard Graphite**	**4005176455087**	**853.00**






Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 121 000	**Chrome**	**4005176412271**	**535.30**
29 121 DC0	**supersteel**	**4005176455094**	**714.00**
29 121 GL0	**cool sunrise**	**4005176493188**	**769.00**
29 121 DA0	**warm sunset**	**4005176493201**	**769.00**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**769.00**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 122 000	**Chrome**	**4005176412288**	**326.23**
29 122 DC0	**supersteel**	**4005176455117**	**436.00**
29 122 GL0	**cool sunrise**	**4005176515194**	**469.00**
29 122 DA0	**warm sunset**	**4005176515217**	**469.00**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**469.00**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation





34 705 000	**Chrome**	**4005176413285**	**1,319.51**


Grohtherm SmartControl
Perfect shower set with Rainshower 310 SmartActive
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 304 003	Chrome	4005176461576	78.89
40 304 DC3	supersteel	4005176461583	102.67
40 304 GL3	cool sunrise	4005176494130	106.00
40 304 DA3	warm sunset	4005176494154	106.00
40 304 AL3	Brushed Hard Graphite	4005176462399	110.23






Atrio
Glass/soap dish holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 306 003	Chrome	4005176461545	78.89
40 306 DC3	supersteel	4005176461552	102.67
40 306 GL3	cool sunrise	4005176494079	106.00
40 306 DA3	warm sunset	4005176494093	106.00
40 306 AL3	Brushed Hard Graphite	4005176461569	110.23






Atrio
Soap dispenser
material: glass / metal
fits in the following holder:
Atrio (40 304)
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 305 003	Chrome	4005176462412	78.89
40 305 DC3	supersteel	4005176462429	102.67
40 305 GL3	cool sunrise	4005176494185	106.00
40 305 DA3	warm sunset	4005176494208	106.00
40 305 AL3	Brushed Hard Graphite	4005176462436	110.23






Atrio
Glass/soap dish holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.		EAN code	Retail Guide Price (£)
40 256 003		4005176462443	60.52






Atrio
Soap dish
material: glass
fits in the following holder:
Atrio (40 305 xx3)


Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 307 003	Chrome	4005176462450	105.91
40 307 DC3	supersteel	4005176462467	137.25
40 307 GL3	cool sunrise	4005176494246	142.00
40 307 DA3	warm sunset	4005176494260	142.00
40 307 AL3	Brushed Hard Graphite	4005176462474	148.06






Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 308 003	Chrome	4005176462481	176.15
40 308 DC3	supersteel	4005176462498	229.11
40 308 GL3	cool sunrise	4005176494307	236.00
40 308 DA3	warm sunset	4005176494321	236.00
40 308 AL3	Brushed Hard Graphite	4005176462504	246.40






Atrio
Towel bar
material: metal
concealed fastening
2 arms, pivotable
length 489 mm
GROHE StarLight chrome finish

GROHE
ATRIO

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 309 003	Chrome	4005176462511	168.59
40 309 DC3	supersteel	4005176462528	218.30
40 309 GL3	cool sunrise	4005176494369	225.00
40 309 DA3	warm sunset	4005176494383	225.00
40 309 AL3	Brushed Hard Graphite	4005176462627	235.59






Atrio
Towel rail
material: metal
concealed fastening
600 mm
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 312 003	Chrome	4005176462535	55.12
40 312 DC3	supersteel	4005176462542	71.33
40 312 GL3	cool sunrise	4005176494420	73.00
40 312 DA3	warm sunset	4005176494444	73.00
40 312 AL3	Brushed Hard Graphite	4005176462559	76.73






Atrio
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 313 003	Chrome	4005176462566	119.96
40 313 DC3	supersteel	4005176462573	155.62
40 313 GL3	cool sunrise	4005176494482	160.00
40 313 DA3	warm sunset	4005176494505	160.00
40 313 AL3	Brushed Hard Graphite	4005176462580	167.51






Atrio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 314 003	Chrome	4005176462597	237.75
40 314 DC3	supersteel	4005176462603	308.00
40 314 GL3	cool sunrise	4005176494543	318.00
40 314 DA3	warm sunset	4005176494567	318.00
40 314 AL3	Brushed Hard Graphite	4005176462610	331.77





Atrio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA




GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 303 000**	**Chrome**	**4005176924088**	**337.01**
	23 303 IG0	**chrome/gold**	**4005176924095**	**442.65**
	23 303 GL0	**cool sunrise**	**4005176338625**	**498.65**
	23 303 DA0	**warm sunset**	**4005176327094**	**498.65**
	23 303 A00	**hard graphite**	**4005176338663**	**498.65**
	23 303 AL0	**Brushed Hard Graphite**	**4005176338670**	**498.65**




Grandera
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
flexible connection hoses

	**23 310 000**	**Chrome**	**4005176930331**	**337.01**
	23 310 IG0	**chrome/gold**	**4005176930348**	**442.65**
	23 310 DA0	**warm sunset**	**4005176327100**	**316.13**




Grandera
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

	**21 107 000**	**Chrome**	**4005176930393**	**400.39**
	21 107 IG0	**chrome/gold**	**4005176930409**	**527.17**



Grandera
Two-handle basin mixer, 1/2"
L-Size
monobloc installation
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4"
flexible connection hoses

	**23 313 000**	**Chrome**	**4005176930614**	**442.65**
	23 313 IG0	**chrome/gold**	**4005176930621**	**579.99**




Grandera
Basin mixer 1/2"
XL-Size
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
20 417 000	**Chrome**	**4005176930553**	**474.35**
20 417 IG0	**chrome/gold**	**4005176930560**	**622.25**






Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

20 389 000	**Chrome**	**4005176924101**	**527.17**
20 389 IG0	**chrome/gold**	**4005176924118**	**685.64**
20 389 GL0	**cool sunrise**	**4005176338687**	**776.50**
20 389 DA0	**warm sunset**	**4005176327131**	**776.50**
20 389 A00	**hard graphite**	**4005176338694**	**776.50**
20 389 AL0	**Brushed Hard Graphite**	**4005176338700**	**776.50**






Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

20 414 000	**Chrome**	**4005176930492**	**389.83**
20 414 IG0	**chrome/gold**	**4005176930508**	**483.95**






Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000	**Chrome**	**4005176930515**	**412.15**
20 415 IG0	**chrome/gold**	**4005176930522**	**569.43**

Ditto, projection 234 mm

29 025 000	**4005176841927**	**231.36**






Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**19 929 000**	**Chrome**	**4005176930430**	**382.91**
	19 929 IG0	**chrome/gold**	**4005176930447**	**527.17**




Grandera
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm

19 930 000	**Chrome**	**4005176930454**	**442.65**
19 930 IG0	**chrome/gold**	**4005176930461**	**579.99**


Ditto, projection 234 mm

	**23 319 000**		**4005176931192**	**220.80**




Grandera
Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device

	**23 315 000**	**Chrome**	**4005176930652**	**379.27**
	23 315 IG0	**chrome/gold**	**4005176930669**	**495.48**




Grandera
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

	**23 316 000**	**Chrome**	**4005176930690**	**372.27**
	23 316 IG0	**chrome/gold**	**4005176930706**	**483.95**



Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

	**23 317 000**	**Chrome**	**4005176930799**	**495.48**
	23 317 IG0	**chrome/gold**	**4005176930805**	**604.94**




Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 067 000	**Chrome**	**4005176465802**	**283.00**
24 067 IG0	**chrome/gold**	**4005176465819**	**340.00**
24 067 GL0	**cool sunrise**	**4005176465826**	**396.00**
24 067 DA0	**warm sunset**	**4005176465833**	**396.00**






Grandera
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 068 000	**Chrome**	**4005176465840**	**312.00**
24 068 IG0	**chrome/gold**	**4005176465857**	**374.00**
24 068 GL0	**cool sunrise**	**4005176465864**	**436.00**
24 068 DA0	**warm sunset**	**4005176465871**	**436.00**






Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

19 932 000	**Chrome**	**4005176930713**	**294.75**
19 932 IG0	**chrome/gold**	**4005176930720**	**362.96**






Grandera
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

19 920 000	**Chrome**	**4005176924149**	**305.79**
19 920 IG0	**chrome/gold**	**4005176924156**	**397.53**
19 920 DA0	**warm sunset**	**4005176327186**	**477.52**






Grandera
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 936 000	**Chrome**	**4005176930812**	**1,044.83**
19 936 IG0	**chrome/gold**	**4005176930829**	**1,351.21**
19 936 GL0	**cool sunrise**	**4005176338717**	**1,535.04**
19 936 DA0	**warm sunset**	**4005176327193**	**1,535.04**
19 936 A00	**hard graphite**	**4005176338724**	**1,535.04**
19 936 AL0	**Brushed Hard Graphite**	**4005176338731**	**1,535.04**






Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

19 919 000	**Chrome**	**4005176924125**	**1,108.22**
19 919 IG0	**chrome/gold**	**4005176924132**	**1,446.29**
19 919 DA0	**warm sunset**	**4005176327209**	**1,513.99**






Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

29 037 000		**4005176865749**	**727.90**






4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water

45 388 000		**4005176212758**	**74.84**

Supporting legs for baseframe

23 318 000	**Chrome**	**4005176930874**	**1,583.63**
23 318 IG0	**chrome/gold**	**4005176930881**	**2,048.47**
23 318 GL0	**cool sunrise**	**4005176338748**	**2,327.38**
23 318 DA0	**warm sunset**	**4005176327216**	**2,327.38**
23 318 A00	**hard graphite**	**4005176338755**	**2,327.38**
23 318 AL0	**Brushed Hard Graphite**	**4005176338762**	**2,327.38**






Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7.6 l/min
Silverflex shower hose 1250 mm
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






45 984 001 — **4005176992056** — **337.01**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material






13 341 000	**Chrome**	**4005176931000**	**220.80**
13 341 IG0	**chrome/gold**	**4005176931017**	**294.75**
13 341 DA0	**warm sunset**	**4005176327223**	**332.29**

Grandera
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 177 mm






19 942 000	**Chrome**	**4005176931048**	**136.28**
19 942 IG0	**chrome/gold**	**4005176931055**	**172.85**

Grandera
5-way diverter
set for final installation for
29 708 000
without concealed body
GROHE StarLight chrome finish






29 708 000 — **4005176102653** — **281.79**

5-way diverter
concealed body, 1/2"
without finishing trim set
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
installation depth adjustable
24-60 mm






19 944 000	**Chrome**	**4005176931086**	**104.59**
19 944 IG0	**chrome/gold**	**4005176931093**	**125.71**

Grandera
Volume Control Trim
set for final installation for
35 028 000
29 032 000 (preassembled headpart 1/2")
GROHE StarLight chrome finish
installation depth adjustable
43 - 91 mm










29 032 000 — **4005176845277** — **30.63**


Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass

GROHE
GRANDERA


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**29 811 000**		**4005176062711**	**49.49**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**27 976 000**	**Chrome**	**4005176932816**	**410.96**
	Rainshower Grandera 210 **Head shower 1 spray** Rain 210 x 210 mm metal **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	27 974 000	**Chrome**	**4005176932793**	**410.96**
	27 974 IG0	**chrome/gold**	**4005176933486**	**537.73**
	27 974 DA0	**warm sunset**	**4005176327278**	**554.49**
	ditto, with non-restricted flow			
 	**27 986 000**	**Chrome**	**4005176933011**	**94.02**
	27 986 IG0	**chrome/gold**	**4005176933547**	**125.71**
	27 986 DA0	**warm sunset**	**4005176327315**	**150.49**
	Rainshower Grandera **Shower arm 286 mm** projection 286 mm metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			
 	**27 982 000**	**Chrome**	**4005176932878**	**83.46**
	27 982 IG0	**chrome/gold**	**4005176933523**	**104.59**
	Rainshower Grandera **Shower ceiling arm 292 mm** metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			
	27 978 000	**Chrome**	**4005176932830**	**72.89**
	27 978 IG0	**chrome/gold**	**4005176933509**	**94.02**
	ditto, 142 mm length			
 	**26 037 000**	**Chrome**	**4005176935381**	**104.59**
	26 037 IG0	**chrome/gold**	**4005176936210**	**136.28**
	26 037 DA0	**warm sunset**	**4005176327285**	**148.47**
	Grandera Stick **Hand shower 1 spray** Rain spray pattern metal **GROHE EcoJoy** 7.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **Inner WaterGuide** for a longer life **GROHE CoolTouch** prevents scalding on hot surfaces **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE GRANDERA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 993 000	Chrome	4005176933080	146.84
	27 993 IG0	chrome/gold	4005176933585	189.10

Grandera Stick
Wall holder set 1 spray
Consisting of:
Stick hand shower (26 037 000)
Wall hand shower holder (27 969)
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 970 000	Chrome	4005176931154	115.15
	27 970 IG0	chrome/gold	4005176931161	157.41
	27 970 BE0	polished nickel	4005176431760	176.43
	27 970 EN0	brushed nickel	4005176431746	176.43
	27 970 GL0	cool sunrise	4005176431739	176.43
	27 970 GN0	brushed cool sunrise	4005176431722	176.43
	27 970 DA0	warm sunset	4005176327292	176.43
	27 970 DL0	brushed warm sunset	4005176431753	176.43
	27 970 A00	hard graphite	4005176431784	176.43
	27 970 AL0	Brushed Hard Graphite	4005176431777	176.43

Grandera
Shower outlet elbow, 1/2"
metal
male thread
protected against backflow
GROHE StarLight chrome finish


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 969 000	Chrome	4005176931123	83.46
	27 969 IG0	chrome/gold	4005176931130	104.59
	27 969 BE0	polished nickel	4005176431494	118.32
	27 969 EN0	brushed nickel	4005176931147	118.32
	27 969 GL0	cool sunrise	4005176431463	118.32
	27 969 GN0	brushed cool sunrise	4005176431456	118.32
	27 969 DA0	warm sunset	4005176327308	118.32
	27 969 DL0	brushed warm sunset	4005176431470	118.32
	27 969 A00	hard graphite	4005176431517	118.32
	27 969 AL0	Brushed Hard Graphite	4005176431500	118.32

Grandera
Wall hand Shower holder
metal
GROHE StarLight chrome finish

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 627 000	Chrome	4005176927768	151.49
40 627 IG0	chrome/gold	4005176927775	192.74






Grandera
holder with ceramic soap dispenser
GROHE StarLight chrome finish

40 626 000	Chrome	4005176927737	117.83
40 626 IG0	chrome/gold	4005176927744	151.49






Grandera
holder with ceramic tumbler
GROHE StarLight chrome finish

40 628 000	Chrome	4005176927898	143.08
40 628 IG0	chrome/gold	4005176927904	184.33






Grandera
soap dish with holder
GROHE StarLight chrome finish

40 630 000	Chrome	4005176927959	96.79
40 630 IG0	chrome/gold	4005176927966	126.24
40 630 EN0	brushed nickel	4005176927973	138.86
40 630 DA0	warm sunset	4005176327520	138.86






Grandera
Towel ring
Ø 205 mm
GROHE StarLight chrome finish

40 629 000	Chrome	4005176927928	159.91
40 629 IG0	chrome/gold	4005176927935	209.58
40 629 EN0	brushed nickel	4005176927942	366.00
40 629 DA0	warm sunset	4005176327513	226.41






Grandera
Towel rail
600 mm
GROHE StarLight chrome finish

40 631 000	Chrome	4005176927980	46.29
40 631 IG0	chrome/gold	4005176927997	60.59
40 631 BE0	polished nickel	4005176430787	106.00
40 631 GL0	cool sunrise	4005176352034	106.00
40 631 GN0	brushed cool sunrise	4005176430763	106.00
40 631 DA0	warm sunset	4005176327537	65.23
40 631 DL0	brushed warm sunset	4005176430770	106.00
40 631 A00	hard graphite	4005176352515	106.00
40 631 AL0	Brushed Hard Graphite	4005176352966	106.00






Grandera
Robe hook
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GRANDERA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 633 000	Chrome	4005176928048	109.41
40 633 IG0	chrome/gold	4005176928055	143.08
40 633 EN0	brushed nickel	4005176928062	151.49






Grandera
Bath grip
length 385 mm
GROHE StarLight chrome finish

40 625 000	Chrome	4005176927706	122.04
40 625 IG0	chrome/gold	4005176927713	159.91
40 625 EN0	brushed nickel	4005176927720	168.33
40 625 DA0	warm sunset	4005176327551	277.00






Grandera
Toilet roll holder
GROHE StarLight chrome finish

40 632 000	Chrome	4005176928017	168.33
40 632 IG0	chrome/gold	4005176928024	217.99










Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish

GROHE LINEARE




GROHE
LINEARE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 109 001 32 109 DC1	Chrome supersteel	4005176408373 4005176412691	210.23 257.77
	Lineare **Basin mixer 1/2“** **XS-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4“ flexible connection hoses			
 	23 791 001 23 791 DC1	Chrome supersteel	4005176409097 4005176412707	210.23 263.05
	Lineare **Basin mixer 1/2“** **XS-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body with push-open pop-up waste set 1 1/4“ flexible connection hoses			
 	23 790 001	Chrome	4005176408380	210.23
	Lineare **Basin mixer 1/2“** **XS-Size** monobloc installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4“ flexible connection hoses			
 	32 114 001 32 114 DC1	Chrome supersteel	4005176409103 4005176412714	199.67 257.77
	Lineare **Basin mixer 1/2“** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4“ flexible connection hoses			
 	23 106 001 23 106 DC1	Chrome supersteel	4005176409110 4005176412721	220.80 273.62
	Lineare **Basin mixer 1/2“** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body with push-open pop-up waste set 1 1/4“ flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 296 001**	**Chrome**	**4005176409127**	**284.18**
	23 296 DC1	**supersteel**	**4005176412738**	**352.85**


Lineare
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

 	**23 405 001**	**Chrome**	**4005176409134**	**263.05**
	23 405 DC1	**supersteel**	**4005176412745**	**315.88**

Lineare
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
smooth body
flexible connection hoses







 	**20 304 001**	**Chrome**	**4005176409141**	**337.01**

Lineare
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2“ x 10.5 mm

 	**19 409 001**	**Chrome**	**4005176409158**	**263.05**
	19 409 DC1	**supersteel**	**4005176412752**	**337.01**

Lineare
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm

GROHE
LINEARE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 444 001** **23 444 DC1**	**Chrome** **supersteel**	**4005176411977** **4005176412769**	**263.05** **337.01**
	Lineare **2-hole basin mixer** **L-Size** wall mounted set for final installation for 23 571 000 **without concealed body** metal escutcheon metal lever **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE AquaGuide** adjustable mousseur centre distance 110 mm projection 207 mm			
 	**23 571 000**		**4005176334276**	**210.23**
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device			
 	**33 848 001** **33 848 DC1**	**Chrome** **supersteel**	**4005176409172** **4005176412776**	**241.93** **294.75**
	Lineare **Bidet mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE QuickFix Plus** installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	**33 865 001** **33 865 DC1**	**Chrome** **supersteel**	**4005176409202** **4005176412790**	**273.62** **352.85**
	Lineare **Single-lever shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow			
 	**33 849 001** **33 849 DC1**	**Chrome** **supersteel**	**4005176409189** **4005176412783**	**273.62** **352.85**
	Lineare **Single-lever bath/shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow pillar installation optional with pillar unions 12 030 000			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 850 001	**Chrome**	**4005176409196**	**316.94**






Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)

24 063 001	**Chrome**	**4005176465703**	**180.00**
24 063 DC1	**supersteel**	**4005176465727**	**234.00**






Lineare
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 064 001	**Chrome**	**4005176465710**	**198.00**
24 064 DC1	**supersteel**	**4005176465734**	**257.00**






Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 095 001	**Chrome**	**4005176480645**	**221.00**
24 095 DC1	**supersteel**	**4005176480652**	**287.00**






Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE
LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 296 001** **19 296 DC1**	**Chrome** **supersteel**	**4005176409219** **4005176412806**	**210.23** **257.77**


Lineare
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

 	**19 297 001** **19 297 DC1**	**Chrome** **supersteel**	**4005176409226** **4005176412813**	**210.23** **257.77**


Lineare
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

 	**25 113 000**	**Chrome**	**4005176881862**	**421.52**

Lineare
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valves in the
shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

 	**25 104 000**	**Chrome**	**4005176881794**	**389.83**


Lineare
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

 	**19 577 001** **19 577 DC1**	**Chrome** **supersteel**	**4005176409233** **4005176412820**	**632.82** **822.98**


Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 965 001**	**Chrome**	**4005176409240**	**463.78**


Lineare
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991

 	**29 037 000**		**4005176865749**	**727.90**


4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water

	45 388 000		**4005176212758**	**74.84**


Supporting legs for baseframe

 	**23 792 001**	**Chrome**	**4005176409257**	**1,562.50**
	23 792 DC1	**supersteel**	**4005176412837**	**1,900.57**

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow

 	**45 984 001**		**4005176992056**	**337.01**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material


 	**13 383 001**	**Chrome**	**4005176418167**	**189.10**
	13 383 DC1	**supersteel**	**4005176418174**	**231.36**

Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

GROHE
LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 065 002	**Chrome**	**4005176310775**	**241.93**
34 065 DC2	**supersteel**	**4005176374432**	**284.18**






Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

19 468 000	**Chrome**	**4005176847981**	**368.70**






Grohtherm 3000 Cosmopolitan
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet
set for final installation for
35 050 000
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
Aquadimmer with multiple function
shut off and flow control
diverter for 2 outlets
without concealed body

26 066 000	**Chrome**	**4005176937200**	**495.48**
26 066 DC0	**supersteel**	**4005176371172**	**675.07**






Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal
shower head after closing the valve

26 067 000	**Chrome**	**4005176937217**	**495.48**
26 067 DC0	**supersteel**	**4005176371189**	**675.07**






Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal
shower head after closing the valve

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 075 000	**Chrome**	**4005176937606**	**780.72**
	26 075 DC0	**supersteel**	**4005176371219**	**1,129.35**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

27 226 DC1	**supersteel**	**4005176374456**	**157.41**






Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

26 465 000	**Chrome**	**4005176423918**	**139.00**
26 465 DC0	**supersteel**	**4005176459092**	**181.00**






Sena Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses


27 057 000	**Chrome**	**4005176830457**	**51.76**
27 057 DC0	**supersteel**	**4005176371196**	**62.33**





Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

GROHE
LINEARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 074 000	Chrome	4005176833083	30.63


Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE StarLight chrome finish

 	28 388 000	Chrome	4005176295362	17.08

Silverflex
Shower hose Twistfree 1750
1750 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging


 	28 362 000	Chrome	4005176295225	13.33

Silverflex
Shower hose Twistfree 1250
1250 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging


 	19 952 000	Chrome	4005176174230	46.48

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

 	19 025 000	Chrome	4005176209154	51.76

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

 	28 912 000	Chrome	4005176266751	220.80


Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
LINEARE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 601 000	**Chrome**	**4005176416057**	**69.94**
37 601 DC0	**supersteel**	**4005176416088**	**78.79**










Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

GROHE
EUROCUBE JOY








GROHE
EUROCUBE JOY

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**23 654 000**	**Chrome**	**4005176342080**	**220.80**
		Eurocube Joy **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
		**23 656 000**	**Chrome**	**4005176342103**	**199.67**
		Eurocube Joy **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
		**23 657 000**	**Chrome**	**4005176342110**	**273.62**
		Eurocube Joy **Basin mixer 1/2"** **M-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
		**23 658 000**	**Chrome**	**4005176342127**	**210.23**
		Eurocube Joy **Basin mixer 1/2"** **M-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
		**23 661 000**	**Chrome**	**4005176342158**	**284.18**
		Eurocube Joy **Basin mixer 1/2"** **XL-Size** monobloc installation metal lever **for free-standing basins** GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 997 000**	**Chrome**	**4005176342189**	**231.36**
	Eurocube Joy **2-hole basin mixer** **M-Size** wall mounted set for final installation for 23 429 000 **without concealed body** **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm			
	19 998 000	**Chrome**	**4005176342196**	**263.05**
	ditto, projection 230 mm			
 	**23 429 000**		**4005176993695**	**220.80**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer **without finishing trim set** GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass			
 	**23 664 000**	**Chrome**	**4005176342202**	**231.36**
	Eurocube Joy **Bidet mixer 1/2"** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy ball-joint mousseur 5.7 l/min** **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
 	**23 665 000**	**Chrome**	**4005176342219**	**252.49**
	Eurocube Joy **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow			
 	**23 666 000**	**Chrome**	**4005176342226**	**294.75**
	Eurocube Joy **Single-lever bath/shower mixer 1/2"** wall mounted metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE XL Waterfall** integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow			

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 061 000 **Chrome** **4005176465680** **173.00**

Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 094 000 **Chrome** **4005176480638** **213.00**

Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---





24 153 000 **Chrome** **4005176481178** **453.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 154 000 **Chrome** **4005176481185** **505.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 155 000 **Chrome** **4005176481192** **505.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 898 000 **Chrome** **4005176901300** **167.97**

Eurocube
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon, covered fixing







19 896 000 **Chrome** **4005176901201** **178.54**

Eurocube
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**34 741 000**	**Chrome**	**4005176481208**	**1,196.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

 	**45 984 001**		**4005176992056**	**337.01**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE




GROHE EUROCUBE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 137 000**	**Chrome**	**4005176901096**	**157.41**
	Eurocube **Pillar tap** **XS-Size** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
 	**23 127 00E**	**Chrome**	**4005176901591**	**210.23**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 127 000	**Chrome**	**4005176900341**	**210.23**
	ditto, with non-restricted flow			
 	**23 132 00E**	**Chrome**	**4005176906725**	**199.67**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system smooth body flexible connection hoses			
	23 132 000	**Chrome**	**4005176900990**	**199.67**
	ditto, with non-restricted flow			
 	**23 390 00E**	**Chrome**	**4005176938436**	**210.23**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix Plus** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 392 00E	**Chrome**	**4005176938450**	**210.23**
	Ditto, smooth body			
 	**23 445 000**	**Chrome**	**4005176998706**	**220.80**
	Eurocube **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 446 000**	**Chrome**	**4005176998720**	**210.23**


Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

 	**23 135 00E**	**Chrome**	**4005176906732**	**220.80**


Eurocube
Single-lever basin mixer 1/2"
L-Size
monobloc installation, metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

	23 135 000	**Chrome**	**4005176901027**	**231.36**


ditto, with non-restricted flow

 	**23 406 000**	**Chrome**	**4005176941658**	**263.05**

Eurocube
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

 	**20 351 000**	**Chrome**	**4005176901041**	**284.18**

Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm


 	**19 895 000**	**Chrome**	**4005176901072**	**241.93**

Eurocube
2-hole basin mixer
S-Size
wall mounted
set for final installation for
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm


	23 447 000	**Chrome**	**4005176998737**	**241.93**

Ditto, projection 231 mm


GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 200 000**		**4005176908354**	**220.80**


Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

 	**23 138 000**	**Chrome**	**4005176901133**	**199.67**


Eurocube
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 145 000**	**Chrome**	**4005176901270**	**231.36**

Eurocube
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

 	**23 140 000**	**Chrome**	**4005176901157**	**252.49**





Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

 	**23 141 000**	**Chrome**	**4005176901164**	**315.88**

Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)
Hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**24 061 000**	**Chrome**	**4005176465680**	**173.00**
	Eurocube **Single-lever shower mixer trim** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min **without roughing-in-set**			
	35 600 000		**4005176413469**	**126.25**
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	**24 094 000**	**Chrome**	**4005176480638**	**213.00**
	Eurocube **Single-lever mixer with 3-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever **3-way diverter** flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min **without roughing-in-set**			
	35 600 000		**4005176413469**	**126.25**
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	**19 898 000**	**Chrome**	**4005176901300**	**167.97**
	Eurocube **Single-lever shower mixer trim** set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 **without concealed body** metal lever **GROHE StarLight** chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing			
 	**19 896 000**	**Chrome**	**4005176901201**	**178.54**
	Eurocube **Single-lever bath/shower mixer trim** set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 **without concealed body** metal lever **GROHE StarLight** chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing			

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 153 000 **Chrome** **4005176481178** **453.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 154 000 **Chrome** **4005176481185** **505.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000 **Chrome** **4005176481192** **505.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 741 000 **Chrome** **4005176481208** **1,196.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)






25 137 000 **Chrome** **4005176906770** **337.01**

Eurocube
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






25 136 000 **Chrome** **4005176906763** **294.75**

Eurocube
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






29 037 000 **4005176865749** **727.90**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water

45 388 000 **4005176212758** **74.84**
Supporting legs for baseframe






45 984 001 **4005176992056** **337.01**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

GROHE EUROCUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






13 303 000 **Chrome** **4005176906350** **115.15**

Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm






13 304 000 **Chrome** **4005176906367** **125.71**


Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm






19 910 000 **Chrome** **4005176987014** **51.76**

Eurocube
Volume Control Trim
for concealed valves, 1/2", 3/4"
without concealed body
installation depth adjustable
16 - 38 mm
metal handle
Sliding escutcheon with wall sealing
GROHE StarLight chrome finish






35 028 000 **4005176908316** **125.71**

GROHE Rapido C / Concealed Valves
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm








29 811 000 **4005176062711** **49.49**

Concealed stop valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass






22 012 000 **Chrome** **4005176906343** **41.20**


Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**22 013 000**	**Chrome**	**4005176909689**	**41.20**

Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon


 	**37 535 000**	**Chrome**	**4005176416019**	**61.07**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included


GROHE PLUS




GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 848 003**	**Chrome**	**4005176496790**	**269.00**


Plus
Single-lever basin mixer 1/2" with temperature display
M-Size
LED water temperature display
monobloc installation
metal lever
6 V alcaline mono battery, 4 x mono cell
external battery
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

 	**23 850 003**	**Chrome**	**4005176496813**	**299.00**

Plus
Single-lever basin mixer 1/2" with temperature display
L-Size
LED water temperature display
monobloc installation
metal lever
6 V alcaline mono battery, 4 x mono cell
external battery
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

 	**32 612 003**	**Chrome**	**4005176529696**	**199.00**

Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**32 612 30L**	**Chrome**	**4005176529979**	**199.00**


Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 163 003 **Chrome** **4005176529702** **199.00**

Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses






23 870 003 **Chrome** **4005176529719** **199.00**

Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 871 003 **Chrome** **4005176529726** **249.00**

Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses






23 872 003 **Chrome** **4005176529733** **249.00**

Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

GROHE
PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 851 003 **Chrome** **4005176496523** **279.00**

Plus
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4“
flexible connection hoses






23 873 003 **Chrome** **4005176529986** **279.00**

Plus
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses






23 843 003 **Chrome** **4005176496547** **329.00**

Plus
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
pop-up waste set 1 1/4“
flexible connection hoses






23 844 003 **Chrome** **4005176496554** **329.00**


Plus
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	32 618 003	Chrome	4005176529740	299.00


Plus
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses

 	20 301 003	Chrome	4005176529757	301.99


Plus
Three-hole basin mixer 1/2“
M-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4“
GROHE QuickFix installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2“ x 10.5 mm

 	29 303 003	Chrome	4005176529764	249.00

Plus
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm
min. recommended pressure 1 bar


 	29 306 003	Chrome	4005176529771	259.00

Plus
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm
min. recommended pressure 1 bar


 	23 200 000		4005176908354	220.80

Single-lever mixer 1/2“, concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device


GROHE PLUS

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**33 241 003**	**Chrome**	**4005176529849**	**199.00**


Plus
Bidet mixer 1/2"
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar

		**33 577 003**	**Chrome**	**4005176529801**	**239.00**


Plus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1 bar

		**33 553 003**	**Chrome**	**4005176529795**	**299.00**

Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1 bar

		**33 547 003**	**Chrome**	**4005176529818**	**339.00**





Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1 bar

		**40 954 000**	**Chrome**	**4005176496844**	**99.00**

Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	24 059 003	Chrome	4005176529832	189.00
	Plus **Single-lever shower mixer trim** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min **without roughing-in-set**			
	35 600 000		4005176413469	126.25
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 060 003	Chrome	4005176529825	199.00
	Plus **Single-lever mixer with 2-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min **without roughing-in-set**			
	35 600 000		4005176413469	126.25
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	24 093 003	Chrome	4005176530050	219.00
	Plus **Single-lever mixer with 3-way diverter** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever **3-way diverter** flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min **without roughing-in-set**			
	35 600 000		4005176413469	126.25
	GROHE Rapido SmartBox universal rough-in box for concealed installation			
 	25 132 003	Chrome	4005176529870	369.00
	Plus **Two-handled Bath filler 1/2"** deck mounted metal handles Longlife headpart 3/4" **recommended pressure 0.2 - 5.0 bar** **GROHE StarLight** finish			

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






25 133 003 **Chrome** **4005176529887** **399.00**

Plus
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish






29 307 003 **Chrome** **4005176529993** **799.00**

Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 001
min. recommended pressure 1 bar






23 845 003 **Chrome** **4005176496677** **679.00**

Plus
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 001
for combination with 28 990 / 28 991
min. recommended pressure 1 bar






45 388 000 **4005176212758** **74.84**


Supporting legs
for baseframe
for direct floor installation
fixing material
in units of 2

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	23 846 003	Chrome	4005176496684	1,499.00


Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1 bar

 	45 984 001		4005176992056	337.01

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

 	13 404 003	Chrome	4005176529788	139.00

Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm


 	26 507 000	Chrome	4005176457586	1,044.83
	26 507 LS0	moon white	4005176457609	1,203.30

Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 508 000	**Chrome**	**4005176457593**	**1,044.83**
	26 508 LS0	**moon white**	**4005176457616**	**1,203.30**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

	26 509 000	**Chrome**	**4005176457623**	**907.50**







Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE PLUS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 510 000	Chrome	4005176457630	1,055.40

Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar


 	19 952 000	Chrome	4005176174230	46.48

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000


 	19 025 000	Chrome	4005176209154	51.76

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish


 	40 564 000	Chrome	4005176912740	241.93

Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body


GROHE PLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 912 000**	**Chrome**	**4005176266751**	**220.80**

Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

 	**37 535 000**	**Chrome**	**4005176416019**	**61.07**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

 	**37 624 000**	**Chrome**	**4005176416095**	**69.94**


Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROPLUS




GROHE EUROPLUS

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**33 156 002**	**Chrome**	**4005176865930**	**178.54**


Europlus
Basin mixer 1/2“
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
rapid installation system
adjustable mousseur
pop-up waste set 1 1/4“
flexible connection hoses

		**32 612 002**	**Chrome**	**4005176865886**	**178.54**


Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
SpeedClean mousseur
pop-up waste set 1 1/4“
flexible connection hoses

		**33 163 002**	**Chrome**	**4005176865909**	**167.97**

Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
SpeedClean mousseur
smooth body
flexible connection hoses

		**33 163 20L**	**Chrome**	**4005176917073**	**160.59**


Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
SpeedClean mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

		**33 155 002**	**Chrome**	**4005176865947**	**241.93**


Europlus
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
rapid installation system
pull out spout with mousseur
integrated non-return valve
pop-up waste set 1 1/4“
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROPLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 618 002**	**Chrome**	**4005176866029**	**241.93**


Europlus
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system with centering support
SpeedClean mousseur
pop-up waste set 1 1/4"
flexible connection hoses

 	**33 241 002**	**Chrome**	**4005176865954**	**178.54**


Europlus
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

 	**20 301 000**	**Chrome**	**4005176896422**	**294.75**

Europlus
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves

 	**33 577 002**	**Chrome**	**4005176866074**	**210.23**

Europlus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions
protected against backflow


 	**33 553 002**	**Chrome**	**4005176865978**	**220.80**

Europlus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
SpeedClean mousseur
integrated non-return valve in the shower outlet 1/2"
S-unions, protected against backflow

GROHE EUROPLUS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 547 002	**Chrome**	**4005176866081**	**273.62**






Europlus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
SpeedClean mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
with shower set
hand shower euphoria 110 Champagne (27 222)
wall shower holder (28 622 000)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

24 059 002	**Chrome**	**4005176465666**	**153.00**






Europlus
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 060 002	**Chrome**	**4005176465673**	**168.00**






Europlus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

19 537 002	**Chrome**	**4005176868412**	**157.41**






Europlus
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

19 536 002	**Chrome**	**4005176866067**	**157.41**






Europlus
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






25 133 002 **Chrome** **4005176905254** **241.93**

Europlus
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






25 132 002 **Chrome** **4005176905247** **273.62**

Europlus
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






19 025 000 **Chrome** **4005176209154** **51.76**

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish





37 624 000 **Chrome** **4005176416095** **69.94**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included


GROHE ESSENCE



GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 589 001	Chrome	4005176339172	152.13
23 589 DC1	supersteel	4005176369919	178.54
23 589 BE1	polished nickel	4005176419638	220.80
23 589 EN1	brushed nickel	4005176425844	220.80
23 589 GL1	cool sunrise	4005176407321	220.80
23 589 GN1	brushed cool sunrise	4005176419614	220.80
23 589 DA1	warm sunset	4005176407314	220.80
23 589 DL1	brushed warm sunset	4005176419621	220.80
23 589 A01	hard graphite	4005176407338	220.80
23 589 AL1	Brushed Hard Graphite	4005176407345	220.80






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 590 001	Chrome	4005176339189	141.56
23 590 DC1	supersteel	4005176369926	178.54
23 590 BE1	polished nickel	4005176426018	206.01
23 590 EN1	brushed nickel	4005176426025	206.01
23 590 GL1	cool sunrise	4005176425851	206.01
23 590 GN1	brushed cool sunrise	4005176425868	206.01
23 590 DA1	warm sunset	4005176425875	206.01
23 590 DL1	brushed warm sunset	4005176425882	206.01
23 590 A01	hard graphite	4005176426001	206.01






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

23 591 001	Chrome	4005176339196	125.71






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

32 898 001	Chrome	4005176306860	146.84







Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**34 294 001**	**Chrome**	**4005176306877**	**136.28**


Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

 	**23 379 001**	**Chrome**	**4005176306891**	**157.41**

Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 462 001**	**Chrome**	**4005176306907**	**178.54**
	23 462 DC1	**supersteel**	**4005176369933**	**220.80**
	23 462 BE1	**polished nickel**	**4005176426087**	**249.33**
	23 462 EN1	**brushed nickel**	**4005176426094**	**249.33**
	23 462 GL1	**cool sunrise**	**4005176426032**	**249.33**
	23 462 GN1	**brushed cool sunrise**	**4005176426049**	**249.33**
	23 462 DA1	**warm sunset**	**4005176426056**	**249.33**
	23 462 DL1	**brushed warm sunset**	**4005176426063**	**249.33**
	23 462 A01	**hard graphite**	**4005176425325**	**249.33**
	23 462 AL1	**Brushed Hard Graphite**	**4005176426070**	**249.33**

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses


 	**23 463 001**	**Chrome**	**4005176306914**	**167.97**

Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 628 001	Chrome	4005176306983	189.10
32 628 DC1	supersteel	4005176369940	241.93
32 628 BE1	polished nickel	4005176419669	273.62
32 628 EN1	brushed nickel	4005176426100	273.62
32 628 GL1	cool sunrise	4005176407369	273.62
32 628 GN1	brushed cool sunrise	4005176419645	273.62
32 628 DA1	warm sunset	4005176407352	273.62
32 628 DL1	brushed warm sunset	4005176419652	273.62
32 628 A01	hard graphite	4005176407376	273.62
32 628 AL1	Brushed Hard Graphite	4005176407383	273.62






Essence
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4“
flexible connection hoses

23 541 001	Chrome	4005176313912	178.54






Essence
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

32 901 001	Chrome	4005176306969	252.49
32 901 DC1	supersteel	4005176369957	337.01
32 901 BE1	polished nickel	4005176426131	368.70
32 901 EN1	brushed nickel	4005176426148	368.70
32 901 GL1	cool sunrise	4005176407505	368.70
32 901 GN1	brushed cool sunrise	4005176426117	368.70
32 901 DA1	warm sunset	4005176407499	368.70
32 901 DL1	brushed warm sunset	4005176426124	368.70
32 901 A01	hard graphite	4005176407512	368.70
32 901 AL1	Brushed Hard Graphite	4005176407529	368.70






Essence
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






20 296 001	**Chrome**	**4005176307072**	**241.93**

Essence
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut 1/2" x 10.5 mm






20 299 001	**Chrome**	**4005176307096**	**305.31**

Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses between spout and side valves
union nut 1/2" x 10.5 mm

19 408 001	**Chrome**	**4005176307133**	**178.54**
19 408 DC1	**supersteel**	**4005176369964**	**231.36**
19 408 BE1	**polished nickel**	**4005176426216**	**273.62**
19 408 EN1	**brushed nickel**	**4005176426223**	**273.62**
19 408 GL1	**cool sunrise**	**4005176426155**	**273.62**
19 408 GN1	**brushed cool sunrise**	**4005176426162**	**273.62**
19 408 DA1	**warm sunset**	**4005176426179**	**273.62**
19 408 DL1	**brushed warm sunset**	**4005176426186**	**273.62**
19 408 A01	**hard graphite**	**4005176426209**	**273.62**
19 408 AL1	**Brushed Hard Graphite**	**4005176426193**	**273.62**






Essence
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 183 mm

19 967 001	**Chrome**	**4005176307140**	**199.67**
19 967 DC1	**supersteel**	**4005176369971**	**273.62**
19 967 BE1	**polished nickel**	**4005176426292**	**308.48**
19 967 EN1	**brushed nickel**	**4005176426308**	**308.48**
19 967 GL1	**cool sunrise**	**4005176426230**	**308.48**
19 967 GN1	**brushed cool sunrise**	**4005176426247**	**308.48**
19 967 DA1	**warm sunset**	**4005176426254**	**308.48**
19 967 DL1	**brushed warm sunset**	**4005176426261**	**308.48**
19 967 A01	**hard graphite**	**4005176426285**	**308.48**
19 967 AL1	**Brushed Hard Graphite**	**4005176426278**	**308.48**

ditto, projection 230 mm






23 571 000	**4005176334276**	**210.23**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 935 001	Chrome	4005176307171	146.84
32 935 DC1	supersteel	4005176369988	210.23
32 935 BE1	polished nickel	4005176426377	220.80
32 935 EN1	brushed nickel	4005176426384	220.80
32 935 GL1	cool sunrise	4005176426315	220.80
32 935 GN1	brushed cool sunrise	4005176426322	220.80
32 935 DA1	warm sunset	4005176426339	220.80
32 935 DL1	brushed warm sunset	4005176426346	220.80
32 935 A01	hard graphite	4005176426360	220.80
32 935 AL1	Brushed Hard Graphite	4005176426353	220.80






Essence
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 636 001	Chrome	4005176307287	157.41
33 636 DC1	supersteel	4005176371141	220.80
33 636 BE1	polished nickel	4005176426674	241.93
33 636 EN1	brushed nickel	4005176426681	241.93
33 636 GL1	cool sunrise	4005176426612	241.93
33 636 GN1	brushed cool sunrise	4005176426629	241.93
33 636 DA1	warm sunset	4005176426636	241.93
33 636 DL1	brushed warm sunset	4005176426643	241.93
33 636 A01	hard graphite	4005176426667	241.93
33 636 AL1	Brushed Hard Graphite	4005176426650	241.93






Essence
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 624 001	Chrome	4005176990786	189.10
33 624 DC1	supersteel	4005176371097	231.36
33 624 BE1	silver nickel	4005176426452	289.47
33 624 EN1	brushed nickel	4005176426469	289.47
33 624 GL1	cool sunrise	4005176426391	289.47
33 624 GN1	brushed cool sunrise	4005176426407	289.47
33 624 DA1	warm sunset	4005176426414	289.47
33 624 DL1	brushed warm sunset	4005176426421	289.47
33 624 A01	hard graphite	4005176426445	289.47
33 624 AL1	brushed hard graphite	4005176426438	289.47






Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 628 001	**Chrome**	**4005176990793**	**231.36**

Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cosmopolitan
Stick (27 400 000) 6.6 l/min
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)






24 057 001	**Chrome**	**4005176465468**	**157.00**
24 057 DC1	**supersteel**	**4005176465482**	**204.00**
24 057 BE1	**polished nickel**	**4005176465628**	**220.00**
24 057 EN1	**brushed nickel**	**4005176465642**	**220.00**
24 057 GL1	**cool sunrise**	**4005176465505**	**220.00**
24 057 GN1	**brushed cool sunrise**	**4005176465529**	**220.00**
24 057 DA1	**warm sunset**	**4005176465543**	**220.00**
24 057 DL1	**brushed warm sunset**	**4005176465567**	**220.00**
24 057 A01	**hard graphite**	**4005176465581**	**220.00**
24 057 AL1	**Brushed Hard Graphite**	**4005176465604**	**220.00**

Essence
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 058 001	**Chrome**	**4005176465475**	**173.00**
24 058 DC1	**supersteel**	**4005176465499**	**225.00**
24 058 BE1	**polished nickel**	**4005176465635**	**242.00**
24 058 EN1	**brushed nickel**	**4005176465659**	**242.00**
24 058 GL1	**cool sunrise**	**4005176465512**	**242.00**
24 058 GN1	**brushed cool sunrise**	**4005176465536**	**242.00**
24 058 DA1	**warm sunset**	**4005176465550**	**242.00**
24 058 DL1	**brushed warm sunset**	**4005176465574**	**242.00**
24 058 A01	**hard graphite**	**4005176465598**	**242.00**
24 058 AL1	**Brushed Hard Graphite**	**4005176465611**	**242.00**

Essence
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 092 001	Chrome	4005176480522	196.00
24 092 DC1	supersteel	4005176480539	254.00
24 092 BE1	polished nickel	4005176480607	274.00
24 092 EN1	brushed nickel	4005176480614	274.00
24 092 GL1	cool sunrise	4005176480546	274.00
24 092 GN1	brushed cool sunrise	4005176480553	274.00
24 092 DA1	warm sunset	4005176480560	274.00
24 092 DL1	brushed warm sunset	4005176480577	274.00
24 092 A01	hard graphite	4005176481291	274.00
24 092 AL1	Brushed Hard Graphite	4005176481307	274.00






Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 286 001	Chrome	4005176307294	125.71
19 286 DC1	supersteel	4005176371158	167.97
19 286 BE1	polished nickel	4005176426759	203.90
19 286 EN1	brushed nickel	4005176426766	203.90
19 286 GL1	cool sunrise	4005176426698	203.90
19 286 GN1	brushed cool sunrise	4005176426704	203.90
19 286 DA1	warm sunset	4005176426711	203.90
19 286 DL1	brushed warm sunset	4005176426728	203.90
19 286 A01	hard graphite	4005176426742	203.90
19 286 AL1	Brushed Hard Graphite	4005176426735	203.90






Essence
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 285 001	Chrome	4005176307225	136.28
19 285 DC1	supersteel	4005176371110	199.67
19 285 BE1	polished nickel	4005176426568	221.86
19 285 EN1	brushed nickel	4005176426575	221.86
19 285 GL1	cool sunrise	4005176407543	221.86
19 285 GN1	brushed cool sunrise	4005176426544	221.86
19 285 DA1	warm sunset	4005176407536	221.86
19 285 DL1	brushed warm sunset	4005176426551	221.86
19 285 A01	hard graphite	4005176407550	221.86
19 285 AL1	Brushed Hard Graphite	4005176407567	221.86






Essence
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal escutcheon
covered fixing

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
19 578 001	Chrome	4005176307195	706.77
19 578 DC1	supersteel	4005176371103	886.37
19 578 BE1	polished nickel	4005176426537	985.68
19 578 EN1	brushed nickel	4005176374463	985.68
19 578 GL1	cool sunrise	4005176426476	985.68
19 578 GN1	brushed cool sunrise	4005176426483	985.68
19 578 DA1	warm sunset	4005176426490	985.68
19 578 DL1	brushed warm sunset	4005176426506	985.68
19 578 A01	hard graphite	4005176426520	985.68
19 578 AL1	Brushed Hard Graphite	4005176426513	985.68






Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27 806, for other colours: hand shower 26 465
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

19 976 001	Chrome	4005176307218	421.52






Essence
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991

29 037 000		4005176865749	727.90






4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water


45 388 000		4005176212758	74.84

Supporting legs for baseframe

GROHE
ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 741 001	**Chrome**	**4005176371509**	**1,636.45**
23 741 DC1	**supersteel**	**4005176371516**	**2,143.55**






Essence
Single lever free standing shower mixer 1/2"
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow

23 491 001	**Chrome**	**4005176307263**	**1,087.09**
23 491 DC1	**supersteel**	**4005176371127**	**1,393.47**
23 491 BE1	**polished nickel**	**4005176426605**	**1,556.17**
23 491 EN1	**brushed nickel**	**4005176371134**	**1,556.17**
23 491 GL1	**cool sunrise**	**4005176407581**	**1,556.17**
23 491 GN1	**brushed cool sunrise**	**4005176426582**	**1,556.17**
23 491 DA1	**warm sunset**	**4005176407574**	**1,556.17**
23 491 DL1	**brushed warm sunset**	**4005176426599**	**1,556.17**
23 491 A01	**hard graphite**	**4005176407598**	**1,556.17**
23 491 AL1	**Brushed Hard Graphite**	**4005176407604**	**1,556.17**






Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 277 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27 806, for other colours: hand shower 26 465
Silverflex shower hose 1250 mm (28 362)
protected against backflow

45 984 001		**4005176992056**	**337.01**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 601 000	Chrome	4005176416057	69.94
37 601 DC0	supersteel	4005176416088	78.79
37 601 BE0	polished nickel	4005176529009	133.00
37 601 EN0	brushed nickel	4005176529047	133.00
37 601 GL0	cool sunrise	4005176524271	133.00
37 601 GN0	brushed cool sunrise	4005176529016	133.00
37 601 DA0	warm sunset	4005176524288	133.00
37 601 DL0	brushed warm sunset	4005176529023	133.00
37 601 A00	hard graphite	4005176528996	133.00
37 601 AL0	Brushed Hard Graphite	4005176529030	133.00






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

34 065 DC2	supersteel	4005176374432	284.18
34 065 BE2	polished nickel	4005176426834	347.57
34 065 EN2	brushed nickel	4005176426841	347.57
34 065 GL2	cool sunrise	4005176426773	347.57
34 065 GN2	brushed cool sunrise	4005176426780	347.57
34 065 DA2	warm sunset	4005176426797	347.57
34 065 DL2	brushed warm sunset	4005176426803	347.57
34 065 A02	hard graphite	4005176426827	347.57
34 065 AL2	Brushed Hard Graphite	4005176426810	347.57






Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

26 066 000	Chrome	4005176937200	495.48
26 066 DC0	supersteel	4005176371172	675.07
26 066 BE0	polished nickel	4005176427244	712.05
26 066 EN0	brushed nickel	4005176427251	712.05
26 066 GL0	cool sunrise	4005176427183	712.05
26 066 GN0	brushed cool sunrise	4005176427190	712.05
26 066 DA0	warm sunset	4005176427206	712.05
26 066 DL0	brushed warm sunset	4005176427213	712.05
26 066 A00	hard graphite	4005176427237	712.05
26 066 AL0	Brushed Hard Graphite	4005176427220	712.05






Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal
shower head after closing the valve

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 067 000	**Chrome**	**4005176937217**	**495.48**
26 067 DC0	**supersteel**	**4005176371189**	**675.07**
26 067 BE0	**polished nickel**	**4005176427329**	**712.05**
26 067 EN0	**brushed nickel**	**4005176427336**	**712.05**
26 067 GL0	**cool sunrise**	**4005176427268**	**712.05**
26 067 GN0	**brushed cool sunrise**	**4005176427275**	**712.05**
26 067 DA0	**warm sunset**	**4005176427282**	**712.05**
26 067 DL0	**brushed warm sunset**	**4005176427299**	**712.05**
26 067 A00	**hard graphite**	**4005176427312**	**712.05**
26 067 AL0	**Brushed Hard Graphite**	**4005176427305**	**712.05**






Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve

26 075 000	**Chrome**	**4005176937606**	**780.72**
26 075 DC0	**supersteel**	**4005176371219**	**1,129.35**
26 075 BE0	**polished nickel**	**4005176428593**	**1,583.63**
26 075 EN0	**brushed nickel**	**4005176428609**	**1,583.63**
26 075 GL0	**cool sunrise**	**4005176425332**	**1,583.63**
26 075 GN0	**brushed cool sunrise**	**4005176425349**	**1,583.63**
26 075 DA0	**warm sunset**	**4005176425356**	**1,583.63**
26 075 DL0	**brushed warm sunset**	**4005176425363**	**1,583.63**
26 075 A00	**hard graphite**	**4005176425387**	**1,583.63**
26 075 AL0	**Brushed Hard Graphite**	**4005176425370**	**1,583.00**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 226 DC1	supersteel	4005176374456	157.41
27 226 EN1	brushed nickel	4005176427176	178.54
27 226 BE1	polished nickel	4005176427169	178.54
27 226 GL1	cool sunrise	4005176427107	178.54
27 226 GN1	brushed cool sunrise	4005176427114	178.54
27 226 DA1	warm sunset	4005176427121	178.54
27 226 DL1	brushed warm sunset	4005176427138	178.54
27 226 A01	hard graphite	4005176427152	178.54
27 226 AL1	Brushed Hard Graphite	4005176427145	178.54






Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

27 400 000	Chrome	4005176877292	41.20






Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 057 000	Chrome	4005176830457	51.76
27 057 DC0	supersteel	4005176371196	62.33
27 057 BE0	polished nickel	4005176426957	79.23
27 057 EN0	brushed nickel	4005176426964	79.23
27 057 GL0	cool sunrise	4005176338946	79.23
27 057 GN0	brushed cool sunrise	4005176426933	79.23
27 057 DA0	warm sunset	4005176338939	79.23
27 057 DL0	brushed warm sunset	4005176426940	79.23
27 057 A00	hard graphite	4005176338953	79.23
27 057 AL0	Brushed Hard Graphite	4005176338960	79.23






Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

27 074 000	Chrome	4005176833083	30.63
27 074 BE0	polished nickel	4005176834325	57.04
27 074 EN0	brushed nickel	4005176834301	57.04
27 074 GL0	cool sunrise	4005176338984	57.04
27 074 GN0	brushed cool sunrise	4005176427084	57.04
27 074 DA0	warm sunset	4005176338977	57.04
27 074 DL0	brushed warm sunset	4005176427091	57.04
27 074 A00	hard graphite	4005176338991	57.04
27 074 AL0	Brushed Hard Graphite	4005176339004	57.04





Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE StarLight chrome finish

GROHE
ESSENCE





Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 388 000	**Chrome**	**4005176295362**	**17.08**
28 388 BE0	**polished nickel**	**4005176295386**	**23.98**
28 388 EN0	**brushed nickel**	**4005176427718**	**23.98**
28 388 GL0	**cool sunrise**	**4005176427657**	**23.98**
28 388 GN0	**brushed cool sunrise**	**4005176427664**	**23.98**
28 388 DA0	**warm sunset**	**4005176427671**	**23.98**
28 388 A00	**hard graphite**	**4005176427701**	**23.98**
28 388 AL0	**Brushed Hard Graphite**	**4005176427695**	**23.98**

Silverflex
Shower hose Twistfree 1750
1750 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging





Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 362 000	**Chrome**	**4005176295225**	**13.33**
28 362 BE0	**polished nickel**	**4005176295249**	**18.93**
28 362 EN0	**brushed nickel**	**4005176427640**	**18.93**
28 362 GL0	**cool sunrise**	**4005176427589**	**18.93**
28 362 GN0	**brushed cool sunrise**	**4005176427596**	**18.93**
28 362 DA0	**warm sunset**	**4005176427602**	**18.93**
28 362 DL0	**brushed warm sunset**	**4005176427619**	**18.93**
28 362 A00	**hard graphite**	**4005176427633**	**18.93**
28 362 AL0	**Brushed Hard Graphite**	**4005176427626**	**18.93**

Silverflex
Shower hose Twistfree 1250
1250 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC JOY




GROHE
EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 425 000**	**Chrome**	**4005176993596**	**167.97**
	23 425 LS0	**moon white**	**4005176993602**	**220.80**




Eurodisc Joy
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	**23 427 000**	**Chrome**	**4005176993619**	**189.10**
	23 427 LS0	**moon white**	**4005176993626**	**241.93**




Eurodisc Joy
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4“
flexible connection hoses

	**23 428 000**	**Chrome**	**4005176993633**	**284.18**
	23 428 LS0	**moon white**	**4005176993640**	**368.70**




Eurodisc Joy
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses

	**19 968 000**	**Chrome**	**4005176993657**	**199.67**
	19 968 LS0	**moon white**	**4005176993664**	**315.88**



Eurodisc Joy
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm







	**19 969 000**	**Chrome**	**4005176993671**	**220.80**
	19 969 LS0	**moon white**	**4005176993688**	**241.93**



Eurodisc Joy
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC JOY

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 429 000**		**4005176993695**	**220.80**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer **without finishing trim set** GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass			
 	**24 036 000** **24 036 LS0**	**Chrome** **moon white**	**4005176993701** **4005176993718**	**199.67** **231.36**
	Eurodisc Joy **Bidet mixer 1/2"** **S-Size** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy ball-joint mousseur 5.7 l/min** **GROHE QuickFix Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
 	**23 430 000** **23 430 LS0**	**Chrome** **moon white**	**4005176993725** **4005176993732**	**210.23** **231.36**
	Eurodisc Joy **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE FeatherControl Joystick cartridge **GROHE StarLight** chrome finish shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow			
 	**23 431 000** **23 431 LS0**	**Chrome** **moon white**	**4005176993749** **4005176993756**	**210.23** **241.93**
	Eurodisc Joy **Single-lever bath/shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** Joystick cartridge **GROHE StarLight** chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow			
 	**24 055 002**	**Chrome**	**4005176465420**	**148.00**
	Eurodisc Cosmopolitan **Single-lever shower mixer trim** set for final installation for GROHE Rapido SmartBox 35 600 000 **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish wall escutcheon with **GROHE QuickFix** (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min **without roughing-in-set**			
	35 600 000		**4005176413469**	**126.25**
	GROHE Rapido SmartBox universal rough-in box for concealed installation			

GROHE
EURODISC JOY

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 056 002	**Chrome**	**4005176465437**	**162.00**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation






19 549 002	**Chrome**	**4005176887758**	**157.41**
19 549 LS2	**moon white**	**4005176998942**	**199.67**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing





19 548 002	**Chrome**	**4005176887840**	**167.97**
19 548 LS2	**moon white**	**4005176998959**	**199.67**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EURODISC COSMOPOLITAN



GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 051 002 **Chrome** **4005176887567** **94.02**

Eurodisc Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm






23 049 002 **Chrome** **4005176887536** **178.54**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses






33 190 20E **Chrome** **4005176887482** **178.54**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses





32 469 20E **Chrome** **4005176908835** **167.97**


Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation
system with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 469 20L	**Chrome**	**4005176917110**	**160.59**






Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE QuickFix Plus installation
system with centering support
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

23 448 002	**Chrome**	**4005176998744**	**178.54**






Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 449 002	**Chrome**	**4005176998768**	**167.97**






Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix installation system
smooth body
flexible connection hoses

23 054 003	**Chrome**	**4005176472596**	**176.77**






Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
optional temperature limiter (46 375 000)

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 432 000 **Chrome** **4005176993763** **273.62**

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)






23 055 002 **Chrome** **4005176887680** **220.80**

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






19 573 002 **Chrome** **4005176887659** **199.67**

Eurodisc Cosmopolitan
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide NEW
centre distance 110 mm
projection 170 mm

19 974 002 **Chrome** **4005176305948** **210.23**
ditto, projection 225 mm






23 571 000 **4005176334276** **210.23**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device





33 244 002 **Chrome** **4005176888779** **167.97**


Eurodisc Cosmopolitan
Bidet mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix Plus installation
system with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 569 002 **Chrome** **4005176887734** **178.54**

Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)






33 390 002 **Chrome** **4005176887796** **199.67**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)






24 055 002 **Chrome** **4005176465420** **148.00**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 056 002 **Chrome** **4005176465437** **162.00**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation







19 549 002 **Chrome** **4005176887758** **157.41**
19 549 LS2 **moon white** **4005176998942** **199.67**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing


GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 548 002** **19 548 LS2**	**Chrome** **moon white**	**4005176887840** **4005176998959**	**167.97** **199.67**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

 	**13 278 002**	**Chrome**	**4005176887871**	**94.02**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

 	**37 624 000**	**Chrome**	**4005176416095**	**69.94**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE CONCETTO



GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






32 204 10E **Chrome** **4005176887345** **140.39**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses






32 202 10L **Chrome** **4005176903960** **130.29**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 0.2 bar






32 240 10E **Chrome** **4005176906794** **130.29**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses






32 240 10L **Chrome** **4005176903977** **120.19**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
mousseur
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)





23 380 10E **Chrome** **4005176938245** **140.39**


Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 450 001 **Chrome** **4005176998775** **150.49**

Concetto
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4“
flexible connection hoses






23 451 001 **Chrome** **4005176998799** **140.39**

Concetto
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses






23 739 002 **Chrome** **4005176472602** **199.00**

Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1 bar






32 629 002 **Chrome** **4005176472619** **170.69**

Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1 bar

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






20 216 001 **Chrome** **4005176888373** **221.19**

Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves






19 575 001 **Chrome** **4005176888366** **180.79**

Concetto
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
GROHE StarLight chrome finish
centre distance 110 mm
projection 147 mm






23 571 000 **4005176334276** **210.23**

Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device






32 208 001 **Chrome** **4005176888908** **130.29**

Concetto
Bidet mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses






32 210 001 **Chrome** **4005176888939** **150.49**


Concetto
Single-lever shower mixer 1/2“
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	18 391 001		4005176888533	29.29


Concetto
Plastic tray
for 32 210 001

 	32 701 001	Chrome	4005176889042	170.69

Concetto
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)

 	32 211 001	Chrome	4005176889028	170.69

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)


 	32 212 001	Chrome	4005176889035	200.99

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Consisting of:
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE CONCETTO

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 053 001 **Chrome** **4005176465406** **144.00**

Concetto
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 054 001 **Chrome** **4005176465413** **158.00**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 345 001 **Chrome** **4005176888953** **150.49**

Concetto
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






19 346 001 **Chrome** **4005176889080** **160.59**

Concetto
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling








25 102 000 **Chrome** **4005176881671** **231.29**

Concetto
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2-5.0 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	25 109 000	**Chrome**	4005176881848	261.59
	Concetto **Two-handled Bath/Shower mixer 1/2"** deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" **GROHE StarLight** chrome finish			
 	29 037 000		4005176865749	727.90
	4/5-hole bath combination (optional) **baseframe for installation** **under tiled surround** base frame drainage box with integrated outlet for splash water			
	45 388 000		4005176212758	74.84
	Supporting legs for baseframe			
 	13 280 001	**Chrome**	4005176888687	89.89
	Concetto **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur male thread 1/2"			


GROHE EUROSTYLE COSMOPOLITAN



GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 039 002	Chrome	4005176886881	83.46






Eurostyle Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
mousseur

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 037 002	Chrome	4005176886355	136.28






Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 387 20E	Chrome	4005176938382	115.15






Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN code	Retail Guide Price (£)
33 552 20E	Chrome	4005176886300	115.15






Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
noise classification 1 in accordance
with DIN4109

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 468 20E	Chrome	4005176906886	115.15







Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 468 20L**	**Chrome**	**4005176917097**	**110.09**


Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur, smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)

 	**23 043 003**	**Chrome**	**4005176472732**	**176.77**


Eurostyle Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1 bar
optional temperature limiter (46 375 000)

 	**20 208 002**	**Chrome**	**4005176886980**	**241.93**

Eurostyle Cosmopolitan
3-hole basin mixer
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

 	**19 571 002**	**Chrome**	**4005176886973**	**210.23**

Eurostyle Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm


 	**23 571 000**		**4005176334276**	**210.23**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 565 002 **Chrome** **4005176887000** **115.15**


Eurostyle Cosmopolitan
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






33 590 002 **Chrome** **4005176887048** **125.71**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)






33 591 002 **Chrome** **4005176887123** **146.84**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)






24 051 002 **Chrome** **4005176465383** **142.00**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 052 002 **Chrome** **4005176465390** **156.00**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






19 507 002 **Chrome** **4005176887079** **146.84**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






19 506 002 **Chrome** **4005176887185** **146.84**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






23 048 003 **Chrome** **4005176429132** **791.28**

Eurostyle Cosmopolitan
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing, single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **4005176865749** **727.90**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water

45 388 000 **4005176212758** **74.84**
Supporting legs for baseframe





13 276 002 **Chrome** **4005176887246** **94.02**

Eurostyle Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2“
projection 170 mm


GROHE EUROSTYLE



GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 558 003 **Chrome** **4005176334139** **115.15**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 707 003 **Chrome** **4005176364778** **104.59**
23 707 LS3 **moon white** **4005176364785** **146.84**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 374 003 **Chrome** **4005176334153** **115.15**
23 374 LS3 **moon white** **4005176334450** **157.41**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 709 003 **Chrome** **4005176365003** **104.59**
23 709 LS3 **moon white** **4005176365010** **136.28**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 565 30L **Chrome** **4005176333620** **115.15**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 0.2 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**23 712 30L**	**Chrome**	**4005176365034**	**94.02**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 0.2 bar

		**32 468 003**	**Chrome**	**4005176334207**	**104.59**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 715 003**	**Chrome**	**4005176365065**	**94.02**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**23 567 003**	**Chrome**	**4005176334214**	**115.15**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses


		**23 568 30L**	**Chrome**	**4005176333637**	**125.71**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar

GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 717 30L **Chrome** **4005176365089** **94.02**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar






23 569 003 **Chrome** **4005176334238** **199.67**

Eurostyle
Single-lever basin mixer 1/2"
L-Size
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"
flexible connection hoses






23 718 003 **Chrome** **4005176365096** **178.54**
23 718 LS3 **moon white** **4005176365102** **210.23**

Eurostyle
Single-lever basin mixer 1/2"
L-Size
monobloc installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4"






23 570 003 **Chrome** **4005176334245** **220.80**
23 570 LS3 **moon white** **4005176334474** **263.05**

Eurostyle
Basin mixer 1/2"
XL-Size
monobloc installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses










23 719 003 **Chrome** **4005176365119** **210.23**
23 719 LS3 **moon white** **4005176365126** **241.93**

Eurostyle
Basin mixer 1/2"
XL-Size
monobloc installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 571 003** **19 571 LS3**	**Chrome** **moon white**	**4005176334269** **4005176334498**	**210.23** **263.05**
	Eurostyle **2-hole basin mixer** **M-Size** wall mounted **without concealed body** set for final installation for 23 571 000 metal escutcheon loop metal lever **GROHE StarLight** chrome finish **GROHE AquaGuide** adjustable mousseur centre distance 110 mm projection 203 mm			
 	**23 571 000**		**4005176334276**	**210.23**
	Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device			
 	**33 565 003**	**Chrome**	**4005176334283**	**94.02**
	Eurostyle **Bidet mixer 1/2"** **S-Size** monobloc installation loop metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
 	**23 720 003** **23 720 LS3**	**Chrome** **moon white**	**4005176365157** **4005176365164**	**104.59** **146.84**
	Eurostyle **Bidet mixer 1/2"** **S-Size** monobloc installation solid metal lever **GROHE SilkMove** 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
 	**33 590 003** **33 590 LS3**	**Chrome** **moon white**	**4005176334306** **4005176334511**	**157.41** **167.97**
	Eurostyle **Single-lever shower mixer 1/2"** wall mounted loop metal lever **GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter **GROHE StarLight** chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow			


GROHE
EUROSTYLE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**23 722 003**	**Chrome**	**4005176365188**	**157.41**
	23 722 LS3	**moon white**	**4005176365195**	**157.41**





Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

	**33 591 003**	**Chrome**	**4005176334351**	**167.97**
	33 591 LS3	**moon white**	**4005176334535**	**210.23**




Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

	**23 726 003**	**Chrome**	**4005176365256**	**157.41**
	23 726 LS3	**moon white**	**4005176365263**	**210.23**



Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

	**24 048 003**	**Chrome**	**4005176465345**	**130.00**
	24 048 LS3	**moon white**	**4005176465352**	**169.00**



Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		**4005176413469**	**126.25**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
24 046 003	**Chrome**	**4005176465307**	**124.00**
24 046 LS3	**moon white**	**4005176465314**	**161.00**






Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000	**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 049 003	**Chrome**	**4005176465369**	**143.00**
24 049 LS3	**moon white**	**4005176465376**	**186.00**






Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 047 003	**Chrome**	**4005176465321**	**137.00**
24 047 LS3	**moon white**	**4005176465338**	**177.00**






Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000	**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation






19 507 003	**Chrome**	**4005176334337**	**115.15**





Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE EUROSTYLE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**29 098 003**	**Chrome**	**4005176365225**	**115.15**
	Eurostyle **Single-lever shower mixer trim** set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 **without concealed body** solid metal lever **GROHE StarLight** chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon			
 	**23 725 003**	**Chrome**	**4005176365249**	**146.84**
	Eurostyle **Single-lever shower mixer 1/2"** wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter **GROHE StarLight** chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixing optional temperature limiter (46 308 000)			
 	**19 506 003** **19 506 LS3**	**Chrome** **moon white**	**4005176334399** **4005176334542**	**136.28** **178.54**
	Eurostyle **Single-lever bath/shower mixer trim** set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 **without concealed body** **GROHE StarLight** chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon			
 	**29 099 003** **29 099 LS3**	**Chrome** **moon white**	**4005176365300** **4005176365317**	**136.28** **167.76**
	Eurostyle **Single-lever bath/shower mixer trim** set for final installation for 33 961 000, 33 963 000, 33 965 000, 35 501 000 **without concealed body** solid metal lever **GROHE StarLight** chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing			
 	**23 730 003**	**Chrome**	**4005176365324**	**157.41**
	Eurostyle **Single-lever bath/shower mixer 1/2"** wall installation **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish GROHE QuickFix covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower solid metal lever optional temperature limiter (46 308 000) metal wall escutcheons			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSMART COSMOPOLITAN




GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 825 00L**	**Chrome**	**4005176917028**	**110.09**


Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

 	**32 824 00L**	**Chrome**	**4005176917035**	**104.59**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
adjustable minimum flow rate 2.5 l/min
GROHE QuickFix installation system
with centering support
mousseur
smooth body
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

 	**23 325 000**	**Chrome**	**4005176933974**	**125.71**


Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)

 	**23 327 000**	**Chrome**	**4005176934094**	**115.15**


Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 830 001**	**Chrome**	**4005176472749**	**145.39**


Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
GROHE QuickFix installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)

 	**20 187 000**	**Chrome**	**4005176874680**	**199.67**


Eurosmart Cosmopolitan
Three-hole basin mixer 1/2“
S-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5-mm drilling

 	**19 381 000**	**Chrome**	**4005176874673**	**178.54**

Eurosmart Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 170 mm






 	**23 571 000**		**4005176334276**	**210.23**

Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device

 	**32 839 000**	**Chrome**	**4005176874802**	**104.59**


Eurosmart Cosmopolitan
Bidet mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE QuickFix installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)

GROHE
EUROSMART COSMOPOLITAN


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		32 837 000	Chrome	4005176874772	125.71
		Eurosmart Cosmopolitan **Single-lever shower mixer 1/2"** wall mounted, metal lever **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow			
		18 349 000		4005176874796	26.41
		Eurosmart Cosmopolitan **Plastic tray** for 32 837 000			
		32 831 000	Chrome	4005176874703	146.84
		Eurosmart Cosmopolitan **Single-lever bath/shower mixer 1/2"** wall mounted, metal lever **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)			
		32 832 000	Chrome	4005176874710	167.97
		Eurosmart Cosmopolitan **Single-lever bath/shower mixer 1/2"** wall mounted metal lever **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367) wall shower holder (27 056) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)			
		25 128 000	Chrome	4005176905209	199.67
		Eurosmart Cosmopolitan **Two-handled Bath filler 1/2"** deck mounted metal handles Longlife headpart 3/4" **GROHE StarLight** chrome finish min. recommended pressure 0.2 bar			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	25 129 000	Chrome	4005176905216	241.93


Eurosmart Cosmopolitan
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar

 	24 044 000	Chrome	4005176465185	129.00

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000		4005176413469	126.25


GROHE Rapido SmartBox universal rough-in box for concealed installation

 	24 045 000	Chrome	4005176465291	142.00


Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation


 	25 219 001	Chrome	4005176466373	408.00

Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
Consisting of:
Eurosmart Cosmopolitan set for final installation with
automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)


 	19 383 000	Chrome	4005176874765	104.59

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 382 000**	**Chrome**	**4005176874697**	**125.71**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

 	**13 261 000**	**Chrome**	**4005176877384**	**83.46**


Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSMART




GROHE
EUROSMART

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**33 265 002**	**Chrome**	**4005176861543**	**94.02**


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

		**33 265 20L**	**Chrome**	**4005176304729**	**94.02**


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

		**33 188 002**	**Chrome**	**4005176862052**	**94.02**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
retractable chain
flexible connection hoses

		**32 467 002**	**Chrome**	**4005176862069**	**83.46**






Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
smooth body
flexible connection hoses

		**32 467 20L**	**Chrome**	**4005176304736**	**83.46**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 926 002** **Eurosmart** **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses	**Chrome**	**4005176861567**	**94.02**
	32 154 002 **Ditto, with GROHE SilkMove ES**	**Chrome**	**4005176862113**	**95.08**
 	**23 322 001** **Eurosmart** **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system pop-up waste set 1 1/4" flexible connection hoses	**Chrome**	**4005176934506**	**104.59**
 	**23 323 001** **Eurosmart** **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system retractable chain flexible connection hoses	**Chrome**	**4005176934513**	**104.59**
 	**23 324 001** **Eurosmart** **Basin mixer 1/2"** **M-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system smooth body flexible connection hoses	**Chrome**	**4005176934520**	**94.02**
 	**23 537 002** **Eurosmart** **Single-lever basin mixer 1/2"** **L-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE QuickFix** rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses	**Chrome**	**4005176312212**	**125.71**


GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**32 929 002**	**Chrome**	**4005176862366**	**83.46**




Eurosmart
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE QuickFix rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

	**33 412 002**	**Chrome**	**4005176862205**	**104.59**




Eurosmart
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix rapid installation system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow

	**33 300 002**	**Chrome**	**4005176862182**	**104.59**




Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow

	**33 303 002**	**Chrome**	**4005176862243**	**189.10**



Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow

	**25 098 000**	**Chrome**	**4005176881633**	**178.54**




Eurosmart
Bath filler
deck mounted
metal handle
GROHE SilkMove 56 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






25 105 000 **Chrome** **4005176881800** **210.23**

Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal handle
GROHE SilkMove 56 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"






24 042 002 **Chrome** **4005176465161** **118.00**

Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






24 043 002 **Chrome** **4005176465178** **130.00**

Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

---






19 451 002 **Chrome** **4005176862335** **94.02**

Eurosmart
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon






19 450 002 **Chrome** **4005176862229** **104.59**

Eurosmart
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE QuickFix covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**29 708 000**		**4005176102653**	**281.79**






5-way diverter
concealed body, 1/2“
without finishing trim set
wall installation
with ceramic sealing disks
connection cold and hot 1/2“
2 outlets 1/2“
bath outlet 3/4“
installation depth adjustable
24-60 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE



GROHE
BAUEDGE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**20 421 000**	**Chrome**	**4005176934353**	**49.49**
	BauEdge **Pillar tap 1/2" XS-Size** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min fixation nut G 1/2"			
 	**20 421 00M**	**Chrome**	**4005176986932**	**97.97**
	BauEdge **Basin tap 1/2"** metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow mousseur **2 pieces**			
 	**23 356 000**	**Chrome**	**4005176934131**	**74.74**
	BauEdge **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system metal pop up waste set flexible connection hoses			
 	**23 330 000**	**Chrome**	**4005176934278**	**64.64**
	BauEdge **Basin mixer 1/2"** **S-Size** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses			
 	**23 758 000**	**Chrome**	**4005176388460**	**86.86**
	BauEdge **Basin mixer 1/2"** **M-Size** monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 759 000 **Chrome** **4005176388477** **86.86**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 760 000 **Chrome** **4005176388484** **98.98**

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses






23 761 000 **Chrome** **4005176388491** **117.16**

BauEdge
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 333 000 **Chrome** **4005176934308** **69.69**

BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with integrated non return-valve
S-unions, metal wall escutcheon
protected against backflow
optional temperature limiter (46 375 000)







23 334 000 **Chrome** **4005176934322** **84.84**

BauEdge
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with integrated non return-valve
S-unions, metal wall escutcheon
protected against backflow
optional temperature limiter (46 375 000)

GROHE
BAUEDGE

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**25 217 000**	**Chrome**	**4005176479786**	**160.59**

BauEdge
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar

		**25 216 000**	**Chrome**	**4005176479779**	**130.29**


BauEdge
Two-handled Bath filler 1/2"
deck mounted
metal handles
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAULOOP




GROHE
BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**20 422 000**	**Chrome**	**4005176934490**	**49.49**


BauLoop
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
min. recommended pressure 1 bar

 	**23 335 000**	**Chrome**	**4005176934391**	**79.79**


BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

 	**23 337 000**	**Chrome**	**4005176934414**	**64.64**

BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1 bar

 	**23 762 000**	**Chrome**	**4005176388538**	**86.86**

BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

 	**23 763 000**	**Chrome**	**4005176388545**	**98.98**


BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAULOOP

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






23 764 000 **Chrome** **4005176388552** **117.16**

BauLoop
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses






23 338 000 **Chrome** **4005176934421** **89.89**

BauLoop
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses






23 340 000 **Chrome** **4005176934445** **69.69**

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter (46 308 000)






23 341 000 **Chrome** **4005176934469** **79.79**

BauLoop
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheon
protected against backflow
optional temperature limiter (46 308 000)


GROHE BAUFLOW




GROHE
BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**20 575 000**	**Chrome**	**4005176388422**	**51.76**


BauFlow
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 751 000**	**Chrome**	**4005176388149**	**71.84**


BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 752 000**	**Chrome**	**4005176388156**	**67.61**

BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 753 000**	**Chrome**	**4005176388163**	**103.54**





BauFlow
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 754 000**	**Chrome**	**4005176388170**	**94.02**

BauFlow
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAUFLOW

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**23 755 000**	**Chrome**	**4005176388187**	**72.89**
	BauFlow **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow			
 	**23 756 000**	**Chrome**	**4005176388392**	**83.46**
	BauFlow **Single-lever bath/shower mixer 1/2"** wall mounted metal lever GROHE Longlife 46 mm ceramic cartridge **GROHE StarLight** chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow			
 	**46 191 000**		**4005176119996**	**130.29**
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"			
	46 343 000		**4005176189791**	**180.79**
	ditto, extension set 50 mm			


GROHE
COSTA L




GROHE
COSTA L

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		20 404 001	Chrome	4005176842986	51.76


Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

		20 186 001	Chrome	4005176874437	62.33


Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
cast spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

		20 393 001	Chrome	4005176842993	68.67

Costa L
Basin tap 1/2"
metal handle
heat-insulated
screwable
marking: blue (cold)
Longlife-headpart
swivel tubular spout with mousseur
union nut 1/2" with 10.5 mm drilling
GROHE StarLight chrome finish

		21 390 001	Chrome	4005176843006	136.28

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
cast spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

		21 375 001	Chrome	4005176843037	94.02


Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
pop-up waste set 1 1/4"
flexible connection hoses
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






21 374 001 **Chrome** **4005176843013** **83.46**

Costa L
Basin mixer, 1/2"
metal handles
heat-insulated
screwable
Longlife-headpart
swivel tubular spout with mousseur
retractable chain
flexible connection hoses
GROHE StarLight chrome finish






26 330 001 **Chrome** **4005176843112** **79.23**


Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish






25 450 001 **Chrome** **4005176843372** **125.71**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish






35 028 000 **4005176908316** **125.71**

GROHE Rapido C / Concealed Valves
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4"
connection threads 1/2"
installation depth 70 - 95 mm

GROHE TALENTOFILL




GROHE
TALENTOFILL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 952 000	Chrome	4005176174230	46.48

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set


in combination with Talentofill
28 990 000/28 991 000

 	28 990 000		4005176174025	125.71


Talentofill
Inlet-, pop-up and waste-system
for normal baths
without finishing trim set
with bottle trap and 45°-outlet-bend

 	28 991 000		4005176174032	180.79

Talentofill
Inlet-, pop-up and waste-system
for baths with waste up to 370 mm reach
without finishing trim set

 	14 055 000		4005176413520	154.25



Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers

 	19 025 000	Chrome	4005176209154	51.76

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated







GROHE
TALENTOFILL

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		28 939 000		4005176209161	79.79
		Talento **Pop-up bath waste and overflow** set for normal bath and deep shower trays with bowden cable **without finishing trim set** bottle trap 45° waste elbow			
		28 943 000		4005176209178	89.89
		Talento **Pop-up bath waste and overflow** with bowden cable **without finishing trim set** bottle trap 45° waste elbow			

GROHE
SELECTION CUBE









GROHE
SELECTION CUBE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**40 865 000**	**Chrome**	**4005176378140**	**32.40**
	Selection Cube **Glass/soap dish holder** for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening **GROHE StarLight** chrome finish			
 	**40 805 000**	**Chrome**	**4005176347924**	**40.39**
	Selection Cube **Soap dispenser** material: glass / metal **GROHE StarLight** finish fits in the following holder: Selection Cube (40 865 000)			
 	**40 806 000**		**4005176347931**	**26.93**
	Selection Cube **Soap dish** material: glass fits in the following holder: Selection Cube (40 865 000)			
 	**40 783 000**		**4005176347894**	**21.45**
	Selection Cube **Glass** material: glass fits in the following holder: Selection Cube (40 865 000)			
 	**40 766 000**	**Chrome**	**4005176347849**	**45.86**
	Selection Cube **Towel ring** material: metal concealed fastening **GROHE StarLight** finish			
 	**40 768 000**	**Chrome**	**4005176347863**	**130.45**
	Selection Cube **Double towel bar** material: metal concealed fastening 2 arms, pivotable 400 mm **GROHE StarLight** finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	88.36
Selection Cube **Towel rail** material: metal 500 mm (functional length 459 mm) concealed fastening **GROHE StarLight** finish				
 	40 804 000	Chrome	4005176347917	243.24
Selection Cube **Multi bath towel rack** material: metal 600 mm (functional length 575 mm) concealed fastening **GROHE StarLight** finish				
 	40 782 000	Chrome	4005176347887	24.40
Selection Cube **Robe hook** material: metal concealed fastening **GROHE StarLight** finish				
 	40 807 000	Chrome	4005176347948	134.66
Selection Cube **Grip bar/towel bar** material: metal 600 mm (functional length 548 mm) concealed fastening **GROHE StarLight** finish				
 	40 781 000	Chrome	4005176347870	70.28
Selection Cube **Toilet roll holder** material: metal concealed fastening with cover **GROHE StarLight** finish				
 	40 784 000	Chrome	4005176347900	32.40
Selection Cube **Spare toilet roll holder** material: metal wall mounted concealed fastening **GROHE StarLight** finish				


GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	92.58

Selection Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish

 	40 809 000	Chrome	4005176347962	92.58

Selection Cube
Large corner basket
material: metal
for corner installation
GROHE StarLight finish

 	40 808 000	Chrome	4005176347955	117.83

Selection Cube
Cosmetic mirror
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ESSENTIALS



GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 369 001	Chrome	4005176326196	18.33
40 369 BE1	polished nickel	4005176430176	25.66
40 369 EN1	brushed nickel	4005176326202	25.66
40 369 GL1	cool sunrise	4005176429422	25.66
40 369 GN1	brushed cool sunrise	4005176429873	25.66
40 369 DA1	warm sunset	4005176428975	25.66
40 369 DL1	brushed warm sunset	4005176430022	25.66
40 369 A01	hard graphite	4005176429576	25.66
40 369 AL1	Brushed Hard Graphite	4005176429729	25.66






Essentials
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	Chrome	4005176326233	14.99
40 394 DC1	supersteel	4005176421532	19.16
40 394 BE1	polished nickel	4005176430183	21.04
40 394 EN1	brushed nickel	4005176412646	21.04
40 394 GL1	cool sunrise	4005176429439	21.04
40 394 GN1	brushed cool sunrise	4005176429880	21.04
40 394 DA1	warm sunset	4005176428982	21.04
40 394 DL1	brushed warm sunset	4005176430039	21.04
40 394 A01	hard graphite	4005176429583	21.04
40 394 AL1	Brushed Hard Graphite	4005176429736	21.04






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	4005176326219	4.99






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001	4005176326226	5.99






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 448 001	Chrome	4005176328343	33.74






Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 444 001	**Chrome**	**4005176328336**	**22.91**






Essentials
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

40 447 001	**Chrome**	**4005176328701**	**22.49**






Essentials
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish

40 365 001	**Chrome**	**4005176326240**	**18.33**
40 365 BE1	**polished nickel**	**4005176430121**	**25.66**
40 365 EN1	**brushed nickel**	**4005176326257**	**25.66**
40 365 GL1	**cool sunrise**	**4005176429378**	**25.66**
40 365 GN1	**brushed cool sunrise**	**4005176429828**	**25.66**
40 365 DA1	**warm sunset**	**4005176428920**	**25.66**
40 365 DL1	**brushed warm sunset**	**4005176429972**	**25.66**
40 365 A01	**hard graphite**	**4005176429521**	**25.66**
40 365 AL1	**Brushed Hard Graphite**	**4005176429675**	**25.66**






Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 371 001	**Chrome**	**4005176326318**	**32.08**
40 371 BE1	**polished nickel**	**4005176430138**	**45.44**
40 371 EN1	**brushed nickel**	**4005176430268**	**45.44**
40 371 GL1	**cool sunrise**	**4005176429385**	**45.44**
40 371 GN1	**brushed cool sunrise**	**4005176429835**	**45.44**
40 371 DA1	**warm sunset**	**4005176428937**	**45.44**
40 371 DL1	**brushed warm sunset**	**4005176429989**	**45.44**
40 371 A01	**hard graphite**	**4005176429538**	**45.44**
40 371 AL1	**Brushed Hard Graphite**	**4005176429682**	**45.44**






Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

40 688 001	**Chrome**	**4005176326288**	**26.24**
40 688 BE1	**polished nickel**	**4005176430145**	**37.45**
40 688 EN1	**brushed nickel**	**4005176326295**	**37.45**
40 688 GL1	**cool sunrise**	**4005176429392**	**37.45**
40 688 GN1	**brushed cool sunrise**	**4005176429842**	**37.45**
40 688 DA1	**warm sunset**	**4005176428944**	**37.45**
40 688 DL1	**brushed warm sunset**	**4005176429996**	**37.45**
40 688 A01	**hard graphite**	**4005176429545**	**37.45**
40 688 AL1	**Brushed Hard Graphite**	**4005176429699**	**37.45**






Essentials
Towel rail
material: metal
504 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 366 001	Chrome	4005176326264	28.74
40 366 BE1	polished nickel	4005176430152	40.81
40 366 EN1	brushed nickel	4005176326271	40.81
40 366 GL1	cool sunrise	4005176429408	40.81
40 366 GN1	brushed cool sunrise	4005176429859	40.81
40 366 DA1	warm sunset	4005176428951	40.81
40 366 DL1	brushed warm sunset	4005176430008	40.81
40 366 A01	hard graphite	4005176429552	40.81
40 366 AL1	Brushed Hard Graphite	4005176429705	40.81






Essentials
Towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 386 001	Chrome	4005176326301	36.24
40 386 BE1	polished nickel	4005176430169	51.34
40 386 EN1	brushed nickel	4005176430275	51.34
40 386 GL1	cool sunrise	4005176429415	51.34
40 386 GN1	brushed cool sunrise	4005176429866	51.34
40 386 DA1	warm sunset	4005176428968	51.34
40 386 DL1	brushed warm sunset	4005176430015	51.34
40 386 A01	hard graphite	4005176429569	51.34
40 386 AL1	Brushed Hard Graphite	4005176429712	51.34






Essentials
Towel rail
material: metal
854 mm (useable length 800 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 802 001	Chrome	4005176328107	49.58
40 802 BE1	polished nickel	4005176430251	69.85
40 802 EN1	brushed nickel	4005176430329	69.85
40 802 GL1	cool sunrise	4005176429507	69.85
40 802 GN1	brushed cool sunrise	4005176429958	69.85
40 802 DA1	warm sunset	4005176429354	69.85
40 802 DL1	brushed warm sunset	4005176430107	69.85
40 802 A01	hard graphite	4005176429651	69.85
40 802 AL1	Brushed Hard Graphite	4005176429804	69.85






Essentials
Double towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 800 001	Chrome	4005176327988	95.83
40 800 BE1	polished nickel	4005176430244	138.86
40 800 EN1	brushed nickel	4005176430312	138.86
40 800 GL1	cool sunrise	4005176429491	138.86
40 800 GN1	brushed cool sunrise	4005176429941	138.86
40 800 DA1	warm sunset	4005176429347	138.86
40 800 DL1	brushed warm sunset	4005176430091	138.86
40 800 A01	hard graphite	4005176429644	138.86
40 800 AL1	Brushed Hard Graphite	4005176429798	138.86






Essentials
Multi bath towel rack
material: metal
604 mm (useable length 550 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 364 001	Chrome	4005176326332	9.99
40 364 BE1	polished nickel	4005176430114	13.88
40 364 EN1	brushed nickel	4005176326349	13.88
40 364 GL1	cool sunrise	4005176429361	13.88
40 364 GN1	brushed cool sunrise	4005176429811	13.88
40 364 DA1	warm sunset	4005176428913	13.88
40 364 DL1	brushed warm sunset	4005176429965	13.88
40 364 A01	hard graphite	4005176429514	13.88
40 364 AL1	Brushed Hard Graphite	4005176429668	13.88






Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 421 001	Chrome	4005176326325	28.74
40 421 BE1	polished nickel	4005176430237	40.81
40 421 EN1	brushed nickel	4005176430305	40.81
40 421 GL1	cool sunrise	4005176429484	40.81
40 421 GN1	brushed cool sunrise	4005176429934	40.81
40 421 DA1	warm sunset	4005176429330	40.81
40 421 DL1	brushed warm sunset	4005176430084	40.81
40 421 A01	hard graphite	4005176429637	40.81
40 421 AL1	Brushed Hard Graphite	4005176429781	40.81






Essentials
Grip bar
material: metal
349 mm (useable length 295 mm)
concealed fastening
GROHE StarLight chrome finish

40 793 001	Chrome	4005176327599	41.24






Essentials
Grip bar
material: metal
507 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish

40 794 001	Chrome	4005176327605	49.58






Essentials
Grip bar
material: metal
657 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish

40 797 001	Chrome	4005176327636	129.16






Essentials
Grip bar
material: metal
737 x 997 mm (useable length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish

40 799 001	Chrome	4005176327971	32.91






Essentials
Glass shelf
material: glass / metal
530 mm (useable length 380 mm)
concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 689 001	Chrome	4005176326363	21.66
40 689 BE1	polished nickel	4005176430213	30.29
40 689 EN1	brushed nickel	4005176326370	30.29
40 689 GL1	cool sunrise	4005176429460	30.29
40 689 GN1	brushed cool sunrise	4005176429910	30.29
40 689 DA1	warm sunset	4005176429316	30.29
40 689 DL1	brushed warm sunset	4005176430060	30.29
40 689 A01	hard graphite	4005176429613	30.29
40 689 AL1	Brushed Hard Graphite	4005176429767	30.29






Essentials
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

40 367 001	Chrome	4005176326387	23.74
40 367 BE1	polished nickel	4005176430220	33.66
40 367 EN1	brushed nickel	4005176326394	33.66
40 367 GL1	cool sunrise	4005176429477	33.66
40 367 GN1	brushed cool sunrise	4005176429927	33.66
40 367 DA1	warm sunset	4005176429323	33.66
40 367 DL1	brushed warm sunset	4005176430077	33.66
40 367 A01	hard graphite	4005176429620	33.66
40 367 AL1	Brushed Hard Graphite	4005176429774	33.66






Essentials
Toilet roll holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish

40 385 001	Chrome	4005176326356	18.33
40 385 BE1	polished nickel	4005176430206	25.66
40 385 EN1	brushed nickel	4005176430299	25.66
40 385 GL1	cool sunrise	4005176429453	25.66
40 385 GN1	brushed cool sunrise	4005176429903	25.66
40 385 DA1	warm sunset	4005176429309	25.66
40 385 DL1	brushed warm sunset	4005176430053	25.66
40 385 A01	hard graphite	4005176429606	25.66
40 385 AL1	Brushed Hard Graphite	4005176429750	25.66






Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 374 001	Chrome	4005176326400	29.58
40 374 DC1	supersteel	4005176412486	38.74
40 374 BE1	polished nickel	4005176430190	42.08
40 374 EN1	brushed nickel	4005176430282	42.08
40 374 GL1	cool sunrise	4005176429446	42.08
40 374 GN1	brushed cool sunrise	4005176429897	42.08
40 374 DA1	warm sunset	4005176429293	42.08
40 374 DL1	brushed warm sunset	4005176430046	42.08
40 374 A01	hard graphite	4005176429590	42.08
40 374 AL1	Brushed Hard Graphite	4005176429743	42.08






Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 663 001	Chrome	4005176327834	40.41







BauCosmopolitan
Large corner basket

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ESSENTIALS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 664 001	Chrome	4005176327841	32.49


BauCosmopolitan
Corner Basket, small

 	40 407 001	Chrome	4005176328350	57.08

Essentials
3-in-1 WC set
material: glass / metal
Consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish

 	40 775 001	Chrome	4005176328626	56.66

Essentials
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish

 	40 776 001	Chrome	4005176328633	72.91


Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish


GROHE
ESSENTIALS CUBE



GROHE
ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






40 508 001 **Chrome** **4005176324413** **24.16**

Essentials Cube
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 394 001 **Chrome** **4005176326233** **14.99**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **4005176326219** **4.99**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **4005176326226** **5.99**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 756 001 **Chrome** **4005176328381** **38.74**

Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 755 001 **Chrome** **4005176328374** **28.74**


Essentials Cube
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	29.16


Essentials Cube
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

 	40 510 001	Chrome	4005176324420	32.91


Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 624 001	Chrome	4005176324444	46.24


Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

 	40 509 001	Chrome	4005176324437	36.66

Essentials Cube
Towel rail
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish


 	40 512 001	Chrome	4005176324451	120.83

Essentials Cube
Multi-towel rack
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish


 	40 511 001	Chrome	4005176324475	13.74

Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish


GROHE
ESSENTIALS CUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 514 001	Chrome	4005176324468	49.58


Essentials Cube
Grip bar
material: metal
392 mm (useable length 340 mm)
concealed fastening
GROHE StarLight chrome finish

 	40 507 001	Chrome	4005176324598	27.91


Essentials Cube
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

 	40 623 001	Chrome	4005176324482	23.33


Essentials Cube
Spare toilet paper holder
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 513 001	Chrome	4005176324604	47.91

Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

 	40 757 001	Chrome	4005176328497	80.83

Essentials Cube
3-in-1 WC set
material: glass / metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
toilet brush (40 513 001)
concealed fastening
GROHE StarLight chrome finish


 	40 777 001	Chrome	4005176328640	70.41


Essentials Cube
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
40 778 001	**Chrome**	**4005176328657**	**99.99**





Essentials Cube
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish


GROHE BAUCOSMOPOLITAN



GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)






40 585 001 **Chrome** **4005176327797** **14.16**

BauCosmopolitan
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001),
or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish






40 394 001 **Chrome** **4005176326233** **14.99**

Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish






40 368 001 **4005176326219** **4.99**

Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 372 001 **4005176326226** **5.99**

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 000)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)






40 460 001 **Chrome** **4005176327803** **14.16**

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish






40 459 001 **Chrome** **4005176327810** **20.83**


BauCosmopolitan
Towel rail
material: metal
522 mm (useable length 430 mm)
concealed fastening
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 462 001	Chrome	4005176327827	76.24


BauCosmopolitan
Multi-towel rack
material: metal
564 mm (useable length 510 mm)
concealed fastening
GROHE StarLight chrome finish

 	40 461 001	Chrome	4005176327858	8.74


BauCosmopolitan
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 457 001	Chrome	4005176327865	17.91


BauCosmopolitan
Toilet Roll Holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

 	40 463 001	Chrome	4005176327872	23.33

BauCosmopolitan
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

 	40 663 001	Chrome	4005176327834	40.41

BauCosmopolitan
Large corner basket







 	40 664 001	Chrome	4005176327841	32.49

BauCosmopolitan
Corner Basket, small

GROHE
ESSENTIALS AUTHENTIC











GROHE
ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**40 652 001** **40 652 EN1**	**Chrome** **brushed nickel**	**4005176324321** **4005176324239**	**18.51** **25.66**
	Essentials Authentic **Glass/soap dish holder** material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening **GROHE StarLight** chrome finish			
 	**40 394 001**	**Chrome**	**4005176326233**	**14.99**
	Essentials **Soap dispenser** material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) **GROHE StarLight** chrome finish			
 	**40 368 001**		**4005176326219**	**4.99**
	Essentials **Soap dish** material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	**40 372 001**		**4005176326226**	**5.99**
	Essentials **Crystal glass** material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
 	**40 655 001** **40 655 EN1**	**Chrome** **brushed nickel**	**4005176324338** **4005176324246**	**18.51** **25.66**
	Essentials Authentic **Towel ring** material: metal concealed fastening **GROHE StarLight** chrome finish			
 	**40 653 001** **40 653 EN1**	**Chrome** **brushed nickel**	**4005176324345** **4005176324253**	**29.03** **37.03**
	Essentials Authentic **Towel rail** material: metal 626 mm (useable length 582 mm) concealed fastening **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 654 001 40 654 EN1	Chrome brushed nickel	4005176324352 4005176324260	50.08 69.85
	Essentials Authentic **Double towel rail** material: metal 626 mm (useable length 582 mm) concealed fastening **GROHE StarLight** chrome finish			
 	40 660 001 40 660 EN1	Chrome brushed nickel	4005176324369 4005176324277	96.79 138.86
	Essentials Authentic **Multi-towel rack** material: metal 586 mm (useable length 542 mm) concealed fastening **GROHE StarLight** chrome finish			
 	40 656 001 40 656 EN1	Chrome brushed nickel	4005176324383 4005176324291	10.09 13.88
	Essentials Authentic **Robe hook** material: metal concealed fastening **GROHE StarLight** chrome finish			
 	40 657 001 40 657 EN1	Chrome brushed nickel	4005176324390 4005176324307	21.88 30.29
	Essentials Authentic **Toilet roll holder** material: metal without cover concealed fastening **GROHE StarLight** chrome finish			
 	40 658 001 40 658 EN1	Chrome brushed nickel	4005176324406 4005176324314	29.88 42.08
	Essentials Authentic **Toilet brush set** material: glass / metal wall mounted concealed fastening **GROHE StarLight** chrome finish			
 	40 659 001 40 659 EN1	Chrome brushed nickel	4005176324376 4005176324284	32.81 42.50
	Essentials Authentic **Corner Basket, small** material: metal concealed fastening **GROHE StarLight** chrome finish			

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	267
Grohtherm 2 handle trim sets	279
Grohtherm 3000 Cosmopolitan	287
Grohtherm 2000	291
Grohtherm Cube	297
Grohtherm 1000 Cosmopolitan M	301
Grohtherm 1000	305
Grohtherm 800	309

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.


In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.

GROHE
TURBOSTAT

Always the right temperature, for ultimate convenience and safety.
GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.






Exceptionally swift reaction to water-pressure fluctuations.

without GROHE TurboStat

with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.




GROHE
COOLTOUCH

Safety first with 100% GROHE CoolTouch.
GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface - so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.







Safety surround = 100% GROHE CoolTouch
No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS:
GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.





NEW GROHE TWO-HANDLE THERMOSTATS: **ROUND, SQUARE OR CUBE?**

new

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.





THE BEST OF BOTH WORLDS:
GROHE SMARTCONTROL COMBI SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl combi shower system, which offers a range of different installation options and possible combinations.
This means for example, that you are free to position the thermostat either vertically under the showerhead or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.





DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

new

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.






GROHTHERM
3000 COSMOPOLITAN

Minimalist & 100% GROHE CoolTouch.
Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50%.





GROHTHERM
2000

100% GROHE CoolTouch, advanced ergonomics & EasyReach tray.
The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL WaterFall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100% GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 is available as classic exposed shower thermostat, as a variant with GROHE EasyReach storage and in trim sets for concealed installation.





GROHTHERM
CUBE

100% Cube.
For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From it's Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic faucet and shower designs.





GROHTHERM **1000**
COSMOPOLITAN

Minimalistic design with ergonomic metal handle.
Offering quality, technology and design at a competitive price, Grohtherm 1000 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.





Automatic diverter
automatically returns from hand shower to bath spout when off

Metal grip
Ergonomic metal handle – easy to use with soapy hands.

EcoButton
saving up to 50 % water.


GROHE TurboStat
For a perfect water temperature at all times.

SafeStop
Temperature stop protects against scalding.

GROHTHERM
1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.
Enjoy taking a refreshing shower more then ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.






GROHTHERM
800

SAFE AND ERGONOMIC.
Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38°C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.






GROHE
GROHTHERM
SMARTCONTROL



GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 123 000 **Chrome** **4005176413292** **475.41**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 124 000 **Chrome** **4005176413308** **517.67**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 125 000 **Chrome** **4005176413315** **621.20**

Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 126 000 **Chrome** **4005176413322** **559.92**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 127 000 **Chrome** **4005176413339** **341.24**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 153 LS0 **moon white** **4005176413582** **611.69**


Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 156 LS0 **moon white** **4005176413599** **653.94**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 157 LS0 **moon white** **4005176413605** **696.20**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 158 LS0 **moon white** **4005176413612** **432.09**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 118 000	Chrome	4005176412240	454.50
29 118 DC0	supersteel	4005176455032	606.00
29 118 BE0	polished nickel	4005176492952	653.00
29 118 EN0	brushed nickel	4005176492969	653.00
29 118 GL0	cool sunrise	4005176492976	653.00
29 118 GN0	brushed cool sunrise	4005176492983	653.00
29 118 DA0	warm sunset	4005176492990	653.00
29 118 DL0	brushed warm sunset	4005176493003	653.00
29 118 A00	hard graphite	4005176493010	653.00
29 118 AL0	Brushed Hard Graphite	4005176455049	653.00






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 119 000	Chrome	4005176412257	524.19
29 119 DC0	supersteel	4005176455056	647.41
29 119 BE0	polished nickel	4005176493027	711.00
29 119 EN0	brushed nickel	4005176493034	711.00
29 119 GL0	cool sunrise	4005176493041	711.00
29 119 GN0	brushed cool sunrise	4005176493058	711.00
29 119 DA0	warm sunset	4005176493065	711.00
29 119 DL0	brushed warm sunset	4005176493072	711.00
29 119 A00	hard graphite	4005176493089	711.00
29 119 AL0	Brushed Hard Graphite	4005176455063	711.00





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 120 000	**Chrome**	**4005176412264**	**593.88**
29 120 DC0	**supersteel**	**4005176455070**	**792.00**
29 120 BE0	**polished nickel**	**4005176493096**	**853.00**
29 120 EN0	**brushed nickel**	**4005176493102**	**853.00**
29 120 GL0	**cool sunrise**	**4005176493119**	**853.00**
29 120 GN0	**brushed cool sunrise**	**4005176493126**	**853.00**
29 120 DA0	**warm sunset**	**4005176493133**	**853.00**
29 120 DL0	**brushed warm sunset**	**4005176493140**	**853.00**
29 120 A00	**hard graphite**	**4005176493157**	**853.00**
29 120 AL0	**Brushed Hard Graphite**	**4005176455087**	**853.00**






Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min

35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 121 000	**Chrome**	**4005176412271**	**535.30**
29 121 DC0	**supersteel**	**4005176455094**	**714.00**
29 121 BE0	**polished nickel**	**4005176493164**	**769.00**
29 121 EN0	**brushed nickel**	**4005176493171**	**769.00**
29 121 GL0	**cool sunrise**	**4005176493188**	**769.00**
29 121 GN0	**brushed cool sunrise**	**4005176493195**	**769.00**
29 121 DA0	**warm sunset**	**4005176493201**	**769.00**
29 121 DL0	**brushed warm sunset**	**4005176493218**	**769.00**
29 121 A00	**hard graphite**	**4005176493225**	**769.00**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**769.00**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000		**4005176413469**	**126.25**

GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL






Ref. No.	Colour	EAN code	Retail Guide Price (£)
29 122 000	Chrome	4005176412288	326.23
29 122 DC0	supersteel	4005176455117	436.00
29 122 BE0	polished nickel	4005176493232	469.00
29 122 EN0	brushed nickel	4005176413728	469.00
29 122 GL0	cool sunrise	4005176515194	469.00
29 122 GN0	brushed cool sunrise	4005176515200	469.00
29 122 DA0	warm sunset	4005176515217	469.00
29 122 DL0	brushed warm sunset	4005176515224	469.00
29 122 A00	hard graphite	4005176515231	469.00
29 122 AL0	Brushed Hard Graphite	4005176455124	469.00

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation





29 150 LS0	moon white	4005176413544	611.69

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon
and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 600 000		4005176413469	126.25

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 151 LS0 **moon white** **4005176413551** **653.94**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 904 LS0 **moon white** **4005176413568** **696.20**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 152 LS0 **moon white** **4005176413575** **432.09**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**34 742 000**	**Chrome**	**4005176484094**	**1,235.00**


Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600 000
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

 	**34 706 000**	**Chrome**	**4005176413797**	**1,308.95**


Grohtherm SmartControl
Perfect shower set with Rainshower 310 SmartActive Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)

 	**34 743 000**	**Chrome**	**4005176484100**	**1,150.48**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600 000
Rainshower Cosmopolitan 210 head shower set (26 062 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

 	**34 744 000**	**Chrome**	**4005176484117**	**966.66**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600 000
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400)
Silverflex shower hose 1250 mm (28 362)


 	**34 705 000**	**Chrome**	**4005176413285**	**1,319.51**

Grohtherm SmartControl
Perfect shower set with Rainshower 310 SmartActive
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600 000
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367 000)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 713 000 **Chrome** **4005176409776** **844.11**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately






34 714 000 **Chrome** **4005176409783** **791.28**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow

requires concealed body 26 449 000 – to be ordered separately






26 449 000 **4005176409790** **263.05**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device





34 719 000 **Chrome** **4005176457654** **353.91**


Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	34 718 000	**Chrome**	**4005176457647**	**389.83**






Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

	34 721 000	**Chrome**	**4005176457678**	**459.56**






Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 900 mm (27 226 001)

	34 720 000	**Chrome**	**4005176457661**	**453.22**





Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 600 mm (27 231 001)


GROHE GROHTHERM 2 HANDLE TRIM SETS



GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 078 000 **Chrome** **4005176466038** **349.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **Chrome** **4005176466045** **389.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 080 000 **Chrome** **4005176466052** **389.00**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**34 728 000**	**Chrome**	**4005176466069**	**538.00**


Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately

	**34 729 000**	**Chrome**	**4005176466076**	**604.00**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

	**34 730 000**	**Chrome**	**4005176466342**	**1,307.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)


	**34 734 000**	**Chrome**	**4005176466403**	**922.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
shower arm Rainshower 422 mm (26 146 000)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 075 000 **Chrome** **4005176465987** **349.00**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **Chrome** **4005176465994** **389.00**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 077 000 **Chrome** **4005176466007** **389.00**

Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**34 726 000**	**Chrome**	**4005176466014**	**528.00**


Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately

 	**34 727 000**	**Chrome**	**4005176466021**	**591.00**


Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)

 	**34 731 000**	**Chrome**	**4005176466359**	**1,307.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
shower arm Rainshower 422 mm (26 146 000)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

 	**34 732 000**	**Chrome**	**4005176466366**	**897.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)


 	**34 735 000**	**Chrome**	**4005176466410**	**736.00**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan Headshower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 153 000 **Chrome** **4005176481178** **453.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 154 000 **Chrome** **4005176481185** **505.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 155 000 **Chrome** **4005176481192** **505.00**

Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**34 741 000**	**Chrome**	**4005176481208**	**1,196.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)


GROHE
GROHTHERM 3000
COSMOPOLITAN



GROHE
GROHTHERM 3000 COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 274 000 **Chrome** **4005176847905** **410.96**

Grohtherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves, dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow






34 276 000 **Chrome** **4005176847929** **484.91**

Grohtherm 3000 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EcoJoy technology for less water and perfect flow






34 277 000 **Chrome** **4005176847936** **442.65**

Grohtherm 3000 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
Aquadimmer with multiple function
- flow control
- diverter: bath/shower
shower bottom outlet 1/2", mousseur
built-in non return valves, dirt strainers
protected against backflow
without connection unions for wall mounting





34 275 000 **Chrome** **4005176847912** **601.12**


Grohtherm 3000 Cosmopolitan
Thermostatic shower mixer 1/2"
with shower set
Grohtherm 3000 Cosmopolitan
thermostat shower mixer (34 274 000)
Rainshower Cosmopolitan shower set
(28 757 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 3000 COSMOPOLITAN


	Ref. No.	Colour	EAN code	Retail Guide Price (£)






19 470 000 **Chrome** **4005176848018** **62.33**

Grohtherm 3000 Cosmopolitan
Concealed stop-valve trim
set for final installation for
35 028 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
metal escutcheon with wall sealing
shut-off valve






35 028 000 **4005176908316** **125.71**

GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4“
connection threads 1/2“
installation depth 70 - 95 mm






29 811 000 **4005176062711** **49.49**

Concealed stop valve 1/2“
preassembled ceramic headpart 1/2“
180°
threaded union 1/2“
installation depth adjustable
25 - 80 mm
DR-brass





29 813 000 **4005176062735** **79.79**

Concealed stop valve 3/4“
pre-assembled ceramic headpart 3/4“
90°
threaded union 3/4“
installation depth adjustable
25 - 80 mm
DR-brass



47 175 000 **4005176803895** **150.49**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings


GROHE
GROHTHERM 2000



GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 469 001 **Chrome** **4005176926396** **315.88**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow






34 446 001 **Chrome** **4005176926402** **294.75**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet





34 170 001 **Chrome** **4005176926471** **273.62**


Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 464 001	**Chrome**	**4005176926433**	**358.14**






Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 174 001	**Chrome**	**4005176926426**	**358.14**






Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 466 001 **Chrome** **4005176926440** **368.70**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2“
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
shower bottom outlet 1/2“
- diverter: bath/shower
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 1 bar
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow






34 484 001 **Chrome** **4005176932519** **379.27**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2“
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2“
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow






34 281 001 **Chrome** **4005176926501** **463.78**


Grohtherm 2000
Thermostatic shower mixer 1/2“ with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 195 001	Chrome	4005176926631	315.88

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

 	18 608 001	Chrome	4005176985140	41.20

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

	47 175 000		4005176803895	150.49

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings


GROHE
GROHTHERM CUBE



GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 509 000 **Chrome** **4005176941801** **347.57**

Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
shower bottom outlet 1/2"
ceramic headpart 1/2", 180°
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow






34 508 000 **Chrome** **4005176941795** **453.22**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





18 700 000 **daVinci satin white** **4005176940811** **41.20**


Grohtherm Cube
GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
Da Vinci satin white finish
suitable for Grohterm Cube
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






24 153 000 **Chrome** **4005176481178** **453.00**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 154 000 **Chrome** **4005176481185** **505.00**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 155 000 **Chrome** **4005176481192** **505.00**


Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600 000
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed shower and bath symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN code	Retail Guide Price (£)





34 741 000 **Chrome** **4005176481208** **1,196.00**

Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)



47 175 000 **4005176803895** **150.49**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 1000
COSMOPOLITAN M



GROHE
GROHTHERM 1000 COSMOPOLITAN M

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 065 002	Chrome	4005176310775	241.93
34 065 DC2	supersteel	4005176374432	284.18
34 065 BE2	polished nickel	4005176426834	347.57
34 065 EN2	brushed nickel	4005176426841	347.57
34 065 GL2	cool sunrise	4005176426773	347.57
34 065 GN2	brushed cool sunrise	4005176426780	347.57
34 065 DA2	warm sunset	4005176426797	347.57
34 065 DL2	brushed warm sunset	4005176426803	347.57
34 065 A02	hard graphite	4005176426827	347.57
34 065 AL2	Brushed Hard Graphite	4005176426810	347.57






Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

---

34 440 002 **Chrome** 4005176311048 241.93






Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

---

34 268 002 **Chrome** 4005176310997 231.36






Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 COSMOPOLITAN M

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 441 002 **Chrome** **4005176311031** **284.18**

Grohtherm 1000 Cosmopolitan M
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 323 002 **Chrome** **4005176311024** **273.62**

Grohtherm 1000 Cosmopolitan M
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow






34 286 002 **Chrome** **4005176311000** **284.18**

Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

GROHE
GROHTHERM 1000 COSMOPOLITAN M

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 321 002 **Chrome** **4005176311017** **284.18**

Grohtherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002)
Euphoria 110 Massage shower set, 900 mm (27 226 001)






34 430 000 **Chrome** **4005176917981** **241.93**

Grohtherm 1000 Cosmopolitan
Thermostat shower mixer 3/4"
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
recommended pressure 0.5 - 5.0 bar
max. pressure differential 5:1






34 437 000 **Chrome** **4005176918025** **284.18**

Grohtherm 1000 Cosmopolitan
Thermostatic shower mixer 3/4"
with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000)
Euphoria Mono shower set (27 256 001) with
GROHE DreamSpray
recommended pressure 0.5 - 5.0 bar
max. pressure differential 5:1
Euphoria Shower set (27 256 001)





34 448 000 **Chrome** **4005176919183** **358.14**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer ¾"
GROHE StarLight chrome finish
chromed scale rings
GROHE SafeStop Plus, removable max. temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.5 - 5.0 bar
max. pressure differential 5:1



47 175 000 **4005176803895** **150.49**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 1000



GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 143 003 **Chrome** **4005176309618** **220.80**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow






34 438 003 **Chrome** **4005176309632** **220.80**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow





34 146 003 **Chrome** **4005176309625** **210.23**


Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 155 003 **Chrome** **4005176310027** **273.62**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 439 003 **Chrome** **4005176310041** **284.18**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 156 003 **Chrome** **4005176310034** **284.18**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 256 004 **Chrome** **4005176456671** **273.62**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower set II, 900 mm (27 646)






34 151 004 **Chrome** **4005176456664** **269.40**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar





34 557 001 **Chrome** **4005176456688** **241.93**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 438 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)



47 175 000 **4005176803895** **150.49**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 800



GROHE
GROHTHERM 800

Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 562 000	**Chrome**	**4005176310102**	**199.67**






Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

34 567 000	**Chrome**	**4005176310157**	**241.93**






Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow

34 569 000	**Chrome**	**4005176310171**	**241.93**






Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

	Ref. No.	Colour	EAN code	Retail Guide Price (£)





34 565 001 **Chrome** **4005176456718** **210.23**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 1 bar



47 175 000 **4005176803895** **150.49**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 1000, Grohtherm 1000 Cosmopolitan, Grohtherm 2000, Grohtherm Cube and Grohtherm 3000 exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox 323
GROHE Rapido C / Concealed Valves 326

MASTERPIECE OF **TECHNOLOGY**
GROHE RAPIDO SMARTBOX SYSTEM

With it's universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options ans so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom exteds seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic apprearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.







GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with Grohe Aquadimmer



SINGLE-LEVER MIXERS




- New trims in coordinated design for all Grohe bath lines
- 1-, 2- and 3-function models
- Slim wall plates with Grohe QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX
OVERVIEW SINGLE-LEVER MIXER TRIM SETS


	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
Europlus	 24 095 002	 24 060 002	

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24046003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	

GROHE RAPIDO SMARTBOX
OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	 24 153 000	 24 154 000	 24 155 000
Grohtherm (square)	 24 078 000	 24 079 000	 24 080 000
Grohtherm (round)	 24 075 000	 24 076 000	 24 077 000


GROHE RAPIDO SMARTBOX
OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions		3 functions	4 functions	
Grohtherm SmartControl round	 29 118 000	 29 119 000	 29 120 000	 29 121 000	  29 118 000 + 29 122 000	
Grohtherm SmartControl square	 29 123 000	 29 124 000	 29 125 000	 29 126 000	  29 123 000 + 29 127 000	
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0		 29 904 LS0	  29 150 LS0 + 29 152 LS0	
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0		 29 157 LS0	  29 153 LS0 + 29 158 LS0	
SmartControl Mixer round	 29 144 000	 29 145 000		 29 146 000		
SmartControl Mixer square	 29 147 000	 29 148 000		 29 149 000		

GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/ 29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003







* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/ 29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera	 19 944 000			
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000

GROHE
GROHE RAPIDO
SMARTBOX





GROHE
GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**35 600 000**		**4005176413469**	**126.25**
	GROHE Rapido SmartBox **Universal rough-in box, 1/2"** 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation			
 	**14 055 000**		**4005176413520**	**154.25**
	Backflow protection combination (DIN-EN1717) retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers			
 	**14 053 00M**		**4005176413513**	**48.60**
	Service stops fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox packaging unit: 2 pieces			
 	**14 048 000**	**Chrome**	**4005176413483**	**144.73**
	GROHE Rapido SmartBox **Universal extension set single-lever mixers, 25 mm** 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			
 	**14 056 000**	**Chrome**	**4005176466298**	**109.00**
	Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			
 	**14 057 000**	**Chrome**	**4005176466304**	**141.00**
	Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	14 058 000	Chrome	4005176466311	141.00

Universal extension set 2-handle thermostats, 25 mm
fits for concealed 2-handle thermostats in
combination with **GROHE Rapido SmartBox**





	49 003 000	Chrome	4005176413537	198.97

GROHE TurboStat cartridge 3/4“
for reversed inlets (hot water right)
fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
service solution, does not comply with EN1111

 	38 652 000		4005176294778	110.19

Rapid SL
Mounting plate
for fixing concealed fittings and room ventilation
for **studded walls**
for empty elements
for GROHE Rapido
500 x 240 x 77 mm
variable depth adjustment 75-115 mm
with waterproof plywood board for fixation


GROHE
RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**35 028 000**		**4005176908316**	**125.71**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4“ connection threads 1/2“ installation depth 70 - 95 mm			
  	**29 811 000**		**4005176062711**	**49.49**
	Concealed stop valve 1/2“ preassembled ceramic headpart 1/2“ 180° threaded union 1/2“ installation depth adjustable 25 - 80 mm DR-brass			
	29 813 000 **ditto, 3/4“**		**4005176062735**	**79.79**
 	**45 203 000**		**4005176052842**	**19.19**
	Extension-set 200 mm for concealed valves, 1/2“, 3/4“			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	335
	F-digital Controllers	343
Shower Systems	Rainshower System SmartControl	347
	Rainshower System	355
	Euphoria SmartControl System	361
	Euphoria Shower System	365
	Tempesta System	373
	Retro-fit Shower System	377
	Shower System Accessories	379
Head Showers	Head Showers	381
Showers	Sena	407
	Rainshower	411
	Power&Soul	419
	Relexa	425
	Euphoria	429
	Tempesta	439
	Sena Trigger Sprays	453
	Tempesta-F Trigger Sprays	455
	Shower Hoses	457
	Shower Accessories	461

GROHE SHOWERS
INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:







DRIZZLE SPRAYS
Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN
A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY
A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY
Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY
The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY
All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY
A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY
Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS
An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY
The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY
A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY
Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY
A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY
Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY
An extra-rich spray bursting with soft water droplets.




GROHE TRIOMASSAGE SPRAY
The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.


EUPHORIA SMARTCONTROL
YOUR TURN - YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.















Push the button
to start the shower



Turn to adjust
the water volume gradually
from Eco to Full Flow.



Push again to stop or
pause the shower. The volume
is now preset when you restart.


GROHE
F-DIGITAL DELUXE



GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **19,808.07**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 cold mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

this product contains built-in LED lamps, which cannot
be changed: energy efficiency class: A++






26 376 001 **Chrome** **4005176415609** **1,885.78**

Rainshower F-Series 40"
Roughing-in set for floor mounted bath spout and bath/shower mixer
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.






29 126 000 **Chrome** **4005176413322** **559.92**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600 000
metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 600 000 **4005176413469** **126.25**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	26 370 000	Chrome	4005176341380	30.63


Euphoria Cube
Shower outlet elbow, 1/2"
with wall shower holder
male thread
protected against backflow
GROHE StarLight finish

 	27 888 000	Chrome	4005176921179	83.46


Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	28 143 000	Chrome	4005176601347	20.83

Relexaflex Metal Longlife
Metal shower hose 1500
1500 mm
metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

 	27 865 000	Chrome	4005176918179	4,027.48

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.


 	29 069 000		4005176918384	125.71

Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
Consisting of:
2 cable extensions (5 m each)

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 359 000 **Chrome** **4005176918414** **1,192.74**

Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.






29 072 000 **4005176918421** **231.36**

Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)






36 360 000 **Chrome** **4005176918438** **1,023.71**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.





29 073 000 **4005176918445** **231.36**


Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 362 000 **Chrome** **4005176918537** **3,126.06**

GROHE F-digital Deluxe
Steam generator 2.2 kW
with steam outlet and temperature sensor
Consisting of:
steam generator
415 x 445 x 130 mm
suitable for steam rooms up to 2.5 m³
supply voltage 230 V AC, 50Hz
power 2.2 kW
water inlet ¾"
operating pressure 1 - 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55°C
steam outlet 1/2"
type of protection IP 23
CE approved
with euro shockproof plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-limescale system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.






29 074 000 **4005176918469** **368.70**


GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
Consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m



14 015 000 **Chrome** **4005176932748** **130.29**

GROHE F-digital Deluxe
Descaler 6 x 80 g
to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings
and the natural environment
2 bags sufficient for one time descaling
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/






26 374 000 **4005176350825** **854.67**


GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower additional light, sound and steam modules can be connected and controlled
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/ sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000
component to be ordered separately

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 397 000 **4005176999413** **1,023.71**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000






42 429 000 **4005176918520** **104.59**

GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000)
or 1 celing shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz
output voltage: 12 V DC
CE approved





36 371 000 **4005176928970** **579.99**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
Features:
reset switch
status indicatior (LED)
stand alone/maximum configuration
one-to-one connection
with safety cut-off mechanism (1 user)
safety shutdown in case of connection loss
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch

System requirements: Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.






* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 367 000		4005176923203	273.62
	GROHE F-digital Deluxe **Rough-in set base unit box** for use with base unit box (26 374 000 or 36 397 000) 550 x 700 x 110 mm height (100 mm) and depth (50 mm) adjustable with adjustable front frame for installation in wall niches with adjustable front frame for installation in wall niches galvanized and powder coated (RAL 9010, pure white) steel plate 1 mm thick steel plate with two mounting rails and elbow for power outlets and mounting materials			
 	47 837 000		4005176918490	72.89
	GROHE F-digital Deluxe **Cable extension steam generator AquaSymphony, 5 m** extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000) cable extension up to 10 m			
 	47 838 000		4005176918506	72.89
	GROHE F-digital Deluxe **Cable extension sound set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and sound modules (36 360 000) each music module needs a separate extension cable cable extension up to 10 m			
 	47 867 000		4005176923227	72.89
	GROHE F-digital Deluxe **Cable extension light set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
 	47 868 000		4005176923234	72.89
	GROHE F-digital Deluxe **Cable extension for power supply, 5 m** connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
 	47 877 000		4005176923241	72.89
	GROHE F-digital Deluxe **Cable extension temperature sensor, 5 m** extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**40 666 000**	**Chrome**	**4005176935633**	**805.00**
	Spare part LED set spare part for 27 865 000 Consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+			
	**48 348 000**	**Chrome**	**4005176408502**	**28.00**
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
F-DIGITAL CONTROLLERS



GROHE
F-DIGITAL CONTROLLERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 289 000	**Chrome**	**4005176894619**	**1,404.03**






F-digital
Veris F-Digital
Digital controller and digital diverter for bath
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
(temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital diverter for bath
- Diverter: head-, hand shower and bath spout
- LED ring (indication of outlet)
digital thermostat unit (concealed body)
- warm/cold-supplies 1/2"
- 3 outlets 1/2" bath diverter
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires:
built-in power supply 36 078 000
min. recommended pressure 1 bar
energy efficiency class illumination of control unit: not applicable

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 295 000	**Chrome**	**4005176894671**	**1,583.63**






F-digital
Digital controller and digital diverter for shower
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
(temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital diverter for shower
- Diverter: head-, side- and hand shower
- LED ring (indication of outlet)
digital thermostat unit (concealed body)
- warm/cold-supplies 1/2"
- 3 outlets 1/2" shower diverter
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires:
built-in power supply 36 078 000
energy efficiency class illumination of control unit: not applicable

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL CONTROLLERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 292 000 **Chrome** **4005176894640** **981.45**

F-digital
Veris F-Digital
Digital controller for bath or shower
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
(temperature adjustable up to max. 46° C)
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached
digital thermostat unit (concealed body)
- 1 outlet 1/2"
- warm/cold-supplies 1/2"
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
requires:
built-in power supply 36 078 000
energy efficiency class illumination of control unit: not applicable






36 309 000 **Chrome** **4005176894794** **252.49**

F-digital
Digital Controller
Remote Controller for bath or shower
additional multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring
GROHE StarLight chrome finish
energy efficiency class illumination of control unit: not applicable






40 479 000 **Chrome** **4005176894787** **94.02**

Holder plate for Digital Controller & Digital Diverter
vertical or horizontal installation
GROHE StarLight chrome finish






40 548 000 **Chrome** **4005176909832** **119.65**

Holder plate for Digital Controller & Digital Diverter
vertical or horizontal installation
or combination with 36289000 and 36295000
GROHE StarLight chrome finish

GROHE
F-DIGITAL CONTROLLERS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 298 000**	**Chrome**	**4005176894701**	**1,171.61**

Rainshower Solo F-digital
Shower set
includes digital thermostat unit
Digital Controller - intuitive multifunctional operating unit
- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital thermostat unit (concealed body)
- warm/cold-supplies 1/2"
- 1 outlet 1/2"


Rainshower Solo shower set (27 273 001)
Rainshower wall union 1/2" (27 057 000)
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
default setting configurable during installation
- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow


36 078 000 — **4005176856532** — **104.59**

Plug power supply 110-240 V
operating voltage 6V
cable length 400 mm

47 727 000 — **4005176884160** — **29.29**

Connection wire
2-pin
cable length 3 m

36 356 000 — **4005176911347** — **157.41**

GROHE F-digital
Transceiver
optional accessory for digital mixing unit

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAINSHOWER SYSTEM
SMARTCONTROL



GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 250 000 **Chrome** **4005176316999** **1,340.64**

Rainshower System SmartControl 360 DUO
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain





26 250 LS0 **moon white** **4005176317002** **1,319.51**

Rainshower System SmartControl 360 DUO
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting


* to be decided during initial installation; factory default setting: GROHE PureRain

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 361 000 **Chrome** **4005176347580** **1,224.43**

Rainshower System SmartControl 360 MONO
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain





26 361 LS0 **moon white** **4005176409707** **1,213.87**

Rainshower System SmartControl 360 MONO
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting


* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)








26 443 000 **Chrome** **4005176409875** **1,224.43**

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain







26 443 LS0 **moon white** **4005176409882** **1,213.87**

Rainshower System SmartControl 360 DUO
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 446 000	Chrome	4005176409905	1,311.07








Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 446 LS0	moon white	4005176409912	1,311.07








Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower 360 MONO with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 254 000 **Chrome** **4005176317026** **558.86**

Rainshower 360 Duo
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower 360 DUO, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 254 LS0 **moon white** **4005176409806** **664.51**

Rainshower 360 Duo
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower 360 DUO, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 000 **Chrome** **4005176409813** **518.73**

Rainshower 360 Mono
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower 360 MONO, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **4005176409820** **518.73**

Rainshower 360 Mono
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower 360 MONO, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain





26 264 001 **4005176417108** **189.10**


Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 449 000 **4005176409790** **263.05**


Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device





48 349 000 **Chrome** **4005176409851** **105.65**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish



48 350 000 **Chrome** **4005176409868** **132.06**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI



48 348 000 **Chrome** **4005176408502** **28.00**

Spray face
for SmartControl and head showers with multiple Bokoma sprays
including spray face with / without GROHE Logo
including disassembly key


GROHE
RAINSHOWER SYSTEM



GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 174 001 **Chrome** **4005176877162** **1,203.30**

Rainshower System 400
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 472 000 **Chrome** **4005176882814** **1,065.96**

Rainshower System Veris 300
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower 310 (27 471 000)
with ball joint
rotation angle ± 15°
hand shower Ondus (27 185 000)
adjustable height via gliding element
(12 140 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE StarLight chrome finish
Inner WaterGuide for a longer life





27 966 000 **Chrome** **4005176929250** **1,065.96**


Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 968 000 **Chrome** **4005176929687** **1,065.96**

Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.






27 469 000 **Chrome** **4005176882593** **1,065.96**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 569 000 **Chrome** **4005176894275** **1,065.96**
ditto, with non-restricted flow






27 374 000 **Chrome** **4005176877285** **1,308.95**

Rainshower System 210
Shower system with thermostat amd side showers
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle ± 15°
4 adjustable side showers
metal shower hose 1750 mm (28 025)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 032 001	Chrome	4005176877155	939.19






Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 967 000	Chrome	4005176929670	939.19






Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 641 000	Chrome	4005176901645	1,065.96






Rainshower System 210
Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
with ball joint, rotation angle ± 15°
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 175 000 **Chrome** **4005176838507** **939.19**

Rainshower System 400
Shower system with diverter
for wall mounting
horizontal swivable 450 mm projection shower arm
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle ± 20°
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
metal shower hose 1750 mm
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 058 000 **Chrome** **4005176830464** **664.51**

Rainshower System 210
Shower system with diverter
for wall mounting
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle ± 15°
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


GROHE
EUPHORIA
SMARTCONTROL SYSTEM



GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 507 000	**Chrome**	**4005176457586**	**1,044.83**
26 507 LS0	**moon white**	**4005176457609**	**1,203.30**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 508 000	**Chrome**	**4005176457593**	**1,044.83**
26 508 LS0	**moon white**	**4005176457616**	**1,203.30**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 509 000	**Chrome**	**4005176457623**	**907.50**






Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

26 510 000	**Chrome**	**4005176457630**	**1,055.40**





Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar


GROHE EUPHORIA SHOWER SYSTEM



GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 075 000	**Chrome**	**4005176937606**	**780.72**
26 075 DC0	**supersteel**	**4005176371219**	**1,129.35**
26 075 BE0	**polished nickel**	**4005176428593**	**1,583.63**
26 075 EN0	**brushed nickel**	**4005176428609**	**1,583.63**
26 075 GL0	**cool sunrise**	**4005176425332**	**1,583.63**
26 075 GN0	**brushed cool sunrise**	**4005176425349**	**1,583.63**
26 075 DA0	**warm sunset**	**4005176425356**	**1,583.63**
26 075 DL0	**brushed warm sunset**	**4005176425363**	**1,583.63**
26 075 A00	**hard graphite**	**4005176425387**	**1,583.63**
26 075 AL0	**Brushed Hard Graphite**	**4005176425370**	**1,583.00**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

27 296 002	**Chrome**	**4005176417818**	**546.19**






Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 615 001	Chrome	4005176417825	546.19






Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 087 000	Chrome	4005176940828	1,161.05






Euphoria Cube System 230
Shower system with thermoststic mixer for wall mounting
shower arm
projection 400 mm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 363 000 **Chrome** **4005176339264** **664.51**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting





27 964 000 **Chrome** **4005176929595** **685.64**


Euphoria System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 249 000	**Chrome**	**4005176317156**	**558.86**






Euphoria System 190
Shower system with thermostat for wall mounting
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle ± 15°
hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001)
adjustable height via gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 296 001	**Chrome**	**4005176896293**	**579.99**







Euphoria System 180
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 475 001 **Chrome** **4005176417863** **683.53**

Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar





26 114 001 **Chrome** **4005176417870** **669.79**


Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 473 001	Chrome	4005176417900	491.25






Euphoria System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
23 061 002	Chrome	4005176417917	518.73






Euphoria Concetto System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 421 002 **Chrome** **4005176417924** **436.32**

Euphoria System 260
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar





27 911 000 **Chrome** **4005176921902** **474.35**

Euphoria Power&Soul System 190
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
Power&Soul head shower (27 766 000)
with ball joint
rotation angle ± 15°
hand shower Power&Soul 115 (27 671 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
TEMPESTA SYSTEM



GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 922 001 **Chrome** **4005176985348** **491.25**

Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)





26 302 001 **Chrome** **4005176408137** **491.25**


Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM


Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 922 000	**Chrome**	**4005176923364**	**506.04**






Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 223 001	**Chrome**	**4005176408144**	**628.59**






Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 224 001 **Chrome** **4005176408168** **436.32**

Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1 bar





26 381 001 **Chrome** **4005176451980** **241.93**

Tempesta System 210
Flex shower system with diverter for wall mounting
Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
Rain spray pattern
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RETRO-FIT SHOWER SYSTEM



GROHE
RETRO-FIT SHOWER SYSTEM

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	26 190 001	**Chrome**	**4005176408267**	**576.83**






Retrofit System 210
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
built-in diverter allows change between:
head shower Tempesta 210 (26 410)
Rain spray pattern
GROHE EcoJoy 9.5 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)
angle adapter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
min. recommended pressure 1 bar

26 191 000	**Chrome**	**4005176305740**	**29.29**





Retro-fit
spacer
for GROHE Retro-fit shower system 26 190 000
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER SYSTEM
ACCESSORIES



GROHE
SHOWER SYSTEM ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)





48 349 000 **Chrome** **4005176409851** **105.65**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish




48 350 000 **Chrome** **4005176409868** **132.06**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI






14 014 000 **Chrome** **4005176929274** **51.76**

Rainshower
Shower arm for shower systems
metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems








26 191 000 **Chrome** **4005176305740** **29.29**

Retro-fit
spacer
for GROHE Retro-fit shower system 26 190 000
GROHE StarLight chrome finish





26 362 LN0 **white** **4005176339257** **19.19**

GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS



GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 254 000	**Chrome**	**4005176317026**	**558.86**






Rainshower 360 Duo
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower 360 DUO, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 254 LS0	**moon white**	**4005176409806**	**664.51**






Rainshower 360 Duo
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower 360 DUO, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 450 000	**Chrome**	**4005176409813**	**518.73**






Rainshower 360 Mono
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower 360 MONO, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 450 LS0	**moon white**	**4005176409820**	**518.73**






Rainshower 360 Mono
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower 360 MONO, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

26 264 001	**4005176417108**	**189.10**







Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**26 475 000**	**Chrome**	**4005176423758**	**496.54**


Rainshower 310 SmartActive
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive, spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

 	**26 475 LS0**	**moon white**	**4005176425899**	**651.83**


Rainshower 310 SmartActive
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

 	**26 477 000**	**Chrome**	**4005176423772**	**496.54**

Rainshower 310 SmartActive
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive, spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely


 	**26 477 LS0**	**moon white**	**4005176425912**	**651.83**

Rainshower 310 SmartActive
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely


 	**26 479 000**	**Chrome**	**4005176425196**	**522.95**

Rainshower 310 SmartActive Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely
head shower Rainshower 310 SmartActive Cube, spray plate chrome


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**26 479 LS0**	**moon white**	**4005176425936**	**678.25**


Rainshower 310 SmartActive Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

 	**26 481 000**	**Chrome**	**4005176425219**	**522.95**


Rainshower 310 SmartActive Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

 	**26 481 LS0**	**moon white**	**4005176425950**	**678.25**

Rainshower 310 SmartActive Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower 310 SmartActive Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separetely

 	**26 483 000**	**Chrome**	**4005176425103**	**103.54**

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
without set for final installation

 	**26 484 000**	**Chrome**	**4005176425110**	**103.54**


Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 558 000	**Chrome**	**4005176481727**	**350.00**

Rainshower 310 Mono
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
shower arm Rainshower 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 557 000	**Chrome**	**4005176481710**	**350.00**

ditto, with non-restricted flow






26 560 000	**Chrome**	**4005176481741**	**350.00**

Rainshower 310 Mono
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 559 000	**Chrome**	**4005176481734**	**350.00**

ditto, with non-restricted flow






26 564 000	**Chrome**	**4005176481789**	**375.00**

Rainshower 310 Mono Cube
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 568)
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 563 000	**Chrome**	**4005176481772**	**375.00**

ditto, with non-restricted flow





26 566 000	**Chrome**	**4005176482106**	**375.00**

Rainshower 310 Mono Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 568)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar


26 565 000	**Chrome**	**4005176482090**	**375.00**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 255 000	**Chrome**	**4005176317415**	**791.28**






Rainshower Cosmopolitan 400
Head shower set 422 mm, 1 spray
Consisting of:
metal head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

26 256 000	**Chrome**	**4005176318597**	**727.90**






Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
min. recommended pressure 1 bar

26 257 000	**Chrome**	**4005176317927**	**527.17**






Rainshower 310
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve
suitable for instantaneous heater
min. recommended pressure 1 bar

26 066 000	**Chrome**	**4005176937200**	**495.48**
26 066 DC0	**supersteel**	**4005176371172**	**675.07**
26 066 BE0	**polished nickel**	**4005176427244**	**712.05**
26 066 EN0	**brushed nickel**	**4005176427251**	**712.05**
26 066 GL0	**cool sunrise**	**4005176427183**	**712.05**
26 066 GN0	**brushed cool sunrise**	**4005176427190**	**712.05**
26 066 DA0	**warm sunset**	**4005176427206**	**712.05**
26 066 DL0	**brushed warm sunset**	**4005176427213**	**712.05**
26 066 A00	**hard graphite**	**4005176427237**	**712.05**
26 066 AL0	**Brushed Hard Graphite**	**4005176427220**	**712.05**





Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve

26 056 000	**Chrome**	**4005176937101**	**495.48**


ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 067 000	**Chrome**	**4005176937217**	**495.48**
26 067 DC0	**supersteel**	**4005176371189**	**675.07**
26 067 BE0	**polished nickel**	**4005176427329**	**712.05**
26 067 EN0	**brushed nickel**	**4005176427336**	**712.05**
26 067 GL0	**cool sunrise**	**4005176427268**	**712.05**
26 067 GN0	**brushed cool sunrise**	**4005176427275**	**712.05**
26 067 DA0	**warm sunset**	**4005176427282**	**712.05**
26 067 DL0	**brushed warm sunset**	**4005176427299**	**712.05**
26 067 A00	**hard graphite**	**4005176427312**	**712.05**
26 067 AL0	**Brushed Hard Graphite**	**4005176427305**	**712.05**





Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve


26 057 000	**Chrome**	**4005176937118**	**495.48**

ditto, with non-restricted flow

---

26 068 000	**Chrome**	**4005176937224**	**442.65**





Rainshower Veris 300
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Veris (27 471 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


26 058 000	**Chrome**	**4005176937125**	**416.51**

ditto, with non-restricted flow

---

26 069 000	**Chrome**	**4005176937231**	**442.65**





Rainshower Veris 300
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Veris (27 471 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


26 059 000	**Chrome**	**4005176937132**	**442.65**

ditto, with non-restricted flow

---

26 070 000	**Chrome**	**4005176937248**	**442.65**





Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


26 060 000	**Chrome**	**4005176937149**	**442.65**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 071 000 **Chrome** **4005176937255** **442.65**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 061 000 **Chrome** **4005176937156** **442.65**
ditto, with non-restricted flow






26 064 000 **Chrome** **4005176937187** **506.04**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 054 000 **Chrome** **4005176937088** **506.04**
ditto, with non-restricted flow






26 065 000 **Chrome** **4005176937194** **463.78**

Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 055 000 **Chrome** **4005176937095** **495.48**
ditto, with non-restricted flow





26 062 000 **Chrome** **4005176937163** **358.14**

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure


26 052 000 **Chrome** **4005176937064** **358.14**
ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 063 000 **Chrome** **4005176937170** **358.14**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
DropStop no afterdripping from the horizontal
shower head after closing the valve
starting at 0.5 bar flow pressure

26 053 000 **Chrome** **4005176937071** **358.14**
ditto, with non-restricted flow






26 053 LS0 **moon white** **4005176997334** **455.34**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 210 metal head shower, spray plate white (28 368 LS0)
1 spray pattern:
Rain
shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
starting at 0.5 bar flow pressure






26 459 000 **Chrome** **4005176416965** **211.29**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 458 000 **Chrome** **4005176416958** **211.29**
ditto, with non-restricted flow





26 461 000 **Chrome** **4005176416989** **167.97**


Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 460 000 **Chrome** **4005176416972** **167.97**
ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 072 000	**Chrome**	**4005176937262**	**178.54**






Euphoria Cosmopolitan 180
Head shower set 286 mm, 1 spray
head shower Euphoria Cosmopolitan (27 492 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 073 000	**Chrome**	**4005176937279**	**220.80**






Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 412 000	**Chrome**	**4005176390173**	**153.19**






Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 414 000	**Chrome**	**4005176408090**	**128.89**






Tempesta 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 210 (26 410)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 413 000	**Chrome**	**4005176390180**	**153.19**

ditto, with non-restricted flow

26 267 001	**Chrome**	**4005176444197**	**54.93**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
for **low pressure**
Min. recommended pressure 1.0 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	27 869 001	Chrome	4005176444005	73.95






Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 090 001	Chrome	4005176443992	68.67






Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 089 001	Chrome	4005176444067	65.50






Tempesta Rustic 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **19,808.07**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 cold mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

this product contains built-in LED lamps, which cannot
be changed: energy efficiency class: A++






26 376 001 **Chrome** **4005176415609** **1,885.78**

Rainshower F-Series 40"
Roughing-in set for floor mounted bath spout and bath/shower mixer
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.






27 865 000 **Chrome** **4005176918179** **4,027.48**

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	27 286 000	Chrome	4005176860737	1,689.28



Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


	27 939 001	Chrome	4005176927287	2,893.64



Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min


head shower has to be controlled by 4 outlets


	27 938 001	Chrome	4005176927072	2,893.64



Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
Requires Rough-in (26 042) - to be ordered separately


head shower has to be controlled by 4 outlets

	26 042 000		4005176935954	187.95



Rainshower F-Series 15"
Roughing-in set for floor mounted bath spout and bath/shower mixer
for use with Rainshower F-Series 15" Multi Spray head shower
295 mm (width) x 121 mm (height) x 181 mm (depth)
Max. installation depth: 91 mm
Min. wall thickness: not less than 200 mm
Minimum screw-in depth of stud bolts: 14 mm
Full metal construction
Waterways: Brass
1/2" connections

	27 467 000	Chrome	4005176882609	579.99




Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 285 000	**Chrome**	**4005176860713**	**421.52**





Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
metal
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


27 271 000	**Chrome**	**4005176860690**	**421.52**

ditto, with non-restricted flow

---

27 251 000	**Chrome**	**4005176856327**	**104.59**






Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system

---

27 253 000	**Chrome**	**4005176856365**	**157.41**






Rainshower F-Series 5"
Head shower 1 spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread with pre-assembled
sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system

---

26 569 000	**Chrome**	**4005176482175**	**287.00**
26 569 EN0	**brushed nickel**	**4005176482182**	**430.00**





Rainshower 310 Mono
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 562 000	**Chrome**	**4005176481765**	**287.00**
26 562 LS0	**moon white**	**4005176482144**	**373.00**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 561 000	**Chrome**	**4005176481758**	**287.00**
26 561 LS0	**moon white**	**4005176482137**	**373.00**

ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 570 000	**Chrome**	**4005176482199**	**312.00**
26 570 EN0	**brushed nickel**	**4005176482205**	**468.00**



Rainshower 310 Mono Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 568 000	**Chrome**	**4005176482120**	**312.00**
26 568 LS0	**moon white**	**4005176482168**	**406.00**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter


26 567 000	**Chrome**	**4005176482113**	**312.00**
26 567 LS0	**moon white**	**4005176482151**	**406.00**

ditto, with non-restricted flow

---

27 287 000	**Chrome**	**4005176842061**	**527.17**






GROHE Ondus 210
Head shower 1 spray
Ø 210 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
This headshower should only be used
in conjunction with shower arm **28 497 000,**
28 576 000, 28 361 000 or 28 982 000

---

27 861 000	**Chrome**	**4005176918131**	**622.25**






Rainshower Veris 300
Ceiling shower 1 spray
Rain
300 x 150 mm
metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

27 470 000	**Chrome**	**4005176882531**	**442.65**






Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

27 863 000	**Chrome**	**4005176918155**	**632.82**






Rainshower Allure 230
Ceiling shower 1 spray
Rain
230 x 230 mm
metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 469 000**	**Chrome**	**4005176423970**	**469.00**

Rainshower Allure 230
Head shower 1 spray
Rain
230 x 230 mm
metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

 	**27 479 000**	**Chrome**	**4005176883309**	**453.22**


Rainshower Allure 230
Head shower 1 spray
Rain
230 x 230 mm
metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	**28 778 000**	**Chrome**	**4005176820526**	**611.69**

Rainshower Cosmopolitan 400
Head shower 1 spray
diameter 400 mm
metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1 bar
this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497

	**26 472 000**	**Chrome**	**4005176424908**	**484.00**

Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

 	**27 477 000**	**Chrome**	**4005176883286**	**463.78**


Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 368 00E	**Chrome**	**4005176867385**	**315.88**






Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
Ø 210 mm
metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 368 000	**Chrome**	**4005176267253**	**210.23**

ditto, with non-restricted flow

27 134 000	**Chrome**	**4005176836060**	**115.15**





Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 474 000	**Chrome**	**4005176424939**	**350.00**
26 474 BE0	**polished nickel**	**4005176424953**	**455.00**
26 474 EN0	**brushed nickel**	**4005176424946**	**455.00**
26 474 ZB0	**antique bronze**	**4005176424960**	**455.00**



Rainshower Rustic 210
Head shower 1 spray
Rain spray pattern
normal (wide) spray **starting at 0.5** bar flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 375 000	**Chrome**	**4005176267338**	**337.01**




Rainshower Rustic 210
Head shower 1 spray
Rain
normal (wide) spray **starting at 0.5** bar flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 369 000	**Chrome**	**4005176267260**	**337.01**

ditto, with non-restricted flow

27 128 000	**Chrome**	**4005176835995**	**146.84**






Rainshower Rustic 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
ball joint wih turning angle 15° ± 15°
connection thread 1/2"
GROHE StarLight chrome finish
SpeedClean anti-limescale system
recommended for use with Rainshower shower arms

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 370 000 **Chrome** **4005176877773** **157.41**

Rainshower Solo 190
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar






27 976 000 **Chrome** **4005176932816** **410.96**

Rainshower Grandera 210
Head shower 1 spray
Rain
210 x 210 mm
metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 974 000 **Chrome** **4005176932793** **410.96**
27 974 IG0 **chrome/gold** **4005176933486** **537.73**

Grandera 210
Head shower 1 spray
221 x 221 mm
metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 765 000 **Chrome** **4005176913129** **136.28**

Power&Soul Cosmopolitan 190
Wall holder set 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life







27 767 000 **Chrome** **4005176913150** **125.71**


Power&Soul 190
Wall holder set 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 308 000	Chrome	4005176254949	120.19


Sena 75
Head shower 1 spray
Normal spray
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 530 000	Chrome	4005176889219	442.65


Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 062 000	Chrome	4005176831669	189.10

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 065 000	Chrome	4005176832109	157.41

Relexa 100 Trio
Head shower 3 sprays
Wide Spray/ Needle Jet / Rain
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 067 000	Chrome	4005176832123	125.71

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 457 000	**Chrome**	**4005176416934**	**126.78**
26 457 EN0	**brushed nickel**	**4005176416941**	**177.49**





Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar


26 455 000	**Chrome**	**4005176416903**	**126.78**

ditto, with non-restricted flow

---

27 492 000	**Chrome**	**4005176885556**	**125.71**






Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1 bar

---

28 233 000	**Chrome**	**4005176868016**	**83.46**





Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

---

28 737 000	**Chrome**	**4005176872983**	**51.76**



Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

26 468 000	**Chrome**	**4005176423963**	**141.00**




Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 705 000	**Chrome**	**4005176907166**	**136.28**





Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar

26 409 000	**Chrome**	**4005176390128**	**86.63**
26 409 EN0	**brushed nickel**	**4005176390135**	**121.49**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 410 000	**Chrome**	**4005176390142**	**86.63**
26 410 EN0	**brushed nickel**	**4005176390159**	**121.49**


ditto, with 9.5 l/min flow limiter

26 408 000	**Chrome**	**4005176390111**	**86.63**

ditto, with non-restricted flow

27 606 001	**Chrome**	**4005176444180**	**55.99**






Tempesta 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 050 001	**Chrome**	**4005176444166**	**44.37**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

27 591 001	**Chrome**	**4005176443985**	**62.33**






Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**26 051 001**	**Chrome**	**4005176443954**	**49.65**


Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**27 610 001**	**Chrome**	**4005176444050**	**57.04**


Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 094 000	Chrome	4005176601132	49.49


Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

 	28 189 000	Chrome	4005176075650	130.29


Relexa Plus 80 Dual
Head shower 2 sprays
Turbo Jet (normal spray hard)/Normal (full shower spray)
with ball joint
connection thread with pre-assembled
sealing
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	28 002 000	Chrome	4005176858796	178.54

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

 	28 948 000	Chrome	4005176209871	130.29

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system


 	28 286 000	Chrome	4005176198526	94.02

Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 146 000 **Chrome** **4005176986017** **104.59**

Rainshower
Shower arm 422 mm
metal
connection thread 1/2"
with round escutcheon, chrome
can be used for all Rainshower head showers
GROHE StarLight chrome finish






28 982 000 **Chrome** **4005176829987** **125.71**

Rainshower
Shower arm 378 mm
connection thread 1/2"
GROHE StarLight chrome finish






28 361 000 **Chrome** **4005176295157** **94.02**

Rainshower
Shower arm, 380 mm
metal
connection thread 1/2"
can be used for all Rainshower head showers except Rainshower Jumbo
GROHE StarLight chrome finish

28 576 000 **Chrome** **4005176274022** **72.89**

Ditto, projection 286 mm






28 384 000 **Chrome** **4005176267451** **167.97**

Rainshower Rustic
Shower arm 272 mm
connection thread 1/2"
GROHE StarLight chrome finish






27 488 000 **Chrome** **4005176885525** **72.89**

Rainshower
Shower arm 275 mm
metal
connection thread 1/2"
with square escutcheon
can be used for all Rainshower head showers except Rainshower Jumbo
GROHE StarLight chrome finish








27 709 000 **Chrome** **4005176909092** **104.59**



Rainshower
Shower arm 286 mm
metal
connection thread 1/2"
with square escutcheon and rectangular arm
suitable for square Rainshower Allure and Euphoria Cube head shower
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 497 000**	**Chrome**	**4005176270338**	**62.33**
	Rainshower **Shower ceiling arm 292 mm** connection thread 1/2" can be used for all Rainshower head showers **GROHE StarLight** chrome finish			
	28 724 000	**Chrome**	**4005176812644**	**51.76**
	ditto, length 142 mm			
 	**27 484 000**	**Chrome**	**4005176885488**	**62.33**
	Rainshower **Shower ceiling arm 292 mm** metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers **GROHE StarLight** chrome finish			
	27 485 000	**Chrome**	**4005176885495**	**51.76**
	ditto, 142 mm length			
 	**27 711 000**	**Chrome**	**4005176909115**	**83.46**
	Rainshower **Shower arm ceiling 154 mm** metal connection thread 1/2" **GROHE StarLight** chrome finish			
 	**27 986 000**	**Chrome**	**4005176933011**	**94.02**
	27 986 IG0	**chrome/gold**	**4005176933547**	**125.71**
	Rainshower Grandera **Shower arm 286 mm** projection 286 mm metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			
 	**27 982 000**	**Chrome**	**4005176932878**	**83.46**
	27 982 IG0	**chrome/gold**	**4005176933523**	**104.59**
	Rainshower Grandera **Shower ceiling arm 292 mm** metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish suitable for all Grandera head showers			
	27 978 000	**Chrome**	**4005176932830**	**72.89**
	27 978 IG0	**chrome/gold**	**4005176933509**	**94.02**
	ditto, 142 mm length			

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 541 000**	**Chrome**	**4005176040528**	**39.39**
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			
 	**28 429 000**	**Chrome**	**4005176601910**	**49.49**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			
	**48 348 000**	**Chrome**	**4005176408502**	**28.00**
	Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SENA



GROHE
SENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 341 000	**Chrome**	**4005176259463**	**136.28**






Sena Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

28 034 000	**Chrome**	**4005176231810**	**136.28**

ditto, with non-restricted flow






26 465 000	**Chrome**	**4005176423918**	**139.00**
26 465 DC0	**supersteel**	**4005176459092**	**181.00**
26 465 BE0	**polished nickel**	**4005176459160**	**190.00**
26 465 EN0	**brushed nickel**	**4005176423925**	**190.00**
26 465 GL0	**cool sunrise**	**4005176459108**	**190.00**
26 465 GN0	**brushed cool sunrise**	**4005176459115**	**190.00**
26 465 DA0	**warm sunset**	**4005176459122**	**190.00**
26 465 DL0	**brushed warm sunset**	**4005176459139**	**190.00**
26 465 A00	**hard graphite**	**4005176459146**	**190.00**
26 465 AL0	**Brushed Hard Graphite**	**4005176459153**	**190.00**

Sena Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






28 581 000	**Chrome**	**4005176276996**	**190.89**

Sena
Shower rail set 1 spray
hand shower Sena Stick (28 034 000)
shower rail 600 mm (28 580 000)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
angle adapter (28 389 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

28 347 000	**Chrome**	**4005176262791**	**211.09**

ditto, with non-restricted flow






28 348 000	**Chrome**	**4005176263262**	**130.29**

Sena
Wall holder set 1 spray
metal
hand shower Sena Stick (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






28 308 000	**Chrome**	**4005176254949**	**120.19**


Sena 75
Head shower 1 spray
Normal spray
metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 690 000**	**Chrome**	**4005176256196**	**89.89**

Sena
Wall hand Shower holder
non-adjustable
metal
GROHE StarLight chrome finish






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 389 000**	**Chrome**	**4005176269837**	**12.02**

Sena
Adapter 1/2" x 1/2"
metal
for use with hand shower holder
or shower rail
GROHE StarLight chrome finish

GROHE RAINSHOWER







GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 756 000**	**Chrome**	**4005176819667**	**115.15**
	Rainshower Cosmopolitan 160 **Hand shower 4 sprays** Rain / Jet / Pure / Champagne spray **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life minimum flow rate 7.5 l/min.			
 	**28 755 000**	**Chrome**	**4005176819650**	**104.59**
	Rainshower Cosmopolitan 130 **Hand shower 3 sprays** Rain / Jet / Pure **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**28 758 001**	**Chrome**	**4005176875533**	**220.80**
	Rainshower Cosmopolitan 160 **Shower rail set 4 sprays** hand shower Cosmopolitan (28 756 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE StarLight** chrome finish GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) **Twistfree** preventing the hose from twisting			
	28 763 001 **ditto, 900 mm rail**	**Chrome**	**4005176875557**	**241.93**
 	**28 757 001**	**Chrome**	**4005176875526**	**210.23**
	Rainshower Cosmopolitan 130 **Shower rail set 3 sprays** hand shower Cosmopolitan (28 755 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **Twistfree** preventing the hose from twisting			
	28 762 001 **ditto, 900 mm rail**	**Chrome**	**4005176875540**	**231.36**
 	**27 134 000**	**Chrome**	**4005176836060**	**115.15**
	Rainshower Cosmopolitan 160 **Head shower 4 sprays** Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 765 000**	**Chrome**	**4005176820120**	**104.59**
	Rainshower Classic 160 **Hand shower 4 sprays** Rain / Jet / Pure / Champagne spray **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life minimum flow rate 7.5 l/min.			
 	**28 764 000**	**Chrome**	**4005176820113**	**94.02**
	Rainshower Classic 130 **Hand shower 3 sprays** Rain / Jet / Pure **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**28 768 001**	**Chrome**	**4005176875571**	**199.67**
	Rainshower Classic 160 **Shower rail set 4 sprays** Hand shower Classic (28 765 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **Twistfree** preventing the hose from twisting			
	28 770 001 **ditto, 900 mm rail**	**Chrome**	**4005176875595**	**220.80**
 	**28 767 001**	**Chrome**	**4005176875564**	**189.10**
	Rainshower Classic 130 **Shower rail set 3 sprays** hand shower Classic (28 764 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE StarLight** chrome finish **Twistfree** preventing the hose from twisting **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes			
	28 769 001 **ditto, 900 mm rail**	**Chrome**	**4005176875588**	**210.23**

GROHE
RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 127 000 **Chrome** **4005176835988** **115.15**

Rainshower Rustic 130
Hand shower 3 sprays
Rain / Jet / Pure
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 139 000 **Chrome** **4005176836688** **241.93**

Rainshower Rustic 130
Shower rail set 3 sprays
hand shower Rustic 130 (27 127 000)
shower rail, 600 mm (28 666 000)
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
soap dish
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 128 000 **Chrome** **4005176835995** **146.84**

Rainshower Rustic 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
ball joint wih turning angle 15° ± 15°
connection thread 1/2"
GROHE StarLight chrome finish
SpeedClean anti-limescale system
recommended for use with Rainshower shower arms






28 369 000 **Chrome** **4005176267260** **337.01**

Rainshower Rustic 210
Head shower 1 spray
metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system





27 283 000 **Chrome** **4005176861444** **104.59**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 276 000 **Chrome** **4005176861437** **83.46**


ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 637 000	**chrome/misty slate**	**4005176900808**	**83.46**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






27 377 000	**Chrome**	**4005176877476**	**62.33**

Rainshower Icon 100
Hand shower 1 spray
Rain
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 375 000	**Chrome**	**4005176877452**	**62.33**

ditto, with non-restricted flow






26 115 DU0	**purple**	**4005176982309**	**72.89**
26 115 DP0	**pink**	**4005176982316**	**72.89**
26 115 YF0	**yellow**	**4005176982293**	**72.89**
26 115 TY0	**blue**	**4005176982323**	**72.89**

Rainshower Icon 100
Hand shower 1 spray
Rain
Ø 100 mm
with white rubber flower
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 115 YR0	**orange**	**4005176982286**	**72.89**
26 115 DG0	**red**	**4005176982170**	**72.89**

ditto, with yellow rubber flower







27 402 001	**Chrome**	**4005176877919**	**199.67**

Rainshower Icon 150
Shower rail set 2 sprays
Consisting of:
hand shower Icon 150 (27 283 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 277 001	**Chrome**	**4005176875489**	**199.67**


ditto, with non-restricted flow

GROHE
RAINSHOWER


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 378 000**	**Chrome**	**4005176877780**	**167.97**
	Rainshower Icon 100 **Shower rail set 1 spray** hand shower Icon 100 (27 377 000) shower rail, 600 mm (28 797 001) Silverflex shower hose 1750 mm (28 388 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
	27 379 000 **ditto, 900mm hose**	**Chrome**	**4005176877797**	**178.54**
 	**27 383 000**	**Chrome**	**4005176877827**	**94.02**
	Rainshower Icon 100 **Wall holder set 1 spray** hand shower Icon 100 (27 377 000) wall shower holder (27 056) Silverflex shower hose 1250 mm (28 362) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 272 000**	**Chrome**	**4005176860836**	**104.59**


Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	**27 376 000**	**Chrome**	**4005176877469**	**62.33**

Rainshower Solo 100
Hand shower 1 spray
Rain
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy 9.5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


 	**27 273 001**	**Chrome**	**4005176875502**	**231.36**

Rainshower Solo 150
Shower rail set 2 sprays
hand shower Solo 150 (27 272 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting


 	**27 370 000**	**Chrome**	**4005176877773**	**157.41**

Rainshower Solo 190
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar


GROHE
RAINSHOWER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 274 000**	**Chrome**	**4005176861383**	**104.59**


Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	**28 797 001**	**Chrome**	**4005176870941**	**115.15**

Rainshower
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes)
GROHE StarLight chrome finish

 	**28 819 001**	**Chrome**	**4005176870958**	**125.71**

Rainshower
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes)
GROHE StarLight chrome finish

 	**27 136 001**	**Chrome**	**4005176870965**	**146.84**






Rainshower
Shower rail, 1150 mm
with wall holders made of metal
glide element and swivel holder
adjustable distance between wall brackets to adapt to existing drill holes
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
POWER&SOUL



GROHE
POWER&SOUL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 668 000**	**Chrome**	**4005176905698**	**125.71**
	Power&Soul Cosmopolitan 160 **Hand Shower 4+ sprays** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** push button spray selection **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
 	**27 664 000**	**Chrome**	**4005176905469**	**104.59**
	Power&Soul Cosmopolitan 130 **Hand Shower 4+ sprays** GROHE Rain O², Rain, Bokoma Spray, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** push button spray selection **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
 	**27 661 000**	**Chrome**	**4005176905438**	**94.02**
	Power&Soul Cosmopolitan 115 **Hand shower 2 sprays** GROHE Rain O², Rain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE One-click showering** push button spray selection **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
 	**27 744 000**	**Chrome**	**4005176912900**	**210.23**
	Power&Soul Cosmopolitan 160 **Shower rail set 4+ sprays** Consisting of: hand shower Power&Soul Cosmopolitan 160 (27 669 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
	27 746 000 **ditto, 900 mm**	**Chrome**	**4005176912924**	**210.23**
 	**27 732 000**	**Chrome**	**4005176910920**	**189.10**
	Power&Soul Cosmopolitan 130 **Shower rail set 4+ sprays** Consisting of: hand shower Power&Soul Cosmopolitan 130 (27 664 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **GROHE QuickFix Plus** adjustable distance between brackets, to adapt to existing holes **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
	27 734 000 **ditto, 900 mm**	**Chrome**	**4005176910944**	**199.67**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
POWER&SOUL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 753 000 **Chrome** **4005176913006** **178.54**

Power&Soul Cosmopolitan 115
Shower rail set 2 sprays
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
shower rail 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 755 000 **Chrome** **4005176913020** **189.10**
ditto, 900 mm rail






27 741 000 **Chrome** **4005176911125** **146.84**

Power&Soul Cosmopolitan 130
Wall holder set 4+ sprays
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 838 000 **Chrome** **4005176916168** **125.71**

Power&Soul Cosmopolitan 115
Wall holder set 4+ sprays
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting







27 765 000 **Chrome** **4005176913129** **136.28**

Power&Soul Cosmopolitan 190
Wall holder set 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


GROHE
POWER&SOUL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 675 000**	**Chrome**	**4005176905766**	**104.59**


Power&Soul 160
Hand Shower 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	**27 673 000**	**Chrome**	**4005176905742**	**83.46**


Power&Soul 130
Hand shower 4+ sprays, spray plate night time grey
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

 	**27 673 LS0**	**moon white**	**4005176409844**	**91.91**

Power&Soul 130
Hand shower 4+ sprays, spray plate white
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

 	**27 672 000**	**Chrome**	**4005176905735**	**83.46**

Power&Soul 130
Hand Shower 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
min. recommended pressure 1 bar

 	**27 671 000**	**Chrome**	**4005176905728**	**72.89**


Power&Soul 115
Hand shower 2 sprays, spray plate night time grey
GROHE Rain O², Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
POWER&SOUL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 671 LS0 **moon white** **4005176409837** **81.35**

Power&Soul 115
Hand shower 2 sprays, spray plate white
GROHE Rain O², Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






27 748 000 **Chrome** **4005176912948** **199.67**

Power&Soul 160
Shower rail set 4+ sprays
Consisting of:
hand shower Power&Soul 160 (27 675 000)
shower rail 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 750 000 **Chrome** **4005176912962** **199.67**
ditto, 900 mm






27 736 000 **Chrome** **4005176910968** **178.54**

Power&Soul 130
Shower rail set 4+ sprays
Consisting of:
hand shower Power&Soul 130 (27 573 000)
shower rail 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting





27 757 000 **Chrome** **4005176913044** **167.97**


Power&Soul 115
Shower rail set 2 sprays
hand shower Power&Soul 115 (27 671 000)
shower rail 600 mm (27 784 000)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 759 000 **Chrome** **4005176913068** **167.97**
ditto, 900 mm rail

GROHE
POWER&SOUL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 742 000 **Chrome** **4005176911132** **125.71**

Power&Soul 130
Wall holder set 4+ sprays
hand shower Power&Soul 130 (27 573 000)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 839 000 **Chrome** **4005176916175** **104.59**

Power&Soul 115
Wall holder set 2 sprays
Consisting of:
hand shower Power&Soul 115 (27 671 000)
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 767 000 **Chrome** **4005176913150** **125.71**

Power&Soul 190
Wall holder set 4+ sprays
GROHE Rain O², Rain, Bokoma Spray, Jet
Ø 190 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system





27 785 000 **Chrome** **4005176913983** **104.59**

Power&Soul
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes)
GROHE StarLight chrome finish

27 784 000 **Chrome** **4005176913976** **94.02**
ditto, shower rail 600 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RELEXA



GROHE
RELEXA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 530 000	**Chrome**	**4005176889219**	**442.65**







Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 796 000	Chrome	4005176824296	125.71


Relexa 100 Five
Hand shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

 	28 793 000	Chrome	4005176823961	72.89


Relexa 100 Trio
Hand shower 3 sprays
Wide Spray/ Needle Jet / Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

 	27 062 000	Chrome	4005176831669	189.10


Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

 	27 065 000	Chrome	4005176832109	157.41

Relexa 100 Trio
Head shower 3 sprays
Wide Spray/ Needle Jet / Rain
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


 	27 067 000	Chrome	4005176832123	125.71

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


 	28 094 000	Chrome	4005176601132	49.49

Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm


GROHE
RELEXA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 189 000	Chrome	4005176075650	130.29


Relexa Plus 80 Dual
Head shower 2 sprays
Turbo Jet (normal spray hard)/Normal (full shower spray)
with ball joint
connection thread with pre-assembled
sealing
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	28 002 000	Chrome	4005176858796	178.54

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

 	28 948 000	Chrome	4005176209871	130.29

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	28 286 000	Chrome	4005176198526	94.02






Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA



GROHE
EUPHORIA


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**26 513 000**	**Chrome**	**4005176457722**	**64.45**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
 	**27 239 001**	**Chrome**	**4005176457715**	**64.45**
	Euphoria 110 Massage **Hand shower 3 sprays** spray face Ø 110 mm Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish spray plate white **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	27 221 001	**Chrome**	**4005176457708**	**59.17**
	ditto, with non-restricted flow			
 	**27 239 000**	**Chrome**	**4005176854323**	**57.04**
	Euphoria 110 Massage **Hand shower 3 sprays** Rain, Massage, SmartRain **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 221 000	**Chrome**	**4005176854125**	**51.76**
	ditto, with non-restricted flow			
 	**27 220 000**	**Chrome**	**4005176854118**	**41.20**
	Euphoria 110 Duo **Hand shower 2 sprays** Rain, SmartRain **GROHE SprayDimmer** (Stepless flow rate reduction) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			
 	**27 224 000**	**Chrome**	**4005176854156**	**30.63**
	Euphoria 110 Mono **Hand shower 1 spray** Rain **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **min. recommended pressure 1 bar**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 243 001	**Chrome**	**4005176899799**	**94.02**

Euphoria 110 Massage
Shower rail set 3 sprays
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 231 001	**Chrome**	**4005176899553**	**94.02**

ditto, with non-restricted flow






27 230 001	**Chrome**	**4005176899546**	**88.74**

Euphoria 110 Duo
Shower rail set 2 sprays
hand shower Duo (27 220 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






27 256 001	**Chrome**	**4005176899805**	**78.17**

Euphoria 110 Mono
Shower rail set 1 spray
hand shower Mono (27 224 000)
shower rail, 600 mm (27 499)
shower hose 1500 mm (28 161)
soap dish
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar






27 226 DC1	**supersteel**	**4005176374456**	**157.41**
27 226 BE1	**polished nickel**	**4005176427169**	**178.54**
27 226 EN1	**brushed nickel**	**4005176427176**	**178.54**
27 226 GL1	**cool sunrise**	**4005176427107**	**178.54**
27 226 GN1	**brushed cool sunrise**	**4005176427114**	**178.54**
27 226 DA1	**warm sunset**	**4005176427121**	**178.54**
27 226 DL1	**brushed warm sunset**	**4005176427138**	**178.54**
27 226 A01	**hard graphite**	**4005176427152**	**178.54**
27 226 AL1	**Brushed Hard Graphite**	**4005176427145**	**178.54**

Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 225 001 **Chrome** **4005176899508** **94.02**

Euphoria 110 Duo
Shower rail set 2 sprays
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






27 355 000 **Chrome** **4005176874451** **94.02**

Euphoria 110 Champagne
Wall holder set 3 sprays
Wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar






27 354 000 **Chrome** **4005176874444** **51.76**

Euphoria 110 Mono
Wall holder set 1 spray
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
min. recommended pressure 1 bar





26 459 000 **Chrome** **4005176416965** **211.29**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar


26 458 000 **Chrome** **4005176416958** **211.29**
ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 461 000	**Chrome**	**4005176416989**	**167.97**





Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar


26 460 000	**Chrome**	**4005176416972**	**167.97**

ditto, with non-restricted flow

---

26 457 000	**Chrome**	**4005176416934**	**126.78**
26 457 EN0	**brushed nickel**	**4005176416941**	**177.49**





Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar


26 455 000	**Chrome**	**4005176416903**	**126.78**

ditto, with non-restricted flow

---

27 499 000	**Chrome**	**4005176886041**	**41.20**





Euphoria
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE QuickFix (upper bracket adjustable to adapt to existing holes)
GROHE StarLight chrome finish


27 500 000	**Chrome**	**4005176886058**	**51.76**

ditto, 900 mm

---

27 596 000		**4005176895944**	**9.50**






GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 400 000 **Chrome** **4005176877292** **41.20**

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater
min. recommended pressure 1 bar

27 367 000 **Chrome** **4005176875939** **41.20**
ditto, with non-restricted flow






27 369 000 **Chrome** **4005176875953** **72.89**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
Min. recommended pressure 0.5 bar






26 072 000 **Chrome** **4005176937262** **178.54**

Euphoria Cosmopolitan 180
Head shower set 286 mm, 1 spray
head shower Euphoria Cosmopolitan (27 492 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 492 000 **Chrome** **4005176885556** **125.71**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
min. recommended pressure 1 bar

27 491 000 **Chrome** **4005176885549** **125.71**
ditto, with non-restricted flow





28 233 000 **Chrome** **4005176868016** **83.46**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater


28 232 000 **Chrome** **4005176868009** **83.46**
ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 888 000 **Chrome** **4005176921179** **83.46**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 884 001 **Chrome** **4005176919695** **83.46**
ditto, with non-restricted flow






27 891 000 **Chrome** **4005176921209** **231.36**

Euphoria Cube+ Stick
Shower rail set 1 spray
hand shower, metal (27 888 000)
shower rail 600 mm (27 892 000)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 890 000 **Chrome** **4005176921193** **241.93**

Euphoria Cube+ Stick
Shower rail set 1 spray
Consisting of:
hand shower, metal
shower rail 900 mm (27 841)
metal shower hose 1750 mm (28 025)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 889 000 **Chrome** **4005176921186** **125.71**

Euphoria Cube+ Stick
Wall holder set 1 spray
hand shower, metal (27 888 000)
wall shower holder (27 706)
metal shower hose 1500 mm (28 417)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
EUPHORIA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 699 000 **Chrome** **4005176907104** **41.20**

Euphoria Cube Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 698 000 **Chrome** **4005176907098** **41.20**
ditto, with non-restricted flow






27 700 000 **Chrome** **4005176907111** **199.67**

Euphoria Cube Stick
Shower rail set 1 spray
Hand shower (27 698 000)
shower rail 900 mm (27 841)
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar






27 703 000 **Chrome** **4005176907142** **72.89**

Euphoria Cube Stick
Wall holder set 1 spray
Handshower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar

27 702 000 **Chrome** **4005176907135** **72.89**
ditto, with non-restricted flow






26 073 000 **Chrome** **4005176937279** **220.80**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 705 000 **Chrome** **4005176907166** **136.28**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA



Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 737 000	**Chrome**	**4005176872983**	**51.76**

Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


GROHE TEMPESTA



GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 608 001	**Chrome**	**4005176444029**	**49.65**

Tempesta Rustic 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 085 001	**Chrome**	**4005176444036**	**43.32**

ditto, with non-restricted flow






27 609 001	**Chrome**	**4005176451898**	**92.97**

Tempesta Rustic 100
Shower rail set 4 sprays
hand shower (27 608)
shower rail, 600 mm (27 519)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 086 001	**Chrome**	**4005176451904**	**87.69**

ditto, with non-restricted flow






27 805 001	**Chrome**	**4005176451911**	**64.45**

Tempesta Rustic 100
Wall holder set 4 sprays
hand shower (27 608)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 089 001	**Chrome**	**4005176444067**	**65.50**

Tempesta Rustic 100
Head shower set 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar






27 610 001	**Chrome**	**4005176444050**	**57.04**

Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated






GROHE
TEMPESTA





Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 519 000	**Chrome**	**4005176886485**	**51.76**
Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
27 520 000 **ditto, 900 mm**	**Chrome**	**4005176886492**	**51.76**

GROHE TEMPESTA


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 575 002**	**Chrome**	**4005176443930**	**44.37**
	Tempesta Cosmopolitan 100 **Hand shower 4 sprays** GROHE Rain O², Rain, Massage, Jet **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 573 002	**Chrome**	**4005176443947**	**44.37**
	ditto, with non-restricted flow			
 	**27 574 002**	**Chrome**	**4005176443916**	**33.80**
	Tempesta Cosmopolitan 100 **Hand shower 3 sprays** GROHE Rain O², Rain, Massage **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 572 002	**Chrome**	**4005176443923**	**33.80**
	ditto, with non-restricted flow			
new	**27 571 20E**	**Chrome**	**4005176443275**	**26.41**
 	**Tempesta Cosmopolitan 100** **Hand shower 2 sprays** Rain, Jet **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	27 571 002	**Chrome**	**4005176443893**	**26.41**
	ditto, with non-restricted flow			
	26 130 001	**Chrome**	**4005176443909**	**26.41**
	ditto, with non-restricted flow, for low pressure			
 	**26 082 002**	**Chrome**	**4005176443268**	**21.13**
	Tempesta Cosmopolitan 100 **Hand shower 1 spray** Rain **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
 	**27 576 002**	**Chrome**	**4005176451560**	**78.17**
	Tempesta Cosmopolitan 100 **Shower set 3 sprays** Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EasyReach** tray (27 596) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater** **min. recommended pressure 1 bar**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 083 002	**Chrome**	**4005176451546**	**61.28**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
Consisting of:
hand shower (26 082)
shower rail, 600mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 580 002	**Chrome**	**4005176451515**	**76.06**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 787 002	**Chrome**	**4005176451522**	**76.06**

ditto, with non-restricted flow





27 579 002	**Chrome**	**4005176451492**	**68.67**


Tempesta Cosmopolitan 100
Shower rail set 3 sprays
Consisting of:
hand shower (27 574)
shower rail, 600mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 786 002	**Chrome**	**4005176451508**	**68.67**

ditto, with non-restricted flow

new





27 578 20E	**Chrome**	**4005176451362**	**58.58**

Tempesta Cosmopolitan 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta Cosmopolitan 100 (27 571 20E)
shower rail, 600mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


27 578 002	**Chrome**	**4005176451386**	**58.58**

ditto, with non-restricted flow

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 584 002 **Chrome** **4005176451621** **50.71**

Tempesta Cosmopolitan 100
Shower set 3 sprays
hand shower (27 574)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 588 002 **Chrome** **4005176451669** **47.54**

Tempesta Cosmopolitan 100
Wall holder set 3 sprays
Consisting of:
hand shower (27 574)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 084 002 **Chrome** **4005176451645** **33.80**

Tempesta Cosmopolitan 100
Wall holder set 1 spray
Consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

new






27 869 001 **Chrome** **4005176444005** **73.95**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar





27 591 001 **Chrome** **4005176443985** **62.33**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA


Ref. No.	Colour	EAN code	Retail Guide Price (£)



26 051 001 **Chrome** **4005176443954** **49.65**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar






27 521 000 **Chrome** **4005176886508** **41.20**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 522 000 **Chrome** **4005176886515** **51.76**
ditto, 900 mm






27 596 000 **4005176895944** **9.50**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	**28 421 002**	**Chrome**	**4005176444142**	**41.20**





Tempesta 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling


28 578 002	**Chrome**	**4005176444159**	**41.20**

ditto, with non-restricted flow

---

new	**28 419 002**	**Chrome**	**4005176444128**	**30.63**





Tempesta 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling


28 261 002	**Chrome**	**4005176444135**	**30.63**

ditto, with non-restricted flow

---

new	**27 597 10E**	**Chrome**	**4005176985409**	**23.23**





Tempesta 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 597 001	**Chrome**	**4005176985508**	**23.23**

ditto, with non-restricted flow


28 422 002	**Chrome**	**4005176444111**	**23.23**

ditto, with non-restricted flow, for low pressure

---

new	**27 923 001**	**Chrome**	**4005176444074**	**18.18**





Tempesta 100
Hand shower 1 spray
Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
Universal Mounting System. Fits all standard shower hoses

27 852 001	**Chrome**	**4005176444081**	**18.18**

ditto, with non-restricted flow

28 214 003	**Chrome**	**4005176444098**	**22.22**


ditto, with non-restricted flow, for low pressure

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	**28 436 002**	**Chrome**	**4005176451799**	**77.12**






Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 600 001	**Chrome**	**4005176451775**	**70.78**






Tempesta 100
Shower rail set 3 sprays
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 638 000	**Chrome**	**4005176528347**	**61.00**






Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 926 001	**Chrome**	**4005176451768**	**61.61**

ditto, with non-restricted flow

27 645 001	**Chrome**	**4005176451744**	**68.67**









Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 795 001	**Chrome**	**4005176451751**	**68.67**

ditto, with non-restricted flow

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 644 001**	**Chrome**	**4005176451720**	**62.33**
	Tempesta 100 **Shower rail set 3 sprays** Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	27 794 001	**Chrome**	**4005176451737**	**62.33**
	ditto, with non-restricted flow			
new  	**27 598 10E**	**Chrome**	**4005176985416**	**53.53**
	Tempesta 100 **Shower rail set 2 sprays** Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	27 598 001	**Chrome**	**4005176985515**	**53.53**
	ditto, with non-restricted flow			
new  	**27 924 001**	**Chrome**	**4005176451690**	**44.44**
	Tempesta 100 **Shower rail set 1 spray** Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	27 853 001	**Chrome**	**4005176451706**	**44.44**
	ditto, with non-restricted flow			
new  	**28 789 002**	**Chrome**	**4005176451843**	**68.67**
	Tempesta 100 **Shower rail set 3 sprays** Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life ShockProof silicone ring prevents damage caused by a shower falling **suitable for instantaneous heater** **min. recommended pressure 1 bar**			
	27 796 001	**Chrome**	**4005176451850**	**68.67**
	ditto, with non-restricted flow			


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)

new





27 646 10E	**Chrome**	**4005176985423**	**59.59**


Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 646 001	**Chrome**	**4005176985522**	**59.59**

ditto, with non-restricted flow

new






27 854 001	**Chrome**	**4005176451829**	**50.50**

Tempesta 100
Shower rail set 1 spray
Consisting of:
50001JK7
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

new






27 601 10E	**Chrome**	**4005176985430**	**38.38**

Tempesta 100
Wall holder set 2 sprays
hand shower (27 597)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min. recommended pressure 1 bar






26 639 000	**Chrome**	**4005176528354**	**43.00**

Tempesta 100
Wall holder set 3 sprays
Consisting of:
hand shower Tempesta 100 (28 419)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
new	**27 798 10E**	**Chrome**	**4005176985447**	**33.33**






Tempesta 100
Wall holder set 2 sprays
Consisting of:
hand shower (27 597)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater
min. recommended pressure 1 bar

27 799 001	**Chrome**	**4005176985539**	**33.33**

ditto, with non-restricted flow

26 412 000	**Chrome**	**4005176390173**	**153.19**






Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 267 001	**Chrome**	**4005176444197**	**54.93**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
for **low pressure**
Min. recommended pressure 1.0 bar

26 414 000	**Chrome**	**4005176408090**	**128.89**





Tempesta 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 210 (26 410)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 413 000	**Chrome**	**4005176390180**	**153.19**

ditto, with non-restricted flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 409 000	**Chrome**	**4005176390128**	**86.63**
26 409 EN0	**brushed nickel**	**4005176390135**	**121.49**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

26 410 000	**Chrome**	**4005176390142**	**86.63**
26 410 EN0	**brushed nickel**	**4005176390159**	**121.49**

ditto, with 9.5 l/min flow limiter


26 408 000	**Chrome**	**4005176390111**	**86.63**

ditto, with non-restricted flow

---

27 606 001	**Chrome**	**4005176444180**	**55.99**






Tempesta 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

---

26 050 001	**Chrome**	**4005176444166**	**44.37**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1 bar

---

27 523 000	**Chrome**	**4005176886522**	**41.20**





Tempesta
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish


27 524 000	**Chrome**	**4005176886539**	**62.33**

ditto, 900 mm

---



27 596 000		**4005176895944**	**9.50**





GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

GROHE TEMPESTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 541 000**	**Chrome**	**4005176040528**	**39.39**
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			
 	**28 429 000**	**Chrome**	**4005176601910**	**49.49**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA TRIGGER SPRAYS



GROHE
SENA TRIGGER SPRAYS





Ref. No.	Colour	EAN code	Retail Guide Price (£)
26 332 000	**Chrome**	**4005176332135**	**167.97**

Sena Trigger Spray 35
Wall holder set with angle valve 1 spray
Consisting of:
hand shower with trigger control (26 328)
valve with integrated shower holder (26 333 000)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
Min. recommended pressure 0.5 bar
Please refer to local norms regarding installation.

26 329 000	**Chrome**	**4005176332128**	**157.41**

ditto, hose 1.000 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE TEMPESTA-F TRIGGER SPRAYS



GROHE
TEMPESTA-F TRIGGER SPRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






26 353 000 **Chrome** **4005176333866** **30.63**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.

27 513 001 **Chrome** **4005176333842** **30.63**
ditto, with 1250 mm hose






26 354 000 **Chrome** **4005176333873** **41.20**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min. recommended pressure 1 bar
Please refer to local norms regarding installation.






27 514 001 **Chrome** **4005176333910** **62.33**

Tempesta-F Trigger Spray 30
Wall holder set with angle valve 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
angle valve 1/2" (22 958)
Silverflex Longlife shower hose 1250 mm (26 335)
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
Please refer to local norms regarding installation.





26 346 000 **Chrome** **4005176332173** **19.35**

Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER HOSES



GROHE
SHOWER HOSES

Ref. No.	Colour	EAN code	Retail Guide Price (£)






28 417 000	**Chrome**	**4005176264702**	**22.49**

Rotaflex Metal Longlife
Metal shower hose Twistfree 1500
1500 mm
metal
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
Cone with silicone tape to prevent turning of hand shower during usage
GROHE StarLight chrome finish
blister packaging





28 145 000	**Chrome**	**4005176601354**	**24.58**

Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging


28 143 000	**Chrome**	**4005176601347**	**20.83**
28 143 LS0	**moon white**	**4005176842269**	**27.35**
28 143 KS0	**velvet black**	**4005176842252**	**27.35**

ditto, 1500mm hose

28 142 000	**Chrome**	**4005176601330**	**18.74**

ditto, 1250 mm






28 140 000	**Chrome**	**4005176601323**	**21.04**

Relexaflex Metal
Metal shower hose 2000
2000 mm
metal
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 105 000	**Chrome**	**4005176601217**	**17.25**

ditto, 1500mm hose





26 346 000	**Chrome**	**4005176332173**	**19.35**


Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN code	Retail Guide Price (£)






27 137 000	**Chrome**	**4005176836237**	**18.74**

Silverflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 388 000	**Chrome**	**4005176295362**	**17.08**
28 388 BE0	**polished nickel**	**4005176295386**	**23.98**
28 388 EN0	**brushed nickel**	**4005176427718**	**23.98**
28 388 GL0	**cool sunrise**	**4005176427657**	**23.98**
28 388 GN0	**brushed cool sunrise**	**4005176427664**	**23.98**
28 388 DA0	**warm sunset**	**4005176427671**	**23.98**
28 388 A00	**hard graphite**	**4005176427701**	**23.98**
28 388 AL0	**Brushed Hard Graphite**	**4005176427695**	**23.98**
ditto, 1750mm hose			
28 364 000	**Chrome**	**4005176295294**	**14.99**
ditto, 1500mm hose			
28 362 000	**Chrome**	**4005176295225**	**13.33**
28 362 BE0	**polished nickel**	**4005176295249**	**18.93**
28 362 EN0	**brushed nickel**	**4005176427640**	**18.93**
28 362 GL0	**cool sunrise**	**4005176427589**	**18.93**
28 362 GN0	**brushed cool sunrise**	**4005176427596**	**18.93**
28 362 DA0	**warm sunset**	**4005176427602**	**18.93**
28 362 DL0	**brushed warm sunset**	**4005176427619**	**18.93**
28 362 A00	**hard graphite**	**4005176427633**	**18.93**
28 362 AL0	**Brushed Hard Graphite**	**4005176427626**	**18.93**
ditto, 1250 mm			






28 410 001	**Chrome**	**4005176933240**	**17.96**

Rotaflex
Shower hose Twistfree 1750
1750 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging







28 155 001	**Chrome**	**4005176933226**	**12.91**

Relexaflex
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 154 001	**Chrome**	**4005176933219**	**11.66**
ditto, 1750 mm			
28 151 001	**Chrome**	**4005176933202**	**9.99**
ditto, 1500 mm			
28 150 001	**Chrome**	**4005176933196**	**8.24**
ditto, 1250 mm			

GROHE
SHOWER HOSES




	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 161 001**	**Chrome**	**4005176935107**	**15.99**
	Silverflex **Shower hose Twistfree 1500** for **low pressure** 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for **Twistfree** function **GROHE StarLight** chrome finish **blister packaging**			
 	**28 158 000**	**Chrome**	**4005176601606**	**29.45**
	Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES



GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 055 000**	**Chrome**	**4005176830433**	**41.20**
	Rainshower **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	**28 623 000**	**Chrome**	**4005176031595**	**29.29**
	Relexa **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	**27 595 000**	**Chrome**	**4005176895937**	**16.91**
	Tempesta **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 188 000	**Chrome**	**4005176842160**	**104.59**






Veris
Hand shower holder
wall mounted
non-adjustable
metal
GROHE StarLight finish

28 690 000	**Chrome**	**4005176256196**	**89.89**






Sena
Wall hand Shower holder
non-adjustable
metal
GROHE StarLight chrome finish

27 056 000	**Chrome**	**4005176830440**	**30.63**






Rainshower
Wall hand Shower holder
non-adjustable
without escutcheon
GROHE StarLight chrome finish

27 074 000	**Chrome**	**4005176833083**	**30.63**
27 074 LS0	**moon white**	**4005176873591**	**41.20**
27 074 BE0	**polished nickel**	**4005176834325**	**57.04**
27 074 EN0	**brushed nickel**	**4005176834301**	**57.04**
27 074 GL0	**cool sunrise**	**4005176338984**	**57.04**
27 074 GN0	**brushed cool sunrise**	**4005176427084**	**57.04**
27 074 DA0	**warm sunset**	**4005176338977**	**57.04**
27 074 DL0	**brushed warm sunset**	**4005176427091**	**57.04**
27 074 A00	**hard graphite**	**4005176338991**	**57.04**
27 074 AL0	**Brushed Hard Graphite**	**4005176339004**	**57.04**






Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE StarLight chrome finish

27 075 000	**Chrome**	**4005176833090**	**30.63**






Rainshower
Wall hand Shower holder
non-adjustable
with square escutcheon
GROHE StarLight chrome finish





27 706 000	**Chrome**	**4005176908439**	**30.63**






Allure Brilliant
Wall hand Shower holder
non-adjustable
metal
GROHE StarLight chrome finish

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 693 000	Chrome	4005176907043	20.07
Euphoria Cube **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	28 622 000	Chrome	4005176041297	29.29
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	27 594 000	Chrome	4005176895920	11.51
Tempesta Cosmopolitan **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	28 605 000	Chrome	4005176041105	19.19
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 151 000**	**Chrome**	**4005176837012**	**94.02**

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 531 000**	**Chrome**	**4005176889486**	**251.49**

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN code	Retail Guide Price (£)
27 190 000	**Chrome**	**4005176842221**	**104.59**






Veris
Shower outlet elbow
connection thread 1/2"
external thread
metal
protected against backflow
GROHE StarLight finish

27 621 000	**Chrome**	**4005176898310**	**294.75**






Grohtherm F
Wall shower union with integrated shower holder
vertical or horizontal installation
for use with rough-in box 35 034 000 (1/2" connection)
sold separately
shower outlet 1/2"
hand shower and shower hose sold separately
protected against backflow
vertical and horizontal installation

35 034 000	**4005176915697**	**199.67**






Grohtherm F
Rough-in for wall shower union 27 621
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm

27 057 000	**Chrome**	**4005176830457**	**51.76**
27 057 DC0	**supersteel**	**4005176371196**	**62.33**
27 057 BE0	**polished nickel**	**4005176426957**	**79.23**
27 057 EN0	**brushed nickel**	**4005176426964**	**79.23**
27 057 GL0	**cool sunrise**	**4005176338946**	**79.23**
27 057 GN0	**brushed cool sunrise**	**4005176426933**	**79.23**
27 057 DA0	**warm sunset**	**4005176338939**	**79.23**
27 057 DL0	**brushed warm sunset**	**4005176426940**	**79.23**
27 057 A00	**hard graphite**	**4005176338953**	**79.23**
27 057 AL0	**Brushed Hard Graphite**	**4005176338960**	**79.23**






Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

27 076 000	**Chrome**	**4005176833106**	**51.76**













Rainshower
Shower outlet elbow
male thread
with square escutcheon
protected against backflow
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	27 707 000	Chrome	4005176908446	41.20
	Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow metal **GROHE StarLight** chrome finish			
 	27 704 000	Chrome	4005176907159	30.63
	Euphoria Cube **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish			
 	26 370 000	Chrome	4005176341380	30.63
	Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** finish			
 	28 405 000	Chrome	4005176264559	49.49
	Movario **Shower outlet elbow, 1/2"** protected against backflow **GROHE StarLight** chrome finish			
 	28 671 000	Chrome	4005176103070	30.63
	Relexa **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish			
	28 680 000 **ditto, protected against backflow**	Chrome	4005176116780	39.39
 	28 626 000	Chrome	4005176041358	49.49
	Relexa **Shower outlet elbow, 1/2"** shower connection 1/2" wall connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap			
	28 678 000 **ditto, protected against backflow**	Chrome	4005176116711	49.49
	28 636 000 **ditto, for IG-combination**	Chrome	4005176078606	51.76

GROHE
SHOWER ACCESSORIES






	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 406 000**	**Chrome**	**4005176264566**	**49.49**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
 	**28 628 000**	**Chrome**	**4005176041396**	**49.49**
	Relexa **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish			
	28 679 000	**Chrome**	**4005176116759**	**49.49**
	ditto, protected against backflow			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	28 797 001	Chrome	4005176870941	115.15
	Rainshower **Shower rail, 600 mm** with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) **GROHE StarLight** chrome finish			
	28 819 001 **ditto, 900 mm**	Chrome	4005176870958	125.71
	27 136 001 **ditto, 1150 mm**	Chrome	4005176870965	146.84
 	27 784 000	Chrome	4005176913976	94.02
	Power&Soul **Shower rail, 600 mm** with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 785 000 **ditto, 900mm hose**	Chrome	4005176913983	104.59
 	28 587 000	Chrome	4005176282966	180.79
	Relexa **Shower rail, 900 mm** with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish			
 	27 892 000	Chrome	4005176921216	178.54
	Euphoria Cube **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE StarLight** chrome finish			
	27 841 000 **ditto, 900 mm**	Chrome	4005176916670	189.10
 	27 499 000	Chrome	4005176886041	41.20
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE QuickFix** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 500 000 **ditto, 900 mm**	Chrome	4005176886058	51.76

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**27 519 000**	**Chrome**	**4005176886485**	**51.76**
	Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 520 000 **ditto, 900 mm**	**Chrome**	**4005176886492**	**51.76**
 	**27 521 000**	**Chrome**	**4005176886508**	**41.20**
	Tempesta Cosmopolitan **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 522 000 **ditto, 900 mm**	**Chrome**	**4005176886515**	**51.76**
 	**27 523 000**	**Chrome**	**4005176886522**	**41.20**
	Tempesta **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
	27 524 000 **ditto, 900 mm**	**Chrome**	**4005176886539**	**62.33**
 	**27 206 000**		**4005176845444**	**20.07**
	Soap dish transparent surface textured in parts			
 	**27 596 000**		**4005176895944**	**9.50**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 708 000**	**Chrome**	**4005176602375**	**79.79**

Pipe clip
for pillar shower, 1/2"
for shower riser Ø 18 mm
with stone pin
with wood screws
GROHE StarLight chrome finish

 	**28 389 000**	**Chrome**	**4005176269837**	**12.02**

Sena
Adapter 1/2" x 1/2"
metal
for use with hand shower holder
or shower rail
GROHE StarLight chrome finish

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	489
	GROHE Blue Home	499
	GROHE Blue Pure	509
	GROHE Blue Accessories	511
	GROHE Red	515
Premium Lines	K7	521
	Foot Control	523
	Minta / Minta Touch	525
	Zedra / Zedra Touch	531
	Atrio	533
	Essence	535
	Eurocube	539
Competence Lines	Ambi	541
	Parkfield	543
	Eurodisc Cosmopolitan	545
	Eurodisc	547
	Concetto	549
	Eurostyle Cosmopolitan	553
	Eurosmart Cosmopolitan	557
	Eurosmart	559
	Euroeco / Euroeco Special	563
	Costa	565
	Bau Lines	567
	Soap dispensers	569
Kitchen sinks	Stainless steel sinks	571
	Composite sinks	581

HANDS ON
GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen faucets include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free
No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange
The aerator is easy to install and de-install using just a coin.



RealSteel
Made of solid stainless steel, a robust material with anti-bacterial properties.



EasyTouch
Just touch the faucet at any point with your wrist, elbow or just your fingertip to turn the faucet ON and OFF.



FootControl
Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the faucet ON and OFF.



ProfessionalSpray
Features a 360° spring arm and easy switching between the spray and mousseur.



Pull-Out Dual Spray
Increases operating radius of the faucet and offers easy switching between mousseur and the spray.



Pull-Out Mousseur Spray
Increases operating radius of the faucet and offers different sprays.



Pull-Out Mousseur
Increases the operating radius of your faucet.



EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



SpeedClean
Remove limescale with a single wipe.



OpenWaterHeater
The perfect flow in combination with open water heaters.



StopValve
Includes a dishwater shut-off valve on the faucet body.




PreWindow
To open the window, just lift up the faucet and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen faucet – saving time, money and the environment.



ChildLock
Integrated safety mechanism prevents unintentional opening by young children.



Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.






THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

NEW: WITH **PULL-OUT FUNCTION**

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.





CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements
iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

THE **GROHE BLUE HOME PRODUCT** PORTFOLIO



31 454 001 / 31 454 DC1
GROHE Blue Home
L-spout



31 455 001 / 31 455 DC1
GROHE Blue Home
C-spout



31 456 001 / 31 456 DC1
GROHE Blue Home
U-spout



31 498 001 / 31 498 DC1
GROHE Blue Home
Mono



31 539 000 / 31 539 DC0
GROHE Blue Home
L-spout with pull-out




31 541 000 / 31 541 DC0
GROHE Blue Home
C-spout with pull-out



31 543 000 / 31 543 DC0
GROHE Blue Home
U-spout with pull-out

GROHE BLUE HOME CONTAINS:



THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen faucet.
The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the faucet.





FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS TO YOUR OFFICE:**

Access to fresh, cool water at any time - still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL
PRODUCT PORTFOLIO



31 323 002 / 31 323 DC2
GROHE Blue Professional
C-spout



31 347 003 / 31 347 DC3
GROHE Blue Professional
L-spout



31 325 002 / 31 325 DC2
GROHE Blue Professional
C-spout, pull out mousseur



31 326 002 / 31 326 DC2
GROHE Blue Professional
L-spout, pull out mousseur



31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

99° C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen faucet.
With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST
Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING
kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past

LESS WASTE
you only take the exact amount of hot water you need, so you save on water and energy consumption

CLEAN, FRESH TASTE
filtered water heated to 100 degrees for an exceptional taste experience

CLEAR YOUR WORKTOP
no need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single faucet







GROHE RED
PRODUCT PORTFOLIO



30 340 001 / 30 340 DC1
GROHE RED Duo
L-spout, L Size



30 329 001
GROHE RED Mono
L-spout, M Size



30 058 001 / 30 058 DC1
GROHE RED Duo
C-spout, M Size



30 060 001
GROHE RED Mono
C-spout, M Size

30 327 001 / 30 327 DC1
GROHE RED Duo
L-spout, M Size

EACH GROHE RED CONTAINS
BOILER (M OR L SIZE) & FILTERSET.



40 841 001
GROHE RED mixing valve

Colour options:
001 I StarLight Chrome | DC1 I SuperSteel

GROHE
EASYTOUCH



Simple activation/deactivation
of the water flow by touch.

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated faucet? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE Touch faucets can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your faucet sparkling clean. Change the way you control your kitchen with just a single touch.



Manual control with the lever.





GROHE
FOOTCONTROL



For kitchens where time is of the essence and convenience is a must, why not go hands-free? GROHE's new FootControl faucets can be turned on and off with a gentle tap of your foot on the base unit, leaving your hands free and your faucet spotless at all times. Three of our most popular faucets now come with this innovative FootControl technology, or you can retro-fit the feature to any GROHE pull-out kitchen faucet. To say goodbye to germs, mess and hassle, simply tap your feet!





GROHE
PROFESSIONAL SPRAYS

THE COLORFUL WORLD OF **ESSENCE PROFESSIONAL**

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + color code

- MW0 I Sheer Marble
- XC0 I Dark Grey
- YF0 I Yellow
- YR0 I Orange
- DG0 I Red
- DP0 I Pink
- DU0 I Purple
- GE0 I Green
- TY0 I Blue
- HG0 I Dark Brown

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the faucet body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the faucet body and the spray.



Step 4
Insert the 2 screws with the screw driver.

A CYLINDRICAL STATEMENT
CONCETTO PROFESSIONAL

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease - the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.




GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 002	**Chrome**	**4005176989933**	**1,975.00**
31 323 DC2	**supersteel**	**4005176989940**	**2,220.00**





GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE PROFESSIONAL





Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 003	**Chrome**	**4005176443336**	**1,975.00**
31 347 DC3	**supersteel**	**4005176446559**	**2,220.00**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL





Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 325 002	**Chrome**	**4005176507274**	**2,075.00**
31 325 DC2	**supersteel**	**4005176507250**	**2,320.00**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE PROFESSIONAL



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 326 002	**Chrome**	**4005176507236**	**2,075.00**
31 326 DC2	**supersteel**	**4005176507212**	**2,320.00**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE BLUE PROFESSIONAL





Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 002	**Chrome**	**4005176443343**	**1,880.00**
31 302 DC2	**supersteel**	**4005176443350**	**2,099.00**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.


*** Available for free via iTunes app or Google Play store.

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 323 001	**Chrome**	**4005176987946**	**2,217.51**
31 323 DC1	**supersteel**	**4005176987953**	**2,323.15**






GROHE Blue Professional
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for 3 types of filtered and chilled table water
still, medium, sparkling
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

31 324 001	**Chrome**	**4005176987960**	**2,217.51**
31 324 DC1	**supersteel**	**4005176987977**	**2,323.15**






GROHE Blue Professional
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
U spout
separate handle for 3 types of filtered and chilled table water
still, medium, sparkling
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 180°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 347 002	**Chrome**	**4005176988059**	**2,217.51**
31 347 DC2	**supersteel**	**4005176988066**	**2,323.31**






GROHE Blue Minta Professional
Starter kit
Consisting of:
GROHE Blue Minta single-lever sink mixer with filtration function
monobloc installation
separate handle for 3 types of filtered and chilled table water
still, medium, sparkling
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO_2-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

31 346 001	**Chrome**	**4005176988035**	**2,323.15**
31 346 DC1	**supersteel**	**4005176988042**	**2,428.80**






GROHE Blue K7 Professional
Starter kit
Consisting of:
GROHE Blue K7 single-lever sink mixer
with filtration
monobloc installation
separate handle for 3 types of filtered and chilled table water
still, medium, sparkling
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2-carbonization bottle
Min. recommended pressure 2.0 bar
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE PROFESSIONAL






Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 302 001	**Chrome**	**4005176988097**	**2,111.86**
31 302 DC1	**supersteel**	**4005176988103**	**2,111.86**

GROHE Blue Mono Chilled and Sparkling Starter kit
Consisting of:
GROHE Blue Minta Mono tap with filter function
monobloc installation
handle for 3 types of filtered and chilled table water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 140°
flexible connection hoses
GROHE Blue Cube
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
GROHE Blue size S filter, filter head with flexible adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2-carbonization bottle
Min. recommended pressure 2.0 bar
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME



GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 001	**Chrome**	**4005176454134**	**1,900.57**
31 455 DC1	**supersteel**	**4005176454141**	**2,111.86**
31 455 DA1	**warm sunset**	**4005176488955**	**2,249.00**
31 455 DL1	**brushed warm sunset**	**4005176488962**	**2,249.00**
31 455 A01	**hard graphite**	**4005176488931**	**2,249.00**
31 455 AL1	**Brushed Hard Graphite**	**4005176488948**	**2,249.00**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 455 000	**Chrome**	**4005176323027**	**1,900.57**
31 455 DC0	**supersteel**	**4005176323034**	**2,111.86**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

GROHE BLUE HOME

new



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 541 000	**Chrome**	**4005176437038**	**2,006.21**
31 541 DC0	**supersteel**	**4005176437045**	**2,217.51**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 454 001	**Chrome**	**4005176454110**	**1,900.57**
31 454 DC1	**supersteel**	**4005176454127**	**2,111.86**
31 454 DA1	**warm sunset**	**4005176488917**	**2,249.00**
31 454 DL1	**brushed warm sunset**	**4005176488924**	**2,249.00**
31 454 A01	**hard graphite**	**4005176488894**	**2,249.00**
31 454 AL1	**Brushed Hard Graphite**	**4005176488900**	**2,249.00**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE BLUE HOME

new



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 539 000	**Chrome**	**4005176437014**	**2,006.21**
31 539 DC0	**supersteel**	**4005176437021**	**2,217.51**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 456 001	**Chrome**	**4005176454158**	**1,900.57**
31 456 DC1	**supersteel**	**4005176454165**	**2,111.86**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.
This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE BLUE HOME

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 543 000	**Chrome**	**4005176437052**	**2,006.21**
31 543 DC0	**supersteel**	**4005176437069**	**2,217.51**

new





GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE HOME



Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 498 001	**Chrome**	**4005176454172**	**1,900.57**
31 498 DA1	**warm sunset**	**4005176488993**	**2,249.00**
31 498 DL1	**brushed warm sunset**	**4005176489006**	**2,249.00**
31 498 A01	**hard graphite**	**4005176488979**	**2,249.00**
31 498 AL1	**Brushed Hard Graphite**	**4005176488986**	**2,249.00**

GROHE Blue Home
Mono Starter kit
Consisting of:
GROHE Blue Home Mono faucet with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout, swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua


GROHE BLUE PURE



GROHE BLUE PURE

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 345 002	**Chrome**	**4005176987885**	**675.07**
31 345 DC2	**supersteel**	**4005176987892**	**780.72**






GROHE Blue Pure Minta
Starter kit
Consisting of:
GROHE Blue Minta single-lever sink mixer with filtration function
monobloc installation
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
adjustable for 600 litre, 1500 litre or
3000 litre filter cartridges
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

31 344 001	**Chrome**	**4005176987861**	**833.54**
31 344 DC1	**supersteel**	**4005176987878**	**844.11**






GROHE Blue K7 Pure
Starter kit
Consisting of:
GROHE Blue K7 single-lever sink mixer
with filtration
monobloc installation
separate handle for filtered water
headpart 1/2"
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+

31 301 001	**Chrome**	**4005176987922**	**506.04**
31 301 DC1	**supersteel**	**4005176987939**	**569.43**










GROHE Blue Pure Mono
Starter kit
Consisting of:
GROHE Blue Minta Mono tap with filter function
monobloc installation
handle for filtered table water
GROHE StarLight finish
swivel tubular spout
swivel area 150°
flexible connection hoses
type of protection IP 21
main switching power supply 100 - 240 V AC
50/60 Hz with safety extra-low voltage (SELV)
6 V DC to filter change display unit
GROHE Blue size S filter, filter head with flexible adjustment

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE ACCESSORIES




GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 848 000		4005176351082	7.33
GROHE Blue **Drinking bottle** Tritan drinking bottle with GROHE Blue decor BPA (Bispenol A) free lid with strap volume 500 ml				
 	40 848 SD0	stainless steel	4005176386008	10.83
GROHE Blue **Thermo drinking bottle** stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml				
 	40 405 000		4005176860812	25.41
GROHE Blue **Glass carafe** crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l				
 	40 437 000		4005176885471	25.41
GROHE Blue **Water glasses (6 pieces)** crystal glasses with GROHE Blue decor dish washer safe volume 250 ml				
 	40 404 001		4005176984068	50.83
GROHE Blue **Filter S-Size** BWT replacement filter for GROHE Blue Capacity 600 L at 20° dKH 5-stage filter compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure				
	40 430 001		4005176984075	95.83
	ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high			
	40 412 001		4005176984082	124.99
	ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 547 001		4005176984099	65.41


GROHE Blue
Activated carbon filter
BWT replacement filter for GROHE Blue systems
for regions with water hardness below 9° dKH
Upto 3000 Liters
3-stage filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

 	40 691 001		4005176984129	50.83

GROHE Blue
Magnesium+ Filter
BWT replacement filter for GROHE Blue
for recharge of the water with magnesium
Capacity 400 L at 17° dGH
5-stage filter
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure

	64 508 001		4005176984112	34.16

GROHE Blue
Filter Head
for use with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001, sold separately

 	40 434 001		4005176985294	29.16

GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

	40 694 000		4005176985300	21.66

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately


GROHE RED



GROHE
RED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 328 001	**Chrome**	**4005176414107**	**2,006.21**
30 328 DC1	**supersteel**	**4005176414114**	**2,111.86**






GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembeley instead
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

30 340 001	**Chrome**	**4005176414893**	**2,006.21**
30 340 DC1	**supersteel**	**4005176414909**	**2,111.86**






GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 058 001	**Chrome**	**4005176989162**	**1,900.57**
30 058 DC1	**supersteel**	**4005176989179**	**2,006.21**
30 058 DA1	**warm sunset**	**4005176489273**	**2,249.00**
30 058 DL1	**brushed warm sunset**	**4005176489280**	**2,249.00**
30 058 A01	**hard graphite**	**4005176489259**	**2,249.00**
30 058 AL1	**Brushed Hard Graphite**	**4005176489266**	**2,249.00**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit


30 341 001	**Chrome**	**4005176414916**	**1,900.57**
30 341 DC1	**supersteel**	**4005176414923**	**2,006.21**
30 341 DA1	**warm sunset**	**4005176489310**	**2,249.00**
30 341 DL1	**brushed warm sunset**	**4005176489327**	**2,249.00**
30 341 A01	**hard graphite**	**4005176489297**	**2,249.00**
30 341 AL1	**Brushed Hard Graphite**	**4005176489303**	**2,249.00**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

GROHE
RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**30 060 001**	**Chrome**	**4005176989186**	**1,689.28**

GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

 	**30 329 001**	**Chrome**	**4005176414121**	**1,689.28**


GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

	**40 841 001**	**Chrome**	**4005176335358**	**89.80**


GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**40 919 SD0**	**stainless steel**	**4005176450136**	**12.91**

GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml

	**40 432 000**		**4005176883255**	**21.66**

GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml


GROHE
K7



GROHE
K7

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 950 000	**Chrome**	**4005176879838**	**622.25**
32 950 DC0	**supersteel**	**4005176879845**	**812.41**
32 950 A00	**hard graphite**	**4005176488870**	**849.00**
32 950 AL0	**Brushed Hard Graphite**	**4005176488887**	**849.00**






K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

31 379 000	**Chrome**	**4005176938085**	**601.12**
31 379 DC0	**supersteel**	**4005176938092**	**780.72**
31 379 A00	**hard graphite**	**4005176488856**	**819.00**
31 379 AL0	**Brushed Hard Graphite**	**4005176488863**	**819.00**






K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout, swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

32 175 000	**Chrome**	**4005176860232**	**611.69**
32 175 DC0	**supersteel**	**4005176860249**	**780.72**






K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
SpeedClean mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system

32 176 000	**Chrome**	**4005176860256**	**632.82**
32 176 DC0	**supersteel**	**4005176860263**	**896.93**





K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
swivel area 140°
metal lever
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FOOT CONTROL



GROHE
FOOT CONTROL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 312 000	**Chrome**	**4005176351273**	**896.93**
30 312 DC0	**supersteel**	**4005176351280**	**1,118.79**






K7 Foot Control
Electronic single-lever sink mixer 1/2"
medium spout
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system


30 311 000	**Chrome**	**4005176351259**	**611.69**
30 311 DC0	**supersteel**	**4005176351266**	**727.90**






Essence Foot Control
Electronic single-lever sink mixer 1/2"
L-spout
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

30 309 000		**4005176351235**	**337.01**





Foot Control
Dual flush valve set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
MINTA / MINTA TOUCH



GROHE
MINTA / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 360 001	**Chrome**	**4005176343025**	**527.17**
31 360 DC1	**supersteel**	**4005176343032**	**685.64**






Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002	**Chrome**	**4005176465000**	**542.87**
31 358 DC2	**supersteel**	**4005176465017**	**678.85**






Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 375 000	**Chrome**	**4005176934155**	**210.23**
31 375 DC0	**supersteel**	**4005176934162**	**273.62**
31 375 DA0	**warm sunset**	**4005176488634**	**299.00**
31 375 DL0	**brushed warm sunset**	**4005176488641**	**299.00**
31 375 A00	**hard graphite**	**4005176488610**	**299.00**
31 375 AL0	**Brushed Hard Graphite**	**4005176488627**	**299.00**






Minta
Single-lever sink mixer 1/2"
L-spout
GROHE StarLight chrome finish
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
rapid installation system

32 168 000	**Chrome**	**4005176824425**	**210.23**
32 168 DC0	**supersteel**	**4005176824432**	**273.62**






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 274 000	**Chrome**	**4005176314988**	**263.05**
30 274 DC0	**supersteel**	**4005176314995**	**315.88**
30 274 DA0	**warm sunset**	**4005176488672**	**356.00**
30 274 DL0	**brushed warm sunset**	**4005176488689**	**356.00**
30 274 A00	**hard graphite**	**4005176488658**	**356.00**
30 274 AL0	**Brushed Hard Graphite**	**4005176488665**	**356.00**






Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 917 000	**Chrome**	**4005176230950**	**167.97**
32 917 DC0	**supersteel**	**4005176804946**	**210.23**
32 917 DA0	**warm sunset**	**4005176488719**	**239.00**
32 917 DL0	**brushed warm sunset**	**4005176488726**	**239.00**
32 917 A00	**hard graphite**	**4005176488696**	**239.00**
32 917 AL0	**Brushed Hard Graphite**	**4005176488702**	**239.00**






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
with compression nut
rapid installation system
optional temperature limiter (46 308 000)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 918 000	**Chrome**	**4005176230967**	**210.23**
32 918 DC0	**supersteel**	**4005176804953**	**273.62**






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

GROHE
MINTA / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 321 002	Chrome	4005176465109	208.15
32 321 DC2	supersteel	4005176465116	270.91
32 321 DA2	warm sunset	4005176488757	298.00
32 321 DL2	brushed warm sunset	4005176488764	298.00
32 321 A02	hard graphite	4005176488733	298.00
32 321 AL2	Brushed Hard Graphite	4005176488740	298.00





Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

30 348 001	Chrome	4005176464973	213.00



Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar


30 349 001	Chrome	4005176464980	213.00



Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

32 488 000	Chrome	4005176289552	167.97
32 488 DC0	supersteel	4005176804939	210.23
32 488 DA0	warm sunset	4005176488795	239.00
32 488 DL0	brushed warm sunset	4005176488801	239.00
32 488 A00	hard graphite	4005176488771	239.00
32 488 AL0	Brushed Hard Graphite	4005176488788	239.00






Minta
Single-lever sink mixer 1/2"
U spout, monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 067 000	**Chrome**	**4005176811142**	**210.23**
32 067 DC0	**supersteel**	**4005176811166**	**273.62**






Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 322 002	**Chrome**	**4005176465123**	**208.15**
32 322 DC2	**supersteel**	**4005176465130**	**270.91**
32 322 DA2	**warm sunset**	**4005176488832**	**298.00**
32 322 DL2	**brushed warm sunset**	**4005176488849**	**298.00**
32 322 A02	**hard graphite**	**4005176488818**	**298.00**
32 322 AL2	**Brushed Hard Graphite**	**4005176488825**	**298.00**





Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar


GROHE
ZEDRA / ZEDRA TOUCH



GROHE
ZEDRA / ZEDRA TOUCH

Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 219 001	**Chrome**	**4005176343063**	**664.51**
30 219 DC1	**supersteel**	**4005176343070**	**896.93**






Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 294 001	**Chrome**	**4005176932380**	**358.14**
32 294 SD1	**stainless steel**	**4005176932397**	**537.73**






Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 553 000	**Chrome**	**4005176864506**	**368.70**
32 553 SD0	**stainless steel**	**4005176864520**	**506.04**






Zedra
Single-lever sink mixer 1/2"
monobloc installation, **GROHE StarLight** finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter, swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 296 000	**Chrome**	**4005176864599**	**315.88**
32 296 SD0	**stainless steel**	**4005176864612**	**474.35**





Zedra
Single-lever sink mixer 1/2"
monobloc installation, **GROHE StarLight** finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out laminar spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
protected against backflow
flexible connection hoses


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ATRIO



GROHE
ATRIO





Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 362 000	**Chrome**	**4005176496479**	**429.00**
30 362 DC0	**supersteel**	**4005176496486**	**559.00**
30 362 AL0	**Brushed Hard Graphite**	**4005176497292**	**599.00**

Atrio
Two handle sink mixer 1/2“
C-spout
monobloc installation
GROHE StarLight chrome finish
ceramic headparts 1/2“, 90°
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE



GROHE ESSENCE





Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 294 000	Chrome	4005176341472	400.39
30 294 DC0	supersteel	4005176341489	516.60
30 294 BE0	polished nickel	4005176488511	546.00
30 294 EN0	brushed nickel	4005176488528	546.00
30 294 GL0	cool sunrise	4005176488078	546.00
30 294 GN0	brushed cool sunrise	4005176488085	546.00
30 294 DA0	warm sunset	4005176488498	546.00
30 294 DL0	brushed warm sunset	4005176488504	546.00
30 294 A00	hard graphite	4005176488054	546.00
30 294 AL0	Brushed Hard Graphite	4005176488061	546.00


Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE EasyDock M integrated magnet for
seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 321 GE0	green	4005176438271	94.02
30 321 XC0	Dark Grey	4005176385735	58.11
30 321 MW0	Sheer Marble	4005176385728	58.11
30 321 HG0	Dark Brown	4005176385742	58.11
30 321 DG0	red	4005176438219	94.02
30 321 DP0	pink	4005176438264	94.02
30 321 DU0	purple	4005176438257	94.02
30 321 TY0	blue	4005176438240	94.02
30 321 YF0	yellow	4005176438233	58.11
30 321 YR0	orange	4005176438226	94.02

Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts






30 269 000	Chrome	4005176314902	252.49
30 269 DC0	supersteel	4005176314919	315.88
30 269 BE0	polished nickel	4005176428678	326.44
30 269 EN0	brushed nickel	4005176428685	326.44
30 269 GL0	cool sunrise	4005176428616	326.44
30 269 GN0	brushed cool sunrise	4005176428623	326.44
30 269 DA0	warm sunset	4005176428630	326.44
30 269 DL0	brushed warm sunset	4005176428647	326.44
30 269 A00	hard graphite	4005176428661	326.44
30 269 AL0	Brushed Hard Graphite	4005176428654	326.44

Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE





Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 270 000	**Chrome**	**4005176314926**	**315.88**
30 270 DC0	**supersteel**	**4005176314933**	**368.70**
30 270 BE0	**polished nickel**	**4005176427480**	**421.52**
30 270 EN0	**brushed nickel**	**4005176427497**	**421.52**
30 270 GL0	**cool sunrise**	**4005176427428**	**421.52**
30 270 GN0	**brushed cool sunrise**	**4005176427435**	**421.52**
30 270 DA0	**warm sunset**	**4005176427442**	**421.52**
30 270 DL0	**brushed warm sunset**	**4005176427459**	**421.52**
30 270 A00	**hard graphite**	**4005176427473**	**421.52**
30 270 AL0	**Brushed Hard Graphite**	**4005176427466**	**421.52**


Essence
Single-lever sink mixer 1/2“
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter

GROHE
EUROCUBE




GROHE
EUROCUBE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 395 000**	**Chrome**	**4005176304774**	**548.30**
	31 395 DC0	**supersteel**	**4005176304767**	**706.77**



Eurocube
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
diverter: mousseur/shower jet
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system

	**31 255 000**	**Chrome**	**4005176901416**	**189.10**




Eurocube
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
AMBI



GROHE
AMBI

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**30 189 000**	**Chrome**	**4005176914102**	**157.41**

Ambi
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headparts 1/2", 90°
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
lever opens to the front, protecting the backsplash
flexible connection hoses
rapid installation system
min. recommended pressure 0.4 bar

 	**30 190 000**	**Chrome**	**4005176914119**	**167.97**

Ambi Cosmopolitan
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headpart
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
flexible connection hoses
lever opens to the front, protecting the backsplash
rapid installation system
min. recommended pressure 0.4 bar


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
PARKFIELD



GROHE
PARKFIELD





Ref. No.	Colour	EAN code	Retail Guide Price (£)
30 215 001	**Chrome**	**4005176409066**	**335.96**
30 215 DC1	**supersteel**	**4005176409073**	**342.39**


Parkfield
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC
COSMOPOLITAN




GROHE
EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 259 003**	**Chrome**	**4005176466908**	**208.15**


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
mousseur
flexible connection hoses
rapid installation system

		**31 122 004**	**Chrome**	**4005176466892**	**249.99**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar

		**33 770 002**	**Chrome**	**4005176888137**	**210.23**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

		**32 257 002**	**Chrome**	**4005176886591**	**252.49**


Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout, swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC



GROHE
EURODISC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		33 770 001	Chrome	4005176828959	189.10

Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop restriction
flexible connection hoses
rapid installation system

		32 257 001	Chrome	4005176834165	199.67


Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
CONCETTO




GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**31 491 000** **31 491 DC0**	**Chrome** **supersteel**	**4005176343308** **4005176343315**	**337.01** **442.65**


Concetto
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE EasyDock M integrated magnet for
seamless docking of the spray head
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

 	**32 661 003** **32 661 DC3**	**Chrome** **supersteel**	**4005176466823** **4005176466830**	**187.23** **229.07**

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system

 	**32 663 003** **32 663 DC3**	**Chrome** **supersteel**	**4005176466854** **4005176466861**	**208.15** **291.83**

Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system
min. recommended pressure 1 bar


 	**31 212 003**	**Chrome**	**4005176466762**	**236.00**

Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
pull-out laminar spray
automatic return
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
CONCETTO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 483 002**	**Chrome**	**4005176466809**	**239.53**
	31 483 DC2	**supersteel**	**4005176466816**	**312.75**




Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

	**31 128 001**	**Chrome**	**4005176886737**	**189.10**
	31 128 DC1	**supersteel**	**4005176891007**	**241.93**




Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

	**31 129 001**	**Chrome**	**4005176886744**	**231.36**
	31 129 DC1	**supersteel**	**4005176891021**	**294.75**



Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

	**32 659 001**	**Chrome**	**4005176886713**	**167.97**
	32 659 DC1	**supersteel**	**4005176890772**	**220.80**



Concetto
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system


GROHE
EUROSTYLE
COSMOPOLITAN



GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)






33 975 004 **Chrome** **4005176467004** **176.77**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system






31 127 002 **Chrome** **4005176886669** **167.97**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight finish
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system






31 126 004 **Chrome** **4005176466977** **197.69**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






31 482 003 **Chrome** **4005176466984** **229.07**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system






30 221 002 **Chrome** **4005176984235** **125.71**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**31 124 002**	**Chrome**	**4005176886614**	**157.41**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

		**33 977 002**	**Chrome**	**4005176886560**	**136.28**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system


GROHE
EUROSMART
COSMOPOLITAN



GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 843 002	**Chrome**	**4005176466939**	**127.26**
32 843 DC2	**supersteel**	**4005176466953**	**164.00**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system

32 843 20E	**Chrome**	**4005176466946**	**130.00**

ditto, with GROHE Ecojoy

31 481 001	**Chrome**	**4005176466922**	**188.00**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero separated inner water ways - lead and nickel free
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

30 193 000	**Chrome**	**4005176919459**	**125.71**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

32 842 000	**Chrome**	**4005176874833**	**104.59**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

31 188 002	**Chrome**	**4005176466915**	**130.00**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero separated inner water ways - lead and nickel free
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART




GROHE
EUROSMART

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**33 202 002**	**Chrome**	**4005176861956**	**125.71**


Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system

30 305 000	**Chrome**	**4005176343285**	**157.41**
30 305 DC0	**supersteel**	**4005176359811**	**199.67**


Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
88° swivel radius
separate inner water ways – lead and nickel free
flexible connection hoses
rapid installation system
protected against backflow

33 281 002	**Chrome**	**4005176861932**	**104.59**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system

30 260 002	**Chrome**	**4005176310386**	**104.59**


Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

Ref. No.	Colour	EAN code	Retail Guide Price (£)
32 221 002	**Chrome**	**4005176861949**	**94.02**






Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with
energy saving function via cold start and Eco-click
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system
Qualitel E1C2A2U3 applied for


GROHE
EUROECO / EUROECO SPECIAL



GROHE
EUROECO / EUROECO SPECIAL

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**32 750 000**	**Chrome**	**4005176868238**	**83.46**

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system

		**32 786 000**	**Chrome**	**4005176871863**	**125.71**


Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA



GROHE
COSTA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**31 819 001**	**Chrome**	**4005176843471**	**94.02**






Costa S
Sink mixer 1/2"
metal handles
heat-insulated
screwable
GROHE StarLight finish
Carbodur headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU LINES



GROHE
BAU LINES





		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		31 367 001	**Chrome**	4005176478512	103.55
		BauEdge **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system **min. recommended pressure 1 bar**				
		31 368 001	**Chrome**	4005176478529	103.55
		BauLoop **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system **min. recommended pressure 1 bar**				
		31 535 001	**Chrome**	4005176478550	103.55
		BauCurve **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system **min. recommended pressure 1 bar**				
		31 536 001	**Chrome**	4005176478567	103.55
		GROHE BauFlow **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system **min. recommended pressure 1 bar**				
		31 538 001	**Chrome**	4005176478574	103.55
		GROHE BauFlow **Single-lever sink mixer 1/2"** high spout monobloc installation **GROHE StarLight** chrome finish GROHE Longlife 28 mm ceramic cartridge GROHE Zero separated inner water ways - lead and nickel free spout with mousseur swivel tubular spout swivel area 360° flexible connection hoses rapid installation system				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SOAP DISPENSERS



GROHE
SOAP DISPENSERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	40 535 000	Chrome	4005176905490	62.33
	40 535 DC0	supersteel	4005176905520	72.89
	40 535 BE0	polished nickel	4005176489457	86.00
	40 535 EN0	brushed nickel	4005176489464	86.00
	40 535 GL0	cool sunrise	4005176489419	86.00
	40 535 GN0	brushed cool sunrise	4005176489426	86.00
	40 535 DA0	warm sunset	4005176489433	86.00
	40 535 DL0	brushed warm sunset	4005176489440	86.00
	40 535 A00	hard graphite	4005176489396	86.00
	40 535 AL0	Brushed Hard Graphite	4005176489402	86.00
	Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml **GROHE StarLight** finish			
 	40 536 000	Chrome	4005176905506	51.76
	40 536 DC0	supersteel	4005176905537	72.89
	Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml **GROHE StarLight** finish			
 	40 553 000	Chrome	4005176911422	72.89
	40 553 DC0	supersteel	4005176911439	94.02
	Zedra Soap Dispenser for liquid soaps, storage bin 500 ml **GROHE StarLight** finish			
 	40 537 000	Chrome	4005176905513	62.33
	Authentic Soap Dispenser for liquid soaps, storage bin 500 ml **GROHE StarLight** finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
STAINLESS STEEL SINKS



GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 582 SD0	**stainless steel**	**4005176473395**	**1,443.29**






K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable right
cut-out: 1148 x 508 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 581 SD0	**stainless steel**	**4005176473388**	**1,443.29**






K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
GROHE QuickFix installation system
sink mountable left
cut-out: 1148 x 508 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






31 583 SD0 **stainless steel** **4005176473401** **928.19**

K800
Stainless steel sink
model: K800 60-S 51.8/56 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 560 mm
1 bowl: 462 x 400 x 200 mm
GROHE QuickFix installation system
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 584 SD0 **stainless steel** **4005176473418** **1,019.09**

K800
Stainless steel sink
model: K800 90-S 84.6/56 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 560 mm
1 bowl: 790 x 400 x 200 mm
GROHE QuickFix installation system
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 585 SD0 **stainless steel** **4005176473425** **1,847.29**

K800
Stainless steel sink
model: K800 120-S 102.4/56 2.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 560 mm
2 bowls: 462 x 400 x 200 mm
GROHE QuickFix installation system
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 586 SD0 **stainless steel** **4005176473432** **1,210.99**

K800
Stainless steel sink
model: K800 120-S 102.4/56 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 560 mm
1 bowl: 968 x 400 x 200 mm
GROHE QuickFix installation system
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 574 SD0	**stainless steel**	**4005176473319**	**332.29**
31 574 GN0	**brushed cool sunrise**	**4005176563645**	**1,017.00**
31 574 DL0	**brushed warm sunset**	**4005176563621**	**1,017.00**
31 574 AL0	**Brushed Hard Graphite**	**4005176563638**	**1,017.00**






K700 Undermount
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 540 x 440 mm
1 bowl: 500 x 400 x 195 mm
GROHE QuickFix installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

31 575 SD0	**stainless steel**	**4005176473326**	**524.19**






K700 Undermount
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left
cut-out: 710 x 400 mm (R15)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

31 576 SD0	**stainless steel**	**4005176473333**	**493.89**






K700 Undermount
Stainless steel sink
model: K700U 60-S 58.5/44 1.5 rh
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 585 x 440 mm
1 bowl: 340 x 400 x 195 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable right
cut-out: 545 x 400 mm (R15)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

31 577 SD0	**stainless steel**	**4005176473340**	**493.89**







K700 Undermount
Stainless steel sink
model: K700U 60-S 58.5/44 1.5 lh
mounting type: undermount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 585 x 440 mm
1 bowl: 340 x 400 x 195 mm
0.5 bowl: 180 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left
cut-out: 545 x 400 mm (R15)
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**31 578 SD0**	**stainless steel**	**4005176473357**	**514.09**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
GROHE QuickFix installation system
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

 	**31 579 SD0**	**stainless steel**	**4005176473364**	**564.59**

K700
Stainless steel sink
model: K700 60-S 56.4/46.4 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 564 x 464 mm
1 bowl: 500 x 400 x 200 mm
GROHE QuickFix installation system
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set


 	**31 580 SD0**	**stainless steel**	**4005176473371**	**615.09**

K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
GROHE QuickFix installation system
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 571 SD0	**stainless steel**	**4005176473289**	**211.09**






K500
Stainless Steel Sink with Drainer
model: K500 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 400 x 195 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 572 SD0	**stainless steel**	**4005176473296**	**301.99**






K500
Stainless Steel Sink with Drainer
model: K500 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 340 x 400 x 195 mm
0.5 bowl: 150 x 300 x 162 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

31 588 SD0	**stainless steel**	**4005176473456**	**312.09**






K500
Stainless Steel Sink with Drainer
model: K500 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowls: 340 x 400 x 195 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 573 SD0	**stainless steel**	**4005176473302**	**392.89**






Minta
Kitchen sink and tap bundle
Consisting of:
K500 stainless steel sink with drainer (31 571 SD0)
Minta single lever sink mixer (32 168 000)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 568 SD0	**stainless steel**	**4005176473258**	**200.99**






K400+
Stainless Steel Sink with Drainer
model: K400+ 45-S 87.3/51.3 1.0 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 873 x 513 mm
1 bowl: 363 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	31 569 SD0	**stainless steel**	**4005176473265**	**291.89**






K400+
Stainless Steel Sink with Drainer
model: K400+ 60-S 98.3/51.3 1.5 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 983 x 513 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 566 SD0	stainless steel	4005176473234	160.59






K400
Stainless Steel Sink with Drainer
model: K400 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 567 SD0	stainless steel	4005176473241	231.29






K400
Stainless Steel Sink with Drainer
model: K400 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 587 SD0	stainless steel	4005176473449	231.29






K400
Stainless Steel Sink with Drainer
model: K400 80-S 116/50 2.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowls: 362.5 x 400 x 188 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 570 SD0	stainless steel	4005176473272	332.29






Concetto
Kitchen sink and tap bundle
Consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
Concetto single lever sink mixer (32 663 003)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






31 563 SD0 **stainless steel** **4005176473203** **130.29**

K300
Stainless Steel Sink with Drainer
model: K300 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 360 x 400 x 175 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set






31 564 SD0 **stainless steel** **4005176473210** **200.99**

K300
Stainless Steel Sink with Drainer
model: K300 60-S 97/50 1.5 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 360 x 400 x 175 mm
0.5 bowl: 150 x 300 x 155 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set







31 565 SD0 **stainless steel** **4005176473227** **211.09**

Eurosmart
Kitchen sink and tap bundle
Consisting of:
K300 stainless steel sink with drainer (31 563 SD0)
Eurosmart single-lever sink mixer (33 281 002)
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
separate inner water ways – lead and nickel free
mousseur with coin slot for tool free replacement
flexible connection hoses
rapid installation system

GROHE
STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**31 562 SD0**	**stainless steel**	**4005176473197**	**180.79**

Bau
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD0)
Bau Edge single lever sink mixer (31 367 000)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system

 	**31 552 SD0**	**stainless steel**	**4005176457067**	**99.99**

K200
Stainless Steel Sink with Drainer
model: K200 45-S 86/50 1.0 rev
mounting type: standard built-in
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: pre-polished
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 400 x 170 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS




GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 650 AT0**	**granite gray**	**4005176521294**	**223.00**
	31 650 AP0	**granite black**	**4005176521287**	**223.00**




K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
GROHE QuickFix installation system
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 651 AT0**	**granite gray**	**4005176521317**	**263.00**
	31 651 AP0	**granite black**	**4005176521300**	**263.00**




K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
GROHE QuickFix installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 652 AT0**	**granite gray**	**4005176521331**	**294.00**
	31 652 AP0	**granite black**	**4005176521324**	**294.00**



K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
GROHE QuickFix installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 653 AT0**	**granite gray**	**4005176521355**	**195.00**
	31 653 AP0	**granite black**	**4005176521348**	**195.00**




K700 Undermount
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
GROHE QuickFix installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 654 AT0**	**granite gray**	**4005176521379**	**224.00**
	31 654 AP0	**granite black**	**4005176521362**	**224.00**




K700 Undermount
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
GROHE QuickFix installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

	**31 655 AT0**	**granite gray**	**4005176521393**	**265.00**
	31 655 AP0	**granite black**	**4005176521386**	**265.00**




K700 Undermount
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
GROHE QuickFix installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

	**31 644 AT0**	**granite gray**	**4005176521171**	**296.00**
	31 644 AP0	**granite black**	**4005176521164**	**296.00**



K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

	**31 645 AT0**	**granite gray**	**4005176521195**	**309.00**
	31 645 AP0	**granite black**	**4005176521188**	**309.00**




K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting,
waste kit, basket strainer waste, mounting set

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
31 646 AT0	**granite gray**	**4005176521218**	**329.00**
31 646 AP0	**granite black**	**4005176521201**	**329.00**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 647 AT0	**granite gray**	**4005176521232**	**370.00**
31 647 AP0	**granite black**	**4005176521225**	**370.00**






K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

31 648 AT0	**granite gray**	**4005176521256**	**283.00**
31 648 AP0	**granite black**	**4005176521249**	**283.00**






K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set

31 649 AT0	**granite gray**	**4005176521270**	**345.00**
31 649 AP0	**granite black**	**4005176521263**	**345.00**






K500
Composite sink
model: K500 90-C 86/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**31 639 AT0**	**granite gray**	**4005176520464**	**220.00**
	31 639 AP0	**granite black**	**4005176520457**	**220.00**




K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 640 AT0**	**granite gray**	**4005176520488**	**277.00**
	31 640 AP0	**granite black**	**4005176520471**	**277.00**




K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 641 AT0**	**granite gray**	**4005176521119**	**298.00**
	31 641 AP0	**granite black**	**4005176521102**	**298.00**



K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	**31 642 AT0**	**granite gray**	**4005176521133**	**319.00**
	31 642 AP0	**granite black**	**4005176521126**	**319.00**




K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

GROHE
COMPOSITE SINKS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	31 643 AT0	**granite gray**	**4005176521157**	**339.00**
	31 643 AP0	**granite black**	**4005176521140**	**339.00**






K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
GROHE QuickFix installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

	31 656 AT0	**granite gray**	**4005176521416**	**183.00**
	31 656 AP0	**granite black**	**4005176521409**	**183.00**





K200
Composite sink
model: K200 50-C 51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
GROHE QuickFix installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting, waste kit, basket strainer waste, mounting set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Essence E	593
	Eurocube E	597
	Bluetooth monitoring	601
	Europlus E	611
	Eurosmart Cosmopolitan E	615
	Euroeco Cosmopolitan E	621
	Bau Cosmopolitan E	625
Special Thermostats	Grohtherm Micro	629
	Grohtherm Special	631
	Grohtherm XL	637
Single-Lever Mixers	Commercial Showers	639
	Euroeco Special	643
	Hospita	647
	Euroeco Single Sequential	649
Self-closing Fittings	Eurodisc SE	653
	Eurosmart Cosmopolitan T	655
	Euroeco Cosmopolitan T	657

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher


Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

DISCOVER
TOUCHLESS COMFORT



HYGIENE

TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin faucets, WCs and urinals.

INNER WATER GUIDE

Innovative faucet construction allows for significant dead space reduction.

SUSTAINABILITY

GROHE ECOJOY

Save precious resources and enjoy 100% water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.

QUALITY

MADE IN GERMANY

German perfectionism inspires ultimate customer confidence

DESIGN

GROHE STARLIGHT

Made-to-last surfaces ranging from precious matte to shiny like a diamond.



36 407 001
Remote control for GROHE Touchless fittings

Basic functionalites can be adjusted without remote control - simply by hand.

TECHNOLOGY

GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.

GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control
- Automatic flushing
- Thermal desinfection
- Cleaning mode
- Detection range and shut-off delay



LONGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)

MAINS OPERATED



36 453 000
Touchless basin mixer
(with plug transformer 100-230 V AC)


GROHE
ESSENCE E



GROHE
ESSENCE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 444 000 **Chrome** **4005176415661** **594.89**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 445 000 **Chrome** **4005176415678** **574.69**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 446 000 **Chrome** **4005176415685** **534.29**


Essence E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 447 000	**Chrome**	**4005176416293**	**756.49**






Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

36 264 001		**4005176416279**	**200.99**






Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

38 748 002	**Chrome**	**4005176416323**	**473.69**






Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001		**4005176368974**	**251.49**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
ESSENCE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 340 000**		**4005176911385**	**51.76**
	Power extension cable length 3.00 m			
	36 341 000 **ditto, length 10 m**		**4005176911392**	**93.07**
	**42 393 000**		**4005176905872**	**65.70**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
 	**36 338 000**		**4005176896743**	**83.46**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROCUBE E



GROHE
EUROCUBE E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 440 000 **Chrome** **4005176415623** **736.29**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 441 000 **Chrome** **4005176415630** **705.99**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 442 000 **Chrome** **4005176415647** **796.89**


Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 264 001 — **4005176416279** — **200.99**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000






38 748 002 — **Chrome** — **4005176416323** — **473.69**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2“
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






36 407 001 — **4005176368974** — **251.49**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply






36 340 000 — **4005176911385** — **51.76**

Power extension cable
length 3.00 m

36 341 000 — **4005176911392** — **93.07**
ditto, length 10 m

GROHE
EUROCUBE E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**42 393 000**		**4005176905872**	**65.70**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
 	**36 338 000**		**4005176896743**	**83.46**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING



GROHE
BLUETOOTH MONITORING

BLUETOOTH* MONITORING - SYSTEM REQUIREMENTS



System requirements

Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: iOS 8.0 and above (32/64 bit)

Android
min 4“ display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 413 000	**Chrome**	**4005176320576**	**545.14**






Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves
and dirt strainers
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 409 000	**Chrome**	**4005176320538**	**449.00**






Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 414 000	**Chrome**	**4005176320583**	**739.52**






Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions
escutcheon covers for S-unions
non-return valve
dirt strainers
power connection cable 3.0 m
for use with connection set
39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

39 383 000		**4005176356926**	**51.76**






Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections DN 15
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 410 000	**Chrome**	**4005176320545**	**515.55**






Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 000/36 337 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

36 337 000	**4005176896736**	**104.59**






Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000

36 336 000	**4005176896729**	**276.32**






Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 412 000	Chrome	4005176320569	581.05






Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box 36 339 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

36 339 000		4005176896842	179.60






Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000

36 415 000	Chrome	4005176320590	488.67






Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed thermostatic shower
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
for concealed installation box 36 416 000
GROHE StarLight finish
chrome escutcheon
with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 416 000 **4005176321009** **469.91**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for IR-set 36 415 000
2 stop valves
Grohtherm Micro integrated
non-return valves with filters
connection housing for power supply

37 503 000 **Chrome** **4005176320507** **632.82**






Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

37 338 000 **4005176837920** **125.71**






GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 505 SD0	**stainless steel**	**4005176321016**	**632.82**






Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

37 504 000	**Chrome**	**4005176320521**	**791.28**






Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

36 340 000	**4005176911385**	**51.76**






Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**93.07**


ditto, length 10 m

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 338 000**		**4005176896743**	**83.46**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

 	**36 407 001**		**4005176368974**	**251.49**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply


GROHE
EUROPLUS E



GROHE
EUROPLUS E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 207 001 **Chrome** **4005176929373** **558.86**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 208 001 **Chrome** **4005176929380** **474.35**
ditto, without mixing device






36 236 001 **Chrome** **4005176929403** **424.90**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 015 001 **Chrome** **4005176929359** **484.91**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K


36 016 001 **Chrome** **4005176929366** **418.23**
ditto, without mixing device

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 387 000**	**Chrome**	**4005176983207**	**882.04**

Europlus E
Powerbox
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
monobloc installation
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

 	**36 407 001**		**4005176368974**	**251.49**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

 	**36 340 000**		**4005176911385**	**51.76**

Power extension cable
length 3.00 m


	36 341 000		**4005176911392**	**93.07**

ditto, length 10 m

	**42 393 000**		**4005176905872**	**65.70**

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer

GROHE
EUROPLUS E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 338 000**		**4005176896743**	**83.46**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

	**36 209 000**	**Chrome**	**4005176207105**	**69.34**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSMART COSMOPOLITAN E



GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 327 001 **Chrome** **4005176305771** **315.88**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

36 331 001 **Chrome** **4005176305795** **276.79**
ditto, with pop-up waste set 1 1/4"






36 422 000 **Chrome** **4005176368530** **335.50**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K





36 325 001 **Chrome** **4005176305764** **358.14**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings by remote control 36 407
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 421 000	**Chrome**	**4005176368523**	**333.42**






Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 439 000	**Chrome**	**4005176389740**	**249.03**






Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 330 001	**Chrome**	**4005176305788**	**337.01**






Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 386 001 **Chrome** **4005176311673** **614.32**

Eurosmart Cosmopolitan E
Powerbox
Infra-red electronic basin mixer 1/2" with mixing
device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407






36 332 000 **Chrome** **4005176896682** **744.54**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
3 modes to start mixer: hand-hand, hand-body or body-body reflection
laminar mousseur 9 l/min
non-return valve
dirt strainers
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
swivel cast spout, 219 mm
projection 287 mm
swivel range stop at 130°, lockable
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 333 000 **Chrome** **4005176896699** **731.28**
ditto, projection 255 mm





36 334 SD0 **stainless steel** **4005176896705** **410.96**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 000/36 337 000
CE approved
noise classification 1 in accordance
with DIN4109


36 335 SD0 **stainless steel** **4005176896712** **389.83**
ditto, spout 170 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 337 000 4005176896736 104.59

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000






36 336 000 4005176896729 276.32

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000






36 376 000 **Chrome** 4005176932243 527.17

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min.
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 000
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 **Chrome** 4005176896590 442.65
ditto, projection 170 mm






36 339 000 4005176896842 179.60

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 407 001 **4005176368974** **251.49**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





36 340 000 **4005176911385** **51.76**

Power extension cable
length 3.00 m


36 341 000 **4005176911392** **93.07**
ditto, length 10 m



42 393 000 **4005176905872** **65.70**

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer





36 338 000 **4005176896743** **83.46**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000



34 507 000 **Chrome** **4005176940767** **162.69**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
GROHE TurboStat thermoelement
built-in non return valves
dirt strainers
with connection set and T piece
GROHE StarLight chrome finish
max. pressure differential 5:1

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO
COSMOPOLITAN E



GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 271 000 **Chrome** **4005176893193** **263.05**

Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 269 000 **Chrome** **4005176893179** **284.18**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
without power supply 36338000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 384 000 **Chrome** **4005176982774** **579.99**


Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 273 000 **Chrome** **4005176893216** **345.36**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 000/36 337 000
CE approved
noise classification 1 in accordance
with DIN4109






36 337 000 **4005176896736** **104.59**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000






36 336 000 **4005176896729** **276.32**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000





36 407 001 **4005176368974** **251.49**


Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)





36 340 000 — **4005176911385** — **51.76**

Power extension cable
length 3.00 m


36 341 000 — **4005176911392** — **93.07**
ditto, length 10 m



42 393 000 — **4005176905872** — **65.70**

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer





36 338 000 — **4005176896743** — **83.46**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000



34 507 000 — **Chrome** — **4005176940767** — **162.69**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
GROHE TurboStat thermoelement
built-in non return valves
dirt strainers
with connection set and T piece
GROHE StarLight chrome finish
max. pressure differential 5:1

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU COSMOPOLITAN E




COMMERCIAL
FITTINGS

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 451 000	Chrome	4005176473678	219.17






Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 452 000	Chrome	4005176473685	204.02






Bau Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
min. recommended pressure 1 bar

Ref. No.	Colour	EAN code	Retail Guide Price (£)
36 453 000	Chrome	4005176473791	231.29







Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
min. recommended pressure 1 bar

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAU COSMOPOLITAN E

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 407 001**		**4005176368974**	**251.49**
	Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018 **monitoring** consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO_2 capacity (GROHE Blue Home) **configuration** cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home) **service** send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply			
 	**36 340 000**		**4005176911385**	**51.76**
	Power extension cable length 3.00 m			
	36 341 000 **ditto, length 10 m**		**4005176911392**	**93.07**
	**42 393 000**		**4005176905872**	**65.70**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
 	**36 338 000**		**4005176896743**	**83.46**
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			


GROHE
GROHTHERM MICRO




GROHE
GROHTHERM MICRO

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	34 487 000	Chrome	4005176936234	125.71

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set

	34 507 000	Chrome	4005176940767	162.69

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
GROHE TurboStat thermoelement
built-in non return valves
dirt strainers
with connection set and T piece
GROHE StarLight chrome finish
max. pressure differential 5:1

 	47 533 000	Chrome	4005176207181	29.29

Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM SPECIAL



GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






34 667 000 **Chrome** **4005176351570** **264.65**


Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish






34 725 000 **Chrome** **4005176457081** **331.28**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
Thermostatic cartridge max.temperature 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions, chrome nuts and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
Available from Q2 2018





34 665 000 **Chrome** **4005176351556** **331.34**


Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL


Ref. No.	Colour	EAN code	Retail Guide Price (£)
34 681 000	**Chrome**	**4005176354090**	**315.88**






Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish

34 671 000	**Chrome**	**4005176351587**	**337.58**






Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish

34 666 000	**Chrome**	**4005176351563**	**293.82**






Grohtherm Special
Thermostat basin mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

13 378 000	**Chrome**	**4005176351532**	**79.18**





Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min.
GROHE StarLight finish


13 380 000	**Chrome**	**4005176351549**	**87.52**

ditto, length 175 mm

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






29 094 000 **Chrome** **4005176354106** **202.13**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000






29 095 000 **Chrome** **4005176354113** **206.30**

Grohtherm Special
Thermostatic bath/shower mixer trim
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000





29 096 000 **Chrome** **4005176354120** **166.71**


Grohtherm Special
Trim for thermostatic shower valve
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000



47 994 000 **4005176364723** **2.08**

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection







12 051 000 **Chrome** **4005176213588** **39.39**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**47 781 000**		**4005176836558**	**157.41**

Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for use with bath-thermostats with aquadimmer

GROHE
GROHTHERM XL



GROHE
GROHTHERM XL


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**35 085 000**	**Chrome**	**4005176207068**	**1,840.83**
	Grohtherm XL **Thermostat mixer 1"** wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/4" outlet thread 1 1/2" changeable top/bottom outlet without connection unions for wall mounting **GROHE StarLight** chrome finish			
 	**35 087 000**	**Chrome**	**4005176207082**	**2,160.39**
	Grohtherm XL **Thermostat mixer 1 1/4"** wall mounted range of use 9l/min to 140l/min wax thermoelement temperature scale handles with pre-adjustable safety stop between 33°C and 43°C arrangement to make the thermal disinfection easier built-in non return valves and dirt strainers as compact service units connecting thread 1 1/2" outlet thread 2" changeable top/bottom outlet without connection unions for wall mounting **GROHE StarLight** chrome finish			
	**47 569 000**	**Chrome**	**4005176214189**	**369.36**
	Loose key and shield			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMMERCIAL SHOWERS




GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 587 000**	**Chrome**	**4005176282966**	**180.79**


Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by
click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

 	**28 671 000**	**Chrome**	**4005176103070**	**30.63**


Relexa
Shower outlet elbow, 1/2"
male thread
GROHE StarLight chrome finish

 	**28 405 000**	**Chrome**	**4005176264559**	**49.49**

Movario
Shower outlet elbow, 1/2"
protected against backflow
GROHE StarLight chrome finish

 	**28 406 000**	**Chrome**	**4005176264566**	**49.49**

Movario
Shower outlet elbow, 1/2"
with shower holder
protected against backflow
GROHE StarLight chrome finish

 	**28 161 001**	**Chrome**	**4005176935107**	**15.99**


Silverflex
Shower hose Twistfree 1500
for **low pressure**
1500 mm
smooth surface for easy cleaning
tensile strength 350 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMMERCIAL SHOWERS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
28 142 000	**Chrome**	**4005176601330**	**18.74**






Relexaflex Metal Longlife
Metal shower hose 1250
1250 mm
metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 000	**Chrome**	**4005176601347**	**20.83**
28 143 KS0	**velvet black**	**4005176842252**	**27.35**
28 143 LS0	**moon white**	**4005176842269**	**27.35**

ditto, 1500mm hose

28 145 000	**Chrome**	**4005176601354**	**24.58**






Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 150 001	**Chrome**	**4005176933196**	**8.24**





Relexaflex
Shower hose 1250
1250 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 151 001	**Chrome**	**4005176933202**	**9.99**

ditto, 1500 mm

28 154 001	**Chrome**	**4005176933219**	**11.66**


ditto, 1750 mm

28 155 001	**Chrome**	**4005176933226**	**12.91**

ditto, 2000 mm






28 189 000	**Chrome**	**4005176075650**	**130.29**





Relexa Plus 80 Dual
Head shower 2 sprays
Turbo Jet (normal spray hard)/Normal (full shower spray)
with ball joint
connection thread with pre-assembled
sealing
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 002 000**	**Chrome**	**4005176858796**	**178.54**
	Relexa 70 **Sports head shower 1 spray** low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life suicide resistant design pipe union plug-in for wall connection			
 	**28 948 000**	**Chrome**	**4005176209871**	**130.29**
	Relexa Plus 60 **Sports head shower 1 spray** heavy, cast model connection thread 1/2" projection 148 mm **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	**28 094 000**	**Chrome**	**4005176601132**	**49.49**
	Relexa Plus 50 **Head shower 1 spray** with ball joint 1/2" connection **GROHE StarLight** chrome finish adjustable flow rate without shower arm			
 	**28 429 000**	**Chrome**	**4005176601910**	**49.49**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			
 	**28 541 000**	**Chrome**	**4005176040528**	**39.39**
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO SPECIAL



GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






32 762 000 **Chrome** **4005176871023** **104.59**

Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system, flexible connection hoses

32 763 000 **Chrome** **4005176871030** **104.59**
Ditto, with pop up waste set






32 765 000 **Chrome** **4005176871054** **220.80**

Euroeco Special
Single-lever basin mixer 1/2"
monobloc installation
smooth body, high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 766 000 **Chrome** **4005176871061** **231.36**
Ditto, with pop up waste set






30 208 000 **Chrome** **4005176927836** **241.93**

Euroeco Special
Basin mixer 1/2"
monobloc installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses









32 778 000 **Chrome** **4005176871788** **241.93**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min.
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions


32 779 000 **Chrome** **4005176871795** **273.62**
ditto, with lockable S unions, projection 221 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 767 000**	**Chrome**	**4005176871078**	**263.05**
	Euroeco Special **Basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions			
	32 771 000	**Chrome**	**4005176871719**	**284.18**
	ditto, with lockable S unions, projection 214 mm			
 	**32 773 000**	**Chrome**	**4005176871733**	**256.35**
	Euroeco Special **Basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min. projection 257 mm metal lever lever length 170 mm S-unions			
	32 775 000	**Chrome**	**4005176871757**	**297.61**
	ditto, with lockable S unions, projection 342 mm			
 	**32 774 000**	**Chrome**	**4005176871740**	**285.83**
	Euroeco Special **Basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SilkMove** 46 mm ceramic cartridge **GROHE EcoJoy** technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 274 mm metal lever lever length 170 mm with lockable S-unions			
 	**32 784 000**	**Chrome**	**4005176871849**	**125.71**
	Euroeco Special **Single-lever shower mixer trim** set for final installation for **without concealed body** **GROHE StarLight** chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter			
	35 501 000		**4005176833847**	**88.74**
	GROHE Rapido E Universal single-lever mixer for concealed installation			

GROHE
EUROECO SPECIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**32 786 000**	**Chrome**	**4005176871863**	**125.71**


Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min.
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses

	**32 870 000**	**Chrome**	**4005176876523**	**90.90**


Euroeco Special
Lever 115 mm
for Euroeco special single-lever mixer
GROHE StarLight chrome finish

	32 871 000	**Chrome**	**4005176876530**	**106.56**


ditto, length 160 mm

 	**12 051 000**	**Chrome**	**4005176213588**	**39.39**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish

 	**34 487 000**	**Chrome**	**4005176936234**	**125.71**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set

 	**47 533 000**	**Chrome**	**4005176207181**	**29.29**





Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HOSPITA



GROHE
HOSPITA

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		30 978 000	Chrome	4005176098918	199.67
		Hospita **Sink pillar tap, 1/2"** marking: blue (cold) **GROHE StarLight** chrome finish			
		20 025 000	Chrome	4005176099403	120.19
		Hospita **Pillar tap** **1/2"** red/blue markers **GROHE StarLight** chrome finish			
		45 316 000	Chrome	4005176099267	69.69
		Lever marking: blue/red projection 100 mm for use with ceramic headparts **GROHE StarLight** chrome finish			
		45 314 000	Chrome	4005176099250	79.79
		Lever projection 150 mm marking: blue/red for use with ceramic headparts **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO SINGLE
SEQUENTIAL



GROHE
EUROECO SINGLE SEQUENTIAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)






32 789 000 **Chrome** **4005176871894** **199.67**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses,

32 788 000 **Chrome** **4005176871887** **220.80**
Ditto, with pop up waste set






32 790 000 **Chrome** **4005176871900** **265.23**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min.
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses






32 795 000 **Chrome** **4005176871955** **347.57**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 204 mm
metal lever
lever length 170 mm
S-unions





32 792 000 **Chrome** **4005176871924** **350.64**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast swivel spout, lockable with flow straightener 9 l/min.
projection 197 mm
metal lever
lever length 120 mm
S-unions

32 793 000 **Chrome** **4005176871931** **365.38**
ditto, projection 256 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**46 277 000**		**4005176131851**	**39.39**
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	**46 278 000**		**4005176131868**	**99.99**
	Ceramic cartridge for Euroeco special mixer			
	**46 686 000**	**Chrome**	**4005176883088**	**26.06**
	Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm **GROHE StarLight** chrome finish			


GROHE
EURODISC SE



GROHE
EURODISC SE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 233 000**	**Chrome**	**4005176283338**	**503.99**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
start-stop function
self-closing electronic
safety stop after 180 sec.
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K

 	**36 210 000**	**Chrome**	**4005176207112**	**50.60**

Socket for spout elevation
for extension of the outlet height
Europlus E and Eurodisc SE
suitable for single hole mixers
Consisting of:
metal socket 25 mm
mounting-set
GROHE StarLight chrome finish

	**36 209 000**	**Chrome**	**4005176207105**	**69.34**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSMART
COSMOPOLITAN T



GROHE
EUROSMART COSMOPOLITAN T

Ref. No.	Colour	EAN code	Retail Guide Price (£)






36 317 000 **Chrome** **4005176896514** **263.05**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
2 flexible hoses, non-return valve
dirt strainers

36 318 000 **Chrome** **4005176896521** **284.18**

Ditto, with pop up waste set






36 319 000 **Chrome** **4005176896538** **442.08**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
S-unions, non-return valve
dirt strainers






36 320 000 **Chrome** **4005176896545** **410.96**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
S-unions
non-return valve
dirt strainers






36 321 000 **Chrome** **4005176896552** **294.75**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
dirt strainers
set for final installation for concealed fitting box
for use with 36 322 000
without concealed body





36 322 000 **4005176896569** **110.55**


Eurosmart Cosmopolitan T
Concealed mounting box with mixture
wall installation
with adhesive flange for sealing the wall
2 stop valves
non-return valve
for use with 36 321 000

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated



GROHE
EUROECO
COSMOPOLITAN T




GROHE
EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**36 265 000**	**Chrome**	**4005176893131**	**115.15**


Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)

 	**36 266 000**	**Chrome**	**4005176893148**	**94.02**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
5.7 l/min flow rate
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

 	**36 268 000**	**Chrome**	**4005176893162**	**94.02**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)


 	**36 267 000**	**Chrome**	**4005176893155**	**94.02**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed body and trim set
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SENSIA
SHOWER TOILETS





CONTENTS

Shower toilet	Sensia IGS	663
	Sensia Arena	665

GROHE
SENSIA IGS




SHOWER TOILET

GROHE
SENSIA IGS

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 111 SH0	**alpine white**	**4005176304668**	**4,626.23**






GROHE Sensia IGS
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene decalcification program, unique 70°C hot water cleaning for entire water system, automatic shower cleaning before and after every use
GROHE DreamSpray technology:
separate water way for lady spray
aerated shower spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
warm water with adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
Duroplast WC seat and lid with soft close function
push and turn seat control operation
4 programmable user profiles for remote controller
power switch
inside night lighting
hidden water supply and power supply connection
includes:
touchscreen remote control with wall-mounted holder
batteries for remote control
active carbon filter
fixing and connecting material
flush pipe
installation guide, manual
cable with system plug on device
pressure 0.1 - 1 MPa (1 - 10 bar)
nominal voltage 220-240 V AC 1400 W
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717/13077
CE approved
SH0:
alpine white ceramic, housing, front, seat and lid

39 112 001	**4005176359262**	**315.88**





Rapid SL
Element for GROHE Sensia shower WCs, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
with connections for GROHE Sensia
shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply required from the back
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

40 899 000	**4005176413896**	**36.98**



Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA




SHOWER TOILET

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN code	Retail Guide Price (£)

new






39 354 SH1 **alpine white** **4005176470448** **2,640.09**

GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
soft close
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connection
remote control
smart phone app for iOS and Android
includes:
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved





39 112 001 **4005176359262** **315.88**


Rapid SL
Element for GROHE Sensia shower WCs, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
with connections for GROHE Sensia
shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply required from the back
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	46 944 001		4005176479977	199.00

GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
Suitable for Sensia Arena shower toilet on a 1.13m Rapid SL frame
Consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved

	40 899 000		4005176413896	36.98


Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm

	46 977 00M		4005176423727	47.47

GROHE Sensia Arena
Descaler
packaging unit 4 x 80 g bag
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

	46 978 000		4005176423734	47.47

GROHE Sensia Arena
Descaling kit
for 39 354 SH0
80 g bag descaler
splash protection
bottle
adapter

	46 978 001			99.00

GROHE Sensia Arena
Descaling kit
for 39 354 SH1
80 g bag descaler
bottle
adapter
hose with clip
sticker
holder for bottle
1 x spray standard shower (14 928 000)
1 x spray lady shower (14 929 000)

	46 979 000		4005176423741	19.19

GROHE Sensia Arena
Descaler bottle
for 39 354 SH0
bottle
adapter

GROHE
CERAMICS





CONTENTS







Essence	671
Cube Ceramic	677
Euro Ceramic	683
Bau Ceramic	693
Acrylic shower trays	701

GROHE
ESSENCE



CERAMICS

GROHE
ESSENCE


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**39 564 00H**	**alpine white**	**4005176485602**	**259.00**
		Essence **Wash basin 70** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **12 pieces per pallet**			
		**39 565 00H**	**alpine white**	**4005176485619**	**239.00**
		Essence **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **16 pieces per pallet**			
		**39 566 00H**	**alpine white**	**4005176485626**	**569.00**
		Essence **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **8 pieces per pallet**			
		**39 567 00H**	**alpine white**	**4005176485633**	**409.00**
		Essence **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **12 pieces per pallet**			
		**39 568 00H**	**alpine white**	**4005176485640**	**279.00**
		Essence **Vanity basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing) **16 pieces per pallet**			
		**39 608 00H**	**alpine white**	**4005176566493**	**544.00**
		Essence **Vessel basin 60** without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 609 00H **alpine white** **4005176566509** **363.00**

Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 570 000 **alpine white** **4005176484865** **149.00**

Essence
Half pedestal
including fixation set
sanitary ware
33 pieces per pallet






39 571 00H **alpine white** **4005176485671** **259.00**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
12 pieces per pallet






39 572 00H **alpine white** **4005176485688** **399.00**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
6 pieces per pallet






39 573 00H **alpine white** **4005176485794** **375.00**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

GROHE
ESSENCE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 578 000 **alpine white** **4005176485145** **229.00**

Essence
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet






39 579 000 **alpine white** **4005176485152** **229.00**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware
24 pieces per pallet






39 577 000 **alpine white** **4005176485138** **149.00**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
7 pieces per master carton






39 576 000 **alpine white** **4005176485121** **99.00**

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
7 pieces per master carton






39 574 00H **alpine white** **4005176485800** **359.00**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet






39 575 00H **alpine white** **4005176485817** **375.00**


Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	19 025 000	Chrome	4005176209154	51.76

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish


 	19 952 000	Chrome	4005176174230	46.48

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

 	28 943 000		4005176209178	89.89

Talento
Pop-up bath waste and overflow
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

 	28 991 000		4005176174032	180.79

Talentofill
Inlet-, pop-up and waste-system
for baths with waste up to 370 mm reach
without finishing trim set


GROHE
CUBE CERAMIC



GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 386 00H **alpine white** **4005176438356** **506.04**

Cube Ceramic
Wash basin 100
wall hung
1 hole punched, 2 holes pre-punched
with overflow
1010 x 490 mm
wall fixings not included
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
10 pieces per pallet






39 469 00H **alpine white** **4005176438363** **437.37**

Cube Ceramic
Wash basin 80
wall hung
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
wall fixings not included
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
10 pieces per pallet






39 473 00H **alpine white** **4005176438370** **236.64**

Cube Ceramic
Wash basin 60
wall fixings not included
wall hung
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet






39 474 00H **alpine white** **4005176438387** **220.80**

Cube Ceramic
Wash basin 50
wall fixings not included
wall hung
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
18 pieces per pallet






39 475 00H **alpine white** **4005176442599** **506.04**

Cube Ceramic
Counter top basin 100
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
1000 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
10 pieces per pallet





39 476 00H **alpine white** **4005176442605** **438.43**


Cube Ceramic
Counter top basin 80
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
800 x 490 mm
wall fixings not included
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
10 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 477 00H **alpine white** **4005176442612** **237.70**

Cube Ceramic
Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet






39 478 00H **alpine white** **4005176442629** **222.92**

Cube Ceramic
Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
18 pieces per pallet






39 481 00H **alpine white** **4005176442650** **213.40**

Cube Ceramic
Vessel basin 50
without overflow
500 x 470 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
20 pieces per pallet






39 482 00H **alpine white** **4005176442667** **189.10**

Cube Ceramic
Vessel basin 40
without overflow
400 x 400 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
24 pieces per pallet






39 480 00H **alpine white** **4005176442643** **213.40**

Cube Ceramic
Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
18 pieces per pallet






39 479 00H **alpine white** **4005176442636** **228.20**

Cube Ceramic
Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
walls fixings not included
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
16 pieces per pallet

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 483 00H **alpine white** **4005176442674** **183.82**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
22 pieces per pallet






39 485 00H **alpine white** **4005176442704** **395.11**

Cube Ceramic
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet






39 484 00H **alpine white** **4005176442698** **424.69**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
6 pieces per pallet






39 489 000 **alpine white** **4005176442742** **222.92**


Cube Ceramic
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet





39 490 000 **alpine white** **4005176442759** **222.92**

Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware
24 pieces per pallet




39 488 000 **alpine white** **4005176442735** **163.75**


Cube Ceramic
WC seat soft close
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**39 486 00H**	**alpine white**	**4005176442711**	**346.52**

Cube Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
6 pieces per pallet

		**39 487 00H**	**alpine white**	**4005176442728**	**358.14**

Cube Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

GROHE
EURO CERAMIC




GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)

new






39 585 00H	**alpine white**	**4005176519178**	**435.00**

Euro Ceramic
Vanity basin 100
wall hung
1 hole punched
with overflow
1000 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
8 pieces per pallet

new






39 584 00H	**alpine white**	**4005176519161**	**337.00**

Euro Ceramic
Vanity basin 80
wall hung
1 hole punched
with overflow
800 x 460 mm
suitable for vanity units
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
12 pieces per pallet






39 323 000	**alpine white**	**4005176407116**	**95.82**
39 323 00H	**alpine white**	**4005176417344**	**144.27**

Euro Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
650 x 515 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)





39 335 000	**alpine white**	**4005176407239**	**90.44**
39 335 00H	**alpine white**	**4005176417351**	**133.50**


Euro Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 641 000	**Chrome**	**4005176570155**	**215.00**





Euro Ceramic
Bundle wash basin 60 + Eurosmart basin mixer
Consisting of:
Euro Ceramic wash basin 60 (39 335 000)
wall hung
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
sanitary ware

Eurosmart basin mixer M-size (23 322 001)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

Mounting set
brand: TOX
hanger bolts M10 x 140


Angle valve 1/2" (22 039 000)
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4" (28 947 000)
for basins
wall connection
escutcheon

GROHE
EURO CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 642 000	**Chrome**	**4005176570162**	**225.00**





Euro Ceramic
Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer
Consisting of:
Euro Ceramic wash basin 60 (39 335 000)
wall hung
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
sanitary ware

Eurosmart Cosmopolitan basin mixer M-Size (23 325 000)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2" (22 039 000)
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4" (28 947 000)
for basins
wall connection
escutcheon

39 337 000	**alpine white**	**4005176407253**	**95.82**
39 337 00H	**alpine white**	**4005176418334**	**144.27**






Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
including fixation set
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

39 336 000	**alpine white**	**4005176407246**	**89.04**
39 336 00H	**alpine white**	**4005176417368**	**131.88**






Euro Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

39 423 000	**alpine white**	**4005176406201**	**104.59**











Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**39 324 000** **39 324 00H**	**alpine white** **alpine white**	**4005176407123** **4005176417375**	**63.52** **111.97**
	Euro Ceramic **Hand rinse basin 45** wall hung 1 hole punched with overflow 450 x 400 mm **wall fixings not included** sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 327 000** **39 327 00H**	**alpine white** **alpine white**	**4005176390104** **4005176418341**	**79.67** **128.12**
	Euro Ceramic **Compact handrinse basin** wall hung 1 hole punched 370 x 180 mm **wall fixings not included** sanitary ware no pedestals recommended optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 201 000**	**alpine white**	**4005176344947**	**68.90**
	Euro Ceramic **Semi pedestal for wash basin** **39230,39335 and 39336** invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H			
 	**39 325 000**	**alpine white**	**4005176407130**	**68.90**
	Euro Ceramic **Semi pedestal for hand rinse basin** invisible fixation set included sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H			
 	**39 202 000**	**alpine white**	**4005176344954**	**79.67**
	Euro Ceramic **Full pedestal for wash basin** **39 230, 39 335, 39 336 and 39 324** invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H			
 	**39 328 000** **39 328 00H**	**alpine white** **alpine white**	**4005176407161** **4005176417382**	**268.08** **316.53**
	Euro Ceramic **Wall hung WC** for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			

CERAMICS

GROHE
EURO CERAMIC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**39 554 000**	**alpine white**	**4005176484452**	**359.00**

Euro Ceramic
Wall hung WC set
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast
4 pieces per pallet


 	**39 206 000**	**alpine white**	**4005176344992**	**246.55**
	39 206 00H	**alpine white**	**4005176418495**	**295.00**

Euro Ceramic
Wall hung compact WC
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)


new

 	**39 538 000**	**alpine white**	**4005176468292**	**210.00**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
12 pieces per pallet

 	**39 338 000**	**alpine white**	**4005176407260**	**208.87**
	39 338 00H	**alpine white**	**4005176418501**	**257.32**

Euro Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)


	**39 332 000**	**alpine white**	**4005176407208**	**192.72**

Euro Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)



39 333 000 **alpine white** **4005176407215** **192.72**

Euro Ceramic
Exposed flushing cistern
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware






39 329 000 **alpine white** **4005176407178** **198.04**
39 329 00H **alpine white** **4005176418518** **246.55**

Euro Ceramic
Floor standing WC
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)






39 555 000 **alpine white** **4005176484469** **299.00**

Euro Ceramic
Floor standing WC set
universal trap for horizontal and vertical outlet
rimless
flush volume 3/5 l
including fixation set
sanitary ware
Euro Ceramic WC seat
soft close
quick release function
detachable
material: Duroplast
4 pieces per pallet






39 339 000 **alpine white** **4005176407277** **204.91**
39 339 00H **alpine white** **4005176418525** **253.38**

Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)





39 330 001 **alpine white** **4005176468834** **95.82**

Euro Ceramic
WC seat
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs

GROHE
EURO CERAMIC


Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 331 001	**alpine white**	**4005176468827**	**68.29**



Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs

39 208 000	**alpine white**	**4005176345029**	**241.17**
39 208 00H	**alpine white**	**4005176418532**	**289.62**






Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

39 340 000	**alpine white**	**4005176423697**	**208.87**
39 340 00H	**alpine white**	**4005176423703**	**257.32**









Euro Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**39 453 000**		**4005176421099**	**20.07**
	WC connection outlet horizontal 320 mm from wall			
 	**39 454 000**		**4005176421105**	**20.07**
	WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall			
 	**39 457 000**		**4005176421112**	**20.07**
	WC connection outlet vertical length adjustable 93.5 to 137 mm from wall			
 	**49 532 000**		**4005176474224**	**9.50**
	Escutcheon for 39 457 000			
	**49 522 000**		**4005176421501**	**24.30**
	Mounting set for Euro Ceramic cistern 39 333 000			

GROHE
BAU CERAMIC




CERAMICS


GROHE
BAU CERAMIC

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		39 420 000	alpine white	4005176405983	67.61

Bau Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
646 x 468 mm
wall fixings not included
sanitary ware

		39 421 000	alpine white	4005176428906	62.33

Bau Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
609 x 442 mm
wall fixings not included
sanitary ware

		39 644 000	Chrome	4005176570186	164.00


Bau Ceramic
Bundle wash basin 60 + BauFlow basin mixer
Consisting of:
Bau Ceramic wash basin 60 (39 421 000)
wall hung
1 hole punched
with overflow
609 x 442 mm
wall fixings not included
sanitary ware

BauFlow single-lever basin mixer S-size (23 751 001)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4“
flexible connection hoses

Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2“ (22 039 000)
self-sealing connection thread
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4“ (28 947 000)
for basins
wall connection
escutcheon

		39 440 000	alpine white	4005176405976	57.04


Bau Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
553 x 386 mm
wall fixings not included
sanitary ware

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 643 000	Chrome	4005176570179	179.00





Bau Ceramic
Bundle wash basin 55 + BauEdge basin mixer
Consisting of:
Bau Ceramic wash basin 55 (39 440 000))
wall hung
1 hole punched
with overflow
553 x 386 mm
wall fixings not included
sanitary ware

BauEdge single-lever basin mixer M-size (23 759 000)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4“
flexible connection hoses


Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2“ (22 039 000)
self-sealing connection thread
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4“ (28 947 000)
for basins
wall connection
escutcheon

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 422 000	alpine white	4005176406195	104.59






Bau Ceramic
Counter Drop-in basin 55
built-in
1 hole punched
with overflow
560 x 400 mm
fixings included
sanitary ware

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 423 000	alpine white	4005176406201	104.59






Universal
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 424 000	alpine white	4005176406218	57.04






Bau Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
453 x 354 mm
wall fixings not included
sanitary ware

GROHE
BAU CERAMIC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)





39 426 000 **alpine white** **4005176406232** **62.33**


Bau Ceramic
Half pedestal
including fixation set
sanitary ware



39 425 000 **alpine white** **4005176406225** **57.04**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware






39 427 000 **alpine white** **4005176406249** **104.59**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 428 000 **alpine white** **4005176406256** **120.43**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware






39 349 000 **alpine white** **4005176449659** **131.00**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware











39 429 000 **alpine white** **4005176406263** **131.00**







Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**39 436 000**	**alpine white**	**4005176406331**	**104.59**
	Bau Ceramic **Exposed flushing cistern** bottom inlet inlet and outlet concealed including flushing set & button sanitary ware			
	**39 437 000**	**alpine white**	**4005176406348**	**104.59**
	Bau Ceramic **Exposed flushing cistern** connection from the left/right hand side including flushing set & button sanitary ware			
 	**39 430 000**	**alpine white**	**4005176406270**	**88.74**
	Bau Ceramic **Floor standing WC** wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware			
 	**39 431 000**	**alpine white**	**4005176406287**	**88.74**
	Bau Ceramic **Floor standing WC** wash down rimless vertical outlet flush volume 6/3 l including fixation set sanitary ware			
 	**39 492 000**	**alpine white**	**4005176450013**	**41.20**
	Bau Ceramic **WC seat** with lid quick release function detachable material: Duroplast including fixation set			
 	**39 493 000**	**alpine white**	**4005176450020**	**83.46**
	Bau Ceramic **WC seat soft close** with lid quick release function detachable material: Duroplast including fixation set			

GROHE
BAU CERAMIC


		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		**39 433 000**	**alpine white**	**4005176406300**	**178.54**
		Bau Ceramic **Wall hung bidet** 1 hole punched with overflow sanitary ware			
		**39 432 000**	**alpine white**	**4005176406294**	**178.54**
		Bau Ceramic **Floor standing bidet** 1 hole punched with overflow including fixation set sanitary ware			
		**39 438 000**	**alpine white**	**4005176406355**	**199.67**
		Bau Ceramic **Urinal** concealed inlet **wall fixings Included** flush volume 1 l including fixation set sanitary ware			
		**39 439 000**	**alpine white**	**4005176406362**	**199.67**
		Bau Ceramic **Urinal** top inlet **wall fixings Included** flush volume 1 l including fixation set sanitary ware			
		**39 351 000**	**alpine white**	**4005176450006**	**178.54**
		Bau Ceramic **Wall hung WC set** WC seat and lid with soft close feature for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware			
		**39 497 000**	**alpine white**	**4005176450068**	**135.00**
		Bau Ceramic **Wall hung WC set** WC seat and lid for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware **12 pieces per pallet**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 347 000	alpine white	4005176449680	284.18






Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

39 346 000	alpine white	4005176449673	294.75






Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

39 496 000	alpine white	4005176450051	303.00









Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 494 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set
4 pieces per pallet

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**39 453 000** **WC connection outlet** horizontal 320 mm from wall		**4005176421099**	**20.07**
 	**39 454 000** **WC connection outlet** horizontal and vertical length adjustable 60 to 105 mm from wall		**4005176421105**	**20.07**
 	**39 457 000** **WC connection outlet** vertical length adjustable 93.5 to 137 mm from wall		**4005176421112**	**20.07**
 	**49 532 000** **Escutcheon** for 39 457 000		**4005176474224**	**9.50**
	**49 522 000** **Mounting set** for Euro Ceramic cistern 39 333 000		**4005176421501**	**24.30**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACRYLIC SHOWER TRAYS




CERAMICS

GROHE
ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 300 000 **alpine white** **4005176346026** **234.32**

Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083
20 pieces per pallet






39 301 000 **alpine white** **4005176346033** **172.71**

Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081
20 pieces per pallet






39 302 000 **alpine white** **4005176346040** **165.64**

Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080
20 pieces per pallet






39 305 000 **alpine white** **4005176346071** **292.90**


Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084
20 pieces per pallet

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	39 306 000	alpine white	4005176346088	190.89


Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082
20 pieces per pallet

 	39 307 000	alpine white	4005176346095	419.15


Acrylic shower tray 900 x 1400
dimensions: 900 x 1400 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150181)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014415
recommended Schedel installation set SD 90086
20 pieces per pallet

 	39 308 000	alpine white	4005176346101	360.57

Acrylic shower tray 900 x 1200
dimensions: 900 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014414
recommended Schedel installation set SD 90085
20 pieces per pallet

 	49 533 000	Chrome	4005176478475	31.31

Waste set for universal shower tray
Ø 112 mm
vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274

 	49 534 000	Chrome	4005176478482	31.31

Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SL for WC	717
Rapid SL for Urinal	727
Rapid SL for Wash Basin and Bidet	729
Rapid SL for the Disabled	733
Rapid SL Fitting Supports	737
Rapid SL Accessories	739

GROHE RAPID SL
THE **BENEFITS** AT A GLANCE

Fast and simple installation for the WC – in individual as well as in-row installation – depends on all components being in perfect harmony with each other. Numerous special technical features and benefits from both product areas are combined to create a time-saving and economical solution.



[1] Points for securing the on-the-wall installation accessories

[2] A QR code printed on each GD2 cistern links to information such as product number, spare parts and technical drawings

[3] **UNIVERSAL CISTERN**
- adjustable from 6-9 l
- Dual Flush or Start/Stop flush
- water connection fro m top, back, right, left
- installation of water connection without tools
- compatible to all GROHE flush plates

[4] **FLEXIBLE**
Revision shaft can be installed horizontally or vertically to suit the individual tile pattern

[5] **EASYCONNECT**
pneumatic connection of flush plate for easy and fast installation

[6] **FAST**
Fully preassembled elements –
“straight out of the box and onto the wall”

[7] **SAFE**
TÜV certificate for Load capacity:
- 400 kg for WC
- 150 kg for wash basin

[8] **SILENT**
Noise reduction thanks to GROHE Whisper

[9] **COMPLETE**
Fixing material, supply and waste pipes for wall-hung WCs

[10] **VERSATILE**
Element feet with variable fixing points for all applications

GROHE **RAPID SL** INSTALLATION: **FITTED PERFECTLY** IN JUST A FEW STEPS

Rapid SL lives up to its name, with fast, reliable installation. Installation can take just 14 minutes for single installation on the WC or ten minutes per wash basin for row installation. Conventional panelling wall installation in front of a sold wall as a single installation – as well as space-saving corner installation – is just as easy to master as row installation, ceiling height installation in a lightweight stud partition, free-standing installation and installation in the Rapid Pro profile system.

Individual and fast: single installation. Studded-wall installation in front of masonry





Efficient and precise: studded-wall installation as row installation on a rail





Fast and easy: installation in lightweight stud partitions

















Extra storage space: installation in front of lightweight metal or wood stud partitions









1	2	3	4
			
• Draw the measurement lines • Adjust element height • Mount wall bracket • Draw the drilling holes	• Drill the fixing holes • Secure element in place	• Align element	• Mount outlet bend

1	2	3	4
			
• Install floor and wall rail	• Mount wall bracket • Place element on base rail • Secure in place	• Pull up element • Hang wall mounting and secure	• Align vertically • Secure lock nuts

1	2	3	4
			
• Set element in the floor profile	• Drill, secure element base in place	• Align element	• Secure element in place on the C profiles

1	2	3	4
			
• Draw the measurement lines • Adjust element height • Mount wall bracket • Draw the drilling holes	• Align Drill, secure element base in place	• Align element	• Mount outlet bend

UNISET
PERFECT FOR FLEXIBLE ROOM DESIGN, IDEAL FOR RAPID AND SIMPLE INSTALLATION

What makes the installation of Uniset elements different is the unique rail technology. The wall rails can be pre-installed without any elements; when installing Uniset, the installer has plenty of room for adjustment to the left and right to achieve the perfect position. The walling-in of WC and urinal cisterns has never been so easy.





GROHE **WC ACTUATIONS**
SELECTION GUIDE

WC	Manual actuation Dual flush and start & stop								
									
 **38 528 001** **38 643 001** **38 661 000**	37 535 vertical installation	37 601 vertical installation	37 624 vertical installation	37 965 vertical installation	38 845 vertical and horizontal installation 38 957 38 958 Mounting set for wall- aligned installation	38 916 0A0 vertical and horizontal installation	38 821 vertical installation	38 732 vertical and horizontal installation	38 732 BR0 vertical and horizontal installation
 **38 525 001** **38 415 001** **38 422 000**					38 845 horizontal installation	38 916 0A0 horizontal installation		38 732 horizontal installation	38 732 BR0 horizontal installation
 **38 519 001** **37 153 000**									

Manual actuation
Dual flush and start & stop

										
38 732 SD0 vertical installation	38 915 vertical and horizontal installation	38 766 vertical and horizontal installation	38 809 vertical and horizontal installation	38 847 vertical and horizontal installation	38 847 XG0 vertical and horizontal installation	38 765 vertical and horizontal installation	38 844 vertical installation 38 858 horizontal installation	38 505 vertical installation 38 506 horizontal installation	38 861 vertical and horizontal installation	38 862 vertical and horizontal installation 38 862 SD0 vertical and horizontal installation
38 776 SD0 horizontal installation		38 766 horizontal installation	38 809 horizontal installation	38 847 horizontal installation	38 847 XG0 horizontal installation	38 765 horizontal installation	38 858 horizontal installation	38 506 horizontal installation	38 861 horizontal installation	38 862 horizontal installation

GROHE **WC & URINAL ACTUATIONS**
SELECTION GUIDE

WC	Manual actuation Start & stop				Manual/ electronic	Infra-red electronic	Radio electronic		Pneumatic actuation	Push button
 **38 528 001** **38 643 001** **38 661 000**	38 564 vertical installation 38 565 horizontal installation	38 672 SD0 vertical installation	38 573 vertical and horizontal installation	38 574 vertical and horizontal installation	37 419 vertical installation	38 699 001	39 141 000	38 759 SD1 38 758	37 059 37 060	38 934 SD0
 **38 525 001** **38 415 001** **38 422 000**	38 565 horizontal installation		38 573 horizontal installation	38 574 horizontal installation					37 060	
 **38 519 001** **37 153 000**		38 445 SD0 vertical installation	38 547 vertical installation	37 063 vertical installation						

Urinal	Manual actuation					Infra-red electronic		Temperature sensor
								
 **39 376 000** Temperature sensor								39 369 000 Temperature sensor with Bluetooth 39 368 000 Temperature sensor
 **38 787 000** GROHE Rapido UMB manual / 6 V	38 846	38 857	38 784	38 804	38 808	37 337 001	37 324 001	
 **38 786 001** **37 785 000** **37 338 000** manuel / 230 V / 6 V	38 846	38 857	38 784	38 804	38 808	37 336 001/ 37 337 001	37 321 001/ 37 324 001	

GROHE
RAPID SL FOR WC




INSTALLATION SYSTEMS

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
39 374 KS0	**velvet black**	**4005176344770**	**666.84**






Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

39 374 LS0	**moon white**	**4005176344787**	**666.84**






Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)






38 827 000 **Chrome** **4005176870477** **400.39**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






38 860 000 **Chrome** **4005176878084** **358.14**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
GROHE Fresh retrofit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






38 888 000 **Chrome** **4005176879630** **410.96**

Rapid SL
4-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






38 885 000 **Chrome** **4005176879609** **400.39**

Rapid SL
4-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 501 000 **Chrome** **4005176453878** **356.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






39 503 000 **Chrome** **4005176454097** **356.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)






39 504 000 **Chrome** **4005176454103** **356.00**

Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 3 l
Consisting of:
Rapid SL element for WC (38 528 001)
Arena Cosmopolitan S flush plate, chrome (37 624 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates






38 721 001 **Chrome** **4005176863431** **358.14**


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**38 772 001**	**Chrome**	**4005176863288**	**358.14**


Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)

 	**38 761 000**	**Chrome**	**4005176841620**	**379.27**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Air flush plate, chrome, horizontal installation (38 506 000)
Rapid SL front wall brackets (38 558 00M)

 	**38 773 000**	**Chrome**	**4005176850288**	**379.27**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)


 	**38 868 000**	**Chrome**	**4005176878091**	**379.27**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 947 000		4005176911217	368.70






Rapid SL
2-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Rapid SL front wall brackets (38 558 00M)

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 948 000		4005176911224	358.14






Rapid SL
2-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	38 528 001		**4005176863943**	**273.62**






Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

	38 536 001		**4005176863929**	**294.75**





Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 2.6 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
1/2" water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 112 001 **4005176359262** **315.88**

Rapid SL
Element for GROHE Sensia shower WCs, 1.13 m installation height with flushing cistern GD 2 , 6 l - 2.6 l
with connections for GROHE Sensia
shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply required from the back
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
universal water connection for shower toilets Sensia Arena and Sensia IGS
concealed socket for mains supply
positioning help for electrical connection
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)






38 675 001 **4005176863516** **294.75**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





38 994 000 **4005176932335** **337.01**


Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**38 995 000**		**4005176932342**	**347.57**

Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m finished installation height
for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top
water supply 1/2“ and push fit flexible hose union


including wall brackets 38 558 00M for on-the-wall installation

 	**38 525 001**		**4005176863967**	**337.01**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 950 000 (sold separately)

 	**38 526 000**		**4005176291050**	**337.01**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 950 000 (sold separately)

GROHE
RAPID SL FOR WC


Ref. No.	Colour	EAN code	Retail Guide Price (£)



40 899 000 — **4005176413896** — **36.98**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm






38 558 00M — **4005176291418** — **26.41**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces





42 333 000 — **4005176845888** — **14.04**

4.5 l adapter for GD2
to reduce the maximum flush volume to 4.5 liters
suitable for all elements with flushing cistern GD 2


All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR URINAL




INSTALLATION SYSTEMS


GROHE
RAPID SL FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**38 786 001**		**4005176864025**	**315.88**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during
construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

 	**39 376 000**		**4005176342998**	**225.06**

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation
set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

 	**38 558 00M**		**4005176291418**	**26.41**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET




INSTALLATION SYSTEMS

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






38 554 001 | **4005176863806** | **125.71**

Rapid SL
Element for wash basin, single hole installation
with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 748 002 | **Chrome** | **4005176416323** | **473.69**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000
and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 541 000 | **4005176291234** | **199.67**

Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 553 001 | **4005176863813** | **289.47**


Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with small bearing area (< 205 mm)
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET


	Ref. No.	Colour	EAN code	Retail Guide Price (£)






38 545 000 | **4005176291272** | **278.90**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 543 000 | **4005176291258** | **294.75**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 558 00M | **4005176291418** | **26.41**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces


GROHE RAPID SL FOR THE DISABLED



GROHE
RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN code	Retail Guide Price (£)






38 675 001 **4005176863516** **294.75**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please
order fixing element 38 559 001 (sold separately)





A	1130	1080
B	280	230
C	960	910
D	1000	950
E	1060	1010
F	460	410


39 140 000 **4005176315268** **564.42**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 2.6 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

38 541 000 **4005176291234** **199.67**


Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall
brackets 38 558 00M (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 559 001		4005176863776	161.17






Rapid SL
Fixing element, 1.13 m installation height
to fix **support** for the disabled
0.31 m wide
powder coated steel frame
waterproof plywood
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FITTING SUPPORTS




INSTALLATION SYSTEMS

GROHE
RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**37 998 000**		**4005176262586**	**104.59**

Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"

 	**38 652 000**		**4005176294778**	**110.19**

Rapid SL
Mounting plate
for fixing concealed fittings and room ventilation
for **studded walls**
for empty elements
for GROHE Rapido
500 x 240 x 77 mm
variable depth adjustment 75-115 mm
with waterproof plywood board for fixation







All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES





INSTALLATION SYSTEMS

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**38 558 00M**		**4005176291418**	**26.41**
	Rapid SL **Front wall brackets** for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm **2 pieces**			
 	**37 310 000**		**4005176148538**	**37.07**
	Element bar for row installation 1 piece 2600 x 36 x 20 mm			
 	**38 733 000**		**4005176837289**	**30.63**
	Rapid SL **Mounting angle** for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material **2 pieces**			
 	**38 562 001**		**4005176863752**	**94.02**
	Rapid SL **Set for corner installation** for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets **1.13 m** **135°**			
 	**38 563 000**		**4005176291463**	**29.29**
	Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves			
 	**38 779 000**		**4005176855306**	**99.99**
	Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	42 397 000 **Connecting hose**		4005176906855	11.11
	42 766 000 **Distance pipe 3“**		4005176222115	12.12
 	38 338 000 **Water supply pipe connector**		4005176286179	27.95
 	40 911 000 **Inspection shaft for small flush plates** for combination with Rapid SL/GD 2 1.13 m cisterns		4005176416132	11.42

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing Cisterns	745
	Accessories for Flushing Cisterns	749
	Electronic Actuations for WC	755
Urinal	Electronic Actuations for Urinal	759
	Urinal Flush Valves	763


GROHE
FLUSHING CISTERNS




GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**37 762 SH0**	**alpine white**	**4005176213250**	**69.69**


Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side

 	**37 945 SH0**	**alpine white**	**4005176256387**	**69.69**


Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right

 	**38 661 000**		**4005176294907**	**157.41**

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

 	**38 987 000**		**4005176924798**	**105.65**


WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
flush pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

 	**38 863 000**		**4005176832345**	**125.71**



Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with plaster base coating made of vinyl fleece
with push fit flexible hose union
with isolation valve 1/2“
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSHING CISTERNS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 422 000		4005176275203	167.97

Flushing cistern for WC
6 l / 3 l
0.82 m finished installation height
front/top actuation
water supply from left/right
or back
Insulated against condensation
415 x 140 x 360 mm
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow


 	38 691 000		4005176815454	167.97

Eau2
WC Flushing cistern 0.82 m
6 l / 3 l, Dual Flush
water supply from left/right or back
with angle stop valve 1/2" and flush pipe
fixing brackets
min. recommended pressure 0.2 bar


air button
front/top actuation
extended hose length for flexibility when
positioning the actuation
sleek and minimal styling allows the button
to be fitted in any 360° orientation
GROHE EcoJoy technology for less water and perfect flow

 	39 053 000		4005176935978	72.89

Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

 	39 054 000		4005176936289	72.89

Concealed flushing cistern
6 l / 3 l
Dual Flush
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow





 	39 056 000	Chrome	4005176936302	19.19

Round push button actuation Ø 50 mm with Eco button
in combination with bath furniture
for combination with flushing cistern 39 053 000 & 39 054 000
for walls 18 -24 mm thickness
GROHE StarLight chrome finish

GROHE ACCESSORIES FOR FLUSHING CISTERNS









GROHE
ACCESSORIES FOR FLUSHING CISTERNS





	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**37 095 000** **Filling valve** 3/8“ universal application		**4005176145124**	**29.29**
 	**42 181 000** **Filling valve 1/2“**		**4005176286872**	**39.39**
 	**37 100 SH0** **Flush pipe** 390 x 350 mm	**alpine white**	**4005176142093**	**19.19**
	**43 733 000** **Membrane** filling valve		**4005176158926**	**9.09**
	**42 271 00M** **Nipple** multi-packaging: 10 pieces		**4005176820588**	**48.88**
 	**37 099 K00** **Flush pipe** for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug	**black**	**4005176142086**	**29.59**

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 735 000		4005176837500	51.76
	Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable **GROHE EcoJoy** technology for less water and perfect flow			
 	38 736 000		4005176837517	41.20
	Dual flush valve set **for flushing cistern GD 2 / Rapid SL 1.13 m only** **6 l / 3 l** dual flush discharge valve AV1 consisting of valve seat **without wall plate/actuation**			
 	42 137 000		4005176259524	19.19
	Servo discharge valve			
 	43 908 000		4005176160257	19.19
	Flush pipe, concealed complete for concealed cisterns with polystyrine insulation and protective cover length 280 mm			
 	37 311 K00	black	4005176160851	19.19
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts			
 	37 489 000		4005176167386	9.09
	Flush pipe extension length 200 mm			
	43 352 000		4005176832413	9.09
	Ditto, length 300 mm without connector 37 119 000			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	37 104 K00	black	4005176160844	19.19
	WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long			
 	37 105 K00	black	4005176141904	19.19
	Flush pipe extension length 300 mm			
 	37 119 000		4005176144370	3.94
	Connector Ø 55 mm			
 	42 333 000		4005176845888	14.04
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters suitable for all elements with flushing cistern GD 2			
	43 544 000		4005176157738	9.09
	Outlet piston			
	42 075 000		4005176244919	8.03
	Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	42 300 000		4005176832079	29.29

Flow restrictor
reduces flow rate
for flushing cistern GD 2 / Rapid SL 1.13 m only
installation in valve seat

 	38 714 000		4005176828454	14.04

WC wall plate extension set 70 mm
with pneumatic discharge valve

GROHE ELECTRONIC ACTUATIONS FOR WC




FLUSHING SYSTEMS

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 698 SD1	**stainless steel**	**4005176929571**	**664.51**






Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
CE approved

38 699 001	**Chrome**	**4005176929588**	**558.86**






Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

37 419 000	**Chrome**	**4005176933806**	**749.03**
37 419 SD0	**stainless steel**	**4005176933813**	**749.03**






Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13m only
servo motor
concealed installation
front plate 156 x 197 mm
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

36 340 000	**4005176911385**	**51.76**







Power extension cable
length 3.00 m

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	36 341 000		4005176911392	93.07

Power extension cable
length 10.00 m

 	36 407 001		4005176368974	251.49

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
ELECTRONIC ACTUATIONS
FOR URINAL




FLUSHING
SYSTEMS

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 336 001	**Chrome**	**4005176929540**	**495.48**






Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

37 337 001	**Chrome**	**4005176929557**	**466.95**






Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 321 001	**Chrome**	**4005176929496**	**495.48**
37 321 SD1	**stainless steel**	**4005176929502**	**495.48**






Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 324 001	**Chrome**	**4005176929526**	**495.48**
37 324 SD1	**stainless steel**	**4005176929533**	**466.95**






Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium-battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

---

37 338 000	**4005176837920**	**125.71**






GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

---

38 787 000	**4005176855689**	**104.59**






GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during
construction phase

---

36 407 001	**4005176368974**	**251.49**






Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN code	Retail Guide Price (£)






39 368 000 **4005176341540** **491.79**

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved






39 367 000 **4005176341533** **491.79**

Temperature sensor for urinal
6V lithium-battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI





39 369 000 **4005176341557** **654.33**

Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.



All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
URINAL FLUSH VALVES



FLUSHING SYSTEMS

GROHE
URINAL FLUSH VALVES

		Ref. No.	Colour	EAN code	Retail Guide Price (£)
		37 396 000	**Chrome**	4005176907968	115.15
		Press urinal flush valve 1/2“ brass **GROHE StarLight** chrome finish with wall escutcheon			
		37 044 000		4005176160776	19.19
		**Urinal inlet connector, 1/2“**			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACTUATIONS





CONTENTS

WC	Flush Plates for WC	781
	GROHE Fresh	789
Urinal	Flush Plates for Urinal	791

GROHE
SKATE COSMOPOLITAN S SPA COLOURS COLLECTION

COLOURS - EVERYTHING YOU NEED!

For the exclusive bathroom, the small actuation plates are also available in exceptional colours. These products are perfectly suited to meet individual wishes. This leaves nothing to be desired and allows new design possibilities for your bathroom. The exclusive solution for your bathroom. Perfection made in Germany.



Polished surfaces



chrome
00



warm sunset
DA



cool sunrise
GL



hard graphite
A0



nickel
BE

Brushed surfaces



SuperSteel
DC



brushed warm sunset
DL



brushed cool sunrise
GN



brushed hard graphite
AL



brushed nickel
EN

THE NEW STANDARD **NEARLY INVISIBLE!**

Inviting minimalist design meets innovative new technology! The smaller size (130 x 172 mm) is new to the range and ensures you have a choice that is right for your design. It's eco-friendly, too. The dual flush system allows you to select a flush volume of either 3 or 6 litres (or 3 and 4.5 litres in some ceramic bodies). The GROHE EcoJoy flush technology also reduces your water consumption by up to 50%! Installation and maintenance is simple and tool-free. The new GROHE flush plates – a bathroom upgrade that balances sleek modern style with performance you can trust.

Skate
Cosmopolitan S



37 535 000*
chrome



37 535 P00*
matt chrome



37 535 SH0*
alpine white



37 535 DC0*
SuperSteel

Nova
Cosmopolitan S



37 601 000*
chrome



37 601 P00*
matt chrome



37 601 SH0*
alpine white



37 601 DC0*
SuperSteel

Arena
Cosmopolitan S



37 624 000*
chrome



37 624 P00*
matt chrome



37 624 SH0*
alpine white



37 624 DC0*
SuperSteel

Skate
Air



37 965 000*
chrome



37 965 SH0*
alpine white

* separate revision shaft needed



GROHE **WC ACTUATIONS**
SELECTION GUIDE

WC	Manual actuation Dual flush and start & stop								
									
 **38 528 001** **38 643 001** **38 661 000**	37 535 vertical installation	37 601 vertical installation	37 624 vertical installation	37 965 vertical installation	38 845 vertical and horizontal installation 38 957 38 958 Mounting set for wall- aligned installation	38 916 0A0 vertical and horizontal installation	38 821 vertical installation	38 732 vertical and horizontal installation	38 732 BR0 vertical and horizontal installation
 **38 525 001** **38 415 001** **38 422 000**					38 845 horizontal installation	38 916 0A0 horizontal installation		38 732 horizontal installation	38 732 BR0 horizontal installation
 **38 519 001** **37 153 000**									

Manual actuation
Dual flush and start & stop

										
38 732 SD0 vertical installation	38 915 vertical and horizontal installation	38 766 vertical and horizontal installation	38 809 vertical and horizontal installation	38 847 vertical and horizontal installation	38 847 XG0 vertical and horizontal installation	38 765 vertical and horizontal installation	38 844 vertical installation 38 858 horizontal installation	38 505 vertical installation 38 506 horizontal installation	38 861 vertical and horizontal installation	38 862 vertical and horizontal installation 38 862 SD0 vertical and horizontal installation
38 776 SD0 horizontal installation		38 766 horizontal installation	38 809 horizontal installation	38 847 horizontal installation	38 847 XG0 horizontal installation	38 765 horizontal installation	38 858 horizontal installation	38 506 horizontal installation	38 861 horizontal installation	38 862 horizontal installation

GROHE **WC & URINAL ACTUATIONS**
SELECTION GUIDE

WC	Manual actuation Start & stop				Manual/ electronic	Infra-red electronic	Radio electronic		Pneumatic actuation	Push button
										
 **38 528 001** **38 643 001** **38 661 000**	38 564 vertical installation 38 565 horizontal installation	38 672 SD0 vertical installation	38 573 vertical and horizontal installation	38 574 vertical and horizontal installation	37 419 vertical installation	38 699 001 vertical installation	39 141 000	38 759 SD1 vertical installation	37 059 37 060	38 934 SD0 vertical installation
 **38 525 001** **38 415 001** **38 422 000**	38 565 horizontal installation		38 573 horizontal installation	38 574 horizontal installation					37 060	
 **38 519 001** **37 153 000**		38 445 SD0 vertical installation	38 547 vertical installation	37 063 vertical installation						

Urinal	Manual actuation					Infra-red electronic		Temperature sensor
								
 **39 376 000** Temperature sensor								39 369 000 Temperature sensor with Bluetooth 39 368 000 Temperature sensor
 **38 787 000** GROHE Rapido UMB manual / 6 V	38 846	38 857	38 784	38 804	38 808	37 337 001	37 324 001	
 **38 786 001** **37 785 000** **37 338 000** manuel / 230 V / 6 V	38 846	38 857	38 784	38 804	38 808	37 336 001/ 37 337 001	37 321 001/ 37 324 001	

GROHE ACTUATIONS FOR FLUSHING CISTERNS
DUAL FLUSH & START/STOP

Selection guide for Dual Flush and Start/Stop Actuations

	Skate Cosmo-politan S	Nova Cosmo-politan S	Arena Cosmo-politan S	Skate Air S	GROHE Ondus® Digitecture Light	Nova Cosmo-politan Light	Nova Cosmo-politan	Skate Cosmopolitan	
									
									
Rapid SL	37 535 000 37 535 P00 37 535 DC0 37 535 SH0	37 601 000 37 601 P00 37 601 DC0 37 601 SH0	37 624 000 37 624 P00 37 624 DC0 37 624 SH0	37 965 000 37 965 SH0	38 915 KS0 38 915 LS0	38 809 000	38 765 000 38 765 P00 38 765 SH0	38 732 000 38 732 P00 38 732 SH0 38 732 BR0	38 732 SD0 38 821 000
38 528 001	v	v	v	v	●	●	●	●	v
38 536 001	v	v	v	v	●	●	●	●	v
39 002 000	v	v	v	v	●	●	●	●	v
38 584 001	v	v	v	v	●	●	●	●	v
38 713 001						v	v	v	v
38 675 001						v	v	v	v
38 525 001						h	h	h	
38 586 001						h	h	h	
38 526 000						h	h	h	
38 994 000						v	v	v	v
38 995 000						v	v	v	v
38 587 000						h	h	h	
Uniset									
38 643 001	v	v	v	v	●	●	●	●	v
38 729 000						●	●	●	v
38 415 001						h	h	h	
Flushing cistern									
38 661 000	v	v	v	v	●	●	●	●	v
38 863 000						●	●	●	v

● **vertical and horizontal** v **vertical** h **horizontal**





GROHE ACTUATIONS FOR FLUSHING CISTERNS
DUAL FLUSH & START/STOP

Selection guide for Dual Flush and Start/Stop Actuations

			Arena Cosmopolitan		Skate Air		Skate		Surf
									
									
38 776 SD0	38 845 MF0 38 845 LS0 38 845 KS0	38 916 0A0	38 844 000 38 844 P00 38 844 SH0	38 858 000 38 858 P00 38 858 SH0	38 505 000 38 505 P00 38 505 SH0	38 506 000 38 506 P00 38 506 SH0	38 862 000 38 862 P00 38 862 SH0	38 862 SD0	38 861 000
h	●	●	v	h	v	h	●	v	●
h	●	●	v	h	v	h	●	v	●
h	●	●	v	h	v	h	●	v	●
h	●	v	v		v	h	●	v	v
	v	v	v		v	h	●	v	v
	v	h	v	h		h			h
h	h	h		h		h			h
h	h	h		h		h			h
h	h	h		h		h			h
	v	v	v						
	v	v	v						
h	h	h		h					
h	●	●	v	h	v	h	●	v	●
	●	●	v		v		●	v	●
h	h	h		h		h			h
h	●	●	v	h	v	h	●	v	●
	●	●	v		v		●	v	●






GROHE **SINGLE FLUSH ACTUATIONS** FOR FLUSHING CISTERNS / FLUSH VALVES

Selection guide for Dual Flush / Start & Stop, pneumatic/electronic actuations

	Skate Air		Skate		Surf		Skate		Surf brass chrome plated	Stainless steel act.
										
										
Rapid SL	38 564 000 38 564 SH0	38 565 000 38 565 SH0	38 573 000 38 573 P00 38 573 SH0	38 672 SD0	38 574 000	37 063 000 37 063 SH0	37 547 000 37 547 SH0 37 547 P00	38 445 SD0	37 069 000	43 193 000
38 528 001	v	h	●	v	●					
38 536 001	v	h	●	v	●					
39 002 000	v	h	●	v	●					
38 584 001	v	h	●	v	●					
38 713 001	v		v	v	v					
38 675 001	v		v	v	v					
38 525 001		h	h		h					
38 586 001		h	h		h					
38 526 000		h	h		h					
38 587 000		h	h		h					
Uniset										
38 643 001	v	h	●	v	●					
38 729 000	v	h	●	v	●					
38 415 001		h	h		h					
Flushing cistern										
38 661 000	v	h	v	v	v					
38 863 000	v	h	v	v	v					

● vertical and horizontal v vertical h horizontal

GROHE **SINGLE FLUSH ACTUATIONS** FOR FLUSHING CISTERNS / FLUSH VALVES

Selection guide for Dual Flush / Start & Stop, pneumatic/electronic actuations										
Electronic actuations							Pneumatic actuations			GROHE Fresh retro-fit set
										
										
37 419 000 37 419 SD0	38 698 SD1	38 699 001	38 934 SD0	38 759 SD0	38 778 000	38 393 SD1	37 059 000	37 060 000 38 222 000	43 977 000	38 796 000
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		v	●		v
v	v	v	v	v	v		v	●		v
							h	●		h
							h	●		h
							h	●		h
							h	●		h
v	v	v	v	v	v		●	●		●
v	v	v	v	v	v		●	●		●
							h	●		h
v	v	v	v	v	v		v	●	●	v
v	v	v	v	v	v		v	●	●	v


GROHE
FLUSH PLATES FOR WC



GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
37 535 000	Chrome	4005176416019	61.07
37 535 P00	matt chrome	4005176416026	61.07
37 535 SH0	alpine white	4005176416033	63.39
37 535 DC0	supersteel	4005176416040	69.94
37 535 BE0	polished nickel	4005176431340	109.00
37 535 EN0	brushed nickel	4005176431319	109.00
37 535 GL0	cool sunrise	4005176431302	109.00
37 535 GN0	brushed cool sunrise	4005176431296	109.00
37 535 DA0	warm sunset	4005176431333	109.00
37 535 DL0	brushed warm sunset	4005176431326	109.00
37 535 A00	hard graphite	4005176431364	109.00
37 535 AL0	Brushed Hard Graphite	4005176431357	109.00






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

37 601 000	Chrome	4005176416057	69.94
37 601 P00	matt chrome	4005176416064	92.97
37 601 SH0	alpine white	4005176416071	57.54
37 601 DC0	supersteel	4005176416088	78.79
37 601 BE0	polished nickel	4005176529009	133.00
37 601 EN0	brushed nickel	4005176529047	133.00
37 601 GL0	cool sunrise	4005176524271	133.00
37 601 GN0	brushed cool sunrise	4005176529016	133.00
37 601 DA0	warm sunset	4005176524288	133.00
37 601 DL0	brushed warm sunset	4005176529023	133.00
37 601 A00	hard graphite	4005176528996	133.00
37 601 AL0	Brushed Hard Graphite	4005176529030	133.00






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

37 624 000	Chrome	4005176416095	69.94
37 624 P00	matt chrome	4005176416101	92.97
37 624 SH0	alpine white	4005176416118	57.54
37 624 DC0	supersteel	4005176416125	78.79
37 624 BE0	polished nickel	4005176529085	133.00
37 624 EN0	brushed nickel	4005176529122	133.00
37 624 GL0	cool sunrise	4005176529054	133.00
37 624 GN0	brushed cool sunrise	4005176529092	133.00
37 624 DA0	warm sunset	4005176529061	133.00
37 624 DL0	brushed warm sunset	4005176529108	133.00
37 624 A00	hard graphite	4005176529078	133.00
37 624 AL0	Brushed Hard Graphite	4005176529115	133.00










Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**37 965 000** **37 965 SH0**	**Chrome** **alpine white**	**4005176442506** **4005176442513**	**61.28** **48.60**
	Skate Air S **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included			
 	**40 911 000**		**4005176416132**	**11.42**
	Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13 m cisterns			
 	**38 915 KS0** **38 915 LS0**	**velvet black** **moon white**	**4005176897108** **4005176897115**	**806.75** **844.11**
	Veris Light **Flush plate** for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass **GROHE EcoJoy** technology for less water and perfect flow			
 	**38 809 000**	**Chrome**	**4005176864681**	**548.30**
	Nova Cosmopolitan Light **Flush plate** for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
 	**38 765 000**	**Chrome**	**4005176846830**	**67.61**
	Nova Cosmopolitan **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 847 KI0	black/chrome	4005176878596	94.02
38 847 LI0	White/Chrome	4005176878688	94.02
38 847 XG0	black graphics	4005176878701	94.02






Nova Cosmopolitan
Flush plate
with printed graphics
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE EcoJoy technology for less water and perfect flow

---

38 766 000	Chrome	4005176847134	167.97






GROHE Ondus
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

---

38 957 000	Chrome	4005176914409	104.59






Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
protection plate
dismantling tool for wall plate

---

38 958 000	Chrome	4005176914416	62.33






Covering frame
for wall-aligned installation of Skate Cosmopolitan
with glass surface
chrome plated plastic
for covering wide tile joints
8 mm frame coverage

---

38 821 000	Chrome	4005176868986	220.80






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
made of metal
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

---

38 732 SD0	stainless steel	4005176847691	146.84






Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 732 000	Chrome	4005176836114	67.61
38 732 BE0	polished nickel	4005176427749	90.86
38 732 EN0	brushed nickel	4005176427756	90.86
38 732 GL0	cool sunrise	4005176339103	90.86
38 732 GN0	brushed cool sunrise	4005176427725	90.86
38 732 DA0	warm sunset	4005176339097	90.86
38 732 DL0	brushed warm sunset	4005176427732	90.86
38 732 A00	hard graphite	4005176339110	90.86
38 732 AL0	Brushed Hard Graphite	4005176339127	90.86






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 732 BR0	titanium	4005176873676	115.15

ditto, with anti-fingerprint surface

38 844 000	Chrome	4005176874963	67.61
38 844 SH0	alpine white	4005176874970	51.76
38 844 P00	matt chrome	4005176875687	62.33






Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish

38 858 000	Chrome	4005176876714	67.61

ditto, horizontal installation

38 505 000	Chrome	4005176290053	46.48
38 505 SH0	alpine white	4005176290046	30.63
38 505 P00	matt chrome	4005176290060	83.46






Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 506 000	Chrome	4005176290121	67.61

ditto, horizontal installation

38 862 000	Chrome	4005176832314	67.61
38 862 SH0	alpine white	4005176832338	51.76
38 862 P00	matt chrome	4005176832321	61.75






Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow






38 861 000	Chrome	4005176832284	62.33






Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE
FLUSH PLATES FOR WC


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 564 000	Chrome	4005176291784	72.89
	Skate Air **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	38 565 000	Chrome	4005176291845	46.48
	ditto, horizontal installation			
 	38 573 000	Chrome	4005176292316	51.76
	Skate **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
 	38 574 000	Chrome	4005176292385	59.59
	Surf **Flush plate** **for single flush actuation** for pneumatic drop valve **for vertical and horizontal installation** **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
  	37 059 000	Chrome	4005176142857	130.29
	Air button **GROHE StarLight** chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
 	37 060 000	Chrome	4005176142901	59.59
	Air button **GROHE StarLight** chrome finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long **for use with Adagio cistern 37 762 SH / 37 945 SH** **comes with nipple adaptor 42267**			
	38 488 000	Chrome	4005176289866	39.39
	Air button with 750 mm air hose for panel thickness up to 30 mm **for use with Adagio cistern 37 762 SH / 37 945 SH** **GROHE StarLight** finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 496 000	Chrome	4005176289958	180.79



Air button
air button 63 mm dia.
with 750 mm air hose
for panel thickness up to 30 mm
only for use with a removable shelf / panel
chrome plated brass
for use with Adagio cistern 37 762 SH / 37 945 SH
GROHE StarLight finish

 	38 771 000	Chrome	4005176848551	41.20

Pneumatic push button actuation
for dual flush or start & stop actuation
Ø 48 mm
in combination with bath furniture
for material thickness from 18 -24 mm
with 600 mm air hose
GROHE StarLight chrome finish


 	37 761 000	Chrome	4005176213243	39.39

Air button
GROHE StarLight chrome finish
for use with Adagio cistern 37 762 SH / 37 945 SH


 	38 714 000		4005176828454	14.04

WC wall plate extension set 70 mm
with pneumatic discharge valve


GROHE FRESH



GROHE FRESH

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	38 805 000	Chrome	4005176865596	125.71

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

 	38 796 000		4005176857034	62.33

GROHE Fresh retro-fit set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for flush plates with
wood or glass or metal surface or new small flush plates
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm

	38 882 000		4005176879197	8.08

GROHE Fresh Tabs
2 x 50 g WC-Tabs
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FLUSH PLATES FOR URINAL



GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN code	Retail Guide Price (£)
38 784 000	**Chrome**	**4005176855535**	**107.71**






Skate Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 804 000	**Chrome**	**4005176861512**	**115.15**
38 804 SH0	**alpine white**	**4005176861529**	**104.59**






Nova Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 857 000	**Chrome**	**4005176875694**	**107.76**
38 857 SH0	**alpine white**	**4005176875793**	**99.30**






Arena Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 808 000	**Chrome**	**4005176864056**	**94.02**





Surf
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONNECTION AND SECURITY TECHNOLOGY







CONTENTS

Angle Valves 796


GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**22 037 000**	**Chrome**	**4005176305535**	**9.50**


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

 	**22 041 000**	**Chrome**	**4005176305573**	**9.50**


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

 	**22 029 000**	**Chrome**	**4005176305467**	**9.50**


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

 	**22 032 000**	**Chrome**	**4005176305481**	**9.50**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

 	**22 939 000**	**Chrome**	**4005176829369**	**19.19**




Angle valve 1/2"
with compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish

 	**22 940 000**	**Chrome**	**4005176829376**	**19.19**

Angle valve 1/2"
without compression nut
for copper pipe Ø 10 mm
TDL handle
marking: neutral
escutcheon
GROHE StarLight finish

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**22 917 000**	**Chrome**	**4005176501388**	**44.69**
	Atlanta **Angle valve 1/2"** wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10mm marking: neutral escutcheon **GROHE StarLight** finish			
 	**22 012 000**	**Chrome**	**4005176906343**	**41.20**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon			
 	**22 013 000**	**Chrome**	**4005176909689**	**41.20**
	Eurocube **Angle valve 1/2"** wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon			

GROHE
SPARE PARTS





CONTENTS

Cartridges	800
Thermo elements and thermostatic cartridges	802
Aquadimmer	805
Head parts	806
Extension sets	808
Unions	809
Flow straighteners	810
Waste sets and traps	812
Connections and non-return valves	814
Spare parts for electronics	815
Spare parts for showers	816
Miscellaneous	817
Special tools	818
Cleaning and care	820
Spare parts for sanitary systems	821
Spare parts for shower toilet	822
Spare parts for Ceramics	824

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 580 000		4005176831867	89.89
	Cartridge 28 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000		4005176169076	89.89
	Cartridge 35 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283	89.89
	Cartridge **GROHE SilkMove** adjustable flow rate limiter for all single lever mixers			
	46 409 000 **ditto, for open water heater**		4005176177668	47.77
	46 386 000		4005176169410	110.09
	Cartridge **GROHE SilkMove**			
	46 278 000		4005176131868	99.99
	Ceramic cartridge for Euroeco special mixer			
	46 308 000		4005176131769	39.39
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**46 375 000**		**4005176169083**	**39.39**
	Temperature limiter for 35mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	**46 277 000**		**4005176131851**	**39.39**
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	**48 297 000**		**4005176361265**	**36.36**
	Cartridge for Rainshower system SmartControl push button including fixation			
	**48 359 000**		**4005176442810**	**41.41**
	Cartridge for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000			

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	47 450 000		4005176076190	160.59
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	140.39
	ditto, for reverse waterways, 1/2“			
	47 310 000		4005176079238	180.79
	Wax thermo-element-cartridge wax element			
	47 379 000		4005176203169	271.69
	ditto, for reverse waterways, 3/4“			
	47 349 000		4005176141461	120.19
	Wax thermo-element-cartridge 3/8“ wax element			
	47 217 000		4005176241246	140.39
	Thermo-element wax element with non-rising spindle			
	47 657 000		4005176262838	281.79
	ditto, for reverse waterways, 1/2“			
	47 220 000		4005176241253	180.79
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000		4005176262845	574.69
	ditto, for reverse waterways, 3/4“			
	47 532 000		4005176206795	190.89
	Thermostatic cartridge			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	00 798 000	Chrome	4005176229008	29.29
	Wax thermo-element			
	47 598 000		4005176229169	271.69
	Control unit			
	47 600 000		4005176228995	231.29
	Control unit			
	47 439 000		4005176811975	150.49
	Thermostatic compact cartridge 1/2“ GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000		4005176803895	150.49
	ditto, for reverse waterways, 1/2“			
	47 885 000		4005176924729	39.39
	Thermostatic compact cartridge 1/2“ GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	180.79
	Thermostatic compact cartridge 3/4“ GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000		4005176803901	180.79
	ditto, for reverse waterways, 3/4“			

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	49 028 000		4005176442827	48.48
	Thermostatic compact cartridge 3/4“ for Grohtherm SmartControl concealed **GROHE TurboStat** compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	19.19
	Stop ring and regulating nut			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
AQUADIMMER

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**47 364 000**		**4005176171819**	**79.79**
	Aquadimmer for thermostatic mixers			

GROHE
HEAD PARTS




	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	07 146 000		4005176017261	19.19
	Headpart 1/2" short spindle, 1/2"			
	45 346 000		4005176104572	49.49
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000		4005176129865	49.49
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000		4005176189913	99.99
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000		4005176189876	29.29
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000		4005176189883	39.39
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS








	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**45 883 000** **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 90° stop: left-hand		**4005176189890**	**39.39**
	**45 888 000** **Ceramic headpart 3/4", 180°** with ceramic sealing disks rotation angle 90°		**4005176189944**	**69.69**
	**07 025 000** **Screw-down valve, 3/4"** short spindle for 1/2" handles for concealed valves, 3/4"		**4005176016929**	**29.29**

GROHE
EXTENSION SETS



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**45 203 000**		**4005176052842**	**19.19**
	Extension-set 200 mm for concealed valves, 1/2", 3/4"			
 	**46 191 000**		**4005176119996**	**130.29**
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"			
 	**46 343 000**		**4005176189791**	**180.79**
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE UNIONS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	12 001 000	Chrome	4005176004339	19.19
S-union 1/2" x 3/4" **adjustment range 7.5 mm** **GROHE StarLight** chrome finish				
 	12 400 000	Chrome	4005176004582	39.39
S-union 1/2" x 3/4" **adjustment range 10 mm** **GROHE StarLight** chrome finish				
 	12 051 000	Chrome	4005176213588	39.39
S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections **GROHE StarLight** chrome finish				
 	12 952 000	Chrome	4005176022692	39.39
Wall union				
 	18 862 000	Chrome	4005176028120	59.59
Wall union				
 	18 121 000	Chrome	4005176815812	49.49
Pillar union, pair **GROHE StarLight** chrome finish				
 	12 407 000	Chrome	4005176004629	108.78
Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon **GROHE StarLight** chrome finish				

GROHE
FLOW STRAIGHTENERS







	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 954 000	Chrome	4005176025747	9.09
Flow straightener internal thread M 22 x 1(LP) 6.9 l/min. at 3 bar **SpeedClean** anti-limescale system **GROHE StarLight** finish				
 	13 950 000	Chrome	4005176025679	12.12
Economy Mousseur internal thread M 22 x 1(LP) 7.5 l/min at 3 bar **GROHE StarLight** finish				
 	13 928 000	Chrome	4005176025365	12.12
Flow restrictor internal thread M 22 x 1(LP) 13.5 l/min at 3 bar **GROHE StarLight** finish				
 	13 900 000	Chrome	4005176005442	9.04
Strainer jet regulator **Sistra M24x1** internal thread M 22 x 1(LP) no limitation of flow rate including metal connection nipple for better servicing **GROHE StarLight** finish				
 	48 159 000	Chrome	4005176919589	9.09
Flow restrictor external thread M 24 x 1 5.7 l/min at 3 bar **SpeedClean** anti-limescale system				
 	46 837 000	Chrome	4005176931888	13.13
Flow straightener external thread M 24 x 1 5.7 l/min for pressures 1-5 bar **GROHE AquaGuide** adjustable mousseur **GROHE StarLight** finish				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	13 960 000	Chrome	4005176109522	15.15
	Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar **GROHE StarLight** finish			
 	13 955 000	Chrome	4005176025808	10.10
	Flow straightener external thread M 24 x 1 6.9 l/min at 3 bar **GROHE StarLight** finish			
 	13 951 000	Chrome	4005176025730	12.12
	Economy Mousseur external thread M 24 x 1 7.5 l/min at 3 bar **GROHE StarLight** finish			
 	13 929 000	Chrome	4005176025440	12.12
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar **GROHE StarLight** finish			
 	13 927 000	Chrome	4005176005541	19.19
	Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar **GROHE StarLight** finish			
	13 907 000	Chrome	4005176025129	19.19
	Strainer jet regulator Sistra M24x1 external thread M 28 x 1 60.0 - 70.0 l/min at 3 bar **GROHE StarLight** finish			

GROHE
WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 910 000**	**Chrome**	**4005176603846**	**59.59**
	Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings			
 	**28 900 000**	**Chrome**	**4005176603822**	**89.89**
	Pop-up waste set 1 1/4" for basins **GROHE StarLight** chrome finish			
 	**40 565 000**	**Chrome**	**4005176912757**	**72.89**
	40 565 DC0	**warm sunset**	**4005176491702**	**99.00**
	40 565 A00	**hard graphite**	**4005176491757**	**106.00**
	40 565 AL0	**Brushed Hard Graphite**	**4005176491696**	**106.00**
	Waste set with push-open plug for wash basins with overflow **GROHE StarLight** chrome finish			
 	**65 807 000**	**Chrome**	**4005176849893**	**39.39**
	65 807 BE0	**polished nickel**	**4005176467691**	**62.00**
	65 807 EN0	**brushed nickel**	**4005176467707**	**62.00**
	65 807 GL0	**cool sunrise**	**4005176467738**	**62.00**
	65 807 GN0	**brushed cool sunrise**	**4005176467745**	**62.00**
	65 807 DA0	**warm sunset**	**4005176467752**	**62.00**
	65 807 DL0	**brushed warm sunset**	**4005176467769**	**62.00**
	65 807 A00	**hard graphite**	**4005176467721**	**62.00**
	65 807 AL0	**Brushed Hard Graphite**	**4005176467714**	**62.00**
	Pop-up waste set with push-open cover removable cover closable **GROHE StarLight** chrome finish			
 	**65 808 000**	**Chrome**	**4005176860065**	**41.20**
	Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable **GROHE StarLight** chrome finish			
 	**40 824 000**	**Chrome**	**4005176332975**	**20.07**
	Waste set with push-open plug for wash basins with overflow removable plug closable			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**07 182 000**	**Chrome**	**4005176017438**	**24.24**
	Plug for pop-up waste set **GROHE StarLight** chrome finish			
	**07 341 000**	**Chrome**	**4005176017728**	**39.39**
	Extended horizontal pop-up rod			
 	**40 564 000** **40 564 DC0** **40 564 A00** **40 564 AL0**	**Chrome** **supersteel** **hard graphite** **Brushed Hard Graphite**	**4005176912740** **4005176491795** **4005176491849** **4005176491788**	**241.93** **316.00** **346.00** **346.00**
	Bottle trap for **wash basin** **GROHE StarLight** chrome finish brass body			
 	**28 912 000**	**Chrome**	**4005176266751**	**220.80**
	Bottle trap, 1 1/4“ for basins brass (screw-top for cleaning) large sliding escutcheon **GROHE StarLight** chrome finish			

GROHE
CONNECTIONS AND NON-RETURN VALVES



	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	46 914 000		4005176326424	6.97
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive			
	47 189 000	**Chrome**	4005176010330	39.39
	Non-return valve **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR ELECTRONICS


	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**42 393 000**		**4005176905872**	**65.70**
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**28 817 000**	**Chrome**	**4005176602962**	**13.03**
	Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread **GROHE StarLight** chrome finish			
	**06 765 000**	**Chrome**	**4005176831973**	**89.89**
	Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish			
 	**07 659 000**	**Chrome**	**4005176003707**	**49.49**
	Sliding piece suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish			
	**12 140 000**	**Chrome**	**4005176288319**	**59.59**
	Sliding piece suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish			
	**45 650 IP0**	**chrome/ matt chrome**	**4005176137228**	**49.49**
	Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish			

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	07 264 00M	Chrome	4005176228797	9.09
	Filter multi-packaging: 2 pieces			
	45 023 000		4005176006494	9.09
	Seat			
	07 587 000	Chrome	4005176229015	19.19
	Slider			
 	45 388 000		4005176212758	74.84
	Supporting legs for baseframe for direct floor installation fixing material in units of 2			

GROHE
SPECIAL TOOLS

Ref. No.	Colour	EAN code	Retail Guide Price (£)



18 283 00M — **4005176026669** — **28.23**


Fitting aid
for mounting of
1/2" fittings
in units of 10



18 370 000 — **Chrome** — **4005176885228** — **79.79**

Wall Mounted Brackets
1 pair
for exposed 1/2" mixers
includes: wall plate, brass olive, fixing nipple, chrome shroud






19 131 000 — **4005176203763** — **39.49**

Socket Spanner
wrench size 36 mm





19 332 000 — **4005176823695** — **69.69**


Socket Spanner
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge
32 mm for disassembly of 35 mm cartridge



48 021 000 — **4005176881435** — **9.09**

Disassembling key
for mousseurs with housing:
(M 22 x 1, M 24 x 1, M 28 x 1)
for integrated mousseurs:
M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1
sales unit 10 pieces






19 377 000 — **4005176872204** — **39.39**

Special Spanner
30 mm for dis-/assembly exposed faucets with covered S-unions
34 mm for dis-/assembly of **GROHE TurboStat** thermostatic compact cartridge

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPECIAL TOOLS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	**19 017 000**		**4005176212024**	**39.39**

Mounting wrench
SW 13
for installation of basin mixers with the Rapid system

GROHE
CLEANING AND CARE

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	**48 166 000**		**4005176923197**	**14.14**





Grohclean
Detergent for fittings and bathrooms
500 ml spray bottle
in display box
sales unit 10 pieces

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	43 544 000		4005176157738	9.09
	Outlet piston			

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
 	14 926 001		4005176483400	324.00
GROHE Sensia Arena **Remote control** for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder including batteries				
 	14 926 000		4005176375460	392.89
GROHE Sensia Arena **Remote control** for 39 354 SH0 for Sensia Arena shower toilet system, wall hung including wall holder including batteries				
	14 937 000	alpine white	4005176407000	1,008.99
GROHE Sensia Arena **WC-ceramic** for Sensia Arena shower toilet system, wall hung				
	14 971 000		4005176436093	28.28
GROHE Sensia Arena **Hose clip** for Sensia Arena shower toilet system, wall hung				
	14 974 000		4005176436123	76.76
GROHE Sensia Arena **Connection hose assembly** for 39 354 SH0 for Sensia Arena shower toilet system, wall hung				
	14 974 001		4005176483431	88.00
GROHE Sensia Arena **Connection hose assembly** for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung				

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN code	Retail Guide Price (£)
	14 972 000		4005176436109	26.26
	GROHE Sensia Arena **Anti-theft screw** for Sensia Arena shower toilet system, wall hung			
	14 919 000	alpine white	4005176375194	1,513.99
	GROHE Sensia Arena **E-bidet unit** for 39 354 SH0 for Sensia Arena shower toilet system, wall hung exchange set			
	14 976 000	alpine white	4005176483417	1,759.00
	GROHE Sensia Arena **E-bidet unit** for 39 354 SH1 for Sensia Arena shower toilet system, wall hung exchange set			
	14 927 000		4005176375477	19.19
	GROHE Sensia Arena **Filter** for Sensia Arena function model shower toilet system, wall hung			


GROHE
SPARE PARTS FOR CERAMICS

Ref. No.	Colour	Retail Guide Price (£)



49 512 000 — **24.30**

Mounting set
for counter top basins
39 337 000
39 337 00H
39 475 00H
39 476 00H
39 477 00H
39 478 00H
for drop in basin 39 422 000, 39 479 00H
for vessel basin 39 481 00H
contains 2 pieces



49 518 000 — **24.30**

Mounting set
for undercounter basins
39 423 000, 39 480 00H
contains 4 pieces



49 025 000 **Chrome** — **21.13**

Mounting set
for half pedestal
39 426 000
39 201 000
39 325 000
contains 2 pieces



49 516 000 — **21.13**

Mounting set
for floor standing bidet/WC
39 428 000, 39 429 000, 39 430 000,
39 431 000, 39 432 000, 39 349 000,
39 329 000, 39 329 00H, 39 340 000,
39 340 00H, 39 339 000, 39 339 00H,
39 484 00H, 39 485 00H, 39 487 00H
contains 2 pieces



49 018 000 — **9.00**

Buffer set
for seat and lid
for 39 435 000
contains 2 pieces for lid and 4 pieces for seat



49 021 000 — **3.17**

Rubber sealing
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 022 000 **Chrome** — **23.24**

Fixing bolt
for close coupled WC and cistern
39 436 000
39 437 000
39 333 000
39 332 000
39 489 000
39 490 000



49 526 000 **Chrome** — **12.68**

Dual flush push button
for ceramic cistern
39 436 000
39 437 000
39 333 000
39 332 000



49 023 000 **Chrome** — **14.79**

Filling valve
for close coupled cistern exposed bottom inlet
39 332 000
39 436 000
universal application



49 020 000 **Chrome** — **14.79**

Filling valve for Euro Ceramic cistern
for close coupled cistern exposed side inlet
39 333 000
universal application



49 061 000 **Chrome** — **14.79**

Discharge valve for Bau Ceramic cistern
for close coupled cistern exposed side inlet
39 436 000
39 437 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm



49 066 000 **Chrome** — **14.79**

Discharge valve for Euro Ceramic cistern
for close-coupled cisterns
39 332 000
39 333 000
Dual Flush
universal application
for ceramic lid hole Ø 50 mm

All prices shown excl. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)
	**49 016 000**	**alpine white**	**10.00**
	Locking cap for Euro Ceramic close coupled WC 39 338 000 / 39 338 00H		
	**49 510 000**		**54.93**
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H		
	**49 509 000**		**53.88**
	Fixing set for Cube Ceramic wall hung WC 178 mm 39 244 00H		
	**49 529 000**	**Chrome**	**19.02**
	Fixing set for Bau Ceramic seat and lid 39 493 000 39 492 000 contains 2 pieces		
	**49 019 000**	**alpine white**	**2.11**
	Locking cap for exposed ceramic cistern, side inlet 39 437 000 39 333 000		

	Ref. No.	Colour	Retail Guide Price (£)
	**49 027 000**	**Chrome**	**59.17**
	Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H		
	**49 024 000**	**Chrome**	**59.17**
	Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H		
	**49 528 000**	**Chrome**	**31.69**
	Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces		
	**49 530 000**	**Chrome**	**8.45**
	Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat		
	**49 522 000**		**24.30**
	Mounting set for Euro Ceramic cistern 39 333 000		

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
00			
00 798 000	4005176229008	803	29.29
06			
06 765 000	4005176831973	816	89.89
07			
07 025 000	4005176016929	807	29.29
07 146 000	4005176017261	806	19.19
07 182 000	4005176017438	813	24.24
07 264 00M	4005176228797	817	9.09
07 341 000	4005176017728	813	39.39
07 587 000	4005176229015	817	19.19
07 659 000	4005176003707	816	49.49
07 749 000	4005176018695		89.89
11			
115 221	4005176910081		29.29
118 152	4005176981951		372.69
118 599	4005176993527		372.69
12			
12 001 000	4005176004339	809	19.19
12 051 000	4005176213588	634, 646	39.39
12 140 000	4005176288319	816	59.59
12 400 000	4005176004582	809	39.39
12 407 000	4005176004629	809	108.78
12 952 000	4005176022692	809	39.39
13			
13 139 003	4005176455131	85	205.03
13 139 AL3	4005176455155	85	286.84
13 139 DA3	4005176493287	85	284.00
13 139 DC3	4005176455148	85	266.64
13 139 GL3	4005176493263	85	284.00
13 218 000	4005176847110	68	1,305.39
13 261 000	4005176877384	200	83.46
13 264 000	4005176882449	69	220.80
13 276 002	4005176887246	185	94.02
13 278 002	4005176887871	172	94.02
13 280 001	4005176888687	179	89.89
13 299 000	4005176899003	56	305.31
13 299 A00	4005176490767	56	439.00
13 299 AL0	4005176490705	56	439.00
13 299 DC0	4005176490712	56	408.00
13 301 000	4005176899041	56	1,367.56
13 301 A00	4005176490859	56	2,089.00
13 301 AL0	4005176490798	56	2,089.00
13 301 DC0	4005176490804	56	1,940.00
13 303 000	4005176906350	128	115.15
13 304 000	4005176906367	128	125.71
13 317 000	4005176912603	68	706.77
13 319 000	4005176912627	56	706.77
13 319 A00	4005176352782	56	1,016.00
13 319 AL0	4005176353284	56	1,016.00
13 319 DC0	4005176490651	56	943.00
13 341 000	4005176931000	97	220.80
13 341 DA0	4005176327223	97	332.29
13 341 IG0	4005176931017	97	294.75
13 378 000	4005176351532	633	79.18
13 380 000	4005176351549	633	87.52
13 383 001	4005176418167	109	189.10
13 383 DC1	4005176418174	109	231.36
13 404 003	4005176529788	139	139.00
13 900 000	4005176005442	810	9.04
13 907 000	4005176025129	811	19.19
13 927 000	4005176005541	811	19.19
13 928 000	4005176025365	810	12.12
13 929 000	4005176025440	811	12.12
13 950 000	4005176025679	810	12.12
13 951 000	4005176025730	811	12.12
13 954 000	4005176025747	810	9.09
13 955 000	4005176025808	811	10.10
13 960 000	4005176109522	811	15.15
14			
14 014 000	4005176929274	380	51.76
14 015 000	4005176932748	339	130.29
14 048 000	4005176413483	324	144.73
14 053 00M	4005176413513	324	48.60
14 055 000	4005176413520	224, 324	154.25
14 056 000	4005176466298	324	109.00
14 057 000	4005176466304	324	141.00
14 058 000	4005176466311	325	141.00
14 159 000	4005176100710		19.19
14 919 000	4005176375194	823	1,513.99
14 926 000	4005176375460	822	392.89
14 926 001	4005176483400	822	324.00
14 927 000	4005176375477	823	19.19
14 937 000	4005176407000	822	1,008.99
14 971 000	4005176436093	822	28.28
14 972 000	4005176436109	823	26.26
14 974 000	4005176436123	822	76.76
14 974 001	4005176483431	822	88.00
14 976 000	4005176483417	823	1,759.00
18			
18 026 003	4005176456435		58.58
18 026 AL3	4005176455674		114.00
18 026 DC3	4005176479410		95.00
18 026 EN3	4005176455667		114.00
18 027 003	4005176455681		58.00
18 027 AL3	4005176455704		114.00
18 027 DC3	4005176479427		95.00
18 027 EN3	4005176455698		114.00
18 033 003	4005176455896		69.00
18 033 AL3	4005176455919		131.00
18 033 DC3	4005176479373		109.00
18 033 EN3	4005176455902		131.00
18 034 EN3	4005176455933		315.00
18 121 000	4005176815812	809	49.49
18 153 000	4005176819094		79.79
18 283 00M	4005176026669	818	28.23
18 349 000	4005176874796	198	26.41
18 370 000	4005176885228	818	79.79
18 391 001	4005176888533	177	29.29
18 608 001	4005176985140	295	41.20
18 700 000	4005176940811	298	41.20
18 862 000	4005176028120	809	59.59
18 978 000	4005176028809		170.69
19			
19 017 000	4005176212024	819	39.39
19 025 000	4005176209154	112, 141	51.76
19 069 003	4005176455469	84	79.79
19 069 AL3	4005176455483	84	112.11
19 069 DA3	4005176494031	84	111.00
19 069 DC3	4005176455476	84	104.03
19 069 EN3	4005176469619		111.00
19 069 GL3	4005176494017	84	111.00
19 070 000	4005176029653		49.49
19 088 003	4005176455162	84	103.02
19 088 AL3	4005176455186	84	143.42

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
19 088 DA3	4005176493348	84	142.00
19 088 DC3	4005176455179	84	133.32
19 088 EN3	4005176469626		142.00
19 088 GL3	4005176493324	84	142.00
19 131 000	4005176203763	818	39.49
19 285 001	4005176307225	156	136.28
19 285 A01	4005176407550	156	221.86
19 285 AL1	4005176407567	156	221.86
19 285 BE1	4005176426568	156	221.86
19 285 DA1	4005176407536	156	221.86
19 285 DC1	4005176371110	156	199.67
19 285 DL1	4005176426551	156	221.86
19 285 EN1	4005176426575	156	221.86
19 285 GL1	4005176407543	156	221.86
19 285 GN1	4005176426544	156	221.86
19 286 001	4005176307294	156	125.71
19 286 A01	4005176426742	156	203.90
19 286 AL1	4005176426735	156	203.90
19 286 BE1	4005176426759	156	203.90
19 286 DA1	4005176426711	156	203.90
19 286 DC1	4005176371158	156	167.97
19 286 DL1	4005176426728	156	203.90
19 286 EN1	4005176426766	156	203.90
19 286 GL1	4005176426698	156	203.90
19 286 GN1	4005176426704	156	203.90
19 287 003	4005176454738	76	341.38
19 287 AL3	4005176454752	76	478.74
19 287 DA3	4005176492372	76	544.00
19 287 DC3	4005176454745	76	444.40
19 287 GL3	4005176492358	76	544.00
19 296 001	4005176409219	108	210.23
19 296 DC1	4005176412806	108	257.77
19 297 001	4005176409226	108	210.23
19 297 DC1	4005176412813	108	257.77
19 309 000	4005176820656	64	537.73
19 315 000	4005176821677	65	389.83
19 316 000	4005176821783	67	1,213.87
19 317 000	4005176821806	65	347.57
19 332 000	4005176823695	818	69.69
19 334 000	4005176823800	69	136.28
19 345 001	4005176888953	178	150.49
19 346 001	4005176889080	178	160.59
19 377 000	4005176872204	818	39.39
19 381 000	4005176874673	197	178.54
19 382 000	4005176874697	200	125.71
19 383 000	4005176874765	199	104.59
19 384 000	4005176875755	70	136.28
19 386 000	4005176876011	64	579.99
19 408 001	4005176307133	153	178.54
19 408 A01	4005176426209	153	273.62
19 408 AL1	4005176426193	153	273.62
19 408 BE1	4005176426216	153	273.62
19 408 DA1	4005176426179	153	273.62
19 408 DC1	4005176369964	153	231.36
19 408 DL1	4005176426186	153	273.62
19 408 EN1	4005176426223	153	273.62
19 408 GL1	4005176426155	153	273.62
19 408 GN1	4005176426162	153	273.62
19 409 001	4005176409158	105	263.05
19 409 DC1	4005176412752	105	337.01
19 450 002	4005176862229	205	104.59
19 451 002	4005176862335	205	94.02
19 468 000	4005176847981	110	368.70
19 468 A00	4005176426902		586.34
19 468 AL0	4005176426896		586.34
19 468 BE0	4005176426919		586.34
19 468 DA0	4005176426872		586.34
19 468 DL0	4005176426889		586.34
19 468 EN0	4005176426926		586.34
19 468 GL0	4005176426858		586.34
19 468 GN0	4005176426865		586.34
19 470 000	4005176848018	289	62.33
19 506 002	4005176887185	185	146.84
19 506 003	4005176334399	194	136.28
19 506 LS3	4005176334542	194	178.54
19 507 002	4005176887079	185	146.84
19 507 003	4005176334337	193	115.15
19 536 002	4005176866067	146	157.41
19 537 002	4005176868412	146	157.41
19 548 002	4005176887840	166, 172	167.97
19 548 LS2	4005176998959	166, 172	199.67
19 549 002	4005176887758	166, 171	157.41
19 549 LS2	4005176998942	166, 171	199.67
19 571 002	4005176886973	183	210.23
19 571 003	4005176334269	191	210.23
19 571 LS3	4005176334498	191	263.05
19 573 002	4005176887659	170	199.67
19 575 001	4005176888366	176	180.79
19 577 001	4005176409233	108	632.82
19 577 DC1	4005176412820	108	822.98
19 578 001	4005176307195	157	706.77
19 578 A01	4005176426520	157	985.68
19 578 AL1	4005176426513	157	985.68
19 578 BE1	4005176426537	157	985.68
19 578 DA1	4005176426490	157	985.68
19 578 DC1	4005176371103	157	886.37
19 578 DL1	4005176426506	157	985.68
19 578 EN1	4005176374463	157	985.68
19 578 GL1	4005176426476	157	985.68
19 578 GN1	4005176426483	157	985.68
19 590 000	4005176890529	69	189.10
19 781 000	4005176898822	53	653.94
19 781 A00	4005176490446	53	950.00
19 781 AL0	4005176490385	53	950.00
19 781 DC0	4005176490392	53	882.00
19 783 000	4005176898846	53	696.20
19 783 A00	4005176490538	53	1,013.00
19 783 AL0	4005176490477	53	1,013.00
19 783 DC0	4005176490484	53	941.00
19 785 000	4005176898969	55	453.22
19 785 A00	4005176338649	55	668.74
19 787 001	4005176429057	55	1,493.00
19 787 A01	4005176495427	55	2,089.00
19 787 AL1	4005176489563	55	2,089.00
19 787 DC1	4005176489570	55	1,940.00
19 789 000	4005176899058	55	410.96
19 796 000	4005176899133	57	178.54
19 796 A00	4005176352607	57	258.00
19 796 AL0	4005176353062	57	258.00
19 796 DC0	4005176490019	57	240.00
19 798 000	4005176899157	57	252.49
19 798 A00	4005176352614	57	359.00
19 798 AL0	4005176353079	57	359.00
19 798 DC0	4005176489969	57	334.00
19 808 001	4005176843204		20.07
19 895 000	4005176901072	123	241.93
19 896 000	4005176901201	119, 125	178.54
19 898 000	4005176901300	119, 125	167.97
19 910 000	4005176987014	128	51.76
19 918 003	4005176454769	77	386.83
19 918 AL3	4005176454783	77	542.37
19 918 DA3	4005176492440	77	617.00
19 918 DC3	4005176454776	77	502.98
19 918 GL3	4005176492426	77	617.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
19 919 000	4005176924125	96	1,108.22
19 919 DA0	4005176327209	96	1,513.99
19 919 IG0	4005176924132	96	1,446.29
19 920 000	4005176924149	95	305.79
19 920 DA0	4005176327186	95	477.52
19 920 IG0	4005176924156	95	397.53
19 922 003	4005176455568	85	1,166.00
19 922 AL3	4005176455582	85	1,632.00
19 922 DA3	4005176494697	85	1,632.00
19 922 DC3	4005176455575	85	1,515.00
19 922 GL3	4005176494673	85	1,632.00
19 923 003	4005176455537	85	1,166.00
19 923 AL3	4005176455551	85	1,632.00
19 923 DA3	4005176494635	85	1,632.00
19 923 DC3	4005176455544	85	1,515.00
19 923 GL3	4005176494611	85	1,632.00
19 929 000	4005176930430	94	382.91
19 929 IG0	4005176930447	94	527.17
19 930 000	4005176930454	94	442.65
19 930 IG0	4005176930461	94	579.99
19 932 000	4005176930713	95	294.75
19 932 IG0	4005176930720	95	362.96
19 936 000	4005176930812	96	1,044.83
19 936 A00	4005176338724	96	1,535.04
19 936 AL0	4005176338731	96	1,535.04
19 936 DA0	4005176327193	96	1,535.04
19 936 GL0	4005176338717	96	1,535.04
19 936 IG0	4005176930829	96	1,351.21
19 942 000	4005176931048	97	136.28
19 942 IG0	4005176931055	97	172.85
19 944 000	4005176931086	97	104.59
19 944 IG0	4005176931093	97	125.71
19 952 000	4005176174230	112, 141	46.48
19 965 001	4005176409240	109	463.78
19 967 001	4005176307140	153	199.67
19 967 A01	4005176426285	153	308.48
19 967 AL1	4005176426278	153	308.48
19 967 BE1	4005176426292	153	308.48
19 967 DA1	4005176426254	153	308.48
19 967 DC1	4005176369971	153	273.62
19 967 DL1	4005176426261	153	308.48
19 967 EN1	4005176426308	153	308.48
19 967 GL1	4005176426230	153	308.48
19 967 GN1	4005176426247	153	308.48
19 968 000	4005176993657	164	199.67
19 968 LS0	4005176993664	164	315.88
19 969 000	4005176993671	164	220.80
19 969 LS0	4005176993688	164	241.93
19 974 002	4005176305948	170	210.23
19 976 001	4005176307218	157	421.52
19 993 003	4005176335068		61.00
19 995 003	4005176335082		61.00
19 997 000	4005176342189	117	231.36
19 998 000	4005176342196	117	263.05
20			
20 008 003	4005176455285	82	455.51
20 008 AL3	4005176455308	82	637.31
20 008 DA3	4005176493621	82	631.00
20 008 DC3	4005176455292	82	591.86
20 008 GL3	4005176493607	82	631.00
20 009 003	4005176454974	82	364.61
20 009 AL3	4005176454998	82	510.05
20 009 DA3	4005176492853	82	505.00
20 009 DC3	4005176454981	82	473.69
20 009 GL3	4005176492839	82	505.00
20 021 003	4005176455193	81	228.26
20 021 AL3	4005176455216	81	319.16
20 021 DA3	4005176493416	81	316.00
20 021 DC3	4005176455209	81	295.93
20 021 GL3	4005176493393	81	316.00
20 025 000	4005176099403	648	120.19
20 143 000	4005176832581	63	601.12
20 164 003	4005176455315	82	386.83
20 164 AL3	4005176455339	82	542.37
20 164 DA3	4005176493690	82	537.00
20 164 DC3	4005176455322	82	502.98
20 164 GL3	4005176493676	82	537.00
20 169 003	4005176455001	82	386.83
20 169 AL3	4005176455025	82	542.37
20 169 DA3	4005176492921	82	537.00
20 169 DC3	4005176455018	82	502.98
20 169 GL3	4005176492907	82	537.00
20 186 001	4005176874437	220	62.33
20 187 000	4005176874680	197	199.67
20 188 000	4005176875724	63	601.12
20 189 000	4005176875731	63	537.73
20 190 000	4005176875748	63	537.73
20 192 000	4005176875991	63	569.43
20 193 000	4005176876004	63	569.43
20 208 002	4005176886980	183	241.93
20 216 001	4005176888373	176	221.19
20 296 001	4005176307072	153	241.93
20 299 001	4005176307096	153	305.31
20 301 000	4005176896422	145	294.75
20 301 003	4005176529757	135	301.99
20 304 001	4005176409141	105	337.01
20 342 000	4005176898860	53	664.51
20 342 A00	4005176490125	53	955.00
20 342 AL0	4005176490064	53	955.00
20 342 DC0	4005176490071	53	887.00
20 344 000	4005176898884	52	791.28
20 344 A00	4005176338342	52	1,280.43
20 344 AL0	4005176353185	52	1,224.12
20 344 DC0	4005176489815	52	1,058.00
20 346 000	4005176898907	53	685.64
20 346 A00	4005176490262	53	992.00
20 346 AL0	4005176490200	53	992.00
20 346 DC0	4005176490217	53	921.00
20 348 000	4005176898921	53	727.90
20 348 A00	4005176490354	53	1,055.00
20 348 AL0	4005176490293	53	1,055.00
20 348 DC0	4005176490309	53	980.00
20 351 000	4005176901041	123	284.18
20 389 000	4005176924101	93	527.17
20 389 A00	4005176338694	93	776.50
20 389 AL0	4005176338700	93	776.50
20 389 DA0	4005176327131	93	776.50
20 389 GL0	4005176338687	93	776.50
20 389 IG0	4005176924118	93	685.64
20 393 001	4005176842993	220	68.67
20 404 001	4005176842986	220	51.76
20 414 000	4005176930492	93	389.83
20 414 IG0	4005176930508	93	483.95
20 415 000	4005176930515	93	412.15
20 415 IG0	4005176930522	93	569.43
20 417 000	4005176930553	93	474.35
20 417 IG0	4005176930560	93	622.25
20 421 000	4005176934353	208	49.49
20 421 00M	4005176986932	208	97.97
20 422 000	4005176934490	212	49.49
20 575 000	4005176388422	216	51.76

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
21			
21 019 003	4005176455223	81	364.61
21 019 AL3	4005176455247	81	510.05
21 019 DA3	4005176493485	81	505.00
21 019 DC3	4005176455230	81	473.69
21 019 GL3	4005176493461	81	505.00
21 022 003	4005176454943	81	364.61
21 022 A03	4005176542435		505.00
21 022 AL3	4005176454967	81	510.05
21 022 DA3	4005176492792	81	505.00
21 022 DC3	4005176454950	81	473.69
21 022 GL3	4005176492778	81	505.00
21 044 003	4005176455254	81	500.96
21 044 AL3	4005176455278	81	700.94
21 044 DA3	4005176493553	81	694.00
21 044 DC3	4005176455261	81	625.19
21 044 GL3	4005176493539	81	694.00
21 107 000	4005176930393	92	400.39
21 107 IG0	4005176930409	92	527.17
21 374 001	4005176843013	221	83.46
21 375 001	4005176843037	220	94.02
21 390 001	4005176843006	220	136.28
22			
22 012 000	4005176906343	128, 797	41.20
22 013 000	4005176909689	129, 797	41.20
22 029 000	4005176305467	796	9.50
22 032 000	4005176305481	796	9.50
22 037 000	4005176305535	796	9.50
22 041 000	4005176305573	796	9.50
22 501 000	4005176409318	27	58.33
22 505 LN0	4005176411779	26	43.74
22 506 LN0	4005176411786	26	21.66
22 513 LN0	4005176416484	27	365.83
22 517 LN0	4005176416729	26	474.17
22 521 LN0	4005176437151	27	14.58
22 917 000	4005176501388	797	44.69
22 939 000	4005176829369	796	19.19
22 940 000	4005176829376	796	19.19
23			
23 029 000	4005176898709	52	537.73
23 029 A00	4005176338335	52	876.86
23 029 AL0	4005176353154	52	876.86
23 029 DC0	4005176489471	52	725.00
23 033 000	4005176898716	52	537.73
23 033 A00	4005176489631	52	868.18
23 033 AL0	4005176489648	52	868.18
23 033 DC0	4005176489488	52	725.00
23 037 002	4005176886355	182	136.28
23 039 002	4005176886881	182	83.46
23 043 003	4005176472732	183	176.77
23 048 003	4005176429132	185	791.28
23 049 002	4005176887536	168	178.54
23 051 002	4005176887567	168	94.02
23 054 003	4005176472596	169	176.77
23 055 002	4005176887680	170	220.80
23 061 002	4005176417917	371	518.73
23 076 000	4005176890505	62	484.91
23 106 001	4005176409110	104	220.80
23 106 DC1	4005176412721	104	273.62
23 109 000	4005176898754	52	675.07
23 109 DC0	4005176489860	52	902.00
23 112 000	4005176898778	52	675.07
23 112 A00	4005176489778	52	971.00
23 112 AL0	4005176489785	52	971.00
23 114 000	4005176898792	52	833.54
23 114 A00	4005176352690	52	1,203.00
23 114 AL0	4005176353178	52	1,203.00
23 114 DC0	4005176489914	52	1,117.00
23 117 000	4005176898938	54	611.69
23 117 A00	4005176490620	54	887.00
23 117 AL0	4005176490569	54	887.00
23 117 DC0	4005176490576	54	823.00
23 119 000	4005176899027	56	2,428.80
23 119 A00	4005176338601	56	3,577.18
23 119 AL0	4005176353208	56	3,541.76
23 119 DC0	4005176489679	56	3,253.00
23 127 000	4005176900341	122	210.23
23 127 00E	4005176901591	122	210.23
23 132 000	4005176900990	122	199.67
23 132 00E	4005176906725	122	199.67
23 135 000	4005176901027	123	231.36
23 135 00E	4005176906732	123	220.80
23 137 000	4005176901096	122	157.41
23 138 000	4005176901133	124	199.67
23 140 000	4005176901157	124	252.49
23 141 000	4005176901164	124	315.88
23 145 000	4005176901270	124	231.36
23 200 000	4005176908354	54, 124	220.80
23 296 001	4005176409127	105	284.18
23 296 DC1	4005176412738	105	352.85
23 303 000	4005176924088	92	337.01
23 303 A00	4005176338663	92	498.65
23 303 AL0	4005176338670	92	498.65
23 303 DA0	4005176327094	92	498.65
23 303 GL0	4005176338625	92	498.65
23 303 IG0	4005176924095	92	442.65
23 310 000	4005176930331	92	337.01
23 310 DA0	4005176327100	92	316.13
23 310 IG0	4005176930348	92	442.65
23 313 000	4005176930614	92	442.65
23 313 IG0	4005176930621	92	579.99
23 315 000	4005176930652	94	379.27
23 315 IG0	4005176930669	94	495.48
23 316 000	4005176930690	94	372.27
23 316 IG0	4005176930706	94	483.95
23 317 000	4005176930799	94	495.48
23 317 IG0	4005176930805	94	604.94
23 318 000	4005176930874	96	1,583.63
23 318 A00	4005176338755	96	2,327.38
23 318 AL0	4005176338762	96	2,327.38
23 318 DA0	4005176327216	96	2,327.38
23 318 GL0	4005176338748	96	2,327.38
23 318 IG0	4005176930881	96	2,048.47
23 319 000	4005176931192	94	220.80
23 322 001	4005176934506	203	104.59
23 323 001	4005176934513	203	104.59
23 324 001	4005176934520	203	94.02
23 325 000	4005176933974	196	125.71
23 327 000	4005176934094	196	115.15
23 330 000	4005176934278	208	64.64
23 333 000	4005176934308	209	69.69
23 334 000	4005176934322	209	84.84
23 335 000	4005176934391	212	79.79
23 337 000	4005176934414	212	64.64
23 338 000	4005176934421	213	89.89
23 340 000	4005176934445	213	69.69
23 341 000	4005176934469	213	79.79
23 356 000	4005176934131	208	74.74
23 374 003	4005176334153	188	115.15
23 374 LS3	4005176334450	188	157.41
23 379 001	4005176306891	151	157.41

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
23 380 10E	4005176938245	174	140.39
23 387 20E	4005176938382	182	115.15
23 390 00E	4005176938436	122	210.23
23 392 00E	4005176938450	122	210.23
23 403 000	4005176941627	62	643.38
23 405 001	4005176409134	105	263.05
23 405 DC1	4005176412745	105	315.88
23 406 000	4005176941658	123	263.05
23 425 000	4005176993596	164	167.97
23 425 LS0	4005176993602	164	220.80
23 427 000	4005176993619	164	189.10
23 427 LS0	4005176993626	164	241.93
23 428 000	4005176993633	164	284.18
23 428 LS0	4005176993640	164	368.70
23 429 000	4005176993695	77, 117	220.80
23 430 000	4005176993725	165	210.23
23 430 LS0	4005176993732	165	231.36
23 431 000	4005176993749	165	210.23
23 431 LS0	4005176993756	165	241.93
23 432 000	4005176993763	170	273.62
23 444 001	4005176411977	106	263.05
23 444 DC1	4005176412769	106	337.01
23 445 000	4005176998706	122	220.80
23 446 000	4005176998720	123	210.23
23 447 000	4005176998737	123	241.93
23 448 002	4005176998744	169	178.54
23 449 002	4005176998768	169	167.97
23 450 001	4005176998775	175	150.49
23 451 001	4005176998799	175	140.39
23 462 001	4005176306907	151	178.54
23 462 A01	4005176425325	151	249.33
23 462 AL1	4005176426070	151	249.33
23 462 BE1	4005176426087	151	249.33
23 462 DA1	4005176426056	151	249.33
23 462 DC1	4005176369933	151	220.80
23 462 DL1	4005176426063	151	249.33
23 462 EN1	4005176426094	151	249.33
23 462 GL1	4005176426032	151	249.33
23 462 GN1	4005176426049	151	249.33
23 463 001	4005176306914	151	167.97
23 491 001	4005176307263	158	1,087.09
23 491 A01	4005176407598	158	1,556.17
23 491 AL1	4005176407604	158	1,556.17
23 491 BE1	4005176426605	158	1,556.17
23 491 DA1	4005176407574	158	1,556.17
23 491 DC1	4005176371127	158	1,393.47
23 491 DL1	4005176426599	158	1,556.17
23 491 EN1	4005176371134	158	1,556.17
23 491 GL1	4005176407581	158	1,556.17
23 491 GN1	4005176426582	158	1,556.17
23 537 002	4005176312212	203	125.71
23 541 001	4005176313912	152	178.54
23 565 30L	4005176333620	188	115.15
23 567 003	4005176334214	189	115.15
23 568 30L	4005176333637	189	125.71
23 569 003	4005176334238	190	199.67
23 570 003	4005176334245	190	220.80
23 570 LS3	4005176334474	190	263.05
23 571 000	4005176334276	106, 153	210.23
23 589 001	4005176339172	150	152.13
23 589 A01	4005176407338	150	220.80
23 589 AL1	4005176407345	150	220.80
23 589 BE1	4005176419638	150	220.80
23 589 DA1	4005176407314	150	220.80
23 589 DC1	4005176369919	150	178.54
23 589 DL1	4005176419621	150	220.80
23 589 EN1	4005176425844	150	220.80
23 589 GL1	4005176407321	150	220.80
23 589 GN1	4005176419614	150	220.80
23 590 001	4005176339189	150	141.56
23 590 A01	4005176426001	150	206.01
23 590 BE1	4005176426018	150	206.01
23 590 DA1	4005176425875	150	206.01
23 590 DC1	4005176369926	150	178.54
23 590 DL1	4005176425882	150	206.01
23 590 EN1	4005176426025	150	206.01
23 590 GL1	4005176425851	150	206.01
23 590 GN1	4005176425868	150	206.01
23 591 001	4005176339196	150	125.71
23 654 000	4005176342080	116	220.80
23 656 000	4005176342103	116	199.67
23 657 000	4005176342110	116	273.62
23 658 000	4005176342127	116	210.23
23 661 000	4005176342158	116	284.18
23 664 000	4005176342202	117	231.36
23 665 000	4005176342219	117	252.49
23 666 000	4005176342226	117	294.75
23 707 003	4005176364778	188	104.59
23 707 LS3	4005176364785	188	146.84
23 709 003	4005176365003	188	104.59
23 709 LS3	4005176365010	188	136.28
23 712 30L	4005176365034	189	94.02
23 715 003	4005176365065	189	94.02
23 717 30L	4005176365089	190	94.02
23 718 003	4005176365096	190	178.54
23 718 LS3	4005176365102	190	210.23
23 719 003	4005176365119	190	210.23
23 719 LS3	4005176365126	190	241.93
23 720 003	4005176365157	191	104.59
23 720 LS3	4005176365164	191	146.84
23 722 003	4005176365188	192	157.41
23 722 LS3	4005176365195	192	157.41
23 725 003	4005176365249	194	146.84
23 726 003	4005176365256	192	157.41
23 726 LS3	4005176365263	192	210.23
23 730 003	4005176365324	194	157.41
23 739 002	4005176472602	175	199.00
23 741 001	4005176371509	158	1,636.45
23 741 DC1	4005176371516	158	2,143.55
23 751 000	4005176388149	216	71.84
23 752 000	4005176388156	216	67.61
23 753 000	4005176388163	216	103.54
23 754 000	4005176388170	216	94.02
23 755 000	4005176388187	217	72.89
23 756 000	4005176388392	217	83.46
23 758 000	4005176388460	208	86.86
23 759 000	4005176388477	209	86.86
23 760 000	4005176388484	209	98.98
23 761 000	4005176388491	209	117.16
23 762 000	4005176388538	212	86.86
23 763 000	4005176388545	212	98.98
23 764 000	4005176388552	213	117.16
23 790 001	4005176408380	104	210.23
23 791 001	4005176409097	104	210.23
23 791 DC1	4005176412707	104	263.05
23 792 001	4005176409257	109	1,562.50
23 792 DC1	4005176412837	109	1,900.57
23 843 003	4005176496547	134	329.00
23 844 003	4005176496554	134	329.00
23 845 003	4005176496677	138	679.00
23 846 003	4005176496684	139	1,499.00
23 848 003	4005176496790	132	269.00
23 850 003	4005176496813	132	299.00
23 851 003	4005176496523	134	279.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
23 870 003	4005176529719	133	199.00
23 871 003	4005176529726	133	249.00
23 872 003	4005176529733	133	249.00
23 873 003	4005176529986	134	279.00
24			
24 027 003	4005176455346	83	386.83
24 027 AL3	4005176455360	83	542.37
24 027 DA3	4005176493768	83	537.00
24 027 DC3	4005176455353	83	502.98
24 027 GL3	4005176493744	83	537.00
24 036 000	4005176993701	165	199.67
24 036 LS0	4005176993718	165	231.36
24 042 002	4005176465161	205	118.00
24 043 002	4005176465178	205	130.00
24 044 000	4005176465185	199	129.00
24 045 000	4005176465291	199	142.00
24 046 003	4005176465307	193	124.00
24 046 LS3	4005176465314	193	161.00
24 047 003	4005176465321	193	137.00
24 047 LS3	4005176465338	193	177.00
24 048 003	4005176465345	192	130.00
24 048 LS3	4005176465352	192	169.00
24 049 003	4005176465369	193	143.00
24 049 LS3	4005176465376	193	186.00
24 051 002	4005176465383	184	142.00
24 052 002	4005176465390	184	156.00
24 053 001	4005176465406	178	144.00
24 054 001	4005176465413	178	158.00
24 055 002	4005176465420	165, 171	148.00
24 056 002	4005176465437	166, 171	162.00
24 057 001	4005176465468	155	157.00
24 057 A01	4005176465581	155	220.00
24 057 AL1	4005176465604	155	220.00
24 057 BE1	4005176465628	155	220.00
24 057 DA1	4005176465543	155	220.00
24 057 DC1	4005176465482	155	204.00
24 057 DL1	4005176465567	155	220.00
24 057 EN1	4005176465642	155	220.00
24 057 GL1	4005176465505	155	220.00
24 057 GN1	4005176465529	155	220.00
24 058 001	4005176465475	155	173.00
24 058 A01	4005176465598	155	242.00
24 058 AL1	4005176465611	155	242.00
24 058 BE1	4005176465635	155	242.00
24 058 DA1	4005176465550	155	242.00
24 058 DC1	4005176465499	155	225.00
24 058 DL1	4005176465574	155	242.00
24 058 EN1	4005176465659	155	242.00
24 058 GL1	4005176465512	155	242.00
24 058 GN1	4005176465536	155	242.00
24 059 002	4005176465666	146	153.00
24 059 003	4005176529832	137	189.00
24 060 002	4005176465673	146	168.00
24 060 003	4005176529825	137	199.00
24 061 000	4005176465680	118, 125	173.00
24 063 001	4005176465703	107	180.00
24 063 DC1	4005176465727	107	234.00
24 064 001	4005176465710	107	198.00
24 064 DC1	4005176465734	107	257.00
24 065 003	4005176465741	78	298.00
24 065 AL3	4005176465765	78	416.00
24 065 DC3	4005176465758	78	387.00
24 065 GL3	4005176564574	78	416.00
24 066 003	4005176465772	78	327.00
24 066 AL3	4005176465796	78	458.00
24 066 DC3	4005176465789	78	425.00
24 066 GL3	4005176564642	78	459.00
24 067 000	4005176465802	95	283.00
24 067 DA0	4005176465833	95	396.00
24 067 GL0	4005176465826	95	396.00
24 067 IG0	4005176465819	95	340.00
24 068 000	4005176465840	95	312.00
24 068 DA0	4005176465871	95	436.00
24 068 GL0	4005176465864	95	436.00
24 068 IG0	4005176465857	95	374.00
24 069 000	4005176465888	65	321.00
24 070 000	4005176465895	65	353.00
24 071 000	4005176465901	54	348.00
24 072 000	4005176465932	54	383.00
24 075 000	4005176465987	282	349.00
24 076 000	4005176465994	282	389.00
24 077 000	4005176466007	282	389.00
24 078 000	4005176466038	280	349.00
24 079 000	4005176466045	280	389.00
24 080 000	4005176466052	280	389.00
24 092 001	4005176480522	156	196.00
24 092 A01	4005176481291	156	274.00
24 092 AL1	4005176481307	156	274.00
24 092 BE1	4005176480607	156	274.00
24 092 DA1	4005176480560	156	274.00
24 092 DC1	4005176480539	156	254.00
24 092 DL1	4005176480577	156	274.00
24 092 EN1	4005176480614	156	274.00
24 092 GL1	4005176480546	156	274.00
24 092 GN1	4005176480553	156	274.00
24 093 003	4005176530050	137	219.00
24 094 000	4005176480638	118, 125	213.00
24 095 001	4005176480645	107	221.00
24 095 DC1	4005176480652	107	287.00
24 096 003	4005176480669	78	350.00
24 096 AL3	4005176480683	78	490.00
24 096 DC3	4005176480676	78	455.00
24 096 GL3	4005176564710	78	489.00
24 099 000	4005176480744	55	406.00
24 099 A00	4005176564758	55	569.00
24 099 AL0	4005176480768	55	568.00
24 099 DC0	4005176480751	55	527.00
24 134 003	4005176480959	79	574.00
24 134 AL3	4005176480997	79	804.00
24 134 DC3	4005176480973	79	747.00
24 134 GL3	4005176564369	79	799.00
24 135 003	4005176480966	79	614.00
24 135 AL3	4005176481000	79	860.00
24 135 DC3	4005176480980	79	799.00
24 135 GL3	4005176564437	79	859.00
24 138 003	4005176481017	80	614.00
24 138 AL3	4005176481031	80	860.00
24 138 DC3	4005176481024	80	799.00
24 138 GL3	4005176564505	80	859.00
24 153 000	4005176481178	118, 126	453.00
24 154 000	4005176481185	119, 126	505.00
24 155 000	4005176481192	119, 126	505.00
25			
25 010 003	4005176455407	83	546.41
25 010 AL3	4005176455421	83	764.57
25 010 DA3	4005176493904	83	757.00
25 010 DC3	4005176455414	83	710.03
25 010 GL3	4005176493881	83	757.00
25 044 003	4005176455438	84	1,706.90
25 044 AL3	4005176455452	84	2,389.66
25 044 DA3	4005176493973	84	2,366.00
25 044 DC3	4005176455445	84	2,218.97

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
25 044 EN3	4005176493942		2,366.00
25 044 GL3	4005176493959	84	2,366.00
25 098 000	4005176881633	204	178.54
25 102 000	4005176881671	178	231.29
25 104 000	4005176881794	108	389.83
25 105 000	4005176881800	205	210.23
25 109 000	4005176881848	179	261.59
25 113 000	4005176881862	108	421.52
25 128 000	4005176905209	198	199.67
25 129 000	4005176905216	199	241.93
25 132 002	4005176905247	147	273.62
25 132 003	4005176529870	137	369.00
25 133 002	4005176905254	147	241.93
25 133 003	4005176529887	138	399.00
25 136 000	4005176906763	127	294.75
25 137 000	4005176906770	127	337.01
25 216 000	4005176479779	210	130.29
25 217 000	4005176479786	210	160.59
25 219 001	4005176466373	199	408.00
25 450 001	4005176843372	221	125.71
26			
26 003 003	4005176455377	83	410.06
26 003 AL3	4005176455391	83	573.68
26 003 DA3	4005176493836	83	568.00
26 003 DC3	4005176455384	83	533.28
26 003 GL3	4005176493812	83	568.00
26 037 000	4005176935381	98	104.59
26 037 DA0	4005176327285	98	148.47
26 037 IG0	4005176936210	98	136.28
26 042 000	4005176935954	393	187.95
26 050 001	4005176444166	401, 451	44.37
26 051 001	4005176443954	402, 445	49.65
26 052 000	4005176937064	388	358.14
26 053 000	4005176937071	389	358.14
26 053 LS0	4005176997334	389	455.34
26 054 000	4005176937088	70, 388	506.04
26 055 000	4005176937095	71, 388	495.48
26 056 000	4005176937101	386	495.48
26 057 000	4005176937118	387	495.48
26 058 000	4005176937125	387	416.51
26 059 000	4005176937132	387	442.65
26 060 000	4005176937149	70, 387	442.65
26 061 000	4005176937156	70, 388	442.65
26 062 000	4005176937163	388	358.14
26 063 000	4005176937170	389	358.14
26 064 000	4005176937187	388	506.04
26 065 000	4005176937194	71, 388	463.78
26 066 000	4005176937200	110, 159	495.48
26 066 A00	4005176427237	159, 386	712.05
26 066 AL0	4005176427220	159, 386	712.05
26 066 BE0	4005176427244	159, 386	712.05
26 066 DA0	4005176427206	159, 386	712.05
26 066 DC0	4005176371172	110, 159	675.07
26 066 DL0	4005176427213	159, 386	712.05
26 066 EN0	4005176427251	159, 386	712.05
26 066 GL0	4005176427183	159, 386	712.05
26 066 GN0	4005176427190	159, 386	712.05
26 067 000	4005176937217	110, 160	495.48
26 067 A00	4005176427312	160, 387	712.05
26 067 AL0	4005176427305	160, 387	712.05
26 067 BE0	4005176427329	160, 387	712.05
26 067 DA0	4005176427282	160, 387	712.05
26 067 DC0	4005176371189	110, 160	675.07
26 067 DL0	4005176427299	160, 387	712.05
26 067 EN0	4005176427336	160, 387	712.05
26 067 GL0	4005176427268	160, 387	712.05
26 067 GN0	4005176427275	160, 387	712.05
26 068 000	4005176937224	387	442.65
26 069 000	4005176937231	387	442.65
26 070 000	4005176937248	70, 387	442.65
26 071 000	4005176937255	70, 388	442.65
26 072 000	4005176937262	390, 434	178.54
26 073 000	4005176937279	390, 436	220.80
26 075 000	4005176937606	111, 160	780.72
26 075 A00	4005176425387	160, 366	1,583.63
26 075 AL0	4005176425370	160, 366	1,583.00
26 075 BE0	4005176428593	160, 366	1,583.63
26 075 DA0	4005176425356	160, 366	1,583.63
26 075 DC0	4005176371219	111, 160	1,129.35
26 075 DL0	4005176425363	160, 366	1,583.63
26 075 EN0	4005176428609	160, 366	1,583.63
26 075 GL0	4005176425332	160, 366	1,583.63
26 075 GN0	4005176425349	160, 366	1,583.63
26 082 002	4005176443268	442	21.13
26 083 002	4005176451546	443	61.28
26 084 002	4005176451645	444	33.80
26 085 001	4005176444036	440	43.32
26 086 001	4005176451904	440	87.69
26 087 000	4005176940828	367	1,161.05
26 089 001	4005176444067	391, 440	65.50
26 090 001	4005176443992	391	68.67
26 114 001	4005176417870	370	669.79
26 115 DG0	4005176982170	415	72.89
26 115 DP0	4005176982316	415	72.89
26 115 DU0	4005176982309	415	72.89
26 115 TY0	4005176982323	415	72.89
26 115 YF0	4005176982293	415	72.89
26 115 YR0	4005176982286	415	72.89
26 130 001	4005176443909	442	26.41
26 146 000	4005176986017	404	104.59
26 190 001	4005176408267	378	576.83
26 191 000	4005176305740	378, 380	29.29
26 223 001	4005176408144	375	628.59
26 224 001	4005176408168	376	436.32
26 249 000	4005176317156	369	558.86
26 250 000	4005176316999	348	1,340.64
26 250 LS0	4005176317002	348	1,319.51
26 254 000	4005176317026	352, 382	558.86
26 254 LS0	4005176409806	352, 382	664.51
26 255 000	4005176317415	386	791.28
26 256 000	4005176318597	386	727.90
26 257 000	4005176317927	386	527.17
26 264 001	4005176417108	352, 382	189.10
26 267 001	4005176444197	390, 450	54.93
26 302 001	4005176408137	374	491.25
26 329 000	4005176332128	454	157.41
26 330 001	4005176843112	221	79.23
26 332 000	4005176332135	454	167.97
26 346 000	4005176332173	456, 458	19.35
26 353 000	4005176333866	456	30.63
26 354 000	4005176333873	456	41.20
26 361 000	4005176347580	349	1,224.43
26 361 LS0	4005176409707	349	1,213.87
26 362 LN0	4005176339257	380	19.19
26 363 000	4005176339264	368	664.51
26 370 000	4005176341380	337, 467	30.63
26 373 001	4005176415593	336, 392	19,808.07
26 374 000	4005176350825	339	854.67
26 376 001	4005176415609	336, 392	1,885.78
26 381 001	4005176451980	376	241.93
26 408 000	4005176390111	401, 451	86.63
26 409 000	4005176390128	401, 451	86.63
26 409 EN0	4005176390135	401, 451	121.49

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
26 410 000	4005176390142	401, 451	86.63
26 410 EN0	4005176390159	401, 451	121.49
26 412 000	4005176390173	390, 450	153.19
26 413 000	4005176390180	390, 450	153.19
26 414 000	4005176408090	390, 450	128.89
26 443 000	4005176409875	350	1,224.43
26 443 LS0	4005176409882	350	1,213.87
26 446 000	4005176409905	351	1,311.07
26 446 LS0	4005176409912	351	1,311.07
26 449 000	4005176409790	276, 353	263.05
26 450 000	4005176409813	352, 382	518.73
26 450 LS0	4005176409820	352, 382	518.73
26 455 000	4005176416903	400, 433	126.78
26 457 000	4005176416934	400, 433	126.78
26 457 EN0	4005176416941	400, 433	177.49
26 458 000	4005176416958	389, 432	211.29
26 459 000	4005176416965	389, 432	211.29
26 460 000	4005176416972	389, 433	167.97
26 461 000	4005176416989	389, 433	167.97
26 465 000	4005176423918	111, 408	139.00
26 465 A00	4005176459146	408	190.00
26 465 AL0	4005176459153	408	190.00
26 465 BE0	4005176459160	408	190.00
26 465 DA0	4005176459122	408	190.00
26 465 DC0	4005176459092	111, 408	181.00
26 465 DL0	4005176459139	408	190.00
26 465 EN0	4005176423925	408	190.00
26 465 GL0	4005176459108	408	190.00
26 465 GN0	4005176459115	408	190.00
26 468 000	4005176423963	400	141.00
26 469 000	4005176423970	396	469.00
26 472 000	4005176424908	396	484.00
26 474 000	4005176424939	397	350.00
26 474 BE0	4005176424953	397	455.00
26 474 EN0	4005176424946	397	455.00
26 474 ZB0	4005176424960	397	455.00
26 475 000	4005176423758	383	496.54
26 475 LS0	4005176425899	383	651.83
26 477 000	4005176423772	383	496.54
26 477 LS0	4005176425912	383	651.83
26 479 000	4005176425196	383	522.95
26 479 LS0	4005176425936	384	678.25
26 481 000	4005176425219	384	522.95
26 481 LS0	4005176425950	384	678.25
26 483 000	4005176425103	384	103.54
26 484 000	4005176425110	384	103.54
26 507 000	4005176457586	139, 362	1,044.83
26 507 LS0	4005176457609	139, 362	1,203.30
26 508 000	4005176457593	140, 362	1,044.83
26 508 LS0	4005176457616	140, 362	1,203.30
26 509 000	4005176457623	140, 363	907.50
26 510 000	4005176457630	141, 363	1,055.40
26 513 000	4005176457722	430	64.45
26 557 000	4005176481710	385	350.00
26 558 000	4005176481727	385	350.00
26 559 000	4005176481734	385	350.00
26 560 000	4005176481741	385	350.00
26 561 000	4005176481758	394	287.00
26 561 LS0	4005176482137	394	373.00
26 562 000	4005176481765	394	287.00
26 562 LS0	4005176482144	394	373.00
26 563 000	4005176481772	385	375.00
26 564 000	4005176481789	385	375.00
26 565 000	4005176482090	385	375.00
26 566 000	4005176482106	385	375.00
26 567 000	4005176482113	395	312.00
26 567 LS0	4005176482151	395	406.00
26 568 000	4005176482120	395	312.00
26 568 LS0	4005176482168	395	406.00
26 569 000	4005176482175	394	287.00
26 569 EN0	4005176482182	394	430.00
26 570 000	4005176482199	395	312.00
26 570 EN0	4005176482205	395	468.00
26 638 000	4005176528347	447	61.00
26 639 000	4005176528354	449	43.00
27			
27 032 001	4005176877155	358	939.19
27 055 000	4005176830433	462	41.20
27 056 000	4005176830440	463	30.63
27 057 000	4005176830457	111, 161	51.76
27 057 A00	4005176338953	161, 466	79.23
27 057 AL0	4005176338960	161, 466	79.23
27 057 BE0	4005176426957	161, 466	79.23
27 057 DA0	4005176338939	161, 466	79.23
27 057 DC0	4005176371196	111, 161	62.33
27 057 DL0	4005176426940	161, 466	79.23
27 057 EN0	4005176426964	161, 466	79.23
27 057 GL0	4005176338946	161, 466	79.23
27 057 GN0	4005176426933	161, 466	79.23
27 058 000	4005176830464	359	664.51
27 062 000	4005176831669	399, 427	189.10
27 065 000	4005176832109	399, 427	157.41
27 067 000	4005176832123	399, 427	125.71
27 074 000	4005176833083	112, 161	30.63
27 074 A00	4005176338991	161, 463	57.04
27 074 AL0	4005176339004	161, 463	57.04
27 074 BE0	4005176834325	161, 463	57.04
27 074 DA0	4005176338977	161, 463	57.04
27 074 DL0	4005176427091	161, 463	57.04
27 074 EN0	4005176834301	161, 463	57.04
27 074 GL0	4005176338984	161, 463	57.04
27 074 GN0	4005176427084	161, 463	57.04
27 075 000	4005176833090	463	30.63
27 076 000	4005176833106	466	51.76
27 127 000	4005176835988	414	115.15
27 128 000	4005176835995	397, 414	146.84
27 134 000	4005176836060	397, 412	115.15
27 136 001	4005176870965	418, 469	146.84
27 137 000	4005176836237	459	18.74
27 139 000	4005176836688	414	241.93
27 151 000	4005176837012	465	94.02
27 174 001	4005176877162	356	1,203.30
27 175 000	4005176838507	359	939.19
27 184 000	4005176840654		136.28
27 188 000	4005176842160	463	104.59
27 190 000	4005176842221	466	104.59
27 206 000	4005176845444	470	20.07
27 220 000	4005176854118	430	41.20
27 221 000	4005176854125	430	51.76
27 221 001	4005176457708	430	59.17
27 224 000	4005176854156	430	30.63
27 225 001	4005176899508	432	94.02
27 226 A01	4005176427152	161, 431	178.54
27 226 AL1	4005176427145	161, 431	178.54
27 226 BE1	4005176427169	161, 431	178.54
27 226 DA1	4005176427121	161, 431	178.54
27 226 DC1	4005176374456	111, 161	157.41
27 226 DL1	4005176427138	161, 431	178.54
27 226 EN1	4005176427176	161, 431	178.54
27 226 GL1	4005176427107	161, 431	178.54
27 226 GN1	4005176427114	161, 431	178.54
27 230 001	4005176899546	431	88.74
27 231 001	4005176899553	431	94.02

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
27 239 000	4005176854323	430	57.04
27 239 001	4005176457715	430	64.45
27 243 001	4005176899799	431	94.02
27 251 000	4005176856327	394	104.59
27 253 000	4005176856365	394	157.41
27 256 001	4005176899805	431	78.17
27 271 000	4005176860690	71, 394	421.52
27 272 000	4005176860836	417	104.59
27 273 001	4005176875502	417	231.36
27 274 000	4005176861383	418	104.59
27 276 000	4005176861437	414	83.46
27 277 001	4005176875489	415	199.67
27 283 000	4005176861444	414	104.59
27 285 000	4005176860713	394	421.52
27 286 000	4005176860737	393	1,689.28
27 287 000	4005176842061	395	527.17
27 296 001	4005176896293	369	579.99
27 296 002	4005176417818	366	546.19
27 354 000	4005176874444	432	51.76
27 355 000	4005176874451	432	94.02
27 367 000	4005176875939	434	41.20
27 369 000	4005176875953	434	72.89
27 370 000	4005176877773	398, 417	157.41
27 374 000	4005176877285	357	1,308.95
27 375 000	4005176877452	415	62.33
27 376 000	4005176877469	417	62.33
27 377 000	4005176877476	415	62.33
27 378 000	4005176877780	416	167.97
27 379 000	4005176877797	416	178.54
27 383 000	4005176877827	416	94.02
27 400 000	4005176877292	161, 434	41.20
27 402 001	4005176877919	415	199.67
27 421 002	4005176417924	372	436.32
27 467 000	4005176882609	393	579.99
27 469 000	4005176882593	357	1,065.96
27 470 000	4005176882531	395	442.65
27 472 000	4005176882814	356	1,065.96
27 473 001	4005176417900	371	491.25
27 475 001	4005176417863	370	683.53
27 477 000	4005176883286	396	463.78
27 479 000	4005176883309	396	453.22
27 484 000	4005176885488	405	62.33
27 485 000	4005176885495	405	51.76
27 488 000	4005176885525	404	72.89
27 491 000	4005176885549	434	125.71
27 492 000	4005176885556	400, 434	125.71
27 499 000	4005176886041	433, 469	41.20
27 500 000	4005176886058	433, 469	51.76
27 513 001	4005176333842	456	30.63
27 514 001	4005176333910	456	62.33
27 519 000	4005176886485	441, 470	51.76
27 520 000	4005176886492	441, 470	51.76
27 521 000	4005176886508	445, 470	41.20
27 522 000	4005176886515	445, 470	51.76
27 523 000	4005176886522	451, 470	41.20
27 524 000	4005176886539	451, 470	62.33
27 530 000	4005176889219	399, 426	442.65
27 531 000	4005176889486	465	251.49
27 569 000	4005176894275	357	1,065.96
27 571 002	4005176443893	442	26.41
27 571 20E	4005176443275	442	26.41
27 572 002	4005176443923	442	33.80
27 573 002	4005176443947	442	44.37
27 574 002	4005176443916	442	33.80
27 575 002	4005176443930	442	44.37
27 576 002	4005176451560	442	78.17
27 578 002	4005176451386	443	58.58
27 578 20E	4005176451362	443	58.58
27 579 002	4005176451492	443	68.67
27 580 002	4005176451515	443	76.06
27 584 002	4005176451621	444	50.71
27 588 002	4005176451669	444	47.54
27 591 001	4005176443985	401, 444	62.33
27 594 000	4005176895920	464	11.51
27 595 000	4005176895937	462	16.91
27 596 000	4005176895944	433, 445	9.50
27 597 001	4005176985508	446	23.23
27 597 10E	4005176985409	446	23.23
27 598 001	4005176985515	448	53.53
27 598 10E	4005176985416	448	53.53
27 600 001	4005176451775	447	70.78
27 601 10E	4005176985430	449	38.38
27 606 001	4005176444180	401, 451	55.99
27 608 001	4005176444029	440	49.65
27 609 001	4005176451898	440	92.97
27 610 001	4005176444050	402, 440	57.04
27 615 001	4005176417825	367	546.19
27 621 000	4005176898310	466	294.75
27 637 000	4005176900808	415	83.46
27 641 000	4005176901645	358	1,065.96
27 644 001	4005176451720	448	62.33
27 645 001	4005176451744	447	68.67
27 646 001	4005176985522	449	59.59
27 646 10E	4005176985423	449	59.59
27 661 000	4005176905438	420	94.02
27 664 000	4005176905469	420	104.59
27 668 000	4005176905698	420	125.71
27 671 000	4005176905728	422	72.89
27 671 LS0	4005176409837	423	81.35
27 672 000	4005176905735	422	83.46
27 673 000	4005176905742	422	83.46
27 673 LS0	4005176409844	422	91.91
27 675 000	4005176905766	422	104.59
27 693 000	4005176907043	464	20.07
27 698 000	4005176907098	436	41.20
27 699 000	4005176907104	436	41.20
27 700 000	4005176907111	436	199.67
27 702 000	4005176907135	436	72.89
27 703 000	4005176907142	436	72.89
27 704 000	4005176907159	467	30.63
27 705 000	4005176907166	401, 436	136.28
27 706 000	4005176908439	57, 463	30.63
27 706 A00	4005176491030	57	43.00
27 706 AL0	4005176490972	57	43.00
27 706 DC0	4005176490989	57	40.00
27 707 000	4005176908446	57, 467	41.20
27 707 A00	4005176490941	57	69.00
27 707 AL0	4005176490880	57	69.00
27 707 DC0	4005176490897	57	64.00
27 709 000	4005176909092	404	104.59
27 711 000	4005176909115	405	83.46
27 732 000	4005176910920	420	189.10
27 734 000	4005176910944	420	199.67
27 736 000	4005176910968	423	178.54
27 741 000	4005176911125	421	146.84
27 742 000	4005176911132	424	125.71
27 744 000	4005176912900	420	210.23
27 746 000	4005176912924	420	210.23
27 748 000	4005176912948	423	199.67
27 750 000	4005176912962	423	199.67
27 753 000	4005176913006	421	178.54
27 755 000	4005176913020	421	189.10
27 757 000	4005176913044	423	167.97
27 759 000	4005176913068	423	167.97

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
27 765 000	4005176913129	398, 421	136.28
27 767 000	4005176913150	398, 424	125.71
27 784 000	4005176913976	424, 469	94.02
27 785 000	4005176913983	424, 469	104.59
27 786 002	4005176451508	443	68.67
27 787 002	4005176451522	443	76.06
27 794 001	4005176451737	448	62.33
27 795 001	4005176451751	447	68.67
27 796 001	4005176451850	448	68.67
27 798 10E	4005176985447	450	33.33
27 799 001	4005176985539	450	33.33
27 805 001	4005176451911	440	64.45
27 838 000	4005176916168	421	125.71
27 839 000	4005176916175	424	104.59
27 841 000	4005176916670	469	189.10
27 852 001	4005176444081	446	18.18
27 853 001	4005176451706	448	44.44
27 854 001	4005176451829	449	50.50
27 861 000	4005176918131	395	622.25
27 863 000	4005176918155	395	632.82
27 865 000	4005176918179	337, 392	4,027.48
27 869 001	4005176444005	391, 444	73.95
27 884 001	4005176919695	435	83.46
27 888 000	4005176921179	337, 435	83.46
27 889 000	4005176921186	435	125.71
27 890 000	4005176921193	435	241.93
27 891 000	4005176921209	435	231.36
27 892 000	4005176921216	469	178.54
27 911 000	4005176921902	372	474.35
27 922 000	4005176923364	375	506.04
27 922 001	4005176985348	374	491.25
27 923 001	4005176444074	446	18.18
27 924 001	4005176451690	448	44.44
27 926 001	4005176451768	447	61.61
27 938 001	4005176927072	393	2,893.64
27 939 001	4005176927287	393	2,893.64
27 964 000	4005176929595	368	685.64
27 966 000	4005176929250	356	1,065.96
27 967 000	4005176929670	358	939.19
27 968 000	4005176929687	357	1,065.96
27 969 000	4005176931123	99	83.46
27 969 A00	4005176431517	99	118.32
27 969 AL0	4005176431500	99	118.32
27 969 BE0	4005176431494	99	118.32
27 969 DA0	4005176327308	99	118.32
27 969 DL0	4005176431470	99	118.32
27 969 EN0	4005176931147	99	118.32
27 969 GL0	4005176431463	99	118.32
27 969 GN0	4005176431456	99	118.32
27 969 IG0	4005176931130	99	104.59
27 970 000	4005176931154	99	115.15
27 970 A00	4005176431784	99	176.43
27 970 AL0	4005176431777	99	176.43
27 970 BE0	4005176431760	99	176.43
27 970 DA0	4005176327292	99	176.43
27 970 DL0	4005176431753	99	176.43
27 970 EN0	4005176431746	99	176.43
27 970 GL0	4005176431739	99	176.43
27 970 GN0	4005176431722	99	176.43
27 970 IG0	4005176931161	99	157.41
27 974 000	4005176932793	98, 398	410.96
27 974 DA0	4005176327278	98	554.49
27 974 IG0	4005176933486	98, 398	537.73
27 976 000	4005176932816	98, 398	410.96
27 978 000	4005176932830	98, 405	72.89
27 978 IG0	4005176933509	98, 405	94.02
27 982 000	4005176932878	98, 405	83.46
27 982 IG0	4005176933523	98, 405	104.59
27 986 000	4005176933011	98, 405	94.02
27 986 DA0	4005176327315	98	150.49
27 986 IG0	4005176933547	98, 405	125.71
27 993 000	4005176933080	99	146.84
27 993 IG0	4005176933585	99	189.10
28			
28 002 000	4005176858796	403, 428	178.54
28 034 000	4005176231810	408	136.28
28 094 000	4005176601132	403, 427	49.49
28 105 000	4005176601217	458	17.25
28 140 000	4005176601323	458	21.04
28 142 000	4005176601330	458, 641	18.74
28 143 000	4005176601347	337, 458	20.83
28 143 KS0	4005176842252	458, 641	27.35
28 143 LS0	4005176842269	458, 641	27.35
28 145 000	4005176601354	458, 641	24.58
28 150 001	4005176933196	459, 641	8.24
28 151 001	4005176933202	459, 641	9.99
28 154 001	4005176933219	459, 641	11.66
28 155 001	4005176933226	459, 641	12.91
28 158 000	4005176601606	460	29.45
28 161 001	4005176935107	460, 640	15.99
28 189 000	4005176075650	403, 428	130.29
28 214 003	4005176444098	446	22.22
28 232 000	4005176868009	434	83.46
28 233 000	4005176868016	400, 434	83.46
28 261 002	4005176444135	446	30.63
28 286 000	4005176198526	403, 428	94.02
28 308 000	4005176254949	399, 408	120.19
28 341 000	4005176259463	408	136.28
28 347 000	4005176262791	408	211.09
28 348 000	4005176263262	408	130.29
28 361 000	4005176295157	404	94.02
28 362 000	4005176295225	112, 162	13.33
28 362 A00	4005176427633	162, 459	18.93
28 362 AL0	4005176427626	162, 459	18.93
28 362 BE0	4005176295249	162, 459	18.93
28 362 DA0	4005176427602	162, 459	18.93
28 362 DL0	4005176427619	162, 459	18.93
28 362 EN0	4005176427640	162, 459	18.93
28 362 GL0	4005176427589	162, 459	18.93
28 362 GN0	4005176427596	162, 459	18.93
28 364 000	4005176295294	459	14.99
28 368 000	4005176267253	397	210.23
28 368 00E	4005176867385	397	315.88
28 369 000	4005176267260	397, 414	337.01
28 375 000	4005176267338	397	337.01
28 384 000	4005176267451	404	167.97
28 388 000	4005176295362	112, 162	17.08
28 388 A00	4005176427701	162, 459	23.98
28 388 AL0	4005176427695	162, 459	23.98
28 388 BE0	4005176295386	162, 459	23.98
28 388 DA0	4005176427671	162, 459	23.98
28 388 EN0	4005176427718	162, 459	23.98
28 388 GL0	4005176427657	162, 459	23.98
28 388 GN0	4005176427664	162, 459	23.98
28 389 000	4005176269837	409, 471	12.02
28 405 000	4005176264559	467, 640	49.49
28 406 000	4005176264566	468, 640	49.49
28 410 001	4005176933240	459	17.96
28 417 000	4005176264702	458	22.49
28 419 002	4005176444128	446	30.63
28 421 002	4005176444142	446	41.20
28 422 002	4005176444111	446	23.23
28 429 000	4005176601910	406, 452	49.49

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
28 436 002	4005176451799	447	77.12
28 438 001	4005176985553		54.54
28 497 000	4005176270338	405	62.33
28 541 000	4005176040528	406, 452	39.39
28 576 000	4005176274022	404	72.89
28 578 002	4005176444159	446	41.20
28 581 000	4005176276996	408	190.89
28 587 000	4005176282966	469, 640	180.79
28 605 000	4005176041105	464	19.19
28 622 000	4005176041297	464	29.29
28 623 000	4005176031595	462	29.29
28 626 000	4005176041358	467	49.49
28 628 000	4005176041396	468	49.49
28 636 000	4005176078606	467	51.76
28 671 000	4005176103070	467, 640	30.63
28 678 000	4005176116711	467	49.49
28 679 000	4005176116759	468	49.49
28 680 000	4005176116780	467	39.39
28 690 000	4005176256196	409, 463	89.89
28 708 000	4005176602375	471	79.79
28 724 000	4005176812644	405	51.76
28 737 000	4005176872983	400, 437	51.76
28 755 000	4005176819650	412	104.59
28 756 000	4005176819667	412	115.15
28 757 001	4005176875526	412	210.23
28 758 001	4005176875533	412	220.80
28 762 001	4005176875540	412	231.36
28 763 001	4005176875557	412	241.93
28 764 000	4005176820113	413	94.02
28 765 000	4005176820120	413	104.59
28 767 001	4005176875564	413	189.10
28 768 001	4005176875571	413	199.67
28 769 001	4005176875588	413	210.23
28 770 001	4005176875595	413	220.80
28 778 000	4005176820526	396	611.69
28 789 002	4005176451843	448	68.67
28 793 000	4005176823961	427	72.89
28 796 000	4005176824296	427	125.71
28 797 001	4005176870941	418, 469	115.15
28 817 000	4005176602962	816	13.03
28 819 001	4005176870958	418, 469	125.71
28 885 000	4005176826818		9.09
28 900 000	4005176603822	812	89.89
28 910 000	4005176603846	812	59.59
28 912 000	4005176266751	112, 142	220.80
28 939 000	4005176209161	225	79.79
28 943 000	4005176209178	225, 675	89.89
28 948 000	4005176209871	403, 428	130.29
28 982 000	4005176829987	404	125.71
28 990 000	4005176174025	224	125.71
28 991 000	4005176174032	224, 675	180.79
29			
29 025 000	4005176841927	53, 64	231.36
29 032 000	4005176845277	57, 70	30.63
29 033 000	4005176845338	57, 69	241.93
29 037 000	4005176865749	55, 96	727.90
29 069 000	4005176918384	337	125.71
29 072 000	4005176918421	338	231.36
29 073 000	4005176918445	338	231.36
29 074 000	4005176918469	339	368.70
29 094 000	4005176354106	634	202.13
29 095 000	4005176354113	634	206.30
29 096 000	4005176354120	634	166.71
29 098 003	4005176365225	194	115.15
29 099 003	4005176365300	194	136.28
29 099 LS3	4005176365317	194	167.76
29 118 000	4005176412240	86, 271	454.50
29 118 A00	4005176493010	271	653.00
29 118 AL0	4005176455049	86, 271	653.00
29 118 BE0	4005176492952	271	653.00
29 118 DA0	4005176492990	86, 271	653.00
29 118 DC0	4005176455032	86, 271	606.00
29 118 DL0	4005176493003	271	653.00
29 118 EN0	4005176492969	271	653.00
29 118 GL0	4005176492976	86, 271	653.00
29 118 GN0	4005176492983	271	653.00
29 119 000	4005176412257	86, 271	524.19
29 119 A00	4005176493089	271	711.00
29 119 AL0	4005176455063	86, 271	711.00
29 119 BE0	4005176493027	271	711.00
29 119 DA0	4005176493065	86, 271	711.00
29 119 DC0	4005176455056	86, 271	647.41
29 119 DL0	4005176493072	271	711.00
29 119 EN0	4005176493034	271	711.00
29 119 GL0	4005176493041	86, 271	711.00
29 119 GN0	4005176493058	271	711.00
29 120 000	4005176412264	87, 272	593.88
29 120 A00	4005176493157	272	853.00
29 120 AL0	4005176455087	87, 272	853.00
29 120 BE0	4005176493096	272	853.00
29 120 DA0	4005176493133	87, 272	853.00
29 120 DC0	4005176455070	87, 272	792.00
29 120 DL0	4005176493140	272	853.00
29 120 EN0	4005176493102	272	853.00
29 120 GL0	4005176493119	87, 272	853.00
29 120 GN0	4005176493126	272	853.00
29 121 000	4005176412271	87, 272	535.30
29 121 A00	4005176493225	272	769.00
29 121 AL0	4005176455100	87, 272	769.00
29 121 BE0	4005176493164	272	769.00
29 121 DA0	4005176493201	87, 272	769.00
29 121 DC0	4005176455094	87, 272	714.00
29 121 DL0	4005176493218	272	769.00
29 121 EN0	4005176493171	272	769.00
29 121 GL0	4005176493188	87, 272	769.00
29 121 GN0	4005176493195	272	769.00
29 122 000	4005176412288	88, 273	326.23
29 122 A00	4005176515231	273	469.00
29 122 AL0	4005176455124	88, 273	469.00
29 122 BE0	4005176493232	273	469.00
29 122 DA0	4005176515217	88, 273	469.00
29 122 DC0	4005176455117	88, 273	436.00
29 122 DL0	4005176515224	273	469.00
29 122 EN0	4005176413728	273	469.00
29 122 GL0	4005176515194	88, 273	469.00
29 122 GN0	4005176515200	273	469.00
29 123 000	4005176413292	66, 268	475.41
29 124 000	4005176413308	66, 268	517.67
29 125 000	4005176413315	66, 268	621.20
29 126 000	4005176413322	67, 269	559.92
29 127 000	4005176413339	67, 269	341.24
29 150 LS0	4005176413544	273	611.69
29 151 LS0	4005176413551	274	653.94
29 152 LS0	4005176413575	274	432.09
29 153 LS0	4005176413582	269	611.69
29 156 LS0	4005176413599	270	653.94
29 157 LS0	4005176413605	270	696.20
29 158 LS0	4005176413612	270	432.09
29 303 003	4005176529764	135	249.00
29 306 003	4005176529771	135	259.00
29 307 003	4005176529993	138	799.00
29 707 000	4005176102646		260.13
29 708 000	4005176102653	97, 206	281.79

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
29 811 000	4005176062711	69, 98	49.49
29 813 000	4005176062735	289, 326	79.79
29 904 LS0	4005176413568	274	696.20
30			
30 058 001	4005176989162	517	1,900.57
30 058 A01	4005176489259	517	2,249.00
30 058 AL1	4005176489266	517	2,249.00
30 058 DA1	4005176489273	517	2,249.00
30 058 DC1	4005176989179	517	2,006.21
30 058 DL1	4005176489280	517	2,249.00
30 060 001	4005176989186	518	1,689.28
30 189 000	4005176914102	542	157.41
30 190 000	4005176914119	542	167.97
30 193 000	4005176919459	558	125.71
30 208 000	4005176927836	644	241.93
30 215 001	4005176409066	544	335.96
30 215 DC1	4005176409073	544	342.39
30 219 001	4005176343063	532	664.51
30 219 DC1	4005176343070	532	896.93
30 221 002	4005176984235	554	125.71
30 260 002	4005176310386	560	104.59
30 269 000	4005176314902	536	252.49
30 269 A00	4005176428661	536	326.44
30 269 AL0	4005176428654	536	326.44
30 269 BE0	4005176428678	536	326.44
30 269 DA0	4005176428630	536	326.44
30 269 DC0	4005176314919	536	315.88
30 269 DL0	4005176428647	536	326.44
30 269 EN0	4005176428685	536	326.44
30 269 GL0	4005176428616	536	326.44
30 269 GN0	4005176428623	536	326.44
30 270 000	4005176314926	537	315.88
30 270 A00	4005176427473	537	421.52
30 270 AL0	4005176427466	537	421.52
30 270 BE0	4005176427480	537	421.52
30 270 DA0	4005176427442	537	421.52
30 270 DC0	4005176314933	537	368.70
30 270 DL0	4005176427459	537	421.52
30 270 EN0	4005176427497	537	421.52
30 270 GL0	4005176427428	537	421.52
30 270 GN0	4005176427435	537	421.52
30 274 000	4005176314988	527	263.05
30 274 A00	4005176488658	527	356.00
30 274 AL0	4005176488665	527	356.00
30 274 DA0	4005176488672	527	356.00
30 274 DC0	4005176314995	527	315.88
30 274 DL0	4005176488689	527	356.00
30 294 000	4005176341472	536	400.39
30 294 A00	4005176488054	536	546.00
30 294 AL0	4005176488061	536	546.00
30 294 BE0	4005176488511	536	546.00
30 294 DA0	4005176488498	536	546.00
30 294 DC0	4005176341489	536	516.60
30 294 DL0	4005176488504	536	546.00
30 294 EN0	4005176488528	536	546.00
30 294 GL0	4005176488078	536	546.00
30 294 GN0	4005176488085	536	546.00
30 305 000	4005176343285	560	157.41
30 305 DC0	4005176359811	560	199.67
30 309 000	4005176351235	524	337.01
30 311 000	4005176351259	524	611.69
30 311 DC0	4005176351266	524	727.90
30 312 000	4005176351273	524	896.93
30 312 DC0	4005176351280	524	1,118.79
30 321 DG0	4005176438219	536	94.02
30 321 DP0	4005176438264	536	94.02
30 321 DU0	4005176438257	536	94.02
30 321 GE0	4005176438271	536	94.02
30 321 HG0	4005176385742	536	58.11
30 321 MW0	4005176385728	536	58.11
30 321 TY0	4005176438240	536	94.02
30 321 XC0	4005176385735	536	58.11
30 321 YF0	4005176438233	536	58.11
30 321 YR0	4005176438226	536	94.02
30 328 001	4005176414107	516	2,006.21
30 328 DC1	4005176414114	516	2,111.86
30 329 001	4005176414121	518	1,689.28
30 340 001	4005176414893	516	2,006.21
30 340 DC1	4005176414909	516	2,111.86
30 341 001	4005176414916	517	1,900.57
30 341 A01	4005176489297	517	2,249.00
30 341 AL1	4005176489303	517	2,249.00
30 341 DA1	4005176489310	517	2,249.00
30 341 DC1	4005176414923	517	2,006.21
30 341 DL1	4005176489327	517	2,249.00
30 348 001	4005176464973	528	213.00
30 349 001	4005176464980	528	213.00
30 362 000	4005176496479	534	429.00
30 362 AL0	4005176497292	534	599.00
30 362 DC0	4005176496486	534	559.00
30 978 000	4005176098918	648	199.67
31			
31 122 004	4005176466892	546	249.99
31 124 002	4005176886614	555	157.41
31 126 004	4005176466977	554	197.69
31 127 002	4005176886669	554	167.97
31 128 001	4005176886737	551	189.10
31 128 DC1	4005176891007	551	241.93
31 129 001	4005176886744	551	231.36
31 129 DC1	4005176891021	551	294.75
31 188 002	4005176466915	558	130.00
31 212 003	4005176466762	550	236.00
31 255 000	4005176901416	540	189.10
31 301 001	4005176987922	510	506.04
31 301 DC1	4005176987939	510	569.43
31 302 001	4005176988097	497	2,111.86
31 302 002	4005176443343	494	1,880.00
31 302 DC1	4005176988103	497	2,111.86
31 302 DC2	4005176443350	494	2,099.00
31 323 001	4005176987946	495	2,217.51
31 323 002	4005176989933	490	1,975.00
31 323 DC1	4005176987953	495	2,323.15
31 323 DC2	4005176989940	490	2,220.00
31 324 001	4005176987960	495	2,217.51
31 324 DC1	4005176987977	495	2,323.15
31 325 002	4005176507274	492	2,075.00
31 325 DC2	4005176507250	492	2,320.00
31 326 002	4005176507236	493	2,075.00
31 326 DC2	4005176507212	493	2,320.00
31 344 001	4005176987861	510	833.54
31 344 DC1	4005176987878	510	844.11
31 345 002	4005176987885	510	675.07
31 345 DC2	4005176987892	510	780.72
31 346 001	4005176988035	496	2,323.15
31 346 DC1	4005176988042	496	2,428.80
31 347 002	4005176988059	496	2,217.51
31 347 003	4005176443336	491	1,975.00
31 347 DC2	4005176988066	496	2,323.31
31 347 DC3	4005176446559	491	2,220.00
31 358 002	4005176465000	526	542.87
31 358 DC2	4005176465017	526	678.85
31 360 001	4005176343025	526	527.17

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
31 360 DC1	4005176343032	526	685.64
31 367 001	4005176478512	568	103.55
31 368 001	4005176478529	568	103.55
31 375 000	4005176934155	526	210.23
31 375 A00	4005176488610	526	299.00
31 375 AL0	4005176488627	526	299.00
31 375 DA0	4005176488634	526	299.00
31 375 DC0	4005176934162	526	273.62
31 375 DL0	4005176488641	526	299.00
31 379 000	4005176938085	522	601.12
31 379 A00	4005176488856	522	819.00
31 379 AL0	4005176488863	522	819.00
31 379 DC0	4005176938092	522	780.72
31 395 000	4005176304774	540	548.30
31 395 DC0	4005176304767	540	706.77
31 454 001	4005176454110	503	1,900.57
31 454 A01	4005176488894	503	2,249.00
31 454 AL1	4005176488900	503	2,249.00
31 454 DA1	4005176488917	503	2,249.00
31 454 DC1	4005176454127	503	2,111.86
31 454 DL1	4005176488924	503	2,249.00
31 455 000	4005176323027	501	1,900.57
31 455 001	4005176454134	500	1,900.57
31 455 A01	4005176488931	500	2,249.00
31 455 AL1	4005176488948	500	2,249.00
31 455 DA1	4005176488955	500	2,249.00
31 455 DC0	4005176323034	501	2,111.86
31 455 DC1	4005176454141	500	2,111.86
31 455 DL1	4005176488962	500	2,249.00
31 456 001	4005176454158	505	1,900.57
31 456 DC1	4005176454165	505	2,111.86
31 481 001	4005176466922	558	188.00
31 482 003	4005176466984	554	229.07
31 483 002	4005176466809	551	239.53
31 483 DC2	4005176466816	551	312.75
31 491 000	4005176343308	550	337.01
31 491 DC0	4005176343315	550	442.65
31 498 001	4005176454172	507	1,900.57
31 498 A01	4005176488979	507	2,249.00
31 498 AL1	4005176488986	507	2,249.00
31 498 DA1	4005176488993	507	2,249.00
31 498 DC1	4005176454189		2,111.86
31 498 DL1	4005176489006	507	2,249.00
31 535 001	4005176478550	568	103.55
31 536 001	4005176478567	568	103.55
31 538 001	4005176478574	568	103.55
31 539 000	4005176437014	504	2,006.21
31 539 DC0	4005176437021	504	2,217.51
31 541 000	4005176437038	502	2,006.21
31 541 DC0	4005176437045	502	2,217.51
31 543 000	4005176437052	506	2,006.21
31 543 DC0	4005176437069	506	2,217.51
31 552 SD0	4005176457067	580	99.99
31 562 SD0	4005176473197	580	180.79
31 563 SD0	4005176473203	579	130.29
31 564 SD0	4005176473210	579	200.99
31 565 SD0	4005176473227	579	211.09
31 566 SD0	4005176473234	578	160.59
31 567 SD0	4005176473241	578	231.29
31 568 SD0	4005176473258	577	200.99
31 569 SD0	4005176473265	577	291.89
31 570 SD0	4005176473272	578	332.29
31 571 SD0	4005176473289	576	211.09
31 572 SD0	4005176473296	576	301.99
31 573 SD0	4005176473302	576	392.89
31 574 AL0	4005176563638	574	1,017.00
31 574 DL0	4005176563621	574	1,017.00
31 574 GN0	4005176563645	574	1,017.00
31 574 SD0	4005176473319	574	332.29
31 575 SD0	4005176473326	574	524.19
31 576 SD0	4005176473333	574	493.89
31 577 SD0	4005176473340	574	493.89
31 578 SD0	4005176473357	575	514.09
31 579 SD0	4005176473364	575	564.59
31 580 SD0	4005176473371	575	615.09
31 581 SD0	4005176473388	572	1,443.29
31 582 SD0	4005176473395	572	1,443.29
31 583 SD0	4005176473401	573	928.19
31 584 SD0	4005176473418	573	1,019.09
31 585 SD0	4005176473425	573	1,847.29
31 586 SD0	4005176473432	573	1,210.99
31 587 SD0	4005176473449	578	231.29
31 588 SD0	4005176473456	576	312.09
31 639 AP0	4005176520457	585	220.00
31 639 AT0	4005176520464	585	220.00
31 640 AP0	4005176520471	585	277.00
31 640 AT0	4005176520488	585	277.00
31 641 AP0	4005176521102	585	298.00
31 641 AT0	4005176521119	585	298.00
31 642 AP0	4005176521126	585	319.00
31 642 AT0	4005176521133	585	319.00
31 643 AP0	4005176521140	586	339.00
31 643 AT0	4005176521157	586	339.00
31 644 AP0	4005176521164	583	296.00
31 644 AT0	4005176521171	583	296.00
31 645 AP0	4005176521188	583	309.00
31 645 AT0	4005176521195	583	309.00
31 646 AP0	4005176521201	584	329.00
31 646 AT0	4005176521218	584	329.00
31 647 AP0	4005176521225	584	370.00
31 647 AT0	4005176521232	584	370.00
31 648 AP0	4005176521249	584	283.00
31 648 AT0	4005176521256	584	283.00
31 649 AP0	4005176521263	584	345.00
31 649 AT0	4005176521270	584	345.00
31 650 AP0	4005176521287	582	223.00
31 650 AT0	4005176521294	582	223.00
31 651 AP0	4005176521300	582	263.00
31 651 AT0	4005176521317	582	263.00
31 652 AP0	4005176521324	582	294.00
31 652 AT0	4005176521331	582	294.00
31 653 AP0	4005176521348	582	195.00
31 653 AT0	4005176521355	582	195.00
31 654 AP0	4005176521362	583	224.00
31 654 AT0	4005176521379	583	224.00
31 655 AP0	4005176521386	583	265.00
31 655 AT0	4005176521393	583	265.00
31 656 AP0	4005176521409	586	183.00
31 656 AT0	4005176521416	586	183.00
31 819 001	4005176843471	566	94.02

32

32 042 003	4005176454448	76	341.38
32 042 AL3	4005176454462	76	478.74
32 042 DA3	4005176492167	76	544.00
32 042 DC3	4005176454455	76	444.40
32 042 GL3	4005176492143	76	544.00
32 043 003	4005176454479	76	295.93
32 067 000	4005176811142	529	210.23
32 067 DC0	4005176811166	529	273.62
32 108 003	4005176454790	77	386.83
32 108 AL3	4005176454813	77	542.37
32 108 DA3	4005176492518	77	617.00
32 108 DC3	4005176454806	77	502.98

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
32 108 GL3	4005176492495	77	617.00
32 109 001	4005176408373	104	210.23
32 109 DC1	4005176412691	104	257.77
32 114 001	4005176409103	104	199.67
32 114 DC1	4005176412714	104	257.77
32 146 000	4005176821622	62	484.91
32 147 000	4005176821653	64	379.27
32 154 002	4005176862113	203	95.08
32 168 000	4005176824425	526	210.23
32 168 DC0	4005176824432	526	273.62
32 175 000	4005176860232	522	611.69
32 175 DC0	4005176860249	522	780.72
32 176 000	4005176860256	522	632.82
32 176 DC0	4005176860263	522	896.93
32 202 10L	4005176903960	174	130.29
32 204 10E	4005176887345	174	140.39
32 208 001	4005176888908	176	130.29
32 210 001	4005176888939	176	150.49
32 211 001	4005176889028	177	170.69
32 212 001	4005176889035	177	200.99
32 221 002	4005176861949	561	94.02
32 240 10E	4005176906794	174	130.29
32 240 10L	4005176903977	174	120.19
32 249 000	4005176832383	62	685.64
32 257 001	4005176834165	548	199.67
32 257 002	4005176886591	546	252.49
32 259 003	4005176466908	546	208.15
32 294 001	4005176932380	532	358.14
32 294 SD1	4005176932397	532	537.73
32 296 000	4005176864599	532	315.88
32 296 SD0	4005176864612	532	474.35
32 321 002	4005176465109	528	208.15
32 321 A02	4005176488733	528	298.00
32 321 AL2	4005176488740	528	298.00
32 321 DA2	4005176488757	528	298.00
32 321 DC2	4005176465116	528	270.91
32 321 DL2	4005176488764	528	298.00
32 322 002	4005176465123	529	208.15
32 322 A02	4005176488818	529	298.00
32 322 AL2	4005176488825	529	298.00
32 322 DA2	4005176488832	529	298.00
32 322 DC2	4005176465130	529	270.91
32 322 DL2	4005176488849	529	298.00
32 467 002	4005176862069	202	83.46
32 467 20L	4005176304736	202	83.46
32 468 003	4005176334207	189	104.59
32 468 20E	4005176906886	182	115.15
32 468 20L	4005176917097	183	110.09
32 469 20E	4005176908835	168	167.97
32 469 20L	4005176917110	169	160.59
32 488 000	4005176289552	528	167.97
32 488 A00	4005176488771	528	239.00
32 488 AL0	4005176488788	528	239.00
32 488 DA0	4005176488795	528	239.00
32 488 DC0	4005176804939	528	210.23
32 488 DL0	4005176488801	528	239.00
32 553 000	4005176864506	532	368.70
32 553 SD0	4005176864520	532	506.04
32 612 002	4005176865886	144	178.54
32 612 003	4005176529696	132	199.00
32 612 30L	4005176529979	132	199.00
32 618 002	4005176866029	145	241.93
32 618 003	4005176529740	135	299.00
32 628 001	4005176306983	152	189.10
32 628 A01	4005176407376	152	273.62
32 628 AL1	4005176407383	152	273.62
32 628 BE1	4005176419669	152	273.62
32 628 DA1	4005176407352	152	273.62
32 628 DC1	4005176369940	152	241.93
32 628 DL1	4005176419652	152	273.62
32 628 EN1	4005176426100	152	273.62
32 628 GL1	4005176407369	152	273.62
32 628 GN1	4005176419645	152	273.62
32 629 002	4005176472619	175	170.69
32 635 000	4005176845949		231.36
32 647 003	4005176454707	76	478.74
32 647 AL3	4005176454721	76	669.63
32 647 DA3	4005176492303	76	762.00
32 647 DC3	4005176454714	76	621.15
32 647 GL3	4005176492280	76	762.00
32 650 003	4005176454820	77	410.06
32 650 AL3	4005176454844	77	573.68
32 650 DA3	4005176492587	77	653.00
32 650 DC3	4005176454837	77	533.28
32 650 GL3	4005176492563	77	653.00
32 652 003	4005176454851	77	478.74
32 652 AL3	4005176454875	77	669.63
32 652 DA3	4005176492655	77	762.00
32 652 DC3	4005176454868	77	621.15
32 652 GL3	4005176492631	77	762.00
32 653 003	4005176454912	80	1,320.07
32 653 AL3	4005176454936	80	1,848.30
32 653 DA3	4005176492723	80	1,830.00
32 653 DC3	4005176454929	80	1,715.99
32 653 EN3	4005176492693		1,830.00
32 653 GL3	4005176492709	80	1,830.00
32 659 001	4005176886713	551	167.97
32 659 DC1	4005176890772	551	220.80
32 661 003	4005176466823	550	187.23
32 661 DC3	4005176466830	550	229.07
32 663 003	4005176466854	550	208.15
32 663 DC3	4005176466861	550	291.83
32 701 001	4005176889042	177	170.69
32 706 000	4005176855092	63	231.36
32 750 000	4005176868238	564	83.46
32 754 002	4005176428876	68	2,154.12
32 757 000	4005176870897	62	379.27
32 760 000	4005176870927	62	643.38
32 762 000	4005176871023	644	104.59
32 763 000	4005176871030	644	104.59
32 765 000	4005176871054	644	220.80
32 766 000	4005176871061	644	231.36
32 767 000	4005176871078	645	263.05
32 771 000	4005176871719	645	284.18
32 773 000	4005176871733	645	256.35
32 774 000	4005176871740	645	285.83
32 775 000	4005176871757	645	297.61
32 778 000	4005176871788	644	241.93
32 779 000	4005176871795	644	273.62
32 784 000	4005176871849	645	125.71
32 786 000	4005176871863	564, 646	125.71
32 788 000	4005176871887	650	220.80
32 789 000	4005176871894	650	199.67
32 790 000	4005176871900	650	265.23
32 792 000	4005176871924	650	350.64
32 793 000	4005176871931	650	365.38
32 795 000	4005176871955	650	347.57
32 824 00L	4005176917035	196	104.59
32 825 00L	4005176917028	196	110.09
32 826 000	4005176882425	65	801.85
32 830 001	4005176472749	197	145.39
32 831 000	4005176874703	198	146.84
32 832 000	4005176874710	198	167.97
32 837 000	4005176874772	198	125.71

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
32 839 000	4005176874802	197	104.59
32 842 000	4005176874833	558	104.59
32 843 002	4005176466939	558	127.26
32 843 20E	4005176466946	558	130.00
32 843 DC2	4005176466953	558	164.00
32 846 000	4005176882432	64	670.10
32 870 000	4005176876523	646	90.90
32 871 000	4005176876530	646	106.56
32 898 001	4005176306860	150	146.84
32 901 001	4005176306969	152	252.49
32 901 A01	4005176407512	152	368.70
32 901 AL1	4005176407529	152	368.70
32 901 BE1	4005176426131	152	368.70
32 901 DA1	4005176407499	152	368.70
32 901 DC1	4005176369957	152	337.01
32 901 DL1	4005176426124	152	368.70
32 901 EN1	4005176426148	152	368.70
32 901 GL1	4005176407505	152	368.70
32 901 GN1	4005176426117	152	368.70
32 917 000	4005176230950	527	167.97
32 917 A00	4005176488696	527	239.00
32 917 AL0	4005176488702	527	239.00
32 917 DA0	4005176488719	527	239.00
32 917 DC0	4005176804946	527	210.23
32 917 DL0	4005176488726	527	239.00
32 918 000	4005176230967	527	210.23
32 918 DC0	4005176804953	527	273.62
32 926 002	4005176861567	203	94.02
32 929 002	4005176862366	204	83.46
32 935 001	4005176307171	154	146.84
32 935 A01	4005176426360	154	220.80
32 935 AL1	4005176426353	154	220.80
32 935 BE1	4005176426377	154	220.80
32 935 DA1	4005176426339	154	220.80
32 935 DC1	4005176369988	154	210.23
32 935 DL1	4005176426346	154	220.80
32 935 EN1	4005176426384	154	220.80
32 935 GL1	4005176426315	154	220.80
32 935 GN1	4005176426322	154	220.80
32 950 000	4005176879838	522	622.25
32 950 A00	4005176488870	522	849.00
32 950 AL0	4005176488887	522	849.00
32 950 DC0	4005176879845	522	812.41
33			
33 155 002	4005176865947	144	241.93
33 156 002	4005176865930	144	178.54
33 163 002	4005176865909	144	167.97
33 163 003	4005176529702	133	199.00
33 163 20L	4005176917073	144	160.59
33 188 002	4005176862052	202	94.02
33 190 20E	4005176887482	168	178.54
33 202 002	4005176861956	560	125.71
33 241 002	4005176865954	145	178.54
33 241 003	4005176529849	136	199.00
33 244 002	4005176888779	170	167.97
33 265 002	4005176861543	202	94.02
33 265 20L	4005176304729	202	94.02
33 281 002	4005176861932	560	104.59
33 300 002	4005176862182	204	104.59
33 303 002	4005176862243	204	189.10
33 339 000	4005176222818	68	749.03
33 390 002	4005176887796	171	199.67
33 412 002	4005176862205	204	104.59
33 547 002	4005176866081	146	273.62
33 547 003	4005176529818	136	339.00
33 552 20E	4005176886300	182	115.15
33 553 002	4005176865978	145	220.80
33 553 003	4005176529795	136	299.00
33 558 003	4005176334139	188	115.15
33 565 002	4005176887000	184	115.15
33 565 003	4005176334283	191	94.02
33 569 002	4005176887734	171	178.54
33 577 002	4005176866074	145	210.23
33 577 003	4005176529801	136	239.00
33 590 002	4005176887048	184	125.71
33 590 003	4005176334306	191	157.41
33 590 LS3	4005176334511	191	167.97
33 591 002	4005176887123	184	146.84
33 591 003	4005176334351	192	167.97
33 591 LS3	4005176334535	192	210.23
33 624 001	4005176990786	154	189.10
33 624 A01	4005176426445	154	289.47
33 624 AL1	4005176426438	154	289.47
33 624 BE1	4005176426452	154	289.47
33 624 DA1	4005176426414	154	289.47
33 624 DC1	4005176371097	154	231.36
33 624 DL1	4005176426421	154	289.47
33 624 EN1	4005176426469	154	289.47
33 624 GL1	4005176426391	154	289.47
33 624 GN1	4005176426407	154	289.47
33 628 001	4005176990793	155	231.36
33 636 001	4005176307287	154	157.41
33 636 A01	4005176426667	154	241.93
33 636 AL1	4005176426650	154	241.93
33 636 BE1	4005176426674	154	241.93
33 636 DA1	4005176426636	154	241.93
33 636 DC1	4005176371141	154	220.80
33 636 DL1	4005176426643	154	241.93
33 636 EN1	4005176426681	154	241.93
33 636 GL1	4005176426612	154	241.93
33 636 GN1	4005176426629	154	241.93
33 769 000	4005176819605	64	231.36
33 770 001	4005176828959	548	189.10
33 770 002	4005176888137	546	210.23
33 848 001	4005176409172	106	241.93
33 848 DC1	4005176412776	106	294.75
33 849 001	4005176409189	106	273.62
33 849 DC1	4005176412783	106	352.85
33 850 001	4005176409196	107	316.94
33 865 001	4005176409202	106	273.62
33 865 DC1	4005176412790	106	352.85
33 975 004	4005176467004	554	176.77
33 977 002	4005176886560	555	136.28
34			
34 065 002	4005176310775	110, 159	241.93
34 065 A02	4005176426827	159, 302	347.57
34 065 AL2	4005176426810	159, 302	347.57
34 065 BE2	4005176426834	159, 302	347.57
34 065 DA2	4005176426797	159, 302	347.57
34 065 DC2	4005176374432	110, 159	284.18
34 065 DL2	4005176426803	159, 302	347.57
34 065 EN2	4005176426841	159, 302	347.57
34 065 GL2	4005176426773	159, 302	347.57
34 065 GN2	4005176426780	159, 302	347.57
34 143 003	4005176309618	306	220.80
34 146 003	4005176309625	306	210.23
34 151 004	4005176456664	308	269.40
34 155 003	4005176310027	307	273.62
34 156 003	4005176310034	307	284.18
34 170 001	4005176926471	292	273.62
34 174 001	4005176926426	293	358.14
34 195 001	4005176926631	295	315.88

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
34 202 000	4005176808661		432.09
34 205 000	4005176809996		379.27
34 254 000	4005176837715		410.96
34 255 000	4005176837722		368.70
34 256 004	4005176456671	308	273.62
34 268 002	4005176310997	302	231.36
34 274 000	4005176847905	288	410.96
34 275 000	4005176847912	288	601.12
34 276 000	4005176847929	288	484.91
34 277 000	4005176847936	288	442.65
34 281 001	4005176926501	294	463.78
34 286 002	4005176311000	303	284.18
34 294 001	4005176306877	151	136.28
34 321 002	4005176311017	304	284.18
34 323 002	4005176311024	303	273.62
34 430 000	4005176917981	304	241.93
34 437 000	4005176918025	304	284.18
34 438 003	4005176309632	306	220.80
34 439 003	4005176310041	307	284.18
34 440 002	4005176311048	302	241.93
34 441 002	4005176311031	303	284.18
34 446 001	4005176926402	292	294.75
34 448 000	4005176919183	304	358.14
34 464 001	4005176926433	293	358.14
34 466 001	4005176926440	294	368.70
34 469 001	4005176926396	292	315.88
34 484 001	4005176932519	294	379.27
34 487 000	4005176936234	630, 646	125.71
34 507 000	4005176940767	620, 624	162.69
34 508 000	4005176941795	298	453.22
34 509 000	4005176941801	298	347.57
34 557 001	4005176456688	308	241.93
34 562 000	4005176310102	310	199.67
34 565 001	4005176456718	311	210.23
34 567 000	4005176310157	310	241.93
34 569 000	4005176310171	310	241.93
34 665 000	4005176351556	632	331.34
34 666 000	4005176351563	633	293.82
34 667 000	4005176351570	632	264.65
34 671 000	4005176351587	633	337.58
34 681 000	4005176354090	633	315.88
34 705 000	4005176413285	88, 275	1,319.51
34 706 000	4005176413797	67, 275	1,308.95
34 713 000	4005176409776	276	844.11
34 714 000	4005176409783	276	791.28
34 718 000	4005176457647	277	389.83
34 719 000	4005176457654	276	353.91
34 720 000	4005176457661	277	453.22
34 721 000	4005176457678	277	459.56
34 725 000	4005176457081	632	331.28
34 726 000	4005176466014	283	528.00
34 727 000	4005176466021	283	591.00
34 728 000	4005176466069	281	538.00
34 729 000	4005176466076	281	604.00
34 730 000	4005176466342	281	1,307.00
34 731 000	4005176466359	283	1,307.00
34 732 000	4005176466366	283	897.00
34 734 000	4005176466403	281	922.00
34 735 000	4005176466410	283	736.00
34 741 000	4005176481208	120, 127	1,196.00
34 742 000	4005176484094	275	1,235.00
34 743 000	4005176484100	275	1,150.48
34 744 000	4005176484117	275	966.66
35			
35 028 000	4005176908316	69, 70	125.71
35 034 000	4005176915697	466	199.67
35 085 000	4005176207068	638	1,840.83
35 087 000	4005176207082	638	2,160.39
35 501 000	4005176833847	645	88.74
35 600 000	4005176413469	54, 55	126.25
36			
36 015 001	4005176929359	612	484.91
36 016 001	4005176929366	612	418.23
36 078 000	4005176856532	346	104.59
36 157 000	4005176140556		52.57
36 207 001	4005176929373	612	558.86
36 208 001	4005176929380	612	474.35
36 209 000	4005176207105	614, 654	69.34
36 210 000	4005176207112	654	50.60
36 233 000	4005176283338	654	503.99
36 236 001	4005176929403	612	424.90
36 264 001	4005176416279	595, 599	200.99
36 265 000	4005176893131	658	115.15
36 266 000	4005176893148	658	94.02
36 267 000	4005176893155	658	94.02
36 268 000	4005176893162	658	94.02
36 269 000	4005176893179	622	284.18
36 271 000	4005176893193	622	263.05
36 273 000	4005176893216	623	345.36
36 289 000	4005176894619	344	1,404.03
36 292 000	4005176894640	345	981.45
36 295 000	4005176894671	344	1,583.63
36 298 000	4005176894701	346	1,171.61
36 309 000	4005176894794	345	252.49
36 315 000	4005176896590	619	442.65
36 317 000	4005176896514	656	263.05
36 318 000	4005176896521	656	284.18
36 319 000	4005176896538	656	442.08
36 320 000	4005176896545	656	410.96
36 321 000	4005176896552	656	294.75
36 322 000	4005176896569	656	110.55
36 325 001	4005176305764	616	358.14
36 327 001	4005176305771	616	315.88
36 330 001	4005176305788	617	337.01
36 331 001	4005176305795	616	276.79
36 332 000	4005176896682	618	744.54
36 333 000	4005176896699	618	731.28
36 334 SD0	4005176896705	618	410.96
36 335 SD0	4005176896712	618	389.83
36 336 000	4005176896729	605, 619	276.32
36 337 000	4005176896736	605, 619	104.59
36 338 000	4005176896743	596, 600	83.46
36 339 000	4005176896842	606, 619	179.60
36 340 000	4005176911385	596, 599	51.76
36 341 000	4005176911392	596, 599	93.07
36 356 000	4005176911347	346	157.41
36 359 000	4005176918414	338	1,192.74
36 360 000	4005176918438	338	1,023.71
36 362 000	4005176918537	339	3,126.06
36 367 000	4005176923203	341	273.62
36 371 000	4005176928970	340	579.99
36 376 000	4005176932243	619	527.17
36 384 000	4005176982774	622	579.99
36 386 001	4005176311673	618	614.32
36 387 000	4005176983207	613	882.04
36 397 000	4005176999413	340	1,023.71
36 407 001	4005176368974	595, 599	251.49
36 409 000	4005176320538	603	449.00
36 410 000	4005176320545	605	515.55
36 412 000	4005176320569	606	581.05
36 413 000	4005176320576	603	545.14
36 414 000	4005176320583	604	739.52

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
36 415 000	4005176320590	606	488.67
36 416 000	4005176321009	607	469.91
36 421 000	4005176368523	617	333.42
36 422 000	4005176368530	616	335.50
36 439 000	4005176389740	617	249.03
36 440 000	4005176415623	598	736.29
36 441 000	4005176415630	598	705.99
36 442 000	4005176415647	598	796.89
36 444 000	4005176415661	594	594.89
36 445 000	4005176415678	594	574.69
36 446 000	4005176415685	594	534.29
36 447 000	4005176416293	595	756.49
36 451 000	4005176473678	626	219.17
36 452 000	4005176473685	626	204.02
36 453 000	4005176473791	626	231.29
37			
37 044 000	4005176160776	764	19.19
37 059 000	4005176142857	786	130.29
37 060 000	4005176142901	786	59.59
37 095 000	4005176145124	750	29.29
37 099 K00	4005176142086	750	29.59
37 100 SH0	4005176142093	750	19.19
37 104 K00	4005176160844	752	19.19
37 105 K00	4005176141904	752	19.19
37 119 000	4005176144370	752	3.94
37 310 000	4005176148538	740	37.07
37 311 K00	4005176160851	751	19.19
37 321 001	4005176929496	760	495.48
37 321 SD1	4005176929502	760	495.48
37 324 001	4005176929526	761	495.48
37 324 SD1	4005176929533	761	466.95
37 336 001	4005176929540	760	495.48
37 337 001	4005176929557	760	466.95
37 338 000	4005176837920	607, 761	125.71
37 396 000	4005176907968	764	115.15
37 419 000	4005176933806	756	749.03
37 419 SD0	4005176933813	756	749.03
37 489 000	4005176167386	751	9.09
37 503 000	4005176320507	607	632.82
37 504 000	4005176320521	608	791.28
37 505 SD0	4005176321016	608	632.82
37 535 000	4005176416019	129, 142	61.07
37 535 A00	4005176431364	782	109.00
37 535 AL0	4005176431357	782	109.00
37 535 BE0	4005176431340	782	109.00
37 535 DA0	4005176431333	782	109.00
37 535 DC0	4005176416040	782	69.94
37 535 DL0	4005176431326	782	109.00
37 535 EN0	4005176431319	782	109.00
37 535 GL0	4005176431302	782	109.00
37 535 GN0	4005176431296	782	109.00
37 535 P00	4005176416026	782	61.07
37 535 SH0	4005176416033	782	63.39
37 601 000	4005176416057	113, 159	69.94
37 601 A00	4005176528996	159, 782	133.00
37 601 AL0	4005176529030	159, 782	133.00
37 601 BE0	4005176529009	159, 782	133.00
37 601 DA0	4005176524288	159, 782	133.00
37 601 DC0	4005176416088	113, 159	78.79
37 601 DL0	4005176529023	159, 782	133.00
37 601 EN0	4005176529047	159, 782	133.00
37 601 GL0	4005176524271	159, 782	133.00
37 601 GN0	4005176529016	159, 782	133.00
37 601 P00	4005176416064	782	92.97
37 601 SH0	4005176416071	782	57.54
37 624 000	4005176416095	142, 147	69.94
37 624 A00	4005176529078	782	133.00
37 624 AL0	4005176529115	782	133.00
37 624 BE0	4005176529085	782	133.00
37 624 DA0	4005176529061	782	133.00
37 624 DC0	4005176416125	782	78.79
37 624 DL0	4005176529108	782	133.00
37 624 EN0	4005176529122	782	133.00
37 624 GL0	4005176529054	782	133.00
37 624 GN0	4005176529092	782	133.00
37 624 P00	4005176416101	782	92.97
37 624 SH0	4005176416118	782	57.54
37 761 000	4005176213243	787	39.39
37 762 SH0	4005176213250	746	69.69
37 945 SH0	4005176256387	746	69.69
37 965 000	4005176442506	783	61.28
37 965 SH0	4005176442513	783	48.60
37 998 000	4005176262586	738	104.59
38			
38 338 000	4005176286179	741	27.95
38 422 000	4005176275203	747	167.97
38 488 000	4005176289866	786	39.39
38 496 000	4005176289958	787	180.79
38 505 000	4005176290053	785	46.48
38 505 P00	4005176290060	785	83.46
38 505 SH0	4005176290046	785	30.63
38 506 000	4005176290121	785	67.61
38 525 001	4005176863967	725	337.01
38 526 000	4005176291050	725	337.01
38 528 001	4005176863943	723	273.62
38 536 001	4005176863929	723	294.75
38 541 000	4005176291234	730, 734	199.67
38 543 000	4005176291258	731	294.75
38 545 000	4005176291272	731	278.90
38 553 001	4005176863813	730	289.47
38 554 001	4005176863806	730	125.71
38 558 00M	4005176291418	726, 728	26.41
38 559 001	4005176863776	735	161.17
38 562 001	4005176863752	740	94.02
38 563 000	4005176291463	740	29.29
38 564 000	4005176291784	786	72.89
38 565 000	4005176291845	786	46.48
38 573 000	4005176292316	786	51.76
38 574 000	4005176292385	786	59.59
38 652 000	4005176294778	325, 738	110.19
38 661 000	4005176294907	746	157.41
38 675 001	4005176863516	724, 734	294.75
38 691 000	4005176815454	747	167.97
38 698 SD1	4005176929571	756	664.51
38 699 001	4005176929588	756	558.86
38 714 000	4005176828454	753, 787	14.04
38 721 001	4005176863431	720	358.14
38 732 000	4005176836114	785	67.61
38 732 A00	4005176339110	785	90.86
38 732 AL0	4005176339127	785	90.86
38 732 BE0	4005176427749	785	90.86
38 732 BR0	4005176873676	785	115.15
38 732 DA0	4005176339097	785	90.86
38 732 DL0	4005176427732	785	90.86
38 732 EN0	4005176427756	785	90.86
38 732 GL0	4005176339103	785	90.86
38 732 GN0	4005176427725	785	90.86
38 732 SD0	4005176847691	784	146.84
38 733 000	4005176837289	740	30.63
38 735 000	4005176837500	751	51.76
38 736 000	4005176837517	751	41.20
38 748 002	4005176416323	595, 599	473.69

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
38 761 000	4005176841620	721	379.27
38 765 000	4005176846830	783	67.61
38 766 000	4005176847134	784	167.97
38 771 000	4005176848551	787	41.20
38 772 001	4005176863288	721	358.14
38 773 000	4005176850288	721	379.27
38 779 000	4005176855306	740	99.99
38 784 000	4005176855535	792	107.71
38 786 001	4005176864025	728	315.88
38 787 000	4005176855689	761	104.59
38 796 000	4005176857034	790	62.33
38 804 000	4005176861512	792	115.15
38 804 SH0	4005176861529	792	104.59
38 805 000	4005176865596	790	125.71
38 808 000	4005176864056	792	94.02
38 809 000	4005176864681	783	548.30
38 821 000	4005176868986	784	220.80
38 827 000	4005176870477	719	400.39
38 844 000	4005176874963	785	67.61
38 844 P00	4005176875687	785	62.33
38 844 SH0	4005176874970	785	51.76
38 847 KI0	4005176878596	784	94.02
38 847 LI0	4005176878688	784	94.02
38 847 XG0	4005176878701	784	94.02
38 857 000	4005176875694	792	107.76
38 857 SH0	4005176875793	792	99.30
38 858 000	4005176876714	785	67.61
38 860 000	4005176878084	719	358.14
38 861 000	4005176832284	785	62.33
38 862 000	4005176832314	785	67.61
38 862 P00	4005176832321	785	61.75
38 862 SH0	4005176832338	785	51.76
38 863 000	4005176832345	746	125.71
38 868 000	4005176878091	721	379.27
38 882 000	4005176879197	790	8.08
38 885 000	4005176879609	719	400.39
38 888 000	4005176879630	719	410.96
38 915 KS0	4005176897108	783	806.75
38 915 LS0	4005176897115	783	844.11
38 947 000	4005176911217	722	368.70
38 948 000	4005176911224	722	358.14
38 957 000	4005176914409	784	104.59
38 958 000	4005176914416	784	62.33
38 987 000	4005176924798	746	105.65
38 994 000	4005176932335	724	337.01
38 995 000	4005176932342	725	347.57
39			
39 053 000	4005176935978	747	72.89
39 054 000	4005176936289	747	72.89
39 056 000	4005176936302	747	19.19
39 111 SH0	4005176304668	664	4,626.23
39 112 001	4005176359262	664, 666	315.88
39 140 000	4005176315268	734	564.42
39 201 000	4005176344947	687	68.90
39 202 000	4005176344954	687	79.67
39 206 000	4005176344992	688	246.55
39 206 00H	4005176418495	688	295.00
39 208 000	4005176345029	690	241.17
39 208 00H	4005176418532	690	289.62
39 300 000	4005176346026	702	234.32
39 301 000	4005176346033	702	172.71
39 302 000	4005176346040	702	165.64
39 305 000	4005176346071	702	292.90
39 306 000	4005176346088	703	190.89
39 307 000	4005176346095	703	419.15
39 308 000	4005176346101	703	360.57
39 323 000	4005176407116	684	95.82
39 323 00H	4005176417344	684	144.27
39 324 000	4005176407123	687	63.52
39 324 00H	4005176417375	687	111.97
39 325 000	4005176407130	687	68.90
39 327 000	4005176390104	687	79.67
39 327 00H	4005176418341	687	128.12
39 328 000	4005176407161	687	268.08
39 328 00H	4005176417382	687	316.53
39 329 000	4005176407178	689	198.04
39 329 00H	4005176418518	689	246.55
39 330 001	4005176468834	689	95.82
39 331 001	4005176468827	690	68.29
39 332 000	4005176407208	688	192.72
39 333 000	4005176407215	689	192.72
39 335 000	4005176407239	684	90.44
39 335 00H	4005176417351	684	133.50
39 336 000	4005176407246	686	89.04
39 336 00H	4005176417368	686	131.88
39 337 000	4005176407253	686	95.82
39 337 00H	4005176418334	686	144.27
39 338 000	4005176407260	688	208.87
39 338 00H	4005176418501	688	257.32
39 339 000	4005176407277	689	204.91
39 339 00H	4005176418525	689	253.38
39 340 000	4005176423697	690	208.87
39 340 00H	4005176423703	690	257.32
39 346 000	4005176449673	699	294.75
39 347 000	4005176449680	699	284.18
39 349 000	4005176449659	696	131.00
39 351 000	4005176450006	698	178.54
39 354 SH1	4005176470448	666	2,640.09
39 367 000	4005176341533	762	491.79
39 368 000	4005176341540	762	491.79
39 369 000	4005176341557	762	654.33
39 374 KS0	4005176344770	718	666.84
39 374 LS0	4005176344787	718	666.84
39 376 000	4005176342998	728	225.06
39 377 LS0	4005176351143		385.52
39 377 XI0	4005176383243		489.71
39 383 000	4005176356926	604	51.76
39 386 00H	4005176438356	678	506.04
39 418 000	4005176390555		358.14
39 420 000	4005176405983	694	67.61
39 421 000	4005176428906	694	62.33
39 422 000	4005176406195	695	104.59
39 423 000	4005176406201	686, 695	104.59
39 424 000	4005176406218	695	57.04
39 425 000	4005176406225	696	57.04
39 426 000	4005176406232	696	62.33
39 427 000	4005176406249	696	104.59
39 428 000	4005176406256	696	120.43
39 429 000	4005176406263	696	131.00
39 430 000	4005176406270	697	88.74
39 431 000	4005176406287	697	88.74
39 432 000	4005176406294	698	178.54
39 433 000	4005176406300	698	178.54
39 436 000	4005176406331	697	104.59
39 437 000	4005176406348	697	104.59
39 438 000	4005176406355	698	199.67
39 439 000	4005176406362	698	199.67
39 440 000	4005176405976	694	57.04
39 453 000	4005176421099	691, 700	20.07
39 454 000	4005176421105	691, 700	20.07
39 457 000	4005176421112	691, 700	20.07
39 462 000	4005176454608		451.47
39 469 00H	4005176438363	678	437.37

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
39 473 00H	4005176438370	678	236.64
39 474 00H	4005176438387	678	220.80
39 475 00H	4005176442599	678	506.04
39 476 00H	4005176442605	678	438.43
39 477 00H	4005176442612	679	237.70
39 478 00H	4005176442629	679	222.92
39 479 00H	4005176442636	679	228.20
39 480 00H	4005176442643	679	213.40
39 481 00H	4005176442650	679	213.40
39 482 00H	4005176442667	679	189.10
39 483 00H	4005176442674	680	183.82
39 484 00H	4005176442698	680	424.69
39 485 00H	4005176442704	680	395.11
39 486 00H	4005176442711	681	346.52
39 487 00H	4005176442728	681	358.14
39 488 000	4005176442735	680	163.75
39 489 000	4005176442742	680	222.92
39 490 000	4005176442759	680	222.92
39 492 000	4005176450013	697	41.20
39 493 000	4005176450020	697	83.46
39 496 000	4005176450051	699	303.00
39 497 000	4005176450068	698	135.00
39 499 000	4005176450082		358.14
39 501 000	4005176453878	720	356.00
39 503 000	4005176454097	720	356.00
39 504 000	4005176454103	720	356.00
39 536 000	4005176460678		599.00
39 538 000	4005176468292	688	210.00
39 554 000	4005176484452	688	359.00
39 555 000	4005176484469	689	299.00
39 559 000	4005176479564		289.00
39 564 00H	4005176485602	672	259.00
39 565 00H	4005176485619	672	239.00
39 566 00H	4005176485626	672	569.00
39 567 00H	4005176485633	672	409.00
39 568 00H	4005176485640	672	279.00
39 570 000	4005176484865	673	149.00
39 571 00H	4005176485671	673	259.00
39 572 00H	4005176485688	673	399.00
39 573 00H	4005176485794	673	375.00
39 574 00H	4005176485800	674	359.00
39 575 00H	4005176485817	674	375.00
39 576 000	4005176485121	674	99.00
39 577 000	4005176485138	674	149.00
39 578 000	4005176485145	674	229.00
39 579 000	4005176485152	674	229.00
39 584 00H	4005176519161	684	337.00
39 585 00H	4005176519178	684	435.00
39 604 000	4005176524486		309.00
39 605 000	4005176527593		279.00
39 608 00H	4005176566493	672	544.00
39 609 00H	4005176566509	673	363.00
39 641 000	4005176570155	685	215.00
39 642 000	4005176570162	686	225.00
39 643 000	4005176570179	695	179.00
39 644 000	4005176570186	694	164.00
40			
40 254 000	4005176211065	72	26.09
40 256 000	4005176211089	72	36.60
40 256 003	4005176462443	89	60.52
40 278 000	4005176824081	72	76.59
40 279 000	4005176824098	73	100.99
40 284 000	4005176824104	72	42.08
40 304 003	4005176461576	89	78.89
40 304 A03	4005176542442		106.00
40 304 AL3	4005176462399	89	110.23
40 304 DA3	4005176494154	89	106.00
40 304 DC3	4005176461583	89	102.67
40 304 EN3	4005176462641		106.00
40 304 GL3	4005176494130	89	106.00
40 305 003	4005176462412	89	78.89
40 305 AL3	4005176462436	89	110.23
40 305 DA3	4005176494208	89	106.00
40 305 DC3	4005176462429	89	102.67
40 305 EN3	4005176462658		106.00
40 305 GL3	4005176494185	89	106.00
40 306 003	4005176461545	89	78.89
40 306 AL3	4005176461569	89	110.23
40 306 DA3	4005176494093	89	106.00
40 306 DC3	4005176461552	89	102.67
40 306 EN3	4005176462634		106.00
40 306 GL3	4005176494079	89	106.00
40 307 003	4005176462450	89	105.91
40 307 AL3	4005176462474	89	148.06
40 307 DA3	4005176494260	89	142.00
40 307 DC3	4005176462467	89	137.25
40 307 EN3	4005176462665		142.00
40 307 GL3	4005176494246	89	142.00
40 308 003	4005176462481	89	176.15
40 308 AL3	4005176462504	89	246.40
40 308 DA3	4005176494321	89	236.00
40 308 DC3	4005176462498	89	229.11
40 308 EN3	4005176462672		236.00
40 308 GL3	4005176494307	89	236.00
40 309 003	4005176462511	90	168.59
40 309 AL3	4005176462627	90	235.59
40 309 DA3	4005176494383	90	225.00
40 309 DC3	4005176462528	90	218.30
40 309 EN3	4005176462689		225.00
40 309 GL3	4005176494369	90	225.00
40 312 003	4005176462535	90	55.12
40 312 AL3	4005176462559	90	76.73
40 312 DA3	4005176494444	90	73.00
40 312 DC3	4005176462542	90	71.33
40 312 EN3	4005176462696		73.00
40 312 GL3	4005176494420	90	73.00
40 313 003	4005176462566	90	119.96
40 313 AL3	4005176462580	90	167.51
40 313 DA3	4005176494505	90	160.00
40 313 DC3	4005176462573	90	155.62
40 313 EN3	4005176462702		160.00
40 313 GL3	4005176494482	90	160.00
40 314 003	4005176462597	90	237.75
40 314 AL3	4005176462610	90	331.77
40 314 DA3	4005176494567	90	318.00
40 314 DC3	4005176462603	90	308.00
40 314 EN3	4005176462719		318.00
40 314 GL3	4005176494543	90	318.00
40 339 000	4005176824111	72	100.99
40 340 000	4005176824128	73	164.11
40 341 000	4005176824135	72	151.49
40 342 000	4005176824142	72	151.49
40 363 000	4005176824920		164.11
40 364 001	4005176326332	234	9.99
40 364 A01	4005176429514	234	13.88
40 364 AL1	4005176429668	234	13.88
40 364 BE1	4005176430114	234	13.88
40 364 DA1	4005176428913	234	13.88
40 364 DL1	4005176429965	234	13.88
40 364 EN1	4005176326349	234	13.88
40 364 GL1	4005176429361	234	13.88
40 364 GN1	4005176429811	234	13.88
40 365 001	4005176326240	233	18.33

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
40 365 A01	4005176429521	233	25.66
40 365 AL1	4005176429675	233	25.66
40 365 BE1	4005176430121	233	25.66
40 365 DA1	4005176428920	233	25.66
40 365 DL1	4005176429972	233	25.66
40 365 EN1	4005176326257	233	25.66
40 365 GL1	4005176429378	233	25.66
40 365 GN1	4005176429828	233	25.66
40 366 001	4005176326264	234	28.74
40 366 A01	4005176429552	234	40.81
40 366 AL1	4005176429705	234	40.81
40 366 BE1	4005176430152	234	40.81
40 366 DA1	4005176428951	234	40.81
40 366 DL1	4005176430008	234	40.81
40 366 EN1	4005176326271	234	40.81
40 366 GL1	4005176429408	234	40.81
40 366 GN1	4005176429859	234	40.81
40 367 001	4005176326387	236	23.74
40 367 A01	4005176429620	236	33.66
40 367 AL1	4005176429774	236	33.66
40 367 BE1	4005176430220	236	33.66
40 367 DA1	4005176429323	236	33.66
40 367 DL1	4005176430077	236	33.66
40 367 EN1	4005176326394	236	33.66
40 367 GL1	4005176429477	236	33.66
40 367 GN1	4005176429927	236	33.66
40 368 001	4005176326219	232, 240	4.99
40 369 001	4005176326196	232	18.33
40 369 A01	4005176429576	232	25.66
40 369 AL1	4005176429729	232	25.66
40 369 BE1	4005176430176	232	25.66
40 369 DA1	4005176428975	232	25.66
40 369 DL1	4005176430022	232	25.66
40 369 EN1	4005176326202	232	25.66
40 369 GL1	4005176429422	232	25.66
40 369 GN1	4005176429873	232	25.66
40 371 001	4005176326318	233	32.08
40 371 A01	4005176429538	233	45.44
40 371 AL1	4005176429682	233	45.44
40 371 BE1	4005176430138	233	45.44
40 371 DA1	4005176428937	233	45.44
40 371 DL1	4005176429989	233	45.44
40 371 EN1	4005176430268	233	45.44
40 371 GL1	4005176429385	233	45.44
40 371 GN1	4005176429835	233	45.44
40 372 001	4005176326226	232, 240	5.99
40 374 001	4005176326400	236	29.58
40 374 A01	4005176429590	236	42.08
40 374 AL1	4005176429743	236	42.08
40 374 BE1	4005176430190	236	42.08
40 374 DA1	4005176429293	236	42.08
40 374 DC1	4005176412486	236	38.74
40 374 DL1	4005176430046	236	42.08
40 374 EN1	4005176430282	236	42.08
40 374 GL1	4005176429446	236	42.08
40 374 GN1	4005176429897	236	42.08
40 385 001	4005176326356	236	18.33
40 385 A01	4005176429606	236	25.66
40 385 AL1	4005176429750	236	25.66
40 385 BE1	4005176430206	236	25.66
40 385 DA1	4005176429309	236	25.66
40 385 DL1	4005176430053	236	25.66
40 385 EN1	4005176430299	236	25.66
40 385 GL1	4005176429453	236	25.66
40 385 GN1	4005176429903	236	25.66
40 386 001	4005176326301	234	36.24
40 386 A01	4005176429569	234	51.34
40 386 AL1	4005176429712	234	51.34
40 386 BE1	4005176430169	234	51.34
40 386 DA1	4005176428968	234	51.34
40 386 DL1	4005176430015	234	51.34
40 386 EN1	4005176430275	234	51.34
40 386 GL1	4005176429415	234	51.34
40 386 GN1	4005176429866	234	51.34
40 394 001	4005176326233	232, 240	14.99
40 394 A01	4005176429583	232	21.04
40 394 AL1	4005176429736	232	21.04
40 394 BE1	4005176430183	232	21.04
40 394 DA1	4005176428982	232	21.04
40 394 DC1	4005176421532	232	19.16
40 394 DL1	4005176430039	232	21.04
40 394 EN1	4005176412646	232	21.04
40 394 GL1	4005176429439	232	21.04
40 394 GN1	4005176429880	232	21.04
40 404 001	4005176984068	512	50.83
40 405 000	4005176860812	512	25.41
40 407 001	4005176328350	237	57.08
40 412 001	4005176984082	512	124.99
40 421 001	4005176326325	235	28.74
40 421 A01	4005176429637	235	40.81
40 421 AL1	4005176429781	235	40.81
40 421 BE1	4005176430237	235	40.81
40 421 DA1	4005176429330	235	40.81
40 421 DL1	4005176430084	235	40.81
40 421 EN1	4005176430305	235	40.81
40 421 GL1	4005176429484	235	40.81
40 421 GN1	4005176429934	235	40.81
40 430 001	4005176984075	512	95.83
40 432 000	4005176883255	519	21.66
40 434 001	4005176985294	513	29.16
40 437 000	4005176885471	512	25.41
40 444 001	4005176328336	233	22.91
40 447 001	4005176328701	233	22.49
40 448 001	4005176328343	232	33.74
40 457 001	4005176327865	247	17.91
40 459 001	4005176327810	246	20.83
40 460 001	4005176327803	246	14.16
40 461 001	4005176327858	247	8.74
40 462 001	4005176327827	247	76.24
40 463 001	4005176327872	247	23.33
40 479 000	4005176894787	345	94.02
40 493 000	4005176899256	58	201.16
40 493 A00	4005176491214	58	289.00
40 493 AL0	4005176491153	58	289.00
40 493 DC0	4005176491160	58	269.00
40 494 000	4005176899263	58	302.16
40 494 A00	4005176491122	58	429.00
40 494 AL0	4005176491061	58	429.00
40 494 DC0	4005176491078	58	399.00
40 496 000	4005176899287	58	164.11
40 496 A00	4005176491931	58	269.00
40 496 AL0	4005176491870	58	269.00
40 496 DC0	4005176491887	58	249.00
40 497 000	4005176899294	58	184.33
40 497 A00	4005176491573	58	289.00
40 497 AL0	4005176491511	58	289.00
40 497 DC0	4005176491528	58	269.00
40 498 000	4005176899300	59	77.85
40 498 A00	4005176491399	59	109.00
40 498 AL0	4005176491337	59	109.00
40 498 DC0	4005176491344	59	99.00
40 499 000	4005176899317	59	159.91
40 499 A00	4005176491665	59	269.00
40 499 AL0	4005176491603	59	269.00

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
40 499 DC0	4005176491610	59	249.00
40 500 000	4005176899324	59	260.08
40 500 A00	4005176492020	59	329.00
40 500 AL0	4005176491962	59	329.00
40 500 DC0	4005176491979	59	299.00
40 503 000	4005176900068	58	234.83
40 503 A00	4005176491306	58	309.00
40 503 AL0	4005176491245	58	309.00
40 503 DC0	4005176491252	58	289.00
40 504 000	4005176900075	58	234.83
40 504 A00	4005176491481	58	329.00
40 504 AL0	4005176491429	58	329.00
40 504 DC0	4005176491436	58	299.00
40 507 001	4005176324598	242	27.91
40 508 001	4005176324413	240	24.16
40 509 001	4005176324437	241	36.66
40 510 001	4005176324420	241	32.91
40 511 001	4005176324475	241	13.74
40 512 001	4005176324451	241	120.83
40 513 001	4005176324604	242	47.91
40 514 001	4005176324468	242	49.58
40 535 000	4005176905490	570	62.33
40 535 A00	4005176489396	570	86.00
40 535 AL0	4005176489402	570	86.00
40 535 BE0	4005176489457	570	86.00
40 535 DA0	4005176489433	570	86.00
40 535 DC0	4005176905520	570	72.89
40 535 DL0	4005176489440	570	86.00
40 535 EN0	4005176489464	570	86.00
40 535 GL0	4005176489419	570	86.00
40 535 GN0	4005176489426	570	86.00
40 536 000	4005176905506	570	51.76
40 536 DC0	4005176905537	570	72.89
40 537 000	4005176905513	570	62.33
40 547 001	4005176984099	513	65.41
40 548 000	4005176909832	345	119.65
40 553 000	4005176911422	570	72.89
40 553 DC0	4005176911439	570	94.02
40 564 000	4005176912740	141, 813	241.93
40 564 A00	4005176491849	813	346.00
40 564 AL0	4005176491788	813	346.00
40 564 DC0	4005176491795	813	316.00
40 565 000	4005176912757	812	72.89
40 565 A00	4005176491757	812	106.00
40 565 AL0	4005176491696	812	106.00
40 565 DC0	4005176491702	812	99.00
40 585 001	4005176327797	246	14.16
40 623 001	4005176324482	242	23.33
40 624 001	4005176324444	241	46.24
40 625 000	4005176927706	101	122.04
40 625 DA0	4005176327551	101	277.00
40 625 EN0	4005176927720	101	168.33
40 625 IG0	4005176927713	101	159.91
40 626 000	4005176927737	100	117.83
40 626 IG0	4005176927744	100	151.49
40 627 000	4005176927768	100	151.49
40 627 IG0	4005176927775	100	192.74
40 628 000	4005176927898	100	143.08
40 628 IG0	4005176927904	100	184.33
40 629 000	4005176927928	100	159.91
40 629 DA0	4005176327513	100	226.41
40 629 EN0	4005176927942	100	366.00
40 629 IG0	4005176927935	100	209.58
40 630 000	4005176927959	100	96.79
40 630 DA0	4005176327520	100	138.86
40 630 EN0	4005176927973	100	138.86
40 630 IG0	4005176927966	100	126.24
40 631 000	4005176927980	100	46.29
40 631 A00	4005176352515	100	106.00
40 631 AL0	4005176352966	100	106.00
40 631 BE0	4005176430787	100	106.00
40 631 DA0	4005176327537	100	65.23
40 631 DL0	4005176430770	100	106.00
40 631 GL0	4005176352034	100	106.00
40 631 GN0	4005176430763	100	106.00
40 631 IG0	4005176927997	100	60.59
40 632 000	4005176928017	101	168.33
40 632 IG0	4005176928024	101	217.99
40 633 000	4005176928048	101	109.41
40 633 EN0	4005176928062	101	151.49
40 633 IG0	4005176928055	101	143.08
40 652 001	4005176324321	250	18.51
40 652 EN1	4005176324239	250	25.66
40 653 001	4005176324345	250	29.03
40 653 EN1	4005176324253	250	37.03
40 654 001	4005176324352	251	50.08
40 654 EN1	4005176324260	251	69.85
40 655 001	4005176324338	250	18.51
40 655 EN1	4005176324246	250	25.66
40 656 001	4005176324383	251	10.09
40 656 EN1	4005176324291	251	13.88
40 657 001	4005176324390	251	21.88
40 657 EN1	4005176324307	251	30.29
40 658 001	4005176324406	251	29.88
40 658 EN1	4005176324314	251	42.08
40 659 001	4005176324376	251	32.81
40 659 EN1	4005176324284	251	42.50
40 660 001	4005176324369	251	96.79
40 660 EN1	4005176324277	251	138.86
40 663 001	4005176327834	236, 247	40.41
40 664 001	4005176327841	237, 247	32.49
40 666 000	4005176935633	342	805.00
40 688 001	4005176326288	233	26.24
40 688 A01	4005176429545	233	37.45
40 688 AL1	4005176429699	233	37.45
40 688 BE1	4005176430145	233	37.45
40 688 DA1	4005176428944	233	37.45
40 688 DL1	4005176429996	233	37.45
40 688 EN1	4005176326295	233	37.45
40 688 GL1	4005176429392	233	37.45
40 688 GN1	4005176429842	233	37.45
40 689 001	4005176326363	236	21.66
40 689 A01	4005176429613	236	30.29
40 689 AL1	4005176429767	236	30.29
40 689 BE1	4005176430213	236	30.29
40 689 DA1	4005176429316	236	30.29
40 689 DL1	4005176430060	236	30.29
40 689 EN1	4005176326370	236	30.29
40 689 GL1	4005176429460	236	30.29
40 689 GN1	4005176429910	236	30.29
40 691 001	4005176984129	513	50.83
40 694 000	4005176985300	513	21.66
40 754 001	4005176328367	241	29.16
40 755 001	4005176328374	240	28.74
40 756 001	4005176328381	240	38.74
40 757 001	4005176328497	242	80.83
40 766 000	4005176347849	228	45.86
40 767 000	4005176347856	229	88.36
40 768 000	4005176347863	228	130.45
40 775 001	4005176328626	237	56.66
40 776 001	4005176328633	237	72.91
40 777 001	4005176328640	242	70.41
40 778 001	4005176328657	243	99.99
40 781 000	4005176347870	229	70.28

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
40 782 000	4005176347887	229	24.40
40 783 000	4005176347894	228	21.45
40 784 000	4005176347900	229	32.40
40 793 001	4005176327599	235	41.24
40 794 001	4005176327605	235	49.58
40 797 001	4005176327636	235	129.16
40 799 001	4005176327971	235	32.91
40 800 001	4005176327988	234	95.83
40 800 A01	4005176429644	234	138.86
40 800 AL1	4005176429798	234	138.86
40 800 BE1	4005176430244	234	138.86
40 800 DA1	4005176429347	234	138.86
40 800 DL1	4005176430091	234	138.86
40 800 EN1	4005176430312	234	138.86
40 800 GL1	4005176429491	234	138.86
40 800 GN1	4005176429941	234	138.86
40 802 001	4005176328107	234	49.58
40 802 A01	4005176429651	234	69.85
40 802 AL1	4005176429804	234	69.85
40 802 BE1	4005176430251	234	69.85
40 802 DA1	4005176429354	234	69.85
40 802 DL1	4005176430107	234	69.85
40 802 EN1	4005176430329	234	69.85
40 802 GL1	4005176429507	234	69.85
40 802 GN1	4005176429958	234	69.85
40 804 000	4005176347917	229	243.24
40 805 000	4005176347924	228	40.39
40 806 000	4005176347931	228	26.93
40 807 000	4005176347948	229	134.66
40 808 000	4005176347955	230	117.83
40 809 000	4005176347962	230	92.58
40 824 000	4005176332975	812	20.07
40 841 001	4005176335358	518	89.80
40 848 000	4005176351082	512	7.33
40 848 SD0	4005176386008	512	10.83
40 855 000	4005176356452		60.00
40 857 000	4005176378393	230	92.58
40 865 000	4005176378140	228	32.40
40 899 000	4005176413896	664, 667	36.98
40 911 000	4005176416132	741, 783	11.42
40 919 SD0	4005176450136	519	12.91
40 954 000	4005176496844	136	99.00
42			
42 075 000	4005176244919	752	8.03
42 137 000	4005176259524	751	19.19
42 181 000	4005176286872	750	39.39
42 271 00M	4005176820588	750	48.88
42 300 000	4005176832079	753	29.29
42 333 000	4005176845888	726, 752	14.04
42 393 000	4005176905872	596, 600	65.70
42 397 000	4005176906855	741	11.11
42 429 000	4005176918520	340	104.59
42 766 000	4005176222115	741	12.12
43			
43 352 000	4005176832413	751	9.09
43 544 000	4005176157738	752, 821	9.09
43 733 000	4005176158926	750	9.09
43 880 00M	4005176177644		19.19
43 908 000	4005176160257	751	19.19
45			
45 023 000	4005176006494	817	9.09
45 203 000	4005176052842	326, 808	19.19
45 314 000	4005176099250	648	79.79
45 316 000	4005176099267	648	69.69
45 342 000	4005176129865	806	49.49
45 346 000	4005176104572	806	49.49
45 388 000	4005176212758	55, 68	74.84
45 473 000	4005176257742		453.49
45 650 IP0	4005176137228	816	49.49
45 869 000	4005176189876	806	29.29
45 882 000	4005176189883	806	39.39
45 883 000	4005176189890	807	39.39
45 885 000	4005176189913	806	99.99
45 887 000	4005176189937		59.59
45 888 000	4005176189944	807	69.69
45 984 001	4005176992056	56, 68	337.01
46			
46 048 000	4005176008283	800	89.89
46 191 000	4005176119996	217, 808	130.29
46 277 000	4005176131851	651, 801	39.39
46 278 000	4005176131868	651, 800	99.99
46 308 000	4005176131769	800	39.39
46 343 000	4005176189791	217, 808	180.79
46 374 000	4005176169076	800	89.89
46 375 000	4005176169083	801	39.39
46 386 000	4005176169410	800	110.09
46 409 000	4005176177668	800	47.77
46 580 000	4005176831867	800	89.89
46 686 000	4005176883088	651	26.06
46 837 000	4005176931888	810	13.13
46 914 000	4005176326424	814	6.97
46 944 001	4005176479977	667	199.00
46 977 00M	4005176423727	667	47.47
46 978 000	4005176423734	667	47.47
46 978 001		667	99.00
46 979 000	4005176423741	667	19.19
47			
47 095 000	4005176128646		69.69
47 167 000	4005176010125	804	19.19
47 175 000	4005176803895	289, 295	150.49
47 186 000	4005176803901	803	180.79
47 189 000	4005176010330	814	39.39
47 217 000	4005176241246	802	140.39
47 220 000	4005176241253	802	180.79
47 282 000	4005176061592	802	140.39
47 310 000	4005176079238	802	180.79
47 349 000	4005176141461	802	120.19
47 364 000	4005176171819	805	79.79
47 379 000	4005176203169	802	271.69
47 439 000	4005176811975	803	150.49
47 450 000	4005176076190	802	160.59
47 483 000	4005176815409	803	180.79
47 532 000	4005176206795	802	190.89
47 533 000	4005176207181	630, 646	29.29
47 569 000	4005176214189	638	369.36
47 598 000	4005176229169	803	271.69
47 600 000	4005176228995	803	231.29
47 657 000	4005176262838	802	281.79
47 658 000	4005176262845	802	574.69
47 727 000	4005176884160	346	29.29
47 732 000	4005176810053		43.58
47 733 000	4005176810060		59.59
47 735 000	4005176810084		9.09
47 763 000	4005176824166		69.69
47 767 000	4005176826436		150.49
47 779 000	4005176838088		43.43
47 781 000	4005176836558	635	157.41
47 790 000	4005176841491		57.04
47 837 000	4005176918490	341	72.89

GROHE
SURVEY OF CONTENTS

Ref. no.	EAN/UPC	Page	2019 RRP £
47 838 000	4005176918506	341	72.89
47 867 000	4005176923227	341	72.89
47 868 000	4005176923234	341	72.89
47 877 000	4005176923241	341	72.89
47 885 000	4005176924729	803	39.39
47 994 000	4005176364723	634	2.08
48			
48 021 000	4005176881435	818	9.09
48 159 000	4005176919589	810	9.09
48 166 000	4005176923197	820	14.14
48 297 000	4005176361265	801	36.36
48 348 000	4005176408502	342, 353	28.00
48 349 000	4005176409851	353, 380	105.65
48 350 000	4005176409868	353, 380	132.06
48 359 000	4005176442810	801	41.41
49			
49 003 000	4005176413537	325	198.97
49 016 000	4005176452819	825	10.00
49 018 000	4005176452833	824	9.00
49 019 000	4005176452840	825	2.11
49 020 000	4005176452857	824	14.79
49 021 000	4005176452864	824	3.17
49 022 000	4005176452871	824	23.24
49 023 000	4005176452888	824	14.79
49 024 000	4005176454196	825	59.17
49 025 000	4005176454202	824	21.13
49 027 000	4005176454226	825	59.17
49 028 000	4005176442827	804	48.48
49 061 000	4005176472800	824	14.79
49 066 000	4005176472848	824	14.79
49 509 000	4005176373312	825	53.88
49 510 000	4005176373329	825	54.93
49 512 000	4005176373343	824	24.30
49 516 000	4005176373381	824	21.13
49 518 000	4005176373404	824	24.30
49 522 000	4005176421501	691, 700	24.30
49 526 000	4005176421129	824	12.68
49 528 000	4005176472763	825	31.69
49 529 000	4005176472770	825	19.02
49 530 000	4005176472787	825	8.45
49 532 000	4005176474224	691, 700	9.50
49 533 000	4005176478475	703	31.31
49 534 000	4005176478482	703	31.31
64			
64 508 001	4005176984112	513	34.16
65			
65 807 000	4005176849893	812	39.39
65 807 A00	4005176467721	812	62.00
65 807 AL0	4005176467714	812	62.00
65 807 BE0	4005176467691	812	62.00
65 807 DA0	4005176467752	812	62.00
65 807 DL0	4005176467769	812	62.00
65 807 EN0	4005176467707	812	62.00
65 807 GL0	4005176467738	812	62.00
65 807 GN0	4005176467745	812	62.00
65 808 000	4005176860065	812	41.20


All prices shown exclude VAT | Errors and omissions excepted

Follow us



QUALITY

*"**No.1** most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017



TECHNOLOGY

*"**Top 50** companies to change the world" –*
Fortune Magazine, 2017



DESIGN

*Over **350 design awards** won since 2003*



SUSTAINABILITY

***CSR Award winner** of the German Government, 2017*

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_05/2019 – Copyright by GROHE

PART OF LIXIL