SPECIFIERS' CATALOGUE **2021**

EDITION FOR PROFESSIONALS



PRICES VALID FROM
1ST JULY 2021
GROHE.CO.UK

GROHE
TABLE OF CONTENTS

Bath Taps	Single Lever Mixers	Allure Brilliant	26
		Allure	35
		Atrio	46
		Grandera	62
		Lineare	72
		Eurocube Joy	81
		Eurocube	87
		GROHE Plus	98
		Europlus	109
		Essence	110
		Eurodisc Joy	120
		Eurodisc Cosmopolitan	123
		Concetto	130
		Eurostyle Cosmopolitan	139
		Eurostyle	146
		Eurosmart Cosmopolitan	156
		Eurosmart	167
		BauEdge	177
		BauLoop	184
		BauFlow	190
	Two Handle fittings	Costa L	192
	Universal	Universal	196
	Bath Sets	Talentofill	197
	Accessories	Selection	199
		Selection Cube	204
		Essentials	207
		Essentials Cube	215
		BauCosmopolitan	219
		Essentials Authentic	222
Thermostats	Grohtherm	Grohtherm SmartControl	241
		Grohtherm 2 handle trim sets	253
		Grohtherm 2000	259

GROHE
TABLE OF CONTENTS

		Grohtherm Cube	265
		Grohtherm 1000 Cosmopolitan 3/4“	269
		Grohtherm 1000	270
		Grohtherm 1000 Performance	273
		Grohtherm 800 Cosmopolitan	276
		Grohtherm 800	279
Concealed Solutions		GROHE Rapido SmartBox	292
		GROHE Rapido	294
		GROHE Rapido C / stop valves	295
Showers	GROHE Digital	F-digital Deluxe	310
		F-digital Controllers	317
	Shower Systems	Rainshower System SmartControl	318
		Rainshower SmartActive System	324
		Rainshower System	328
		Euphoria SmartControl System	331
		Euphoria Shower System	333
		Tempesta System	347
		Shower System Accessories	353
	Head Showers	Head and Side Showers	355
	Showers	Sena	384
		Rainshower SmartActive	386
		Rainshower	393
		Relexa	398
		Euphoria	401
		Tempesta	411
		Sena Trigger Sprays	427
		Tempesta-F Trigger Sprays	428
		Trigger Sprays	430
		Shower Hoses	431
		Shower Accessories	435
Kitchen Fittings	Water Systems	GROHE Blue Professional	469
		GROHE Blue Home	475

GROHE
TABLE OF CONTENTS

		GROHE Blue Pure	484
		GROHE Blue Accessories	486
		GROHE Red	490
		Waste separation systems	494
	Premium Lines	K7	496
		Foot Control	497
		Minta / Minta SmartControl / Minta Touch	498
		Zedra / Zedra SmartControl / Zedra Touch	503
		Atrio	505
		Essence	506
		Eurocube	508
	Competence Lines	Ambi	509
		Parkfield	510
		Eurodisc Cosmopolitan	511
		Eurodisc	512
		Concetto	513
		Eurostyle Cosmopolitan	516
		Eurosmart Cosmopolitan	519
		Eurosmart	522
		Euroeco / Euroeco Special	525
		Costa	526
		Bau Lines	528
		Soap dispensers	531
	Kitchen sinks	Stainless steel sinks	532
		Composite sinks	541
Commercial fittings	Electronic Fittings	Eurocube E	556
		Essence E	559
		Bluetooth monitoring	562
		Europlus E	571
		Eurosmart Cosmopolitan E	573
		Euroeco Cosmopolitan E	582
		Bau Cosmopolitan E	586

GROHE
TABLE OF CONTENTS

	Special Thermostats	Grohtherm Micro	588
		Grohtherm Special	589
		Grohtherm XL	593
	Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	594
		Commercial Showers	595
		Euroeco Special	598
		Hospita	603
		Euroeco Single Sequential	604
	Self-closing Fittings	Eurodisc SE	606
		Eurosmart Cosmopolitan T	607
		Euroeco Cosmopolitan T	608
Shower Toilet		GROHE Sensia Arena	616
		Manual bidet seat	619
Ceramics		Essence	628
		Cube Ceramic	636
		Euro Ceramic	640
		Bau Ceramic	646
		Acrylic shower trays	655
Installation Systems	Rapid SLX	Rapid SLX	660
	Rapid SL	Rapid SL for WC	662
		Rapid SL for Urinal	673
		Rapid SL for Wash Basin and Bidet	675
		Rapid SL for the Disabled	678
		Rapid SL Fitting Supports	680
		Rapid SL Accessories	681
Flushing Systems	WC	Flushing Cisterns	686
		Accessories for Flushing Cisterns	689
		WC Flush Valves	695
		Electronic Actuations for WC	697
	Urinal	Electronic Actuations for Urinal	701
		Urinal Flush Valves	706
Actuations	WC	Flush Plates for WC	710

GROHE
TABLE OF CONTENTS

		GROHE Fresh	718
		Flush Plates for WC Flush Valves	719
	Urinal	Flush Plates for Urinal	720
Connection and Security Technology		Angle Valves	724
		WAS valves	728
		Safety Systems	729
Spare Parts and Accessories		Cartridges	732
		Thermo elements and thermostatic cartridges	734
		Aquadimmer	737
		Head parts	738
		Spare parts for two-handle faucets	741
		Extension sets	742
		Unions	743
		Outlets and spouts	744
		Flow straighteners	745
		Waste sets and traps	747
		Connections and non-return valves	750
		Spare parts for electronics	751
		Diverters	752
		Hoses	753
		Spare parts for kitchen faucets	754
		Spare parts for showers	755
		Miscellaneous	757
		Special tools	758
		Cleaning and care	759
		Spare parts for sanitary systems	760
		Spare parts for shower toilet	762
		Spare parts for Ceramics	763
Survey of contents			764
LIXIL makes better homes a reality for everyone, everywhere			790


PURE FREUDE AN WASSER.


Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









QUALITY


From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

"No.1 most trusted brand in the sanitary industry" – Wirtschaftswoche, 2017

TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

"Top 50 companies to change the world" – Fortune Magazine, 2017





DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

Over 400 design awards won since 2003

SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

Double award winner of the German Sustainability Award 2021

IDENTIFY YOUR **WATER SYSTEM**

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

1 - Cold water is fed to a storage tank in the loft

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3




Fig 4

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)

2 - Water passes to a cylinder where it is heated by a boiler circuit flow

3 - An expansion vessel replaces the storage tank in loft to deal with expansion

4 - The water pressure is determined by mains pressure (Fig 4)

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)

2 - Water is heated as it travels through the combination boiler providing hot water on demand

3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS **MANUFACTURER'S GUARANTEE**

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK
YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service
No matter what issues or questions you may have, you can find the right contact person for you.

Order management

(Ordering and Delivery Service)

Tel. 0208 283 2840

orders-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Customer Service

(Warranty, Technical, General Enquiries)

Tel. 0208 283 2840

info-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0208 283 2840

projects-uk@grohe.com

Opening Times:
Monday – Wednesday: 8:30-17:00
Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.
We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES

The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.









SPECIFIERS' CATALOGUE **2021**

EDITION FOR PROFESSIONALS

GROHE
BATH FITTINGS





CONTENTS

Single Lever Mixers	Allure Brilliant	26
	Allure	35
	Atrio	46
	Grandera	62
	Lineare	72
	Eurocube Joy	81
	Eurocube	87
	GROHE Plus	98
	Europlus	109
	Essence	110
	Eurodisc Joy	120
	Eurodisc Cosmopolitan	123
	Concetto	130
	Eurostyle Cosmopolitan	139
	Eurostyle	146
	Eurosmart Cosmopolitan	156
	Eurosmart	167
	BauEdge	177
	BauLoop	184
	BauFlow	190
Two Handle fittings	Costa L	192
Universal	Universal	196
Bath Sets	Talentofill	197
Accessories	Selection	199
	Selection Cube	204
	Essentials	207
	Essentials Cube	215
	BauCosmopolitan	219
	Essentials Authentic	222

GROHE
PLUS

ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



23 959 003
L-Size
Basin mixer
with LED water temperature display
and two sprays
with smooth body
with push-open waste set

DESIGN OPTIONS
FOR EVERY CONCEPT

THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

23 871 DC3
Basin mixer M-Size with pop-up waste set



32 612 003
Basin mixer S-Size with pop-up waste set





33 547 003 + 40 954 000
Shower mixer with shower set + tray

CO-ORDINATED BATHROOM
IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.

The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.

GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.





GROHE
COLOURS

PRODUCT RANGE		COLOUR OPTIONS										
		CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE
GRANDERA		●									
ALLURE BRILLIANT		●	●							●	●
ATRIO		●	●			●		●			●
ESSENCE		●	●	●	●	●	●	●	●	●	●
EUROCUBE		●	●								●
LINEARE		●	●								●
GROHE PLUS		●	●								●

GROHE
BATHROOM COMBINATIONS

	THERMOSTATS										SHOWER SYSTEMS						HEAD SHOWERS					
	DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT		●		●							●	●	●	●			●	●		●		
ALLURE		●			●						●	●	●				●	●		●		
ATRIO	●	●			●						●	●	●				●	●	●	●		
GRANDERA												●	●				●	●		●		
LINEARE		●	●		●						●	●	●		●			●	●	●	●	
EUROCUBE		●	●	●									●	●				●		●		
GROHE PLUS		●	●		●						●	●	●		●			●	●	●	●	
ESSENCE		●	●		●						●	●	●					●		●		
EURODISC COSMOPOLITAN		●	●			●					●		●		●					●	●	
CONCETTO			●				●		●						●						●	
EUROSTYLE COSMOPOLITAN			●				●		●						●						●	
EUROSTYLE			●				●	●							●						●	
EUROSMART COSMOPOLITAN			●				●		●							●						●
EUROSMART			●				●	●								●						●
BAUEDGE										●						●						●
BAULOOP										●						●						●
BAUFLOW										●						●						●

													●		●	●	DESIGN HAND SHOWERS
										●		●		●	●		SENA
								●	●			●					RAINSHOWER SMARTACTIVE
								●	●			●					POWER & SOUL
										●	●					●	EUPHORIA CUBE
					●	●	●	●	●			●					EUPHORIA
●	●	●	●	●													TEMPESTA
										●	●	●			●	●	CUBE CERAMIC
									●	●		●		●			ESSENCE
			●	●	●	●											EURO CERMAIC
●	●	●															BAU CERAMIC
													●	●	●	●	DESIGN ACCESSORIES
											●	●			●	●	SELECTION CUBE
										●	●					●	ESSENTIALS CUBE
			●	●	●	●	●	●	●	●		●					ESSENTIALS
●	●	●															BAU COSMOPOLITAN
										●	●				●	●	SKATE COSMOPOLITAN
						●	●	●	●	●		●		●			NOVA COSMOPOLITAN
				●						●							ARENA COSMOPOLITAN
●	●	●	●		●												SKATE AIR

HAND SHOWERS

CERAMIC


ACCESSORIES

ACTUATIONS

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 029 000	**Chrome**	**4005176898709**	**591.09**
23 029 DC0	**supersteel**	**4005176489471**	**765.80**
23 029 AL0	**Brushed Hard Graphite**	**4005176353154**	**960.17**






Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 033 000	**Chrome**	**4005176898716**	**591.09**
23 033 DC0	**supersteel**	**4005176489488**	**765.80**
23 033 AL0	**Brushed Hard Graphite**	**4005176489648**	**874.91**

Ditto, smooth body

23 109 000	**Chrome**	**4005176898754**	**742.06**
23 109 DC0	**supersteel**	**4005176489860**	**952.10**
23 109 AL0	**Brushed Hard Graphite**	**4005176353161**	**1,101.35**






Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses

23 112 000	**Chrome**	**4005176898778**	**742.06**
23 112 AL0	**Brushed Hard Graphite**	**4005176489785**	**1,087.97**

Ditto, smooth body

23 114 000	**Chrome**	**4005176898792**	**898.28**
23 114 DC0	**supersteel**	**4005176489914**	**1,179.58**
23 114 AL0	**Brushed Hard Graphite**	**4005176353178**	**1,348.38**






Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE FastFixation installation system
spout with integrated mousseur
smooth body
flexible connection hoses

29 086 000		**4005176935497**	**237.95**






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**20 344 000**	**Chrome**	**4005176898884**	**852.75**
	20 344 DC0	**supersteel**	**4005176489815**	**1,117.82**
	20 344 AL0	**Brushed Hard Graphite**	**4005176353185**	**1,401.32**




Allure Brilliant
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

	**20 342 000**	**Chrome**	**4005176898860**	**730.47**
	20 342 DC0	**supersteel**	**4005176490071**	**936.66**
	20 342 AL0	**Brushed Hard Graphite**	**4005176490064**	**1,070.47**



Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.0 l/min. flow limiter
low spout with integrated mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

	**20 346 000**	**Chrome**	**4005176898907**	**753.67**
	20 346 DC0	**supersteel**	**4005176490217**	**972.69**
	20 346 AL0	**Brushed Hard Graphite**	**4005176490200**	**1,111.64**




Allure Brilliant
Three-hole basin mixer 1/2"
S-Size
wall mounted
without concealed body
set for final installation for
29 025 002
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
projection 161 mm

	20 348 000	**Chrome**	**4005176898921**	**800.14**
	20 348 DC0	**supersteel**	**4005176490309**	**1,034.45**
	20 348 AL0	**Brushed Hard Graphite**	**4005176490293**	**1,182.67**

Ditto, projection 210 mm

	**29 025 002**		**4005176519895**	**235.71**




Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 781 000	**Chrome**	**4005176898822**	**704.74**
19 781 DC0	**supersteel**	**4005176490392**	**931.52**
19 781 AL0	**Brushed Hard Graphite**	**4005176490385**	**1,064.30**





Allure Brilliant
2-hole basin mixer
S-Size
wall mounted
without concealed body
set for final installation for
23 200 000
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
spout with integrated mousseur
centre distance 110 mm
projection 161 mm


19 783 000	**Chrome**	**4005176898846**	**765.31**
19 783 DC0	**supersteel**	**4005176490484**	**993.27**
19 783 AL0	**Brushed Hard Graphite**	**4005176490477**	**1,135.32**

Ditto, projection 210 mm

---

23 200 000	**4005176908354**	**242.72**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

---

23 200 002	**4005176519901**	**226.45**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

23 117 000	**Chrome**	**4005176898938**	**659.20**
23 117 DC0	**supersteel**	**4005176490576**	**869.76**
23 117 AL0	**Brushed Hard Graphite**	**4005176490569**	**993.27**






Allure Brilliant
Bidet mixer 1/2"
M-Size
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 071 000	**Chrome**	**4005176465901**	**375.04**
24 071 DC0	**supersteel**	**4005176465918**	**483.77**
24 071 AL0	**Brushed Hard Graphite**	**4005176465925**	**552.73**






Allure Brilliant
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 072 000	**Chrome**	**4005176465932**	**412.76**
24 072 DC0	**supersteel**	**4005176465949**	**532.15**
24 072 AL0	**Brushed Hard Graphite**	**4005176465956**	**607.29**






Allure Brilliant
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 099 000	**Chrome**	**4005176480744**	**437.52**
24 099 DC0	**supersteel**	**4005176480751**	**610.26**
24 099 AL0	**Brushed Hard Graphite**	**4005176480768**	**697.46**





Allure Brilliant
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 787 001	Chrome	4005176429057	1,608.97
19 787 DC1	supersteel	4005176489570	2,048.31
19 787 AL1	Brushed Hard Graphite	4005176489563	2,341.66






Allure Brilliant
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
bath spout with integrated mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.5 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

---

29 037 000		4005176865749	800.12






4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

---

23 119 001	Chrome	4005176428883	2,482.67






Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
hand shower Euphoria Cube+ 6.5 l/min
Silverflex shower hose 1250 mm
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow

---

23 119 000	Chrome	4005176899027	2,669.81
23 119 DC0	supersteel	4005176489679	3,451.24
23 119 AL0	Brushed Hard Graphite	4005176353208	4,307.74






Allure Brilliant
Single-lever bath mixer 1/2", floor mounted
set for final installation for 45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with integrated mousseur
projection 270 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube+
metal shower hose 1250 mm
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)






45 984 001 — **4005176992056** — **370.46**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material






29 086 000 — **4005176935497** — **237.95**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug






13 319 000	**Chrome**	**4005176912627**	**776.90**
13 319 DC0	**supersteel**	**4005176490651**	**996.36**
13 319 AL0	**Brushed Hard Graphite**	**4005176353284**	**1,138.41**

Allure Brilliant
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm






13 299 000	**Chrome**	**4005176899003**	**335.58**
13 299 DC0	**supersteel**	**4005176490712**	**431.28**
13 299 AL0	**Brushed Hard Graphite**	**4005176490705**	**492.01**

Allure Brilliant
Bath spout
wall mounted
GROHE StarLight chrome finish
projection 161 mm
spout with integrated mousseur






19 798 000	**Chrome**	**4005176899157**	**272.10**
19 798 DC0	**supersteel**	**4005176489969**	**352.02**
19 798 AL0	**Brushed Hard Graphite**	**4005176353079**	**369.52**

Allure Brilliant
5-way diverter
set for final installation for
29 033 000
without concealed body
GROHE StarLight chrome finish
installation depth adjustable
66 - 113 mm

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 033 000		**4005176845338**	**260.72**






5-way diverter
concealed body
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
1 bath outlet 3/4"
installation depth adjustable
66 - 113 mm
DR-brass

---

19 796 000	**Chrome**	**4005176899133**	**196.27**
19 796 DC0	**supersteel**	**4005176490019**	**253.21**
19 796 AL0	**Brushed Hard Graphite**	**4005176353062**	**265.56**






Allure Brilliant
Concealed stop-valve trim
set for final installation for
29 032 000 (preassembled headpart 1/2")
29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off)
35 028 000
GROHE StarLight chrome finish
installation depth adjustable
43 - 91 mm

---

29 032 000		**4005176845277**	**33.02**






Concealed valve
pre-assembled headpart 1/2"
threaded union 1/2"
installation depth adjustable
43 - 91 mm
DR-brass

---

26 054 000	**Chrome**	**4005176937088**	**564.44**






Rainshower Allure 230
Head shower set 286 mm, 1 spray
Rainshower Allure 230 metal head shower (27 479)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

---

27 707 000	**Chrome**	**4005176908446**	**45.97**
27 707 DC0	**supersteel**	**4005176490897**	**69.25**
27 707 AL0	**Brushed Hard Graphite**	**4005176490880**	**84.17**






Allure Brilliant
Shower outlet elbow, 1/2"
male thread
protected against backflow
material: metal
GROHE StarLight chrome finish

---

27 706 000	**Chrome**	**4005176908439**	**34.17**
27 706 DC0	**supersteel**	**4005176490989**	**43.68**
27 706 AL0	**Brushed Hard Graphite**	**4005176490972**	**53.27**











Allure Brilliant
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ALLURE BRILLIANT

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		40 494 000	Chrome	4005176899263	317.18
		Allure Brilliant **Holder with soap dispenser** material: glass / metal filling quantity 150 ml concealed fastening **GROHE StarLight** chrome finish			
		40 493 000	Chrome	4005176899256	211.16
		Allure Brilliant **Holder with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish			
		40 503 000	Chrome	4005176900068	246.50
		Allure Brilliant **Shelf with tumbler** material: glass / metal concealed fastening **GROHE StarLight** chrome finish			
		40 504 000	Chrome	4005176900075	255.32
		Allure Brilliant **Shelf with soap dish** **GROHE StarLight** chrome finish			
		40 496 000	Chrome	4005176899287	172.26
		Allure Brilliant **Towel bar** 2 arms, not pivotable length 431 mm concealed fastening **GROHE StarLight** chrome finish			
		40 497 000	Chrome	4005176899294	193.49
		Allure Brilliant **Towel rail** 650 mm (drilling length 600 mm) material: metal concealed fastening **GROHE StarLight** chrome finish			

GROHE
ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 498 000 **Chrome** **4005176899300** **83.04**

Allure Brilliant
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish






40 499 000 **Chrome** **4005176899317** **167.86**

Allure Brilliant
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish









40 500 000 **Chrome** **4005176899324** **273.00**






Allure Brilliant
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE








		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**32 757 000**	**Chrome**	**4005176870897**	**416.91**
		Allure **Basin mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		**32 146 000**	**Chrome**	**4005176821622**	**533.03**
		Allure **Single-lever basin mixer 1/2"** **L-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses			
		23 076 000	**Chrome**	**4005176890505**	**533.02**
		Ditto, smooth body			
		**32 760 000**	**Chrome**	**4005176870927**	**693.36**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm			
		**23 403 000**	**Chrome**	**4005176941627**	**707.24**
		Allure **Basin mixer 1/2"** **XL-Size** monobloc installation metal lever **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter **GROHE FastFixation Plus** installation system smooth body projection 180 mm flexible connection hoses temperature limiter			

GROHE ALLURE


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		32 249 000	**Chrome** **Allure** **Basin mixer 1/2“** **XL-Size** monobloc installation **for free-standing basins** 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4“ flexible connection hoses	4005176832383	738.90
		20 143 000	**Chrome** **Allure** **Three-hole basin mixer 1/2“** **M-Size** with metal plate **GROHE StarLight** chrome finish ceramic headpart 1/2“, 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4“ pressure-proof, flexible connection hoses between spout and side valves	4005176832581	660.78
		20 188 000	**Chrome** **Allure** **Three-hole basin mixer 1/2“** **M-Size** ceramic headparts 1/2“, 90° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4“	4005176875724	660.78
		20 190 000	**Chrome** **Allure** **Three-hole basin mixer 1/2“** **S-Size** wall mounted, **without concealed body** set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2“ - 180 **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm	4005176875748	579.49
		20 192 000	**Chrome** **Ditto, projection 220 mm**	4005176875991	625.93
		32 706 000	**Two-handle basin mixer** **concealed body, 1/2“** for 3-hole basin mixer wall installation **without finishing trim set**	4005176855092	254.30

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**20 189 000**	**Chrome**	**4005176875731**	**591.08**
	Allure **Three-hole basin mixer 1/2"** **S-Size** wall mounted, **without concealed body** set for final installation for 29 025 002 with lever handles with metal plate valves hot/cold with headparts 1/2" - 90° **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur projection 172 mm			
	20 193 000	**Chrome**	**4005176876004**	**625.93**
	Ditto, projection 220 mm			
 	**29 025 002**		**4005176519895**	**235.71**
	Two-handle basin mixer **concealed body, 1/2"** for 3-hole basin mixer wall installation **without finishing trim set** DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
 	**19 309 000**	**Chrome**	**4005176820656**	**591.08**
	Allure **2-hole basin mixer** **S-Size** wall mounted **without concealed body** set for final installation for 33 769 000 with metal plate **GROHE StarLight** chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm			
	19 386 000	**Chrome**	**4005176876011**	**637.55**
	Ditto, projection 220 mm			
 	**33 769 000**		**4005176819605**	**254.33**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation **without finishing trim set** **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter			
 	**32 147 000**	**Chrome**	**4005176821653**	**416.91**
	Allure **Bidet mixer 1/2"** **M-Size** monobloc installation 28 mm ceramic cartridge with **GROHE SilkMove** **GROHE StarLight** chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 846 000	Chrome	4005176882432	722.16

Allure
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation system
adjustable flow rate limiter
shower front outlet 1/2"
with integrated non return-valve
flat wall installation with covered unions
protected against backflow

 	32 826 000	Chrome	4005176882425	881.42


Allure
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation system
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flat wall installation with covered unions
protected against backflow

 	24 069 000	Chrome	4005176465888	352.85

Allure
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

	35 604 000		4005176698774	136.05

GROHE Rapido SmartBox universal rough-in box for concealed installation

 	24 070 000	Chrome	4005176465895	388.02

Allure
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

	35 604 000		4005176698774	136.05


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 706 000 **Chrome** **4005176413797** **1,459.99**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)






34 742 000 **Chrome** **4005176484094** **1,377.55**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)






19 316 000 **Chrome** **4005176821783** **1,334.33**

Allure
3-hole single-lever bath combination
trim set for 33 339 000
without baseframe
single lever mixer operating element
bath inlet with automatic diverter
bath/shower
hand shower (28 034 000)
metal shower hose 2000 mm







33 339 000 **4005176222818** **823.37**

3-hole single-lever bath combination
baseframe for installation
under tiled surround
without finishing trim set
mounting plate and base frame
46 mm cartridge with **GROHE SilkMove**
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with
integrated outlet for splash water
this part should be easy to access
protected against backflow


GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 754 002**	**Chrome**	**4005176428876**	**2,367.89**


Allure
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 300 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Sena hand shower 6.6 l/min
protected against backflow

 	**45 984 001**		**4005176992056**	**370.46**


Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

 	**29 086 000**		**4005176935497**	**237.95**

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

 	**13 317 000**	**Chrome**	**4005176912603**	**776.90**







Allure
Cascade spout for bath and shower
wall mounted
GROHE StarLight chrome finish
projection 180 mm

 	**13 264 000**	**Chrome**	**4005176882449**	**242.71**






Allure
Bath spout 3/4"
wall mounted
GROHE StarLight chrome finish
projection 172 mm
mousseur

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 590 000**	**Chrome**	**4005176890529**	**203.77**
	Allure **5-way diverter** set for final installation for **29 033 000** **without concealed body** bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body **GROHE StarLight** chrome finish			
 	**29 033 000**		**4005176845338**	**260.72**
	5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2“ 2 outlets 1/2“ 1 bath outlet 3/4“ installation depth adjustable 66 - 113 mm DR-brass			
 	**19 334 000**	**Chrome**	**4005176823800**	**146.87**
	Allure **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2“, 3/4“ installation depth adjustable 20-80 mm escutcheon with screwable wall sealing **without concealed body** **GROHE StarLight** chrome finish			
 	**35 028 000**		**4005176908316**	**138.17**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4“ connection threads 1/2“ installation depth 70 - 95 mm			
 	**29 800 000**		**4005176504839**	**31.32**
	Concealed stop-valve, 1/2“ pre-assembled headpart 1/2“ short spindle protection sleeve threaded union 1/2“ DR-brass			
	29 802 000		**4005176504853**	**52.93**
	ditto, 3/4“, pre-assembled headpart 3/4“, thread union 3/4“			
	29 805 000		**4005176504884**	**88.89**
	ditto, 1“, pre-assembled headpart 1“, thread union 1“			

GROHE ALLURE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 801 000**		**4005176504846**	**25.81**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		**4005176504877**	**41.05**
	ditto, soldered connection Ø 22 mm			
 	**29 811 000**		**4005176062711**	**52.93**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**19 384 000**	**Chrome**	**4005176875755**	**146.87**
	Allure **Concealed stop-valve trim** with lever handle set for final installation for **29 032 000** 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon **without concealed body** **GROHE StarLight** chrome finish			
	35 028 000		**4005176908316**	**138.17**
	GROHE Rapido C rough-in box for single volume control			
 	**29 032 000**		**4005176845277**	**33.02**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
 	**27 469 000**	**Chrome**	**4005176882593**	**1,188.99**
	Rainshower F-Series System 254 **Shower system with thermostat for wall mounting** horizontal swivable 450 mm projection shower arm **exposed thermostatic shower** with Aquadimmer function allows change between: head shower Rainshower F-Series 254 (27 285 000) material: metal with ball joint, rotation angle ± 20° hand shower Sena (28 341 000) adjustable height via gliding element (12 140 000) metal shower hose 1750 mm **GROHE EcoJoy** 9.5 l/min flow limiter GROHE TurboStat **GROHE SafeStop** safety button at 38°C **(calibration required)** **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE CoolTouch** **GROHE DreamSpray** perfect flow **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 070 000 **Chrome** **4005176937248** **493.74**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **493.74**
ditto, with non-restricted flow






26 071 000 **Chrome** **4005176937255** **493.74**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






28 034 000 **Chrome** **4005176231810** **152.01**

Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






40 278 000 **Chrome** **4005176824081** **81.27**

Allure
Glass/soap dish holder
for glass or soap dish
without glass
without soap dish
GROHE StarLight chrome finish

40 254 000 **4005176211065** **27.38**
Glass





40 278 000 **Chrome** **4005176824081** **81.27**


Allure
Glass/soap dish holder
for glass or soap dish
without glass
without soap dish
GROHE StarLight chrome finish

40 256 000 **Glass Matt** **4005176211089** **38.87**
Soap dish

GROHE
ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 339 000 **Chrome** **4005176824111** **110.42**

Allure
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish






40 342 000 **Chrome** **4005176824142** **163.43**

Allure
Towel bar
2 arms, not pivotable
length 426 mm
concealed fastening
GROHE StarLight chrome finish






40 341 000 **Chrome** **4005176824135** **163.43**

Allure
Towel rail
640 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish






40 284 000 **Chrome** **4005176824104** **44.61**

Allure
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish






40 279 000 **Chrome** **4005176824098** **110.42**

Allure
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ALLURE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 340 000**	**Chrome**	**4005176824128**	**176.69**

Allure
Toilet brush set
wall model
GROHE StarLight chrome finish

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 043 003	**Chrome**	4005176454479	325.31
32 043 DC3	**supersteel**	4005176454486	517.30
32 043 GL3	**cool sunrise**	4005176492211	511.29
32 043 AL3	**Brushed Hard Graphite**	4005176454691	591.23






Atrio
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 042 003	**Chrome**	4005176454448	375.25
32 042 DC3	**supersteel**	4005176454455	596.86
32 042 GL3	**cool sunrise**	4005176492143	582.69
32 042 DA3	**warm sunset**	4005176492167	582.70
32 042 AL3	**Brushed Hard Graphite**	4005176454462	682.13






Atrio
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

32 647 003	**Chrome**	4005176454707	526.26
32 647 DC3	**supersteel**	4005176454714	835.65
32 647 GL3	**cool sunrise**	4005176492280	815.76
32 647 DA3	**warm sunset**	4005176492303	815.76
32 647 AL3	**Brushed Hard Graphite**	4005176454721	955.02






Atrio
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular C-spout with mousseur
stop limiter
Push-open waste set 1 1/4"
flexible connection hoses

19 287 003	**Chrome**	4005176454738	375.25
19 287 DC3	**supersteel**	4005176454745	596.86
19 287 GL3	**cool sunrise**	4005176492358	582.69
19 287 DA3	**warm sunset**	4005176492372	582.69
19 287 AL3	**Brushed Hard Graphite**	4005176454752	682.13






Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 185 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 918 003	**Chrome**	**4005176454769**	**425.21**
19 918 DC3	**supersteel**	**4005176454776**	**676.46**
19 918 GL3	**cool sunrise**	**4005176492426**	**660.38**
19 918 DA3	**warm sunset**	**4005176492440**	**660.38**
19 918 AL3	**Brushed Hard Graphite**	**4005176454783**	**773.10**






Atrio
Two-hole basin mixer joystick
wall mounted
without concealed body
set for final installation for
23 429 000
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 110 mm
projection 221 mm

23 429 000		**4005176993695**	**242.71**






Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

32 108 003	**Chrome**	**4005176454790**	**425.21**
32 108 DC3	**supersteel**	**4005176454806**	**676.46**
32 108 GL3	**cool sunrise**	**4005176492495**	**660.38**
32 108 DA3	**warm sunset**	**4005176492518**	**660.38**
32 108 AL3	**Brushed Hard Graphite**	**4005176454813**	**773.10**






Atrio
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
tubular C-spout with ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

32 650 003	**Chrome**	**4005176454820**	**450.74**
32 650 DC3	**supersteel**	**4005176454837**	**716.24**
32 650 GL3	**cool sunrise**	**4005176492563**	**699.22**
32 650 DA3	**warm sunset**	**4005176492587**	**699.22**
32 650 AL3	**Brushed Hard Graphite**	**4005176454844**	**818.56**






Atrio
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 652 003	**Chrome**	**4005176454851**	**526.26**
32 652 DC3	**supersteel**	**4005176454868**	**835.65**
32 652 GL3	**cool sunrise**	**4005176492631**	**815.76**
32 652 DA3	**warm sunset**	**4005176492655**	**815.76**
32 652 AL3	**Brushed Hard Graphite**	**4005176454875**	**955.02**






Atrio
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
cast spout
mousseur
shower bottom outlet 1/2" with
integrated non return-valve
covered S-unions
protected against backflow

24 065 003	**Chrome**	**4005176465741**	**327.57**
24 065 DC3	**supersteel**	**4005176465758**	**456.66**
24 065 GL3	**cool sunrise**	**4005176564574**	**446.20**
24 065 DA3	**warm sunset**	**4005176564550**	**451.45**
24 065 AL3	**Brushed Hard Graphite**	**4005176465765**	**521.89**






Atrio
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 066 003	**Chrome**	**4005176465772**	**359.45**
24 066 DC3	**supersteel**	**4005176465789**	**502.31**
24 066 GL3	**cool sunrise**	**4005176564642**	**491.35**
24 066 DA3	**warm sunset**	**4005176564628**	**496.60**
24 066 AL3	**Brushed Hard Graphite**	**4005176465796**	**574.06**





Atrio
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 096 003	**Chrome**	**4005176480669**	**384.73**
24 096 DC3	**supersteel**	**4005176480676**	**537.10**
24 096 GL3	**cool sunrise**	**4005176564710**	**524.94**
24 096 DA3	**warm sunset**	**4005176564697**	**531.24**
24 096 AL3	**Brushed Hard Graphite**	**4005176480683**	**613.79**






Atrio
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 134 003	**Chrome**	**4005176480959**	**618.59**
24 134 DC3	**supersteel**	**4005176480973**	**864.70**
24 134 GL3	**cool sunrise**	**4005176564369**	**845.06**
24 134 DA3	**warm sunset**	**4005176564345**	**520.83**
24 134 AL3	**Brushed Hard Graphite**	**4005176480997**	**988.22**





Atrio
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 135 003	Chrome	4005176480966	661.70
24 135 DC3	supersteel	4005176480980	924.92
24 135 GL3	cool sunrise	4005176564437	903.73
24 135 DA3	warm sunset	4005176564413	914.02
24 135 AL3	Brushed Hard Graphite	4005176481000	1,057.05






Atrio
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		4005176698774	136.05

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 138 003	Chrome	4005176481017	661.70
24 138 DC3	supersteel	4005176481024	924.92
24 138 GL3	cool sunrise	4005176564505	903.73
24 138 DA3	warm sunset	4005176564482	914.02
24 138 AL3	Brushed Hard Graphite	4005176481031	1,057.05





Atrio
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
metal handles
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		4005176698774	136.05


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 653 003	**Chrome**	**4005176454912**	**1,451.09**
32 653 DC3	**supersteel**	**4005176454929**	**2,307.95**
32 653 GL3	**cool sunrise**	**4005176492709**	**2,253.06**
32 653 DA3	**warm sunset**	**4005176492723**	**2,253.06**
32 653 AL3	**Brushed Hard Graphite**	**4005176454936**	**2,637.64**






Atrio
Single-lever bath mixer, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm
protected against backflow

45 984 001	**4005176992056**	**370.46**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material


GROHE
ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**20 021 003**	**Chrome**	**4005176455193**	**250.92**
	20 021 DC3	**supersteel**	**4005176455209**	**397.95**
	20 021 GL3	**cool sunrise**	**4005176493393**	**388.46**
	20 021 DA3	**warm sunset**	**4005176493416**	**388.46**
	20 021 AL3	**Brushed Hard Graphite**	**4005176455216**	**454.77**




Atrio
Pillar tap 1/2" XS-Size
headpart 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
mousseur
fixed spout
with lever handle

	**21 022 003**	**Chrome**	**4005176454943**	**400.80**
	21 022 DC3	**supersteel**	**4005176454950**	**636.67**
	21 022 GL3	**cool sunrise**	**4005176492778**	**621.53**
	21 022 DA3	**warm sunset**	**4005176492792**	**621.53**
	21 022 AL3	**Brushed Hard Graphite**	**4005176454967**	**727.64**




Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	**21 019 003**	**Chrome**	**4005176455223**	**400.80**
	21 019 DC3	**supersteel**	**4005176455230**	**636.67**
	21 019 GL3	**cool sunrise**	**4005176493461**	**621.53**
	21 019 DA3	**warm sunset**	**4005176493485**	**621.53**
	21 019 AL3	**Brushed Hard Graphite**	**4005176455247**	**727.64**



Atrio
Basin mixer, 1/2"
L-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

	**21 044 003**	**Chrome**	**4005176455254**	**550.68**
	21 044 DC3	**supersteel**	**4005176455261**	**875.44**
	21 044 GL3	**cool sunrise**	**4005176493539**	**854.61**
	21 044 DA3	**warm sunset**	**4005176493553**	**854.61**
	21 044 AL3	**Brushed Hard Graphite**	**4005176455278**	**1,000.49**




Atrio
Basin mixer, 1/2"
XL-Size
for free-standing basins
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
rapid installation system
swivel tubular spout with mousseur and stop limiter
Push-open waste set 1 1/4"
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 009 003	Chrome	4005176454974	400.78
20 009 DC3	supersteel	4005176454981	795.84
20 009 GL3	cool sunrise	4005176492839	776.92
20 009 DA3	warm sunset	4005176492853	776.92
20 009 AL3	Brushed Hard Graphite	4005176454998	909.52






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 008 003	Chrome	4005176455285	500.70
20 008 DC3	supersteel	4005176455292	795.84
20 008 GL3	cool sunrise	4005176493607	776.92
20 008 DA3	warm sunset	4005176493621	776.92
20 008 AL3	Brushed Hard Graphite	4005176455308	909.52






Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 169 003	Chrome	4005176455001	425.21
20 169 DC3	supersteel	4005176455018	676.46
20 169 GL3	cool sunrise	4005176492907	660.38
20 169 DA3	warm sunset	4005176492921	660.38
20 169 AL3	Brushed Hard Graphite	4005176455025	773.10






Atrio
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 164 003	Chrome	4005176455315	425.21
20 164 DC3	supersteel	4005176455322	676.46
20 164 GL3	cool sunrise	4005176493676	660.38
20 164 DA3	warm sunset	4005176493690	660.38
20 164 AL3	Brushed Hard Graphite	4005176455339	773.10







Atrio
3-hole basin mixer
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 025 002		**4005176519895**	**235.71**






Two-handle basin mixer
concealed body, 1/2“
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

24 027 003	**Chrome**	**4005176455346**	**425.21**
24 027 DC3	**supersteel**	**4005176455353**	**676.46**
24 027 GL3	**cool sunrise**	**4005176493744**	**660.38**
24 027 DA3	**warm sunset**	**4005176493768**	**660.38**
24 027 AL3	**Brushed Hard Graphite**	**4005176455360**	**773.10**






Atrio
Bidet mixer 1/2“
M-Size
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
bow spout
pop-up waste set 1 1/4“
flexible connection hoses
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

26 003 003	**Chrome**	**4005176455377**	**450.74**
26 003 DC3	**supersteel**	**4005176455384**	**716.24**
26 003 GL3	**cool sunrise**	**4005176493812**	**699.22**
26 003 DA3	**warm sunset**	**4005176493836**	**699.22**
26 003 AL3	**Brushed Hard Graphite**	**4005176455391**	**818.57**






Atrio
Shower mixer 1/2“
wall mounted
ceramic headparts 1/2“, 90°
shower outlet 1/2“
integrated non-return valves in the shower outlet 1/2“
covered S-unions
protected against backflow
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

25 010 003	**Chrome**	**4005176455407**	**600.65**
25 010 DC3	**supersteel**	**4005176455414**	**955.02**
25 010 GL3	**cool sunrise**	**4005176493881**	**932.30**
25 010 DA3	**warm sunset**	**4005176493904**	**932.30**
25 010 AL3	**Brushed Hard Graphite**	**4005176455421**	**1,091.44**







Atrio
Bath / shower mixer 1/2“
wall mounted
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
tubular spout
with stop restriction
mousseur
covered S-unions
protected against backflow
without shower set
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
25 044 003	**Chrome**	**4005176455438**	**1,876.29**
25 044 DC3	**supersteel**	**4005176455445**	**2,984.39**
25 044 GL3	**cool sunrise**	**4005176493959**	**2,913.43**
25 044 DA3	**warm sunset**	**4005176493973**	**2,913.43**
25 044 AL3	**Brushed Hard Graphite**	**4005176455452**	**3,410.76**






Atrio
Bath / shower mixer 1/2"
floor-mounted installation
with high pillar unions (765 mm)
set for final installation for
45 984 001
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel tubular spout with mousseur and stop limiter
projection 301 mm
integrated non-return valve
in the shower outlet 1/2"
hand shower Sena Stick (26 465)
with shower holder
Silverflex shower hose 1250 mm (28 362)
protected against backflow, with cross handles
Two different sets of caps included. One set with „H" and „C" marking, one set without marking.

45 984 001		**4005176992056**	**370.46**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

19 088 003	**Chrome**	**4005176455162**	**113.23**
19 088 DC3	**supersteel**	**4005176455179**	**146.53**
19 088 GL3	**cool sunrise**	**4005176493324**	**136.49**
19 088 DA3	**warm sunset**	**4005176493348**	**136.49**
19 088 AL3	**Brushed Hard Graphite**	**4005176455186**	**157.65**






Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with lever handle

19 069 003	**Chrome**	**4005176455469**	**87.70**
19 069 DC3	**supersteel**	**4005176455476**	**139.25**
19 069 GL3	**cool sunrise**	**4005176494017**	**136.49**
19 069 DA3	**warm sunset**	**4005176494031**	**136.49**
19 069 AL3	**Brushed Hard Graphite**	**4005176455483**	**159.16**







Atrio
Concealed stop-valve trim
for concealed valve 35 028 000 or 29 032 000
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with cross handle

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)






35 028 000 — **4005176908316** — **138.17**

GROHE Rapido C
Rough-in for single volume control
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
pre-assembled ceramic headpart 3/4“
connection threads 1/2“
installation depth 70 - 95 mm






29 032 000 — **4005176845277** — **33.02**

Concealed valve
pre-assembled headpart 1/2“
threaded union 1/2“
installation depth adjustable
43 - 91 mm
DR-brass






19 922 003	**Chrome**	**4005176455568**	**1,281.70**
19 922 DC3	**supersteel**	**4005176455575**	**1,590.58**
19 922 GL3	**cool sunrise**	**4005176494673**	**1,748.06**
19 922 DA3	**warm sunset**	**4005176494697**	**1,748.06**
19 922 AL3	**Brushed Hard Graphite**	**4005176455582**	**1,864.60**

Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with lever handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





19 923 003	**Chrome**	**4005176455537**	**1,281.70**
19 923 DC3	**supersteel**	**4005176455544**	**1,790.62**
19 923 GL3	**cool sunrise**	**4005176494611**	**1,748.06**
19 923 DA3	**warm sunset**	**4005176494635**	**1,748.06**
19 923 AL3	**Brushed Hard Graphite**	**4005176455551**	**1,713.41**


Atrio
5-hole bath/shower combination
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
with cross handles
bath spout with mousseur and diverter bath/shower
Sena hand shower 6.6 l/min
shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 037 002		**4005176519918**	**745.21**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve
caps to cover screw fixations always come in chrome color






13 139 003	**Chrome**	**4005176455131**	**225.37**
13 139 DC3	**supersteel**	**4005176455148**	**358.10**
13 139 GL3	**cool sunrise**	**4005176493263**	**349.61**
13 139 DA3	**warm sunset**	**4005176493287**	**349.61**
13 139 AL3	**Brushed Hard Graphite**	**4005176455155**	**409.29**

Atrio
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm





29 118 000	**Chrome**	**4005176412240**	**506.94**
29 118 DC0	**supersteel**	**4005176455032**	**623.76**
29 118 GL0	**cool sunrise**	**4005176492976**	**685.51**
29 118 DA0	**warm sunset**	**4005176492990**	**685.51**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**703.70**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	**Chrome**	**4005176412257**	**584.68**
29 119 DC0	**supersteel**	**4005176455056**	**764.62**
29 119 GL0	**cool sunrise**	**4005176493041**	**747.27**
29 119 DA0	**warm sunset**	**4005176493065**	**747.27**
29 119 AL0	**Brushed Hard Graphite**	**4005176455063**	**766.21**






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**4005176698774**	**136.05**

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**597.09**
29 121 DC0	**supersteel**	**4005176455094**	**734.92**
29 121 GL0	**cool sunrise**	**4005176493188**	**808.00**
29 121 DA0	**warm sunset**	**4005176493201**	**808.00**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**945.21**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000	**GROHE Rapido SmartBox universal rough-in box for concealed installation**	**4005176698774**	**136.05**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	**Chrome**	**4005176412288**	**363.89**
29 122 DC0	**supersteel**	**4005176455117**	**448.77**
29 122 GL0	**cool sunrise**	**4005176515194**	**493.03**
29 122 DA0	**warm sunset**	**4005176515217**	**493.03**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**482.74**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation






34 705 000	**Chrome**	**4005176413285**	**1,471.78**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 304 003	**Chrome**	**4005176461576**	**50.34**
40 304 DC3	**supersteel**	**4005176461583**	**70.67**
40 304 GL3	**cool sunrise**	**4005176494130**	**112.38**
40 304 DA3	**warm sunset**	**4005176494154**	**112.38**
40 304 AL3	**Brushed Hard Graphite**	**4005176462399**	**80.83**






Atrio
Glass/soap dish holder
for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 306 003	**Chrome**	**4005176461545**	**50.34**
40 306 DC3	**supersteel**	**4005176461552**	**70.67**
40 306 GL3	**cool sunrise**	**4005176494079**	**112.38**
40 306 DA3	**warm sunset**	**4005176494093**	**112.38**
40 306 AL3	**Brushed Hard Graphite**	**4005176461569**	**80.83**






Soap dispenser
material: glass / metal
filling quantity 160 ml
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)
GROHE StarLight chrome finish

40 254 003		**4005176462405**	**41.35**






Glass
material: glass
fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)

40 305 003	**Chrome**	**4005176462412**	**50.34**
40 305 DC3	**supersteel**	**4005176462429**	**70.67**
40 305 GL3	**cool sunrise**	**4005176494185**	**112.38**
40 305 DA3	**warm sunset**	**4005176494208**	**112.38**
40 305 AL3	**Brushed Hard Graphite**	**4005176462436**	**80.83**






Atrio
Glass/soap dish holder
for Atrio soap dish (40 256 003)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 256 003	**Glass Matt**	**4005176462443**	**38.42**






Soap dish
material: glass
fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately

40 307 003	**Chrome**	**4005176462450**	**67.57**
40 307 DC3	**supersteel**	**4005176462467**	**92.75**
40 307 GL3	**cool sunrise**	**4005176494246**	**150.55**
40 307 DA3	**warm sunset**	**4005176494260**	**150.55**
40 307 AL3	**Brushed Hard Graphite**	**4005176462474**	**110.42**







Atrio
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 308 003	Chrome	4005176462481	114.85
40 308 DC3	supersteel	4005176462498	159.02
40 308 GL3	cool sunrise	4005176494307	250.20
40 308 DA3	warm sunset	4005176494321	250.20
40 308 AL3	Brushed Hard Graphite	4005176462504	175.80






Atrio
Towel bar
material: metal
2 arms, not pivotable
length 489 mm
concealed fastening
GROHE StarLight chrome finish

40 309 003	Chrome	4005176462511	106.01
40 309 DC3	supersteel	4005176462528	150.19
40 309 GL3	cool sunrise	4005176494369	238.54
40 309 DA3	warm sunset	4005176494383	238.54
40 309 AL3	Brushed Hard Graphite	4005176462627	172.26






Atrio
Towel rail
650 mm (drilling length 600 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

40 312 003	Chrome	4005176462535	34.89
40 312 DC3	supersteel	4005176462542	48.58
40 312 GL3	cool sunrise	4005176494420	77.39
40 312 DA3	warm sunset	4005176494444	77.39
40 312 AL3	Brushed Hard Graphite	4005176462559	55.64






Atrio
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 313 003	Chrome	4005176462566	76.42
40 313 DC3	supersteel	4005176462573	106.01
40 313 GL3	cool sunrise	4005176494482	169.63
40 313 DA3	warm sunset	4005176494505	169.63
40 313 AL3	Brushed Hard Graphite	4005176462580	123.68






Atrio
Toilet roll holder
material: metal
concealed fastening
without cover
GROHE StarLight chrome finish

40 314 003	Chrome	4005176462597	150.19
40 314 DC3	supersteel	4005176462603	211.16
40 314 GL3	cool sunrise	4005176494543	337.14
40 314 DA3	warm sunset	4005176494567	337.14
40 314 AL3	Brushed Hard Graphite	4005176462610	246.50






Atrio
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	white	4005176323409	4.86
40 791 KS1	velvet black	4005176336379	4.86

Spare Brush Head


GROHE
GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 303 000**	**Chrome**	**4005176924088**	**370.48**
	23 303 IG0	**chrome/gold**	**4005176924095**	**477.03**




Grandera
Basin mixer 1/2“
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4“
flexible connection hoses

	**23 310 000**	**Chrome**	**4005176930331**	**370.48**
	23 310 IG0	**chrome/gold**	**4005176930348**	**477.03**




Grandera
Basin mixer 1/2“
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

	**21 107 000**	**Chrome**	**4005176930393**	**440.13**
	21 107 IG0	**chrome/gold**	**4005176930409**	**568.11**



Grandera
Two-handle basin mixer, 1/2“
L-Size
monobloc installation
valves hot/cold
with headparts 1/2“ - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
swivel spout
pop-up waste set 1 1/4“
flexible connection hoses

	**23 313 000**	**Chrome**	**4005176930614**	**486.57**
	23 313 IG0	**chrome/gold**	**4005176930621**	**625.03**




Grandera
Basin mixer 1/2“
XL-Size
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur 5.7 l/min
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**20 417 000**	**Chrome**	**4005176930553**	**521.41**
	20 417 IG0	**chrome/gold**	**4005176930560**	**670.58**




Grandera
Three-hole basin mixer 1/2"
S-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

	**20 389 000**	**Chrome**	**4005176924101**	**579.49**
	20 389 IG0	**chrome/gold**	**4005176924118**	**738.90**



Grandera
Three-hole basin mixer 1/2"
M-Size
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves

	**20 414 000**	**Chrome**	**4005176930492**	**428.52**
	20 414 IG0	**chrome/gold**	**4005176930508**	**521.54**




Grandera
Three-hole basin mixer 1/2"
S-Size
wall mounted
set for final installation for
29 025 002
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 200 mm
projection 177 mm

20 415 000	**Chrome**	**4005176930515**	**444.15**
20 415 IG0	**chrome/gold**	**4005176930522**	**613.66**

Ditto, projection 234 mm

	**29 025 002**		**4005176519895**	**235.71**




Two-handle basin mixer
concealed body, 1/2"
for 3-hole basin mixer
wall installation
without finishing trim set
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 929 000	**Chrome**	**4005176930430**	**412.67**
19 929 IG0	**chrome/gold**	**4005176930447**	**568.11**





Grandera
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 319 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
GROHE AquaGuide adjustable mousseur 5.7 l/min
centre distance 110 mm
projection 177 mm


19 930 000	**Chrome**	**4005176930454**	**477.03**
19 930 IG0	**chrome/gold**	**4005176930461**	**625.03**

Ditto, projection 234 mm

---

23 319 000		**4005176931192**	**237.96**






Grandera
Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
installation device

---

23 315 000	**Chrome**	**4005176930652**	**416.91**
23 315 IG0	**chrome/gold**	**4005176930669**	**533.97**






Grandera
Bidet mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

---

23 316 000	**Chrome**	**4005176930690**	**401.19**
23 316 IG0	**chrome/gold**	**4005176930706**	**521.54**







Grandera
Single-lever shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 317 000**	**Chrome**	**4005176930799**	**533.96**
	23 317 IG0	**chrome/gold**	**4005176930805**	**651.93**


Grandera
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
integrated hand shower holder
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow

 	**24 067 000**	**Chrome**	**4005176465802**	**304.98**
	24 067 IG0	**chrome/gold**	**4005176465819**	**366.41**

Grandera
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

PROFESSIONAL GROHE	**35 604 000**		**4005176698774**	**136.05**


GROHE Rapido SmartBox universal rough-in box for concealed installation

 	**24 068 000**	**Chrome**	**4005176465840**	**342.98**
	24 068 IG0	**chrome/gold**	**4005176465857**	**403.04**

Grandera
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

PROFESSIONAL GROHE	**35 604 000**		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation


 	**19 936 000**	**Chrome**	**4005176930812**	**1,148.50**
	19 936 IG0	**chrome/gold**	**4005176930829**	**1,456.16**

Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 919 000	**Chrome**	**4005176924125**	**1,194.31**
19 919 IG0	**chrome/gold**	**4005176924132**	**1,558.63**






Grandera
5-hole bath/shower combination
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout fixing
single lever mixer operating element
bath spout with mousseur and diverter bath/shower
Grandera hand shower 7.6 l/min
metal shower hose
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000

---

29 037 000		**4005176865749**	**800.12**






4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

---

23 318 000	**Chrome**	**4005176930874**	**1,740.77**
23 318 IG0	**chrome/gold**	**4005176930881**	**2,207.59**






Grandera
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 320 mm
integrated non-return valves in the
shower outlet 1/2"
with shower holder
Grandera hand shower 7.6 l/min
Silverflex shower hose 1250 mm
protected against backflow

---

45 984 001		**4005176992056**	**370.46**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000		**4005176935497**	**237.95**
















Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 341 000** **13 341 IG0**	**Chrome** **chrome/gold**	**4005176931000** **4005176931017**	**237.95** **317.64**
	Grandera **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur projection 177 mm			
 	**19 942 000** **19 942 IG0**	**Chrome** **chrome/gold**	**4005176931048** **4005176931055**	**146.86** **186.27**
	Grandera **5-way diverter** set for final installation for 29 708 000 **without concealed body** **GROHE StarLight** chrome finish			
 	**29 708 000**		**4005176102653**	**301.36**
	5-way diverter **concealed body, 1/2"** **without finishing trim set** wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm			
 	**19 944 000** **19 944 IG0**	**Chrome** **chrome/gold**	**4005176931086** **4005176931093**	**112.69** **135.48**
	Grandera **Volume Control Trim** set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") **GROHE StarLight** chrome finish installation depth adjustable 43 - 91 mm			
 	**29 032 000**		**4005176845277**	**33.02**
	Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
 	**29 802 000**		**4005176504853**	**52.93**
	Concealed stop valve 3/4" pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			

GROHE
GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 811 000**		**4005176062711**	**52.93**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**27 974 000** **27 974 IG0**	**Chrome** **chrome/gold**	**4005176932793** **4005176933486**	**458.40** **599.78**
	Grandera 210 **Head shower 1 spray** 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	**27 986 000** **27 986 IG0**	**Chrome** **chrome/gold**	**4005176933011** **4005176933547**	**104.87** **140.21**
	Rainshower Grandera **Shower arm 286 mm** projection 286 mm material: metal connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish			
 	**27 978 000**	**Chrome**	**4005176932830**	**81.29**
	Rainshower Grandera **Shower arm ceiling 142 mm** material: metal length 142 mm connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish			
 	**26 037 001**	**Chrome**	**4005176487392**	**111.55**
	Grandera Stick **Hand shower 1 spray** Rain spray pattern material: metal GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **Inner WaterGuide** for a longer life **GROHE CoolTouch** prevents scalding on hot surfaces **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 037 IG0**	**chrome/gold**	**4005176936210**	**152.00**


Grandera Stick
Hand shower 1 spray
Rain spray pattern
material: metal
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Universal Mounting System. Fits all standard shower hoses

 	**27 993 000**	**Chrome**	**4005176933080**	**163.78**
	27 993 IG0	**chrome/gold**	**4005176933585**	**210.91**


Grandera Stick
Wall holder set 1 spray
Consisting of:
Stick hand shower (26 037 000)
Wall hand shower holder (27 969)
Rotaflex shower hose 1500 mm (28 417 000)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	**26 038 000**	**Chrome**	**4005176935404**	**230.85**

Grandera Stick
Shower rail set 1 spray
Consisting of:
Stick hand shower (26 037 000)
shower rail 900 mm (27 785)
Rotaflex Longlife metal shower hose 1750 mm (28 025)
GROHE EcoJoy 7.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
Inner WaterGuide for a longer life
GROHE CoolTouch prevents scalding on hot surfaces
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

 	**27 970 000**	**Chrome**	**4005176931154**	**128.45**
	27 970 IG0	**chrome/gold**	**4005176931161**	**175.56**

Grandera
Shower outlet elbow, 1/2"
material: metal
male thread
protected against backflow
GROHE StarLight chrome finish


 	**27 969 000**	**Chrome**	**4005176931123**	**93.09**
	27 969 IG0	**chrome/gold**	**4005176931130**	**116.65**

Grandera
Wall hand Shower holder
material: metal
GROHE StarLight chrome finish

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 627 000	**Chrome**	**4005176927768**	**163.43**
40 627 IG0	**chrome/gold**	**4005176927775**	**211.16**






Grandera
holder with ceramic soap dispenser
material: ceramic/metal
filling quantity 110 ml
GROHE StarLight chrome finish

40 626 000	**Chrome**	**4005176927737**	**123.68**
40 626 IG0	**chrome/gold**	**4005176927744**	**159.02**






Grandera
holder with ceramic tumbler
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 628 000	**Chrome**	**4005176927898**	**150.19**
40 628 IG0	**chrome/gold**	**4005176927904**	**193.49**






Grandera
soap dish with holder
material: ceramic/metal
concealed fastening
GROHE StarLight chrome finish

40 630 000	**Chrome**	**4005176927959**	**106.01**
40 630 IG0	**chrome/gold**	**4005176927966**	**136.93**
40 630 EN0	**brushed nickel**	**4005176927973**	**167.86**






Grandera
Towel ring
Ø 205 mm
material: metal
concealed fastening
GROHE StarLight chrome finish

40 629 000	**Chrome**	**4005176927928**	**172.26**
40 629 IG0	**chrome/gold**	**4005176927935**	**219.99**
40 629 EN0	**brushed nickel**	**4005176927942**	**348.80**






Grandera
Towel rail
600 mm
GROHE StarLight chrome finish

40 631 000	**Chrome**	**4005176927980**	**49.47**
40 631 IG0	**chrome/gold**	**4005176927997**	**64.04**






Grandera
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GRANDERA

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 633 000	**Chrome**	**4005176928048**	**114.85**
40 633 IG0	**chrome/gold**	**4005176928055**	**150.19**
40 633 EN0	**brushed nickel**	**4005176928062**	**184.66**






Grandera
Bath grip
material: metal
length 385 mm
concealed fastening
GROHE StarLight chrome finish

40 625 000	**Chrome**	**4005176927706**	**128.10**
40 625 IG0	**chrome/gold**	**4005176927713**	**167.86**
40 625 EN0	**brushed nickel**	**4005176927720**	**202.31**






Grandera
Toilet roll holder
without cover
material: metal
concealed fastening
GROHE StarLight chrome finish


40 632 000	**Chrome**	**4005176928017**	**181.11**
40 632 IG0	**chrome/gold**	**4005176928024**	**237.67**






Grandera
Toilet brush set
material: ceramic
GROHE StarLight chrome finish


GROHE
LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 109 001** **32 109 DC1** **32 109 AL1**	**Chrome** **supersteel** **Brushed Hard Graphite**	**4005176408373** **4005176412691** **4005176586118**	**231.09** **305.90** **323.36**


Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 791 001** **23 791 DC1** **23 791 AL1**	**Chrome** **supersteel** **Brushed Hard Graphite**	**4005176409097** **4005176412707** **4005176586125**	**231.09** **305.90** **323.36**

Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

 	**23 790 001**	**Chrome**	**4005176408380**	**231.09**


Lineare
Basin mixer 1/2"
XS-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**32 114 001** **32 114 DC1**	**Chrome** **supersteel**	**4005176409103** **4005176412714**	**219.48** **326.29**


Lineare
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 106 001	Chrome	4005176409110	242.70
	23 106 DC1	supersteel	4005176412721	326.29
	23 106 AL1	Brushed Hard Graphite	4005176586149	344.36


Lineare
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

 	23 296 001	Chrome	4005176409127	312.38
	23 296 DC1	supersteel	4005176412738	428.25

Lineare
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

 	23 405 001	Chrome	4005176409134	289.16
	23 405 DC1	supersteel	4005176412745	456.80
	23 405 AL1	Brushed Hard Graphite	4005176586163	481.90

Lineare
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar


 	20 304 001	Chrome	4005176409141	370.46

Lineare
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 409 001	**Chrome**	**4005176409158**	**289.16**
19 409 DC1	**supersteel**	**4005176412752**	**370.46**
19 409 AL1	**Brushed Hard Graphite**	**4005176586170**	**392.66**






Lineare
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 149 mm

23 444 001	**Chrome**	**4005176411977**	**289.15**
23 444 DC1	**supersteel**	**4005176412769**	**402.96**
23 444 AL1	**Brushed Hard Graphite**	**4005176586187**	**425.20**






Lineare
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 207 mm

23 571 000		**4005176334276**	**231.08**






Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

33 848 001	**Chrome**	**4005176409172**	**265.94**
33 848 DC1	**supersteel**	**4005176412776**	**356.91**






Lineare
Bidet mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 865 001**	**Chrome**	**4005176409202**	**300.77**
	33 865 DC1	**supersteel**	**4005176412790**	**387.85**
	33 865 AL1	**Brushed Hard Graphite**	**4005176586217**	**387.41**




Lineare
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow

---

	34 719 000	**Chrome**	**4005176457654**	**394.73**






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

---

	33 849 001	**Chrome**	**4005176409189**	**300.78**
	33 849 DC1	**supersteel**	**4005176412783**	**469.06**
	33 849 AL1	**Brushed Hard Graphite**	**4005176586200**	**494.50**






Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
pillar installation optional with pillar unions 12 030 000

---

	34 718 000	**Chrome**	**4005176457647**	**434.82**






Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 850 001 **Chrome** **4005176409196** **348.40**

Lineare
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Sena Stick (26 465)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)






24 063 001 **Chrome** **4005176465703** **197.87**
24 063 DC1 **supersteel** **4005176465727** **275.82**
24 063 AL1 **Brushed Hard Graphite** **4005176586248** **290.82**

Lineare
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 064 001 **Chrome** **4005176465710** **217.65**
24 064 DC1 **supersteel** **4005176465734** **303.41**
24 064 AL1 **Brushed Hard Graphite** **4005176586255** **320.22**

Lineare
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 095 001	**Chrome**	**4005176480645**	**242.94**
24 095 DC1	**supersteel**	**4005176480652**	**338.21**
24 095 AL1	**Brushed Hard Graphite**	**4005176586262**	**356.96**





Lineare
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

25 113 000	**Chrome**	**4005176881862**	**463.36**






Lineare
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valves in the
shower outlet 1/2"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

---

25 104 000	**Chrome**	**4005176881794**	**428.51**






Lineare
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish

---

19 577 001	**Chrome**	**4005176409233**	**695.61**
19 577 DC1	**supersteel**	**4005176412820**	**1,272.15**
19 577 EN1	**brushed nickel**	**4005176413018**	**1,508.69**
19 577 AL1	**Brushed Hard Graphite**	**4005176586224**	**1,340.70**






Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)






19 965 001 **Chrome** **4005176409240** **509.79**

Lineare
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991






29 037 000 **4005176865749** **800.12**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






23 792 001	**Chrome**	**4005176409257**	**1,717.54**
23 792 DC1	**supersteel**	**4005176412837**	**2,365.61**
23 792 EN1	**brushed nickel**	**4005176413001**	**2,388.49**
23 792 AL1	**Brushed Hard Graphite**	**4005176586231**	**2,493.48**

Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow






45 984 001 **4005176992056** **370.46**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 086 000**		**4005176935497**	**237.95**


Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

13 383 001	**Chrome**	**4005176418167**	**207.87**
13 383 DC1	**supersteel**	**4005176418174**	**346.70**


Lineare
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

34 705 000	**Chrome**	**4005176413285**	**1,471.78**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)


19 952 000	**Chrome**	**4005176174230**	**50.60**
19 952 DC0	**supersteel**	**4005176467776**	**63.42**
19 952 AL0	**Brushed Hard Graphite**	**4005176353376**	**137.23**

Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

19 025 000	**Chrome**	**4005176209154**	**56.33**


 

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

GROHE
LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 000	**Chrome**	**4005176266751**	**241.53**
28 912 DC0	**supersteel**	**4005176467905**	**223.51**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**252.62**






Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

37 601 000	**Chrome**	**4005176416057**	**77.64**
37 601 DC0	**supersteel**	**4005176416088**	**175.64**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**175.64**






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 654 000**	**Chrome**	**4005176342080**	**242.73**




Eurocube Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 656 000**	**Chrome**	**4005176342103**	**219.48**




Eurocube Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

	**23 657 000**	**Chrome**	**4005176342110**	**300.77**




Eurocube Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 658 000**	**Chrome**	**4005176342127**	**231.09**








Eurocube Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

	**23 661 000**	**Chrome**	**4005176342158**	**312.38**



Eurocube Joy
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

GROHE
EUROCUBE JOY


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 997 000**	**Chrome**	**4005176342189**	**254.31**
	Eurocube Joy **2-hole basin mixer** **M-Size** wall mounted set for final installation for 23 429 000 **without concealed body** **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm			
	19 998 000	**Chrome**	**4005176342196**	**289.16**
	ditto, projection 230mm			
 	**23 429 000**		**4005176993695**	**242.71**
	Single-lever mixer 1/2", concealed body for 2 hole basin mixer **without finishing trim set** GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
 	**23 664 000**	**Chrome**	**4005176342202**	**254.32**
	Eurocube Joy **Bidet mixer 1/2"** monobloc installation metal lever GROHE FeatherControl Joystick cartridge **GROHE EcoJoy ball-joint mousseur 5.7 l/min** **GROHE FastFixation Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
 	**23 665 000**	**Chrome**	**4005176342219**	**277.54**
	Eurocube Joy **Single-lever shower mixer 1/2"** wall mounted metal lever GROHE FeatherControl Joystick cartridge shower bottom outlet 1/2" with integrated non return-valve protected against backflow			
 	**34 488 000**	**Chrome**	**4005176940620**	**375.91**
	Grohtherm Cube **Thermostatic shower mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE SafeStop** safety button at 38°C **(calibration required)** **GROHE SafeStop Plus** optional temperature limiter at 43°C included **GROHE TurboStat** compact cartridge with wax thermoelement integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow covered S-unions min. recommended pressure 1.0 bar **GROHE EcoJoy** technology for less water and perfect flow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 666 000 **Chrome** **4005176342226** **324.01**

Eurocube Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE XL Waterfall
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow






34 497 000 **Chrome** **4005176940675** **474.07**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow






24 061 000 **Chrome** **4005176465680** **190.15**

Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 062 000 **Chrome** **4005176465697** **209.96**


Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 094 000	**Chrome**	**4005176480638**	**234.12**





Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 153 000	**Chrome**	**4005176481178**	**505.28**
24 153 DC0	**supersteel**	**4005176574221**	**629.93**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**719.48**





Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 154 000	**Chrome**	**4005176481185**	**563.27**
24 154 DC0	**supersteel**	**4005176574238**	**701.98**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**801.82**





Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**563.27**
24 155 DC0	**supersteel**	**4005176574245**	**701.98**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**801.82**





Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

34 741 000	**Chrome**	**4005176481208**	**1,334.02**






Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

---

23 667 001	**Chrome**	**4005176429019**	**1,696.67**






Eurocube Joy
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE FeatherControl Joystick cartridge
GROHE StarLight finish
automatic diverter: bath/shower
spout with mousseur
hand shower Euphoria Cube+ 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
protected against backflow

---


45 984 001		**4005176992056**	**370.46**





Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material





GROHE
EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 086 000**		**4005176935497**	**237.95**

Rough-in set 1/2“
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2“ female connections (hot/cold supplies)
flushing plug

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 137 000**	**Chrome**	**4005176901096**	**173.05**
	Eurocube **Pillar tap** **XS-Size** monobloc installation metal lever ceramic headpart **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
 	**23 127 00E**	**Chrome**	**4005176901591**	**231.10**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE FastFixation Plus** installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 127 000	**Chrome**	**4005176900341**	**231.10**
	ditto, with non-restricted flow			
 	**23 132 00E**	**Chrome**	**4005176906725**	**219.49**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever 28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** SpeedClean mousseur 5.7 l/min **GROHE FastFixation Plus** installation system smooth body flexible connection hoses			
	23 132 000	**Chrome**	**4005176900990**	**219.49**
	ditto, with non-restricted flow			
 	**23 390 00E**	**Chrome**	**4005176938436**	**231.10**
	Eurocube **Basin mixer 1/2"** **S-Size** monobloc installation metal lever **GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter **GROHE StarLight** chrome finish **GROHE EcoJoy** mousseur 5.7 l/min **GROHE FastFixation Plus** rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 392 00E	**Chrome**	**4005176938450**	**231.09**
	Ditto, smooth body			

GROHE
EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 445 000	Chrome	4005176998706	242.72
23 445 DC0	supersteel	4005176524974	299.53
23 445 AL0	Brushed Hard Graphite	4005176584657	342.76






Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 446 000	Chrome	4005176998720	231.08






Eurocube
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

23 135 00E	Chrome	4005176906732	237.95






Eurocube
Single-lever basin mixer 1/2"
L-Size
monobloc installation, metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
swivel tubular spout with stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 135 000	Chrome	4005176901027	254.31

ditto, with non-restricted flow

23 406 000	Chrome	4005176941658	289.14
23 406 DC0	supersteel	4005176524998	395.25
23 406 AL0	Brushed Hard Graphite	4005176584671	451.86






Eurocube
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 441 000	**Chrome**	**4005176415630**	**783.65**

Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






20 351 000	**Chrome**	**4005176901041**	**312.38**
20 351 DC0	**supersteel**	**4005176525001**	**428.19**
20 351 AL0	**Brushed Hard Graphite**	**4005176584688**	**488.92**

Eurocube
Three-hole basin mixer 1/2"
S-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm






19 895 000	**Chrome**	**4005176901072**	**265.94**
19 895 AL0	**Brushed Hard Graphite**	**4005176585494**	**402.46**

Eurocube
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

23 447 000	**Chrome**	**4005176998737**	**265.94**

Ditto, projection 231 mm






23 200 000		**4005176908354**	**242.72**

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 200 002 — **4005176519901** — **226.45**

Single-lever mixer 1/2“, concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---






23 138 000 — **Chrome** — **4005176901133** — **219.50**

Eurocube
Bidet mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses






23 145 000 — **Chrome** — **4005176901270** — **249.32**
23 145 DC0 — **supersteel** — **4005176525049** — **322.17**
23 145 AL0 — **Brushed Hard Graphite** — **4005176585524** — **368.49**

Eurocube
Single-lever shower mixer 1/2“
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with
integrated non return-valve
covered S-unions
protected against backflow





34 488 000 — **Chrome** — **4005176940620** — **375.91**


Grohtherm Cube
Thermostatic shower mixer 1/2“
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2“, 180°
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 140 000	**Chrome**	**4005176901157**	**272.11**
23 140 DC0	**supersteel**	**4005176525056**	**375.69**
23 140 AL0	**Brushed Hard Graphite**	**4005176585531**	**429.22**






Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)

23 141 000	**Chrome**	**4005176901164**	**347.20**






Eurocube
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
covered S-unions
protected against backflow
optional temperature limiter (46 375 000)
Hand shower (27 698 000)
wall shower holder (27 693 000)
shower hose 1500 mm (28 151 000)

34 497 000	**Chrome**	**4005176940675**	**474.07**






Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

24 061 000	**Chrome**	**4005176465680**	**190.15**
24 061 AL0	**Brushed Hard Graphite**	**4005176585586**	**274.82**





Eurocube
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 062 000	**Chrome**	**4005176465697**	**209.96**
24 062 DC0	**supersteel**	**4005176553905**	**264.53**
24 062 AL0	**Brushed Hard Graphite**	**4005176585579**	**302.61**






Eurocube
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 094 000	**Chrome**	**4005176480638**	**234.12**
24 094 DC0	**supersteel**	**4005176574047**	**295.41**
24 094 AL0	**Brushed Hard Graphite**	**4005176585593**	**337.61**






Eurocube
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 153 000	**Chrome**	**4005176481178**	**505.28**
24 153 DC0	**supersteel**	**4005176574221**	**629.93**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**719.48**





Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	**Chrome**	**4005176481185**	**563.27**
24 154 DC0	**supersteel**	**4005176574238**	**701.98**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**801.82**






Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**563.27**
24 155 DC0	**supersteel**	**4005176574245**	**701.98**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**801.82**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 741 000	**Chrome**	**4005176481208**	**1,334.02**






Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2“ (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

GROHE
EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






25 137 000 **Chrome** **4005176906770** **370.46**

Eurocube
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






25 136 000 **Chrome** **4005176906763** **323.98**

Eurocube
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2 - 5.0 bar






19 897 001 **Chrome** **4005176429101** **1,126.45**
19 897 DC1 **supersteel** **4005176525087** **1,387.50**
19 897 AL1 **Brushed Hard Graphite** **4005176585548** **1,585.12**

Eurocube
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Euphoria Cube+ 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000






19 966 000 **Chrome** **4005176986864** **699.92**

Eurocube
3-hole bath combination trim set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower (27 699 000) 9.4 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991





29 037 000 **4005176865749** **800.12**


4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 672 001	**Chrome**	**4005176429002**	**1,680.40**
23 672 DC1	**supersteel**	**4005176525094**	**2,130.65**
23 672 AL1	**Brushed Hard Graphite**	**4005176585555**	**2,435.32**






Eurocube
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)
Silverflex shower hose 1250 mm (28 362)
projection 298 mm
integrated non-return valve
in the shower outlet 1/2"
protected against backflow
with shower holder

---

45 984 001 | **4005176992056** | **370.46**






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

---

29 086 000 | **4005176935497** | **237.95**






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

---

13 303 000	**Chrome**	**4005176906350**	**126.58**
13 303 DC0	**supersteel**	**4005176525100**	**171.13**
13 303 AL0	**Brushed Hard Graphite**	**4005176585562**	**195.28**






Eurocube
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm

---







13 304 000 | **Chrome** | **4005176906367** | **138.18**





Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 910 000**	**Chrome**	**4005176987014**	**56.88**
	Eurocube **Volume Control Trim** for concealed valves, 1/2", 3/4" **without concealed body** installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing **GROHE StarLight** chrome finish			
 	**29 811 000**		**4005176062711**	**52.93**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
 	**35 028 000**		**4005176908316**	**138.17**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			
 	**29 800 000**		**4005176504839**	**31.32**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		**4005176504853**	**52.93**
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	29 805 000		**4005176504884**	**88.89**
	ditto, 1", pre-assembled headpart 1", thread union 1"			
 	**29 801 000**		**4005176504846**	**25.81**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		**4005176504877**	**41.05**
	ditto, soldered connection Ø 22 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 012 000	**Chrome**	**4005176906343**	**45.29**
22 012 DC0	**supersteel**	**4005176525742**	**66.14**
22 012 AL0	**Brushed Hard Graphite**	**4005176585944**	**75.59**






Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet thread 3/8"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

22 013 000	**Chrome**	**4005176909689**	**45.29**






Eurocube
Angle valve 1/2"
wall connection 1/2"
outlet 1/2"
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

37 535 000	**Chrome**	**4005176416019**	**67.80**
37 535 DC0	**supersteel**	**4005176416040**	**175.57**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**175.57**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 612 003	**Chrome**	**4005176529696**	**204.83**
32 612 DC3	**supersteel**	**4005176574054**	**276.88**
32 612 AL3	**Brushed Hard Graphite**	**4005176585609**	**316.00**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

---

32 612 30L	**Chrome**	**4005176529979**	**204.83**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar

---

33 163 003	**Chrome**	**4005176529702**	**204.83**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

---

23 870 003	**Chrome**	**4005176529719**	**204.83**






GROHE Plus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 871 003	Chrome	4005176529726	256.30
23 871 DC3	supersteel	4005176574061	345.84
23 871 AL3	Brushed Hard Graphite	4005176585616	395.25






GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

23 872 003	Chrome	4005176529733	256.30






GROHE Plus
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

23 851 003	Chrome	4005176496523	287.17
23 851 DC3	supersteel	4005176574078	387.02
23 851 AL3	Brushed Hard Graphite	4005176585623	442.60






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
pop-up waste set 1 1/4"
flexible connection hoses

23 873 003	Chrome	4005176529986	287.17






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
swivel spout with easy docking
swivel area 90°
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 843 003	**Chrome**	**4005176496547**	**338.64**
23 843 DC3	**supersteel**	**4005176574085**	**448.77**






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
pop-up waste set 1 1/4"
flexible connection hoses

23 844 003	**Chrome**	**4005176496554**	**338.64**






GROHE Plus
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pull out spout
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

32 618 003	**Chrome**	**4005176529740**	**307.76**
32 618 DC3	**supersteel**	**4005176574092**	**428.19**
32 618 AL3	**Brushed Hard Graphite**	**4005176585647**	**489.95**






GROHE Plus
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses

20 301 003	**Chrome**	**4005176529757**	**310.84**






GROHE Plus
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
pop-up waste set 1 1/4"
GROHE FastFixation installation system
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 303 003	**Chrome**	**4005176529764**	**256.30**
29 303 DC3	**supersteel**	**4005176574108**	**337.61**
29 303 AL3	**Brushed Hard Graphite**	**4005176585654**	**384.96**





GROHE Plus
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 200 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 147 mm
min. recommended pressure 1.0 bar


29 306 003	**Chrome**	**4005176529771**	**266.59**

ditto, projection 203 mm

---

23 200 002	**4005176519901**	**226.45**






Single-lever mixer 1/2“, concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
spout can be positioned on the right or left
installation depth 45 to 75 mm
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

---

23 200 000	**4005176908354**	**242.72**






Single-lever mixer 1/2“, concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
installation depth 45 to 75 mm
DR-brass
installation device

---

33 241 003	**Chrome**	**4005176529849**	**204.83**
33 241 DC3	**supersteel**	**4005176574184**	**276.88**
33 241 AL3	**Brushed Hard Graphite**	**4005176585739**	**316.00**






GROHE Plus
Bidet mixer 1/2“
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
rapid installation system
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 577 003	**Chrome**	**4005176529801**	**246.00**
33 577 DC3	**supersteel**	**4005176574139**	**331.43**
33 577 AL3	**Brushed Hard Graphite**	**4005176585685**	**378.78**






GROHE Plus
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

34 719 000	**Chrome**	**4005176457654**	**394.73**






Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

33 553 003	**Chrome**	**4005176529795**	**307.76**
33 553 DC3	**supersteel**	**4005176574122**	**414.81**
33 553 AL3	**Brushed Hard Graphite**	**4005176585678**	**473.48**






GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
min. recommended pressure 1.0 bar

34 718 000	**Chrome**	**4005176457647**	**434.82**






Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 547 003	**Chrome**	**4005176529818**	**348.93**

GROHE Plus
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
laminar mousseur
shower outlet 1/2"
integrated non-return valve
covered S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cube Stick (27 698 000)
wall shower holder (27 693 000)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.0 bar






40 954 000	**Chrome**	**4005176496844**	**101.90**

GROHE Plus
Tray
suitable for
33 553 003
33 547 003
33 577 003






24 059 003	**Chrome**	**4005176529832**	**194.54**
24 059 DC3	**supersteel**	**4005176574153**	**262.47**
24 059 AL3	**Brushed Hard Graphite**	**4005176585708**	**300.56**

GROHE Plus
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 060 003	**Chrome**	**4005176529825**	**204.83**
24 060 DC3	**supersteel**	**4005176574146**	**276.88**
24 060 AL3	**Brushed Hard Graphite**	**4005176585692**	**316.00**

GROHE Plus
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 093 003	**Chrome**	**4005176530050**	**225.42**
24 093 DC3	**supersteel**	**4005176574214**	**310.85**
24 093 AL3	**Brushed Hard Graphite**	**4005176585760**	**355.11**





GROHE Plus
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

25 132 003	**Chrome**	**4005176529870**	**379.81**






GROHE Plus
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish

---

25 133 003	**Chrome**	**4005176529887**	**410.69**






GROHE Plus
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
recommended pressure 0.2 - 5.0 bar
GROHE StarLight finish

---

29 307 003	**Chrome**	**4005176529993**	**822.41**
29 307 DC3	**supersteel**	**4005176574160**	**1,139.44**
29 307 AL3	**Brushed Hard Graphite**	**4005176585715**	**1,302.06**






GROHE Plus
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
pre-assembled spout laminar mousseur
single lever mixer operating element
metal lever
diverter bath/shower
hand shower Euphoria Cube 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 845 003	**Chrome**	**4005176496677**	**698.89**

GROHE Plus
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
Consisting of:
single lever mixer operating element
diverter bath/shower
without spout
Euphoria Cube hand shower 7.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 002
for combination with 28 990 / 28 991
min. recommended pressure 1.0 bar






29 037 002		**4005176519918**	**745.21**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve
caps to cover screw fixations always come in chrome color






23 846 003	**Chrome**	**4005176496684**	**1,542.92**
23 846 DC3	**supersteel**	**4005176574177**	**2,098.74**
23 846 AL3	**Brushed Hard Graphite**	**4005176585722**	**2,398.27**

GROHE Plus
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with laminar mousseur
projection 282 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Euphoria Cube 6.6 l/min
Silverflex shower hose 1250 mm (28 362)
protected against backflow
min. recommended pressure 1.0 bar






45 984 001		**4005176992056**	**370.46**

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 086 000		**4005176935497**	**237.95**






Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

13 404 003	**Chrome**	**4005176529788**	**143.07**
13 404 DC3	**supersteel**	**4005176574115**	**193.51**






GROHE Plus
Bath spout
wall mounted
GROHE StarLight chrome finish
laminar mousseur
male thread 1/2"
projection 168 mm

26 507 000	**Chrome**	**4005176457586**	**1,165.42**
26 507 LS0	**moon white**	**4005176457609**	**1,342.18**
26 507 DC0	**supersteel**	**4005176526374**	**1,568.16**
26 507 AL0	**Brushed Hard Graphite**	**4005176557422**	**1,881.36**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE PLUS


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 508 000	**Chrome**	**4005176457593**	**1,165.42**
26 508 LS0	**moon white**	**4005176457616**	**1,342.18**
26 508 DC0	**supersteel**	**4005176526367**	**1,568.16**
26 508 AL0	**Brushed Hard Graphite**	**4005176557507**	**1,881.36**





Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






34 705 000	**Chrome**	**4005176413285**	**1,471.78**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






34 706 000	**Chrome**	**4005176413797**	**1,459.99**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)





19 952 000	**Chrome**	**4005176174230**	**50.60**
19 952 DC0	**supersteel**	**4005176467776**	**63.42**
19 952 AL0	**Brushed Hard Graphite**	**4005176353376**	**137.23**


Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

GROHE
GROHE PLUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 025 000	**Chrome**	**4005176209154**	**56.33**






Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

40 564 000	**Chrome**	**4005176912740**	**263.34**
40 564 DC0	**supersteel**	**4005176491795**	**342.03**
40 564 AL0	**Brushed Hard Graphite**	**4005176491788**	**390.89**






Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body

28 912 000	**Chrome**	**4005176266751**	**241.53**
28 912 DC0	**supersteel**	**4005176467905**	**223.51**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**252.62**






Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

37 535 000	**Chrome**	**4005176416019**	**67.80**
37 535 DC0	**supersteel**	**4005176416040**	**175.57**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**175.57**






Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

37 624 000	**Chrome**	**4005176416095**	**77.64**
37 624 DC0	**supersteel**	**4005176416125**	**175.67**
37 624 AL0	**Brushed Hard Graphite**	**4005176529115**	**175.64**






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**33 155 002**	**Chrome**	**4005176865947**	**265.93**

Europlus
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
rapid installation system
pull out spout with mousseur
integrated non-return valve
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 590 001	Chrome	4005176339189	155.62
23 590 DC1	supersteel	4005176369926	222.79
23 590 BE1	polished nickel	4005176426018	238.73
23 590 EN1	brushed nickel	4005176426025	259.72
23 590 GL1	cool sunrise	4005176425851	238.73
23 590 GN1	brushed cool sunrise	4005176425868	254.63
23 590 DA1	warm sunset	4005176425875	238.73
23 590 DL1	brushed warm sunset	4005176425882	254.63
23 590 A01	hard graphite	4005176426001	238.73
23 590 AL1	Brushed Hard Graphite	4005176425998	254.63






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

---

32 898 001	Chrome	4005176306860	161.41






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

---

34 294 001	Chrome	4005176306877	149.81






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses

---

23 379 001	Chrome	4005176306891	173.04






Essence
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 462 001	Chrome	4005176306907	196.25
23 462 DC1	supersteel	4005176369933	269.57
23 462 BE1	polished nickel	4005176426087	288.85
23 462 EN1	brushed nickel	4005176426094	308.10
23 462 GL1	cool sunrise	4005176426032	288.85
23 462 GN1	brushed cool sunrise	4005176426049	308.10
23 462 DA1	warm sunset	4005176426056	288.85
23 462 DL1	brushed warm sunset	4005176426063	308.10
23 462 A01	hard graphite	4005176425325	288.85
23 462 AL1	Brushed Hard Graphite	4005176426070	308.10






Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 480 001	Chrome	4005176306921	189.39






Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
retractable chain
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 463 001	Chrome	4005176306914	184.64






Essence
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 628 001	Chrome	4005176306983	207.85
32 628 DC1	supersteel	4005176369940	295.78
32 628 BE1	polished nickel	4005176419669	316.92
32 628 EN1	brushed nickel	4005176426100	338.04
32 628 GL1	cool sunrise	4005176407369	316.92
32 628 GN1	brushed cool sunrise	4005176419645	338.04
32 628 DA1	warm sunset	4005176407352	316.92
32 628 DL1	brushed warm sunset	4005176419652	338.04
32 628 A01	hard graphite	4005176407376	316.92
32 628 AL1	Brushed Hard Graphite	4005176407383	338.04






Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses

23 541 001	Chrome	4005176313912	196.25






Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

32 901 001	Chrome	4005176306969	277.55
32 901 DC1	supersteel	4005176369957	400.64
32 901 BE1	polished nickel	4005176426131	429.28
32 901 EN1	brushed nickel	4005176426148	457.88
32 901 GL1	cool sunrise	4005176407505	429.28
32 901 GN1	brushed cool sunrise	4005176426117	457.88
32 901 DA1	warm sunset	4005176407499	429.28
32 901 DL1	brushed warm sunset	4005176426124	457.88
32 901 A01	hard graphite	4005176407512	429.28
32 901 AL1	Brushed Hard Graphite	4005176407529	457.88






Essence
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation Plus rapid installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 445 000 **Chrome** **4005176415678** **637.91**

Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






20 296 001 **Chrome** **4005176307072** **265.94**

Essence
Three-hole basin mixer 1/2"
M-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
spout with mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm






20 299 001 **Chrome** **4005176307096** **329.03**

Essence
3-hole basin mixer
L-Size
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
GROHE AquaGuide adjustable mousseur
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
union nut 1/2" x 10.5 mm

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 408 001	Chrome	4005176307133	196.24
19 408 DC1	supersteel	4005176369964	295.78
19 408 BE1	polished nickel	4005176426216	316.92
19 408 EN1	brushed nickel	4005176426223	338.04
19 408 GL1	cool sunrise	4005176426155	316.92
19 408 GN1	brushed cool sunrise	4005176426162	338.04
19 408 DA1	warm sunset	4005176426179	316.92
19 408 DL1	brushed warm sunset	4005176426186	344.81
19 408 A01	hard graphite	4005176426209	323.26
19 408 AL1	Brushed Hard Graphite	4005176426193	344.81






Essence
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 183 mm

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 967 001	Chrome	4005176307140	219.49
19 967 DC1	supersteel	4005176369971	333.26
19 967 BE1	polished nickel	4005176426292	357.05
19 967 EN1	brushed nickel	4005176426308	380.84
19 967 GL1	cool sunrise	4005176426230	357.05
19 967 GN1	brushed cool sunrise	4005176426247	380.84
19 967 DA1	warm sunset	4005176426254	357.05
19 967 DL1	brushed warm sunset	4005176426261	380.84
19 967 A01	hard graphite	4005176426285	357.05
19 967 AL1	Brushed Hard Graphite	4005176426278	380.84






Essence
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 230 mm

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 571 000		4005176334276	231.08






Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 935 001	Chrome	4005176307171	161.41
32 935 DC1	supersteel	4005176369988	230.27
32 935 BE1	polished nickel	4005176426377	246.74
32 935 EN1	brushed nickel	4005176426384	263.18
32 935 GL1	cool sunrise	4005176426315	246.74
32 935 GN1	brushed cool sunrise	4005176426322	263.18
32 935 DA1	warm sunset	4005176426339	246.74
32 935 DL1	brushed warm sunset	4005176426346	263.18
32 935 A01	hard graphite	4005176426360	246.74
32 935 AL1	Brushed Hard Graphite	4005176426353	263.18






Essence
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 636 001	Chrome	4005176307287	173.05
33 636 DC1	supersteel	4005176371141	254.61
33 636 BE1	polished nickel	4005176426674	272.82
33 636 EN1	brushed nickel	4005176426681	290.99
33 636 GL1	cool sunrise	4005176426612	272.82
33 636 GN1	brushed cool sunrise	4005176426629	290.99
33 636 DA1	warm sunset	4005176426636	272.82
33 636 DL1	brushed warm sunset	4005176426643	290.99
33 636 A01	hard graphite	4005176426667	272.82
33 636 AL1	Brushed Hard Graphite	4005176426650	290.99






Essence
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 765 000	Chrome	4005176612022	198.00






Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 624 001	Chrome	4005176990786	207.89
33 624 DC1	supersteel	4005176371097	312.67
33 624 BE1	polished nickel	4005176426452	334.99
33 624 EN1	brushed nickel	4005176426469	357.31
33 624 GL1	cool sunrise	4005176426391	334.99
33 624 GN1	brushed cool sunrise	4005176426407	357.31
33 624 DA1	warm sunset	4005176426414	334.99
33 624 DL1	brushed warm sunset	4005176426421	357.31
33 624 A01	hard graphite	4005176426445	334.99
33 624 AL1	Brushed Hard Graphite	4005176426438	357.31






Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow

33 628 001	Chrome	4005176990793	254.31






Essence
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
with shower set
Consisting of:
hand shower Euphoria Cosmopolitan
Stick (27 400 000) 6.6 l/min
Euphoria Cosmopolitan Stick handshower (27 367)
wall shower holder Tempesta 100
Cosmopolitan (27 594 000)
Silverflex shower hose 1.500 mm (28 364)

34 766 000	Chrome	4005176612039	257.95






Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 092 001	**Chrome**	**4005176480522**	**215.45**
24 092 DC1	**supersteel**	**4005176480539**	**294.06**
24 092 BE1	**polished nickel**	**4005176480607**	**315.08**
24 092 EN1	**brushed nickel**	**4005176480614**	**336.06**
24 092 GL1	**cool sunrise**	**4005176480546**	**315.08**
24 092 GN1	**brushed cool sunrise**	**4005176480553**	**336.06**
24 092 DA1	**warm sunset**	**4005176480560**	**315.08**
24 092 DL1	**brushed warm sunset**	**4005176480577**	**336.06**
24 092 A01	**hard graphite**	**4005176481291**	**315.08**
24 092 AL1	**Brushed Hard Graphite**	**4005176481307**	**336.06**






Essence
Single-lever mixer with 3-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
3-way diverter
flow performance:
outlet A = 27 l/min,
outlet B = 27 l/min,
outlet C = 27 l/min
without roughing-in-set

35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---






34 705 000	**Chrome**	**4005176413285**	**1,471.78**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

---


19 578 001	**Chrome**	**4005176307195**	**776.91**
19 578 DC1	**supersteel**	**4005176371103**	**1,067.11**
19 578 BE1	**polished nickel**	**4005176426537**	**1,143.32**
19 578 EN1	**brushed nickel**	**4005176374463**	**1,219.55**
19 578 GL1	**cool sunrise**	**4005176426476**	**1,143.32**
19 578 GN1	**brushed cool sunrise**	**4005176426483**	**1,219.55**
19 578 DA1	**warm sunset**	**4005176426490**	**1,143.32**
19 578 DL1	**brushed warm sunset**	**4005176426506**	**1,219.55**
19 578 A01	**hard graphite**	**4005176426520**	**1,143.32**
19 578 AL1	**Brushed Hard Graphite**	**4005176426513**	**1,219.55**






Essence
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
metal lever
bath inlet with mousseur
diverter bath/shower
for chrome: hand shower 27400000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000


GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 976 001**	**Chrome**	**4005176307218**	**463.34**

Essence
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
single lever mixer operating element
diverter bath/shower
hand shower 27 400 000
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991

 	**29 037 000**		**4005176865749**	**800.12**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color

 	**23 741 001**	**Chrome**	**4005176371509**	**1,798.86**
	23 741 DC1	**supersteel**	**4005176371516**	**3,158.97**


Essence
Single-lever free-standing shower system
floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter
head shower/hand shower
360° horizontal swivable shower arm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)
with ball joint
rotation angle ± 15°
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
for chrome: hand shower 27400000
Silverflex shower hose 1750 mm (28 388 000)
protected against backflow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 491 001	Chrome	4005176307263	1,194.98
23 491 DC1	supersteel	4005176371127	1,684.90
23 491 BE1	polished nickel	4005176426605	1,805.26
23 491 EN1	brushed nickel	4005176371134	1,925.59
23 491 GL1	cool sunrise	4005176407581	1,805.26
23 491 GN1	brushed cool sunrise	4005176426582	1,925.59
23 491 DA1	warm sunset	4005176407574	1,805.26
23 491 DL1	brushed warm sunset	4005176426599	1,925.59
23 491 A01	hard graphite	4005176407598	1,805.26
23 491 AL1	Brushed Hard Graphite	4005176407604	1,925.59






Essence
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
swivel spout with mousseur
and stop limiter
projection 277 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
for chrome: hand shower 27400000
Silverflex shower hose 1250 mm (28 362)
protected against backflow

45 984 001		4005176992056	370.46






Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath
mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
fixing material

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 601 000	Chrome	4005176416057	77.64
37 601 DC0	supersteel	4005176416088	175.64
37 601 BE0	polished nickel	4005176529009	175.64
37 601 EN0	brushed nickel	4005176529047	175.64
37 601 GL0	cool sunrise	4005176524271	175.64
37 601 GN0	brushed cool sunrise	4005176529016	175.64
37 601 DA0	warm sunset	4005176524288	175.64
37 601 DL0	brushed warm sunset	4005176529023	175.64
37 601 A00	hard graphite	4005176528996	175.64
37 601 AL0	Brushed Hard Graphite	4005176529030	175.64






Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

GROHE
EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 425 000 **Chrome** **4005176993596** **184.64**

Eurodisc Joy
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 427 000 **Chrome** **4005176993619** **207.87**

Eurodisc Joy
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 428 000 **Chrome** **4005176993633** **312.38**

Eurodisc Joy
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE FeatherControl Joystick cartridge
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses






19 968 000 **Chrome** **4005176993657** **219.48**

Eurodisc Joy
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 429 000
without concealed body
metal lever
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 171 mm





19 969 000 **Chrome** **4005176993671** **237.96**


Eurodisc Joy
2-hole basin mixer
L-Size
wall mounted
set for final installation for
23 429 000
without concealed body
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
centre distance 110 mm
projection 226 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 429 000		4005176993695	242.71

Single-lever mixer 1/2", concealed body
for 2 hole basin mixer
without finishing trim set
GROHE FeatherControl Joystick cartridge
wall installation
installation device
DR-brass
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






24 036 000	Chrome	4005176993701	219.48


Eurodisc Joy
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
GROHE EcoJoy ball-joint mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses






23 430 000	Chrome	4005176993725	226.57

Eurodisc Joy
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE FeatherControl Joystick cartridge
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
protected against backflow






23 431 000	Chrome	4005176993749	231.09

Eurodisc Joy
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove Joystick cartridge
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow





24 055 002	Chrome	4005176465420	159.49

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000		4005176698774	136.05

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
EURODISC JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 056 002	**Chrome**	**4005176465437**	**174.58**





Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 051 002 **Chrome** **4005176887567** **103.35**

Eurodisc Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm






23 049 002 **Chrome** **4005176887536** **192.42**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses






33 190 20E **Chrome** **4005176887482** **196.27**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses






33 183 002 **Chrome** **4005176887499** **182.17**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 469 20E **Chrome** **4005176908835** **184.67**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 469 20L **Chrome** **4005176917110** **175.18**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE FastFixation Plus installation
system with centering support
GROHE StarLight chrome finish
mousseur
smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109






23 389 20E **Chrome** **4005176938412** **192.43**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






23 384 20E **Chrome** **4005176936722** **215.19**

Eurodisc Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy
saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation
system with centering support
pop-up waste set 1 1/4"
flexible connection hoses


23 382 20E **Chrome** **4005176936708** **184.67**
Ditto, with GROHE SilkMove ES

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**23 448 002**	**Chrome**	**4005176998744**	**196.27**


Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation Plus installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 449 002**	**Chrome**	**4005176998768**	**184.64**

Eurodisc Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
smooth body
flexible connection hoses

 	**23 054 003**	**Chrome**	**4005176472596**	**190.51**


Eurodisc Cosmopolitan
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation Plus installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter (46 375 000)


 	**23 432 000**	**Chrome**	**4005176993763**	**300.77**

Eurodisc Cosmopolitan
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation Plus installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 055 002 **Chrome** **4005176887680** **242.69**

Eurodisc Cosmopolitan
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)






19 573 002 **Chrome** **4005176887659** **219.50**

Eurodisc Cosmopolitan
2-hole basin mixer
M-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide NEW
centre distance 110 mm
projection 170 mm

19 974 002 **Chrome** **4005176305948** **231.09**
ditto, projection 225 mm






23 571 000 **4005176334276** **231.08**

Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






33 244 002 **Chrome** **4005176888779** **181.02**


Eurodisc Cosmopolitan
Bidet mixer 1/2“
S-Size
metal lever
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation Plus installation
system with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**33 569 002**	**Chrome**	**4005176887734**	**196.27**


Eurodisc Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)

 	**34 719 000**	**Chrome**	**4005176457654**	**394.73**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow

 	**33 192 002**	**Chrome**	**4005176887864**	**219.50**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)


 	**33 390 002**	**Chrome**	**4005176887796**	**219.50**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 718 000 **Chrome** **4005176457647** **434.82**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow






33 395 002 **Chrome** **4005176887802** **283.47**

Eurodisc Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance with DIN4109
with shower set
Consisting of:
hand shower euphoria 110 Champagne (27 222)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)





24 055 002 **Chrome** **4005176465420** **159.49**

Eurodisc Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 056 002 **Chrome** **4005176465437** **174.58**

Eurodisc Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 705 000 **Chrome** **4005176413285** **1,471.78**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)






13 278 002 **Chrome** **4005176887871** **103.33**

Eurodisc Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm







37 624 000 **Chrome** **4005176416095** **77.64**

Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)


GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 207 001**	**Chrome**	**4005176888878**	**102.92**


Concetto
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
union nut 1/2" x 10.5 mm
noise classification 1 in accordance
with DIN4109

 	**32 204 10E**	**Chrome**	**4005176887345**	**147.40**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses

 	**23 931 001**	**Chrome**	**4005176584015**	**134.11**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
noise classification 1 in accordance
with DIN4109

 	**23 060 001**	**Chrome**	**4005176888021**	**134.11**


Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 202 10L **Chrome** **4005176903960** **136.79**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 0.2 bar






32 240 10E **Chrome** **4005176906794** **136.79**

Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses






32 240 10L **Chrome** **4005176903977** **126.18**

Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
mousseur
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)






23 380 10E **Chrome** **4005176938245** **147.40**


Concetto
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

23 385 10E **Chrome** **4005176938269** **136.79**
Ditto, with GROHE SilkMove ES


GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 450 001	Chrome	4005176998775	158.00


Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

 	23 932 001	Chrome	4005176584022	144.50

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

 	23 451 001	Chrome	4005176998799	147.40

Concetto
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

 	23 739 002	Chrome	4005176472602	208.93


Concetto
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1.0 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 629 002	Chrome	4005176472619	179.21






Concetto
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)
min. recommended pressure 1.0 bar

23 920 001	Chrome	4005176583421	204.83






Concetto
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar

20 216 001	Chrome	4005176888373	232.22






Concetto
Three-hole basin mixer 1/2“
L-Size
ceramic headpart
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves

19 575 001	Chrome	4005176888366	189.81






Concetto
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
GROHE StarLight chrome finish
centre distance 110 mm
projection 147 mm

GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 571 000 | **4005176334276** | **231.08**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 208 001 | **Chrome** | **4005176888908** | **136.79**

Concetto
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses






32 210 001 | **Chrome** | **4005176888939** | **154.90**

Concetto
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109






34 765 000 | **Chrome** | **4005176612022** | **198.00**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 211 001	Chrome	4005176889028	179.21

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 766 000	Chrome	4005176612039	257.95

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 212 001	Chrome	4005176889035	211.02

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Consisting of:
Euphoria Cosmopolitan hand shower (27 400)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 700 001 **Chrome** **4005176887994** **165.30**

Concetto
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
noise classification 1 in accordance
with DIN4109






24 053 001 **Chrome** **4005176465406** **148.22**

Concetto
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 054 001 **Chrome** **4005176465413** **162.63**

Concetto
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 345 001 **Chrome** **4005176888953** **154.90**


Concetto
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 213 001	Chrome	4005176888960	154.90


Concetto
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 964 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1.0 bar

 	19 346 001	Chrome	4005176889080	168.60


Concetto
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered coupling

 	32 214 001	Chrome	4005176889097	175.69

Concetto
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 963 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter
min. recommended pressure 1.0 bar

 	25 102 000	Chrome	4005176881671	242.83

Concetto
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
recommended pressure 0.2-5.0 bar


 	25 109 000	Chrome	4005176881848	274.64

Concetto
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish

GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






19 576 002 **Chrome** **4005176429088** **728.49**

Concetto
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing
single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000






29 037 000 **4005176865749** **800.12**

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water
caps to cover screw fixations always come in chrome color






13 280 001 **Chrome** **4005176888687** **94.38**

Concetto
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2“






13 281 001 **Chrome** **4005176888694** **123.71**


Concetto
Bath spout with diverter
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2“

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 039 002	**Chrome**	4005176886881	91.75


Eurostyle Cosmopolitan
Pillar tap
XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
mousseur

 	23 037 002	**Chrome**	4005176886355	149.78

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses

 	23 387 20E	**Chrome**	4005176938382	126.56

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


 	33 552 20E	**Chrome**	4005176886300	126.56

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
noise classification 1 in accordance
with DIN4109

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 561 002 **Chrome** **4005176886379** **146.87**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109






32 468 20E **Chrome** **4005176906886** **126.55**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
smooth body
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 468 20L **Chrome** **4005176917097** **121.03**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur, smooth body
flexible connection hoses
for **low pressure**
min. recommended pressure 0.2 bar
optional temperature limiter (46 375 000)





23 374 20E **Chrome** **4005176936678** **126.56**

Eurostyle Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar


23 373 20E **Chrome** **4005176936661** **126.55**
Ditto, with GROHE SilkMove ES

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 043 003	Chrome	4005176472732	194.30






Eurostyle Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout
with stop restriction
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar

Ref. No.	Colour	EAN	Retail Guide Price (£)
20 208 002	Chrome	4005176886980	265.94






Eurostyle Cosmopolitan
3-hole basin mixer
S-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
pressure-proof, flexible connection hoses between middle-body and side valves

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 571 002	Chrome	4005176886973	231.10






Eurostyle Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 171 mm

Ref. No.	EAN	Retail Guide Price (£)
23 571 000	4005176334276	231.08






Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 565 002 **Chrome** **4005176887000** **126.56**

Eurostyle Cosmopolitan
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






33 590 002 **Chrome** **4005176887048** **138.17**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2"
integrated non-return valve, S-unions
protected against backflow
optional temperature limiter (46 308 000)






32 229 002 **Chrome** **4005176887055** **137.76**

Eurostyle Cosmopolitan
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791
noise classification 1 in accordance
with DIN4109





34 765 000 **Chrome** **4005176612022** **198.00**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)






33 614 002 **Chrome** **4005176887208** **204.14**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)






33 591 002 **Chrome** **4005176887123** **158.25**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)






34 766 000 **Chrome** **4005176612039** **257.95**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






33 592 20A **Chrome** **4005176454288** **213.66**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 051 002 **Chrome** **4005176465383** **156.08**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 052 002 **Chrome** **4005176465390** **171.48**

Eurostyle Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






19 507 002 **Chrome** **4005176887079** **161.39**

Eurostyle Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






19 506 002 **Chrome** **4005176887185** **161.40**

Eurostyle Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing







23 048 003 **Chrome** **4005176429132** **869.81**

Eurostyle Cosmopolitan
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
pre-assembled spout fixing, single lever mixer operating element
diverter bath/shower
Euphoria Cosmopolitan hand shower 6.6 l/min
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
can be used with 29 037 000


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 037 000**		**4005176865749**	**800.12**
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			
 	**13 276 002**	**Chrome**	**4005176887246**	**103.35**
	Eurostyle Cosmopolitan Bath spout wall mounted **GROHE StarLight** chrome finish mousseur male thread 1/2" projection 170 mm			


GROHE
EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 558 003**	**Chrome**	**4005176334139**	**126.58**
	33 558 LS3	**moon white**	**4005176335686**	**171.88**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 929 003**	**Chrome**	**4005176583995**	**120.89**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses

	**23 707 003**	**Chrome**	**4005176364778**	**114.96**
	23 707 LS3	**moon white**	**4005176364785**	**161.40**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	**23 564 003**	**Chrome**	**4005176334146**	**124.94**



Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses


	**23 708 003**	**Chrome**	**4005176364990**	**109.16**




Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 374 003 23 374 LS3	Chrome moon white	4005176334153 4005176334450	126.58 173.04


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 709 003 23 709 LS3	Chrome moon white	4005176365003 4005176365010	114.96 149.78

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 930 003	Chrome	4005176584008	120.89

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 561 003	Chrome	4005176334160	126.58

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation rapid installation system
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses

GROHE
EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






33 557 003 **Chrome** **4005176334184** **114.96**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
retractable chain
flexible connection hoses






32 468 003 **Chrome** **4005176334207** **114.96**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses






23 715 003 **Chrome** **4005176365065** **103.36**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses






23 567 003 **Chrome** **4005176334214** **126.58**

Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses






23 716 003 **Chrome** **4005176365072** **149.79**


Eurostyle
Basin mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 717 30L	Chrome	4005176365089	103.36


Eurostyle
Basin mixer 1/2“
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation rapid installation system
mousseur for low pressure
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar

 	23 569 003	Chrome	4005176334238	219.49
	23 569 LS3	moon white	4005176334467	242.52

Eurostyle
Single-lever basin mixer 1/2“
L-Size
monobloc installation
loop metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“
flexible connection hoses

 	23 718 003	Chrome	4005176365096	196.27
	23 718 LS3	moon white	4005176365102	231.09

Eurostyle
Single-lever basin mixer 1/2“
L-Size
monobloc installation
solid metal lever
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
swivel cast spout
swivel area 360°
pop-up waste set 1 1/4“


 	23 570 003	Chrome	4005176334245	242.71
	23 570 LS3	moon white	4005176334474	289.17

Eurostyle
Basin mixer 1/2“
XL-Size
monobloc installation
loop metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 719 003	Chrome	4005176365119	231.11
23 719 LS3	moon white	4005176365126	265.94






Eurostyle
Basin mixer 1/2"
XL-Size
monobloc installation
solid metal lever
for free-standing basins
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses

19 571 003	Chrome	4005176334269	231.11
19 571 LS3	moon white	4005176334498	289.17






Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
loop metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm

29 097 003	Chrome	4005176365133	214.18
29 097 LS3	moon white	4005176365140	282.42






Eurostyle
2-hole basin mixer
M-Size
wall mounted
without concealed body
set for final installation for
23 571 000
metal escutcheon
solid metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 203 mm

23 571 000		4005176334276	231.08






Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

33 565 003	Chrome	4005176334283	103.35
33 565 LS3	moon white	4005176334504	174.20







Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 720 003	Chrome	4005176365157	114.96
	23 720 LS3	moon white	4005176365164	161.39


Eurostyle
Bidet mixer 1/2"
S-Size
monobloc installation
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

 	33 590 003	Chrome	4005176334306	173.05
	33 590 LS3	moon white	4005176334511	184.64

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

 	23 722 003	Chrome	4005176365188	173.07
	23 722 LS3	moon white	4005176365195	173.04

Eurostyle
Single-lever shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow


 	34 143 003	Chrome	4005176309618	231.82

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 591 003	**Chrome**	**4005176334351**	**184.64**
33 591 LS3	**moon white**	**4005176334535**	**231.09**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow

23 726 003	**Chrome**	**4005176365256**	**173.05**
23 726 LS3	**moon white**	**4005176365263**	**231.07**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
solid metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
protected against backflow

34 155 003	**Chrome**	**4005176310027**	**287.27**






Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

33 592 30A	**Chrome**	**4005176456497**	**200.07**






Eurostyle
Single-lever bath/shower mixer 1/2"
wall mounted
loop metal lever
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
shower outlet 1/2" with integrated non-return valve
covered S-unions
metal wall escutcheons
protected against backflow
with shower set Tempesta
Consisting of:
hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 048 003	**Chrome**	**4005176465345**	**142.90**
24 048 LS3	**moon white**	**4005176465352**	**185.76**





Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 046 003	**Chrome**	**4005176465307**	**136.30**
24 046 LS3	**moon white**	**4005176465314**	**176.98**





Eurostyle
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 049 003	**Chrome**	**4005176465369**	**157.19**
24 049 LS3	**moon white**	**4005176465376**	**204.47**





Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

---

24 047 003	**Chrome**	**4005176465321**	**150.59**
24 047 LS3	**moon white**	**4005176465338**	**194.56**





Eurostyle
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE EUROSTYLE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 507 003	**Chrome**	**4005176334337**	**126.57**
19 507 LS3	**moon white**	**4005176334528**	**176.38**






Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
loop metal lever
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

29 098 003	**Chrome**	**4005176365225**	**126.56**
29 098 LS3	**moon white**	**4005176365232**	**170.08**






Eurostyle
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
solid metal lever
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
escutcheon- and shaft-sealing
metal wall escutcheon

33 635 003	**Chrome**	**4005176334344**	**154.33**






Eurostyle
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
Consisting of:
compatible with
(19 507 003)
with concealed body
adjustable flow rate limiter
loop metal lever
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)

23 725 003	**Chrome**	**4005176365249**	**161.43**






Eurostyle
Single-lever shower mixer 1/2"
wall installation
Consisting of:
compatible with
(19 507 003)
with concealed body
solid metal lever
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
metal wall escutcheon
escutcheon- and shaft-sealing
GROHE FastFixation covered fixing
optional temperature limiter (46 308 000)

19 506 003	**Chrome**	**4005176334399**	**149.80**
19 506 LS3	**moon white**	**4005176334542**	**196.26**








Eurostyle
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
GROHE StarLight chrome finish
GROHE FastFixation covered fixing
automatic diverter: bath/shower
escutcheon- and shaft-sealing
metal wall escutcheon

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 099 003** **29 099 LS3**	**Chrome** **moon white**	**4005176365300** **4005176365317**	**149.79** **184.40**
	Eurostyle **Single-lever bath/shower mixer trim** set for final installation for 33 961 000, 33 963 000, 33 965 000 **without concealed body** solid metal lever **GROHE StarLight** chrome finish GROHE FastFixation covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing			
 	**33 637 003**	**Chrome**	**4005176334405**	**205.54**
	Eurostyle **Single-lever bath/shower mixer 1/2"** wall installation **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower loop metal lever escutcheon- and shaft-sealing metal wall escutcheon optional temperature limiter (46 308 000)			
 	**23 730 003**	**Chrome**	**4005176365324**	**173.04**
	Eurostyle **Single-lever bath/shower mixer 1/2"** wall installation **GROHE SilkMove** 46 mm ceramic cartridge **GROHE StarLight** chrome finish GROHE FastFixation covered fixing Consisting of: compatible with (19 506 003) with concealed body adjustable flow rate limiter automatic diverter: bath/shower solid metal lever optional temperature limiter (46 308 000) metal wall escutcheons			

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 825 00E **Chrome** **4005176874628** **120.89**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation, metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar






32 825 000 **Chrome** **4005176874611** **120.89**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter (46 375 000)






32 955 000 **Chrome** **4005176880117** **109.81**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
flow straightener
pop-up waste set 1 1/4"
flexible connection hoses
for use with displacement water heater
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109





23 925 000 **Chrome** **4005176583353** **113.32**


Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
GROHE EcoJoy mousseur 5.7 l/min
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 825 00L **Chrome** **4005176917028** **120.09**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
pop-up waste set 1 1/4"
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)






32 827 00E **Chrome** **4005176906565** **120.89**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
retractable chain
flexible connection hoses
noise classification 1 in accordance
with DIN4109






32 824 000 **Chrome** **4005176874604** **109.81**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)






32 824 00L **Chrome** **4005176917035** **109.81**

Eurosmart Cosmopolitan
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
adjustable minimum flow rate 2.5 l/min
GROHE FastFixation installation system
with centering support
mousseur
smooth body
flexible connection hoses
for **low pressure**
recommended pressure 0.2 - 5.0 bar
optional temperature limiter (46 375 000)

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 377 00E **Chrome** **4005176936630** **120.89**

Eurosmart Cosmopolitan
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
pop-up waste set 1 1/4“
flexible connection hoses
min. recommended pressure 1.0 bar






23 378 00E **Chrome** **4005176936647** **107.65**

Eurosmart Cosmopolitan
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
retractable chain
flexible connection hoses






23 376 00E **Chrome** **4005176936623** **115.35**

Eurosmart Cosmopolitan
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
smooth body
flexible connection hoses





23 927 000 **Chrome** **4005176583377** **129.39**


Eurosmart Cosmopolitan
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system with centering support
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 325 000 **Chrome** **4005176933974** **131.98**

Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses
optional temperature limiter (46 375 000)






23 926 000 **Chrome** **4005176583360** **129.39**

Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar
optional temperature limiter (46 375 000)






23 327 000 **Chrome** **4005176934094** **120.89**
23 327 KW0 **supermatt black** **4005176565205** **158.00**

Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation rapid installation system
smooth body
flexible connection hoses
optional temperature limiter (46 375 000)





23 396 00E **Chrome** **4005176938504** **131.99**


Eurosmart Cosmopolitan
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
GROHE StarLight chrome finish
temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
with centering support
pop-up waste set 1 1/4"
flexible connection hoses
min. recommended pressure 1.0 bar

23 928 000 **Chrome** **4005176583384** **118.52**
ditto, smooth body with push-open pop-up waste set 1 1/4"

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 830 001 **Chrome** **4005176472749** **152.65**

Eurosmart Cosmopolitan
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
covered lever fixing
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
mousseur
swivel tubular spout with stop limiter
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)

23 933 001 **Chrome** **4005176584039** **149.65**
ditto, smooth body with push-open pop-up waste set 1 1/4“






23 921 000 **Chrome** **4005176583438** **173.95**

Eurosmart Cosmopolitan
Basin mixer 1/2“
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
rapid installation system
smooth body
flexible connection hoses
min. recommended pressure 1.0 bar





36 327 001 **Chrome** **4005176305771** **350.63**


Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2“ with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






20 187 000 **Chrome** **4005176874680** **209.63**

Eurosmart Cosmopolitan
Three-hole basin mixer 1/2“
S-Size
metal lever
ceramic headparts 1/2“, 90°
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
spout with mousseur
pop-up waste set 1 1/4“
pressure-proof, flexible connection hoses
between spout and side valves
union nut with 10.5-mm drilling






19 381 000 **Chrome** **4005176874673** **187.45**

Eurosmart Cosmopolitan
2-hole basin mixer
S-Size
wall mounted
set for final installation for
23 571 000
without concealed body
metal escutcheon
metal lever
GROHE StarLight chrome finish
GROHE AquaGuide adjustable mousseur
centre distance 110 mm
projection 170 mm






23 571 000 **4005176334276** **231.08**

Single-lever mixer 1/2“, universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 839 000 **Chrome** **4005176874802** **109.81**

Eurosmart Cosmopolitan
Bidet mixer 1/2“
S-Size
monobloc installation
metal lever
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation installation system
with centering support
ball-joint mousseur
pop-up waste set 1 1/4“
flexible connection hoses
optional temperature limiter (46 375 000)

32 840 000 **Chrome** **4005176874819** **97.87**
ditto, with retractable chain





32 837 000 **Chrome** **4005176874772** **129.39**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2“
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2“ with
integrated non return-valve
S-unions
optional temperature limiter (46 308 000)
protected against backflow

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






18 349 000 **4005176874796** **27.18**

Eurosmart Cosmopolitan
Plastic tray
for 32 837 000






34 765 000 **Chrome** **4005176612022** **198.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






32 836 000 **Chrome** **4005176874758** **151.14**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
monobloc installation
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
flexible connection hoses
protected against backflow
optional temperature limiter (46 308 000)
Qualitel E1/E3C2A2U3 applied for





32 831 000 **Chrome** **4005176874703** **154.17**


Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted, metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur, integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 766 000 **Chrome** **4005176612039** **257.95**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 767 000 **Chrome** **4005176612046** **192.97**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow






32 833 000 **Chrome** **4005176874727** **123.96**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
46 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter ref. no. 08 791

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 832 000 **Chrome** **4005176874710** **176.35**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
protected against backflow
optional temperature limiter (46 308 000)
with shower set
Euphoria Cosmopolitan hand shower (27 367)
wall shower holder (27 056)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)






25 128 000 **Chrome** **4005176905209** **209.63**

Eurosmart Cosmopolitan
Two-handled Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar






25 129 000 **Chrome** **4005176905216** **254.00**

Eurosmart Cosmopolitan
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
automatic diverter: bath/shower
integrated non-return valve
in the shower outlet 1/2"
GROHE StarLight chrome finish
min. recommended pressure 0.2 bar





24 044 000 **Chrome** **4005176465185** **135.44**

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set


35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 045 000 **Chrome** **4005176465291** **149.08**

Eurosmart Cosmopolitan
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






25 219 001 **Chrome** **4005176466373** **428.35**

Eurosmart Cosmopolitan
Perfect shower set with Tempesta 210
Consisting of:
Eurosmart Cosmopolitan set for final installation with
automatic diverter bath / shower (24 045)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II 9.5 l/min (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






19 383 000 **Chrome** **4005176874765** **109.81**

Eurosmart Cosmopolitan
Single-lever shower mixer trim
set for final installation for
33 961 000, 33 962 000, 33 963 000, 33 964 000,
33 965 000, 33 966 000, 35 501 000
without concealed body
metal lever
GROHE StarLight chrome finish
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






32 880 000 **Chrome** **4005176877360** **143.08**

Eurosmart Cosmopolitan
Single-lever shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 962 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
metal lever
escutcheon- and shaft-sealing
metal escutcheon
screwed
optional temperature limiter

GROHE
EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






19 382 000 **Chrome** **4005176874697** **131.98**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer trim
set for final installation for
33 961 000, 33 963 000, 33 965 000
without concealed body
metal lever
GROHE StarLight chrome finish
automatic diverter: bath/shower
escutcheon- and shaft-sealing
wall escutcheon
covered fixing






32 879 000 **Chrome** **4005176877353** **140.27**

Eurosmart Cosmopolitan
Single-lever bath/shower mixer 1/2"
wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
Consisting of:
set for final installation
concealed body
33 961 000
adjustable flow rate limiter
adjustable minimum flow rate 2.5 l/min
automatic diverter: bath/shower
metal lever
metal wall escutcheon
screwed
optional temperature limiter (46 308 000)






13 261 000 **Chrome** **4005176877384** **87.62**

Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 170 mm





13 262 000 **Chrome** **4005176877391** **96.77**


Eurosmart Cosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
automatic diverter: bath/shower
male thread 1/2"
projection 170 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






33 265 003 **Chrome** **4005176613197** **98.71**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
pop-up waste set 1 1/4“
professional edition






33 265 30L **Chrome** **4005176644269** **98.71**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
mousseur
for **low pressure**
min. recommended pressure 0.2 bar
professional edition






23 456 003 **Chrome** **4005176613272** **96.50**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
adjustable flow rate limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
hybrid pop-up waste set 1 1/4“
professional edition






23 922 003 **Chrome** **4005176613227** **98.69**

Eurosmart
Basin mixer 1/2“
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 188 003 **Chrome** **4005176613203** **87.62**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






32 467 003 **Chrome** **4005176613210** **87.62**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






32 467 30L **Chrome** **4005176644276** **87.62**

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
mousseur
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
min. recommended pressure 0.2 bar
for **low pressure**
professional edition






32 926 003 **Chrome** **4005176613234** **98.71**


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4"
lift rod in lateral position
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 924 003	Chrome	4005176613265	99.82


Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4"
flexible connection hoses
professional edition

 	23 372 003	Chrome	4005176613241	96.50

Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition

 	32 154 003	Chrome	4005176613258	99.82


Eurosmart
Basin mixer 1/2"
S-Size
metal lever
monobloc installation
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition

 	23 965 003	Chrome	4005176611544	99.82

Eurosmart
Basin mixer 1/2"
S-Size
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
adjustable flow rate limiter
monobloc installation
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition


GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 968 003**	**Chrome**	**4005176611575**	**99.82**




Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
smooth body with push-open pop-up waste set 1 1/4"
professional edition

	**23 967 003**	**Chrome**	**4005176611568**	**87.62**




Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
smooth body
professional edition

	**23 969 003**	**Chrome**	**4005176613180**	**99.82**



Eurosmart
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	**23 322 003**	**Chrome**	**4005176613302**	**109.81**




Eurosmart
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 923 003 **Chrome** **4005176613333** **109.81**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition






23 323 003 **Chrome** **4005176613319** **109.81**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE EcoJoy mousseur 5.7 l/min
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
flexible connection hoses
retractable chain
professional edition






23 324 003 **Chrome** **4005176613326** **98.71**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






23 393 30E **Chrome** **4005176613340** **109.81**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
pop-up waste set 1 1/4“
flexible connection hoses
professional edition

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 394 30E **Chrome** **4005176613364** **98.71**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
retractable chain
flexible connection hoses
professional edition






23 395 30E **Chrome** **4005176613357** **98.71**

Eurosmart
Basin mixer 1/2“
M-Size
monobloc installation
metal lever
GROHE SilkMove ES 28 mm ceramic cartridge
with energy saving function via cold start
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






23 537 003 **Chrome** **4005176613395** **150.28**

Eurosmart
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
pop-up waste set 1 1/4“
flexible connection hoses
professional edition





23 970 003 **Chrome** **4005176613418** **150.28**


Eurosmart
Single-lever basin mixer 1/2“
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
smooth body with push-open pop-up waste set 1 1/4“
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 743 003 **Chrome** **4005176613401** **144.56**

Eurosmart
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE FastFixation installation system
swivel tubular spout
retractable chain
flexible connection hoses
professional edition






23 971 003 **Chrome** **4005176613425** **202.87**

Eurosmart
Basin mixer 1/2"
XL-Size
for free-standing basins
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE FastFixation installation system
smooth body
flexible connection hoses
professional edition






23 571 000 **4005176334276** **231.08**

Single-lever mixer 1/2", universal concealed body
for 2 hole basin mixer
wall installation
without finishing trim set
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
spout can be positioned on the right or left
DR-brass
installation device
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






32 929 003 **Chrome** **4005176613623** **95.97**

Eurosmart
Bidet mixer 1/2"
S-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE FastFixation installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 555 003	**Chrome**	**4005176613562**	**98.71**






Eurosmart
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow
professional edition

33 300 003	**Chrome**	**4005176613456**	**118.02**






Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
professional edition

33 302 003	**Chrome**	**4005176613470**	**150.96**






Eurosmart
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE SilkMove 35 mm ceramic cartridge
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
integrated non-return valve
in the shower outlet 1/2"
S-unions
metal wall escutcheons
protected against backflow
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
professional edition

33 303 003	**Chrome**	**4005176613524**	**198.53**






Eurosmart
Single-lever bath/shower mixer 1/2"
deck mounted
metal lever
35 mm ceramic cartridge with
Eco-Override-Stop, with **GROHE SilkMove**
adjustable flow rate limiter
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
mousseur
shower outlet 1/2"
integrated non-return valve
in the shower outlet 1/2"
pillar unions
protected against backflow
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






25 098 003 **Chrome** **4005176644290** **199.99**

Eurosmart
Two-handled Bath filler 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
professional edition






25 105 003 **Chrome** **4005176644306** **229.99**

Eurosmart
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
professional edition






24 042 003 **Chrome** **4005176613616** **131.92**

Eurosmart
Single-lever shower mixer trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
flow performance:
outlet B or C = 30 l/min
without roughing-in-set
professional edition

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 043 003 **Chrome** **4005176613548** **145.33**


Eurosmart
Single-lever mixer with 2-way diverter
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
metal lever
automatic 2-way diverter
flow performance:
outlet B = 27 l/min, outlet C = 27 l/min
without roughing-in-set
professional edition

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation


GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 556 003	Chrome	4005176613609	136.49

Eurosmart
Single-lever shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 451 003)
with concealed body
adjustable flow rate limiter
escutcheon- and shaft-sealing
metal wall escutcheon
optional temperature limiter (46 308 000)
professional edition

 	33 305 003	Chrome	4005176613531	151.65

Eurosmart
Single-lever bath/shower mixer 1/2"
wall installation
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE FastFixation escutcheon with covered fixation
Consisting of:
set for final installation (19 450 003)
with concealed body
adjustable flow rate limiter
automatic diverter: bath/shower
metal escutcheon
escutcheon- and shaft-sealing
optional temperature limiter (46 308 000)
professional edition

 	13 448 003	Chrome	4005176613555	94.08


Eurosmart
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
male thread 1/2"
projection 171 mm
min. recommended pressure 1.0 bar
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






20 421 001 **Chrome** **4005176556173** **51.96**

BauEdge
Pillar tap 1/2" XS-Size
monobloc installation
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
professional edition






20 421 10M **Chrome** **4005176556180** **103.83**

BauEdge
Basin tap 1/2"
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
2 pieces
fixation nut G 1/2"
min. recommended pressure 0.2 bar






23 328 001 **Chrome** **4005176556241** **72.11**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 895 001 **Chrome** **4005176554902** **72.11**
ditto, smooth body with push open waste set






23 330 001 **Chrome** **4005176556302** **67.87**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 559 001 **Chrome** **4005176556326** **75.21**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 899 001 **Chrome** **4005176555022** **75.21**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 894 001 **Chrome** **4005176554896** **72.11**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition





23 896 001 **Chrome** **4005176554919** **72.11**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition



23 972 001 **Chrome** **4005176634451** **68.99**


BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
mousseur
for **low pressure**
GROHE Zero isolated inner water ways - lead and nickel free within the tap
rapid installation system
flexible connection hoses
crimp unions included

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAUEDGE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 757 001 **Chrome** **4005176556340** **100.98**

BauEdge
Basin mixer 1/2"
S-Size
monobloc installation
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
with shower set consisting of
hand shower with integrated diverter
wall shower holder
shower hose
shower hose 1500 mm
professional edition






23 758 001 **Chrome** **4005176556364** **91.20**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

23 901 001 **Chrome** **4005176555084** **91.20**
ditto, smooth body with push open waste set






23 904 001 **Chrome** **4005176555114** **91.20**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 759 001 **Chrome** **4005176556388** **91.20**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAUEDGE

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 908 001 **Chrome** **4005176555176** **91.20**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 902 001 **Chrome** **4005176555091** **91.20**

BauEdge
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 760 001 **Chrome** **4005176556418** **103.93**

BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition






23 911 001 **Chrome** **4005176555237** **103.93**


BauEdge
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUEDGE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 761 001	Chrome	4005176556449	123.02






BauEdge
Basin mixer 1/2"
XL-Size
for free-standing basins
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 451 000	Chrome	4005176473678	243.28






Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 331 001	Chrome	4005176556494	72.11






BauEdge
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition


Ref. No.	Colour	EAN	Retail Guide Price (£)
23 635 001	Chrome	4005176556524	72.49






BauEdge
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition


GROHE
BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 078 001**	**Chrome**	**4005176556555**	**119.99**


BauEdge
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

 	**23 604 001**	**Chrome**	**4005176556593**	**94.99**


BauEdge
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

 	**25 246 001**	**Chrome**	**4005176674228**	**199.99**

BauEdge
Two-handled Bath/Shower mixer 1/2"
deck mounted
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar
with shower set
Tempesta Cosmopolitan hand shower (26 130)
Tempesta shower holder (27 595)
Relexaflex shower hose 1500 mm (28 161)

 	**29 079 001**	**Chrome**	**4005176556692**	**131.87**




BauEdge
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

 	**25 216 001**	**Chrome**	**4005176556654**	**139.99**

BauEdge
Two-handled Bath filler 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAUEDGE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		25 217 001	**Chrome**	4005176556661	169.99
		BauEdge **Two-handled Bath/Shower mixer 1/2"** deck mounted Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve **GROHE StarLight** chrome finish **Min. recommended pressure 0.5 bar**			
		13 255 001	**Chrome**	4005176556722	71.96
		BauCosmopolitan **Bath spout** wall mounted **GROHE StarLight** chrome finish mousseur projection 171 mm male thread 1/2"			
		22 009 001	**Chrome**	4005176556227	21.35
		BauEdge **Angle valve 1/2"** Outlet thread 1/2" headpart 3/8" **GROHE StarLight** chrome finish			


GROHE
BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**20 422 001**	**Chrome**	**4005176529504**	**51.96**




BauLoop
Pillar tap 1/2" XS-Size
monobloc installation
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"
professional edition

	**23 335 001**	**Chrome**	**4005176529566**	**83.78**



BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition


	**23 878 001**	**Chrome**	**4005176554032**	**83.78**



BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 337 001	**Chrome**	**4005176555725**	**67.87**
ditto, without plastic push open waste set 1 1/4"			

	**22 054 001**	**Chrome**	**4005176554162**	**72.80**




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 883 001**	**Chrome**	**4005176554179**	**72.80**




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

	**23 877 001**	**Chrome**	**4005176554025**	**83.78**




BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	**23 879 001**	**Chrome**	**4005176554049**	**83.78**



BauLoop
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE LowFlow mousseur 3.5 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition


	**23 762 001**	**Chrome**	**4005176555763**	**91.20**



BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

GROHE
BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**23 886 001**	**Chrome**	**4005176554247**	**91.20**




BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition

23 917 001	**Chrome**	**4005176555787**	**91.20**


ditto, without pplastic push open waste set 1 1/4"

	**23 887 001**	**Chrome**	**4005176554254**	**91.20**




BauLoop
Basin mixer 1/2"
M-Size
monobloc installation
metal lever
GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	**23 885 001**	**Chrome**	**4005176554216**	**91.20**



BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition

	**23 763 001**	**Chrome**	**4005176555800**	**103.93**




All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAULOOP


	Ref. No.	Colour	EAN	Retail Guide Price (£)






23 891 001 **Chrome** **4005176554322** **103.93**

BauLoop
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
smooth body with plastic push open waste set 1 1/4"
flexible connection hoses
professional edition






23 764 001 **Chrome** **4005176555848** **123.02**

BauLoop
Basin mixer 1/2"
XL-Size
for free-standing basins
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses
professional edition






23 338 001 **Chrome** **4005176555893** **94.38**

BauLoop
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
with ball joint
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses
professional edition







23 633 001 **Chrome** **4005176555923** **72.49**

BauLoop
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition


GROHE
BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**29 080 001**	**Chrome**	**4005176555961**	**119.99**


BauLoop
Single-lever shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

 	**23 602 001**	**Chrome**	**4005176556029**	**94.99**


BauLoop
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
protected against backflow
S-unions
metal wall escutcheon
professional edition

 	**29 081 001**	**Chrome**	**4005176556081**	**131.87**

BauLoop
Single-lever bath/shower mixer 1/2"
concealed installation
Consisting of:
set for final installation
metal lever
concealed body
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
escutcheon- and shaft-sealing
optional temperature limiter (46 375 000)
professional edition

 	**25 231 001**	**Chrome**	**4005176554599**	**139.99**


BauLoop
Two-handled Bath filler 1/2"
deck mounted
Ceramic valves 3/4", 90°
GROHE StarLight chrome finish

 	**25 232 001**	**Chrome**	**4005176554605**	**169.99**

BauLoop
Two-handled Bath/Shower mixer 1/2"
deck mounted
metal lever
Ceramic valves 3/4", 90°
automatic diverter, lockable: bath/shower
integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAULOOP


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 255 001**	**Chrome**	**4005176556722**	**71.96**

BauCosmopolitan
Bath spout
wall mounted
GROHE StarLight chrome finish
mousseur
projection 171 mm
male thread 1/2"


GROHE
BAUFLOW

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**20 575 000**	**Chrome**	**4005176388422**	**55.94**


BauFlow
Pillar tap 1/2" XS-Size
monobloc installation
metal lever
ceramic headpart
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
fixation nut G 1/2"

		**23 751 000**	**Chrome**	**4005176388149**	**77.64**


BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
plastic pop-up waste set 1 1/4"
flexible connection hoses

		**23 752 000**	**Chrome**	**4005176388156**	**73.07**

BauFlow
Basin mixer 1/2"
S-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
smooth body
flexible connection hoses

		**23 753 000**	**Chrome**	**4005176388163**	**111.91**

BauFlow
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
swivel tubular spout
plastic pop-up waste set 1 1/4"
flexible connection hoses

		**23 754 000**	**Chrome**	**4005176388170**	**101.61**


BauFlow
Bidet mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
with ball joint
pop-up waste set 1 1/4"
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE BAUFLOW

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 755 000 **Chrome** **4005176388187** **78.78**

BauFlow
Single-lever shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow






34 558 000 **Chrome** **4005176310089** **198.53**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






23 756 000 **Chrome** **4005176388392** **90.20**

BauFlow
Single-lever bath/shower mixer 1/2"
wall mounted
metal lever
GROHE Longlife 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
automatic diverter: bath/shower
spout with mousseur
shower bottom outlet 1/2" with
integrated non return-valve
S-unions
metal wall escutcheons
protected against backflow










34 567 000 **Chrome** **4005176310157** **254.00**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 0.2 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
COSTA L


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		20 404 001	Chrome	4005176842986	55.77
		Costa L **Basin tap 1/2"** metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish			
		20 186 001	Chrome	4005176874437	67.17
		Costa L **Basin tap 1/2"** metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish			
		20 393 001	Chrome	4005176842993	74.01
		Costa L **Basin tap 1/2"** metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish			
		21 390 001	Chrome	4005176843006	149.80
		Costa L **Basin mixer, 1/2"** metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish			
		21 375 001	Chrome	4005176843037	101.32
		Costa L **Basin mixer, 1/2"** metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)






26 330 001 **Chrome** **4005176843112** **85.39**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
S-unions
GROHE StarLight chrome finish






26 308 001 **Chrome** **4005176843129** **101.33**

Costa L
Shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower connection 1/2"
without connection unions for wall mounting
GROHE StarLight chrome finish






25 450 001 **Chrome** **4005176843372** **135.47**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish






25 452 001 **Chrome** **4005176843075** **126.82**

Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
shower top outlet 3/4"
automatic diverter: bath/shower
mousseur
S-unions
GROHE StarLight chrome finish











25 460 10A **Chrome** **4005176456541** **158.24**



Costa L
Bath / shower mixer 1/2"
wall mounted
metal handles
heat-insulated
screwable
Longlife-headpart
automatic diverter: bath/shower
mousseur
S-unions
with shower set
Consisting of:
hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923)
wall shower holder (28 605)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish

GROHE
COSTA L




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 540 000**	**Chrome**	**4005176005411**	**106.93**
	Bath spout 3/4“ wall mounted flow straightener female thread 3/4“ projection 140 mm **GROHE StarLight** chrome finish			
 	**30 098 001**	**Chrome**	**4005176843266**	**33.01**
	Costa L **Bibtap 1/2“** wall mounted metal handle heat-insulated screwable marking: blue (cold) **GROHE StarLight** finish mousseur Longlife-headparts			
 	**30 008 001**	**Chrome**	**4005176843242**	**33.01**
	Costa L **Stop cock** wall mounted heat-insulated metal handle screwable marking: blue (cold) Longlife-headpart **GROHE StarLight** chrome finish pipe-ventilating valve			
 	**19 808 001**	**Chrome**	**4005176843204**	**21.63**
	Costa L **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2“, 3/4“ installation depth adjustable 20-80 mm escutcheon with wall sealing screwable metal handle heat-insulated marking: blue (cold) **GROHE StarLight** chrome finish			
	19 809 001	**Chrome**	**4005176853876**	**22.06**
	ditto, marking red			
 	**35 028 000**		**4005176908316**	**138.17**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4“ connection threads 1/2“ installation depth 70 - 95 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA L






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 800 000		4005176504839	31.32
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853	52.93
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	29 805 000		4005176504884	88.89
	ditto, 1", pre-assembled headpart 1", thread union 1"			
 	29 801 000		4005176504846	25.81
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	41.05
	ditto, soldered connection Ø 22 mm			

GROHE
UNIVERSAL

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		20 201 000	**Chrome**	4005176883354	110.31
		Universal pillar tap 1/2" C-spout flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart union nut 1/2" with 10.5 mm drilling **GROHE StarLight** chrome finish projection 113 mm			
		20 205 000	**Chrome**	4005176883682	80.14
		Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" **GROHE StarLight** chrome finish projection 106 mm			
		20 203 000	**Chrome**	4005176883378	97.53
		Universal wall-mounted tap DN15 flow rate: 6 l/min at 3 bar flow pressure flow-stop mousseur ceramic disk headpart connection thread 1/2" **GROHE StarLight** chrome finish projection 185 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 952 000	Chrome	4005176174230	50.60
	19 952 DC0	supersteel	4005176467776	63.42
	19 952 EN0	brushed nickel	4005176468100	260.94
	19 952 A00	hard graphite	4005176352874	124.75
	19 952 AL0	Brushed Hard Graphite	4005176353376	137.23
	Talentofill **Inlet-, pop-up and waste-system** set for final installation escutcheon supply part waste plug fixing set **in combination with Talentofill** **28 990 000/28 991 000**			
 	28 990 000		4005176174025	137.50
	Talentofill **Inlet-, pop-up and waste-system** for normal baths **without finishing trim set** with bottle trap and 45°-outlet-bend			
 	28 991 000		4005176174032	195.76
	Talentofill **Inlet-, pop-up and waste-system** for baths with waste up to 370 mm reach **without finishing trim set**			
 	28 993 000		4005176174056	96.80
	Talentofill **Connection set 3/4"** with 1.5 m-flexible connection pipe **without finishing trim set**			
 	28 995 000		4005176175725	274.34
	Talentofill **Connection set 3/4"** with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			

GROHE
TALENTOFILL

Ref. No.	Colour	EAN	Retail Guide Price (£)






19 954 000 **Chrome** **4005176175732** **21.49**

Talentofill
Escutcheon
for connection set 28 995
GROHE StarLight chrome finish






14 055 000 **4005176413520** **166.24**

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination
with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox:
Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats,
single-lever mixers






19 025 000 **Chrome** **4005176209154** **56.33**

Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish






28 939 000 **4005176209161** **86.40**

Talento
Pop-up bath waste and overflow
set for normal bath
and deep shower trays
with bowden cable
without finishing trim set
bottle trap
45° waste elbow





28 943 000 **4005176209178** **97.34**


Talento
Pop-up bath waste and overflow
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 027 000	Chrome	4005176576836	51.95
41 027 DC0	supersteel	4005176576843	73.15
41 027 BE0	polished nickel	4005176576850	78.45
41 027 EN0	brushed nickel	4005176576867	83.75
41 027 GL0	cool sunrise	4005176576874	78.45
41 027 GN0	brushed cool sunrise	4005176576881	83.75
41 027 DA0	warm sunset	4005176576898	78.45
41 027 DL0	brushed warm sunset	4005176576904	83.75
41 027 A00	hard graphite	4005176576911	78.45
41 027 AL0	Brushed Hard Graphite	4005176576928	83.75






Selection
Glass/soap dish holder
material: metal
for Selection soap dispenser (41 028) or Selection glass (41 029 000)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 028 000	Chrome	4005176576942	51.95
41 028 DC0	supersteel	4005176576959	73.15
41 028 BE0	polished nickel	4005176576966	78.45
41 028 EN0	brushed nickel	4005176576973	83.75
41 028 GL0	cool sunrise	4005176576980	78.45
41 028 GN0	brushed cool sunrise	4005176576997	83.75
41 028 DA0	warm sunset	4005176577000	78.45
41 028 DL0	brushed warm sunset	4005176577017	83.75
41 028 A00	hard graphite	4005176577024	78.45
41 028 AL0	Brushed Hard Graphite	4005176577031	83.75






Selection
Soap dispenser
material: glass / metal
filling quantity 120 ml
fits in the following holder:
41 027
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 029 000	Chrome	4005176577055	25.44






Selection
White glass
material: glass
fits in the following holder:
41 027

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 035 000	Chrome	4005176577062	58.31
41 035 DC0	supersteel	4005176577079	81.63
41 035 BE0	polished nickel	4005176577086	87.99
41 035 EN0	brushed nickel	4005176577093	93.30
41 035 GL0	cool sunrise	4005176577109	87.99
41 035 GN0	brushed cool sunrise	4005176577116	93.30
41 035 DA0	warm sunset	4005176577123	87.99
41 035 DL0	brushed warm sunset	4005176577130	93.30
41 035 A00	hard graphite	4005176577147	87.99
41 035 AL0	Brushed Hard Graphite	4005176577154	93.30






Selection
Towel ring
material: metal
holder for soap dish (41 036) and shower tray (41 037)
length 200 mm
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 036 000	**glass clear**	**4005176577178**	**33.93**






Selection
Soap dish without holder
material: glass
for use with towel ring (41 035)

41 037 000		**4005176577185**	**14.84**






Selection
Shower tray without holder
material: plastic
for use with towel ring (41 035)

41 038 000	**Chrome**	**4005176577192**	**68.91**
41 038 DC0	**supersteel**	**4005176577208**	**96.48**
41 038 BE0	**polished nickel**	**4005176577215**	**102.84**
41 038 EN0	**brushed nickel**	**4005176577222**	**110.26**
41 038 GL0	**cool sunrise**	**4005176577239**	**102.84**
41 038 GN0	**brushed cool sunrise**	**4005176577246**	**110.26**
41 038 DA0	**warm sunset**	**4005176577253**	**102.84**
41 038 DL0	**brushed warm sunset**	**4005176577260**	**110.26**
41 038 A00	**hard graphite**	**4005176577277**	**102.84**
41 038 AL0	**Brushed Hard Graphite**	**4005176577284**	**110.26**






Selection
Corner shower tray with holder
material: metal/plastic
concealed fastening
GROHE StarLight chrome finish

41 039 000	**Chrome**	**4005176577307**	**19.08**
41 039 DC0	**supersteel**	**4005176577314**	**26.50**
41 039 BE0	**polished nickel**	**4005176577321**	**28.62**
41 039 EN0	**brushed nickel**	**4005176577338**	**30.75**
41 039 GL0	**cool sunrise**	**4005176577345**	**28.62**
41 039 GN0	**brushed cool sunrise**	**4005176577352**	**30.75**
41 039 DA0	**warm sunset**	**4005176577369**	**28.62**
41 039 DL0	**brushed warm sunset**	**4005176577376**	**30.75**
41 039 A00	**hard graphite**	**4005176577383**	**28.62**
41 039 AL0	**Brushed Hard Graphite**	**4005176577390**	**30.75**






Selection
Single robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

41 049 000	**Chrome**	**4005176577413**	**31.81**
41 049 DC0	**supersteel**	**4005176577420**	**44.53**
41 049 BE0	**polished nickel**	**4005176577437**	**46.65**
41 049 EN0	**brushed nickel**	**4005176577444**	**49.83**
41 049 GL0	**cool sunrise**	**4005176577451**	**46.65**
41 049 GN0	**brushed cool sunrise**	**4005176577468**	**49.83**
41 049 DA0	**warm sunset**	**4005176577475**	**46.65**
41 049 DL0	**brushed warm sunset**	**4005176577482**	**49.83**
41 049 A00	**hard graphite**	**4005176577499**	**46.65**
41 049 AL0	**Brushed Hard Graphite**	**4005176577505**	**49.83**






Selection
Double robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 056 000	Chrome	4005176577529	83.75
41 056 DC0	supersteel	4005176577536	116.62
41 056 BE0	polished nickel	4005176577543	125.10
41 056 EN0	brushed nickel	4005176577550	133.58
41 056 GL0	cool sunrise	4005176577567	125.10
41 056 GN0	brushed cool sunrise	4005176577574	133.58
41 056 DA0	warm sunset	4005176577581	125.10
41 056 DL0	brushed warm sunset	4005176577598	133.58
41 056 A00	hard graphite	4005176577604	125.10
41 056 AL0	Brushed Hard Graphite	4005176577611	133.58






Selection
Towel rail
material: metal
length 600 mm
concealed fastening
for use with glass shelf (41 057)
GROHE StarLight chrome finish

41 057 000	Chrome	4005176577635	97.54






Selection
Glass shelf
material: glass
for use with towel rail (41 056)

41 058 000	Chrome	4005176577642	108.14
41 058 DC0	supersteel	4005176577659	151.61
41 058 BE0	polished nickel	4005176577666	162.21
41 058 EN0	brushed nickel	4005176577673	172.81
41 058 GL0	cool sunrise	4005176577680	162.21
41 058 GN0	brushed cool sunrise	4005176577697	172.81
41 058 DA0	warm sunset	4005176577703	162.21
41 058 DL0	brushed warm sunset	4005176577710	172.81
41 058 A00	hard graphite	4005176577727	162.21
41 058 AL0	Brushed Hard Graphite	4005176577734	172.81






Selection
Towel rail
material: metal
length 800 mm
concealed fastening
GROHE StarLight chrome finish

41 059 000	Chrome	4005176577758	114.50
41 059 DC0	supersteel	4005176577765	160.09
41 059 BE0	polished nickel	4005176577772	171.75
41 059 EN0	brushed nickel	4005176577789	183.41
41 059 GL0	cool sunrise	4005176577796	171.75
41 059 GN0	brushed cool sunrise	4005176577802	183.41
41 059 DA0	warm sunset	4005176577819	171.75
41 059 DL0	brushed warm sunset	4005176577826	183.41
41 059 A00	hard graphite	4005176577833	171.75
41 059 AL0	Brushed Hard Graphite	4005176577840	183.41






Selection
Towel holder, non pivotable
material: metal
depth 411 mm (functional depth 360 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 063 000	Chrome	4005176577864	93.30
41 063 DC0	supersteel	4005176577871	131.46
41 063 BE0	polished nickel	4005176577888	139.94
41 063 EN0	brushed nickel	4005176577895	149.49
41 063 GL0	cool sunrise	4005176577901	139.94
41 063 GN0	brushed cool sunrise	4005176577918	149.49
41 063 DA0	warm sunset	4005176577925	139.94
41 063 DL0	brushed warm sunset	4005176577932	149.49
41 063 A00	hard graphite	4005176577949	139.94
41 063 AL0	Brushed Hard Graphite	4005176577956	149.49






Selection
Towel holder, pivotable
material: metal
depth 441 mm (functional depth 400 mm)
two arms
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 064 000	Chrome	4005176577970	64.67
41 064 DC0	supersteel	4005176577987	90.12
41 064 BE0	polished nickel	4005176577994	96.48
41 064 EN0	brushed nickel	4005176578007	102.84
41 064 GL0	cool sunrise	4005176578014	96.48
41 064 GN0	brushed cool sunrise	4005176578021	102.84
41 064 DA0	warm sunset	4005176578038	96.48
41 064 DL0	brushed warm sunset	4005176578045	102.84
41 064 A00	hard graphite	4005176578052	96.48
41 064 AL0	Brushed Hard Graphite	4005176578069	102.84






Selection
Grip bar
material: metal
length 336 mm (functional length 300 mm)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 066 000	Chrome	4005176578083	229.00
41 066 DC0	supersteel	4005176578090	320.17
41 066 BE0	polished nickel	4005176578106	342.44
41 066 EN0	brushed nickel	4005176578113	365.76
41 066 GL0	cool sunrise	4005176578120	342.44
41 066 GN0	brushed cool sunrise	4005176578137	365.76
41 066 DA0	warm sunset	4005176578144	342.44
41 066 DL0	brushed warm sunset	4005176578151	365.76
41 066 A00	hard graphite	4005176578168	342.44
41 066 AL0	Brushed Hard Graphite	4005176578175	365.76






Selection
Multi-towel rack
material: metal
length 596 mm
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 067 000	Chrome	4005176578199	51.95
41 067 DC0	supersteel	4005176578205	73.15
41 067 BE0	polished nickel	4005176578212	78.45
41 067 EN0	brushed nickel	4005176578229	83.75
41 067 GL0	cool sunrise	4005176578236	78.45
41 067 GN0	brushed cool sunrise	4005176578243	83.75
41 067 DA0	warm sunset	4005176578250	78.45
41 067 DL0	brushed warm sunset	4005176578267	83.75
41 067 A00	hard graphite	4005176578274	78.45
41 067 AL0	Brushed Hard Graphite	4005176578281	83.75






Selection
Spare toilet paper holder (2 rolls)
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SELECTION






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 068 000	Chrome	4005176578304	42.41
41 068 DC0	supersteel	4005176578311	58.31
41 068 BE0	polished nickel	4005176578328	62.55
41 068 EN0	brushed nickel	4005176578335	66.79
41 068 GL0	cool sunrise	4005176578342	62.55
41 068 GN0	brushed cool sunrise	4005176578359	66.79
41 068 DA0	warm sunset	4005176578366	62.55
41 068 DL0	brushed warm sunset	4005176578373	66.79
41 068 A00	hard graphite	4005176578380	62.55
41 068 AL0	Brushed Hard Graphite	4005176578397	66.79

Selection
Toilet roll holder
without cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 069 000	Chrome	4005176578410	83.75
41 069 DC0	supersteel	4005176578427	116.62
41 069 BE0	polished nickel	4005176578434	125.10
41 069 EN0	brushed nickel	4005176578441	133.58
41 069 GL0	cool sunrise	4005176578458	125.10
41 069 GN0	brushed cool sunrise	4005176578465	133.58
41 069 DA0	warm sunset	4005176578472	125.10
41 069 DL0	brushed warm sunset	4005176578489	133.58
41 069 A00	hard graphite	4005176578496	125.10
41 069 AL0	Brushed Hard Graphite	4005176578502	133.58

Selection
Toilet roll holder
with cover
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 076 000	Chrome	4005176578526	103.90
41 076 DC0	supersteel	4005176578533	145.24
41 076 BE0	polished nickel	4005176578540	155.85
41 076 EN0	brushed nickel	4005176578557	166.45
41 076 GL0	cool sunrise	4005176578564	155.85
41 076 GN0	brushed cool sunrise	4005176578571	166.45
41 076 DA0	warm sunset	4005176578588	155.85
41 076 DL0	brushed warm sunset	4005176578595	166.45
41 076 A00	hard graphite	4005176578601	155.85
41 076 AL0	Brushed Hard Graphite	4005176578618	166.45

Selection
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	white	4005176323409	4.86
40 791 KS1	velvet black	4005176336379	4.86

Spare Brush Head






Ref. No.	Colour	EAN	Retail Guide Price (£)
41 077 000	Chrome	4005176578632	155.85
41 077 DC0	supersteel	4005176578649	218.40
41 077 BE0	polished nickel	4005176578656	233.24
41 077 EN0	brushed nickel	4005176578663	249.14
41 077 GL0	cool sunrise	4005176578670	233.24
41 077 GN0	brushed cool sunrise	4005176578687	249.14
41 077 DA0	warm sunset	4005176575587	233.24
41 077 DL0	brushed warm sunset	4005176578694	249.14
41 077 A00	hard graphite	4005176578700	233.24
41 077 AL0	Brushed Hard Graphite	4005176578717	249.14

Selection
Shaving mirror
material: glass / metal
without lights
magnification: x 7
concealed fastening
GROHE StarLight chrome finish

GROHE
SELECTION CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 865 000 **Chrome** **4005176378140** **34.44**

Selection Cube
Glass/soap dish holder
material: metal
for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000)
concealed fastening
GROHE StarLight chrome finish






40 805 000 **Chrome** **4005176347924** **42.84**

Selection Cube
Soap dispenser
material: glass / metal
filling quantity 300 ml
fits in the following holder:
Selection Cube (40 865 000)
GROHE StarLight finish






40 806 000 **Glass Matt** **4005176347931** **28.71**

Selection Cube
Soap dish
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 783 000 **4005176347894** **22.96**

Selection Cube
Glass
material: glass
fits in the following holder:
Selection Cube (40 865 000)






40 766 000 **Chrome** **4005176347849** **48.58**

Selection Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight finish






40 768 000 **Chrome** **4005176347863** **136.93**


Selection Cube
Double towel bar
material: metal
2 arms, pivotable
400 mm
concealed fastening
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	92.75


Selection Cube
Towel rail
500 mm (functional length 459 mm)
material: metal
concealed fastening
GROHE StarLight chrome finish

 	40 804 000	Chrome	4005176347917	255.32


Selection Cube
Multi bath towel rack
material: metal
600 mm (functional length 575 mm)
concealed fastening
GROHE StarLight finish

 	40 782 000	Chrome	4005176347887	25.61


Selection Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight finish

 	40 807 000	Chrome	4005176347948	141.35

Selection Cube
Grip bar/towel bar
material: metal
600 mm (functional length 548 mm)
concealed fastening
GROHE StarLight finish

 	40 781 000	Chrome	4005176347870	74.64

Selection Cube
Toilet roll holder
material: metal
concealed fastening
with cover
GROHE StarLight finish


 	40 784 000	Chrome	4005176347900	34.44

Selection Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight finish

GROHE
SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 857 000	**Chrome**	4005176378393	101.59

Selection Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight finish






40 809 000	**Chrome**	4005176347962	101.59

Selection Cube
Soap wire basket
material: metal
for corner installation
GROHE StarLight finish





40 808 000	**Chrome**	4005176347955	128.10


Selection Cube
Shaving mirror
material: glass / metal
wall mounted
concealed fastening
magnification: x 3
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 369 001	Chrome	4005176326196	19.43
40 369 DC1	supersteel	4005176412462	27.38
40 369 BE1	polished nickel	4005176430176	29.14
40 369 EN1	brushed nickel	4005176326202	31.36
40 369 GL1	cool sunrise	4005176429422	29.14
40 369 GN1	brushed cool sunrise	4005176429873	31.36
40 369 DA1	warm sunset	4005176428975	29.14
40 369 DL1	brushed warm sunset	4005176430022	31.36
40 369 A01	hard graphite	4005176429576	29.14
40 369 AL1	Brushed Hard Graphite	4005176429729	31.36






Essentials
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 394 001	Chrome	4005176326233	15.89
40 394 DC1	supersteel	4005176421532	22.52
40 394 BE1	polished nickel	4005176430183	23.84
40 394 EN1	brushed nickel	4005176412646	25.61
40 394 GL1	cool sunrise	4005176429439	23.84
40 394 GN1	brushed cool sunrise	4005176429880	25.61
40 394 DA1	warm sunset	4005176428982	23.84
40 394 DL1	brushed warm sunset	4005176430039	25.61
40 394 A01	hard graphite	4005176429583	23.84
40 394 AL1	Brushed Hard Graphite	4005176429736	25.61






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	glass clear	4005176326219	5.38






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		4005176326226	6.44






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 448 001	**Chrome**	**4005176328343**	**36.21**
40 448 DC1	**supersteel**	**4005176413155**	**50.80**
40 448 EN1	**brushed nickel**	**4005176335525**	**57.87**






Essentials
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 369 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 444 001	**Chrome**	**4005176328336**	**24.73**
40 444 DC1	**supersteel**	**4005176413148**	**34.89**
40 444 EN1	**brushed nickel**	**4005176335501**	**39.74**






Essentials
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 369 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 447 001	**Chrome**	**4005176328701**	**24.29**
40 447 DC1	**supersteel**	**4005176413162**	**34.01**
40 447 EN1	**brushed nickel**	**4005176335518**	**38.42**






Essentials
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 369 001)
Glass cup (40 372 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 365 001	**Chrome**	**4005176326240**	**19.43**
40 365 DC1	**supersteel**	**4005176412431**	**27.38**
40 365 BE1	**polished nickel**	**4005176430121**	**29.14**
40 365 EN1	**brushed nickel**	**4005176326257**	**31.36**
40 365 GL1	**cool sunrise**	**4005176429378**	**29.14**
40 365 GN1	**brushed cool sunrise**	**4005176429828**	**31.36**
40 365 DA1	**warm sunset**	**4005176428920**	**29.14**
40 365 DL1	**brushed warm sunset**	**4005176429972**	**31.36**
40 365 A01	**hard graphite**	**4005176429521**	**29.14**
40 365 AL1	**Brushed Hard Graphite**	**4005176429675**	**31.36**






Essentials
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 371 001	Chrome	4005176326318	34.44
40 371 DC1	supersteel	4005176412479	48.58
40 371 BE1	polished nickel	4005176430138	51.67
40 371 EN1	brushed nickel	4005176430268	55.21
40 371 GL1	cool sunrise	4005176429385	51.67
40 371 GN1	brushed cool sunrise	4005176429835	55.21
40 371 DA1	warm sunset	4005176428937	51.67
40 371 DL1	brushed warm sunset	4005176429989	55.21
40 371 A01	hard graphite	4005176429538	51.67
40 371 AL1	Brushed Hard Graphite	4005176429682	55.21






Essentials
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 688 001	Chrome	4005176326288	28.26
40 688 DC1	supersteel	4005176413124	39.74
40 688 BE1	polished nickel	4005176430145	42.40
40 688 EN1	brushed nickel	4005176326295	45.50
40 688 GL1	cool sunrise	4005176429392	42.40
40 688 GN1	brushed cool sunrise	4005176429842	45.50
40 688 DA1	warm sunset	4005176428944	42.40
40 688 DL1	brushed warm sunset	4005176429996	45.50
40 688 A01	hard graphite	4005176429545	42.40
40 688 AL1	Brushed Hard Graphite	4005176429699	45.50






Essentials
Towel rail
material: metal
504 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 366 001	Chrome	4005176326264	30.91
40 366 DC1	supersteel	4005176412448	43.28
40 366 BE1	polished nickel	4005176430152	46.37
40 366 EN1	brushed nickel	4005176326271	49.47
40 366 GL1	cool sunrise	4005176429408	46.37
40 366 GN1	brushed cool sunrise	4005176429859	49.47
40 366 DA1	warm sunset	4005176428951	46.37
40 366 DL1	brushed warm sunset	4005176430008	49.47
40 366 A01	hard graphite	4005176429552	46.37
40 366 AL1	Brushed Hard Graphite	4005176429705	49.47






Essentials
Towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 386 001	Chrome	4005176326301	38.87
40 386 BE1	polished nickel	4005176430169	58.30
40 386 EN1	brushed nickel	4005176430275	62.27
40 386 GL1	cool sunrise	4005176429415	58.30
40 386 GN1	brushed cool sunrise	4005176429866	62.27
40 386 DA1	warm sunset	4005176428968	58.30
40 386 DL1	brushed warm sunset	4005176430015	62.27
40 386 A01	hard graphite	4005176429569	58.30
40 386 AL1	Brushed Hard Graphite	4005176429712	62.27






Essentials
Towel rail
material: metal
854 mm (useable length 800 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 802 001	Chrome	4005176328107	53.00
40 802 BE1	polished nickel	4005176430251	79.95
40 802 EN1	brushed nickel	4005176430329	85.25
40 802 GL1	cool sunrise	4005176429507	79.95
40 802 GN1	brushed cool sunrise	4005176429958	85.25
40 802 DA1	warm sunset	4005176429354	79.95
40 802 DL1	brushed warm sunset	4005176430107	85.25
40 802 A01	hard graphite	4005176429651	79.95
40 802 AL1	Brushed Hard Graphite	4005176429804	85.25






Essentials
Double towel rail
material: metal
654 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 800 001	Chrome	4005176327988	106.01
40 800 DC1	supersteel	4005176413223	145.76
40 800 BE1	polished nickel	4005176430244	154.60
40 800 EN1	brushed nickel	4005176430312	167.86
40 800 GL1	cool sunrise	4005176429491	154.60
40 800 GN1	brushed cool sunrise	4005176429941	167.86
40 800 DA1	warm sunset	4005176429347	154.60
40 800 DL1	brushed warm sunset	4005176430091	167.86
40 800 A01	hard graphite	4005176429644	154.60
40 800 AL1	Brushed Hard Graphite	4005176429798	167.86






Essentials
Multi bath towel rack
material: metal
604 mm (useable length 550 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 364 001	Chrome	4005176326332	10.59
40 364 BE1	polished nickel	4005176430114	15.89
40 364 EN1	brushed nickel	4005176326349	17.22
40 364 GL1	cool sunrise	4005176429361	15.89
40 364 GN1	brushed cool sunrise	4005176429811	17.22
40 364 DA1	warm sunset	4005176428913	15.89
40 364 DL1	brushed warm sunset	4005176429965	17.22
40 364 A01	hard graphite	4005176429514	15.89
40 364 AL1	Brushed Hard Graphite	4005176429668	17.22






Essentials
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 421 001	Chrome	4005176326325	30.91
40 421 DC1	supersteel	4005176413117	43.28
40 421 BE1	polished nickel	4005176430237	46.37
40 421 EN1	brushed nickel	4005176430305	49.47
40 421 GL1	cool sunrise	4005176429484	46.37
40 421 GN1	brushed cool sunrise	4005176429934	49.47
40 421 DA1	warm sunset	4005176429330	46.37
40 421 DL1	brushed warm sunset	4005176430084	49.47
40 421 A01	hard graphite	4005176429637	46.37
40 421 AL1	Brushed Hard Graphite	4005176429781	49.47






Essentials
Grip bar
material: metal
349 mm (useable length 295 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 793 001	**Chrome**	**4005176327599**	**44.17**
40 793 DC1	**supersteel**	**4005176413230**	**61.84**






Essentials
Grip bar
material: metal
507 mm (useable length 450 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 794 001	**Chrome**	**4005176327605**	**53.00**
40 794 DC1	**supersteel**	**4005176413247**	**74.20**






Essentials
Grip bar
material: metal
657 mm (useable length 600 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 797 001	**Chrome**	**4005176327636**	**136.93**






Essentials
Grip bar
material: metal
737 x 997 mm (useable length 680 x 940 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)

40 799 001	**Chrome**	**4005176327971**	**35.34**
40 799 DC1	**supersteel**	**4005176413216**	**49.47**






Essentials
Glass shelf
material: glass / metal
530 mm (useable length 380 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 689 001	**Chrome**	**4005176326363**	**22.96**
40 689 DC1	**supersteel**	**4005176413131**	**32.24**
40 689 BE1	**polished nickel**	**4005176430213**	**34.44**
40 689 EN1	**brushed nickel**	**4005176326370**	**36.66**
40 689 GL1	**cool sunrise**	**4005176429460**	**34.44**
40 689 GN1	**brushed cool sunrise**	**4005176429910**	**36.66**
40 689 DA1	**warm sunset**	**4005176429316**	**34.44**
40 689 DL1	**brushed warm sunset**	**4005176430060**	**36.66**
40 689 A01	**hard graphite**	**4005176429613**	**34.44**
40 689 AL1	**Brushed Hard Graphite**	**4005176429767**	**36.66**






Essentials
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 367 001	Chrome	4005176326387	25.61
40 367 DC1	supersteel	4005176412455	35.77
40 367 BE1	polished nickel	4005176430220	38.42
40 367 EN1	brushed nickel	4005176326394	41.07
40 367 GL1	cool sunrise	4005176429477	38.42
40 367 GN1	brushed cool sunrise	4005176429927	41.07
40 367 DA1	warm sunset	4005176429323	38.42
40 367 DL1	brushed warm sunset	4005176430077	41.07
40 367 A01	hard graphite	4005176429620	38.42
40 367 AL1	Brushed Hard Graphite	4005176429774	41.07






Essentials
Toilet roll holder
material: metal
with cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 385 001	Chrome	4005176326356	19.43
40 385 DC1	supersteel	4005176413094	27.38
40 385 BE1	polished nickel	4005176430206	29.14
40 385 EN1	brushed nickel	4005176430299	31.36
40 385 GL1	cool sunrise	4005176429453	29.14
40 385 GN1	brushed cool sunrise	4005176429903	31.36
40 385 DA1	warm sunset	4005176429309	29.14
40 385 DL1	brushed warm sunset	4005176430053	31.36
40 385 A01	hard graphite	4005176429606	29.14
40 385 AL1	Brushed Hard Graphite	4005176429750	31.36






Essentials
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 374 001	Chrome	4005176326400	31.80
40 374 DC1	supersteel	4005176412486	44.61
40 374 BE1	polished nickel	4005176430190	47.70
40 374 EN1	brushed nickel	4005176430282	51.24
40 374 GL1	cool sunrise	4005176429446	47.70
40 374 GN1	brushed cool sunrise	4005176429897	51.24
40 374 DA1	warm sunset	4005176429293	47.70
40 374 DL1	brushed warm sunset	4005176430046	51.24
40 374 A01	hard graphite	4005176429590	47.70
40 374 AL1	Brushed Hard Graphite	4005176429743	51.24






Essentials
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	4005176323409	4.86
40 791 KS1	velvet black	4005176336379	4.86

Spare Brush Head

40 663 001	Chrome	4005176327834	44.13






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENTIALS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 664 001	**Chrome**	**4005176327841**	**35.57**






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

40 407 001	**Chrome**	**4005176328350**	**61.40**
40 407 DC1	**supersteel**	**4005176413179**	**86.13**






Essentials
3-in-1 WC set
material: glass / metal
Consisting of:
toilet brush set (40 374 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 775 001	**Chrome**	**4005176328626**	**60.51**
40 775 DC1	**supersteel**	**4005176413186**	**84.80**
40 775 EN1	**brushed nickel**	**4005176324765**	**97.18**






Essentials
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 776 001	**Chrome**	**4005176328633**	**78.18**
40 776 DC1	**supersteel**	**4005176413193**	**110.42**






Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
towel ring (40 365 001)
robe hook (40 364 001)
toilet paper holder (40 367 001)
towel rail, 600 mm (40 366 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 846 001	**Chrome**	**4005176344091**	**97.18**






Essentials
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
soap dispenser with holder (40 448 001)
crystal glass with holder (40 447 001)
double towel bar (40 371 001), suitable for screwing only (including screws and dowels)
robe hook (40 364 001)
concealed fastening
GROHE StarLight finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE
ESSENTIALS






Ref. No.	Colour	EAN	Retail Guide Price (£)
40 344 001	**Chrome**	**4005176323461**	**97.18**
40 344 DC1	**supersteel**	**4005176413209**	**136.93**


Essentials
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
towel ring (40 365 001)
towel rail, 600 mm (40 366 001)
robe hook (40 364 001)
paper holder with cover (40 367 001)
soap dish with holder (40 444 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 508 001	Chrome	4005176324413	25.61
40 508 DC1	supersteel	4005176636554	46.65
40 508 AL1	Brushed Hard Graphite	4005176636653	53.01






Essentials Cube
Glass/soap dish holder
material: metal
for crystal glass (40 372 001)
soap dish (40 368 001) or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 394 001	Chrome	4005176326233	15.89
40 394 DC1	supersteel	4005176421532	22.52
40 394 AL1	Brushed Hard Graphite	4005176429736	25.61






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 368 001	glass clear	4005176326219	5.38






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 372 001		4005176326226	6.44






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 756 001	Chrome	4005176328381	41.51






Essentials Cube
Soap dispenser with holder
material: glass / metal
filling quantity 160 ml
Consisting of:
holder (40 508 001)
soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 755 001	Chrome	4005176328374	30.91






Essentials Cube
Crystal glass with holder
material: glass / metal
Consisting of:
holder (40 508 001)
crystal glass (40 372 001)
concealed fastening
GROHE StarLight chrome finish

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 754 001	**Chrome**	**4005176328367**	**31.36**






Essentials Cube
Soap dish with holder
material: glass / metal
Consisting of:
holder (40 508 001)
soap dish (40 368 001)
concealed fastening
GROHE StarLight chrome finish

40 510 001	**Chrome**	**4005176324420**	**35.34**
40 510 DC1	**supersteel**	**4005176636172**	**63.61**
40 510 AL1	**Brushed Hard Graphite**	**4005176636578**	**73.15**






Essentials Cube
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 624 001	**Chrome**	**4005176324444**	**49.91**
40 624 DC1	**supersteel**	**4005176636486**	**89.06**
40 624 AL1	**Brushed Hard Graphite**	**4005176636585**	**101.78**






Essentials Cube
Towel bar
material: metal
2 arms, pivotable
439 mm
concealed fastening
GROHE StarLight chrome finish

40 509 001	**Chrome**	**4005176324437**	**39.31**
40 509 DC1	**supersteel**	**4005176636493**	**71.03**






Essentials Cube
Towel rail
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 512 001	**Chrome**	**4005176324451**	**128.10**
40 512 AL1	**Brushed Hard Graphite**	**4005176636608**	**263.98**






Essentials Cube
Multi-towel rack
material: metal
600 mm (useable length 558 mm)
concealed fastening
GROHE StarLight chrome finish

40 511 001	**Chrome**	**4005176324475**	**15.01**
40 511 DC1	**supersteel**	**4005176636516**	**27.56**
40 511 AL1	**Brushed Hard Graphite**	**4005176636615**	**30.75**






Essentials Cube
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 514 001	**Chrome**	**4005176324468**	**53.00**
40 514 DC1	**supersteel**	**4005176636523**	**95.42**
40 514 AL1	**Brushed Hard Graphite**	**4005176636622**	**109.20**






Essentials Cube
Grip bar
material: metal
392 mm (useable length 340 mm)
concealed fastening
GROHE StarLight chrome finish

40 507 001	**Chrome**	**4005176324598**	**29.59**
40 507 DC1	**supersteel**	**4005176636530**	**54.07**
40 507 AL1	**Brushed Hard Graphite**	**4005176636639**	**61.49**






Essentials Cube
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

40 623 001	**Chrome**	**4005176324482**	**24.73**
40 623 DC1	**supersteel**	**4005176636547**	**44.53**
40 623 AL1	**Brushed Hard Graphite**	**4005176636646**	**50.89**






Essentials Cube
Spare toilet paper holder
material: metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 513 001	**Chrome**	**4005176324604**	**51.67**
40 513 DC1	**supersteel**	**4005176636165**	**92.24**
40 513 AL1	**Brushed Hard Graphite**	**4005176636561**	**104.96**






Essentials Cube
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**4005176323409**	**4.86**
40 791 KS1	**velvet black**	**4005176336379**	**4.86**

Spare Brush Head


40 757 001	**Chrome**	**4005176328497**	**86.57**







Essentials Cube
3-in-1 WC set
material: glass / metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
toilet brush (40 513 001)
concealed fastening
GROHE StarLight chrome finish


GROHE
ESSENTIALS CUBE

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**40 777 001**	**Chrome**	**4005176328640**	**75.53**


Essentials Cube
3-in-1 Guest bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish

		**40 778 001**	**Chrome**	**4005176328657**	**106.01**

Essentials Cube
4-in-1 Master bathroom accessories set
material: metal
Consisting of:
robe hook (40 511 001)
towel ring (40 510 001)
toilet paper holder (40 507 001)
towel rail, 558 mm (40 509 001)
concealed fastening
GROHE StarLight chrome finish

		**40 847 001**	**Chrome**	**4005176344107**	**123.68**


Essentials Cube
4-in-1 Bathroom accessories set
material: glass / metal
Consisting of:
soap dispenser with holder (40 756 001)
crystal glass with holder (40 755 001)
double towel bar (40 624 001)
robe hook (40 511 001)
concealed fastening
GROHE StarLight finish

		**40 758 001**	**Chrome**	**4005176328503**	**132.51**


Essentials Cube
Master bathroom accessories set 5-in-1
material: glass / metal
Consisting of:
soap dish with holder (40 754 001)
towel rail, 558 mm (40 509 001)
toilet paper holder (40 507 001)
robe hook (40 511 001)
towel ring (40 510 001)
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 585 001	Chrome	4005176327797	15.76


BauCosmopolitan
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

 	40 394 001	Chrome	4005176326233	15.89


Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

 	40 368 001	glass clear	4005176326219	5.38


Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

 	40 372 001		4005176326226	6.44

Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

 	40 460 001	Chrome	4005176327803	15.76

BauCosmopolitan
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)


 	40 459 001	Chrome	4005176327810	22.51

BauCosmopolitan
Towel rail
material: metal
522 mm (useable length 430 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






40 462 001	**Chrome**	**4005176327827**	**83.30**

BauCosmopolitan
Multi-towel rack
material: metal
564 mm (useable length 510 mm)
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels)






40 461 001	**Chrome**	**4005176327858**	**9.45**

BauCosmopolitan
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 457 001	**Chrome**	**4005176327865**	**19.81**

BauCosmopolitan
Toilet Roll Holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)






40 463 001	**Chrome**	**4005176327872**	**25.66**

BauCosmopolitan
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish
suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	**white**	**4005176323409**	**4.86**
40 791 KS1	**velvet black**	**4005176336379**	**4.86**

Spare Brush Head





40 663 001	**Chrome**	**4005176327834**	**44.13**


BauCosmopolitan
Soap wire basket
material: metal
for corner installation
large
suitable for screwing (including screws and dowels)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAUCOSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 664 001	**Chrome**	**4005176327841**	**35.57**






BauCosmopolitan
Soap wire basket
material: metal
for corner installation
small
suitable for screwing (including screws and dowels)

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 652 001	**Chrome**	**4005176324321**	**19.43**
40 652 EN1	**brushed nickel**	**4005176324239**	**31.36**






Essentials Authentic
Glass/soap dish holder
material: metal
for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001)
concealed fastening
GROHE StarLight chrome finish

40 394 001	**Chrome**	**4005176326233**	**15.89**
40 394 EN1	**brushed nickel**	**4005176412646**	**25.61**






Essentials
Soap dispenser
material: glass / metal
filling quantity 160 ml
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	**glass clear**	**4005176326219**	**5.38**






Essentials
Soap dish
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 372 001		**4005176326226**	**6.44**






Essentials
Crystal glass
material: glass
fits in the following holders:
Essentials (40 369 xx1)
Essentials Cube (40 508 000)
Bau Cosmopolitan (40 585)
Essentials Authentic (40 652)

40 655 001	**Chrome**	**4005176324338**	**19.43**
40 655 EN1	**brushed nickel**	**4005176324246**	**31.36**






Essentials Authentic
Towel ring
material: metal
concealed fastening
GROHE StarLight chrome finish

40 653 001	**Chrome**	**4005176324345**	**30.91**
40 653 EN1	**brushed nickel**	**4005176324253**	**49.47**







Essentials Authentic
Towel rail
material: metal
626 mm (useable length 582 mm)
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 654 001	**Chrome**	**4005176324352**	**53.00**
40 654 EN1	**brushed nickel**	**4005176324260**	**85.25**






Essentials Authentic
Double towel rail
material: metal
626 mm (useable length 582 mm)
concealed fastening
GROHE StarLight chrome finish

40 660 001	**Chrome**	**4005176324369**	**106.01**
40 660 EN1	**brushed nickel**	**4005176324277**	**167.86**






Essentials Authentic
Multi-towel rack
material: metal
586 mm (useable length 542 mm)
concealed fastening
GROHE StarLight chrome finish

40 656 001	**Chrome**	**4005176324383**	**10.59**
40 656 EN1	**brushed nickel**	**4005176324291**	**17.22**






Essentials Authentic
Robe hook
material: metal
concealed fastening
GROHE StarLight chrome finish

40 657 001	**Chrome**	**4005176324390**	**22.96**
40 657 EN1	**brushed nickel**	**4005176324307**	**36.66**






Essentials Authentic
Toilet roll holder
material: metal
without cover
concealed fastening
GROHE StarLight chrome finish

40 658 001	**Chrome**	**4005176324406**	**31.80**
40 658 EN1	**brushed nickel**	**4005176324314**	**51.24**







Essentials Authentic
Toilet brush set
material: glass / metal
wall mounted
concealed fastening
GROHE StarLight chrome finish

40 791 001	**white**	**4005176323409**	**4.86**
40 791 KS1	**velvet black**	**4005176336379**	**4.86**

Spare Brush Head

GROHE
ESSENTIALS AUTHENTIC





Ref. No.	Colour	EAN	Retail Guide Price (£)
40 659 001	**Chrome**	**4005176324376**	**34.89**
40 659 EN1	**brushed nickel**	**4005176324284**	**55.64**

Essentials Authentic
Corner Basket, small
material: metal
concealed fastening
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)

GROHTHERM
THERMOSTATS





CONTENTS

Grohtherm SmartControl	241
Grohtherm 2 handle trim sets	253
Grohtherm 2000	259
Grohtherm Cube	265
Grohtherm 1000 Cosmopolitan 3/4“	269
Grohtherm 1000	270
Grohtherm 1000 Performance	273
Grohtherm 800 Cosmopolitan	276
Grohtherm 800	279

SAFETY NOTE

Avoiding scalding
For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremly important that the outlet temperature of the water can be limited to a maximum of 43 °C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 °C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE
TURBOSTAT



ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.





Exceptionally swift reaction to water-pressure fluctuations.



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE
COOLTOUCH



SAFETY FIRST WITH 100 % GROHE COOLTOUCH.

GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.







Safety surround = 100% GROHE CoolTouch
No risk of scalding



Safety housing with water cooling



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

THE NOT-SO-HIDDEN BENEFITS:
GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.





NEW GROHE TWO-HANDLE THERMOSTATS: **ROUND, SQUARE OR CUBE?**

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.





THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.





DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.






GROHTHERM
3000 COSMOPOLITAN

MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.





GROHTHERM **2000**

100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.





GROHTHERM
CUBE

100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From it's Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.






GROHTHERM
1000

ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more then ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.





GROHTHERM
1000 PERFORMANCE

new

COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.





GROHTHERM
800 COSMOPOLITAN

new

MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.





GROHTHERM
800

SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.






GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	**Chrome**	**4005176413292**	**530.26**
29 123 GN0	**brushed cool sunrise**	**4005176558122**	**740.07**
29 123 DL0	**brushed warm sunset**	**4005176558092**	**740.07**
29 123 A00	**hard graphite**	**4005176558054**	**693.75**
29 123 AL0	**Brushed Hard Graphite**	**4005176558061**	**740.07**






Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 124 000	**Chrome**	**4005176413308**	**577.41**
29 124 DC0	**supersteel**	**4005176526329**	**705.07**
29 124 GN0	**brushed cool sunrise**	**4005176558207**	**805.94**
29 124 DL0	**brushed warm sunset**	**4005176558177**	**805.94**
29 124 A00	**hard graphite**	**4005176558139**	**755.51**
29 124 AL0	**Brushed Hard Graphite**	**4005176558146**	**805.94**





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 125 000	**Chrome**	**4005176413315**	**692.87**






Grohtherm SmartControl
Thermostat for concealed installation with
2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min

35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 126 000	**Chrome**	**4005176413322**	**624.55**
29 126 DC0	**supersteel**	**4005176526343**	**762.71**
29 126 GN0	**brushed cool sunrise**	**4005176558368**	**871.82**
29 126 DL0	**brushed warm sunset**	**4005176558337**	**871.82**
29 126 A00	**hard graphite**	**4005176558290**	**817.26**
29 126 AL0	**Brushed Hard Graphite**	**4005176558306**	**871.82**





Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000	**4005176698774**	**136.05**


GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	**Chrome**	**4005176413339**	**380.62**
29 127 DC0	**supersteel**	**4005176526350**	**466.27**
29 127 GN0	**brushed cool sunrise**	**4005176558443**	**532.15**
29 127 DL0	**brushed warm sunset**	**4005176558412**	**532.15**
29 127 A00	**hard graphite**	**4005176558375**	**499.21**
29 127 AL0	**Brushed Hard Graphite**	**4005176558382**	**532.15**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 153 LS0	**moon white**	**4005176413582**	**682.30**





Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 156 LS0 **moon white** **4005176413599** **729.43**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 157 LS0 **moon white** **4005176413605** **776.53**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min


35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 158 LS0	**moon white**	**4005176413612**	**481.94**






Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

29 118 000	**Chrome**	**4005176412240**	**506.94**
29 118 DC0	**supersteel**	**4005176455032**	**623.76**
29 118 BE0	**polished nickel**	**4005176492952**	**685.51**
29 118 EN0	**brushed nickel**	**4005176492969**	**731.83**
29 118 GL0	**cool sunrise**	**4005176492976**	**685.51**
29 118 GN0	**brushed cool sunrise**	**4005176492983**	**731.83**
29 118 DA0	**warm sunset**	**4005176492990**	**685.51**
29 118 DL0	**brushed warm sunset**	**4005176493003**	**731.83**
29 118 A00	**hard graphite**	**4005176493010**	**685.51**
29 118 AL0	**Brushed Hard Graphite**	**4005176455049**	**703.70**





Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	584.68
29 119 DC0	supersteel	4005176455056	764.62
29 119 BE0	polished nickel	4005176493027	747.27
29 119 EN0	brushed nickel	4005176493034	796.68
29 119 GL0	cool sunrise	4005176493041	747.27
29 119 GN0	brushed cool sunrise	4005176493058	796.68
29 119 DA0	warm sunset	4005176493065	747.27
29 119 DL0	brushed warm sunset	4005176493072	796.68
29 119 A00	hard graphite	4005176493089	747.27
29 119 AL0	Brushed Hard Graphite	4005176455063	766.21






Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min

35 604 000 — 4005176698774 — 136.05
GROHE Rapido SmartBox universal rough-in box for concealed installation

---

29 120 000 — Chrome — 4005176412264 — 662.40





Grohtherm SmartControl
Thermostat for concealed installation with 2 valves and integrated shower holder
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
integrated shower union with shower outlet 1/2"
without roughing-in-set
flow performance:
outlet B = 24 l/min
hand shower = 12 l/min
outlet B + hand shower = 27 l/min


35 604 000 — 4005176698774 — 136.05
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	**Chrome**	**4005176412271**	**597.09**
29 121 DC0	**supersteel**	**4005176455094**	**734.92**
29 121 BE0	**polished nickel**	**4005176493164**	**808.00**
29 121 EN0	**brushed nickel**	**4005176493171**	**861.52**
29 121 GL0	**cool sunrise**	**4005176493188**	**808.00**
29 121 GN0	**brushed cool sunrise**	**4005176493195**	**871.82**
29 121 DA0	**warm sunset**	**4005176493201**	**808.00**
29 121 DL0	**brushed warm sunset**	**4005176493218**	**861.52**
29 121 A00	**hard graphite**	**4005176493225**	**808.00**
29 121 AL0	**Brushed Hard Graphite**	**4005176455100**	**945.21**






Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	**Chrome**	**4005176412288**	**363.89**
29 122 DC0	**supersteel**	**4005176455117**	**448.77**
29 122 BE0	**polished nickel**	**4005176493232**	**493.03**
29 122 EN0	**brushed nickel**	**4005176413728**	**482.74**
29 122 GL0	**cool sunrise**	**4005176515194**	**493.03**
29 122 GN0	**brushed cool sunrise**	**4005176515200**	**525.97**
29 122 DA0	**warm sunset**	**4005176515217**	**493.03**
29 122 DL0	**brushed warm sunset**	**4005176515224**	**525.97**
29 122 A00	**hard graphite**	**4005176515231**	**493.03**
29 122 AL0	**Brushed Hard Graphite**	**4005176455124**	**482.74**





Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 150 LS0 **moon white** **4005176413544** **682.29**

Grohtherm SmartControl
Thermostat for concealed installation with one valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A (to external shut-off) = 34 l/min
outlet B/C = 29 l/min

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





29 151 LS0 **moon white** **4005176413551** **729.43**

Grohtherm SmartControl
Thermostat for concealed installation with 2 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet B = 24 l/min
outlet C = 26 l/min
outlet B+C = 29 l/min


35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 904 LS0 **moon white** **4005176413568** **776.53**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






29 152 LS0 **moon white** **4005176413575** **481.94**

Grohtherm SmartControl
Triple volume control trim
set for final installation for
GROHE Rapido SmartBox 35 600/35 604/35 601
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
10 mm thin profile escutcheon
GROHE StarLight finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE ProGrip with knurl structure
multiple outlets can be run simultaneously
cover plate in moon white acrylic glass
without roughing-in-set
flow performance:
outlet D = 28 l/min
outlet E = 28 l/min
outlet A = 28 l/min
outlet D+E+A = 65 l/min
optional flow reducer for CALGreen compliance included

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






34 742 000 **Chrome** **4005176484094** **1,377.55**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder Grohtherm SmartControl set for final installation
(29 125 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower F-Series 10" head shower set (26 070 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 706 000 **Chrome** **4005176413797** **1,459.99**

Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310 Cube
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 126 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
hand shower Euphoria Cube Stick (27 698 000)
Euphoria Cube wall union with integrated shower holder (26 370 000)
Silverflex shower hose 1.500 mm (28 364)






34 743 000 **Chrome** **4005176484100** **1,283.27**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower Cosmopolitan 210 head shower set (26 062 000)
including horizontal shower arm 286 mm
hand shower Power&Soul Cosmopolitan 115 (27 661 000)
Silverflex shower hose 1250 mm (28 362)






34 744 000 **Chrome** **4005176484117** **1,078.21**

Grohtherm SmartControl
Perfect shower set
Consisting of:
concealed thermostat with 2 valves and integrated hand shower holder
Grohtherm SmartControl set for final installation
(29 120 000)
GROHE Rapido SmartBox 35 600/35 604
Euphoria 260 head shower set 3 sprays (26 458 000)
including horizontal shower arm 380 mm
hand shower Euphoria Cosmopolitan Stick (27 400)
Silverflex shower hose 1250 mm (28 362)






34 705 000 **Chrome** **4005176413285** **1,471.78**


Grohtherm SmartControl
Perfect shower set with Rainshower SmartActive 310
Consisting of:
concealed thermostat with 3 valves
Grohtherm SmartControl set for final installation
(29 121 000)
GROHE Rapido SmartBox 35 600/35 604
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)
Euphoria Cosmopolitan Stick handshower (27 367)
Rainshower wall holder (27 074 000)
Rainshower wall union 1/2" (27 057 000)
Silverflex shower hose 1.500 mm (28 364)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**34 713 000**	**Chrome**	**4005176409776**	**941.54**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 3 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately

 	**34 714 000**	**Chrome**	**4005176409783**	**882.60**

Grohtherm SmartControl
Combi thermostatic shower mixer
with 2 valves, exposed/concealed
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE EcoJoy technology for less water and perfect flow
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE EasyReach shower tray
shower bottom outlet 1/2"
multiple outlets can be run simultaneously
protected against backflow
requires concealed body 26 449 000 – to be ordered separately


 	**26 449 000**		**4005176409790**	**293.39**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

GROHE
GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 719 000 **Chrome** **4005176457654** **394.73**

Grohtherm SmartControl
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
built-in non return valve
and dirt strainers
protected against backflow






34 718 000 **Chrome** **4005176457647** **434.82**

Grohtherm SmartControl
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch prevents scalding on hot surfaces
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
shower bottom outlet 1/2"
bath spout with mousseur
built-in non return valve
and dirt strainers
protected against backflow






34 721 000 **Chrome** **4005176457678** **512.60**

Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 900 mm (27 226 001)





34 720 000 **Chrome** **4005176457661** **505.53**


Grohtherm SmartControl
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm SmartControl thermostatic shower mixer (34 719 000)
Euphoria 110 Massage shower set, 600 mm (27 231 001)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 078 000 **Chrome** **4005176466038** **383.62**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 079 000 **Chrome** **4005176466045** **427.59**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 080 000 **Chrome** **4005176466052** **427.59**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 728 000 **Chrome** **4005176466069** **591.39**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately






34 729 000 **Chrome** **4005176466076** **663.95**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 730 000 **Chrome** **4005176466342** **1,436.71**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rainshower shower arm 422 mm (26 145 000)
hand shower (28 034 000)
Rainshower wall holder (27 075 000)
Rainshower wall elbow connection (27 076 000)
Silverflex shower hose 1250 mm (28 362)





34 734 000 **Chrome** **4005176466403** **1,013.50**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 079)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
shower arm Rainshower 422 mm (26 146 000)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)






24 075 000 **Chrome** **4005176465987** **383.62**

Grohtherm
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation






24 076 000 **Chrome** **4005176465994** **427.59**

Grohtherm
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





24 077 000 **Chrome** **4005176466007** **427.59**


Grohtherm
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE StarLight chrome finish
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 726 000 **Chrome** **4005176466014** **580.40**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower, wall holder, wall elbow connection and shower hose to be ordered separately






34 727 000 **Chrome** **4005176466021** **649.65**

Grohtherm
Perfect shower set with Tempesta 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
head shower Tempesta 210 9.5 l/min (26 410)
Shower arm Rainshower 286 mm (28 576 000)
hand shower Tempesta 100 II (27 597)
Shower outlet elbow (28 628 000)
Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)






34 731 000 **Chrome** **4005176466359** **1,436.71**

Grohtherm
Perfect shower set with Rainshower Cosmopolitan 310
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
shower arm Rainshower 422 mm (26 146 000)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)





34 732 000 **Chrome** **4005176466366** **986.01**


Grohtherm
Perfect shower set with Rainshower Cosmopolitan 210
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan 210 metal head shower (28 373)
Rainshower shower arm 286 mm (28 576)
hand shower (28 034 000)
Rainshower wall holder (27 074 000)
Rainshower wall elbow connection (27 057 000)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 735 000	**Chrome**	**4005176466410**	**809.03**






Grohtherm
Perfect shower set with Rainshower Cosmopolitan 160
Consisting of:
Grohtherm set for final installation with Aquadimmer (24 076)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Cosmopolitan Headshower 160 mm (27 134)
Rainshower shower arm 286 mm (28 576)
Euphoria Hand shower (27 265)
Shower outlet elbow (28 628 000)
Silverflex shower hose 1250 mm (28 362)

24 153 000	**Chrome**	**4005176481178**	**505.28**
24 153 DC0	**supersteel**	**4005176574221**	**629.93**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**719.48**






Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

24 154 000	**Chrome**	**4005176481185**	**563.27**
24 154 DC0	**supersteel**	**4005176574238**	**701.98**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**801.82**





Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**563.27**
24 155 DC0	**supersteel**	**4005176574245**	**701.98**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**801.82**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation





34 741 000	**Chrome**	**4005176481208**	**1,334.02**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 469 001	**Chrome**	**4005176926396**	**352.34**






Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge
with wax thermoelement
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

34 463 001	**Chrome**	**4005176926419**	**388.85**






Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop Plus integrated temperature limiter at max 50°C
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
integrated flow limiter 14 l/min in the shower outlet
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray
removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 169 001 **Chrome** **4005176926518** **328.76**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 0.2 bar
GROHE EcoJoy technology for less water and perfect flow






34 446 001 **Chrome** **4005176926402** **328.76**

Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet





34 170 001 **Chrome** **4005176926471** **305.19**


Grohtherm 2000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 464 001 **Chrome** **4005176926433** **399.46**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray
removable for easy cleaning
GROHE EcoJoy technology for less water and perfect flow






34 174 001 **Chrome** **4005176926426** **399.49**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button
  with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 466 001 **Chrome** **4005176926440** **411.28**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
shower bottom outlet 1/2"
- diverter: bath/shower
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 0.2 bar
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow





34 484 001 **Chrome** **4005176932519** **423.03**


Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 176 001 **Chrome** **4005176926488** **741.22**

Grohtherm 2000
Thermostatic bath/shower mixer 1/2"
deck mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- flow control
- diverter: bath/shower
- integrated (economy button
  with economy stop for shower)

shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
pillar unions with covered fixing
GROHE EcoJoy technology for less water and perfect flow






34 281 001 **Chrome** **4005176926501** **517.30**

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)






34 195 001 **Chrome** **4005176926631** **352.35**

Grohtherm 2000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 2000 thermostat shower mixer (34 469)
Euphoria 110 Massage shower set, 600 mm (27 231 001)





18 608 001 **Chrome** **4005176985140** **45.96**

Grohtherm 2000
GROHE EasyReach shower tray
metal tray
removable for easy cleaning
GROHE StarLight chrome finish
suitable for Grohtherm 2000
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm

GROHE
GROHTHERM 2000



Ref. No.	Colour	EAN	Retail Guide Price (£)
47 175 000		**4005176803895**	**160.94**


GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 491 000	Chrome	4005176940644	423.02






Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 488 000	Chrome	4005176940620	375.91






Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
min. recommended pressure 1.0 bar
GROHE EcoJoy technology for less water and perfect flow

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 509 000	Chrome	4005176941801	387.69






Grohtherm Cube
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
shower bottom outlet 1/2"
ceramic headpart 1/2", 180°
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 502 000 **Chrome** **4005176940798** **529.07**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EasyReach shower tray (18 700 000)
removable for easy cleaning
Da Vinci satin white finish
GROHE EcoJoy technology for less water and perfect flow






34 497 000 **Chrome** **4005176940675** **474.07**

Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow





34 508 000 **Chrome** **4005176941795** **505.53**


Grohtherm Cube
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
GROHE XL Waterfall
flow straightener
built-in non return valves
dirt strainers
protected against backflow
covered S-unions
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)





18 700 000	**daVinci satin white**	**4005176940811**	**45.95**


Grohtherm Cube
GROHE EasyReach tray
for Grohtherm Cube
removable for easy cleaning
Da Vinci satin white finish
suitable for Grohterm Cube
- exposed thermostatic shower mixer with centre distance 150 mm
- exposed thermostatic bath mixer with centre distance 150 mm



47 175 000	**4005176803895**	**160.94**

GROHE TurboStat cartridge 1/2“
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings






24 153 000	**Chrome**	**4005176481178**	**505.28**
24 153 DC0	**supersteel**	**4005176574221**	**629.93**
24 153 AL0	**Brushed Hard Graphite**	**4005176585913**	**719.48**

Grohtherm Cube
Thermostatic mixer for 1 outlet with shut off valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
ceramic stop valve, 120°
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation





24 154 000	**Chrome**	**4005176481185**	**563.27**
24 154 DC0	**supersteel**	**4005176574238**	**701.98**
24 154 AL0	**Brushed Hard Graphite**	**4005176585920**	**801.82**

Grohtherm Cube
Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed head and hand shower symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set


35 604 000	**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation

GROHE
GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	**Chrome**	**4005176481192**	**563.27**
24 155 DC0	**supersteel**	**4005176574245**	**701.98**
24 155 AL0	**Brushed Hard Graphite**	**4005176585937**	**801.82**






Grohtherm Cube
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
GROHE TurboStat compact cartridge
with wax thermoelement
wall escutcheon with **GROHE FastFixation**
(covered escutcheon- and shaft sealing, covered fixing)
metal escutcheon, retroactively 6° adjustable
printed hand shower and bath filler symbol
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
GROHE AquaDimmer, integrated shut off/diverter valve
flow performance:
outlet B = 27 l/min
outlet C = 30 l/min
without roughing-in-set

35 604 000		**4005176698774**	**136.05**

GROHE Rapido SmartBox universal rough-in box for concealed installation






34 741 000	**Chrome**	**4005176481208**	**1,334.02**


Grohtherm Cube
Perfect shower set with Rainshower Allure 230
Consisting of:
Grohtherm Cube set for final installation with Aquadimmer (24 154)
GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600)
Rainshower Allure 230 metal head shower (27 479)
Rainshower shower arm (27 709)
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
shower outlet elbow (26 370)
Silverflex shower hose 1250 mm (28 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
GROHTHERM 1000 COSMOPOLITAN 3/4“

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**34 430 000**	**Chrome**	**4005176917981**	**254.00**


Grohtherm 1000 Cosmopolitan
Thermostat shower mixer 3/4“
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
shower bottom outlet 1/2“
built-in non return valves
dirt strainers
S-unions
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

 	**34 437 000**	**Chrome**	**4005176918025**	**298.35**

Grohtherm 1000 Cosmopolitan
Thermostatic shower mixer 3/4“
with shower set
Consisting of:
Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 3/4“ (34 430 000)
Euphoria Mono shower set (27 256 001) with
GROHE DreamSpray
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1
Euphoria Shower set (27 256 001)

 	**34 448 000**	**Chrome**	**4005176919183**	**376.00**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer ¾“
GROHE StarLight chrome finish
chromed scale rings
GROHE SafeStop Plus, removable max. temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1


 	**34 519 000**	**Chrome**	**4005176998515**	**285.24**

Grohtherm 1000 Cosmopolitan
Thermostatic bath/shower mixer 1/2“
GROHE StarLight finish
chromed scale rings
GROHE SafeStop Plus, removable max. temperature stop at 46° C
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
shower bottom outlet 1/2“
built-in non return valve
dirt strainers
protected against backflow
without connection unions for wall mounting
recommended pressure 0.1 - 1.0 bar
max. pressure differential 5:1

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 143 003 **Chrome** **4005176309618** **231.82**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 0.2 bar
GROHE EcoJoy technology for less water and perfect flow






34 438 003 **Chrome** **4005176309632** **231.82**

Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow





34 146 003 **Chrome** **4005176309625** **220.71**


Grohtherm 1000
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 155 003 **Chrome** **4005176310027** **287.27**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 439 003 **Chrome** **4005176310041** **298.35**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 156 003 **Chrome** **4005176310034** **298.35**

Grohtherm 1000
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
min. recommended pressure 0.2 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 1000

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 256 004 **Chrome** **4005176456671** **287.27**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower set II, 900 mm (27 646)






34 151 004 **Chrome** **4005176456664** **282.84**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 143 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 0.2 bar






34 557 001 **Chrome** **4005176456688** **254.00**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 438 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)





34 152 004 **Chrome** **4005176456640** **303.91**

Grohtherm 1000
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 NEW thermostatic shower mixer 1/2"
(34 146 003)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 0.2 bar



47 175 000 **4005176803895** **160.94**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 776 000 **Chrome** **4005176612930** **209.00**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 779 000 **Chrome** **4005176612961** **272.29**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 780 000 **Chrome** **4005176612978** **267.26**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton**
(economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
built-in non return valves
mousseur
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 781 000 **Chrome** **4005176612985** **213.28**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
S-unions
protected against backflow
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 782 000 **Chrome** **4005176612992** **276.56**

Grohtherm 1000 Performance
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge with wax thermoelement
GROHE ProGrip with knurl structure
integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
- integrated **GROHE EcoButton** (economy button with economy stop for shower)
- flow control
- diverter: bath/shower
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 783 000 **Chrome** **4005176613005** **241.25**


Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 784 000 **Chrome** **4005176613012** **244.83**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 776 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included





34 787 000 **Chrome** **4005176613043** **245.52**

Grohtherm 1000 Performance
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 1000 Performance thermostatic shower mixer 1/2" (34 781 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)




47 175 000 **4005176803895** **160.94**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 765 000 **Chrome** **4005176612022** **198.00**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 767 000 **Chrome** **4005176612046** **192.97**

Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
built-in non return valves
shower bottom outlet 1/2"
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow





34 771 000 **Chrome** **4005176612886** **202.27**


Grohtherm 800 Cosmopolitan
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 766 000 **Chrome** **4005176612039** **257.95**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 770 000 **Chrome** **4005176612077** **252.93**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
GROHE EcoJoy technology for less water and perfect flow






34 772 000 **Chrome** **4005176612893** **262.23**

Grohtherm 800 Cosmopolitan
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 768 000 **Chrome** **4005176612053** **230.02**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included





34 769 000 **Chrome** **4005176612060** **235.68**

Grohtherm 800 Cosmopolitan
Thermostatic shower set 1/2"
Consisting of:
Grohtherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)
Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)
optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000 **4005176803895** **160.94**


GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 558 000 **Chrome** **4005176310089** **198.53**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
dirt strainers
built-in non return valves
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 562 000 **Chrome** **4005176310102** **209.63**

Grohtherm 800
Thermostatic shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 567 000 **Chrome** **4005176310157** **254.00**

Grohtherm 800
Thermostatic bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 0.2 bar
GROHE EcoJoy technology for less water and perfect flow

GROHE
GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 569 000 **Chrome** **4005176310171** **254.00**

Grohtherm 800
Thermostatic bath mixer 1/2", 160cc
wall mounted
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE Turbostat C3 compact cartridge
with wax thermoelement
integrated mixed water shut off
automatic diverter: bath/shower
volume handle with **GROHE EcoButton**
(economy button with individually
adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
mousseur
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
GROHE EcoJoy technology for less water and perfect flow






34 566 001 **Chrome** **4005176456701** **241.80**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower set II, 900 mm (27 646)
min. recommended pressure 0.2 bar





34 565 001 **Chrome** **4005176456718** **220.71**

Grohtherm 800
Thermostatic shower mixer 1/2" with shower set
Consisting of:
Grohtherm 800 thermostatic shower mixer 1/2"
(34 558 000)
Tempesta shower rail set 2 sprays, 600 mm (27 598)
min. recommended pressure 0.2 bar



47 175 000 **4005176803895** **160.94**

GROHE TurboStat cartridge 1/2"
for reversed inlets (hot water right)
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats
service solution, does not comply with EN1111
Note: CoolTouch-function is omitted after
being installed in exposed fittings

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM 800

	Ref. No.	Colour	EAN	Retail Guide Price (£)

GROHE
CONCEALED SOLUTIONS






CONTENTS

GROHE Rapido SmartBox	292
GROHE Rapido	294
GROHE Rapido C / stop valves	295

MASTERPIECE OF **TECHNOLOGY**
GROHE RAPIDO SMARTBOX SYSTEM

With it's universal solutions, our GROHE Rapido SmartBox System is the answer for everything. Never before has a rough-in from GROHE offered so many different options and so much flexibility and freedom. A wide selection of suitable trim sets and showers ensures that the style chosen for the bathroom exteds seamlessly into the shower area. And seen from a practical angle, the slim, streamlined design makes cleaning faster and more convenient. GROHE SmartControl Concealed promises perfect shower control and is remarkable for its exceedingly flat design and clean, uncluttered look. Our two-handle thermostats, too, are compact and space-saving, blending precise performance with a sleek, minimalistic apprearance. Or take our single-lever mixers: a choice of models offering control of one, two or three functions and a range of stylish designs.







GROHE SMARTCONTROL

- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



TWO-HANDLE THERMOSTATS

- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer



SINGLE-LEVER MIXERS




- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters

GROHE RAPIDO SMARTBOX
OVERVIEW SINGLE-LEVER MIXER TRIM SETS


	1 function	2 functions	3 functions
Allure Brilliant	 24 071 000	 24 072 000	 24 099 000
Allure	 24 069 000	 24 070 000	
Atrio	 24 065 003	 24 066 003	 24 096 003
Grandera	 24 067 000	 24 068 000	
Lineare	 24 063 001	 24 064 001	 24 095 001
Eurocube	 24 061 000	 24 062 000	 24 094 000
GROHE Plus	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
Essence	 24 057 001	 24 058 001	 24 092 001
Eurodisc Cosmopolitan	 24 055 002	 24 056 002	
Concetto	 24 053 001	 24 054 001	
Eurostyle Cosmopolitan	 24 051 002	 24 052 002	
Eurostyle	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
Eurosmart Cosmopolitan	 24 044 000	 24 045 000	
Eurosmart	 24 042 002	 24 043 002	

GROHE RAPIDO SMARTBOX
OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
Atrio	 24 134 003	 24 135 003	 24 138 003
Grohtherm Cube	 24 153 000	 24 154 000	 24 155 000
Grohtherm (square)	 24 078 000	 24 079 000	 24 080 000
Grohtherm (round)	 24 075 000	 24 076 000	 24 077 000

GROHE RAPIDO SMARTBOX
OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions		3 functions	4 functions	
Grohtherm SmartControl round	 29 118 000	 29 119 000	 29 120 000	 29 121 000	 29 118 000 + 29 122 000	
Grohtherm SmartControl square	 29 123 000	 29 124 000	 29 125 000	 29 126 000	 29 123 000 + 29 127 000	
Grohtherm SmartControl glass round	 29 150 LS0	 29 151 LS0		 29 904 LS0	 29 150 LS0 + 29 152 LS0	
Grohtherm SmartControl glass square	 29 153 LS0	 29 156 LS0		 29 157 LS0	 29 153 LS0 + 29 158 LS0	
SmartControl Mixer round	 29 144 000	 29 145 000		 29 146 000		
SmartControl Mixer square	 29 147 000	 29 148 000		 29 149 000		

GROHE RAPIDO C / CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves ½", ¾", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves ½", ¾", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves ½", ¾" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003


* Concealed valve 29 032 000 with longlife headpart can also be used

	Rapido C stop-valve with pre-assambled ceramic headpart 35 028	Concealed stop-valves ½", ¾", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves ½", ¾", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves ½", ¾" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grandera	 19 944 000			
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000

GROHE
GROHE RAPIDO SMARTBOX

Ref. No.	Colour	EAN	Retail Guide Price (£)






35 604 000 | **4005176698774** | **136.05**

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation
professional edition






14 055 000 | **4005176413520** | **166.24**

Backflow protection combination (DIN-EN1717)
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use
fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers





14 053 00M | **4005176413513** | **52.37**


Service stops
fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces



47 790 000 | **4005176841491** | **61.47**

Rapido connection set
fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604)
VA approved
2 pcs./unit






14 048 000 | **4005176413483** | **159.10**

GROHE Rapido SmartBox
Universal extension set single-lever mixers, 25 mm
fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox







14 056 000 | **4005176466298** | **117.47**







Universal extension set single-lever mixers, 25 mm
fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHE RAPIDO SMARTBOX




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 057 000		4005176466304	151.95
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**				
 	14 058 000		4005176466311	151.96
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**				
	49 003 000	Chrome	4005176413537	214.41
GROHE TurboStat cartridge 3/4“ for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111				

GROHE RAPIDO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 961 000	**Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops	4005176119972	318.40
 	33 962 000	**Single-lever mixer 1/2", concealed body** for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops	4005176119989	214.95
 	33 963 000	**Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing	4005176128387	95.06
 	33 964 000	**Single-lever mixer 1/2", concealed body** for shower **without finishing trim set** wall installation **GROHE SilkMove** 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing	4005176128394	96.14

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPIDO C / STOP VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**35 028 000**		**4005176908316**	**138.17**
	GROHE Rapido C **Rough-in for single volume control** for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm			
 	**29 800 000**		**4005176504839**	**31.32**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		**4005176504853**	**52.93**
	ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"			
	29 805 000		**4005176504884**	**88.89**
	ditto, 1", pre-assembled headpart 1", thread union 1"			
 	**29 801 000**		**4005176504846**	**25.81**
	Concealed stop-valve, 1/2" pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		**4005176504877**	**41.05**
	ditto, soldered connection Ø 22 mm			
 	**29 811 000**		**4005176062711**	**52.93**
	Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
	29 813 000		**4005176062735**	**85.33**
	ditto, 3/4"			

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	310
	F-digital Controllers	317
Shower Systems	Rainshower System SmartControl	318
	Rainshower SmartActive System	324
	Rainshower System	328
	Euphoria SmartControl System	331
	Euphoria Shower System	333
	Tempesta System	347
	Shower System Accessories	353
Head Showers	Head Showers	355
Showers	Sena	384
	Rainshower SmartActive	386
	Rainshower	393
	Relexa	398
	Euphoria	401
	Tempesta	411
	Sena Trigger Sprays	427
	Tempesta-F Trigger Sprays	428
	Trigger Sprays	430
	Shower Hoses	431
	Shower Accessories	435

GROHE SHOWERS
INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:







DRIZZLE SPRAYS
Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN
A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY
A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY
Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY
The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY
All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY
A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY
Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS
An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY
The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY
A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY
Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY
A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY
Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY
An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY
The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMARTACTIVE
SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.



RIGHT IS JUST ONE CLICK AWAY.

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.

GROHE Rain
A soft and refreshing shower.

GROHE ActiveMassage
A moving spray reducing stress and tension.

GROHE Jet
The power shower after sports.





EUPHORIA SMARTCONTROL
YOUR TURN – YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.

We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.















Push the button
to start the shower.



Turn to adjust
the water volume gradually
from Eco to Full Flow.



Push again to stop or
pause the shower. The volume
is now preset when you restart.

GROHE RAINSHOWER SMARTCONTROL
3D SHOWERING – PUSH, TURN, SHOWER


Rainshower SmartControl – choose the spray, control the volume, save the settings. All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.

What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.


Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.








Push the button
to start the shower.



Turn to adjust the water volume
gradually from Eco to Full Flow.



Push again to stop or pause the shower.
The volume is now preset when you restart.


GROHE SPA F-DIGITAL DELUXE
ALL OF THE SENSES IN **PERFECT HARMONY**

F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.

Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App* lets you design your own personal combination of lighting, sound and fsteam – by wireless Bluetooth® connection – for a unique spa sanctuary in your own home.




A UNIQUE EXPERIENCE
FOR ALL THE SENSES




TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules**, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.

Download on the App Store

GET IT ON Google play


* Available for free via iTunes app or Google Play store.
** This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A – A++


GROHE

INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

GROHTHERM SMARTCONTROL CONFIGURATION
3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000




SPRAYS

① Waterfall	④ Pure	⑦ Drizzle
② Rain	⑤ Rain	⑧ AquaCurtain
③ Bokoma	⑥ Waterfall	⑨ Hand shower

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **22,094.13**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++





26 376 001 **Chrome** **4005176415609** **2,103.42**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 126 000 **Chrome** **4005176413322** **624.55**

Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
set for final installation for
GROHE Rapido SmartBox 35 600/35 604
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
exchangeable symbols
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included
built-in non return valve
and dirt strainers
multiple outlets can be run simultaneously
without roughing-in-set
flow performance:
outlet A = 23 l/min
outlet B = 27 l/min
outlet C = 23 l/min
outlet A + B = 33 l/min
outlet A + B + C = 36 l/min

35 604 000 **4005176698774** **136.05**
GROHE Rapido SmartBox universal rough-in box for concealed installation





26 370 000 **Chrome** **4005176341380** **34.16**

Euphoria Cube
Shower outlet elbow, 1/2“
with wall shower holder
male thread
protected against backflow
GROHE StarLight chrome finish






27 888 000 **Chrome** **4005176921179** **93.10**

Euphoria Cube+ Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






28 143 000 **Chrome** **4005176601347** **23.23**

Relexaflex Metal Longlife
Metal shower hose 1500
1500 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2“ x 1/2“
GROHE StarLight chrome finish
blister packaging

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 865 000 **Chrome** **4005176918179** **4,492.32**

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.






29 069 000 **4005176918384** **140.22**

Rainshower F-Series
Cable connection
for ceiling shower with light (27 865 000)
Consisting of:
2 cable extensions (5 m each)






36 359 000 **Chrome** **4005176918414** **1,330.42**

Rainshower F-Series
Light set
127 x 127 mm per module
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
Consisting of:
- 1 light module with two plug connections
- 1 light module with one plug connection
waterproof & corrosion protected
supply voltage: 12 V DC
CE approved
GROHE StarLight chrome finish
requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.





29 072 000 **4005176918421** **258.07**


Rainshower F-Series
Rough-in set light set
for use with double light modules (36 359 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 360 000 **Chrome** **4005176918438** **1,141.87**

Rainshower F-Series
Sound set
127 x 127 mm per module
full range stereo speaker
Consisting of:
2 speakers with plug connections
waterproof & corrosion protected
GROHE StarLight chrome finish
requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.






29 073 000 **4005176918445** **258.07**

Rainshower F-Series
Rough-in set sound set
for use with double sound modules (36 360 000)
Consisting of:
- 2 rough-in sets (115 x 115 x 62-87 mm)
- 2 cable extensions (5 m each)
- 1 Y-piece






27 934 000 **Chrome** **4005176927157** **3,486.85**

GROHE F-digital Deluxe
Steam generator 6.6 kW
with steam outlet and temperature sensor
Consisting of:
steam generator
415 x 445 x 130 mm
suitable for rooms up to 12.5 m^3
supply voltage 400 V 3L+N+PE AC, 50 Hz
power 6.6 kW
water inlet ¾"
operating pressure 1 - 5 bar (above pressure reducer)
automatic emptying
water outlet 1/2"
steam temperature: max. 55°C
steam outlet 1/2"
type of protection IP 23
CE approved
with connection plug
steam outlet module with indentation for fragranced oil
127 x 127 mm
connection thread 1/2"
temperature sensor module
60 x 60 x 12 mm
SpeedClean anti-limescale system
GROHE StarLight chrome finish
requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation
For detailed planning and product information please contact your local GROHE Customer Service.





29 074 000 **4005176918469** **411.26**

GROHE F-digital Deluxe
Rough-in set steam generator
for use with steam module (36 362 000 or 27 934 000)
Consisting of:
- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)
- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)
- 1 cable extension temperature sensor, 5 m
- 1 cable extension steam generator, 5 m


GROHE
F-DIGITAL DELUXE


Ref. No.	Colour	EAN	Retail Guide Price (£)



14 015 000 **Chrome** **4005176932748** **144.22**

GROHE F-digital Deluxe
Descaler 6 x 80 g
to remove limescale from the water tank of the steam generator
absolutely odorless and harmless to human beings
and the natural environment
2 bags sufficient for one time descaling
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/






26 374 000 **4005176350825** **953.31**

GROHE F-digital Deluxe
Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)
to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower
additional light, sound and steam modules can be connected and controlled
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000
component to be ordered separately






36 397 000 **4005176999413** **1,141.85**

GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules
Consisting of:
- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) **or** 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)
CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000





42 429 000 **4005176918520** **116.67**


GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000)
or 1 celing shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven
- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device
input voltage: 90-240 V AC, 50-60Hz
output voltage: 12 V DC
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)





36 371 000 **4005176928970** **646.92**

GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall mounted
86 x 73 x 42 mm
Features:
reset switch
status indicatior (LED)
stand alone/maximum configuration
one-to-one connection
with safety cut-off mechanism (1 user)
safety shutdown in case of connection loss
connection cable set for data communication and power supply (5 m each)
CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch

System requirements: Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above


Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.






36 367 000 **4005176923203** **305.20**

GROHE F-digital Deluxe
Rough-in set base unit box
for use with base unit box (26 374 000 or 36 397 000)
550 x 700 x 110 mm
height (100 mm) and depth (50 mm) adjustable
with adjustable front frame for installation in wall niches
with adjustable front frame for installation in wall niches
galvanized and powder coated (RAL 9010, pure white) steel plate
1 mm thick steel plate
with two mounting rails and elbow for power outlets and mounting materials








47 837 000 **4005176918490** **81.30**



GROHE F-digital Deluxe
Cable extension steam generator, 5 m
extension between base unit box (26 374 000 or 36 397 000) and steam generator (36 362 000 or 27 934 000)
cable extension up to 10 m

GROHE
F-DIGITAL DELUXE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**47 867 000**		**4005176923227**	**81.30**
	GROHE F-digital Deluxe **Cable extension light set, 5 m** connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
	47 910 000 **ditto, length 1.65 m**		**4005176938887**	**57.73**
 	**47 868 000**		**4005176923234**	**81.30**
	GROHE F-digital Deluxe **Cable extension for power supply, 5 m** connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
 	**47 877 000**		**4005176923241**	**81.30**
	GROHE F-digital Deluxe **Cable extension temperature sensor, 5 m** extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
F-DIGITAL CONTROLLERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 309 000**	**Chrome**	**4005176894794**	**272.12**
	F-digital **Digital Controller** **Remote Controller for bath or shower** additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring **GROHE StarLight** chrome finish energy efficiency class illumination of control unit: not applicable			
 	**36 078 000**		**4005176856532**	**112.72**
	Plug power supply 110-240 V operating voltage 6V cable length 400 mm			

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 250 000 **Chrome** **4005176316999** **1,495.37**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain





26 250 LS0 **moon white** **4005176317002** **1,471.80**

Rainshower System SmartControl Duo 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting


* to be decided during initial installation; factory default setting: GROHE PureRain

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 361 000	Chrome	4005176347580	1,365.72






Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting
* to be decided during initial installation; factory default setting: GROHE PureRain

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 361 LS0	moon white	4005176409707	1,353.96





Rainshower System SmartControl Mono 360
Shower system with thermostat for wall mounting
Consisting of:
horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1750 mm (28 388 000)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 443 000 **Chrome** **4005176409875** **1,365.75**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm
shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain







26 443 LS0 **moon white** **4005176409882** **1,353.96**

Rainshower System SmartControl Duo 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Duo 360 with horizontal 450 mm
shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately


* to be decided during initial installation; factory default setting: GROHE PureRain

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 446 000 **Chrome** **4005176409905** **1,462.35**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate chrome
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 446 LS0 **moon white** **4005176409912** **1,462.38**

Rainshower System SmartControl Mono 360
Combi shower system with thermostat, exposed/concealed
Consisting of:
exposed/concealed SmartControl thermostat
allows change between:
head shower Rainshower Mono 360 with horizontal
450 mm shower arm, spray plate white
GROHE PureRain/GROHE Rain O² spray*
Power&Soul 130 hand shower, spray plate white (27 673 LS0)
hand shower wall holder (27 055)
Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain





26 254 000 **Chrome** **4005176317026** **623.35**


Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE
RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 254 LS0 **moon white** **4005176409806** **741.19**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 000 **Chrome** **4005176409813** **578.61**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **4005176409820** **578.60**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 264 001 **4005176417108** **210.93**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information








26 449 000 **4005176409790** **293.39**

Concealed body for exposed/concealed variants
wall mounted
2 outlets 1/2"
installation depth 75-105 mm
flushing plug
wall sealing
installation device

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**48 349 000**	**Chrome**	**4005176409851**	**117.82**
	Rainshower SmartControl **Shower system pipe for retrofitting** metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems **GROHE StarLight** chrome finish			
	**48 350 000**	**Chrome**	**4005176409868**	**147.30**
	Rainshower SmartControl **Shower system pipe for retrofitting** metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems **GROHE StarLight** chrome finish Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI			
 	**26 385 000**	**Chrome**	**4005176375057**	**21.24**
	Rainshower SmartControl **Spacer** for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 647 000 **Chrome** **4005176533013** **910.86**

Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





26 647 LS0 **moon white** **4005176533051** **1,048.28**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight finish
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 648 000	**Chrome**	**4005176533020**	**910.86**






Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 648 LS0	**moon white**	**4005176533068**	**1,048.28**






Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 649 000	**Chrome**	**4005176533037**	**910.86**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 Cube (26 567)
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 Cube (26 550)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 652 000	**Chrome**	**4005176533044**	**910.86**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 657 000	**Chrome**	**4005176533075**	**1,048.28**






Rainshower SmartActive 310
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Rainshower SmartActive 130 (26 574)
adjustable height via gliding element
including performance grip
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 966 001 **Chrome** **4005176532993** **1,107.94**


Rainshower SmartActive 310
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Rainshower SmartActive 130 (26 544)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable)
SpeedClean anti-limescale system
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

27 968 001 **Chrome** **4005176533006** **1,107.94**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 174 001	Chrome	4005176877162	1,342.19






Rainshower System 400
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
material: metal
with ball joint
rotation angle ± 20°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 966 000	Chrome	4005176929250	1,188.99






Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 968 000	Chrome	4005176929687	1,188.99






Rainshower System 310
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 469 000 **Chrome** **4005176882593** **1,188.99**

Rainshower F-Series System 254
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
with ball joint, rotation angle ± 20°
hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 569 000 **Chrome** **4005176894275** **1,188.97**
ditto, with non-restricted flow






27 032 001 **Chrome** **4005176877155** **1,047.58**

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle ± 15°
hand shower Sena Stick (28 034 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 967 000 **Chrome** **4005176929670** **1,047.58**

Rainshower System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
material: metal
with ball joint
rotation angle ± 15°
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

GROHE
RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 641 000 **Chrome** **4005176901645** **1,188.99**

Rainshower System 210
Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
with ball joint, rotation angle ± 15°
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element
(12 140 000)
metal shower hose 1750 mm (27 178)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 058 000 **Chrome** **4005176830464** **741.19**


Rainshower System 210
Shower system with diverter
for wall mounting
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle ± 15°
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	**Chrome**	**4005176457586**	**1,165.42**
26 507 LS0	**moon white**	**4005176457609**	**1,342.18**
26 507 DC0	**supersteel**	**4005176526374**	**1,568.16**
26 507 BE0	**polished nickel**	**4005176557439**	**1,776.96**
26 507 EN0	**brushed nickel**	**4005176557460**	**1,881.36**
26 507 GL0	**cool sunrise**	**4005176557477**	**1,776.96**
26 507 GN0	**brushed cool sunrise**	**4005176557484**	**1,881.36**
26 507 DA0	**warm sunset**	**4005176557446**	**1,776.96**
26 507 DL0	**brushed warm sunset**	**4005176557453**	**1,881.36**
26 507 A00	**hard graphite**	**4005176557415**	**1,776.96**
26 507 AL0	**Brushed Hard Graphite**	**4005176557422**	**1,881.36**






Euphoria SmartControl System 310 Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310
GROHE PureRain and Centered Jet spray
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

26 508 000	**Chrome**	**4005176457593**	**1,165.42**
26 508 LS0	**moon white**	**4005176457616**	**1,342.18**
26 508 DC0	**supersteel**	**4005176526367**	**1,568.16**
26 508 GN0	**brushed cool sunrise**	**4005176557569**	**1,881.36**
26 508 DL0	**brushed warm sunset**	**4005176557538**	**1,881.36**
26 508 A00	**hard graphite**	**4005176557491**	**1,776.96**
26 508 AL0	**Brushed Hard Graphite**	**4005176557507**	**1,881.36**






Euphoria SmartControl System 310 Cube Duo
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Rainshower SmartActive 310 Cube
GROHE PureRain and Centered Jet spray
hand shower Euphoria Cube (27 699 000) 9.5 l/min.
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 509 000	Chrome	4005176457623	1,012.22






Euphoria SmartControl System 260 Mono
Shower system with thermostat for wall mounting
Consisting of:
horizontal 450 mm shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 510 000	Chrome	4005176457630	1,177.21






Euphoria SmartControl System 260 Mono
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed SmartControl bath thermostat
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
hand shower Euphoria 110 Massage, spray plate white (27 221 001)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE ProGrip with knurl structure
GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop at 38°C
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
integrated **GROHE EasyReach** shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 075 001	**Chrome**	**4005176648014**	**735.69**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

26 723 000	**Chrome**	**4005176648021**	**784.46**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 562)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 296 003 **Chrome** **4005176647963** **621.05**

Euphoria System 260
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition





27 615 002 **Chrome** **4005176647970** **621.05**


Euphoria System 260
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE ProGrip with knurl structure
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 475 002	**Chrome**	**4005176647840**	**783.78**






Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, Massage, SmartRain
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 075 001	**Chrome**	**4005176648014**	**735.69**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower Mono 310 (26 561)
spray pattern:
GROHE PureRain
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE MetalGrip ergonomically shaped metal handles
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
GROHE FastFixation (upper bracket adjustable)
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 075 000	**Chrome**	**4005176937606**	**870.82**
26 075 DC0	**supersteel**	**4005176371219**	**1,287.44**
26 075 BE0	**polished nickel**	**4005176428593**	**1,766.38**
26 075 EN0	**brushed nickel**	**4005176428609**	**1,766.37**
26 075 GL0	**cool sunrise**	**4005176425332**	**1,766.38**
26 075 GN0	**brushed cool sunrise**	**4005176425349**	**1,766.37**
26 075 DA0	**warm sunset**	**4005176425356**	**1,766.38**
26 075 DL0	**brushed warm sunset**	**4005176425363**	**1,766.37**
26 075 A00	**hard graphite**	**4005176425387**	**1,766.38**
26 075 AL0	**Brushed Hard Graphite**	**4005176425370**	**2,360.28**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 310 (27 477 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

26 384 000	**Chrome**	**4005176369032**	**928.56**






Euphoria System 310
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 metal head shower
Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 296 002	Chrome	4005176417818	609.22






Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 615 001	Chrome	4005176417825	609.22






Euphoria System 260
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 087 000 **Chrome** **4005176940828** **1,295.03**

Euphoria Cube System 230
Shower system with thermoststic mixer for wall mounting
shower arm
projection 400 mm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Allure head shower (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube (27 699)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.





26 187 000 **Chrome** **4005176310744** **1,000.45**


Euphoria System 230
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Allure 230 (27 479 000)
material: metal
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 363 000	**Chrome**	**4005176339264**	**741.21**






Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 964 000	**Chrome**	**4005176929595**	**764.77**






Euphoria System 210
Shower system with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 383 000 **Chrome** **4005176369025** **774.18**

Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
GROHE EcoJoy 12 l/min flow limiter
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
optional upgrade: **GROHE EasyReach** tray (26 362)





26 383 001 **Chrome** **4005176460050** **947.41**


Euphoria System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
GROHE MetalGrip ergonomically shaped metal handles
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 metal head shower
Rain spray pattern
hand shower Euphoria 110 Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 249 000 **Chrome** **4005176317156** **623.35**

Euphoria System 190
Shower system with thermostat for wall mounting
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle ± 15°
hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001)
adjustable height via gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






27 296 001 **Chrome** **4005176896293** **617.89**

Euphoria System 180
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 418 000 **Chrome** **4005176407666** **501.77**

Euphoria System 180 E
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
with ergonomic handles
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 932 000 **Chrome** **4005176924231** **588.03**

Euphoria System 150
Shower system with thermoststic mixer for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cube 150 (27 705 000)
Rain spray pattern
with ball joint
rotation angle ± 12°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)






26 241 000 **Chrome** **4005176316319** **463.12**


Euphoria Shower System
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 475 001	Chrome	4005176417863	762.41






Euphoria System 260
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 114 001	Chrome	4005176417870	747.09






Euphoria System 260
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria 260 (26 455)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Euphoria 110 Massage
(27 221 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 243 000 **Chrome** **4005176316326** **618.67**

Euphoria Shower System
Shower system with bath thermostat for wall mounting
with short shower rail for installation in showers
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
separate diverter for hand shower
gliding element
Silverflex shower hose 1750 mm (28 388 000)
distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






27 473 001 **Chrome** **4005176417900** **547.94**

Euphoria System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.





23 061 002 **Chrome** **4005176417917** **578.62**


Euphoria Concetto System 260
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






23 058 003 **Chrome** **4005176313790** **702.95**

Euphoria Eurodisc Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.






23 147 001 **Chrome** **4005176313271** **1,247.90**

Euphoria Cube System 230
Shower system with single lever for wall mounting
Consisting of:
shower arm
projection 400 mm
exposed single-lever shower mixer
with diverter
allows change between:
Rainshower Allure 230 metal head shower (27 479)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Euphoria Cube Stick (27 698 000)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE SilkMove 35 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 421 002 **Chrome** **4005176417924** **486.67**

Euphoria System 260
Shower system with diverter
for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle ± 15°
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
min. recommended pressure 1.0 bar






27 696 000 **Chrome** **4005176907074** **729.42**


Euphoria Cube System 150
Shower system with diverter
for wall mounting
Consisting of:
shower arm
projection 400 mm
change between hand and head shower
by using the diverter
head shower Euphoria Cube 152 mm x 152 mm
Rain spray pattern
with ball joint
rotation angle ± 20°
hand shower Euphoria Cube Stick (27 698 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 670 000	Chrome	4005176580574	532.65






Tempesta Cosmopolitan System 250
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 (26 666)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 689 000	Chrome	4005176580765	532.65






Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 690 000	**Chrome**	**4005176580772**	**620.99**






Tempesta Cosmopolitan System 250 Cube
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
upper bracket adjustable for minimal adaption to existing drilling holes
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
GROHE EcoJoy 9.5 l/min flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 50°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)
professional edition

27 922 001	**Chrome**	**4005176985348**	**523.35**






Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 514 000 **Chrome** **4005176476099** **602.13**

Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 9.5 l/min (26 410)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature
limiter at max 50°C
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE MetalGrip ergonomically shaped metal handles
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)






26 302 001 **Chrome** **4005176408137** **523.35**

Tempesta Cosmopolitan System 210
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Relexaflex shower hose 1500 mm (28 161)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE
TEMPESTA SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)






27 922 000 **Chrome** **4005176923364** **505.24**

Tempesta Cosmopolitan 160
Shower system with thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 1 spray (28 232 000)
Rain
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
optional upgrade: **GROHE EasyReach** tray (26 362)






26 691 000 **Chrome** **4005176580789** **692.45**


Tempesta Cosmopolitan System 250 Cube
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Tempesta 250 Cube (26 685)
spray pattern:
Rain
head shower with white rear cover
with ball joint
rotation angle ± 10°
GROHE EcoJoy 9.5 l/min flow limiter
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.
professional edition

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 223 001	Chrome	4005176408144	669.65






Tempesta Cosmopolitan System 210
Shower system with bath thermostat for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
bath inlet
separate diverter for hand shower
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 224 001	Chrome	4005176408168	464.82






Tempesta Cosmopolitan System 210
Shower system with single lever for wall mounting
Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle ± 15°
hand shower Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

GROHE
TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 381 001	**Chrome**	**4005176451980**	**254.00**






Tempesta System 210
Flex shower system with diverter for wall mounting
Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face
with ball joint
rotation angle ± 15°
hand shower Tempesta 100 (27 852)
Rain spray pattern
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to tap / wall union for water supply with 1/2“ thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heaters from 18 kW/h
minimum flow rate 7 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER SYSTEM ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)





48 349 000 **Chrome** **4005176409851** **117.82**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish




48 350 000 **Chrome** **4005176409868** **147.30**

Rainshower SmartControl
Shower system pipe for retrofitting
metal
shower pipe for retrofitting
15 cm longer than original shower system pipe
suitable for all Rainshower SmartControl shower systems
GROHE StarLight chrome finish

Note: longer pipe cannot be installed afterwards or rather
a mounted system cannot be modified to a longer pipe
useable with systems as of production date 04/2017, see TPI






48 053 000 **Chrome** **4005176890031** **99.50**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting
15 cm longer than original shower system pipe
for bath/shower systems: 30 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish






48 054 000 **Chrome** **4005176890048** **77.14**

Shower system pipe for retrofitting
for shower systems with metal or plastic inner water guide
shower pipe for retrofitting - 15 cm shorter
than original shower system pipe
for bath/shower systems: 60 cm shorter than original pipe
suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems
not suitable for shower systems with side sprays
not suitable for Flex shower systems with diverter
GROHE StarLight chrome finish






14 014 000 **Chrome** **4005176929274** **57.73**

Rainshower
Shower arm for shower systems
material: metal
projection 340 mm
distance from wall 390 mm
connection thread 1/2"
GROHE StarLight chrome finish
suitable for all GROHE shower systems except SmartControl
suitable for all GROHE shower systems

GROHE
SHOWER SYSTEM ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 180 000 **Chrome** **4005176839306** **45.94**

Rainshower
Spacer
for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031
GROHE StarLight chrome finish






26 385 000 **Chrome** **4005176375057** **21.24**

Rainshower SmartControl
Spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable





26 362 LN0 **white** **4005176339257** **21.24**


GROHE EasyReach tray
for Euphoria and Tempesta shower systems with thermostat
centre distance 150 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 254 000 **Chrome** **4005176317026** **623.35**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate chrome
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 254 LS0 **moon white** **4005176409806** **741.19**

Rainshower Duo 360
Head shower set 450 mm, 2 sprays
Consisting of:
head shower Rainshower Duo 360, spray plate white
2 spray patterns:
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 000 **Chrome** **4005176409813** **578.61**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate chrome
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 450 LS0 **moon white** **4005176409820** **578.60**

Rainshower Mono 360
Head shower set 450 mm, 1 spray
Consisting of:
head shower Rainshower Mono 360, spray plate white
1 spray pattern:
GROHE PureRain/GROHE Rain O² spray*
horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain






26 264 001 **4005176417108** **210.93**

Rainshower 360
Rough-in box for head shower set 26 254 / 26 450
inlets and outlets 1/2"
fixing points for back wall
leakproof housing
removable protection cover with installation information

GROHE
HEAD SHOWERS






Ref. No.	Colour	EAN	Retail Guide Price (£)
26 475 000	**Chrome**	**4005176423758**	**553.84**
26 475 DC0	**supersteel**	**4005176526237**	**699.92**
26 475 BE0	**polished nickel**	**4005176557118**	**800.06**
26 475 EN0	**brushed nickel**	**4005176557149**	**850.13**
26 475 GL0	**cool sunrise**	**4005176557156**	**800.06**
26 475 GN0	**brushed cool sunrise**	**4005176557163**	**850.13**
26 475 DA0	**warm sunset**	**4005176557125**	**800.06**
26 475 DL0	**brushed warm sunset**	**4005176557132**	**850.13**
26 475 A00	**hard graphite**	**4005176557095**	**800.06**
26 475 AL0	**Brushed Hard Graphite**	**4005176557101**	**850.13**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately






26 475 LS0	**moon white**	**4005176425899**	**727.05**

Rainshower SmartActive 310
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately






Ref. No.	Colour	EAN	Retail Guide Price (£)
26 477 000	**Chrome**	**4005176423772**	**553.84**
26 477 DC0	**supersteel**	**4005176526244**	**699.92**
26 477 BE0	**polished nickel**	**4005176557194**	**800.06**
26 477 EN0	**brushed nickel**	**4005176557224**	**850.13**
26 477 GL0	**cool sunrise**	**4005176557231**	**800.06**
26 477 GN0	**brushed cool sunrise**	**4005176557248**	**850.13**
26 477 DA0	**warm sunset**	**4005176557200**	**800.06**
26 477 DL0	**brushed warm sunset**	**4005176557217**	**850.13**
26 477 A00	**hard graphite**	**4005176557170**	**800.06**
26 477 AL0	**Brushed Hard Graphite**	**4005176557187**	**850.13**

Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately





26 477 LS0	**moon white**	**4005176425912**	**727.05**


Rainshower SmartActive 310
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 479 000	**Chrome**	**4005176425196**	**583.30**
26 479 DC0	**supersteel**	**4005176526251**	**737.21**
26 479 GN0	**brushed cool sunrise**	**4005176557323**	**895.94**
26 479 DL0	**brushed warm sunset**	**4005176557293**	**895.94**
26 479 A00	**hard graphite**	**4005176557255**	**842.68**
26 479 AL0	**Brushed Hard Graphite**	**4005176557262**	**895.94**






Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

---

26 479 LS0	**moon white**	**4005176425936**	**756.53**






Rainshower SmartActive 310 Cube
Head shower set 430 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
horizontal 430 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

---

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 481 000	**Chrome**	**4005176425219**	**583.31**
26 481 DC0	**supersteel**	**4005176526268**	**737.21**
26 481 GN0	**brushed cool sunrise**	**4005176557408**	**895.94**
26 481 DL0	**brushed warm sunset**	**4005176557378**	**895.94**
26 481 A00	**hard graphite**	**4005176557330**	**842.68**
26 481 AL0	**Brushed Hard Graphite**	**4005176557347**	**895.94**






Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

---

26 481 LS0	**moon white**	**4005176425950**	**756.53**






Rainshower SmartActive 310 Cube
Head shower set ceiling 142 mm, 2 sprays
Consisting of:
head shower Rainshower SmartActive 310 Cube, spray plate moon white
2 spray patterns:
GROHE PureRain, ActiveRain
142 mm ceiling shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 484 000 — **4005176425110** — **115.48**

Rainshower
Universal rough-in box, 1/2"
for head shower set
26 475 / 26 477 / 26 479 / 26 481
2 inlets, 1/2"
installation depth 75-105 mm
connection unit in DR brass
stable build-in box and protective cover
leakproof housing
gasket
integrated flushing plug
GROHE EcoJoy 9.5 l/min flow limiter per each water way
without set for final installation

26 483 000 — **4005176425103** — **115.48**

ditto, with non-restricted flow






26 640 000 — **Chrome** — **4005176530203** — **602.97**

Rainshower SmartConnect 310
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 (26 641)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with round escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar





26 642 000 — **Chrome** — **4005176530227** — **627.48**


Rainshower SmartConnect 310 Cube
Head shower set 422 mm, 2 sprays
Consisting of:
head shower Rainshower SmartConnect 310 Cube (26 643)
spray plate chrome
2 spray patterns:
GROHE PureRain, ActiveRain
default spray type programmable
horizontal 422 mm shower arm (26 146)
with square escutcheon
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 558 000	**Chrome**	**4005176481727**	**390.40**

Rainshower Mono 310
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
shower arm Rainshower 422 mm (26 146 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 557 000	**Chrome**	**4005176481710**	**390.40**

ditto, with non-restricted flow






26 560 000	**Chrome**	**4005176481741**	**390.40**

Rainshower Mono 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310, spray plate chrome (26 562)
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 559 000	**Chrome**	**4005176481734**	**390.40**

ditto, with non-restricted flow






26 564 000	**Chrome**	**4005176481789**	**418.29**
26 564 GN0	**brushed cool sunrise**	**4005176557804**	**770.24**
26 564 DL0	**brushed warm sunset**	**4005176557774**	**770.24**
26 564 A00	**hard graphite**	**4005176557736**	**731.88**
26 564 AL0	**Brushed Hard Graphite**	**4005176557743**	**770.24**

Rainshower Mono 310 Cube
Head shower set 422 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm 422 mm (26 145 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 563 000	**Chrome**	**4005176481772**	**418.29**

ditto, with non-restricted flow





26 566 000	**Chrome**	**4005176482106**	**418.29**
26 566 DC0	**supersteel**	**4005176526282**	**743.36**
26 566 GN0	**brushed cool sunrise**	**4005176557880**	**770.24**
26 566 DL0	**brushed warm sunset**	**4005176557859**	**770.24**
26 566 A00	**hard graphite**	**4005176557811**	**731.88**
26 566 AL0	**Brushed Hard Graphite**	**4005176557828**	**770.24**

Rainshower Mono 310 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower 310
1 spray pattern:
GROHE PureRain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 565 000	**Chrome**	**4005176482090**	**418.29**

ditto, with non-restricted flow

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 256 000	**Chrome**	**4005176318597**	**811.88**

Rainshower Cosmopolitan 400
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower Cosmopolitan 400 (28 778 000)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater






26 257 000	**Chrome**	**4005176317927**	**588.02**

Rainshower 310
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 310 head shower (27 477 000)
1 spray pattern:
Rain
shower arm Rainshower 422 mm (26 146 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater






26 066 000	**Chrome**	**4005176937200**	**552.65**
26 066 DC0	**supersteel**	**4005176371172**	**797.76**
26 066 BE0	**polished nickel**	**4005176427244**	**911.68**
26 066 EN0	**brushed nickel**	**4005176427251**	**968.67**
26 066 GL0	**cool sunrise**	**4005176427183**	**911.69**
26 066 GN0	**brushed cool sunrise**	**4005176427190**	**968.67**
26 066 DA0	**warm sunset**	**4005176427206**	**911.69**
26 066 DL0	**brushed warm sunset**	**4005176427213**	**968.69**
26 066 A00	**hard graphite**	**4005176427237**	**911.68**
26 066 AL0	**Brushed Hard Graphite**	**4005176427220**	**968.69**

Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 056 000	**Chrome**	**4005176937101**	**552.65**

ditto, with non-restricted flow





26 067 000	**Chrome**	**4005176937217**	**552.65**
26 067 DC0	**supersteel**	**4005176371189**	**797.76**
26 067 BE0	**polished nickel**	**4005176427329**	**911.68**
26 067 EN0	**brushed nickel**	**4005176427336**	**968.69**
26 067 GL0	**cool sunrise**	**4005176427268**	**911.69**
26 067 GN0	**brushed cool sunrise**	**4005176427275**	**968.67**
26 067 DA0	**warm sunset**	**4005176427282**	**911.68**
26 067 DL0	**brushed warm sunset**	**4005176427299**	**968.69**
26 067 A00	**hard graphite**	**4005176427312**	**911.69**
26 067 AL0	**Brushed Hard Graphite**	**4005176427305**	**968.69**


Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 310 (27 478 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 070 000 **Chrome** **4005176937248** **493.74**

Rainshower F-Series 10" 254 x 254
Head shower set 275 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 275 mm (27 488 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 060 000 **Chrome** **4005176937149** **493.74**
ditto, with non-restricted flow






26 071 000 **Chrome** **4005176937255** **493.74**

Rainshower F-Series 10"
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Rainshower F-Series 254 (27 285 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (27 485 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






26 064 000 **Chrome** **4005176937187** **564.44**

Rainshower Allure 230
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

26 054 000 **Chrome** **4005176937088** **564.44**
ditto, with non-restricted flow






26 065 000 **Chrome** **4005176937194** **517.30**

Rainshower Allure 230
Head shower set ceiling 154 mm, 1 spray
Consisting of:
Head shower Rainshower Allure 230 (27 480 000)
material: metal
1 spray pattern:
Rain
shower arm Rainshower ceiling 154 mm (27 711 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 171 000 **Chrome** **4005176997310** **423.03**

Rainshower Cosmopolitan 210
Head shower set 422 mm, 1 spray
Consisting of:
Rainshower Cosmopolitan 210 metal head shower,
spray plate chrome (28 368 000)
1 spray pattern:
Rain
Rainshower shower arm 422 mm, escutcheon chrome (26 146)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
starting at 0.5 bar flow pressure






26 062 000 **Chrome** **4005176937163** **399.47**

Rainshower Cosmopolitan 210
Head shower set 286 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
starting at 0.5 bar flow pressure

26 052 000 **Chrome** **4005176937064** **399.47**
ditto, with non-restricted flow






26 063 000 **Chrome** **4005176937170** **399.47**

Rainshower Cosmopolitan 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
material: metal
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
starting at 0.5 bar flow pressure





26 459 000 **Chrome** **4005176416965** **235.69**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 458 000 **Chrome** **4005176416958** **235.69**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 461 000	**Chrome**	**4005176416989**	**187.37**





Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 460 000	**Chrome**	**4005176416972**	**187.37**

ditto, with non-restricted flow

---

26 073 000	**Chrome**	**4005176937279**	**246.29**






Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

---

26 663 000	**Chrome**	**4005176580505**	**194.90**





Tempesta 250
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


26 668 000	**Chrome**	**4005176580550**	**182.58**

ditto, but head shower with white rear cover

---

26 664 000	**Chrome**	**4005176580512**	**157.36**





Tempesta 250
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


26 669 000	**Chrome**	**4005176580567**	**145.04**

ditto, but head shower with white rear cover

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 682 000 **Chrome** **4005176580697** **201.72**

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 687 000 **Chrome** **4005176580741** **188.97**
ditto, but head shower with white rear cover






26 683 000 **Chrome** **4005176580703** **162.87**

Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 688 000 **Chrome** **4005176580758** **150.11**
ditto, but head shower with white rear cover






26 412 000 **Chrome** **4005176390173** **170.88**

Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater









26 414 000 **Chrome** **4005176408090** **143.78**

Tempesta 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 413 000 **Chrome** **4005176390180** **170.89**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 267 001	Chrome	4005176444197	61.25
	Tempesta 100 **Head shower 1 spray** Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life for **low pressure**			
 	27 869 001	Chrome	4005176444005	82.51
	Tempesta Cosmopolitan 100 **Head shower 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	26 090 001	Chrome	4005176443992	76.58
	Tempesta Cosmopolitan 100 **Head shower set 3 sprays** GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	26 089 001	Chrome	4005176444067	73.04
	Tempesta Rustic 100 **Head shower set 4 sprays** GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





26 373 001 **Chrome** **4005176415593** **22,094.13**

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
material: metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish


requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl
3 x Grohtherm SmartControl (29 126 000)
3 x GROHE Rapido SmartBox (35 600 000)
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++






26 376 001 **Chrome** **4005176415609** **2,103.42**

Rainshower F-Series 40"
Roughing-in set
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.





27 865 000 **Chrome** **4005176918179** **4,492.32**


Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
material: metal
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 286 000 **Chrome** **4005176860737** **1,884.24**

Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






27 939 001 **Chrome** **4005176927287** **3,227.62**

Rainshower F-Series 15"
Ceiling shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 17 mm (height) x 456 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min

head shower has to be controlled by 4 outlets







27 938 001 **Chrome** **4005176927072** **3,227.57**

Rainshower F-Series 15"
Head shower 3 sprays
Rain, Bokoma Spray, Waterfall and combinations
381 mm (width) x 60 mm (height) x 677 mm (depth)
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE XL Waterfall extra wide waterfall spray
SpeedClean anti-limescale system
flow of single spray at 3 bar:
1 x Rain spray 300 mm: ca. 20 l/min
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min
4 x Bokoma Spray with adjustment angle 20°: 20 l/min
Requires Rough-in (26 042) - to be ordered separately

head shower has to be controlled by 4 outlets






26 042 000 **4005176935954** **209.65**

Rainshower F-Series 15"
Roughing-in set
for use with Rainshower F-Series 15" Multi Spray head shower
295 mm (width) x 121 mm (height) x 181 mm (depth)
Max. installation depth: 91 mm
Min. wall thickness: not less that 200 mm
Minimum screw-in depth of stud bolts: 14 mm
Full metal construction
Waterways: Brass
1/2" connections






27 467 000 **Chrome** **4005176882609** **646.93**

Rainshower F-Series 10" 254 x 254
Ceiling shower 1 spray
Rain
254 x 254 mm
material: metal
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 285 000	**Chrome**	**4005176860713**	**470.16**

Rainshower F-Series 10"
Head shower 1 spray
Rain
254 x 254 mm
material: metal
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 271 000	**Chrome**	**4005176860690**	**470.16**


ditto, with non-restricted flow



27 252 000	**Chrome**	**4005176856334**	**116.64**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
also to be used as head shower
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater





27 251 000	**Chrome**	**4005176856327**	**116.64**
27 251 DC0	**supersteel**	**4005176431586**	**155.54**
27 251 BE0	**polished nickel**	**4005176431593**	**177.91**
27 251 EN0	**brushed nickel**	**4005176431562**	**188.57**
27 251 GL0	**cool sunrise**	**4005176338861**	**177.91**
27 251 GN0	**brushed cool sunrise**	**4005176431555**	**188.57**
27 251 DA0	**warm sunset**	**4005176338854**	**177.91**
27 251 DL0	**brushed warm sunset**	**4005176431579**	**188.57**
27 251 A00	**hard graphite**	**4005176338878**	**192.41**
27 251 AL0	**Brushed Hard Graphite**	**4005176338885**	**204.42**

Rainshower F-Series 5"
Side shower 1 spray
Normal spray
including concealed body
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system



27 254 000	**Chrome**	**4005176856372**	**175.57**


Rainshower F-Series 5"
Head shower 1 spray
Normal spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
female thread 1/2" NPT
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 253 000	**Chrome**	**4005176856365**	**175.57**

Rainshower F-Series 5"
Head shower 1 spray
wall mounted
127 x 127 mm
flow straightener with ball joint (± 12.5° rotatable)
connection thread with pre-assembled
sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FlowBalance flow regulating screw
SpeedClean anti-limescale system










26 641 000	**Chrome**	**4005176530210**	**556.10**

Rainshower SmartConnect 310
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar









26 643 000	**Chrome**	**4005176530234**	**581.67**

Rainshower SmartConnect 310 Cube
Head shower 2 sprays
GROHE PureRain, ActiveRain
default spray type programmable
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
with wireless remote control to change or combine spray patterns
screw or glue holder to wall
battery powered
including 3 x AAA batteries and 1 x CR 2032 button cell
LED indicator for pairing and battery change
water resistant remote control rated IP57
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
min. recommended pressure 1.5 bar



26 569 000	**Chrome**	**4005176482175**	**305.75**
26 569 EN0	**brushed nickel**	**4005176482182**	**458.09**

Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


26 562 000	**Chrome**	**4005176481765**	**320.12**
26 562 LS0	**moon white**	**4005176482144**	**416.05**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 561 000	**Chrome**	**4005176481758**	**320.12**
26 561 LS0	**moon white**	**4005176482137**	**416.05**





Rainshower Mono 310
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 570 000	**Chrome**	**4005176482199**	**332.39**
26 570 EN0	**brushed nickel**	**4005176482205**	**498.57**




Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 568 000	**Chrome**	**4005176482120**	**348.02**
26 568 LS0	**moon white**	**4005176482168**	**452.84**

ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 567 000	**Chrome**	**4005176482113**	**348.02**
26 567 LS0	**moon white**	**4005176482151**	**452.84**






Rainshower Mono 310 Cube
Head shower 1 spray
GROHE PureRain
spray plate chrome
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

27 470 000	**Chrome**	**4005176882531**	**493.74**






Rainshower Veris 300
Head shower 1 spray
Rain
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 470 LS0	**moon white**	**4005176997235**	**590.30**








Rainshower Veris 300
Head shower 1 spray
Rain
spray plate white
300 x 150 mm
material: metal
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 863 000**	**Chrome**	**4005176918155**	**705.84**
	Rainshower Allure 230 **Ceiling shower 1 spray** Rain 230 x 230 mm material: metal connection thread 1/2" **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
	**26 469 000**	**Chrome**	**4005176423970**	**499.64**
	Rainshower Allure 230 **Head shower 1 spray** Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
 	**27 480 000**	**Chrome**	**4005176883316**	**505.53**
	Rainshower Allure 230 **Head shower 1 spray** Rain 230 x 230 mm material: metal ball joint with turning angle ± 15° connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
	27 479 000 **ditto, with non-restricted flow**	**Chrome**	**4005176883309**	**505.54**
 	**28 778 000**	**Chrome**	**4005176820526**	**682.29**
	Rainshower Cosmopolitan 400 **Head shower 1 spray** diameter 400 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
	**26 472 000**	**Chrome**	**4005176424908**	**515.63**
	Rainshower Cosmopolitan 310 **Head shower 1 spray** Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 478 000	**Chrome**	**4005176883293**	**517.31**






Rainshower Cosmopolitan 310
Head shower 1 spray
Rain
Ø 310 mm
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater


27 477 000	**Chrome**	**4005176883286**	**517.31**

ditto, with non-restricted flow

---

28 368 00E	**Chrome**	**4005176867385**	**352.33**





Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 368 000	**Chrome**	**4005176267253**	**240.16**

ditto, with non-restricted flow


28 373 000	**Chrome**	**4005176267277**	**364.11**

ditto, with 9.5 l/min flow limiter

---

28 368 LS0	**moon white**	**4005176997242**	**446.59**





Rainshower Cosmopolitan 210
Head shower 1 spray
Rain
starting at 0.5 bar flow pressure
spray plate white
Ø 210 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater
this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000

---

27 135 000	**Chrome**	**4005176836077**	**127.14**
27 135 EN0	**brushed nickel**	**4005176836084**	**235.46**




Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint wih turning angle 15° ± 15°
GROHE EcoJoy 9.5 l/min flow limiter
SpeedClean anti-limescale system
suitable for instantaneous heater
Min. recommended pressure 0.5 bar
The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M).
recommended for use with Rainshower shower arms

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 134 000	**Chrome**	**4005176836060**	**128.44**





Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


26 474 000	**Chrome**	**4005176424939**	**372.86**
26 474 BE0	**polished nickel**	**4005176424953**	**484.73**
26 474 EN0	**brushed nickel**	**4005176424946**	**484.73**
26 474 ZB0	**antique bronze**	**4005176424960**	**484.73**



Rainshower Rustic 210
Head shower 1 spray
Rain spray pattern
normal (wide) spray **starting at 0.5** bar
flow pressure
Ø 210 mm
120 spray nozzles
brass
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 369 000	**Chrome**	**4005176267260**	**375.91**






Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 974 000	**Chrome**	**4005176932793**	**458.40**
27 974 IG0	**chrome/gold**	**4005176933486**	**599.78**






Grandera 210
Head shower 1 spray
221 x 221 mm
material: metal
with ball joint
rotation angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 308 000	**Chrome**	**4005176254949**	**133.04**





Sena 75
Head shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)



28 448 000 **Chrome** **4005176265167** **180.26**


Movario 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system



28 528 000 **Chrome** **4005176271199** **143.91**

Movario 70 NPT
Side shower 2 sprays
Wide spray/Massage
extreme low profile
ball-joint
1/2" NPT female thread
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system





27 530 000 **Chrome** **4005176889219** **493.73**


Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life



27 068 000 **Chrome** **4005176832130** **152.02**

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
1/2" NPT female thread
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.





27 062 000 **Chrome** **4005176831669** **210.91**


Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 067 000 **Chrome** **4005176832123** **140.21**

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 457 000 **Chrome** **4005176416934** **141.43**

Euphoria 260
Head shower 3 sprays
Rain, SmartRain, Jet
Ø 260 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 455 000 **Chrome** **4005176416903** **141.43**
ditto, with non-restricted flow






27 492 000 **Chrome** **4005176885556** **140.22**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






28 233 000 **Chrome** **4005176868016** **93.11**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater





27 237 000 **Chrome** **4005176854286** **81.30**

Euphoria 110 Mono
Head shower 1 spray
Rain
connection thread 1/2"
bellows
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)



28 737 000 **Chrome** **4005176872983** **57.73**


Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system



26 468 000 **Chrome** **4005176423963** **157.28**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 705 000 **Chrome** **4005176907166** **152.01**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





26 662 000 **Chrome** **4005176580499** **118.32**

Tempesta 250
Head shower 1 spray
Rain
Ø 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition


26 666 000 **Chrome** **4005176580536** **105.99**
ditto, but with white rear cover

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 681 000	**Chrome**	**4005176580680**	**122.46**





Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 685 000	**Chrome**	**4005176580727**	**109.69**

ditto, but with white rear cover

---

26 409 000	**Chrome**	**4005176390128**	**96.65**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000	**Chrome**	**4005176390142**	**96.65**

ditto, with 9.5 l/min flow limiter


26 408 000	**Chrome**	**4005176390111**	**96.65**

ditto, with non-restricted flow

---

27 606 001	**Chrome**	**4005176444180**	**62.45**






Tempesta 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

---

26 050 001	**Chrome**	**4005176444166**	**49.51**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

---

27 591 001	**Chrome**	**4005176443985**	**69.53**





Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
HEAD SHOWERS


Ref. No.	Colour	EAN	Retail Guide Price (£)
26 051 001	**Chrome**	**4005176443954**	**55.38**



Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

27 541 001	**Chrome**	**4005176451676**	**88.36**






Tempesta Cosmopolitan 200
Head shower 1 spray
Rain spray pattern
Ball joint +/- 20° rotatable
connection thread 1/2"
suitable for instantaneous heater

27 610 001	**Chrome**	**4005176444050**	**63.62**











Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD SHOWERS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	21.35
	Relexa Basic 85 **Head shower 1 spray** Rain brass tin plate 50 mm high connection thread 1/2"			
	28 342 000	Chrome	4005176260070	66.35
	Relexa Plus 65 **Head shower 1 spray** non-adjustable 1/2" NPT female thread **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	28 094 000	Chrome	4005176601132	54.78
	Relexa Plus 50 **Head shower 1 spray** with ball joint 1/2" connection **GROHE StarLight** chrome finish adjustable flow rate without shower arm			
 	28 002 000	Chrome	4005176858796	199.13
	Relexa 70 **Sports head shower 1 spray** low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	144.22
	Relexa Plus 60 **Sports head shower 1 spray** heavy, cast model connection thread 1/2" projection 148 mm **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			

GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 286 000**	**Chrome**	**4005176198526**	**104.87**
	Relexa 50 **Side shower 2 sprays** Wide Spray/ Needle Jet ball-joint **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system			
 	**28 198 000**	**Chrome**	**4005176038686**	**133.04**
	Relexa 50 **Side shower 1 spray** Normal spray ball-joint **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system pre-adjustment for the flow rate pre-adjustable flow rate from 5-11 l/min. minimum flow rate 4.5 l/min			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 146 000**	**Chrome**	**4005176986017**	**116.67**
Rainshower **Shower arm 422 mm** material: metal connection thread 1/2" with round escutcheon, can be used for all Rainshower head showers **GROHE StarLight** chrome finish				
 	**26 146 LS0**	**moon white**	**4005176997266**	**116.65**
Rainshower **Shower arm 422 mm** material: metal connection thread 1/2" with round escutcheon, white can be used for all Rainshower head showers **GROHE StarLight** chrome finish				
 	**28 982 000**	**Chrome**	**4005176829987**	**140.24**
Rainshower **Shower arm 378 mm** material: metal connection thread 1/2" **GROHE StarLight** chrome finish				
 	**28 361 000**	**Chrome**	**4005176295157**	**104.87**
Rainshower **Shower arm, 380 mm** material: metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower 400 mm **GROHE StarLight** chrome finish				
	28 576 000	**Chrome**	**4005176274022**	**81.30**
Ditto, projection 286 mm				
 	**26 145 000**	**Chrome**	**4005176986000**	**140.24**
Rainshower **Shower arm 422 mm** material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers **GROHE StarLight** chrome finish				
 	**27 488 000**	**Chrome**	**4005176885525**	**81.30**
Rainshower **Shower arm 275 mm** material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower 400 mm **GROHE StarLight** chrome finish				

GROHE
HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 709 000	**Chrome**	**4005176909092**	**116.65**

Rainshower
Shower arm 286 mm
material: metal
connection thread 1/2"
with square escutcheon and rectangular arm
suitable for square Rainshower Allure and Euphoria Cube head shower
GROHE StarLight chrome finish






28 497 000	**Chrome**	**4005176270338**	**69.54**

Rainshower
Shower ceiling arm 292 mm
material: metal
connection thread 1/2"
can be used for all Rainshower head showers
GROHE StarLight chrome finish

28 724 000	**Chrome**	**4005176812644**	**57.74**

ditto, length 142 mm






27 484 000	**Chrome**	**4005176885488**	**69.53**

Rainshower
Shower ceiling arm 292 mm
material: metal
connection thread 1/2"
with square escutcheon
can be used for all Rainshower head showers
GROHE StarLight chrome finish

27 485 000	**Chrome**	**4005176885495**	**57.75**

ditto, 142 mm length






27 711 000	**Chrome**	**4005176909115**	**93.09**

Rainshower
Shower arm ceiling 154 mm
material: metal
connection thread 1/2"
GROHE StarLight chrome finish









27 986 000	**Chrome**	**4005176933011**	**104.87**
27 986 IG0	**chrome/gold**	**4005176933547**	**140.21**

Rainshower Grandera
Shower arm 286 mm
projection 286 mm
material: metal
connection thread 1/2"
Grandera escutcheon
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 978 000	Chrome	4005176932830	81.29
Rainshower Grandera **Shower arm ceiling 142 mm** material: metal length 142 mm connection thread 1/2" Grandera escutcheon **GROHE StarLight** chrome finish				
 	27 406 000	Chrome	4005176600166	54.78
Relexa **Shower arm 218 mm** connection thread 1/2" projection 218 mm escutcheon **GROHE StarLight** chrome finish				
 	28 541 000	Chrome	4005176040528	43.60
Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish				
 	28 429 000	Chrome	4005176601910	54.78
Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish				

GROHE
SENA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 341 000	**Chrome**	**4005176259463**	**152.01**

Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

28 034 000	**Chrome**	**4005176231810**	**152.01**

ditto, with non-restricted flow






26 465 000	**Chrome**	**4005176423918**	**155.06**
26 465 DC0	**supersteel**	**4005176459092**	**216.89**
26 465 BE0	**polished nickel**	**4005176459160**	**247.86**
26 465 EN0	**brushed nickel**	**4005176423925**	**263.34**
26 465 GL0	**cool sunrise**	**4005176459108**	**247.86**
26 465 GN0	**brushed cool sunrise**	**4005176459115**	**263.34**
26 465 DA0	**warm sunset**	**4005176459122**	**247.86**
26 465 DL0	**brushed warm sunset**	**4005176459139**	**263.34**
26 465 A00	**hard graphite**	**4005176459146**	**247.86**
26 465 AL0	**Brushed Hard Graphite**	**4005176459153**	**263.35**


Sena Stick
Hand shower 1 spray
Normal spray
material: metal
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses






28 348 000	**Chrome**	**4005176263262**	**144.22**

Sena
Wall holder set 1 spray
material: metal
hand shower Sena Stick (28 034 000)
wall shower holder (28 690)
shower hose (28 151 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






28 308 000	**Chrome**	**4005176254949**	**133.04**

Sena 75
Head shower 1 spray
Normal spray
material: metal
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system






28 690 000	**Chrome**	**4005176256196**	**99.50**

Sena
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 389 000**	**Chrome**	**4005176269837**	**13.31**

Sena
Adapter 1/2" x 1/2"
material: metal
for use with hand shower holder or shower rail
GROHE StarLight chrome finish

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 574 000	**Chrome**	**4005176485916**	**76.70**
26 574 DC0	**supersteel**	**4005176526459**	**136.36**





Rainshower SmartActive 130
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater


26 544 000	**Chrome**	**4005176478888**	**76.70**

ditto, with non-restricted flow

---

26 575 000	**Chrome**	**4005176485947**	**164.06**





Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater


26 546 000	**Chrome**	**4005176479816**	**164.06**

ditto, with non-restricted flow

---

26 578 000	**Chrome**	**4005176485985**	**168.32**






Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 544)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 579 LS0 **moon white** **4005176486203** **169.39**

Rainshower SmartActive 130
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 578 LS0 **moon white** **4005176486197** **168.32**
ditto, with non-restricted flow






26 581 000 **Chrome** **4005176486234** **107.60**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 581 LS0 **moon white** **4005176486241** **107.60**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 580 000 **Chrome** **4005176486210** **126.78**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 580 LS0 **moon white** **4005176486227** **126.78**

Rainshower SmartActive 130
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 (26 574)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 582 000 **Chrome** **4005176486258** **76.70**

Rainshower SmartActive 130 Cube
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

26 552 000 **Chrome** **4005176486272** **76.70**
ditto, with GROHE EcoJoy 6.8 l/min flow limiter

26 550 000 **Chrome** **4005176479854** **76.70**
ditto, with non-restricted flow





26 584 000 **Chrome** **4005176486296** **164.06**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance
between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 585 000 **Chrome** **4005176486319** **164.06**
ditto, with GROHE EcoJoy 6.8 l/min flow limiter


26 583 000 **Chrome** **4005176486289** **164.06**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 584 LS0 **moon white** **4005176486302** **164.06**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 586 000 **Chrome** **4005176486333** **168.32**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 587 000 **Chrome** **4005176486340** **169.39**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter






26 586 LS0 **moon white** **4005176486357** **168.32**

Rainshower SmartActive 130 Cube
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 550)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 587 LS0 **moon white** **4005176486364** **169.39**
ditto, with GROHE EcoJoy 9.5 l/min flow limiter






26 589 000 **Chrome** **4005176486395** **107.60**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 589 LS0 **moon white** **4005176486401** **107.60**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 588 000 **Chrome** **4005176486371** **126.78**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 588 LS0 **moon white** **4005176486388** **126.78**

Rainshower SmartActive 130 Cube
Wall holder set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 130 Cube (26 582)
wall shower holder, adjustable (27 055)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater





26 590 000 **Chrome** **4005176486418** **95.88**

Rainshower SmartActive 150
Hand shower 3 sprays
spray plate chrome
GROHE Rain including DripStop, Jet including DripStop, ActiveMassage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SmartTip showering spray selection via push of a ring
GROHE RainStart - hand shower starts always with Rain spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater


26 553 000 **Chrome** **4005176479885** **95.88**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 592 000 **Chrome** **4005176486449** **193.89**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 591 000 **Chrome** **4005176486425** **193.89**
ditto, with non-restricted flow






26 592 LS0 **moon white** **4005176486432** **194.96**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 600 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater





26 594 000 **Chrome** **4005176486470** **200.28**


Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 590)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

26 593 000 **Chrome** **4005176486456** **199.22**
ditto, with non-restricted flow

GROHE
RAINSHOWER SMARTACTIVE

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 594 LS0	**moon white**	**4005176486463**	**200.28**

Rainshower SmartActive 150
Shower rail set 3 sprays
Consisting of:
hand shower Rainshower SmartActive 150 (26 554)
shower rail 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
GROHE TileFix adjustable depth on upper and lower bracket
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 602 000	**Chrome**	**4005176486531**	**99.08**

Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish





26 603 000	**Chrome**	**4005176486548**	**104.40**
26 603 BE0	**polished nickel**	**4005176558719**	**208.80**
26 603 EN0	**brushed nickel**	**4005176558740**	**229.05**
26 603 GL0	**cool sunrise**	**4005176558757**	**208.80**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**229.05**
26 603 DA0	**warm sunset**	**4005176558726**	**208.80**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**229.05**
26 603 A00	**hard graphite**	**4005176558696**	**208.80**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**229.05**


Rainshower SmartActive
Shower rail, 900 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 134 000	Chrome	4005176836060	128.44






Rainshower Cosmopolitan 160
Head shower 4 sprays
Rain / Jet / Pure / Champagne spray
Ø 160 mm
ball joint with turning angle ± 15°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

28 369 000	Chrome	4005176267260	375.91






Rainshower Rustic 210
Head shower 1 spray
material: metal
ball joint with turning angle 20° ± 20°
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

27 276 000	Chrome	4005176861437	93.10
27 276 LS0	moon white	4005176861451	93.10






Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
GROHE EcoJoy technology for less water and perfect flow
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses

27 443 000	red	4005176880025	93.11






Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses

27 444 000	orange	4005176880049	93.11






Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of
hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all
standard shower hoses
suitable for instantaneous heater

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 446 000 **yellow** **4005176880063** **93.11**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater






27 447 000 **pink** **4005176880087** **94.53**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater






27 448 000 **purple** **4005176880100** **93.11**

Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater





27 449 000 **blue** **4005176879982** **93.11**


Rainshower Icon 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
metal elbow adapter for the combination of hand showers with shower hoses
GROHE EcoJoy technology for less water and perfect flow
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 277 001	**Chrome**	**4005176875489**	**222.72**






Rainshower Icon 150
Shower rail set 2 sprays
hand shower Icon 150 (27 276 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

GROHE
RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 272 000	**Chrome**	**4005176860836**	**116.66**






Rainshower Solo 150
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE EcoJoy technology for less water and perfect flow
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 273 001	**Chrome**	**4005176875502**	**258.06**







Rainshower Solo 150
Shower rail set 2 sprays
hand shower Solo 150 (27 272 000)
shower rail 900 mm (28 819 001)
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
Elbow adapter for the combination of handshowers with shower sets
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 274 000**	**Chrome**	**4005176861383**	**116.66**

Rainshower Eco 120
Hand shower 2 sprays
Rain, SmartRain
Eco function (reduction of flow rate)
Elbow adapter for the combination of handshowers with shower sets
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**45 914 XE0**	**gray night time**	**4005176842054**	**25.99**

Spacer
for Relexa / Rainshower shower bars
28 819 / 28 797 / 27 136

GROHE
RELEXA

Ref. No.	Colour	EAN	Retail Guide Price (£)





27 530 000 **Chrome** **4005176889219** **493.73**


Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life



28 897 000 **Chrome** **4005176827044** **137.39**

Relexa 100 Five
Hand shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
1/2" NPT female thread
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater





28 796 000 **Chrome** **4005176824296** **140.21**


Relexa 100 Five
Hand shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.



28 917 000 **Chrome** **4005176827112** **234.58**

Relexa 100 Five
Shower rail set 5 sprays
Consisting of:
hand shower Relexa Five (28 897)
shower rail, 600 mm (28 797)
GROHE DreamSpray perfect spray pattern
shower hose 1.750 mm (28 025 000)
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





28 964 001 **Chrome** **4005176877254** **234.51**

Relexa 100 Five
Shower rail set 5 sprays
Consisting of:
Hand shower Relexa Five (28 796 000)
shower rail, 600 mm (28 797)
with wall holders made of metal
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RELEXA


Ref. No.	Colour	EAN	Retail Guide Price (£)



27 068 000 **Chrome** **4005176832130** **152.02**

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
1/2" NPT female thread
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.






27 062 000 **Chrome** **4005176831669** **210.91**

Relexa 100 Five
Head shower 5 sprays
Wide spray / Needle Jet / Rain / Massage / Champagne spray
ball-joint
connection thread with pre-assembled sealing
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7.5 l/min.






27 067 000 **Chrome** **4005176832123** **140.21**

Relexa 65
Side shower 2 sprays
Wide spray/Massage
ball-joint
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






28 537 000 **Chrome** **4005176040443** **110.68**

Relexa Low Aerosol 46
Hand shower 1 spray
metal spray plate
GROHE StarLight chrome finish
flow limiter
Universal Mounting System. Fits all standard shower hoses
9.5 l/min. maximum flow rate at 1 - 6 bar






28 404 000 **Chrome** **4005176601736** **21.35**

Relexa Basic 85
Head shower 1 spray
Rain
brass tin plate
50 mm high
connection thread 1/2"


GROHE
RELEXA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**28 342 000**	**Chrome**	**4005176260070**	**66.35**


Relexa Plus 65
Head shower 1 spray
non-adjustable
1/2" NPT female thread
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	**28 094 000**	**Chrome**	**4005176601132**	**54.78**


Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

 	**28 002 000**	**Chrome**	**4005176858796**	**199.13**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection

 	**28 948 000**	**Chrome**	**4005176209871**	**144.22**

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system

 	**28 286 000**	**Chrome**	**4005176198526**	**104.87**


Relexa 50
Side shower 2 sprays
Wide Spray/ Needle Jet
ball-joint
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 222 000 **Chrome** **4005176854132** **69.51**

Euphoria 110 Champagne
Hand shower 3 sprays
Rain, Champagne spray, SmartRain
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater






26 513 000 **Chrome** **4005176457722** **71.89**

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
spray plate white
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater






27 239 001 **Chrome** **4005176457715** **71.89**

Euphoria 110 Massage
Hand shower 3 sprays
spray face Ø 110 mm
Rain, Massage, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
spray plate white
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 221 001 **Chrome** **4005176457708** **66.00**
ditto, with non-rectricted flow





27 239 000 **Chrome** **4005176854323** **63.61**


Euphoria 110 Massage
Hand shower 3 sprays
Rain, Massage, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 221 000 **Chrome** **4005176854125** **57.74**
ditto, with non-restricted flow

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 238 000 **Chrome** **4005176854293** **44.95**

Euphoria 110 Duo
Hand shower 2 sprays
Rain, SmartRain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 220 000 **Chrome** **4005176854118** **45.94**
ditto, with non-restricted flow






27 265 00E **Chrome** **4005176885693** **34.15**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 265 000 **Chrome** **4005176856983** **34.15**
ditto, with non-restricted flow






27 224 000 **Chrome** **4005176854156** **34.15**

Euphoria 110 Mono
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 232 001 **Chrome** **4005176899560** **116.66**


Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 243 001 **Chrome** **4005176899799** **104.88**

Euphoria 110 Massage
Shower rail set 3 sprays
hand shower Massage (27 239 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 231 001 **Chrome** **4005176899553** **104.88**
ditto, with non-restricted flow






27 242 001 **Chrome** **4005176899782** **104.84**

Euphoria 110 Duo
Shower rail set 2 sprays
Consisting of:
hand shower Euphoria 110 Duo (27 238)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 230 001 **Chrome** **4005176899546** **98.96**
ditto, with non-restricted flow






27 266 00E **Chrome** **4005176890710** **84.13**

Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
hand shower Euphoria Mono (27 265 000)
shower rail, 600 mm (27 499)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

27 266 001 **Chrome** **4005176899812** **93.09**
ditto, with non-restricted flow







27 256 001 **Chrome** **4005176899805** **87.19**

Euphoria 110 Mono
Shower rail set 1 spray
hand shower Mono (27 224 000)
shower rail, 600 mm (27 499)
shower hose 1500 mm (28 161)
soap dish
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater


GROHE
EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 227 001**	**Chrome**	**4005176899522**	**116.65**


Euphoria 110 Champagne
Shower rail set 3 sprays
Consisting of:
hand shower Champagne (27 222)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

 	**27 226 001**	**Chrome**	**4005176899515**	**116.65**

Euphoria 110 Massage
Shower rail set 3 sprays
Consisting of:
hand shower Massage (27 221 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

 	**27 225 001**	**Chrome**	**4005176899508**	**104.88**

Euphoria 110 Duo
Shower rail set 2 sprays
hand shower Duo (27 220 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

 	**27 267 001**	**Chrome**	**4005176899829**	**101.32**


Euphoria 110 Mono
Shower rail set 1 spray
Consisting of:
Handshower mono (27 265 000)
shower rail 900 mm (27 500)
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE FastFixation (upper bracket adjustable to adapt to existing holes)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 355 000 **Chrome** **4005176874451** **104.87**

Euphoria 110 Champagne
Wall holder set 3 sprays
Wall shower holder 28 401
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE SprayDimmer (Stepless flow rate reduction)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






27 354 000 **Chrome** **4005176874444** **57.74**

Euphoria 110 Mono
Wall holder set 1 spray
wall shower holder (27 056)
Silverflex shower hose 1250 mm (28 362)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






26 459 000 **Chrome** **4005176416965** **235.69**

Euphoria 260
Head shower set 380 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
shower arm Rainshower 380 mm (28 361 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 458 000 **Chrome** **4005176416958** **235.69**
ditto, with non-restricted flow










26 461 000 **Chrome** **4005176416989** **187.37**

Euphoria 260
Head shower set ceiling 142 mm, 3 sprays
Consisting of:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 460 000 **Chrome** **4005176416972** **187.37**
ditto, with non-restricted flow

GROHE
EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 457 000**	**Chrome**	**4005176416934**	**141.43**
	Euphoria 260 **Head shower 3 sprays** Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
	26 455 000	**Chrome**	**4005176416903**	**141.43**
	ditto, with non-restricted flow			
 	**27 237 000**	**Chrome**	**4005176854286**	**81.30**
	Euphoria 110 Mono **Head shower 1 spray** Rain connection thread 1/2" bellows **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **suitable for instantaneous heater**			
 	**27 499 000**	**Chrome**	**4005176886041**	**45.96**
	Euphoria **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish			
	27 500 000	**Chrome**	**4005176886058**	**57.73**
	ditto, 900 mm			
 	**48 051 000**		**4005176890024**	**6.71**
	Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	**27 596 000**		**4005176895944**	**10.60**
	GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 400 000 **Chrome** **4005176877292** **45.97**

Euphoria Cosmopolitan Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 367 000 **Chrome** **4005176875939** **45.97**

ditto, with non-restricted flow






27 368 000 **Chrome** **4005176875946** **175.58**

Euphoria Cosmopolitan Stick
Shower rail set 1 spray
Consisting of:
hand shower 27 400 000
shower rail, 900 mm
with wall holders made of metal
Silverflex shower hose 1750 mm (28 388 000)
soap dish (27 206)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater






27 369 000 **Chrome** **4005176875953** **81.29**

Euphoria Cosmopolitan Stick
Wall holder set 1 spray
hand shower 27 400 000
wall shower holder (27 056)
Silverflex shower hose 1.500 mm (28 364)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater
Min. recommended pressure 0.5 bar






27 492 000 **Chrome** **4005176885556** **140.22**

Euphoria Cosmopolitan 180
Head shower 1 spray
Rain
Ø 180 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system








28 233 000 **Chrome** **4005176868016** **93.11**

Euphoria Cosmopolitan 160
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater

GROHE
EUPHORIA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**26 467 000**	**Chrome**	**4005176423956**	**93.76**
	Euphoria Cube+ Stick **Hand shower 1 spray** Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
 	**27 888 000**	**Chrome**	**4005176921179**	**93.10**
	Euphoria Cube+ Stick **Hand shower 1 spray** Normal spray material: metal **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 884 001	**Chrome**	**4005176919695**	**93.10**
	ditto, with non-restricted flow			
 	**27 891 000**	**Chrome**	**4005176921209**	**258.08**
	Euphoria Cube+ Stick **Shower rail set 1 spray** hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
 	**27 890 000**	**Chrome**	**4005176921193**	**269.86**
	Euphoria Cube+ Stick **Shower rail set 1 spray** Consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			
 	**27 889 000**	**Chrome**	**4005176921186**	**140.22**
	Euphoria Cube+ Stick **Wall holder set 1 spray** hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 699 000 **Chrome** **4005176907104** **45.95**

Euphoria Cube Stick
Hand shower 1 spray
Normal spray
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

27 698 000 **Chrome** **4005176907098** **45.95**
ditto, with non-restricted flow






27 936 000 **Chrome** **4005176927058** **202.27**

Euphoria Cube
Shower set
Consisting of:
Hand shower (27 698 000)
shower rail 600 mm (27 892 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 700 000 **Chrome** **4005176907111** **222.70**

Euphoria Cube Stick
Shower rail set 1 spray
Hand shower (27 698 000)
shower rail 900 mm (27 841)
Silverflex shower hose 1750 mm (28 388 000)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting






26 405 000 **Chrome** **4005176385162** **83.10**

Euphoria Cube Stick
Wall holder set 1 spray
with integrated wall union 1/2"
Consisting of:
Handshower (27 699 000)
shower outlet elbow 1/2" with wall shower holder (26 370)
male thread
protected against backflow
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
suitable for instantaneous heater

GROHE EUPHORIA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 703 000 **Chrome** **4005176907142** **81.28**

Euphoria Cube Stick
Wall holder set 1 spray
Handshower (27 699 000)
wall shower holder (27 693 000)
Silverflex shower hose 1250 mm (28 362)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 702 000 **Chrome** **4005176907135** **81.28**
ditto, with non-restricted flow






26 073 000 **Chrome** **4005176937279** **246.29**

Euphoria Cube 150
Head shower set 286 mm, 1 spray
head shower Euphoria Cube 150 (27 705 000)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (27 709 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






27 705 000 **Chrome** **4005176907166** **152.01**

Euphoria Cube 150
Head shower 1 spray
Rain
152 x 152 mm
ball-joint
rotation angle ± 12°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life





27 841 000 **Chrome** **4005176916670** **210.93**

Euphoria Cube
Shower rail, 900 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish



28 737 000 **Chrome** **4005176872983** **57.73**


Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 608 001 **Chrome** **4005176444029** **55.39**

Tempesta Rustic 100
Hand shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 085 001 **Chrome** **4005176444036** **48.33**
ditto, with non-restricted flow






27 609 001 **Chrome** **4005176451898** **103.71**

Tempesta Rustic 100
Shower rail set 4 sprays
hand shower (27 608)
shower rail, 600 mm (27 519)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

26 086 001 **Chrome** **4005176451904** **97.82**
ditto, with non-restricted flow






27 805 001 **Chrome** **4005176451911** **71.89**

Tempesta Rustic 100
Wall holder set 4 sprays
hand shower (27 608)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life






26 089 001 **Chrome** **4005176444067** **73.04**

Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 610 001 **Chrome** **4005176444050** **63.62**

Tempesta Rustic 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE
TEMPESTA






Ref. No.	Colour	EAN	Retail Guide Price (£)
27 519 000	**Chrome**	**4005176886485**	**57.74**
Tempesta Rustic **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish			
27 520 000	**Chrome**	**4005176886492**	**57.75**
ditto, 900 mm			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 575 002	**Chrome**	**4005176443930**	**49.48**





Tempesta Cosmopolitan 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


27 573 002	**Chrome**	**4005176443947**	**49.48**

ditto, with non-restricted flow

---

27 574 002	**Chrome**	**4005176443916**	**37.69**





Tempesta Cosmopolitan 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses


27 572 002	**Chrome**	**4005176443923**	**37.69**

ditto, with non-restricted flow

---

27 571 20E	**Chrome**	**4005176443275**	**29.46**





Tempesta Cosmopolitan 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses
suitable for instantaneous heater

27 571 002	**Chrome**	**4005176443893**	**29.46**

ditto, with non-restricted flow


26 130 001	**Chrome**	**4005176443909**	**29.46**

ditto, with non-restricted flow, for low pressure

---

26 082 002	**Chrome**	**4005176443268**	**23.57**






Tempesta Cosmopolitan 100
Hand shower 1 spray
Rain
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Universal Mounting System. Fits all standard shower hoses

GROHE
TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 577 002 **Chrome** **4005176451584** **89.55**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 576 002 **Chrome** **4005176451560** **87.18**

Tempesta Cosmopolitan 100
Shower set 3 sprays
Consisting of:
hand shower (27 574)
shower rail, 600 mm (27 521 000)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

27 929 002 **Chrome** **4005176451577** **87.18**
ditto, with non-restricted flow






26 083 002 **Chrome** **4005176451546** **68.35**

Tempesta Cosmopolitan 100
Shower rail set 1 spray
Consisting of:
hand shower (26 082)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life









27 580 002 **Chrome** **4005176451515** **84.86**

Tempesta Cosmopolitan 100
Shower rail set 4 sprays
Consisting of:
hand shower Tempesta Cosmopolitan 100 (27 575)
shower rail, 600 mm (27 521)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


27 787 002 **Chrome** **4005176451522** **84.86**
ditto, with non-restricted flow

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 579 002** **27 786 002**	**Chrome** **Chrome**	**4005176451492** **4005176451508**	**76.61** **76.61**
	Tempesta Cosmopolitan 100 **Shower rail set 3 sprays** Consisting of: hand shower (27 574) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **ditto, with non-restricted flow**			
 	**27 578 20E** **27 578 002**	**Chrome** **Chrome**	**4005176451362** **4005176451386**	**65.33** **65.33**
	Tempesta Cosmopolitan 100 **Shower rail set 2 sprays** Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600 mm (27 521) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 5.7 l/min. flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **ditto, with non-restricted flow**			
 	**27 790 002**	**Chrome**	**4005176451614**	**82.04**
	Tempesta Cosmopolitan 100 **Shower rail set 4 sprays** Consisting of: hand shower (27 573) shower rail, 900 mm (27 522) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **suitable for instantaneous heater**			
 	**27 584 002**	**Chrome**	**4005176451621**	**56.58**
	Tempesta Cosmopolitan 100 **Shower set 3 sprays** hand shower (27 574) wall shower holder adjustable (27 595) Relexaflex hose 1750 mm 1/2" x 1/2" (28 154) **GROHE EcoJoy** 9.5 l/min flow limiter **GROHE DreamSpray** perfect spray pattern **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life			


GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 588 002**	**Chrome**	**4005176451669**	**53.03**


Tempesta Cosmopolitan 100
Wall holder set 3 sprays
Consisting of:
hand shower (27 574)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

 	**26 084 002**	**Chrome**	**4005176451645**	**37.68**


Tempesta Cosmopolitan 100
Wall holder set 1 spray
Consisting of:
hand shower (26 082)
wall shower holder non-adjustable (27 594)
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE StarLight chrome finish
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

 	**27 869 001**	**Chrome**	**4005176444005**	**82.51**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

 	**26 090 001**	**Chrome**	**4005176443992**	**76.58**

Tempesta Cosmopolitan 100
Head shower set 3 sprays
GROHE Rain O², Rain, Massage
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

 	**27 591 001**	**Chrome**	**4005176443985**	**69.53**

Tempesta Cosmopolitan 100
Head shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA


Ref. No.	Colour	EAN	Retail Guide Price (£)



26 051 001 **Chrome** **4005176443954** **55.38**

Tempesta Cosmopolitan 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






27 541 001 **Chrome** **4005176451676** **88.36**

Tempesta Cosmopolitan 200
Head shower 1 spray
Rain spray pattern
Ball joint +/- 20° rotatable
connection thread 1/2"
suitable for instantaneous heater






27 521 000 **Chrome** **4005176886508** **45.95**

Tempesta Cosmopolitan
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 522 000 **Chrome** **4005176886515** **57.74**
ditto, 900 mm






48 051 000 **4005176890024** **6.71**

Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500






27 596 000 **4005176895944** **10.60**

GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 421 002	**Chrome**	**4005176444142**	**45.96**

Tempesta 100
Hand shower 4 sprays
GROHE Rain O², Rain, Massage, Jet
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 578 002	**Chrome**	**4005176444159**	**45.96**

ditto, with non-restricted flow






28 419 002	**Chrome**	**4005176444128**	**34.16**

Tempesta 100
Hand shower 3 sprays
GROHE Rain O², Rain, Massage
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

28 261 002	**Chrome**	**4005176444135**	**34.16**

ditto, with non-restricted flow





27 597 10E	**Chrome**	**4005176985409**	**25.92**

Tempesta 100
Hand shower 2 sprays
Rain, Jet
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 161 001	**Chrome**	**4005176444104**	**25.92**

ditto, with 9.5 l/min flow limiter


27 597 001	**Chrome**	**4005176985508**	**25.92**

ditto, with non-restricted flow

28 422 002	**Chrome**	**4005176444111**	**25.92**

ditto, with non-restricted flow, for low pressure





27 923 001	**Chrome**	**4005176444074**	**20.27**

Tempesta 100
Hand shower 1 spray
Rain
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
Universal Mounting System. Fits all
standard shower hoses

27 852 001	**Chrome**	**4005176444081**	**20.27**


ditto, with non-restricted flow

28 214 003	**Chrome**	**4005176444098**	**24.78**


ditto, with non-restricted flow, for low pressure

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 436 002	Chrome	4005176451799	86.03

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

 	27 600 001	Chrome	4005176451775	78.96


Tempesta 100
Shower rail set 3 sprays
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

 	26 638 000	Chrome	4005176528347	61.79

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 (26 161)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EasyReach tray (27 596)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

	27 926 001	Chrome	4005176451768	68.73

ditto, with non-restricted flow

 	27 645 001	Chrome	4005176451744	76.58

Tempesta 100
Shower rail set 4 sprays
Consisting of:
hand shower (28 421)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling


	27 795 001	Chrome	4005176451751	76.58

ditto, with non-restricted flow

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






27 644 001	**Chrome**	**4005176451720**	**69.50**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

27 794 001	**Chrome**	**4005176451737**	**69.50**
ditto, with non-restricted flow			






27 598 10E	**Chrome**	**4005176985416**	**59.71**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II 5.7 l/min (27 597)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 162 001	**Chrome**	**4005176451713**	**59.70**
ditto, with 9.5 l/min flow limiter			
27 598 001	**Chrome**	**4005176985515**	**59.71**
ditto, with non-restricted flow			
28 438 001	**Chrome**	**4005176985553**	**60.85**
ditto, with non-restricted flow, for low pressure			





27 924 001	**Chrome**	**4005176451690**	**49.57**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 600 mm (27 523)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling


27 853 001	**Chrome**	**4005176451706**	**49.57**
ditto, with non-restricted flow			
28 280 004	**Chrome**	**4005176306624**	**57.73**
ditto, with non-restricted flow, for low pressure			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 789 002 **Chrome** **4005176451843** **76.58**

Tempesta 100
Shower rail set 3 sprays
Consisting of:
hand shower (28 419)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 796 001 **Chrome** **4005176451850** **76.58**
ditto, with non-restricted flow






27 646 10E **Chrome** **4005176985423** **66.46**

Tempesta 100
Shower rail set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 646 001 **Chrome** **4005176985522** **66.46**
ditto, with non-restricted flow






27 925 001 **Chrome** **4005176451812** **56.34**

Tempesta 100
Shower rail set 1 spray
Consisting of:
hand shower (27 923)
shower rail, 900 mm (27 524)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

27 854 001 **Chrome** **4005176451829** **56.34**
ditto, with non-restricted flow






27 601 10E **Chrome** **4005176985430** **42.82**

Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder adjustable (27 595)
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 639 000 **Chrome** **4005176528354** **45.81**

Tempesta 100
Wall holder set 3 sprays
Consisting of:
hand shower Tempesta 100 (28 419)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1750 mm 1/2" x 1/2" (28 154)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater






27 803 10E **Chrome** **4005176985454** **39.42**

Tempesta 100
Wall holder set 2 sprays
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605), non-adjustable
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling






27 798 10E **Chrome** **4005176985447** **37.16**

Tempesta 100
Wall holder set 2 sprays
Consisting of:
hand shower Tempesta 100 II (27 597)
wall shower holder (28 605)
non-adjustable
Relexaflex hose 1250 mm 1/2" x 1/2" (28 150)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling

26 164 001 **Chrome** **4005176451867** **37.16**
ditto, with 9.5 l/min flow limiter

27 799 001 **Chrome** **4005176985539** **37.16**
ditto, with non-restricted flow





26 406 001 **Chrome** **4005176451881** **55.21**


Tempesta 100
Wall holder set 2 sprays
with integrated wall union 1/2"
Consisting of:
hand shower Tempesta 100 II (27 597)
shower outlet elbow 1/2" with wall shower holder (28 679)
male thread
protected against backflow
Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
suitable for instantaneous heater

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 663 000 **Chrome** **4005176580505** **194.90**

Tempesta 250
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm 380 mm (28 361)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 668 000 **Chrome** **4005176580550** **182.58**
ditto, but head shower with white rear cover






26 682 000 **Chrome** **4005176580697** **201.72**

Tempesta 250 Cube
Head shower set 380 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm 380 mm
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 687 000 **Chrome** **4005176580741** **188.97**
ditto, but head shower with white rear cover






26 412 000 **Chrome** **4005176390173** **170.88**

Tempesta 210
Head shower set 286 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Shower arm Rainshower 286 mm (28 576 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater






26 267 001 **Chrome** **4005176444197** **61.25**

Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
shower arm with connection thread 1/2"
escutcheon
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
for **low pressure**

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 664 000	**Chrome**	**4005176580512**	**157.36**

Tempesta 250
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 (26 662)
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (28 724)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 669 000	**Chrome**	**4005176580567**	**145.04**

ditto, but head shower with white rear cover






26 683 000	**Chrome**	**4005176580703**	**162.87**

Tempesta 250 Cube
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 250 Cube (26 681)
1 spray pattern:
Rain
fully chrome plated surfaces
shower arm ceiling 142 mm (27 485)
with square escutcheon
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 688 000	**Chrome**	**4005176580758**	**150.11**

ditto, but head shower with white rear cover






26 414 000	**Chrome**	**4005176408090**	**143.78**

Tempesta 210
Head shower set ceiling 142 mm, 1 spray
Consisting of:
head shower Tempesta 210 9.5 l/min (26 410)
1 spray pattern:
Rain
Rainshower shower arm ceiling 142 mm (28 724 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 413 000	**Chrome**	**4005176390180**	**170.89**

ditto, with non-restricted flow





26 662 000	**Chrome**	**4005176580499**	**118.32**

Tempesta 250
Head shower 1 spray
Rain
Ø 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 666 000	**Chrome**	**4005176580536**	**105.99**


ditto, but with white rear cover

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 681 000	**Chrome**	**4005176580680**	**122.46**





Tempesta 250 Cube
Head shower 1 spray
Rain
250 mm x 250 mm
fully chrome plated surfaces
ball joint with turning angle ± 10°
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater
professional edition

26 685 000	**Chrome**	**4005176580727**	**109.69**

ditto, but with white rear cover

---

26 409 000	**Chrome**	**4005176390128**	**96.65**



Tempesta 210
Head shower 1 spray
Rain
Ø 210 mm
Ball joint +/- 15° rotatable
connection thread 1/2"
GROHE EcoJoy 6.6 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

26 410 000	**Chrome**	**4005176390142**	**96.65**

ditto, with 9.5 l/min flow limiter


26 408 000	**Chrome**	**4005176390111**	**96.65**

ditto, with non-restricted flow

---

27 606 001	**Chrome**	**4005176444180**	**62.45**






Tempesta 100
Head shower 4 sprays
GROHE Rain O^2, Rain, Massage, Jet
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

---

26 050 001	**Chrome**	**4005176444166**	**49.51**






Tempesta 100
Head shower 1 spray
Rain
Ball joint +/- 15° rotatable
GROHE EcoJoy 5.7 l/min. flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suitable for instantaneous heater

---

27 523 000	**Chrome**	**4005176886522**	**45.94**










Tempesta
Shower rail, 600 mm
with wall brackets, glider and swival holder
GROHE StarLight chrome finish

27 524 000	**Chrome**	**4005176886539**	**69.51**




ditto, 900 mm

GROHE TEMPESTA






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 051 000		4005176890024	6.71
Spacer for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500				
 	27 596 000		4005176895944	10.60
GROHE EasyReach tray acrylic for Tempesta and Euphoria shower rails Ø 22 mm				
 	27 406 000	**Chrome**	4005176600166	54.78
Relexa **Shower arm 218 mm** connection thread 1/2" projection 218 mm escutcheon **GROHE StarLight** chrome finish				
 	28 541 000	**Chrome**	4005176040528	43.60
Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish				
 	28 429 000	**Chrome**	4005176601910	54.78
Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENA TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**26 328 000**	**Chrome**	**4005176332111**	**70.70**
	Sena Trigger Spray 35 **Hand shower 1 spray** with trigger control material: metal **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system Universal Mounting System. Fits all standard shower hoses **Min. recommended pressure 0.5 bar** Please refer to local norms regarding installation.			
 	**26 332 000**	**Chrome**	**4005176332135**	**187.36**
	Sena Trigger Spray 35 **Wall holder set with self-closing angle valve, 1 spray** Consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Twistfree** preventing the hose from twisting **Min. recommended pressure 0.5 bar** Please refer to local norms regarding installation.			
	26 329 000 **ditto, hose 1000 mm**	**Chrome**	**4005176332128**	**175.59**
 	**26 333 000**	**Chrome**	**4005176332142**	**75.43**
	Valve with wall shower holder escutcheon connection thread 1/2" **GROHE StarLight** chrome finish Please refer to local norms regarding installation.			

GROHE
TEMPESTA-F TRIGGER SPRAYS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 512 001**	**Chrome**	**4005176333804**	**22.39**
	Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.			
 	**28 020 L01**	**white**	**4005176333828**	**15.20**
	Tempesta-F Trigger Spray 30 **Hand shower 1 spray** with trigger control **GROHE StarLight** finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Universal Mounting System. Fits all standard shower hoses Please refer to local norms regarding installation.			
 	**26 353 000**	**Chrome**	**4005176333866**	**34.16**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting Please refer to local norms regarding installation.			
	27 513 001	**Chrome** **ditto, with 1250 mm hose**	**4005176333842**	**34.16**
	26 352 000	**Chrome** **ditto, with 1000 mm hose**	**4005176333835**	**35.71**
 	**26 354 000**	**Chrome**	**4005176333873**	**45.96**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life Please refer to local norms regarding installation. Relexaflex Metal Longlife shower hose 1250 mm			
 	**27 812 IL1**	**chrome/white**	**4005176333897**	**35.34**
	Tempesta-F Trigger Spray 30 **Wall holder set 1 spray** Consisting of: hand shower with trigger control (28 020 L01) wall shower holder (28 605) Silverflex Longlife shower hose 1250 mm (26 335) **GROHE StarLight** chrome finish **SpeedClean** anti-limescale system **Inner WaterGuide** for a longer life **Twistfree** preventing the hose from twisting Please refer to local norms regarding installation.			
	26 355 IL0	**chrome/white** **ditto, with 1000 mm hose**	**4005176333880**	**34.17**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
TEMPESTA-F TRIGGER SPRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)






26 356 IL0 **chrome/white** **4005176333903** **34.09**

Tempesta-F Trigger Spray 30
Wall holder set 1 spray
Consisting of:
hand shower with trigger control (28 020 L01)
wall shower holder (28 605)
metal shower hose 1250 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Please refer to local norms regarding installation.
Relexaflex Metal Longlife shower hose 1250 mm






26 357 000 **Chrome** **4005176333927** **93.07**

Tempesta-F Trigger Spray 30
Wall holder set with angle valve 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
wall shower holder (28 605)
Silverflex Longlife shower hose 1500 mm (26 346)
angle valve 1/2" (22 958)
GROHE StarLight finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 0.2 bar
Please refer to local norms regarding installation.

27 514 001 **Chrome** **4005176333910** **69.53**
ditto, with 1250 mm hose







26 358 000 **Chrome** **4005176333941** **122.56**

Tempesta-F Trigger Spray 30
Wall holder set with self-closing angle valve, 1 spray
Consisting of:
hand shower with trigger control (27 512 001)
valve with integrated shower holder (26 333 000)
Silverflex Longlife shower hose 1000 mm (26 334)
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
Please refer to local norms regarding installation.

GROHE
TRIGGER SPRAYS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 343 000**	**Chrome**	**4005176260285**	**22.37**
	Trigger Spray **Hand shower 1 spray** **GROHE StarLight** chrome finish Universal Mounting System. Fits all standard shower hoses			
 	**27 102 000**	**Chrome**	**4005176600074**	**58.52**
	Trigger Spray **Wall holder set 1 spray** **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 025 000	**Chrome**	**4005176284830**	**26.96**





Rotaflex Metal Longlife
Metal shower hose Twistfree 1750
1750 mm
material: metal
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
Cone with silicone tape to prevent turning of hand shower during usage
GROHE StarLight chrome finish
blister packaging


28 417 000	**Chrome**	**4005176264702**	**25.07**

ditto, 1500 mm hose

---

28 145 000	**Chrome**	**4005176601354**	**27.40**





Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 000	**Chrome**	**4005176601347**	**23.23**
28 143 LS0	**moon white**	**4005176842269**	**30.50**
28 143 KS0	**velvet black**	**4005176842252**	**30.50**

ditto, 1500 mm hose


28 142 000	**Chrome**	**4005176601330**	**20.91**

ditto, 1250 mm hose

---

28 140 000	**Chrome**	**4005176601323**	**23.48**





Relexaflex Metal
Metal shower hose 2000
2000 mm
material: metal
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 139 000	**Chrome**	**4005176601316**	**21.11**

ditto, 1750 mm hose


28 105 000	**Chrome**	**4005176601217**	**19.25**

ditto, 1500 mm hose

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 346 000	**Chrome**	**4005176332173**	**21.58**






Silverflex Longlife
Shower hose Twistfree 1500
1500 mm
smooth surface for easy cleaning
Longlife
strengthened model
tensile strength 500 N
pressure resistance up to 12 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

26 335 000	**Chrome**	**4005176332166**	**19.25**
ditto, 1250 mm hose			
26 334 000	**Chrome**	**4005176332159**	**17.34**
ditto, 1000 mm hose			

27 137 000	**Chrome**	**4005176836237**	**20.91**






Silverflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 388 000	**Chrome**	**4005176295362**	**19.04**
28 388 DC0	**supersteel**	**4005176386428**	**25.55**
28 388 BE0	**polished nickel**	**4005176295386**	**28.78**
28 388 GL0	**cool sunrise**	**4005176427657**	**28.78**
28 388 DA0	**warm sunset**	**4005176427671**	**28.78**
28 388 A00	**hard graphite**	**4005176427701**	**28.78**
ditto, 1750mm hose			
28 364 000	**Chrome**	**4005176295294**	**16.72**
ditto, 1500 mm hose			
28 362 000	**Chrome**	**4005176295225**	**14.87**
28 362 DC0	**supersteel**	**4005176386435**	**19.98**
28 362 BE0	**polished nickel**	**4005176295249**	**22.76**
28 362 GL0	**cool sunrise**	**4005176427589**	**22.76**
28 362 DA0	**warm sunset**	**4005176427602**	**22.76**
28 362 A00	**hard graphite**	**4005176427633**	**22.76**
ditto, 1250 mm			

28 161 001	**Chrome**	**4005176935107**	**17.83**






Silverflex
Shower hose Twistfree 1500
for **low pressure**
1500 mm
smooth surface for easy cleaning
tensile strength 350 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 413 001	**Chrome**	**4005176933257**	**16.43**






Rotaflex
Shower hose Twistfree 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging

28 410 001	**Chrome**	**4005176933240**	**20.01**
ditto, 1750 mm hose			
28 409 001	**Chrome**	**4005176933233**	**13.14**
ditto, 1500 mm hose			

28 155 001	**Chrome**	**4005176933226**	**14.40**






Relexaflex
Shower hose 2000
2000 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 154 001	**Chrome**	**4005176933219**	**13.01**
ditto, 1750 mm hose			
28 151 001	**Chrome**	**4005176933202**	**11.14**
28 151 L01	**white**	**4005176935091**	**21.20**
ditto, 1500 mm			
28 150 001	**Chrome**	**4005176933196**	**9.20**
ditto, 1250 mm hose			


28 158 000	**Chrome**	**4005176601606**	**32.86**






Metal hose
2000 mm
for bath rim, installation under tiled surround and shower sets
GROHE StarLight chrome finish


28 146 000	**Chrome**	**4005176121753**	**52.93**





Metal hose
2000 mm
M 15 x M 15
GROHE StarLight chrome finish







GROHE
SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**45 973 001**	**Chrome**	**4005176442919**	**10.31**

Relexaflex
Shower hose 1500
1500 mm
smooth surface for easy cleaning
tensile strength 500 N
pressure resistance up to 5 bar
heat resistance 70°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
in units of 10

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 055 000	Chrome	4005176830433	45.97
	Rainshower **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 401 000	Chrome	4005176264474	49.08
	Movario **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 623 000	Chrome	4005176031595	32.42
	Relexa **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	27 595 000	Chrome	4005176895937	18.87
	Tempesta **Wall hand Shower holder** adjustable **GROHE StarLight** chrome finish			
 	28 690 000	Chrome	4005176256196	99.50
	Sena **Wall hand Shower holder** non-adjustable material: metal **GROHE StarLight** chrome finish			
 	27 056 000	Chrome	4005176830440	34.15
	Rainshower **Wall hand Shower holder** non-adjustable without escutcheon **GROHE StarLight** chrome finish			

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 074 000	Chrome	4005176833083	34.16
27 074 DC0	supersteel	4005176374487	57.73
27 074 LS0	moon white	4005176873591	45.94
27 074 BE0	polished nickel	4005176834325	63.61
27 074 EN0	brushed nickel	4005176834301	63.60
27 074 GL0	cool sunrise	4005176338984	63.61
27 074 GN0	brushed cool sunrise	4005176427084	63.60
27 074 DA0	warm sunset	4005176338977	63.61
27 074 DL0	brushed warm sunset	4005176427091	63.60
27 074 A00	hard graphite	4005176338991	63.61
27 074 AL0	Brushed Hard Graphite	4005176339004	63.60






Rainshower
Wall hand Shower holder
non-adjustable
with round escutcheon
GROHE StarLight chrome finish

27 075 000	Chrome	4005176833090	34.16






Rainshower
Wall hand Shower holder
non-adjustable
with square escutcheon
GROHE StarLight chrome finish

27 706 000	Chrome	4005176908439	34.17
27 706 DC0	supersteel	4005176490989	43.68
27 706 A00	hard graphite	4005176491030	50.08
27 706 AL0	Brushed Hard Graphite	4005176490972	53.27






Allure Brilliant
Wall hand Shower holder
non-adjustable
material: metal
GROHE StarLight chrome finish

27 693 000	Chrome	4005176907043	22.40






Euphoria Cube
Wall hand Shower holder
non-adjustable
GROHE StarLight chrome finish

28 403 000	Chrome	4005176264511	43.60








Movario
Wall hand Shower holder
non-adjustable
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 622 000	Chrome	4005176041297	32.69
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	27 594 000	Chrome	4005176895920	12.84
Tempesta Cosmopolitan **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				
 	28 605 000	Chrome	4005176041105	21.24
Relexa **Wall hand Shower holder** non-adjustable **GROHE StarLight** chrome finish				

GROHE
SHOWER ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)






27 151 000 **Chrome** **4005176837012** **104.88**

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish






27 531 000 **Chrome** **4005176889486** **278.37**

Pull-out shower
for bath rim installation and under tiled surround
Lead-through for shower hose
with square escutcheon
shower hose 1/2" x 3/8",
2000 mm (28 158 000)
The pull-out shower assembly can be combined with all hand showers
GROHE StarLight chrome finish






27 621 000 **Chrome** **4005176898310** **328.77**

Grohtherm F
Wall shower union with integrated shower holder
vertical or horizontal installation
for use with rough-in box 35 034 000 (1/2" connection)
sold separately
shower outlet 1/2"
hand shower and shower hose sold separately
protected against backflow
vertical and horizontal installation






35 034 000 **4005176915697** **222.72**

Grohtherm F
Rough-in for wall shower union 27 621
for grid installation of Grohtherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug
for masonry and drywall installation
fixing points for front and back wall
body of DR brass
1/2" connections
installation depth 70 - 95 mm











27 057 000	**Chrome**	**4005176830457**	**57.72**
27 057 DC0	**supersteel**	**4005176371196**	**76.88**
27 057 BE0	**polished nickel**	**4005176426957**	**88.32**
27 057 EN0	**brushed nickel**	**4005176426964**	**93.34**
27 057 GL0	**cool sunrise**	**4005176338946**	**88.32**
27 057 GN0	**brushed cool sunrise**	**4005176426933**	**93.79**
27 057 DA0	**warm sunset**	**4005176338939**	**88.32**
27 057 DL0	**brushed warm sunset**	**4005176426940**	**93.79**
27 057 A00	**hard graphite**	**4005176338953**	**88.32**
27 057 AL0	**Brushed Hard Graphite**	**4005176338960**	**93.79**




Rainshower
Shower outlet elbow, 1/2"
male thread
with round escutcheon
protected against backflow
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 076 000	Chrome	4005176833106	57.72
Rainshower **Shower outlet elbow** male thread with square escutcheon protected against backflow **GROHE StarLight** chrome finish				
 	27 707 000	Chrome	4005176908446	45.97
	27 707 DC0	supersteel	4005176490897	69.25
	27 707 A00	hard graphite	4005176490941	79.90
	27 707 AL0	Brushed Hard Graphite	4005176490880	84.17
Allure Brilliant **Shower outlet elbow, 1/2"** male thread protected against backflow material: metal **GROHE StarLight** chrome finish				
 	27 704 000	Chrome	4005176907159	34.15
Euphoria Cube **Shower outlet elbow, 1/2"** male thread protected against backflow **GROHE StarLight** chrome finish				
 	26 370 000	Chrome	4005176341380	34.16
Euphoria Cube **Shower outlet elbow, 1/2"** with wall shower holder male thread protected against backflow **GROHE StarLight** chrome finish				
 	28 405 000	Chrome	4005176264559	54.78
Movario **Shower outlet elbow, 1/2"** protected against backflow **GROHE StarLight** chrome finish				
 	28 671 000	Chrome	4005176103070	34.16
Relexa **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish				
	28 680 000	Chrome	4005176116780	43.60
	ditto, protected against backflow			

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 626 000**	**Chrome**	**4005176041358**	**54.78**
	Relexa **Shower outlet elbow, 1/2"** shower connection 1/2" wall connection 1/2" male thread **GROHE StarLight** chrome finish with matt chrome cap			
	28 678 000	**Chrome**	**4005176116711**	**47.64**
	ditto, protected against backflow			
	28 636 000	**Chrome**	**4005176078606**	**57.74**
	ditto, for IG-combination			
 	**28 406 000**	**Chrome**	**4005176264566**	**54.78**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
 	**28 628 000**	**Chrome**	**4005176041396**	**55.20**
	Relexa **Shower outlet elbow, 1/2"** with wall shower holder male thread **GROHE StarLight** chrome finish			
	28 679 000	**Chrome**	**4005176116759**	**54.78**
	ditto, protected against backflow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 602 000	**Chrome**	**4005176486531**	**99.08**





Rainshower SmartActive
Shower rail, 600 mm
with wall holders made of metal
glide element and swivel holder
GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes)
GROHE TileFix adjustable depth on upper and lower bracket
GROHE EasyReach tray
GROHE StarLight chrome finish


26 603 000	**Chrome**	**4005176486548**	**104.40**
26 603 BE0	**polished nickel**	**4005176558719**	**208.80**
26 603 EN0	**brushed nickel**	**4005176558740**	**229.05**
26 603 GL0	**cool sunrise**	**4005176558757**	**208.80**
26 603 GN0	**brushed cool sunrise**	**4005176558764**	**229.05**
26 603 DA0	**warm sunset**	**4005176558726**	**208.80**
26 603 DL0	**brushed warm sunset**	**4005176558733**	**229.05**
26 603 A00	**hard graphite**	**4005176558696**	**208.80**
26 603 AL0	**Brushed Hard Graphite**	**4005176558702**	**229.05**

ditto, 900 mm

---

28 620 000	**Chrome**	**4005176041259**	**144.22**






Relexa
Shower rail, 600 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

---

28 621 000	**Chrome**	**4005176041273**	**177.75**






Relexa
Shower rail, 1000 mm
Ø 28 mm
with wall holders
glide element and swivel holder
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

---

28 587 000	**Chrome**	**4005176282966**	**197.21**






Relexa
Shower rail, 900 mm
with handle
handle can be mounted right or left handed
with wall brackets (3 pieces)
gliding element with metal sleeve
angle of inclination adjustable by click stop device
height adjustment via locking nut
GROHE StarLight chrome finish

---

27 892 000	**Chrome**	**4005176921216**	**199.17**











Euphoria Cube
Shower rail, 600 mm
with wall holders, glide element and swivel holder
GROHE StarLight chrome finish

27 841 000	**Chrome**	**4005176916670**	**210.93**

ditto, 900 mm

GROHE
SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 499 000** **Euphoria** **Shower rail, 600 mm** with wall holders, glide element and swivel holder **GROHE FastFixation** (upper bracket adjustable to adapt to existing holes) **GROHE StarLight** chrome finish	**Chrome**	**4005176886041**	**45.96**
	27 500 000 **ditto, 900 mm**	**Chrome**	**4005176886058**	**57.73**
 	**27 519 000** **Tempesta Rustic** **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish	**Chrome**	**4005176886485**	**57.74**
	27 520 000 **ditto, 900 mm**	**Chrome**	**4005176886492**	**57.75**
 	**27 521 000** **Tempesta Cosmopolitan** **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish	**Chrome**	**4005176886508**	**45.95**
	27 522 000 **ditto, 900 mm**	**Chrome**	**4005176886515**	**57.74**
 	**27 523 000** **Tempesta** **Shower rail, 600 mm** with wall brackets, glider and swival holder **GROHE StarLight** chrome finish	**Chrome**	**4005176886522**	**45.94**
	27 524 000 **ditto, 900 mm**	**Chrome**	**4005176886539**	**69.51**
 	**45 914 XE0** **Spacer** for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136	**gray night time**	**4005176842054**	**25.99**
 	**45 459 000** **Spacer** for shower rail 28 620 / 28 621		**4005176056444**	**13.95**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 051 000		4005176890024	6.71






Spacer
for Tempesta shower rails
27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524
for Euphoria shower rails
27 499 / 27 500

26 385 000	**Chrome**	4005176375057	21.24






Rainshower SmartControl
Spacer
for Rainshower SmartControl systems
26 250, 26 361, 26 379
stackable

28 856 000		4005176603495	32.42






Soap dish
acrylic, clear
for Relexa shower rails (28 820 and 28 666)
GROHE StarLight chrome finish

28 631 000		4005176019142	54.78






Relexa
Soap dish
for shower rail 28 620 / 28 621
GROHE StarLight chrome finish

27 206 000		4005176845444	22.40






Soap dish
transparent
surface textured in parts






27 596 000		4005176895944	10.60






GROHE EasyReach tray
acrylic
for Tempesta and Euphoria shower rails Ø 22 mm

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**27 320 000**	**Chrome**	**4005176600159**	**83.29**
	Riser pipe 1300 mm with compression coupling 3/4“ wall support with compensation piece **GROHE StarLight** chrome finish			
 	**28 389 000**	**Chrome**	**4005176269837**	**13.31**
	Sena **Adapter 1/2“ x 1/2“** material: metal for use with hand shower holder or shower rail **GROHE StarLight** chrome finish			
 	**28 634 XX0**	**dark grey**	**4005176041440**	**32.15**
	Relexa **Quick coupling** for combination with average showers without integrated **Grohclick** with new system only in connection with coupling piece (28 635/28 637)			
 	**28 874 000**	**Chrome**	**4005176042348**	**77.28**
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2“ 2 connections 1/2“ for the shower hose or drain valves **GROHE StarLight** chrome finish			
 	**28 988 000**	**Chrome**	**4005176042805**	**105.93**
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2“ **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 799 000**	**Chrome**	**4005176602511**	**105.20**

Diverter
GROHE StarLight chrome finish

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	469
	GROHE Blue Home	475
	GROHE Blue Pure	484
	GROHE Blue Accessories	486
	GROHE Red	490
	Waste separation systems	494
Premium Lines	K7	496
	Foot Control	497
	Minta / Minta SmartControl / Minta Touch	498
	Zedra / Zedra SmartControl / Zedra Touch	503
	Atrio	505
	Essence	506
	Eurocube	508
Competence Lines	Ambi	509
	Parkfield	510
	Eurodisc Cosmopolitan	511
	Eurodisc	512
	Concetto	513
	Eurostyle Cosmopolitan	516
	Eurosmart Cosmopolitan	519
	Eurosmart	522
	Euroeco / Euroeco Special	525
	Costa	526
	Bau Lines	528
	Soap dispensers	531
Kitchen sinks	Stainless steel sinks	532
	Composite sinks	541

HANDS ON
GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free
No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange
The aerator is easy to install and de-install using just a coin.



ProfessionalSpray
Features a 360° spring arm and easy switching between the spray and mousseur.



EasyTouch
Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



FootControl
Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



Magnetic Docking
Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



Pull-Out Dual Spray
Increases operating radius of the tap and offers easy switching between mousseur and the spray.



Pull-Out Mousseur
Increases the operating radius of your tap.



EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



GROHE FastFixation
65 % faster installation.



SpeedClean
Remove limescale with a single wipe.



OpenWaterHeater
The perfect flow in combination with open water heaters.



StopValve
Includes a dishwater shut-off valve on the tap body.




PreWindow
To open the window, just lift up the tap and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen tap – saving time, money and the environment.



ChildLock
Integrated safety mechanism prevents unintentional opening by young children.



Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.






THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

NEW: WITH **PULL-OUT FUNCTION**

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.





CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO_2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements
iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have be ordered separately via an authorised Apple store / store / iTunes or Google Play store.
The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

GROHE BLUE HOME
PRODUCT PORTFOLIO



31 454 001
GROHE Blue Home
L-spout Starter Kit



31 455 001
GROHE Blue Home
C-spout Starter Kit



31 456 001
GROHE Blue Home
U-spout Starter Kit



31 498 001
GROHE Blue Home
Mono Starter Kit



31 539 000
GROHE Blue Home
L-spout Starter Kit
with pull-out mousseur



31 541 000
GROHE Blue Home
C-spout Starter Kit
with pull-out mousseur



31 543 000
GROHE Blue Home
U-spout Starter Kit
with pull-out mousseur

EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME
CARBONATOR



CO_2 BOTTLE 425 g



S-SIZE FILTER

Colour options:

- 000/001 I StarLight Chrome
- DC0/DC1 I SuperSteel
- DA1 I Warm Sunset
- DL1 I Brushed Warm Sunset
- A01 I Hard Graphite
- AL1 I Brushed Hard Graphite

THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.





FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS TO YOUR OFFICE:**

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

GROHE BLUE PROFESSIONAL
PRODUCT PORTFOLIO



31 323 002
GROHE Blue Professional
C-spout



31 347 003
GROHE Blue Professional
L-spout



31 325 002
GROHE Blue Professional
C-spout
with pull-out mousseur



31 326 002
GROHE Blue Professional
L-spout
with pull-out mousseur



31 302 002 / 31 302 DC2
GROHE Blue Professional
Mono

EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX, FILTER HEAD, CO_2 PRESSURE REDUCER AND CLEANING ADAPTER

Filter, CO_2 bottle and cleaning cartridge have to be ordered separately according to your personal needs.

Colour options:
002/003 I StarLight Chrome DC2/DC3 I SuperSteel

99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST
Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING
Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE
You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE
Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP
No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.







GROHE RED
PRODUCT PORTFOLIO



30 340 001
GROHE Red Duo
L-spout, L-Size boiler



30 329 001
GROHE Red Mono
L-spout, M-Size boiler



30 058 001
GROHE Red Duo
C-spout, M-Size boiler



30 060 001
GROHE Red Mono
C-spout, M-Size boiler

EACH GROHE RED CONTAINS:
BOILER (M- OR L-SIZE) & FILTERSET



L-SIZE BOILER **M-SIZE** BOILER

+



40 841 001
GROHE Red mixing valve
(additional equipment)

Colour options:
001 I StarLight Chrome
DC1 I SuperSteel
DA1 I Warm Sunset
DL1 I Brushed Warm Sunset
A01 I Hard Graphite
AL1 I Brushed Hard Graphite

GROHE
EASYTOUCH



Simple activation/deactivation
of the water flow by touch.



Manual control with the lever.

Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.



GROHE
SMARTCONTROL

JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?









SUPERIOR DESIGN

- Sleek, streamlined and puristic

SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

PULL-OUT LAMINAR SPRAY

- For an increased operation radius

MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

LEAD AND NICKEL FREE WATER FLOW

QUICKFIX PLUS INSTALLATION

- 65% faster installation

GROHE
PROFESSIONAL SPRAYS

THE COLOURFUL WORLD OF **ESSENCE PROFESSIONAL**

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



Colour options (hose)

Order 30 294 000 (chrome) / 30 294 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- MW0 I Sheer Marble
- XC0 I Dark Grey
- YF0 I Yellow
- YR0 I Orange
- DG0 I Red
- DP0 I Pink
- DU0 I Purple
- GE0 I Green
- TY0 I Blue
- HG0 I Dark Brown

Exchange the hose via 4 simple steps:



Step 1
Loose the 2 screws with the screwdriver from the body and the spray.



Step 2
Take the original hose with the connection out of the tap body and the spray and put it to the side.



Step 3
Take the new hose and insert it with the connection into the tap body and the spray.



Step 4
Insert the 2 screws with the screwdriver.

A CYLINDRICAL STATEMENT
CONCETTO PROFESSIONAL

Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousseur and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.



GROHE KITCHEN SINK FEATURES

STAINLESS STEEL SINKS

	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL		FINISH			ADDITIONAL FEATURES			
	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE
K1000 			●		●			R10	●	●		●			●		*** ●	
K800 			●		●		●	R10		●		●			●		*** ●	
K700 U 	●		●	●	●	●		R10		●		●	●				*** ●	
K700 	●		●		●			R15		●		●					*** ●	
K500 	●		●		●	●	●	R65	●	●		●			●	●	*** ●	●
K400+ 		●			●	●		R20	●		●	●			●	●	*** ●	
K400 	●				●	●	●	R20	●	●		●			●	●	*** ●	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	*** ●	●

* R0 (bottom, front & back top) / R30 (right & left top)
** R0 (vertical) / R9 (bottom)
*** optional accessory 40 986 SD0

COMPOSITE SINKS

	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
K700 U 	●	●	●			R0 / R30*		●			*** ●
K700 	●	O	●	●	●	R0		●	●	O	*** ●
K500 	●	O	●	●		R0 / R9**	●	●	●	O	*** ●
K400 	●		●	●		R15	●	●	●	●	*** ●
K200 	●		●			R60		●	●		*** ●

O selected products
● all products in this line

GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO_2-BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH: WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●	●		●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●

* Additional waste bin is needed

	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●				●	●	●			
								●	●				●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●


	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 535 000 / 40 535 DC0	PERFECT MATCH – OUR RECOMMENDATION: SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

ACCESSORIES
FOR GROHE WATER SYSTEMS

	FILTER					CO_2 BOTTLES		CLEANING AND ACCESSORIES		
	 **40 404 001** S-Size	 **40 430 001** M-Size	 **40 412 001** L-Size	 **40 547 001** ACTIVATED CARBON	 **40 691 002** MAGNESIUM	 **40 422 000** CO_2 STARTER KIT 425 G **40 687 000** CO_2 REFILL 425 G	 **40 423 000** CO_2 STARTER KIT 2 KG **40 424 000** CO_2 REFILL 2 KG	 **40 962 000** CO_2 ADAPTER TO 425 G	 **40 434 001** CLEANING CARTRIDGE	 **40 694 000** CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•			•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•	•	•
 GROHE RED	•	•	•		•					
 FILTER TAPS	•	•	•	•	•					

GROHE
BLUE PROFESSIONAL





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 323 002	**Chrome**	**4005176989933**	**2,007.12**
31 323 DC2	**supersteel**	**4005176989940**	**2,255.88**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 347 003	**Chrome**	**4005176443336**	**2,007.12**
31 347 DC3	**supersteel**	**4005176446559**	**2,255.88**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 325 002	**Chrome**	**4005176507274**	**2,110.05**
31 325 DC2	**supersteel**	**4005176507250**	**2,410.27**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 326 002	**Chrome**	**4005176507236**	**2,110.05**
31 326 DC2	**supersteel**	**4005176507212**	**2,410.27**

GROHE Blue Professional
L-spout kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout
swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 302 002	**Chrome**	**4005176443343**	**1,912.78**
31 302 DC2	**supersteel**	**4005176443350**	**2,135.79**

GROHE Blue Professional
C-spout kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
GROHE Blue Professional cooler
delivers 12 liters of chilled sparkling water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
sound level in standby 46 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
filter head with flexible water hardness adjustment
GROHE Blue filter, CO_2 bottle and cleaning cartridge are not included in the delivery and have to be ordered separately
suitable filters:
- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- acctivated carbon filter, capacity 3000 l (40 547 001
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PROFESSIONAL



Ref. No.	Colour	EAN	Retail Guide Price (£)
40 554 002		**4005176458521**	**1,441.02**

GROHE Blue Professional
Cooler and carbonizer
delivers 12 liters of chilled water per hour
colour display with push and turn control
270 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
push notifications at low filter resp. CO_2 capacity
additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
compatible only with GROHE Blue taps with push button operation

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 001	**Chrome**	**4005176454134**	**1,483.90**
31 455 DC1	**supersteel**	**4005176454141**	**1,689.76**
31 455 DA1	**warm sunset**	**4005176488955**	**1,792.69**
31 455 DL1	**brushed warm sunset**	**4005176488962**	**1,869.89**
31 455 A01	**hard graphite**	**4005176488931**	**1,792.69**
31 455 AL1	**Brushed Hard Graphite**	**4005176488948**	**1,869.89**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 000	**Chrome**	**4005176323027**	**1,483.90**
31 455 DC0	**supersteel**	**4005176323034**	**1,689.76**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 541 000	**Chrome**	**4005176437038**	**1,724.07**
31 541 DC0	**supersteel**	**4005176437045**	**1,955.66**

GROHE Blue Home
C-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated
carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 454 001	**Chrome**	**4005176454110**	**1,483.90**
31 454 DC1	**supersteel**	**4005176454127**	**1,689.76**
31 454 DA1	**warm sunset**	**4005176488917**	**1,792.69**
31 454 DL1	**brushed warm sunset**	**4005176488924**	**1,869.89**
31 454 A01	**hard graphite**	**4005176488894**	**1,792.69**
31 454 AL1	**Brushed Hard Graphite**	**4005176488900**	**1,869.89**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 539 000	**Chrome**	**4005176437014**	**1,724.07**
31 539 DC0	**supersteel**	**4005176437021**	**1,955.66**

GROHE Blue Home
L-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
L-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 456 001	**Chrome**	**4005176454158**	**1,483.90**
31 456 DC1	**supersteel**	**4005176454165**	**1,689.76**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 543 000	**Chrome**	**4005176437052**	**1,724.07**
31 543 DC0	**supersteel**	**4005176437069**	**1,955.66**

GROHE Blue Home
U-spout
Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation
U spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
pull out mousseur spout
swivel tubular spout, swivel area 360°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE HOME





Ref. No.	Colour	EAN	Retail Guide Price (£)
31 498 001	**Chrome**	**4005176454172**	**1,432.44**
31 498 DC1	**supersteel**	**4005176454189**	**1,655.45**
31 498 DA1	**warm sunset**	**4005176488993**	**1,724.07**
31 498 DL1	**brushed warm sunset**	**4005176489006**	**1,818.42**
31 498 A01	**hard graphite**	**4005176488979**	**1,724.07**
31 498 AL1	**Brushed Hard Graphite**	**4005176488986**	**1,818.42**

GROHE Blue Home
Mono Starter kit
Consisting of:
GROHE Blue Home Mono faucet with filter function
monobloc installation
C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling
GROHE StarLight finish
swivel tubular spout
swivel area 150°
GROHE Blue Home cooler
delivers 3 liters of chilled sparkling water per hour
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
type of protection IP 21
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment
for regions with water hardness of more than 9° dKH
for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001
GROHE Blue 425 g CO_2 bottle

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
This product includes an article which is declarated as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/
to be equipped with a non-return valve EA approved by Belgaqua

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE HOME





Ref. No.	Colour	EAN	Retail Guide Price (£)
40 711 001		**4005176454301**	**1,132.23**

GROHE Blue Home
Cooler
180 Watt cooling unit, 230 V, 50 Hz
sound level in standby 44 dB(A)
delivers 3 liters of chilled sparkling water per hour
CE approved
requires ventilation holes in the bottom of the kitchen cabinet
software set-up and monitoring of filter and CO_2 capacity possible via GROHE Ondus app
with Bluetooth 4.0* and WIFI interface for wireless data communication for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter

System requirements: Apple
iPhone with iOS 9.0 or higher

System requirements Android
smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.
to be equipped with a non-return valve EA approved by Belgaqua

GROHE
BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 382 000	**Chrome**	**4005176565496**	**488.91**
30 382 DC0	**supersteel**	**4005176565502**	**557.53**






GROHE Blue Pure Minta
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
L-spout
pull out mousseur spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
swivel tubular spout
swivel area 90°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

30 383 000	**Chrome**	**4005176565519**	**334.51**






GROHE Blue Pure Eurosmart
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

30 385 000	**Chrome**	**4005176565533**	**300.21**






GROHE Blue Pure BauCurve
Starter kit
Consisting of:
GROHE Blue single-lever sink mixer with filter function
monobloc installation
C-spout
separate handle for filtered water
headpart 1/2"
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
swivel tubular spout
swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE PURE





Ref. No.	Colour	EAN	Retail Guide Price (£)
30 387 000	**Chrome**	**4005176565557**	**257.31**










GROHE Blue Pure Mono
Starter kit
Consisting of:
GROHE Blue Mono mixer with filter function
monobloc installation
C-spout
handle for filtered table water
headpart 1/2“
GROHE StarLight chrome finish
swivel tubular spout
swivel area 150°
flexible connection hoses
GROHE Blue filter head
GROHE Blue activated carbon filter for premium taste
Up to 3000 Liters
filter exchange timer including 2 x AA batteries

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 848 000**		**4005176351082**	**7.29**
	GROHE Blue **Drinking bottle** Tritan drinking bottle with GROHE Blue decor BPA (Bispenol A) free lid with strap volume 500 ml			
 	**40 848 SD0** **40 848 GN0** **40 848 DL0** **40 848 AL0**	**stainless steel** **brushed cool sunrise** **brushed warm sunset** **Brushed Hard Graphite**	**4005176386008** **4005176647000** **4005176647017** **4005176646997**	**10.72** **14.57** **14.57** **14.57**
	GROHE Blue **Thermo drinking bottle** stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml			
 	**40 405 001**		**4005176698019**	**24.88**
	GROHE Blue **Glass carafe with lid set** crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bispenol A) free dish washer safe volume 1l			
	**40 636 SD0**	**stainless steel**	**4005176706707**	**10.81**
	GROHE Blue **Lid set** set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bispenol A) free dish washer safe			
 	**40 437 000**		**4005176885471**	**24.87**
	GROHE Blue **Water glasses (6 pieces)** crystal glasses with GROHE Blue decor dish washer safe volume 250 ml			
	**40 962 000**		**4005176529412**	**18.00**
	GROHE Blue **CO_2 adapter** adapter for GROHE Blue Professional CO_2 pressure reducer for use with 425 g CO_2 bottles for GROHE Blue Professional systems as of January 2019			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 404 001**		**4005176984068**	**50.17**
	GROHE Blue **Filter S-Size** BWT replacement filter for GROHE Blue water systems Capacity 600 L at 20° dKH 5-stage filter reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
	40 430 001 **ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high**		**4005176984075**	**94.35**
	40 412 001 **ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high**		**4005176984082**	**124.37**
 	**40 547 001**		**4005176984099**	**50.17**
	GROHE Blue **Activated carbon filter** BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
 	**40 691 002**		**4005176674099**	**64.31**
	GROHE Blue **Magnesium + Zinc filter** BWT replacement filter for GROHE Blue water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
 	**40 575 001**		**4005176385766**	**98.64**
	GROHE Blue **UltraSafe filter** exchange filter for GROHE Blue UltraSafe BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99.999 % of bacteria reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
 	**40 575 002**		**4005176674082**	**98.64**
	GROHE Blue **UltraSafe filter** BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			

GROHE
BLUE ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)



64 508 001 — **4005176984112** — **28.73**

GROHE Blue
Filter Head
for use with GROHE Blue filters, sold separately





40 434 001 — **4005176985294** — **24.87**


GROHE Blue
Cleaning cartridge
for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head
for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



40 694 000 — **4005176985300** — **10.72**

GROHE Blue
Cleaning cartridge adapter
for GROHE Blue BWT filterhead 64 508 001
for use with GROHE Blue cleaning cartridge 40 434 001, sold separately





40 422 000 — **4005176890246** — **68.61**

GROHE Blue
Starter kit 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
for refilling please order 40 687 000
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/






40 687 000 — **4005176981838** — **30.01**


GROHE Blue
Refill 425 g CO_2 bottles (4 pieces)
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 920 000**	**Chrome**	**4005176470646**	**15.43**

GROHE Blue
425 g CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 425 g, for up to 60 l of sparkling water
sales unit 18 pieces
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

 	**40 423 000**		**4005176890253**	**85.77**

GROHE Blue
Starter kit 2 kg CO_2 bottle
carbondioxid from natural sources for food and beverage (E290)
Purity: CO_2 99.9 % v/v min.
volume 1 bottle: 2 kg, up to 350 l sparkling water
integrated residual pressure valve and safety carrier handle
for refilling please order 40 424 000
sales unit 1 piece
not suitable for the GROHE Blue Home cooler
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

	**40 843 000**		**4005176337109**	**36.02**

GROHE Blue
Extension set
Consisting of:
extension cable 5 m
hose for drinking water, 5 m
tube cutter
adapters and clips
suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 328 001	**Chrome**	**4005176414107**	**1,372.40**
30 328 DC1	**supersteel**	**4005176414114**	**1,569.67**



GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
Without safety expansion vessel, comes with safety valve assembeley instead
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

30 340 001	**Chrome**	**4005176414893**	**1,415.28**
30 340 DC1	**supersteel**	**4005176414909**	**1,629.72**




GROHE Red Duo
Tap and L Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler L size
reservoir for kettle hot and hot water
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 058 001	**Chrome**	**4005176989162**	**1,320.93**
30 058 DC1	**supersteel**	**4005176989179**	**1,518.21**
30 058 DA1	**warm sunset**	**4005176489273**	**1,561.10**
30 058 DL1	**brushed warm sunset**	**4005176489280**	**1,629.72**
30 058 A01	**hard graphite**	**4005176489259**	**1,561.10**
30 058 AL1	**Brushed Hard Graphite**	**4005176489266**	**1,629.72**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

30 341 001	**Chrome**	**4005176414916**	**1,320.93**
30 341 DC1	**supersteel**	**4005176414923**	**1,518.21**
30 341 DA1	**warm sunset**	**4005176489310**	**1,561.10**
30 341 DL1	**brushed warm sunset**	**4005176489327**	**1,629.72**
30 341 A01	**hard graphite**	**4005176489297**	**1,561.10**
30 341 AL1	**Brushed Hard Graphite**	**4005176489303**	**1,629.72**






GROHE Red Duo
Tap and M Size Boiler
Consisting of:
GROHE Red Duo single-lever sink mixer
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
insulated tubular spout
swivel area 150°
separate water ways
flexible connection hoses
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit

GROHE
RED

Ref. No.	Colour	EAN	Retail Guide Price (£)






30 060 001 **Chrome** **4005176989186** **1,218.00**

GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
C-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit





30 329 001 **Chrome** **4005176414121** **1,218.00**

GROHE Red Mono
Pillar tap and M size boiler
Consisting of:
GROHE Red Mono pillar tap
monobloc installation
L-spout
GROHE ChildLock push buttons for kettle hot water
TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
insulated tubular spout
swivel area 150°
connection for GROHE Red boiler
GROHE Red boiler M size
reservoir for kettle hot and hot water
3 litre 99° C kettle hot water
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hose and outlet for kettle hot water
CE approved
power supply 230 V 50 Hz
power consumption 2100 W
standby power consumption 15 W
energy efficiency class A
GROHE Red filter set
for protection of the boiler from limescale
Capacity 600 L at 20° dKH
5 phase filter
flow rate measuring unit



40 841 001 **Chrome** **4005176335358** **94.35**

GROHE Red
Mixing valve
for thermostatic mixing of mains and boiling water to generate warm water
adjustable between 35°C and 75°C
hot fill and cold fill installation possible
including 70 cm connection hose, manifold and wall fixation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE RED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**40 842 001**	**Chrome**	**4005176335365**	**720.51**


GROHE Red
Boiler Size M
reservoir for hot water
3 liter hot water at 99° C
4 litre total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**40 834 001**	**Chrome**	**4005176335280**	**771.98**


GROHE Red
Boiler Size L
reservoir for hot water
5.5 liter hot water at 99° C
5.5 liter total capacity
required inlet pressure: 1-7 bar
with flexible connection hoses and connection for boiling water
CE approved
power supply 230 V 50 Hz 30 VA
power consumption 2100 W
standby power consumption 15 W

 	**40 438 001**		**4005176984105**	**124.37**

GROHE Red
Filter with filter head
for regions with water hardness higher 12° KH
turn before GROHE Red boiler
flexible connection hoses
filter 600 l

 	**40 919 SD0**	**stainless steel**	**4005176450136**	**12.86**

GROHE Red
Thermo drinking bottle
stainless steel bottle with GROHE Red decor
double-walled
lid with strap
with tea strainer
volume 450 ml


	**40 432 000**		**4005176883255**	**21.44**

GROHE Red
Tea glasses (4 pieces)
heat proof glass with GROHE Red decor
dish washer safe
volume 250 ml

GROHE
WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






40 855 000 **4005176356452** **45.45**

GROHE Blue
Waste bin recycling separation system
installation type: floor mounted, behind swinging door
technique: full extension
operation: manual telescopic
separation: double, 2 x up to 15 l filling volume
cabinet width: 30 cm and wider
compatible with GROHE Blue Home and GROHE Red M and L size






40 980 000 **4005176586446** **230.74**

GROHE Blue
Waste separation system 60 cm - 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: single, 1 x 29 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size






40 981 000 **4005176586453** **230.74**

GROHE Blue
Waste separation system 60 cm - 8 l / 8 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 2 x 8 l
cabinet width: 60 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size






40 982 000 **4005176586460** **247.89**

GROHE Blue
Waste separation system 90 cm - 11 l / 29 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: double, 1 x 11 l, 1 x 29 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size






40 983 000 **4005176586477** **247.89**

GROHE Blue
Waste separation system 90 cm - 8 l / 8 l / 11 l
installation type: side wall and front panel
technique: full extension with pull-in damping
separation: triple, 2 x 8 l, 1 x 11 l
cabinet width: 90 cm
installation height 533 mm minimum, 573 mm maximum
compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SEPARATION SYSTEMS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**40 984 000**		**4005176586484**	**37.30**

GROHE Blue
Retrofit kit for extricable metal cover
contents: pull-out rails and anti-slip mat
for use with GROHE Blue waste separation system 40 980, 40 981, 40 982 or 40 983, sold separately

GROHE
K7

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 950 000** **32 950 DC0**	**Chrome** **supersteel**	**4005176879838** **4005176879845**	**653.30** **852.94**

K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout
swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**31 379 000** **31 379 DC0**	**Chrome** **supersteel**	**4005176938085** **4005176938092**	**631.11** **819.66**


K7
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
professional spray
diverter: mousseur/shower jet
automatic return to mousseur
metal spray
adjustable flow rate limiter
swivel spout, swivel area 140°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 309 000		**4005176351235**	**363.20**






Foot Control
Dual flush valve set
Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
upgrade set for GROHE pull-out kitchen faucets
not suitable for combination with open water heater (SKUs 32 555 000, 31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0, 31 179 000, 31 132 001

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 613 000	**Chrome**	**4005176521973**	**314.47**
31 613 DC0	**supersteel**	**4005176521980**	**407.57**
31 613 DA0	**warm sunset**	**4005176523595**	**439.64**
31 613 A00	**hard graphite**	**4005176523601**	**439.64**






Minta SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free within the tap

31 360 001	**Chrome**	**4005176343025**	**579.49**
31 360 DC1	**supersteel**	**4005176343032**	**753.67**






Minta Touch
Electronic single-lever sink mixer 1/2"
L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

31 358 002	**Chrome**	**4005176465000**	**596.74**
31 358 DC2	**supersteel**	**4005176465017**	**746.22**






Minta Touch
Electronic single-lever sink mixer 1/2"
C-spout
monobloc installation
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 375 000	Chrome	4005176934155	220.71
31 375 DC0	supersteel	4005176934162	287.27
31 375 DA0	warm sunset	4005176488634	313.92
31 375 DL0	brushed warm sunset	4005176488641	313.92
31 375 A00	hard graphite	4005176488610	313.92
31 375 AL0	Brushed Hard Graphite	4005176488627	313.92






Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
flexible connection hoses
protected against backflow
rapid installation system

32 168 000	Chrome	4005176824425	220.71
32 168 DC0	supersteel	4005176824432	287.27






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

30 274 000	Chrome	4005176314988	276.17
30 274 DC0	supersteel	4005176314995	346.37
30 274 DA0	warm sunset	4005176488672	373.76
30 274 DL0	brushed warm sunset	4005176488689	373.76
30 274 A00	hard graphite	4005176488658	373.76
30 274 AL0	Brushed Hard Graphite	4005176488665	373.76






Minta
Single-lever sink mixer 1/2"
L-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 917 000	**Chrome**	**4005176230950**	**176.35**
32 917 DC0	**supersteel**	**4005176804946**	**220.71**
32 917 KS0	**velvet black**	**4005176980640**	**238.47**
32 917 DA0	**warm sunset**	**4005176488719**	**250.92**
32 917 DL0	**brushed warm sunset**	**4005176488726**	**250.92**
32 917 A00	**hard graphite**	**4005176488696**	**250.92**
32 917 AL0	**Brushed Hard Graphite**	**4005176488702**	**250.92**






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
with compression nut
rapid installation system
optional temperature limiter (46 308 000)

32 918 000	**Chrome**	**4005176230967**	**220.71**
32 918 DC0	**supersteel**	**4005176804953**	**287.27**






Minta
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 918 00E	**Chrome**	**4005176866616**	**220.71**

Ditto, with GROHE Ecojoy 5.7 l/min flow limiter

32 511 000	**Chrome**	**4005176295621**	**265.09**






Minta
Single-lever sink mixer 1/2"
for use with displacement water heater
C-spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 321 002	Chrome	4005176465109	218.53
32 321 DC2	supersteel	4005176465116	284.43
32 321 GN2	brushed cool sunrise	4005176618529	312.99
32 321 DA2	warm sunset	4005176488757	312.87
32 321 DL2	brushed warm sunset	4005176488764	312.87
32 321 A02	hard graphite	4005176488733	312.87
32 321 AL2	Brushed Hard Graphite	4005176488740	312.87






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

30 348 001	Chrome	4005176464973	213.13






Minta
Single-lever sink mixer 1/2"
C-spout
monobloc installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
shorter lever (71 mm)
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

32 488 000	Chrome	4005176289552	176.35
32 488 DC0	supersteel	4005176804939	232.41
32 488 DA0	warm sunset	4005176488795	250.92
32 488 DL0	brushed warm sunset	4005176488801	250.92
32 488 A00	hard graphite	4005176488771	250.92
32 488 AL0	Brushed Hard Graphite	4005176488788	250.92






Minta
Single-lever sink mixer 1/2"
U spout, monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
selectable swivel area : 0° / 150° / 360°
swivel tubular spout
flexible connection hoses
rapid installation system
optional temperature limiter (46 308 000)

32 067 000	Chrome	4005176811142	220.71






Minta
Single-lever sink mixer 1/2"
U spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

GROHE
MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 322 002	**Chrome**	**4005176465123**	**218.53**
32 322 DC2	**supersteel**	**4005176465130**	**284.43**
32 322 DA2	**warm sunset**	**4005176488832**	**312.87**
32 322 DL2	**brushed warm sunset**	**4005176488849**	**312.87**
32 322 A02	**hard graphite**	**4005176488818**	**312.87**
32 322 AL2	**Brushed Hard Graphite**	**4005176488825**	**312.87**





Minta
Single-lever sink mixer 1/2“
U spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

40 684 000	**Chrome**	**4005176940088**	**64.04**
40 684 DC0	**supersteel**	**4005176940095**	**67.31**




Minta
Lever
for Minta single lever sink mixer

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH


Ref. No.	Colour	EAN	Retail Guide Price (£)
31 593 002	Chrome	4005176521942	412.75
31 593 DC2	supersteel	4005176521959	619.64






Zedra SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free within the tap


Ref. No.	Colour	EAN	Retail Guide Price (£)
30 219 002	Chrome	4005176466540	697.66
30 219 DC2	supersteel	4005176466557	941.68






Zedra Touch
Electronic single-lever sink mixer 1/2"
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
type CR-P2
CE approved
solenoid valve
fixed value mixing valve
automatically stops after 60 sec. (factory set)
type of protection IP 44
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 294 002	Chrome	4005176466496	354.55
32 294 DC2	supersteel	4005176466502	460.18






Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out spray with 3 spray types
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)
stop function - pause button to stop the water flow
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free within the tap

GROHE
ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH






Ref. No.	Colour	EAN	Retail Guide Price (£)
32 553 002	**Chrome**	**4005176466649**	**331.93**
32 553 DC2	**supersteel**	**4005176466656**	**520.87**

Zedra
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free within the tap

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ATRIO






Ref. No.	Colour	EAN	Retail Guide Price (£)
30 362 000	**Chrome**	**4005176496479**	**464.65**
30 362 DC0	**supersteel**	**4005176496486**	**605.43**
30 362 AL0	**Brushed Hard Graphite**	**4005176497292**	**695.83**

Atrio
Two handle sink mixer 1/2"
C-spout
monobloc installation
GROHE StarLight chrome finish
ceramic headparts 1/2", 90°
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system
mousseur

GROHE ESSENCE






Ref. No.	Colour	EAN	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	374.47
31 615 DC0	supersteel	4005176523656	487.23
31 615 BE0	polished nickel	4005176523731	524.47
31 615 EN0	brushed nickel	4005176523748	561.71
31 615 GL0	cool sunrise	4005176523670	524.47
31 615 GN0	brushed cool sunrise	4005176523687	561.71
31 615 DA0	warm sunset	4005176523694	524.47
31 615 DL0	brushed warm sunset	4005176523700	561.71
31 615 A00	hard graphite	4005176523717	524.47
31 615 AL0	Brushed Hard Graphite	4005176523724	561.71

Essence SmartControl
Sink mixer with SmartControl
monobloc installation
GROHE StarLight chrome finish
pull-out spray with laminar
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
GROHE SmartControl push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow
temperature adjustment by turning of mixing valve on body
swivel tubular spout
swivel area 140°
protected against backflow
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
GROHE Zero isolated inner water ways - lead and nickel free within the tap





30 294 000	Chrome	4005176341472	440.12
30 294 DC0	supersteel	4005176341489	567.88
30 294 BE0	polished nickel	4005176488511	573.24
30 294 EN0	brushed nickel	4005176488528	573.24
30 294 GL0	cool sunrise	4005176488078	573.24
30 294 GN0	brushed cool sunrise	4005176488085	573.24
30 294 DA0	warm sunset	4005176488498	573.24
30 294 DL0	brushed warm sunset	4005176488504	573.24
30 294 A00	hard graphite	4005176488054	573.24
30 294 AL0	Brushed Hard Graphite	4005176488061	573.24

Essence
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system



30 321 GE0	green	4005176438271	101.33
30 321 XC0	Dark Grey	4005176385735	62.63
30 321 MW0	Sheer Marble	4005176385728	62.63
30 321 HG0	Dark Brown	4005176385742	62.63
30 321 DG0	red	4005176438219	101.33
30 321 DP0	pink	4005176438264	101.33
30 321 DU0	purple	4005176438257	101.33
30 321 TY0	blue	4005176438240	101.33
30 321 YF0	yellow	4005176438233	62.63
30 321 YR0	orange	4005176438226	101.33


Essence GROHFlexx kitchen hose
Spout hose for Essence kitchen tap
for 30 294 000/ 30 294 DC0
flexible, hygienic **GROHFlexx kitchen** santoprene hose
including fixing parts

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 269 000	Chrome	4005176314902	277.55
30 269 DC0	supersteel	4005176314919	347.23
30 269 GL0	cool sunrise	4005176428616	358.84
30 269 GN0	brushed cool sunrise	4005176428623	358.86
30 269 DA0	warm sunset	4005176428630	358.84
30 269 DL0	brushed warm sunset	4005176428647	358.86
30 269 A00	hard graphite	4005176428661	358.84
30 269 AL0	Brushed Hard Graphite	4005176428654	358.86






Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 270 000	Chrome	4005176314926	347.20
30 270 DC0	supersteel	4005176314933	405.29
30 270 BE0	polished nickel	4005176427480	463.35
30 270 EN0	brushed nickel	4005176427497	463.32
30 270 GL0	cool sunrise	4005176427428	463.35
30 270 GN0	brushed cool sunrise	4005176427435	463.32
30 270 DA0	warm sunset	4005176427442	463.35
30 270 DL0	brushed warm sunset	4005176427459	463.32
30 270 A00	hard graphite	4005176427473	463.32
30 270 AL0	Brushed Hard Graphite	4005176427466	463.32






Essence
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system
integrated temperature limiter


GROHE
EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**31 395 000**	**Chrome**	**4005176304774**	**602.70**
	31 395 DC0	**supersteel**	**4005176304767**	**776.92**



Eurocube
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
diverter: mousseur/shower jet
automatic return to laminar spray
swivel spout
swivel area 140°
360° maneuverable spring arm
protected against backflow
flexible connection hoses
applicable for under cupboard installation
rapid installation system

	**31 255 000**	**Chrome**	**4005176901416**	**207.88**
	31 255 DC0	**supersteel**	**4005176994319**	**428.55**




Eurocube
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**
mousseur
swivel cast spout
swivel area 360°
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
AMBI

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**30 189 000**	**Chrome**	**4005176914102**	**173.03**



Ambi
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headparts 1/2", 90°
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
lever opens to the front, protecting the backsplash
flexible connection hoses 1/2"
rapid installation system
3/8" adapter available for international use
min. recommended pressure 0.4 bar


	**30 190 000**	**Chrome**	**4005176914119**	**186.10**



Ambi Cosmopolitan
Two handle sink mixer 1/2"
monobloc installation
GROHE StarLight finish
ceramic headpart
mousseur
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
with lever handles
flexible connection hoses
lever opens to the front, protecting the backsplash
rapid installation system
3/8" adapter available for international use
min. recommended pressure 0.4 bar

GROHE
PARKFIELD





Ref. No.	Colour	EAN	Retail Guide Price (£)
30 215 001	**Chrome**	**4005176409066**	**369.30**
30 215 DC1	**supersteel**	**4005176409073**	**376.36**


Parkfield
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
integrated non-return valve
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 259 003 **Chrome** **4005176466908** **224.32**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
mousseur
flexible connection hoses
GROHE FastFixation rapid installation system






33 770 002 **Chrome** **4005176888137** **226.56**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system






32 257 002 **Chrome** **4005176886591** **272.09**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
automatic return to mousseur
adjustable flow rate limiter
swivel cast spout, swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system






33 772 002 **Chrome** **4005176890796** **237.95**

Eurodisc Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 271 mm
S-unions


GROHE
EURODISC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**33 770 001**	**Chrome**	**4005176828959**	**203.79**



Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
with stop restriction
flexible connection hoses
rapid installation system

	**32 257 001**	**Chrome**	**4005176834165**	**215.19**




Eurodisc
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out dual spray
diverter: mousseur/shower jet
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 491 000	**Chrome**	**4005176343308**	**353.82**
31 491 DC0	**supersteel**	**4005176343315**	**464.73**






Concetto
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
28 mm ceramic cartridge
with **GROHE SilkMove**
flow strainer
with integrated temperature limiter
professional spray
with flexible, hygienic GROHFlexx kitchen santoprene hose
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
GROHE Magnetic Docking guarantees easy retraction and smooth docking of the spray head back to the starting position
swivel spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

32 661 003	**Chrome**	**4005176466823**	**196.57**
32 661 DC3	**supersteel**	**4005176466830**	**240.50**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system

32 663 003	**Chrome**	**4005176466854**	**218.53**
32 663 DC3	**supersteel**	**4005176466861**	**306.39**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out laminar spray
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

31 212 003	**Chrome**	**4005176466762**	**247.77**






Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out laminar spray
automatic return
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
rapid installation system

GROHE
CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 483 002	**Chrome**	**4005176466809**	**251.48**
31 483 DC2	**supersteel**	**4005176466816**	**328.36**






Concetto
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

32 666 001	**Chrome**	**4005176887406**	**331.64**






Concetto
Single-lever sink mixer 1/2"
integrated stop valve
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 90°
flexible connection hoses
rapid installation system

31 128 001	**Chrome**	**4005176886737**	**198.53**
31 128 DC1	**supersteel**	**4005176891007**	**254.00**






Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

31 129 001	**Chrome**	**4005176886744**	**242.90**
31 129 DC1	**supersteel**	**4005176891021**	**309.46**






Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 273 001	**Chrome**	**4005176314964**	**276.17**
	30 273 DC1	**supersteel**	**4005176314971**	**353.82**






Concetto
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
metal spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
integrated non-return valve
flexible connection hoses
rapid installation system

	31 214 001	**Chrome**	**4005176891090**	**243.57**






Concetto
Single-lever sink mixer 1/2"
for use with displacement water heater
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
pull-out laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 100°
protected against backflow
flexible connection hoses
rapid installation system

	32 659 001	**Chrome**	**4005176886713**	**176.35**






Concetto
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel cast spout
swivel area 140°
flexible connection hoses
rapid installation system

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






33 975 004 **Chrome** **4005176467004** **194.31**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system






31 127 002 **Chrome** **4005176886669** **184.66**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight finish
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system






31 126 004 **Chrome** **4005176466977** **217.30**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system






31 482 003 **Chrome** **4005176466984** **251.80**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**30 221 002**	**Chrome**	**4005176984235**	**138.19**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
flexible connection hoses
rapid installation system
integrated temperature limiter

 	**31 124 002**	**Chrome**	**4005176886614**	**173.05**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

 	**31 159 002**	**Chrome**	**4005176888106**	**312.37**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

 	**33 977 002**	**Chrome**	**4005176886560**	**149.81**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system


 	**32 230 002**	**Chrome**	**4005176886577**	**125.44**

Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
Qualitel approval

GROHE
EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)





33 982 002	**Chrome**	**4005176890833**	**138.19**


Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
projection 273 mm
S-unions

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 843 002	**Chrome**	**4005176466939**	**133.61**
32 843 DC2	**supersteel**	**4005176466953**	**200.53**





Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system


32 843 20E	**Chrome**	**4005176466946**	**136.49**

ditto, with GROHE Ecojoy

---

32 845 002	**Chrome**	**4005176466960**	**125.99**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy technology for less water and perfect flow
mousseur
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150°
flexible connection hoses
GROHE FastFixation rapid installation system

---

31 180 000	**Chrome**	**4005176889288**	**198.53**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
high spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
flexible connection hoses
rapid installation system

---

31 481 001	**Chrome**	**4005176466922**	**197.38**






Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EasyDock guarantees easy retraction and
smooth docking back to the starting position
GROHE Zero isolated inner water ways - lead and nickel free within the tap
pull-out dual spray
diverter: laminar spray/SpeedClean shower jet
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
GROHE FastFixation rapid installation system

GROHE
EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)






30 193 000 **Chrome** **4005176919459** **131.98**
30 193 DC0 **supersteel** **4005176938559** **154.17**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






30 199 000 **Chrome** **4005176922022** **103.16**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge with Eco-Override-Stop and cold start function
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system
Qualitel approval






30 195 000 **Chrome** **4005176919473** **180.80**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
medium spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
rapid installation system
flexible connection hoses






32 842 000 **Chrome** **4005176874833** **109.81**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system






31 179 000 **Chrome** **4005176889172** **154.17**


Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for use with displacement water heater
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
flow straightener
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 161 000	**Chrome**	4005176889158	**209.63**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
integrated stop valve
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
flexible connection hoses
rapid installation system


		31 170 000	**Chrome**	4005176889165	**231.82**

Eurosmart Cosmopolitan
Single-lever sink mixer 1/2"
for installation in front of window
low spout
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
mousseur
swivel tubular spout
swivel area 140°
non-removable socket height: 30 mm
flexible connection hoses

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 281 003	**Chrome**	**4005176635366**	**109.81**
	33 281 DC3	**supersteel**	**4005176635397**	**124.22**






Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

---

31 868 000	**Chrome**	**4005176693113**	**109.81**






Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
Cradle 2 Cradle certified
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
adjustable flow rate limiter
mousseur with coin slot for tool free replacement
GROHE FastFixation Plus installation system
swivel cast spout
flexible connection hoses 1/2"

---

33 281 30E	**Chrome**	**4005176635410**	**109.81**






Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
GROHE EcoJoy 5,7 l/min mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

---

32 221 003	**Chrome**	**4005176635427**	**98.71**






Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge with
energy saving function via cold start and Eco-click
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
Qualitel E1C2A2U3 applied for

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)






30 260 003 **Chrome** **4005176635434** **109.81**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove ES
35 mm ceramic cartridge with energy saving function via cold start
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system






30 305 001 **Chrome** **4005176635465** **165.25**
30 305 DC1 **supersteel** **4005176635472** **209.64**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel cast spout
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
protected against backflow






31 869 000 **Chrome** **4005176693120** **165.25**

Eurosmart
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
flow strainer
with integrated temperature limiter
pull-out dual spray control - switches between regular flow and spray
diverter: laminar spray/SpeedClean shower jet
automatic return to laminar spray
adjustable flow rate limiter
swivel area 90°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel cast spout
GROHE FastFixation Plus installation system
protected against backflow
flexible connection hoses 1/2"






33 202 003 **Chrome** **4005176635588** **131.98**

Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
integrated temperature limiter
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system

GROHE
EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)






32 223 003 **Chrome** **4005176635618** **131.98**

Eurosmart
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 150°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 3/8"
GROHE FastFixation Plus installation system
Qualitel approval






30 468 000 **Chrome** **4005176635755** **182.50**

Eurosmart
Two handle sink mixer
high spout
monobloc installation
GROHE StarLight chrome finish
cartridge: ceramic head parts, 90° turn angle
integrated temperature limiter
mousseur
swivel tubular spout
adjustable swivel area 0° / 150° / 360°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
flexible connection hoses 1/2"
min. recommended pressure 0.2 bar






31 391 003 **Chrome** **4005176635762** **115.59**

Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 216 mm
integrated temperature limiter
S-unions





32 224 003 **Chrome** **4005176635786** **140.86**


Eurosmart
Single-lever sink mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
projection 276 mm
integrated temperature limiter
S-unions

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO / EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 752 000 **Chrome** **4005176868252** **101.32**

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel range 0°/150°/360°
metal lever
flexible connection hoses
rapid installation system






32 750 000 **Chrome** **4005176868238** **89.94**

Euroeco
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
mousseur
adjustable flow rate limiter
swivel tubular spout
swivel area 140°
metal lever
flexible connection hoses
rapid installation system






32 786 000 **Chrome** **4005176871863** **138.19**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses






33 912 000 **Chrome** **4005176111969** **416.28**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product






32 787 000 **Chrome** **4005176871870** **136.35**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses

GROHE
COSTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)






31 831 001 **Chrome** **4005176843280** **78.56**

Costa L
Sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses






31 930 001 **Chrome** **4005176843303** **169.62**

Costa L
Sink mixer 1/2"
for use with displacement water heater
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
flow straightener
swivel tubular spout
swivel area 360°
chain ring
copper pipes






31 829 001 **Chrome** **4005176845697** **79.69**

Costa L
Sink mixer 1/2"
metal handles
heat-insulated
screwable
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
NF approval






31 187 001 **Chrome** **4005176843327** **89.94**

Costa L
Wall sink mixer 1/2"
metal handles
heat-insulated
GROHE StarLight finish
Longlife-headparts
mousseur
swivel tubular spout
swivel area 360°
projection 200 mm
S-unions








30 098 001 **Chrome** **4005176843266** **33.01**

Costa L
Bibtap 1/2"
wall mounted
metal handle
heat-insulated
screwable
marking: blue (cold)
GROHE StarLight finish
mousseur
Longlife-headparts


All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COSTA

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 819 001	**Chrome**	4005176843471	101.30
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish Carbodur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
		31 067 001	**Chrome**	4005176845710	96.75
		Costa S **Sink mixer 1/2"** metal handles heat-insulated screwable **GROHE StarLight** finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
		30 064 001	**Chrome**	4005176843259	44.40
		Costa L **Bibtap 1/2"** metal handle wall mounted screwable marking: blue (cold) **GROHE StarLight** chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			


GROHE
BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**31 368 001**	**Chrome**	**4005176478529**	**79.26**




BauLoop
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed

	**31 367 001**	**Chrome**	**4005176478512**	**79.26**




BauEdge
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
rapid installation system
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed

	**31 536 001**	**Chrome**	**4005176478567**	**79.26**




BauCurve
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed

	**31 231 001**	**Chrome**	**4005176478260**	**79.26**



BauCurve
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses 1/2"
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed

	**31 230 001**	**Chrome**	**4005176478277**	**79.26**




GROHE BauFlow
Single-lever sink mixer 1/2"
monobloc installation
metal lever
GROHE StarLight finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
mousseur
flexible connection hoses 1/2"
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU LINES

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 538 001 **Chrome** **4005176478574** **79.26**

GROHE BauFlow
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 535 001 **Chrome** **4005176478550** **79.26**

BauClassic
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 232 001 **Chrome** **4005176478253** **79.26**

BauLoop
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses 1/2"
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed






31 233 001 **Chrome** **4005176478284** **79.26**

BauEdge
Single-lever sink mixer 1/2"
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
mousseur
flexible connection hoses 1/2"
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed







31 234 001 **Chrome** **4005176478499** **79.26**

BauClassic
Single-lever sink mixer 1/2"
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
spout with mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses 1/2"
GROHE FastFixation Plus ultra fast and simple installation - no tools needed
for installation on a 60 mm worktop fixation set 48 384 000 is needed


GROHE
BAU LINES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	31 706 000	Chrome	4005176530449	75.14


BauLoop
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

 	31 693 000	Chrome	4005176530371	75.14


BauEdge
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

 	31 688 000	Chrome	4005176530333	75.14

GROHE BauFlow
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

 	31 715 000	Chrome	4005176564123	75.14

BauCurve
Single-lever sink mixer 1/2"
medium spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

 	31 680 000	Chrome	4005176530487	66.90


BauEco
Single-lever sink mixer 1/2"
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 35 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
swivel tubular spout
swivel area 140°
mousseur with coin slot for tool free replacement
flexible connection hoses
GROHE FastFixation Plus ultra fast and simple installation - no tools needed for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SOAP DISPENSERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 535 000	Chrome	4005176905490	39.45
40 535 DC0	supersteel	4005176905520	55.31
40 535 BE0	polished nickel	4005176489457	88.52
40 535 GL0	cool sunrise	4005176489419	88.52
40 535 GN0	brushed cool sunrise	4005176489426	88.52
40 535 DA0	warm sunset	4005176489433	88.52
40 535 DL0	brushed warm sunset	4005176489440	88.52
40 535 A00	hard graphite	4005176489396	88.52
40 535 AL0	Brushed Hard Graphite	4005176489402	88.52






Cosmopolitan Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish

40 536 000	Chrome	4005176905506	35.59
40 536 DC0	supersteel	4005176905537	50.17






Contemporary Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish


40 537 000	Chrome	4005176905513	43.73
40 537 DC0	supersteel	4005176905544	76.69






Authentic Soap Dispenser
for liquid soaps
storage bin 500 ml
GROHE StarLight finish

36 194 000	Chrome	4005176140921	144.62






Soap dispenser
pillar tap with push-button,
for liquid soaps
projection 113 mm
for tap hole drillings 22 - 30 mm
storage bottle 1 l.
GROHE StarLight finish

13 071 000	Chrome	4005176023132	36.13






Swivel tube spout
swivelling, without stop
mousseur
coupling nut 3/4“
projection 140 mm
DR-brass
GROHE StarLight chrome finish

13 034 000	Chrome	4005176022869	53.64






Swivel tube spout
for kitchen wall mixers, 1/2“
tubular spout
mousseur
projection 300 mm
coupling nut 3/4“
DR-brass
GROHE StarLight finish

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 582 SD1 **stainless steel** **4005176607158** **802.85**

K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 rh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable right
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10






31 581 SD1 **stainless steel** **4005176607141** **802.85**

K1000
Stainless Steel Sink with Drainer
model: K1000 80-S 116/52 1.0 lh
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1.2 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 520 mm
1 bowl: 710 x 400 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out (top mount): 1145 x 505 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10





31 583 SD1 **stainless steel** **4005176607165** **541.41**


K800
Stainless steel sink
model: K800 60-S 51.8/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 518 x 510 mm
1 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 503 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 584 SD1	**stainless steel**	**4005176607172**	**602.14**






K800
Stainless steel sink
model: K800 90-S 84.6/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 846 x 510 mm
1 bowl: 790 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 831 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 585 SD1	**stainless steel**	**4005176607189**	**802.85**






K800
Stainless steel sink
model: K800 120-S 102.4/51 2.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 462 x 400 x 200 mm
2 bowl: 462 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 586 SD1	**stainless steel**	**4005176607196**	**703.01**






K800
Stainless steel sink
model: K800 120-S 102.4/51 1.0
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 1200 mm
dimensions: 1024 x 510 mm
1 bowl: 968 x 400 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
cut-out (top mount): 1009 x 495 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 574 SD1	**stainless steel**	**4005176607080**	**223.36**






K700U
Stainless steel sink
model: K700U 60-S 54.4/44.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 550 x 450 mm
1 bowl: 500 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
cut-out: 500 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 575 SD1	**stainless steel**	**4005176607097**	**564.06**






K700U
Stainless steel sink
model: K700U 80-S 76/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 760 x 450 mm
1 bowl: 500 x 400 x 195 mm
0.5 bowl: 180 x 400 x 200 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 712 x 402 mm (R16)
cut-out (top mount): 745 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 576 SD1	**stainless steel**	**4005176607103**	**256.30**






K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 rh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable right
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 577 SD1 **stainless steel** **4005176607110** **256.30**

K700U
Stainless steel sink
model: K700U 60-S 59.5/45 1.5 lh
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 595 x 450 mm
1 bowl: 340 x 400 x 200 mm
0.5 bowl: 180 x 400 x 140 mm
outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15
GROHE FastFixation installation system
sink mountable left
cut-out (undermount): 547 x 402 mm (R16)
cut-out (top mount): 580 x 435 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 578 SD1 **stainless steel** **4005176607127** **201.74**

K700
Stainless steel sink
model: K700 45-S 46.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 464 x 464 mm
1 bowl: 400 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 402 x 402 mm (R11)
cut-out (top mount): 449 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8






31 580 SD1 **stainless steel** **4005176607134** **261.44**

K700
Stainless steel sink
model: K700 90-S 86.4/46.4 1.0
mounting type: undermount, top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 1 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 864 x 464 mm
1 bowl: 800 x 400 x 200 mm
outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10
GROHE FastFixation installation system
cut-out (undermount): 802 x 402 mm (R11)
cut-out (top mount): 849 x 449 mm
drainer: Ø 3.5"/90 mm basket strainer waste
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
amount of fasteners included (undermount): 8

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 571 SD1	stainless steel	4005176626029	227.48






K500
Stainless Steel Sink with Drainer
model: K500 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 340 x 420 x 170 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 563 SD1	stainless steel	4005176623738	201.01






K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.0 rev
mounting type: top mount or flush mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 450 x 400 x 180 mm
outer radius: R6 (topmount), inner bowl radius: R75
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 572 SD1	stainless steel	4005176626036	325.45






K500
Stainless Steel Sink with Drainer
model: K500 60-S 100/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 340 x 420 x 185 mm
0.5 bowl: 170 x 320 x 125 mm
outer radius: R6 (topmount), inner bowl radius: R65
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 982 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 588 SD1	**stainless steel**	**4005176626043**	**336.33**






K500
Stainless Steel Sink with Drainer
model: K500 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 340 x 420 x 190 mm
2 bowl: 340 x 420 x 190 mm
outer radius: R6 (topmount), inner bowl radius: R90
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 18

31 568 SD0	**stainless steel**	**4005176473258**	**216.60**






K400+
Stainless Steel Sink with Drainer
model: K400+ 45-S 87.3/51.3 1.0 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 873 x 513 mm
1 bowl: 363 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
amount of fasteners included (flat edge): 18

31 569 SD0	**stainless steel**	**4005176473265**	**314.56**






K400+
Stainless Steel Sink with Drainer
model: K400+ 60-S 98.3/51.3 1.5 rev
mounting type: flat edge
material: stainless steel AISI 316 (V4A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 983 x 513 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 150 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (flat edge): 18

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)






31 566 SD0 **stainless steel** **4005176473234** **173.06**

K400
Stainless Steel Sink with Drainer
model: K400 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 362.5 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 6






31 567 SD0 **stainless steel** **4005176473241** **249.26**

K400
Stainless Steel Sink with Drainer
model: K400 60-S 97/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 970 x 500 mm
1 bowl: 363 x 400 x 188 mm
0.5 bowl: 150 x 300 x 150 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 950 x 480 mm
drilling holes: 2 x 35 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8





31 587 SD0 **stainless steel** **4005176473449** **249.26**


K400
Stainless Steel Sink with Drainer
model: K400 80-S 116/50 2.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.7 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
2 bowl: 362.5 x 400 x 188 mm
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 8

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 570 SD0	**stainless steel**	**4005176473272**	**358.10**






Concetto
Kitchen sink and tap bundle
Consisting of:
K400 stainless steel sink with drainer (31 566 SD0)
mounting type: top mount
Concetto single lever sink mixer (32 663 003)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
pull out mousseur spout
adjustable flow rate limiter
swivel tubular spout
swivel area 360°
protected against backflow
flexible connection hoses
outer radius: R10, inner bowl radius: R95
GROHE FastFixation installation system
amount of fasteners included (top mount): 6

31 564 SD1	**stainless steel**	**4005176623745**	**160.78**






K200
Stainless Steel Sink with Drainer
model: K200 60-S 96.5/50 1.5 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 965 x 500 mm
1 bowl: 346 x 396 x 165 mm
0.5 bowl: 180 x 340 x 130 mm
outer radius: R10 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 941 x 476 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 16

31 565 SD1	**stainless steel**	**4005176623752**	**180.89**






Eurosmart
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Eurosmart single lever sink mixer (33 281 003)
low spout
monobloc installation
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
with integrated temperature limiter
adjustable flow rate limiter
swivel cast spout
swivel area 140°
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur with coin slot for tool free replacement
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

GROHE
STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 562 SD1	**stainless steel**	**4005176623721**	**194.84**






Bau
Kitchen sink and tap bundle
Consisting of:
K200 stainless steel sink with drainer (31 552 SD1)
mounting type: top mount
Bau Edge single lever sink mixer (31 367 001)
high spout
monobloc installation
GROHE StarLight chrome finish
GROHE Longlife 28 mm ceramic cartridge
GROHE Zero isolated inner water ways - lead and nickel free within the tap
mousseur
swivel tubular spout
swivel area 360°
flexible connection hoses
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

31 552 SD1	**stainless steel**	**4005176623714**	**107.75**






K200
Stainless Steel Sink with Drainer
model: K200 45-S 86/50 1.0 rev
mounting type: top mount
material: stainless steel AISI 304 (V2A)
material thickness: 0.6 mm
GROHE StarLight finish
finish: satin finish
GROHE Whisper
min. cabinet size: 450 mm
dimensions: 860 x 500 mm
1 bowl: 350 x 400 x 160 mm
outer radius: R6 (topmount), inner bowl radius: R100
GROHE FastFixation installation system
sink mountable left or right
cut-out (top mount): 842 x 482 mm
drilling holes: 2 x 35 mm
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting
accessories included: automatic waste fitting with rotary handle,
waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 14

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 650 AT0	**granite gray**	**4005176521294**	**240.32**
31 650 AP0	**granite black**	**4005176521287**	**240.32**






K700
Composite sink
model: K700 50-C 40/50 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 400 x 500 mm
1 bowl: 340 x 370 x 200 mm
GROHE FastFixation installation system
cut-out: 380 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 6
outer radius: R6, inner bowl radius: R45

31 651 AT0	**granite gray**	**4005176521317**	**283.42**
31 651 AP0	**granite black**	**4005176521300**	**283.42**






K700
Composite sink
model: K700 60-C 56/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 560 x 510 mm
1 bowl: 500 x 360 x 200 mm
GROHE FastFixation installation system
cut-out: 545 x 495 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 8
outer radius: R6, inner bowl radius: R10

31 652 AT0	**granite gray**	**4005176521331**	**316.83**
31 652 AP0	**granite black**	**4005176521324**	**316.83**






K700
Composite sink
model: K700 80-C 78/51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 780 x 510 mm
1 bowl: 720 x 370 x 220 mm
GROHE FastFixation installation system
cut-out: 764 x 494 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 9
outer radius: R6, inner bowl radius: R10

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 653 AT0	**granite gray**	**4005176521355**	**210.15**
31 653 AP0	**granite black**	**4005176521348**	**210.15**






K700U
Composite sink
model: K700U 50-C 45.7/40.6 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 457 x 406 mm
1 bowl: 417 x 366 x 203 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
cut-out: 417 x 366 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional push to open excenter (40 986 SD0)
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
amount of fasteners included (undermount): 8

31 654 AT0	**granite gray**	**4005176521379**	**241.40**
31 654 AP0	**granite black**	**4005176521362**	**241.40**






K700U
Composite sink
model: K700U 60-C 53.3/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 533 x 457 mm
1 bowl: 469 x 393 x 205 mm
GROHE FastFixation installation system
cut-out: 468 x 390 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional push to open excenter (40 986 SD0)
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
outer radius: R7, inner bowl radius: R10

31 655 AT0	**granite gray**	**4005176521393**	**285.59**
31 655 AP0	**granite black**	**4005176521386**	**285.59**






K700U
Composite sink
model: K700U 70-C 61/45.7 1.0
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 700 mm
dimensions: 610 x 460 mm
1 bowl: 544 x 394 x 205 mm
GROHE FastFixation installation system
cut-out: 543 x 393 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional push to open excenter (40 986 SD0)
accessories included: waste kit, basket strainer waste, mounting set
amount of fasteners included (top mount): 6
amount of fasteners included (undermount): 6
outer radius: R3, inner bowl radius: R10

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 644 AT0	**granite gray**	**4005176521171**	**318.99**
31 644 AP0	**granite black**	**4005176521164**	**318.99**






K500
Composite sink with drainer
model: K500 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 347 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12


31 645 AT0	**granite gray**	**4005176521195**	**333.01**
31 645 AP0	**granite black**	**4005176521188**	**333.01**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12

31 646 AT0	**granite gray**	**4005176521218**	**354.55**
31 646 AP0	**granite black**	**4005176521201**	**354.55**






K500
Composite sink with drainer
model: K500 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 345 x 440 x 200 mm
0.5 bowl: 155 x 295 x 146 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 647 AT0	**granite gray**	**4005176521232**	**398.74**
31 647 AP0	**granite black**	**4005176521225**	**398.74**






K500
Composite sink with drainer
model: K500 80-C 116/50 2.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 330 x 440 x 200 mm
2 bowl: 330 x 440 x 200 mm
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12
outer radius: R6, inner bowl radius: R12

31 648 AT0	**granite gray**	**4005176521256**	**304.99**
31 648 AP0	**granite black**	**4005176521249**	**304.99**






K500
Composite sink
model: K500 60-C 55.5/46 1.5 rev
mounting type: standard built-in and undermount
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 555 x 460 mm
1 bowl: 335 x 400 x 200 mm
0.5 bowl: 155 x 400 x 140 mm
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 525 x 400 mm
drainer: Ø 3.5"/90 mm basket strainer waste
optional push to open excenter (40 986 SD0)
accessories included: waste kit, basket strainer waste, mounting set
mounting with silicone (top mount)
amount of fasteners included (undermount): 8

31 649 AT0	**granite gray**	**4005176521270**	**371.79**
31 649 AP0	**granite black**	**4005176521263**	**371.79**






K500
Composite sink
model: K500 90-C 86/50 2.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 900 mm
dimensions: 860 x 500 mm
1 bowl: 390 x 430 x 200 mm
2 bowl: 380 x 365 x 200 mm
outer radius: R3, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 639 AT0	**granite gray**	**4005176520464**	**237.08**
31 639 AP0	**granite black**	**4005176520457**	**237.08**






K400
Composite sink with drainer
model: K400 50-C 78/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 780 x 500 mm
1 bowl: 347 x 440 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 765 x 485 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 640 AT0	**granite gray**	**4005176520488**	**298.52**
31 640 AP0	**granite black**	**4005176520471**	**298.52**






K400
Composite sink with drainer
model: K400 50-C 86/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: 860 x 500 mm
1 bowl: 337 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 840 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 641 AT0	**granite gray**	**4005176521119**	**321.15**
31 641 AP0	**granite black**	**4005176521102**	**321.15**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.0 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 480 x 420 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 12

GROHE
COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 642 AT0	**granite gray**	**4005176521133**	**343.78**
31 642 AP0	**granite black**	**4005176521126**	**343.78**






K400
Composite sink with drainer
model: K400 60-C 100/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 600 mm
dimensions: 1000 x 500 mm
1 bowl: 335 x 420 x 205 mm
0.5 bowl: 155 x 295 x 146 mm
outer radius: R6, inner bowl radius: big bowl R10, small bowl R8
GROHE FastFixation installation system
sink mountable left or right
cut-out: 980 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 643 AT0	**granite gray**	**4005176521157**	**365.33**
31 643 AP0	**granite black**	**4005176521140**	**365.33**






K400
Composite sink with drainer
model: K400 80-C 116/50 1.5 rev
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 800 mm
dimensions: 1160 x 500 mm
1 bowl: 400 x 420 x 205 mm
2 bowl: 295 x 295 x 205 mm
outer radius: R6, inner bowl radius: R10
GROHE FastFixation installation system
sink mountable left or right
cut-out: 1140 x 480 mm
drainer: automatic waste fitting
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 10

31 656 AT0	**granite gray**	**4005176521416**	**197.22**
31 656 AP0	**granite black**	**4005176521409**	**197.22**





K200
Composite sink
model: K200 50-C 51 1.0
mounting type: standard built-in
material: quartz composite
GROHE Whisper
min. cabinet size: 500 mm
dimensions: Ø 510 mm
1 bowl: Ø 380 x 200 mm
inner bowl radius: Ø 380
GROHE FastFixation installation system
cut-out: Ø 490 mm
drainer: automatic waste fitting
accessories included: waste kit, basket strainer waste, mounting set
optional push to open excenter (40 986 SD0)
amount of fasteners included (top mount): 3

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPECIAL FITTINGS





CONTENTS

Electronic Fittings	Eurocube E	556
	Essence E	559
	Bluetooth monitoring	562
	Europlus E	571
	Eurosmart Cosmopolitan E	573
	Euroeco Cosmopolitan E	582
	Bau Cosmopolitan E	586
Special Thermostats	Grohtherm Micro	588
	Grohtherm Special	589
	Grohtherm XL	593
Single-Lever Mixers	Vertica Eurostyle Cosmopolitan	594
	Commercial Showers	595
	Euroeco Special	598
	Hospita	603
	Euroeco Single Sequential	604
Self-closing Fittings	Eurodisc SE	606
	Eurosmart Cosmopolitan T	607
	Euroeco Cosmopolitan T	608

SYSTEM REQUIREMENTS
FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher
Android 4.3 or higher

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

*** Available for free via iTunes app or Google Play store.

GROHE FULL BATHROOM
ACROSS ALL YOUR FACILITIES

CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.



PRIVATE AREA



PUBLIC AREA

ROUND AND SQUARE



BAUEDGE
SINGLE-LEVER MIXER



BAU CERAMIC



BAU COSMOPOLITAN E
TOUCHLESS BASIN MIXER

ROUND AND SQUARE



EUROSMART COSMOPOLITAN
SINGLE-LEVER MIXER



EURO CERAMIC



EUROSMART COSMOPOLITAN E
TOUCHLESS BASIN MIXER



EUROECO COSMOPOLITAN E
TOUCHLESS BASIN MIXER


ROUND FEMININE



ESSENCE
SINGLE-LEVER MIXER



ESSENCE



ESSENCE E
TOUCHLESS BASIN MIXER

EDGE MASCULINE



EUROCUBE
SINGLE-LEVER MIXER



CUBE CERAMIC



EUROCUBE E
TOUCHLESS BASIN MIXER

EUROSMART COSMOPOLITAN E
THE COMFORT OF A PUBLIC BATHROOM – WITHOUT COMPROMISING ON HYGIENE

SHOWER HEAD



SHOWER



new



new



new



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



WC / URINAL







BASIN








new

BAU COSMOPOLITAN E
DISCOVER TOUCHLESS COMFORT



HYGIENE

TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.

INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

SUSTAINABILITY

GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.

QUALITY

MADE IN GERMANY

German perfectionism inspires ultimate customer confidence

DESIGN

GROHE STARLIGHT

Made-to-last surfaces ranging from precious matte to shiny like a diamond.



36 407 001
Remote control for GROHE Touchless fittings

Basic functionalites can be adjusted without remote control - simply by hand.

TECHNOLOGY

GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.

GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control
- Automatic flushing
- Thermal desinfection
- Cleaning mode
- Detection range and shut-off delay



LONGLIFE BATTERY

Unique low-energy electronics ensure a long service life.



36 451 000
Touchless basin mixer
(battery operated)



36 452 000
Touchless basin tap
(battery operated)

MAINS OPERATED




36 453 000
Touchless basin mixer
(with plug transformer 100 – 230 V AC)

GROHE
EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 440 000	**Chrome**	**4005176415623**	**817.27**






Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 441 000	**Chrome**	**4005176415630**	**783.65**
36 441 DC0	**supersteel**	**4005176686818**	**1,014.44**
36 441 AL0	**Brushed Hard Graphite**	**4005176686825**	**1,170.51**






Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
laminar spray regulator 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 442 000	**Chrome**	**4005176415647**	**884.55**






Eurocube E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.7 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROCUBE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)






36 264 001 — **4005176416279** — **223.11**

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000






38 748 002 — **Chrome** — **4005176416323** — **591.84**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





36 407 001 — **4005176368974** — **268.96**

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





36 340 000 — **4005176911385** — **55.80**


Power extension cable
length 3.00 m

36 341 000 — **4005176911392** — **100.32**
ditto, length 10 m

GROHE
EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 338 000		**4005176896743**	**92.64**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 444 000	**Chrome**	**4005176415661**	**660.32**






Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 445 000	**Chrome**	**4005176415678**	**637.91**
36 445 DC0	**supersteel**	**4005176686542**	**815.17**
36 445 GL0	**cool sunrise**	**4005176686559**	**877.88**
36 445 GN0	**brushed cool sunrise**	**4005176686566**	**940.60**
36 445 DA0	**warm sunset**	**4005176686573**	**877.88**
36 445 DL0	**brushed warm sunset**	**4005176686788**	**940.60**
36 445 A00	**hard graphite**	**4005176686795**	**877.88**
36 445 AL0	**Brushed Hard Graphite**	**4005176686801**	**940.60**






Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 446 000 **Chrome** **4005176415685** **593.07**

Essence E
Infra-red electronic basin tap 1/2“
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
adjustable swivel area 0° / 150° / 360°
laminar spray regulator 5.0 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 447 000 **Chrome** **4005176416293** **839.70**

Essence E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar spray regulator 5.0 l/min
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
CE approved
noise classification 1 in accordance
with DIN4109





36 264 001 **4005176416279** **223.11**


Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 748 002	**Chrome**	**4005176416323**	**591.84**






Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

36 407 001	**4005176368974**	**268.96**





Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

36 340 000	**4005176911385**	**55.80**






Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**100.32**
ditto, length 10 m		

36 338 000	**4005176896743**	**92.64**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 413 000	**Chrome**	**4005176320576**	**605.10**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
with integrated solenoid valve
integrated non-return valves
and dirt strainers
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 409 000	**Chrome**	**4005176320538**	**498.40**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
solenoid valve
dirt strainer
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
thermal disinfection
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 414 000	**Chrome**	**4005176320583**	**820.88**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
swivel cast spout 219 mm
with swivel stop at 130° or fixed
projection 287 mm
laminar mousseur 9 l/min
S-unions
escutcheon covers for S-unions
non-return valve
dirt strainers
power connection cable 3.0 m
for use with connection set
39 383 000
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109
type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

39 383 000		**4005176356926**	**57.45**






Eurosmart Cosmopolitan E
Thermostatic 230 V connection set
fitting support
2 fitting connections DN 15
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 410 000	**Chrome**	**4005176320545**	**572.26**





Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 001/36 337 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 337 001		**4005176595417**	**121.92**






Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

36 336 001		**4005176991769**	**322.29**






Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 412 000	**Chrome**	**4005176320569**	**644.97**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 339 001
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance with DIN4109

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 339 001		**4005176595424**	**222.64**






Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 415 000	**Chrome**	**4005176320590**	**542.45**





Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed thermostatic shower
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
for concealed installation box
36 416 001
GROHE StarLight chrome finish
chrome escutcheon
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

36 416 001		**4005176595394**	**629.75**






Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 503 000	**Chrome**	**4005176320507**	**702.45**





Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version

Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

37 338 000		**4005176837920**	**139.53**






GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 504 000	**Chrome**	**4005176320521**	**878.33**





Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.






36 340 000	**4005176911385**	**55.80**

Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**100.32**

ditto, length 10 m






36 338 000	**4005176896743**	**92.64**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE
BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 407 001		**4005176368974**	**268.96**





Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)


3 x 1.5 V DC (AAA) battery supply

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROPLUS E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 207 001 **Chrome** **4005176929373** **620.34**

Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 208 001 **Chrome** **4005176929380** **526.54**
ditto, without mixing device





36 015 001 **Chrome** **4005176929359** **538.24**


Europlus E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 016 001 **Chrome** **4005176929366** **464.23**
ditto, without mixing device

GROHE
EUROPLUS E

Ref. No.	Colour	EAN	Retail Guide Price (£)





36 407 001 **4005176368974** **268.96**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply






36 340 000 **4005176911385** **55.80**

Power extension cable
length 3.00 m

36 341 000 **4005176911392** **100.32**
ditto, length 10 m





36 338 000 **4005176896743** **92.64**

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000



36 209 000 **Chrome** **4005176207105** **74.15**


Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by
screwdriver
metallic cap
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 327 001 **Chrome** **4005176305771** **350.63**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

36 331 001 **Chrome** **4005176305795** **307.25**
ditto, with pop-up waste set 1 1/4"






36 422 000 **Chrome** **4005176368530** **372.41**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 325 001 **Chrome** **4005176305764** **397.54**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 421 000 **Chrome** **4005176368523** **370.11**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 439 000 **Chrome** **4005176389740** **276.43**


Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 330 001 **Chrome** **4005176305788** **374.09**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 324 001 **Chrome** **4005176305757** **564.06**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
for use with displacement water heater
fixed build in static flow limiter 5 l/min
on the hose connection
non-return valve
dirt strainers
flexible connection hoses
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
type of protection faucet IP 59K
min. recommended pressure 0.2 bar






36 386 001 **Chrome** **4005176311673** **681.90**


Eurosmart Cosmopolitan E
Powerbox
Infra-red electronic basin mixer 1/2" with mixing
device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
including all flexible connection hoses
non-return valve
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)









36 454 000 **Chrome** **4005176487774** **935.08**

Eurosmart Cosmopolitan E Special
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
GROHE CoolTouch
laminar mousseur 9 l/min
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

36 455 000 **Chrome** **4005176487781** **909.63**
ditto, projection 255 mm







36 332 000 **Chrome** **4005176896682** **826.45**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
activation by hand, deactivation automatically when leaving detection zone
(hand-body detection mode)
two additional detection modes adjustable (hand-hand or body-body)
GROHE StarLight chrome finish
laminar mousseur 9 l/min
non-return valve
dirt strainers
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(**calibration required**)
swivel cast spout 219 mm
projection 287 mm
swivel range stop at 130°, lockable
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109


36 333 000 **Chrome** **4005176896699** **811.73**
ditto, projection 255 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 334 SD0 **stainless steel** **4005176896705** **456.18**

Eurosmart Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar mousseur 9 l/min
stainless steel escutcheon
SuperSteel spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109
min. recommended pressure 0.2 bar

36 335 SD0 **stainless steel** **4005176896712** **432.71**
ditto, projection 172 mm






36 337 001 **4005176595417** **121.92**

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 336 001 **4005176991769** **322.29**

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 376 000 **Chrome** **4005176932243** **585.16**

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 001
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 **Chrome** **4005176896590** **491.35**
ditto, projection 172 mm






36 339 001 **4005176595424** **222.64**

Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve





36 457 000 **Chrome** **4005176494765** **853.44**


Eurosmart Cosmopolitan E Special
Infra-red electronic shower mixer with thermostatic temperature control
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
ergonomic metal handle
GROHE StarLight chrome finish
GROHE CoolTouch
non-return valve
dirt strainers
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
shower bottom outlet 1/2" with
integrated non return-valve
with S-unions, chrome nuts and covers
self-sealing escutcheons
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 456 000 **Chrome** **4005176494758** **226.78**

Eurosmart Cosmopolitan E Special
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 458 000 and 36 459 000
ergonomic metal handle
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
full unmixed hot or cold water in extreme handle position for legionella sampling
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109






36 458 000 **4005176494772** **685.94**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve






36 459 000 **4005176576188** **736.82**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated thermostatic mixer
suitable for infra-red set 36 456 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve







47 780 000 **4005176836541** **146.84**

Rapido T
Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostatswith shut-off valve


GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 463 000**	**Chrome**	**4005176576690**	**201.58**


Eurosmart Cosmopolitan E
Infra-red electronic for concealed thermostatic shower
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for concealed installation box 36 416 000 and 36 464 000
for hidden thermostatic mixer
GROHE StarLight chrome finish
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109

 	**36 464 000**		**4005176576706**	**617.02**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 463 000
2 stop valves
non-return valves with filters
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve

 	**36 416 001**		**4005176595394**	**629.75**

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for infra-red set 36 415 000 and 36 463 000
2 stop valves
non-return valves with filters
connection housing for power supply
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
allows for waterproofing of wall construction surrounding the concealed body
with sealing sleeve



 	**36 407 001**		**4005176368974**	**268.96**

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**36 340 000** **Power extension cable** length 3.00 m		**4005176911385**	**55.80**
	36 341 000 **ditto, length 10 m**		**4005176911392**	**100.32**
 	**36 338 000** **Switch mode power supply** for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000		**4005176896743**	**92.64**

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 271 000 **Chrome** **4005176893193** **292.01**

Euroeco Cosmopolitan E
Infra-red electronic basin tap
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K






36 269 000 **Chrome** **4005176893179** **315.46**

Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
without power supply 36 338 000 (required)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainers
solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59K





36 272 000 **Chrome** **4005176893209** **292.01**


Euroeco Cosmopolitan E
Infra-red electronic basin tap 1/2"
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
flexible connection hoses
dirt strainer
solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 384 000 **Chrome** **4005176982774** **643.78**

Euroeco Cosmopolitan E
Powerbox
infra-red electronic basin tap 1/2"
without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
including Powerbox self-generating power system
GROHE EcoJoy 6.0 l/min mousseur
flexible connection hose
dirt strainer
rapid installation system
Powerbox
power generator with water turbine
internal energy saving unit
with use of 60 s/24 h stand-by, 260 s/100 h stand-by
with additional backup power
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407






36 274 000 **Chrome** **4005176893223** **374.08**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal body
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved






36 273 000 **Chrome** **4005176893216** **383.36**

Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
GROHE EcoJoy mousseur 5.7 l/min
chrome escutcheon
chrome spout
projection 172 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 336 001/36 337 001
CE approved
noise classification 1 in accordance
with DIN4109

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 337 001 4005176595417 121.92

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve






36 336 001 4005176991769 322.29

Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve





36 407 001 4005176368974 268.96

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply





36 340 000 4005176911385 55.80

Power extension cable
length 3.00 m


36 341 000 4005176911392 100.32
ditto, length 10 m

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 338 000		**4005176896743**	**92.64**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 451 000 **Chrome** **4005176473678** **243.28**

Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2“
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59





36 452 000 **Chrome** **4005176473685** **226.46**


Bau Cosmopolitan E
Infra-red electronic basin tap 1/2“
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
for cold or premixed water
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hose
dirt strainer
with integrated solenoid valve
external battery
rapid installation system
multistage battery status display
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 453 000	**Chrome**	**4005176473791**	**256.73**






Bau Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with mixing device and temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
without power supply 36 338 000 (required)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE Zero isolated inner water ways - lead and nickel free within the tap
body made of composite polymer
flexible connection hoses
non-return valve
dirt strainers
with integrated solenoid valve
rapid installation system
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
CE approved
noise classification 1 in accordance
with DIN4109
type of protection faucet IP 59

36 407 001	**4005176368974**	**268.96**





Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

36 340 000	**4005176911385**	**55.80**






Power extension cable
length 3.00 m

36 341 000	**4005176911392**	**100.32**

ditto, length 10 m

36 338 000	**4005176896743**	**92.64**






Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000

GROHE
GROHTHERM MICRO

	Ref. No.	Colour	EAN	Retail Guide Price (£)






34 487 000 **Chrome** **4005176936234** **138.19**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set





47 533 000 **Chrome** **4005176207181** **31.32**


Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






34 667 000 **Chrome** **4005176351570** **290.91**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish






34 725 000 **Chrome** **4005176457081** **361.37**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
Thermostatic cartridge max.temperature 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
with S-unions, chrome nuts and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE SafetyPlus fixed temperature stop
TMV3 approved product






34 665 000 **Chrome** **4005176351556** **364.23**

Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish

GROHE
GROHTHERM SPECIAL


Ref. No.	Colour	EAN	Retail Guide Price (£)






34 681 000 **Chrome** **4005176354090** **347.21**

Grohtherm Special
Thermostatic shower mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish






34 671 000 **Chrome** **4005176351587** **371.06**

Grohtherm Special
Thermostatic bath/shower mixer 1/2"
wall mounted
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
shower bottom outlet 1/2" with
integrated non return-valve
metal temperature safety stop
laminar mousseur
dirt strainers
without S-unions and covers
GROHE Quickfix for fast exchange of non return valves in connections
GROHE CoolTouch safety housing
GROHE StarLight chrome finish






34 666 000 **Chrome** **4005176351563** **322.97**

Grohtherm Special
Thermostat basin mixer 1/2"
wall mounted
ergonomic metal wing handles
ceramic headparts 1/2", 90°
GROHE TurboStat compact cartridge
with wax thermoelement
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
bottom outlet for spouts 13 378 or 13 380
metal temperature safety stop
dirt strainers
GROHE Quickfix for fast exchange of non return valves in connections
100% GROHE CoolTouch consisting of safety
housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish





13 378 000 **Chrome** **4005176351532** **85.33**

Cast swivel spout
length 115 mm
swivelling (180 or 90°) and lockable
laminar flow straightener 9 l/min
GROHE StarLight finish


13 380 000 **Chrome** **4005176351549** **94.31**
ditto, length 175 mm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






29 094 000 **Chrome** **4005176354106** **222.17**

Grohtherm Special
Thermostatic shower mixer
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **265.93**
GROHE Rapido T thermostatic mixer for concealed installation






29 095 000 **Chrome** **4005176354113** **226.78**

Grohtherm Special
Thermostatic bath/shower mixer trim
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handles
Aquadimmer handle with multiple function
flow control
integrated mixed water shut off
diverter bath/shower
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
integrated mixed water shut off
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **265.93**
GROHE Rapido T thermostatic mixer for concealed installation






29 096 000 **Chrome** **4005176354120** **183.25**

Grohtherm Special
Trim for thermostatic shower valve
set for final installation for
35 050 000
without concealed body
escutcheon- and shaft-sealing
covered connections
ergonomic metal wing handle
temperature scale handle with pre-adjustable
safety stop between 35°C and 41°C (calibration required)
metal temperature safety stop
GROHE StarLight chrome finish
TMV2 compliant when used with 35 050 000

35 500 000 **4005176831522** **265.93**
GROHE Rapido T thermostatic mixer for concealed installation





35 500 000 **4005176831522** **265.93**

GROHE Rapido T
Thermostatic mixer for concealed installation
for use with Grohtherm Special
without finishing trim set
flat installation depth 70 mm - 95 mm
GROHE TurboStat compact cartridge
with wax thermoelement
two top outlets 1/2", lockable
bottom outlet 1/2" - can only be used
with separate stopvalve
body of DR brass
built-in non return valve
and dirt strainers
min. recommended pressure 0.2 bar

GROHE
GROHTHERM SPECIAL


Ref. No.	Colour	EAN	Retail Guide Price (£)



47 994 000 — **4005176364723** — **2.24**

Grohtherm Special
Temperature unlocking handle
unlocking of temperature handle for thermal disinfection






12 051 000 — **Chrome** — **4005176213588** — **42.13**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish





47 780 000 — **4005176836541** — **146.84**

Rapido T
Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for concealed installation box 36 458 000 and 36 459 000
for use with central and shower-thermostatswith shut-off valve

47 781 000 — **4005176836558** — **169.64**


ditto, for use with bath thermostats with aquadimmer



29 007 000 — **4005176837678** — **160.83**

Safety combination (EN 1717)
for Rapido T 35 500 000/35 050 000
Re-fitting set for backflow protection
for use with inlet pop-up and waste sets
e.g. Talentofil 28 990 000 or 28 991 000






28 874 000 — **Chrome** — **4005176042348** — **77.28**

Tee Connection
for connection to shower and bath/shower- mixer
union nut 1/2"
2 connections 1/2" for the shower hose or drain valves
GROHE StarLight chrome finish






28 988 000 — **Chrome** — **4005176042805** — **105.93**


Drain Down Valve
for fitting between shut-off valve and shower
acc. to hospital guide rules
female thread 1/2"
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
GROHTHERM XL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**35 085 000**	**Chrome**	**4005176207068**	**2,023.51**

Grohtherm XL
Thermostat mixer 1“
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/4“
outlet thread 1 1/2“
changeable top/bottom outlet
without connection unions for wall mounting
GROHE StarLight chrome finish


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**35 087 000**	**Chrome**	**4005176207082**	**2,310.42**

Grohtherm XL
Thermostat mixer 1 1/4“
wall mounted
range of use 9l/min to 140l/min
wax thermoelement
temperature scale handles with pre-adjustable
safety stop between 33°C and 43°C
arrangement to make the thermal
disinfection easier
built-in non return valves and dirt strainers as compact service units
connecting thread 1 1/2“
outlet thread 2“
changeable top/bottom outlet
without connection unions for wall mounting
GROHE StarLight chrome finish

GROHE
VERTICA EUROSTYLE COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 302 000	**Chrome**	**4005176923876**	**337.02**










Eurostyle Cosmopolitan
Vertica-OHM-Bath Mixer, 1/2"
wall mounted
metal lever
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
lockable automatic diverter: bath/shower
lockable spout
integrated non-return valve
in the shower outlet 1/2"
elbow union 45°
metal wall escutcheons
optional temperature limiter (46 375 000)
protected against backflow
noise classification 1 in accordance with DIN4109

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 587 000**	**Chrome**	**4005176282966**	**197.21**
	Relexa **Shower rail, 900 mm** with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish			
 	**28 671 000**	**Chrome**	**4005176103070**	**34.16**
	Relexa **Shower outlet elbow, 1/2"** male thread **GROHE StarLight** chrome finish			
 	**28 405 000**	**Chrome**	**4005176264559**	**54.78**
	Movario **Shower outlet elbow, 1/2"** protected against backflow **GROHE StarLight** chrome finish			
 	**28 406 000**	**Chrome**	**4005176264566**	**54.78**
	Movario **Shower outlet elbow, 1/2"** with shower holder protected against backflow **GROHE StarLight** chrome finish			
 	**28 161 001**	**Chrome**	**4005176935107**	**17.83**
	Silverflex **Shower hose Twistfree 1500** for **low pressure** 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for **Twistfree** function **GROHE StarLight** chrome finish **blister packaging**			

GROHE
COMMERCIAL SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 142 000 **Chrome** **4005176601330** **20.91**

Relexaflex Metal Longlife
Metal shower hose 1250
1250 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging

28 143 KS0	**velvet black**	**4005176842252**	**30.50**
28 143 LS0	**moon white**	**4005176842269**	**30.50**
28 143 000	**Chrome**	**4005176601347**	**23.23**

ditto, 1500mm hose






28 145 000 **Chrome** **4005176601354** **27.40**

Relexaflex Metal Longlife
Metal shower hose 2000
2000 mm
material: metal
Longlife
strengthened model
tensile strength 750 N
pressure resistance up to 16 bar
heat resistance 75°C
AntiFold bendproof
universal connection G 1/2" x 1/2"
GROHE StarLight chrome finish
blister packaging






28 002 000 **Chrome** **4005176858796** **199.13**

Relexa 70
Sports head shower 1 spray
low aerosol emission
heavy, cast model
theft proof
connection thread 1/2"
projection 57 mm
flow limiter 9 l/min. and 12 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
suicide resistant design
pipe union plug-in for wall connection






28 948 000 **Chrome** **4005176209871** **144.22**

Relexa Plus 60
Sports head shower 1 spray
heavy, cast model
connection thread 1/2"
projection 148 mm
GROHE StarLight chrome finish
SpeedClean anti-limescale system









28 094 000 **Chrome** **4005176601132** **54.78**

Relexa Plus 50
Head shower 1 spray
with ball joint
1/2" connection
GROHE StarLight chrome finish
adjustable flow rate
without shower arm

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**28 988 000**	**Chrome**	**4005176042805**	**105.93**
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish			
 	**28 874 000**	**Chrome**	**4005176042348**	**77.28**
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish			
 	**28 429 000**	**Chrome**	**4005176601910**	**54.78**
	Relexa **Shower arm 55 mm** connection thread 1/2" **GROHE StarLight** chrome finish			
 	**28 541 000**	**Chrome**	**4005176040528**	**43.60**
	Relexa **Shower arm 147 mm** connection thread 1/2" escutcheon **GROHE StarLight** chrome finish			

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 762 000 **Chrome** **4005176871023** **114.96**

Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system, flexible connection hoses

32 763 000 **Chrome** **4005176871030** **114.96**
Ditto, with pop up waste set






32 765 000 **Chrome** **4005176871054** **242.73**

Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body, high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 766 000 **Chrome** **4005176871061** **254.31**
Ditto, with pop up waste set






23 293 000 **Chrome** **4005176921148** **206.17**

Euroeco Special
Basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 5 l/min
loop metal lever
lever length 160 mm
flexible connection hoses
rapid installation system





30 208 000 **Chrome** **4005176927836** **265.94**


Euroeco Special
Basin mixer 1/2"
monobloc installation
high spout
302 mm
smooth body
GROHE StarLight chrome finish
GROHE SilkMove 35 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 5.7 l/min.
swivel tubular spout
swivel area 140°
metal lever
lever length 170 mm
rapid installation system
flexible connection hoses

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
32 776 000	**Chrome**	**4005176871764**	**239.70**






Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 778 000	**Chrome**	**4005176871788**	**265.94**






Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast spout
projection 205 mm
metal lever
lever length 170 mm
S-unions

32 779 000	**Chrome**	**4005176871795**	**300.78**

ditto, with lockable S unions, projection 221 mm

32 770 000	**Chrome**	**4005176871702**	**236.44**






Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 157 mm
metal lever
lever length 120 mm
S-unions

32 768 000	**Chrome**	**4005176871689**	**268.83**

ditto, with lockable S unions, projection 174 mm

32 767 000	**Chrome**	**4005176871078**	**289.14**





Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 197 mm
metal lever
lever length 120 mm
S-unions


32 771 000	**Chrome**	**4005176871719**	**312.38**

ditto, with lockable S unions, projection 214 mm

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 773 000 **Chrome** **4005176871733** **281.80**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
cast swivel spout, lockable
laminar flow straightener 9 l/min
projection 257 mm
metal lever
lever length 170 mm
S-unions

32 774 000 **Chrome** **4005176871740** **314.20**
ditto, with lockable S unions, projection 274 mm






32 775 000 **Chrome** **4005176871757** **327.14**

Euroeco Special
Basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
Laminar flow straightener
cast swivel spout, lockable
projection 342 mm
metal lever
lever length 170 mm
with lockable S-unions






32 772 000 **Chrome** **4005176871726** **272.10**

Euroeco Special
Single-lever basin mixer
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable minimum flow rate 2.5 l/min
adjustable temperature limiter
adjustable flow rate limiter
laminar flow straightener 9 l/min
cast swivel spout, lockable
projection 222 mm
metal lever
lever length 170 mm
without connection unions
water saving





32 780 000 **Chrome** **4005176871801** **111.29**


Euroeco Special
Single-lever shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 2.5 l/min
shower bottom outlet 1/2"
integrated non-return valve
metal lever
lever length 120 mm
S-unions
protected against backflow
without shower set

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROECO SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 783 000 **Chrome** **4005176871832** **130.76**

Euroeco Special
Single-lever bath/shower mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
automatic diverter: bath/shower
mousseur
integrated non-return valve
metal lever
lever length 120 mm
temperature limiter
S-unions
protected against backflow
without shower set





32 784 000 **Chrome** **4005176871849** **138.18**

Euroeco Special
Single-lever shower mixer trim
set for final installation for
without concealed body
GROHE StarLight chrome finish
metal lever
lever length 120 mm
escutcheon- and shaft-sealing
metal escutcheon
screwed
temperature limiter


33 963 000 **4005176128387** **95.06**
Single-lever bath/shower mixer 1/2" concealed body

33 961 000 **4005176119972** **318.40**
Single-lever mixer 1/2", concealed body

33 964 000 **4005176128394** **96.14**
Single-lever shower mixer 1/2" concealed body

33 962 000 **4005176119989** **214.95**
Single-lever mixer 1/2", concealed body






32 786 000 **Chrome** **4005176871863** **138.19**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
selectable swivel area : 0° / 150° / 360°
metal lever
lever length 120 mm
flexible connection hoses






33 912 000 **Chrome** **4005176111969** **416.28**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight chrome finish
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
metal lever
lever length 120 mm
temperature limiter
Attention: old product

GROHE
EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)





32 787 000 **Chrome** **4005176871870** **136.35**

Euroeco Special
Single-lever sink mixer 1/2"
monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
GROHE EcoJoy technology for less water and perfect flow
adjustable flow rate limiter
adjustable temperature limiter
laminar flow straightener 9 l/min
swivel tubular spout
lever length 120 mm
flexible connection hoses




32 870 000 **Chrome** **4005176876523** **97.22**

Euroeco Special
Lever 115 mm
for Euroeco special single-lever mixer
GROHE StarLight chrome finish

32 871 000 **Chrome** **4005176876530** **113.96**
ditto, length 160 mm






12 051 000 **Chrome** **4005176213588** **42.13**

S-union
1/2" x 3/4"
screw socket to cover the union nut
and the rosette
sealing towards wall
adjustment range 12.5 mm
lockable for service
suitable for 1/2" connections
GROHE StarLight chrome finish






34 487 000 **Chrome** **4005176936234** **138.19**

Grohtherm Micro
Thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)
thermal disinfection without re-adjustment of temperature
connection 3/8" below with cap nut
above 3/8" male thread
GROHE TurboStat thermoelement
GROHE StarLight chrome finish
built-in non return valves
dirt strainer
without connection set








47 533 000 **Chrome** **4005176207181** **31.32**

Grohtherm Micro
Connection set
for Grohtherm Micro (34 487 000)
Consisting of:
union nut 3/8"
T-unit
2 outlets 3/8" male thread
flexible connection hose
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
HOSPITA

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		30 978 000	**Chrome**	4005176098918	219.47
		Hospita **Sink pillar tap, 1/2"** red/blue markers **GROHE StarLight** chrome finish			
		20 025 000	**Chrome**	4005176099403	128.54
		Hospita **Pillar tap** **1/2"** red/blue markers **GROHE StarLight** chrome finish			
		45 314 000	**Chrome**	4005176099250	85.33
		Lever projection 150 mm marking: blue/red for use with ceramic headparts **GROHE StarLight** chrome finish			

GROHE
EUROECO SINGLE SEQUENTIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






32 789 000 **Chrome** **4005176871894** **219.49**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses

32 788 000 **Chrome** **4005176871887** **242.70**
Ditto, with pop up waste set






32 790 000 **Chrome** **4005176871900** **291.57**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
monobloc installation
smooth body
high version
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
laminar flow straightener 9 l/min
metal lever
lever length 120 mm
rapid installation system
flexible connection hoses






32 823 000 **Chrome** **4005176877995** **359.47**

Euroeco Special
Single-lever safety basin mixer 1/2"
ceramic cartridge
GROHE StarLight chrome finish
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 170 mm
metal lever
lever length 170 mm
without connection unions for wall mounting








32 795 000 **Chrome** **4005176871955** **382.07**

Euroeco Single Sequential
Single-lever safety basin mixer 1/2"
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
ceramic cartridge
adjustable flow rate limiter
adjustable temperature limiter
adjustable minimum flow rate 6 l/min.
cast spout with flow straightener 9 l/min.
projection 204 mm
metal lever
lever length 170 mm
S-unions

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**32 792 000**	**Chrome**	**4005176871924**	**385.44**
	Euroeco Single Sequential **Single-lever safety basin mixer 1/2"** wall mounted **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever lever length 120 mm S-unions			
	32 793 000	**Chrome**	**4005176871931**	**401.63**
	ditto, projection 256 mm			
	**46 278 000**		**4005176131868**	**106.93**
	Ceramic cartridge for Euroeco special mixer			
 	**28 874 000**	**Chrome**	**4005176042348**	**77.28**
	Tee Connection for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves **GROHE StarLight** chrome finish			
 	**28 988 000**	**Chrome**	**4005176042805**	**105.93**
	Drain Down Valve for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" **GROHE StarLight** chrome finish			

GROHE
EURODISC SE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






36 233 000 **Chrome** **4005176283338** **555.16**

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
6V lithium battery, type CR-P2
GROHE StarLight chrome finish
flexible connection hoses
start-stop function
self-closing electronic
safety stop after 180 sec.
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
thermal desinfection for 3,5 or 11 min
CE approved
type of protection faucet IP 59K





36 249 000 **Chrome** **4005176283345** **633.03**

Eurodisc SE
Self-closing basin tap 1/2"
6V lithium battery, type CR-P2
for cold or premixed water
marking: blue (cold)
GROHE StarLight chrome finish
flexible connection hose
dirt strainer
rapid installation system
start-stop function
self-closing electronic
safety stop after 180 sec.
external access to flow time adjustment
Flow time infinitely adjustable from 2-180 sec.
Automatic flushing: 5 min after 3 days without use
CE approved
type of protection faucet IP 59K



36 209 000 **Chrome** **4005176207105** **74.15**

Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by screwdriver
metallic cap
GROHE StarLight chrome finish



42 886 000 **4005176200670** **42.13**


Battery
6V lithium battery, type CR-P2

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EUROSMART COSMOPOLITAN T

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 317 000 **Chrome** **4005176896514** **289.17**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
2 flexible hoses, non-return valve
dirt strainers

36 318 000 **Chrome** **4005176896521** **312.39**

Ditto, with pop up waste set






36 319 000 **Chrome** **4005176896538** **485.94**

Eurosmart Cosmopolitan T
Self-closing basin mixer with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min
swivel cast spout 200 mm
swivel range stop at 130°, lockable
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
S-unions, non-return valve
dirt strainers






36 320 000 **Chrome** **4005176896545** **451.76**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
wall mounted
GROHE StarLight chrome finish
mixing device with hot water stop-valve
hose connection G 1/2"
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
S-unions
non-return valve
dirt strainers






36 321 000 **Chrome** **4005176896552** **323.98**

Eurosmart Cosmopolitan T
Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
dirt strainers
set for final installation for concealed fitting box 36 322 001
without concealed body





36 322 001 **4005176595400** **134.39**


Eurosmart Cosmopolitan T
Concealed mounting box with mixture
wall installation
with adhesive flange for sealing the wall
2 stop valves
non-return valve
for use with 36 321 000
allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

COMMERCIAL FITTINGS

GROHE
EUROECO COSMOPOLITAN T

Ref. No.	Colour	EAN	Retail Guide Price (£)






36 265 000 **Chrome** **4005176893131** **127.83**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)






36 266 000 **Chrome** **4005176893148** **104.35**

Euroeco Cosmopolitan T
Self-closing pillar tap 1/2"
wall mounted
marking: blue/red
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
5.7 l/min flow rate
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)
escutcheon






36 316 000 **Chrome** **4005176896279** **33.99**

Euroeco Cosmopolitan T
Extension, 42 mm
for self-closing pillar tap 1/2" (36 266 000)
GROHE StarLight chrome finish






36 268 000 **Chrome** **4005176893162** **104.35**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
for concealed installation
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)





36 267 000 **Chrome** **4005176893155** **104.37**

Euroeco Cosmopolitan T
Self-closing shower valve 1/2"
exposed body and trim set
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)
escutcheon

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE SENSIA
SHOWER TOILETS





CONTENTS

GROHE Sensia Arena	616
Manual bidet seat	619



GROHE
SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21st century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.







Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care
With a selection of fully adjustable sprays, anti–bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean
Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

03 Personal comfort
With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE MANUAL BIDET SEAT
PERFECTLY HYGIENIC WITH TWIN SHOWER

COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



SOFT CLOSE SEAT
Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



RETRACTABLE NOZZLES
The two retractable spray arms are protected for extra hygiene.




SPRAY ARM CLEANING FUNCTION
Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 354 SH1	**alpine white**	**4005176470448**	**2,298.77**






GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
GROHE Skin Clean:
2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
separate water way for lady spray
oscillating spray (automatic forward and reverse motion of the spray)
pulsating spray for massage
adjustable spray intensity
automatic pre- and post-rinsing of spray nozzle with fresh water
integrated instant heater provides unlimited warm water
adjustable temperature
Additional functions
warm air dryer with adjustable temperature
odor extraction with filter
PlasmaCluster function - ion technology
descaling function
Duroplast WC seat and lid with automatic opening/close function
soft close
infra-red user detection
seat control operation
power switch
inside bowl night light
hidden water supply and power supply connection
remote control
smart phone app for iOS and Android
includes:
manual remote controller with wall-mounted holder
active carbon filter for odour absorption
water supply connection set for concealed cistern
nozzle guard
pressure 0.05 - 1 MPa (0.5 - 10 bar)
nominal voltage 220-240 V AC
main frequency 50-60 Hz
type of protection IPX4
complies with EN 1717
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 596 000		4005176527494	261.61






Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2 , 6 l - 9 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 598 000		4005176527517	295.91






Rapid SLX
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)





46 944 001 **4005176479977** **204.83**


GROHE Sensia Arena
Installation kit for automatic flush and pre-flush
Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame
for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet
Consisting of:
servo motor for GD 2
actuation rod for flushing valve
cable and blind cap
flexible hose
WC actuation plate not included
CE approved



40 899 000 **4005176413896** **39.85**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm





14 926 002 **4005176572128** **262.47**


GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung including wall holder

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
MANUAL BIDET SEAT

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 648 SH0 **alpine white** **4005176575310** **254.24**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717






39 651 SH0 **alpine white** **4005176575327** **356.14**

Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware






39 652 SH0 **alpine white** **4005176575334** **483.77**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)






14 074 000 **4005176575365** **38.08**

Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“





CONTENTS

Essence	628
Cube Ceramic	636
Euro Ceramic	640
Bau Ceramic	646
Acrylic shower trays	655

FOUR UNIQUE
CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



ESSENCE
BEAUTY IN ITS PUREST FORM



CUBE CERAMIC
A CLEAR STYLE STATEMENT



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE




BAU CERAMIC
VERSATILITY FOR A MODERN LIFE

FIVE COMPELLING **TECHNOLOGIES**

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD
STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT





QUICK RELEASE SEAT
EASY REMOVAL FOR EASY CLEANING

SEAT & COVER SOFT CLOSE
GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULOOP



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMART
COSMOPOLITAN



EUROSMART



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCUBE



LINEARE









ALLURE




ALLURE
BRILLIANT

GROHE
ESSENCE


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 564 00H**	**alpine white**	**4005176485602**	**283.92**
		Essence **Wash basin 70** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 565 00H**	**alpine white**	**4005176485619**	**262.00**
		Essence **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 566 00H**	**alpine white**	**4005176485626**	**623.75**
		Essence **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 567 00H**	**alpine white**	**4005176485633**	**448.35**
		Essence **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 568 00H**	**alpine white**	**4005176485640**	**305.85**
		Essence **Vanity basin 60** wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 608 00H**	**alpine white**	**4005176566493**	**596.34**
		Essence **Vessel basin 60** without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**39 609 00H**	**alpine white**	**4005176566509**	**397.93**


Essence
Vessel basin 45
without overflow
450 x 450 mm
including fixation set
including ceramic waste, removable cover
non-closable
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)

 	**39 570 000**	**alpine white**	**4005176484865**	**163.34**


Essence
Half pedestal
including fixation set
sanitary ware

 	**39 571 00H**	**alpine white**	**4005176485671**	**393.54**

Essence
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

 	**39 572 00H**	**alpine white**	**4005176485688**	**437.39**

Essence
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
wash down
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)


 	**39 573 00H**	**alpine white**	**4005176485794**	**411.08**

Essence
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
for concealed cistern
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)

GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 578 000 **alpine white** **4005176485145** **251.04**

Essence
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 579 000 **alpine white** **4005176485152** **251.04**

Essence
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
dual flush 4.5/3 l
including fixation set
sanitary ware






39 577 000 **alpine white** **4005176485138** **163.34**

Essence
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls






39 576 000 **alpine white** **4005176485121** **108.53**

Essence
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Essence bowls






39 574 00H **alpine white** **4005176485800** **393.54**

Essence
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 575 00H **alpine white** **4005176485817** **411.08**

Essence
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)




39 611 000 **alpine white** **4005176571275** **6,791.97**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 612 000 **alpine white** **4005176571282** **6,576.95**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 613 00H **alpine white** **4005176571299** **6,931.44**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats



39 614 00H **alpine white** **4005176571305** **7,070.92**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
with AntiSlip
without overflow
sanitary titan steel
mandatory waste set 49 113 000/SH0 (sold separately)
mains supply necessary for installation of waste set 49 113 000/SH0
includes noise suppression mats




39 729 000 **alpine white** **4005176594991** **6,187.26**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats


GROHE
ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)




39 728 000 **alpine white** **4005176594885** **6,576.95**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 727 00H **alpine white** **4005176594878** **6,931.44**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats



39 726 00H **alpine white** **4005176594861** **7,070.92**

Essence
Bathtub
free standing
180 x 80 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats




39 617 000 **alpine white** **4005176571312** **1,303.94**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ESSENCE


Ref. No.	Colour	EAN	Retail Guide Price (£)



39 619 000 **alpine white** **4005176571329** **1,438.01**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and
Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately






39 620 00H **alpine white** **4005176571336** **1,438.01**


Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and
Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately





39 621 00H **alpine white** **4005176571343** **1,570.92**

Essence
Bathtub
built-in
180 x 80 cm
height 45 cm
water volume 240 l
usable volume 170 l
with EasyClean
with AntiSlip
with overflow
sanitary titan steel
suitable for Talento (28 943 000 + 19 025 000) and
Talentofill (28 991 000 + 19 952 000) waste sets
recommended Poresta installation set # 17156511
recommended Schedel installation set SW 80026
includes noise suppression mats
requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately




39 622 000 **alpine white** **4005176571350** **6,498.79**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

GROHE
ESSENCE


Ref. No.	Colour	EAN	Retail Guide Price (£)





39 623 000 **alpine white** **4005176571367** **6,942.62**


Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with drilled tap hole
please fill in the drilling template while ordering
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats



39 649 00H **alpine white** **4005176571374** **6,942.46**

Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats





39 650 00H **alpine white** **4005176571381** **7,083.94**


Essence
Bathtub
back-to-wall
180 x 85 cm
height 57.5 cm
water volume 240 l
usable volume 170 l
with EasyClean
with drilled tap hole
please fill in the drilling template while ordering
with overflow
sanitary titan steel
suitable for Talento waste sets (28 943 000 + 19 025 000)
suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792)
includes noise suppression mats

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
49 113 000	Chrome	4005176571398	2,091.37
49 113 SH0	alpine white	4005176571404	2,095.80






Essence
Waste set for free standing bathtubs
dual function of overflow and waste water drainage
concealed overflow
electric pressure sensor unlocks the overflow drainage
mains supply necessary for installation

---

19 025 000	Chrome	4005176209154	56.33






Talento
Waste and overflow set for baths
set for final installation
escutcheon
waste plug
fixing set
in combination with Talento 28 939 000/28 943 000
GROHE StarLight chrome finish

---

19 952 000	Chrome	4005176174230	50.60






Talentofill
Inlet-, pop-up and waste-system
set for final installation
escutcheon
supply part
waste plug
fixing set

in combination with Talentofill
28 990 000/28 991 000

---

28 943 000		4005176209178	97.34






Talento
Pop-up bath waste and overflow
with bowden cable
without finishing trim set
bottle trap
45° waste elbow

---

28 991 000		4005176174032	195.76





Talentofill
Inlet-, pop-up and waste-system
for baths with waste up to 370 mm reach
without finishing trim set







---

49 115 000	Chrome	4005176571411	105.01



Essence
Feet for built-in bathtubs
individual height adjustment of each foot
GROHE FastFixation system

GROHE
CUBE CERAMIC


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 386 00H**	**alpine white**	**4005176438356**	**554.73**
		Cube Ceramic **Wash basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm **wall fixings not included** sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 469 00H**	**alpine white**	**4005176438363**	**479.44**
		Cube Ceramic **Wash basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 473 00H**	**alpine white**	**4005176438370**	**259.41**
		Cube Ceramic **Wash basin 60** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 474 00H**	**alpine white**	**4005176438387**	**242.04**
		Cube Ceramic **Wash basin 50** **wall fixings not included** wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 475 00H**	**alpine white**	**4005176442599**	**554.73**
		Cube Ceramic **Counter top basin 100** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
		**39 476 00H**	**alpine white**	**4005176442605**	**480.60**
		Cube Ceramic **Counter top basin 80** flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm **wall fixings not included** including fixation set sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 477 00H **alpine white** **4005176442612** **260.57**

Cube Ceramic
Counter top basin 60
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
600 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 478 00H **alpine white** **4005176442629** **244.36**

Cube Ceramic
Counter top basin 50
flat back side glazed
1 hole punched, 2 holes pre-punched
with overflow
500 x 490 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 481 00H **alpine white** **4005176442650** **233.93**

Cube Ceramic
Vessel basin 50
without overflow
500 x 470 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 482 00H **alpine white** **4005176442667** **207.29**

Cube Ceramic
Vessel basin 40
without overflow
400 x 400 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 480 00H **alpine white** **4005176442643** **233.93**

Cube Ceramic
Under-counter wash basin 50
installation from below
with overflow
492 x 370 mm
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 479 00H **alpine white** **4005176442636** **250.14**

Cube Ceramic
Counter basin 60
flat back side glazed
built-in
1 hole punched, 2 holes pre-punched
with overflow
605 x 490 mm
walls fixings not included
including fixation set
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)

GROHE
CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 483 00H **alpine white** **4005176442674** **201.51**

Cube Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
455 x 350 mm
sanitary ware
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)






39 245 00H **alpine white** **4005176524479** **494.39**

Cube Ceramic
Wall hung WC
horizontal outlet
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)






39 485 00H **alpine white** **4005176442704** **433.13**

Cube Ceramic
Floor standing back to wall WC
universal trap for horizontal and vertical outlet
back to wall
wash down
rimless
flush volume 6/3 l
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)






39 484 00H **alpine white** **4005176442698** **465.55**

Cube Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
rimless
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)
compatible with seat and cover 39 488 000 (soft close)





39 489 000 **alpine white** **4005176442742** **244.38**


Cube Ceramic
Exposed flushing cistern for close coupled combination
connection from the left/right hand side
including flushing set GROHE AV1
including fixation set
sanitary ware

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CUBE CERAMIC


	Ref. No.	Colour	EAN	Retail Guide Price (£)





39 490 000 **alpine white** **4005176442759** **244.38**


Cube Ceramic
Exposed flushing cistern for close coupled combination
bottom inlet
inlet and outlet concealed
including flushing set GROHE AV1
including fixation set
sanitary ware



39 488 000 **alpine white** **4005176442735** **179.51**

Cube Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Cube Ceramic bowls






39 486 00H **alpine white** **4005176442711** **379.86**

Cube Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)











39 487 00H **alpine white** **4005176442728** **392.59**

Cube Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
With **PureGuard** hygiene coating
(anti-stick coating and anti-bacterial glazing)


GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**39 585 00H**	**alpine white**	**4005176519178**	**476.85**
	Euro Ceramic **Vanity basin 100** wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
 	**39 584 00H**	**alpine white**	**4005176519161**	**369.43**
	Euro Ceramic **Vanity basin 80** wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With **PureGuard** hygiene coating (anti-stick coating and anti-bacterial glazing)			
 	**39 323 000** **39 323 00H**	**alpine white** **alpine white**	**4005176407116** **4005176417344**	**105.02** **158.13**
	Euro Ceramic **Wash basin 65** wall hung 1 hole punched with overflow 650 x 515 mm **wall fixings not included** sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 335 000** **39 335 00H**	**alpine white** **alpine white**	**4005176407239** **4005176417351**	**99.14** **146.36**
	Euro Ceramic **Wash basin 60** wall hung 1 hole punched with overflow 600 x 480 mm **wall fixings not included** sanitary ware optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)			
 	**39 641 000**	**alpine white**	**4005176570155**	**235.70**
	Euro Ceramic **Bundle wash basin 60 + Eurosmart basin mixer** Consisting of: **Euro Ceramic wash basin 60 (39 335 000)** Eurosmart basin mixer M-size (23 322 001) TOX mounting set **Angle valve 1/2" (22 039 000)** **P-trap 1 1/4" (28 947 000)**			
 	**39 642 000** **39 642 KW0**	**alpine white** **supermatt black**	**4005176570162** **4005176573521**	**246.66** **281.00**
	Euro Ceramic **Bundle wash basin 60 + Eurosmart Cosmopolitan basin mixer** Consisting of: **Euro Ceramic wash basin 60 (39 335 000)** **Eurosmart Cosmopolitan basin mixer M-Size (23 325 000)** TOX mounting set **Angle valve 1/2" (22 039 000)** **P-trap 1 1/4" (28 947 000)**			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**39 337 000**	**alpine white**	**4005176407253**	**105.03**
	39 337 00H	**alpine white**	**4005176418334**	**158.15**




Euro Ceramic
Counter top basin 60
1 hole punched
with overflow
600 x 480 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 336 000**	**alpine white**	**4005176407246**	**97.61**
	39 336 00H	**alpine white**	**4005176417368**	**144.58**




Euro Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
550 x 450 mm
wall fixings not included
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 423 000**	**alpine white**	**4005176406201**	**114.67**




Bau Ceramic
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware

	**39 324 000**	**alpine white**	**4005176407123**	**69.64**
	39 324 00H	**alpine white**	**4005176417375**	**122.75**




Euro Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
450 x 400 mm
wall fixings not included
sanitary ware
distance between installation holes: 160 mm
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 327 000**	**alpine white**	**4005176390104**	**87.33**
	39 327 00H	**alpine white**	**4005176418341**	**140.45**



Euro Ceramic
Compact handrinse basin
wall hung
1 hole punched
370 x 180 mm
wall fixings not included
sanitary ware
no pedestals recommended
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)

	**39 201 000**	**alpine white**	**4005176344947**	**75.54**




Euro Ceramic
Semi pedestal for wash basin
39230,39335 and 39336
invisible fixation set included
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H

GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 325 000	**alpine white**	**4005176407130**	**75.54**

Euro Ceramic
Semi pedestal for hand rinse basin
39 324 000
invisible fixation set included
sanitary ware
suitable for hand rinse basins 39 324 000/39 324 00H






39 202 000	**alpine white**	**4005176344954**	**87.33**

Euro Ceramic
Full pedestal for wash basin
39230,39335,39336 and 39324
invisible fixation set included
sanitary ware
suitable for all GROHE wash basins except
39 324 000, 39 324 00H, 39 327000, 39 327 00H






39 328 000	**alpine white**	**4005176407161**	**293.88**
39 328 00H	**alpine white**	**4005176417382**	**347.00**

Euro Ceramic
Wall hung WC
for concealed cistern
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 554 000	**alpine white**	**4005176484452**	**393.55**

Euro Ceramic
Wall hung WC set
WC seat and lid with quick release and soft close feature
for concealed cistern
Triple Vortex
wash down
rimless
horizontal outlet
flush volume 3/5 l
sanitary ware
detachable
material: Duroplast
4 pieces per pallet





39 206 000	**alpine white**	**4005176344992**	**270.28**
39 206 00H	**alpine white**	**4005176418495**	**323.38**


Euro Ceramic
Wall hung compact WC
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
49 cm width
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
EURO CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 693 000 **alpine white** **4005176581281** **364.78**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung compact WC (39 206 000)
horizontal outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation

Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast






39 538 000 **alpine white** **4005176468292** **230.21**

Euro Ceramic
Wall hung WC, basic
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 703 000 **alpine white** **4005176583896** **337.14**

Euro Ceramic
Wall hung WC set
Consisting of:
Euro Ceramic wall hung WC, 3/5 l (39 538 000)
for concealed cistern
horizontal outlet
wash down
rimless
flush volume 3/5 l
sanitary ware

Euro Ceramic WC seat with lid (39 330 001)
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 338 000 **alpine white** **4005176407260** **228.98**
39 338 00H **alpine white** **4005176418501** **282.07**

Euro Ceramic
Floor standing WC for close coupled combination
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
cistern to be ordered separately
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)


GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)



39 332 000	**alpine white**	**4005176407208**	**211.26**


Euro Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set with dual flush
including fixation set
sanitary ware



39 333 000	**alpine white**	**4005176407215**	**211.26**

Euro Ceramic
Exposed flushing cistern
side or back inlet
for back inlet please order mounting set 49 522 000 (sold separately)
including flushing set with dual flush
including fixation set
sanitary ware






39 462 000	**alpine white**	**4005176454608**	**494.90**
39 462 00H	**alpine white**	**4005176454615**	**545.83**

Euro Ceramic
Floor standing 2 piece WC
close coupled
universal trap for horizontal and vertical outlet
Triple Vortex
rimless
flush volume 6/3 l
including cistern with bottom inlet, seat and cover soft close and fixation set
sanitary ware
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)






39 339 000	**alpine white**	**4005176407277**	**224.63**
39 339 00H	**alpine white**	**4005176418525**	**277.75**

Euro Ceramic
Floor standing back to wall WC
horizontal outlet
back to wall
Triple Vortex
rimless
flush volume 3/5 l
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)
compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)






39 330 001	**alpine white**	**4005176468834**	**105.06**


Euro Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
compatible with all Euro Ceramic bowls

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**39 331 001**	**alpine white**	**4005176468827**	**74.86**

Euro Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
suitable for all GROHE Euro Ceramic WCs


 	**39 208 000**	**alpine white**	**4005176345029**	**264.39**
	39 208 00H	**alpine white**	**4005176418532**	**317.49**

Euro Ceramic
Wall hung bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)


 	**39 340 000**	**alpine white**	**4005176423697**	**228.95**
	39 340 00H	**alpine white**	**4005176423703**	**282.07**

Euro Ceramic
Floor standing bidet
1 hole punched
with overflow
including fixation set
sanitary ware
fully skirted with invisible fixation
optional: **PureGuard** anti scale coating and anti bacterial glazing (00H)


GROHE
BAU CERAMIC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 420 000**	**alpine white**	**4005176405983**	**74.12**

Bau Ceramic
Wash basin 65
wall hung
1 hole punched
with overflow
646 x 468 mm
wall fixings not included
sanitary ware

		**39 421 000**	**alpine white**	**4005176428906**	**68.34**

Bau Ceramic
Wash basin 60
wall hung
1 hole punched
with overflow
609 x 442 mm
wall fixings not included
sanitary ware

		**39 644 000**	**alpine white**	**4005176570186**	**179.79**

Bau Ceramic
Bundle wash basin 60 + BauFlow basin mixer
Consisting of:
Bau Ceramic wash basin 60 (39 421 000)
wall hung
1 hole punched
with overflow
609 x 442 mm
wall fixings not included
sanitary ware

BauFlow single-lever basin mixer S-size (23 751 000)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4“
flexible connection hoses

Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2“ (22 039 000)
self-sealing connection thread
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish


P-trap 1 1/4“ (28 947 000)
for basins
wall connection
escutcheon

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 440 000 **alpine white** **4005176405976** **62.53**

Bau Ceramic
Wash basin 55
wall hung
1 hole punched
with overflow
553 x 386 mm
wall fixings not included
sanitary ware





39 643 000 **alpine white** **4005176570179** **196.23**

Bau Ceramic
Bundle wash basin 55 + BauEdge basin mixer
Consisting of:
Bau Ceramic wash basin 55 (39 440 000))
wall hung
1 hole punched
with overflow
553 x 386 mm
wall fixings not included
sanitary ware


BauEdge single-lever basin mixer M-size (23 759 000)
monobloc installation
metal lever
GROHE Longlife 28 mm ceramic cartridge
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
rapid installation system
pop-up waste set 1 1/4"
flexible connection hoses

Mounting set
brand: TOX
hanger bolts M10 x 140

Angle valve 1/2" (22 039 000)
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight chrome finish

P-trap 1 1/4" (28 947 000)
for basins
wall connection
escutcheon






39 422 000 **alpine white** **4005176406195** **114.67**

Bau Ceramic
Counter Drop-in basin 55
built-in
1 hole punched
with overflow
560 x 400 mm
fixings included
sanitary ware

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 423 000 **alpine white** **4005176406201** **114.67**

Bau Ceramic
Undercounter wash basin 55
installation from below
with overflow
560 x 420 mm
fixings included
sanitary ware






39 424 000 **alpine white** **4005176406218** **62.53**


Bau Ceramic
Hand rinse basin 45
wall hung
1 hole punched
with overflow
453 x 354 mm
wall fixings not included
sanitary ware
distance between installation holes: 205 mm





39 426 000 **alpine white** **4005176406232** **68.35**


Bau Ceramic
Half pedestal
including fixation set
sanitary ware
suitable to all Bau Ceramic wash basins except 39 424 000



39 425 000 **alpine white** **4005176406225** **62.53**

Bau Ceramic
Full pedestal
including fixation set
sanitary ware






39 427 000 **alpine white** **4005176406249** **114.65**

Bau Ceramic
Wall hung WC
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)





39 491 000 **alpine white** **4005176449994** **80.29**


Bau Ceramic
Wall hung WC
for concealed cistern
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 428 000 **alpine white** **4005176406256** **132.02**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)






39 349 000 **alpine white** **4005176449659** **143.60**


Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)






39 429 000 **alpine white** **4005176406263** **143.60**

Bau Ceramic
Floor standing WC for close coupled combination
wash down
rimless
vertical outlet, concealed
flush volume 6/3 l
including fixation set
cistern to be ordered separately
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)



39 436 000 **alpine white** **4005176406331** **114.64**


Bau Ceramic
Exposed flushing cistern
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware



39 437 000 **alpine white** **4005176406348** **114.64**

Bau Ceramic
Exposed flushing cistern
connection from the left/right hand side
including flushing set & button
sanitary ware






39 430 000 **alpine white** **4005176406270** **97.29**

Bau Ceramic
Floor standing WC
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 431 000 **alpine white** **4005176406287** **97.29**

Bau Ceramic
Floor standing WC
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware
compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)






39 898 000 **alpine white** **4005176713972** **95.83**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000






39 923 000 **alpine white** **4005176724008** **95.83**

Bau Ceramic
WC seat soft close slim
with lid
slim design
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with Bau Ceramic bowls 39 349 000 and 39 429 000






39 492 000 **alpine white** **4005176450013** **45.18**

Bau Ceramic
WC seat
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls











39 493 000 **alpine white** **4005176450020** **91.52**

Bau Ceramic
WC seat soft close
with lid
quick release function
detachable
material: Duroplast
including fixation set
stainless steel hinges
easy fixation from above
weight bearing capacity 150 kg
compatible with all Bau Ceramic bowls

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**39 433 000**	**alpine white**	**4005176406300**	**195.72**
		Bau Ceramic **Wall hung bidet** 1 hole punched with overflow sanitary ware			
		**39 432 000**	**alpine white**	**4005176406294**	**195.70**
		Bau Ceramic **Floor standing bidet** 1 hole punched with overflow including fixation set sanitary ware			
		**39 438 000**	**alpine white**	**4005176406355**	**218.88**
		Bau Ceramic **Urinal** concealed inlet **wall fixings Included** flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000			
		**39 439 000**	**alpine white**	**4005176406362**	**218.88**
		Bau Ceramic **Urinal** top inlet **wall fixings Included** flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately			
		**39 351 000**	**alpine white**	**4005176450006**	**195.71**
		Bau Ceramic **Wall hung WC set** Consisting of: **Bau Ceramic wall hung WC (39 427 000)** **Bau Ceramic WC seat (39 493 000)**			
		**39 497 000**	**alpine white**	**4005176450068**	**147.99**
		Bau Ceramic **Wall hung WC set** Consisting of: Bau Ceramic WC (39 491 000) **Bau Ceramic WC seat (39 492 000)**			

CERAMICS

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 347 000 **alpine white** **4005176449680** **311.52**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)
wash down
boxed rim
horizontal outlet, concealed
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set






39 346 000 **alpine white** **4005176449673** **323.10**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with vertical outlet (39 429 000)
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 437 000)
connection from the left/right hand side
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set





39 496 000 **alpine white** **4005176450051** **324.04**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 494 000)
connection from the left/right hand side
including flushing set & button
sanitary ware


Bau Ceramic WC seat (39 493 000)
with lid
soft close
quick release function
detachable
material: Duroplast
including fixation set

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 604 000 **alpine white** **4005176524486** **338.71**

Bau Ceramic
Bundle close coupled WC
Consisting of:
Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)
wash down
rimless
horizontal outlet
flush volume 6/3 l
including fixation set
sanitary ware

Bau Ceramic exposed flushing cistern (39 436 000)
bottom inlet
inlet and outlet concealed
including flushing set & button
sanitary ware

Bau Ceramic WC seat (39 493 000)
with lid
quick release function
detachable
material: Duroplast
including fixation set






39 648 SH0 **alpine white** **4005176575310** **254.24**

Bau Ceramic
Manual bidet seat
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"
includes:
mounting plate
filter
pressure 0.1 - 1 MPa (1 - 10 bar)
complies with EN 1717





39 651 SH0 **alpine white** **4005176575327** **356.14**


Bau Ceramic
Manual bidet seat 2-in-1 set wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8"

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

GROHE
BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 652 SH0 **alpine white** **4005176575334** **483.77**

Bau Ceramic
Manual bidet seat 3-in-1 set, wall hung
Consisting of:
Bau manual bidet seat soft close (39 648 SH0)
WC seat with lid
2 dedicated spray arms (1 for anal area, 1 for lady spray)
pre- and post-rinsing of spray nozzle with fresh water
manually operated side handle requires no electricity
adjustable spray intensity
Duroplast WC seat and lid with soft close function
flexible water connection 3/8“

Bau Ceramic wall hung WC (39 427 000)
for concealed cistern
wash down
rimless
horizontal outlet
flush volume 6/3 l
sanitary ware

Grohtherm Micro 34 487 000
small under-basin thermostat
thermostatic scalding protection
temperature adjustment 15-43° C (± 2° C)





14 074 000 **4005176575365** **38.08**


Accessory set shower hose and T piece
for manual bidet seat
Consisting of:
T unit 3/8“
flexible connection hose
795 mm
3/8“ x 3/8“

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACRYLIC SHOWER TRAYS


Ref. No.	Colour	EAN	Retail Guide Price (£)






39 300 000 **alpine white** **4005176346026** **256.30**


Acrylic shower tray 1000 x 1000
dimensions: 1000 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014416
recommended Schedel installation set SD 90083






39 301 000 **alpine white** **4005176346033** **188.93**

Acrylic shower tray 900 x 900
dimensions: 900 x 900 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014408
recommended Schedel installation set SD 90081






39 302 000 **alpine white** **4005176346040** **181.19**

Acrylic shower tray 800 x 800
dimensions: 800 x 800 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014411
recommended Schedel installation set SD 90080






39 305 000 **alpine white** **4005176346071** **320.39**

Acrylic shower tray 800 x 1200
dimensions: 800 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014413
recommended Schedel installation set SD 90084

GROHE
ACRYLIC SHOWER TRAYS

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 306 000 **alpine white** **4005176346088** **208.80**

Acrylic shower tray 800 x 1000
dimensions: 800 x 1000 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA universal shower tray base unit BW 5 (# 150130) and
wall rails for shower trays (# 190032)
or
MEPA mounting frame SF (# 150183)
rim sealing (# 180040)
recommended Poresta installation set # 17014412
recommended Schedel installation set SD 90082






39 307 000 **alpine white** **4005176346095** **458.49**

Acrylic shower tray 900 x 1400
dimensions: 900 x 1400 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150181)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014415
recommended Schedel installation set SD 90086






39 308 000 **alpine white** **4005176346101** **394.41**

Acrylic shower tray 900 x 1200
dimensions: 900 x 1200 mm
depth: 30 mm
material: acrylic
diameter of waste oulet: 90 mm
recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately
recommended installation material:
MEPA mounting frame SF (# 150183)
extension set MR SF (# 150194)
height adjustment easy lift (# 150193)
wall rails for shower trays (# 190032)
rim sealing (# 180040)
recommended Poresta installation set # 17014414
recommended Schedel installation set SD 90085






49 533 000	**Chrome**	**4005176478475**	**32.71**
49 533 SH0	**alpine white**	**4005176560033**	**50.15**

Waste set for universal shower tray
Ø 112 mm
vertical outlet
GROHE StarLight chrome finish
flow rate 1.1 l/s according to DIN EN 274





49 534 000	**Chrome**	**4005176478482**	**32.71**
49 534 SH0	**alpine white**	**4005176560040**	**50.15**

Waste set for universal shower tray
Ø 112 mm
horizontal outlet
GROHE StarLight chrome finish
flow rate 0.7 l/s (42 l/min) according to DIN EN 274

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
INSTALLATION SYSTEMS






CONTENTS

Rapid SLX	Rapid SLX	660
Rapid SL	Rapid SL for WC	662
	Rapid SL for Urinal	673
	Rapid SL for Wash Basin and Bidet	675
	Rapid SL for the Disabled	678
	Rapid SL Fitting Supports	680
	Rapid SL Accessories	681

GROHE
RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 596 000		4005176527494	261.61






Rapid SLX
Element for WC, 1.13 m installation height with integrated socket and shower toilet connection
with flushing cistern GD 2 , 6 l - 9 l
with integrated power socket
ready for shower toilets (water)
small revision shaft for small flush plates
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 3 - 6 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply from right, back or top
low noise (group I acc. to German Noise Specification)
fully insulated against condensation
1/2" water supply connection including integrated angle valve and push fit flexible hose union
no tools required for the installation of the inspection shaft incl. protection during construction phase
for vertical use

including flow manager
reduces flow of the flush
prevents overspill in rimless toilets
easy flow regulation via inspection shaft without removing the valves
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 603 000	Chrome	4005176527562	317.36






Rapid SLX
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including flow manager

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 598 000		4005176527517	295.91






Rapid SLX
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SLX element for WC (39 596 000) with integrated power socket
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)
including flow manager

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 374 KS0 **velvet black** **4005176344770** **740.19**

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic






39 374 LS0 **moon white** **4005176344787** **740.19**

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs
for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic





38 528 001 **4005176863943** **188.70**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 002 000		4005176936920	360.24






Rapid SL
Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2 , 6 l - 9 l
with flush pipe for external odour extraction
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
flush pipe with connection for odor extraction 50 mm
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2" water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 500 000	Chrome	4005176453861	325.94






Rapid SL
5-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
WC set for noise protection (37 131 000)

GROHE
RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 827 000 **Chrome** **4005176870477** **317.36**

Rapid SL
5-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






38 750 001 **Chrome** **4005176863363** **291.63**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)
including WC set for noise protection (37 131 000)






38 860 000 **Chrome** **4005176878084** **257.31**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)





38 888 000 **Chrome** **4005176879630** **454.60**


Rapid SL
4-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 885 000	Chrome	4005176879609	390.27






Rapid SL
4-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)

39 501 000	Chrome	4005176453878	281.34






Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan S flush plate, chrome (37 535 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

39 503 000	Chrome	4005176454097	281.34






Rapid SL
3-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air S flush plate, chrome, vertical installation (37 965 000)
Rapid SL front wall brackets (38 558 00M)

39 504 000	Chrome	4005176454103	281.34






Rapid SL
3-in-1 set for WC, 1.13 m installation height
flushing cistern GD 2, 6 - 3 l
Consisting of:
Rapid SL element for WC (38 528 001)
Arena Cosmopolitan S flush plate, chrome (37 624 000)
Rapid SL front wall brackets (38 558 00M)
including revision shaft 40 911 000 for mounting of small flush plates

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






39 581 000 **Chrome** **4005176496011** **313.07**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Nova Cosmopolitan S flush plate, chrome (37 601 000)
GROHE Fresh retro-fit set (38 796 000)
Rapid SL front wall brackets (38 558 00M)






38 721 001 **Chrome** **4005176863431** **257.31**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, chrome, vertical installation (38 505 000)
Rapid SL front wall brackets (38 558 00M)






38 722 001 **alpine white** **4005176863424** **257.31**

Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)
Rapid SL front wall brackets (38 558 00M)





38 772 001 **Chrome** **4005176863288** **257.31**


Rapid SL
3-in-1 set for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 761 000 **Chrome** **4005176841620** **295.91**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Air flush plate, chrome, horizontal installation (38 506 000)
Rapid SL front wall brackets (38 558 00M)






38 773 000 **Chrome** **4005176850288** **295.91**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Skate Cosmopolitan flush plate, chrome (38 732 000)
Rapid SL front wall brackets (38 558 00M)






38 868 000 **Chrome** **4005176878091** **295.91**

Rapid SL
3-in-1 set for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Nova Cosmopolitan flush plate, chrome (38 765 000)
Rapid SL front wall brackets (38 558 00M)






38 764 001 **alpine white** **4005176863301** **231.58**

Rapid SL
2-in-1 set for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
Consisting of:
Rapid SL element for WC (38 528 001)
Skate Air flush plate, alpine white, vertical installation (38 505 SH0)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 947 000 | **4005176911217** | **338.80**

Rapid SL
2-in-1 set for WC, 1.00 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 525 001)
Rapid SL front wall brackets (38 558 00M)





38 948 000 | **4005176911224** | **257.31**


Rapid SL
2-in-1 set for WC, 0.82 m installation height with flushing cistern 6 - 3 l
Consisting of:
Rapid SL element for WC (38 526 000)
Rapid SL front wall brackets (38 558 00M)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 536 001 **4005176863929** **214.43**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 539 001 **4005176863912** **244.45**

Rapid SL
Element for WC, 1.13 m installation height
with flushing cistern GD 2 , 6 l - 9 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set


flushing cistern GD 2, 6 - 9 l, containing following features:
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
water supply from left/right or back
low noise (group I acc. to
German Noise Specification)
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
no tools required for the installation
of the inspection shaft incl. protection
during construction phase
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation
including WC set for noise protection (37 131 000)
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 675 001 | **4005176863516** | **351.67**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)






38 994 000 | **4005176932335** | **343.10**

Rapid SL
Element for WC with flushing cistern 80 mm, 1.13 m installation height
element width 0.62 m
for small, narrow bathrooms
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top or back
water supply 1/2“ and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 949 000 (sold separately)





38 995 000 | **4005176932342** | **411.71**

Rapid SL
Element for WC with flushing cistern 80 mm, variable width
1.13 m finished installation height
for small, narrow bathrooms
variable element width 0.70 – 1.20 m
for on-the-wall installation
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 80 mm, 6 - 9 l, containing following features:
water supply from top
water supply 1/2“ and push fit flexible hose union


including wall brackets 38 558 00M for on-the-wall installation

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 525 001 **4005176863967** **325.94**

Rapid SL
Element for WC, 1.00 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
WC ceramics with small bearing area (< 205 mm) require
additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)





38 526 000 **4005176291050** **244.45**

Rapid SL
Element for WC, 0.82 m installation height
with flushing cistern 6 - 3 l
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern 6 - 9 l containing the following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)



40 899 000 **4005176413896** **39.85**

Retrofit kit for shower toilets Sensia Arena and IGS
retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS
including:
conduit pipe with locking ring and flat seal
cable ties
WC connecting pipe Ø 45 mm
waste sleeve Ø 90 mm







38 558 00M **4005176291418** **27.60**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE
RAPID SL FOR WC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**42 333 000**		**4005176845888**	**15.02**
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters			
 	**42 327 000**		**4005176838705**	**13.24**
	PP-outlet bend Ø 90 mm variable depth adjustment			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 786 001 | **4005176864025** | **283.05**

Rapid SL
Element for urinal with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 803 001 | **4005176864049** | **355.96**

Rapid SL
Element for urinal with infra-red electronic
with GROHE Rapido U
1.13 and 1.30 m installation height
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
height adjustable fitting connections
quick adjustment, lockable
fixing material
TÜV approved
HT-outlet bend Ø 50 mm
inlet connection and inlet connecting set
fixing bolts M8, with fixing device
for the ceramic
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during construction phase
including wall brackets 38 558 00M for on-the-wall installation






39 376 000 | **4005176342998** | **291.63**

Rapid SL
Element for urinal with temperature sensor
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
HT-outlet bend Ø 50 mm
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 558 00M		**4005176291418**	**27.60**






Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET

	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 554 001 | **4005176863806** | **137.24**

Rapid SL
Element for wash basin, single hole installation with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






39 052 000 | **4005176935961** | **192.98**

Rapid SL
Element for wash basin, single hole installation, height adjustable with noise protection
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
fixing and connecting traverse, height adjustable
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 557 001 | **4005176863783** | **128.65**

Rapid SL
Element for wash basin, single hole installation
1.13 m finished installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

GROHE
RAPID SL FOR WASH BASIN AND BIDET

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 748 002 **Chrome** **4005176416323** **591.84**

Rapid SL
Element for wash basin with roughin-in set for infra-red electronic
for wall mounted fittings
suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 546 000 **4005176291289** **158.68**


Rapid SL
Element for wash basin, for wall mounted fittings
1.30 m installation height
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
for dry-cladding, completely pre-assembled
with fixed connections
quick adjustment, lockable
fixing material
TÜV approved
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
2 noise protected fitting connections 1/2"
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 541 000 **4005176291234** **167.25**

Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)





38 553 001 **4005176863813** **270.18**


Rapid SL
Element for bidet, 1.13 m installation height
vertical support for ceramics with small bearing area (< 205 mm)
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR WASH BASIN AND BIDET


	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 545 000 | **4005176291272** | **321.65**

Rapid SL
Element for bidet, 1.00 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 543 000 | **4005176291258** | **313.07**

Rapid SL
Element for bidet, 0.82 m installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
HT-outlet bend Ø 50 mm
seal Ø 32 mm
fixing material for bidet
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)






38 558 00M | **4005176291418** | **27.60**

Rapid SL
Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE
RAPID SL FOR THE DISABLED

	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 675 001 **4005176863516** **351.67**

Rapid SL
Element for WC, 1.13 m installation height, 0.42 m width
with flush cistern 6 - 3 l
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
TÜV approved
2 WC fixing bolts
fixing device for ceramic
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
inlet and outlet connecting set
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)
for the mounting of support rails for the disabled please order
fixing element 38 559 001 (sold separately)





A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060


39 140 000 **4005176315268** **707.63**

Rapid SL
Element for WC, 1.13 m installation height
with fixing element for back support and support rails
with flushing cistern GD 2 , 6 l - 9 l
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls
powder coated steel frame, self-supporting
with fixed connections
TÜV approved
2 WC fixing bolts
4 wall brackets
fixing device for ceramic
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
PP reducer Ø 90/110 mm
inlet and outlet connecting set

flushing cistern GD 2, 6 - 9 l, containing following features:
water supply from left/right or back
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





A1	135-280
A2	320-410
B1	80
B2	120-200
B3	280-300
C	585-635

38 541 000 **4005176291234** **167.25**


Rapid SL
Element for wash basin, single hole installation
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
HT-outlet bend Ø 50 mm
seal Ø 32 mm
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL FOR THE DISABLED


Ref. No.	Colour	EAN	Retail Guide Price (£)
38 559 001		**4005176863776**	**201.57**





Rapid SL
Fixing element, 1.13 m installation height
to fix **support** for the disabled
0.31 m wide
powder coated steel frame
waterproof plywood
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)







GROHE
RAPID SL FITTING SUPPORTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 998 000**		**4005176262586**	**112.71**

Rapid SL
Fitting support for exposed fittings
for **studded walls**
for empty elements
2 noise protected fitting connections 1/2"

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 558 00M		4005176291418	27.60
	Rapid SL **Front wall brackets** for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm **2 pieces**			
 	38 629 000		4005176293191	56.91
	Rapid SL **Flush pipe extension** for floor constructions from 200 up to 350 mm fixing material not suitable for project elements			
 	38 733 000		4005176837289	32.99
	Rapid SL **Xtra wall brackets, flexible placing** for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material **2 pieces**			
 	38 562 001		4005176863752	101.32
	Rapid SL **Set for corner installation** for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets **1.13 m** **135°**			
 	38 779 000		4005176855306	106.93
	Rapid SL **Accessory** for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)			
 	37 131 000		4005176144585	42.36
	Set for noise protection for WC sound insulation 2 rubber pipes			

GROHE
RAPID SL ACCESSORIES


Ref. No.	Colour	EAN	Retail Guide Price (£)
42 766 000		**4005176222115**	**13.35**



Distance pipe 3“

38 338 000		**4005176286179**	**30.10**






Water supply pipe connector

40 911 000		**4005176416132**	**12.30**






Inspection shaft for small flush plates
for combination with Rapid SL 1.13 m with GD 2 cistern

40 950 000	**Chrome**	**4005176478994**	**17.45**






Inspection shaft for small flush plates
for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000	**Chrome**	**4005176477881**	**22.64**





Inspection shaft for small flush plates
for combination with 80 mm cistern



66 791 000		**4005176866562**	**16.10**



Inspection shaft
for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**43 617 000**		**4005176841163**	**74.53**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic

GROHE
FLUSHING SYSTEMS






CONTENTS

WC	Flushing Cisterns	686
	Accessories for Flushing Cisterns	689
	WC Flush Valves	695
	Electronic Actuations for WC	697
Urinal	Electronic Actuations for Urinal	701
	Urinal Flush Valves	706

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






37 762 SH0 **alpine white** 4005176213250 **76.77**

Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side






37 945 SH0 **alpine white** 4005176256387 **76.77**

Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right






37 791 SH0 **alpine white** 4005176217241 **171.74**

Flushing cistern for WC
6 l / 3 l
exposed installation
interruptible flush cycle
hidden flush pipe connection
servo actuation
low level
made of PS
low noise (group I acc. to
German Noise Specification)
fully insulated against condensation
with isolation valve 1/2“
copper pipe
mounting template
flush pipe bend
WC inlet connector






38 661 000 4005176294907 **175.59**

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)





38 987 000 4005176924798 **117.28**


WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of
operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
1/2“ water supply connection including integrated
angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
flush pipe and connector
for mounting of small flush plates please order
revision shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)






38 863 000 4005176832345 140.22

Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with push fit flexible hose union
with isolation valve 1/2“
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets
for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)






38 422 000 4005176275203 187.37

Flushing cistern for WC
6 l / 3 l
0.82 m finished installation height
front/top actuation
water supply from left/right or back
Insulated against condensation
415 x 140 x 360 mm
fixing brackets
without wall plate/actuation
GROHE EcoJoy technology for less water and perfect flow






38 691 000 4005176815454 187.37

Eau2
WC Flushing cistern 0.82 m
6 l / 3 l, Dual Flush
water supply from left/right or back
with angle stop valve 1/2“ and flush pipe
fixing brackets
min. recommended pressure 0.2 bar

air button
front/top actuation
extended hose length for flexibility when positioning the actuation
sleek and minimal styling allows the button to be fitted in any 360° orientation
GROHE EcoJoy technology for less water and perfect flow






39 053 000 4005176935978 81.29

Concealed flushing cistern
6 l / 3 l
Dual Flush
water supply from bottom
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow






39 054 000 4005176936289 81.29

Concealed flushing cistern
6 l / 3 l
Dual Flush
min. recommended pressure 0.2 bar
mechnical round push button actuation Ø 50 mm with Eco button
mechanical actuation from front, top, left or right
for walls 18 -24 mm thickness
bowden cable 0.5 m length
for more flexibility in push button position
fixing brackets
flush pipe
WC inlet connector
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

GROHE
FLUSHING CISTERNS

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 056 000	**Chrome**	**4005176936302**	**21.14**













Round push button actuation Ø 50 mm with Eco button
in combination with bath furniture
for combination with flushing cistern 39 053 000 & 39 054 000
for walls 18 -24 mm thickness
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 095 000** **Filling valve** 3/8“ universal application		**4005176145124**	**32.26**
	37 093 000 **ditto, but with stand pipe for bottom inlet**		**4005176145070**	**42.13**
	37 092 000 **ditto, with adaptor**		**4005176145049**	**35.86**
 	**43 537 000** **Filling valve** for concealed flushing cisterns 6 l		**4005176157653**	**42.13**
 	**42 181 000** **Filling valve 1/2“**		**4005176286872**	**43.40**
 	**42 297 PI0**	**matt chrome/chrome**	**4005176832048**	**67.19**
	Eco-discharge valve dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid **GROHE EcoJoy** technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	**42 253 000** **Dual Flush discharge valve**		**4005176814532**	**65.64**
	**43 907 PI0**	**matt chrome/chrome**	**4005176177545**	**85.33**
	Replace kit set for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 078 PI0**	**matt chrome/chrome**	**4005176160783**	**85.17**
	Servo-set retrofit unit for close-coupled flushing cisterns connection from the side with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes **GROHE StarLight** chrome finish **) max. shortening 100 mm			
 	**37 088 PI0**	**matt chrome/chrome**	**4005176149672**	**52.93**
	Servo discharge valve interruptible flush cycle with short discharge valve housing decide for maintenance opening and complete before installation escutcheon push button for lid holes Ø 16 - 35 mm fixing material **GROHE StarLight** chrome finish			
	37 085 PI0	**matt chrome/chrome**	**4005176149641**	**54.51**
	ditto, with push button for lid hole Ø 40 mm			
 	**37 100 SH0**	**alpine white**	**4005176142093**	**21.14**
	Flush pipe 390 x 350 mm			
	**43 733 000**		**4005176158926**	**9.72**
	Membrane filling valve			
	43 758 00M		**4005176159121**	**42.13**
	ditto, 10 pieces per set			
 	**37 099 K00**	**black**	**4005176142086**	**31.64**
	Flush pipe for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 735 000		4005176837500	57.46
	Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable **GROHE EcoJoy** technology for less water and perfect flow			
 	38 736 000		4005176837517	45.74
	Dual flush valve set **for flushing cistern GD 2 / Rapid SL 1.13 m only** **6 l / 3 l** dual flush discharge valve AV1 consisting of valve seat **without wall plate/actuation**			
 	42 320 000		4005176837487	65.64
	Dual Flush discharge valve AV1 AV1 complete with pipe extension **6 l / 3 l** without valve seat **without actuation**			
 	42 314 000		4005176835636	65.64
	AV1 complete			
 	42 137 000		4005176259524	20.52
	Servo discharge valve			
 	43 486 000		4005176157158	54.51
	Servo discharge valve			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	42 774 000		4005176221590	63.72
Waste pneumatic				
	42 233 000	Chrome	4005176300653	20.52
Connecting hose				
 	43 908 000		4005176160257	20.52
Flush pipe, concealed complete for concealed cisterns with polystyrine insulation and protective cover length 280 mm				
 	37 311 K00	black	4005176160851	21.14
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts				
 	37 489 000		4005176167386	10.00
Flush pipe extension length 200 mm				
	43 352 000		4005176832413	10.00
Ditto, length 300 mm without connector 37 119 000				
 	37 104 K00	black	4005176160844	21.14
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ACCESSORIES FOR FLUSHING CISTERNS






	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 105 K00**	**black**	**4005176141904**	**21.14**
	Flush pipe extension length 300 mm			
 	**37 119 000**		**4005176144370**	**4.33**
	Connector Ø 55 mm			
 	**42 327 000**		**4005176838705**	**13.24**
	PP-outlet bend Ø 90 mm variable depth adjustment			
 	**42 333 000**		**4005176845888**	**15.02**
	4.5 l adapter for GD2 to reduce the maximum flush volume to 4.5 liters			
 	**37 131 000**		**4005176144585**	**42.36**
	Set for noise protection for WC sound insulation 2 rubber pipes			
	**43 544 000**		**4005176157738**	**10.00**
	Outlet piston			

GROHE
ACCESSORIES FOR FLUSHING CISTERNS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 242 000		4005176804977	13.35
	4“ outlet adaptor for Rapid SL			
 	38 714 000		4005176828454	15.02
	WC wall plate extension set 70 mm			
	with pneumatic discharge valve			
 	40 911 000		4005176416132	12.30
	Inspection shaft for small flush plates			
	for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 950 000		4005176478994	17.45
	ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			
	40 949 000		4005176477881	22.64
	ditto, for combination with 80 mm cistern			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 347 000**	**Chrome**	**4005176837999**	**215.20**
	Rondo A.S. **Flush valve for WC** ¾" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment **6 l / 3 l** with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)			
 	**37 141 000**	**Chrome**	**4005176143113**	**107.60**
	DAL-Full-automatic flush valve for WC ¾" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)			
 	**37 139 000**	**Chrome**	**4005176143083**	**89.94**
	DAL-Automatic flush valve for WC 3/4" brass **GROHE StarLight** chrome finish for wash-down and wash-out bowls with flow rate adjustment			
 	**37 132 000**	**Chrome**	**4005176144608**	**19.49**
	Fixing device hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm			
 	**37 133 000**		**4005176144622**	**32.19**
	Inlet adaptor **for corner installation** ¾"			

GROHE
WC FLUSH VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 107 000**	**Chrome**	**4005176141713**	**47.42**
	Flush pipe for WC flush valve Ø 28 x 26 mm **600 x 200 mm** brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector			
 	**37 112 000**		**4005176141911**	**73.61**
	Flush pipe for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass			
 	**37 108 000**	**Chrome**	**4005176141720**	**40.51**
	Flush pipe for WC flush valve Ø 28 x 26 mm **1000 x 200 mm** straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector			
 	**37 114 000**	**Chrome**	**4005176141935**	**19.49**
	Flush pipe extension Ø 28 x 26 mm 260 mm brass			
 	**37 135 000**		**4005176144653**	**6.22**
	Connector Ø 55 mm for flush valve to pedestal WC			
 	**37 131 000**		**4005176144585**	**42.36**
	Set for noise protection for WC sound insulation 2 rubber pipes			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 698 SD1 **stainless steel** **4005176929571** **737.61**

Tectron Skate
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
CE approved






38 699 001 **Chrome** **4005176929588** **620.34**

Tectron Surf
Infra-red electronic for WC flushing cistern
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
GROHE StarLight chrome finish
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved






37 419 000 **Chrome** **4005176933806** **831.44**
37 419 SD0 **stainless steel** **4005176933813** **831.44**

Tectron Skate
Infra-red electronic for WC flushing cistern
with additional manual actuation
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
for flushing cistern GD 2 / Rapid SL 1.13 m only
servo motor
concealed installation
front plate 156 x 197 mm
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flush (3 - 9 l) by hand or remote
CE approved

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)





37 504 000 **Chrome** **4005176320521** **878.33**

Tectron Skate Bluetooth
Infra-red electronic for WC
for flushing cistern GD 2 / Rapid SL 1.13 m only
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with additional manual actuation
GROHE StarLight finish
front plate 156 x 197 mm
servo motor

with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards


*** Available for free via iTunes app or Google Play store.






43 617 000 **4005176841163** **74.53**

Motor support device
for Rapid SL 38 675
for the disabled
as of mid 2008
or installation of infra-red electronic







38 778 000 **4005176855269** **684.82**

Radio transmitter
for an additional flush plate for manual actuation
for WC
receiver modul 868,4 MHz
for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB
for flushing cistern GD 2 / Rapid SL 1.13 m only
for flushing cistern 6 l
concealed installation
servo motor
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
adjustable flush volume
adjustable flow time
72 h flushing can be activated
with extension cable, 3.00 m length,
for connecting transformer and
electronic

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ELECTRONIC ACTUATIONS FOR WC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		36 340 000		4005176911385	55.80
		Power extension cable length 3.00 m			
		36 341 000		4005176911392	100.32
		Power extension cable length 10.00 m			

GROHE
ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
43 977 000	**Chrome**	**4005176164798**	**214.95**






Air button
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
white push button with escutcheon
Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1500 mm long

36 407 001		**4005176368974**	**268.96**





Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)


3 x 1.5 V DC (AAA) battery supply

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 421 000	**Chrome**	**4005176935572**	**449.52**






Tectron Rondo
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
metal housing
exposed installation
flow pressure min 0.5 bar
operating pressure max 10 bar
G 1/2
with **integrated stop valve**
flush pipe with rubber connector
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
CE approved

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)






37 336 001 **Chrome** **4005176929540** **549.98**

Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved






37 337 001 **Chrome** **4005176929557** **518.31**

Tectron Surf
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
infra-red control
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved





37 321 001 **Chrome** **4005176929496** **549.98**
37 321 SD1 **stainless steel** **4005176929502** **549.98**


Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
for Rapido U
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 324 001	**Chrome**	**4005176929526**	**549.98**
37 324 SD1	**stainless steel**	**4005176929533**	**518.31**






Tectron Skate
Infra-red electronic for Urinal
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
6V lithium battery, type CR-P2
battery lifetime approx. 7 years (150 actuations a day)
cartridge with solenoid valve and dirt strainer
front plate 116 x 144 mm
flow pressure min 0.5 bar
operating pressure max 10 bar
multistage battery status display
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
additional functions and precise settings
by remote control 36 407
adjustable flow time by hand or remote
compatible with
Rapido U or Rapido UMB
CE approved

37 503 000	**Chrome**	**4005176320507**	**702.45**





Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version


Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.


GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 338 000		4005176837920	139.53

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V or 230 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection


 	38 787 000		4005176855689	116.11

GROHE Rapido UMB
roughing-in set for urinal
for manual actuation or Tectron infra-red electronic 6 V
water group with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection during construction phase

 	36 407 001		4005176368974	268.96

Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO_2 capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

 	39 368 000		4005176341540	529.99


Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)






39 367 000 **4005176341533** **545.89**

Temperature sensor for urinal
6V lithium battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI

39 369 000 **4005176341557** **705.14**










Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor
cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved




Mobile devices and GROHE IR Remote App*** are not included in delivery and have be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 339 000**	**Chrome**	**4005176837937**	**112.70**
	Rondo **Flush valve for urinal** **1/2"** brass integrated stop valve **GROHE StarLight** chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar			
 	**37 396 000**	**Chrome**	**4005176907968**	**127.83**
	Press urinal flush valve **1/2"** brass **GROHE StarLight** chrome finish with wall escutcheon			
 	**37 044 000**		**4005176160776**	**21.14**
	Urinal inlet connector, 1/2"			
 	**37 035 000**	**Chrome**	**4005176143731**	**12.74**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** straight			
 	**37 036 000**	**Chrome**	**4005176143748**	**20.09**
	Urinal flush pipe Ø 18 mm 200 mm brass **chrome plated** offset 10 mm			
	37 037 000 **Offset 20 mm**	**Chrome**	**4005176143762**	**22.20**

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**37 038 000** **Urinal flush pipe** Ø 18 mm 200 mm brass **chrome plated** offset 30 mm	**Chrome**	**4005176143786**	**24.31**
	37 039 000 **ditto, offset 40 mm**	**Chrome**	**4005176143793**	**26.40**
 	**37 040 000** **Urinal flush pipe** Ø 18 mm 200 mm brass **chrome plated** offset 50 mm	**Chrome**	**4005176143861**	**29.49**
 	**37 043 000** **Urinal flush pipe** Ø 18 mm 400 mm brass straight	**Chrome**	**4005176143922**	**39.70**
 	**37 042 000** **Flush pipe extension** Ø 16 mm 200 mm brass	**Chrome**	**4005176143908**	**17.93**

GROHE
ACTUATIONS






CONTENTS

WC	Flush Plates for WC	710
	GROHE Fresh	718
	Flush Plates for WC Flush Valves	719
Urinal	Flush Plates for Urinal	720

GROHE
FLUSH PLATES FOR WC






Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	**Chrome**	**4005176416019**	**67.80**
37 535 P00	**matt chrome**	**4005176416026**	**67.80**
37 535 SH0	**alpine white**	**4005176416033**	**70.35**
37 535 DC0	**supersteel**	**4005176416040**	**175.57**
37 535 BE0	**polished nickel**	**4005176431340**	**175.57**
37 535 EN0	**brushed nickel**	**4005176431319**	**175.57**
37 535 GL0	**cool sunrise**	**4005176431302**	**175.57**
37 535 GN0	**brushed cool sunrise**	**4005176431296**	**175.57**
37 535 DA0	**warm sunset**	**4005176431333**	**175.57**
37 535 DL0	**brushed warm sunset**	**4005176431326**	**175.57**
37 535 A00	**hard graphite**	**4005176431364**	**175.57**
37 535 AL0	**Brushed Hard Graphite**	**4005176431357**	**175.57**

Skate Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)





37 601 000	**Chrome**	**4005176416057**	**77.64**
37 601 P00	**matt chrome**	**4005176416064**	**103.20**
37 601 SH0	**alpine white**	**4005176416071**	**63.88**
37 601 DC0	**supersteel**	**4005176416088**	**175.64**
37 601 BE0	**polished nickel**	**4005176529009**	**175.64**
37 601 EN0	**brushed nickel**	**4005176529047**	**175.64**
37 601 GL0	**cool sunrise**	**4005176524271**	**175.64**
37 601 GN0	**brushed cool sunrise**	**4005176529016**	**175.64**
37 601 DA0	**warm sunset**	**4005176524288**	**175.64**
37 601 DL0	**brushed warm sunset**	**4005176529023**	**175.64**
37 601 A00	**hard graphite**	**4005176528996**	**175.64**
37 601 AL0	**Brushed Hard Graphite**	**4005176529030**	**175.64**


Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 624 000	Chrome	4005176416095	77.64
37 624 P00	matt chrome	4005176416101	103.20
37 624 SH0	alpine white	4005176416118	63.88
37 624 DC0	supersteel	4005176416125	175.67
37 624 BE0	polished nickel	4005176529085	175.64
37 624 EN0	brushed nickel	4005176529122	175.64
37 624 GL0	cool sunrise	4005176529054	175.64
37 624 GN0	brushed cool sunrise	4005176529092	175.64
37 624 DA0	warm sunset	4005176529061	175.64
37 624 DL0	brushed warm sunset	4005176529108	175.64
37 624 A00	hard graphite	4005176529078	175.64
37 624 AL0	Brushed Hard Graphite	4005176529115	175.64






Arena Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

37 965 000	Chrome	4005176442506	68.01
37 965 SH0	alpine white	4005176442513	52.36





Skate Air S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
for vertical installation
130 x 172 mm
made of ABS
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included
compatible with Rapid SLX
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

40 911 000	4005176416132	12.30

Inspection shaft for small flush plates
for combination with Rapid SL 1.13 m with GD 2 cistern


40 950 000	4005176478994	17.45

ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height

40 949 000	4005176477881	22.64

ditto, for combination with 80 mm cistern






GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 915 KS0	**velvet black**	**4005176897108**	**895.49**
38 915 LS0	**moon white**	**4005176897115**	**909.67**






Veris Light
Flush plate
for dual flush or start & stop actuation
for SoftTouch flushing activation
external highlighted outline
with LEDs in blue, red, yellow, green
colour gradient adjustable
on/off timer for individual regulation of illuminating period
3 m connecting cable
transformer for external installation
servo motor
110 V to 240 V 50/60 Hz broad range power supply
9 VA
CE approved
with function check lamps
for GD 2 cisterns with pneumatic discharge valve AV1
200 x 200 mm
made of security glass
GROHE EcoJoy technology for less water and perfect flow
not suitable for GROHE Fresh

---

38 809 000	**Chrome**	**4005176864681**	**608.60**






Nova Cosmopolitan Light
Flush plate
for dual flush or start & stop actuation
external highlighted outline
with LEDs in blue, red, yellow, green
colour gradient adjustable, on/off button
timer for individual regulation of
illuminating period
3 m connecting cable
transformer for external installation
supply voltage 230 V AC, 50/60 Hz, 2.0 VA
this product contains built-in LED lamps, which
cannot be changed: energy efficiency class: A+
CE approved
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 765 000	**Chrome**	**4005176846830**	**75.04**
38 765 SH0	**alpine white**	**4005176846854**	**57.47**
38 765 P00	**matt chrome**	**4005176846847**	**73.87**






Nova Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

---

38 845 LS0	**moon white**	**4005176878336**	**256.82**
38 845 KS0	**velvet black**	**4005176878343**	**256.82**
38 845 MF0	**chrome/ daVinci satin**	**4005176878619**	**256.82**






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)






38 916 0A0 **mirror glass** **4005176896941** **306.26**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
156 x 197 mm
made of security glass
mounting-set
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)






38 957 000 **Chrome** **4005176914409** **112.72**

Mounting set
for wall-aligned installation of Skate Cosmopolitan
with glass surface
for GD 2 and flushing cistern 80 mm
plastic mounting frame, chrome plated
minimum 8 mm tile thickness
protection plate
dismantling tool for wall plate






38 821 000 **Chrome** **4005176868986** **245.10**

Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
vandal-proof
for pneumatic drop valve AV1
for vertical installation
made of metal
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





38 732 SD0 **stainless steel** **4005176847691** **163.00**


Skate Cosmopolitan
Wall plate, stainless steel
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
plastic fixing frame
hidden fixing screws
not suitable for GROHE Fresh
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 776 SD0 **stainless steel** **4005176853555** **162.99**
ditto, horizontal installation

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 732 000	**Chrome**	**4005176836114**	**75.06**
38 732 DC0	**supersteel**	**4005176431371**	**136.76**
38 732 SH0	**alpine white**	**4005176836138**	**57.43**
38 732 P00	**matt chrome**	**4005176836121**	**55.17**
38 732 BE0	**polished nickel**	**4005176427749**	**147.69**
38 732 EN0	**brushed nickel**	**4005176427756**	**147.69**
38 732 GL0	**cool sunrise**	**4005176339103**	**147.69**
38 732 GN0	**brushed cool sunrise**	**4005176427725**	**147.69**
38 732 DA0	**warm sunset**	**4005176339097**	**147.69**
38 732 DL0	**brushed warm sunset**	**4005176427732**	**147.69**
38 732 A00	**hard graphite**	**4005176339110**	**147.69**
38 732 AL0	**Brushed Hard Graphite**	**4005176339127**	**147.69**






Skate Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 732 BR0	**titanium**	**4005176873676**	**127.81**

ditto, with anti-fingerprint surface

38 844 000	**Chrome**	**4005176874963**	**75.04**
38 844 SH0	**alpine white**	**4005176874970**	**57.46**
38 844 P00	**matt chrome**	**4005176875687**	**69.18**






Arena Cosmopolitan
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE EcoJoy technology for less water and perfect flow
GROHE StarLight chrome finish
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 858 000	**Chrome**	**4005176876714**	**75.04**
38 858 P00	**matt chrome**	**4005176876721**	**69.18**
38 858 SH0	**alpine white**	**4005176876738**	**57.46**

ditto, horizontal installation

38 505 000	**Chrome**	**4005176290053**	**51.57**
38 505 SH0	**alpine white**	**4005176290046**	**34.01**
38 505 P00	**matt chrome**	**4005176290060**	**89.91**






Skate Air
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 506 SH0	**alpine white**	**4005176290114**	**69.22**
38 506 P00	**matt chrome**	**4005176290138**	**76.77**
38 506 000	**Chrome**	**4005176290121**	**75.02**

ditto, horizontal installation

38 862 000	**Chrome**	**4005176832314**	**75.04**
38 862 SH0	**alpine white**	**4005176832338**	**55.77**
38 862 P00	**matt chrome**	**4005176832321**	**66.54**







Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**38 862 SD0**	**stainless steel**	**4005176834721**	**169.63**

Skate
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical installation
156 x 197 mm
material: stainless steel
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)


 	**38 861 000**	**Chrome**	**4005176832284**	**69.19**

Surf
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

GROHE
FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 564 000	**Chrome**	4005176291784	80.94
38 564 SH0	**alpine white**	4005176291777	62.06






Skate Air
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 565 000	**Chrome**	4005176291845	51.62

ditto, horizontal installation

38 573 000	**Chrome**	4005176292316	57.48
38 573 SH0	**alpine white**	4005176292309	63.72
38 573 P00	**matt chrome**	4005176292323	76.77






Skate
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

38 672 SD0	**stainless steel**	4005176296468	127.83






Skate
Wall plate, stainless steel
for single flush actuation
vandal-proof
for pneumatic drop valve
for vertical installation
156 x 197 mm
GROHE EcoJoy technology for less water and perfect flow

38 574 000	**Chrome**	4005176292385	63.72






Surf
Flush plate
for single flush actuation
for pneumatic drop valve
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow

37 059 000	**Chrome**	4005176142857	144.62








Air button
GROHE StarLight chrome finish
made of ABS
escutcheon 100 mm dia
wall plate Surf 156 x 197 mm

43 977 000	**Chrome**	4005176164798	214.95











Air button
GROHE StarLight chrome finish
remote **hand**-actuation for
institutional requirements
white push button with escutcheon
Ø 100 mm
for walls of 80 - 240 mm thickness
actuation stop
pneumatic hose 1500 mm long

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated



GROHE
FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 060 000	Chrome	4005176142901	65.64
Air button **GROHE StarLight** chrome finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long **for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267**				
	38 488 000	Chrome	4005176289866	43.40
Air button with 750 mm air hose for panel thickness up to 30 mm **for use with Adagio cistern 37 762 SH / 37 945 SH** **GROHE StarLight** finish				
 	38 496 000	Chrome	4005176289958	199.15
Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass **for use with Adagio cistern 37 762 SH / 37 945 SH** **GROHE StarLight** finish				
 	38 771 000	Chrome	4005176848551	45.74
Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose **GROHE StarLight** chrome finish				
 	37 761 000	Chrome	4005176213243	43.60
Air button **GROHE StarLight** chrome finish **for use with Adagio cistern 37 762 SH / 37 945 SH**				
 	38 714 000		4005176828454	15.02
WC wall plate extension set 70 mm with pneumatic discharge valve				

GROHE FRESH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**38 805 000**	**Chrome**	**4005176865596**	**139.53**

Skate Cosmopolitan Set Fresh
Flush plate
for dual flush or start & stop actuation
with **GROHE Fresh**
fixing frame with opening function
for chlorine-free tablets only
for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
for combination with Rapid SL 1.13 m with GD 2 cistern
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

 	**38 796 000**		**4005176857034**	**69.18**





GROHE Fresh
Dual flush valve set
for GROHE flushing cistern GD 2 with pneumatic
discharge valve and regular inspection shaft
not suitable for flush plates with
wood or glass or metal surface or new small flush plates
fixing frame with opening function
for chlorine-free tablets only
for all GROHE wall plates
156 x 197 mm

	**38 882 000**		**4005176879197**	**8.65**

GROHE Fresh
Tabs
2 x 50 g WC-Tabs
every flush creates foam which cleans the toilet
fragrance ensures long-lasting freshness
protects against re-pollution and maintains long term cleanliness
reduces limescale and ensures radiant purity in the toilet
true feeling of freshness
This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
FLUSH PLATES FOR WC FLUSH VALVES

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		**37 547 000** **37 547 P00** **37 547 SH0**	**Chrome** **matt chrome** **alpine white**	**4005176189425** **4005176189449** **4005176189418**	**76.77** **71.42** **63.72**
		Skate **Flush plate** **for vertical installation** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
		**38 445 SD0**	**stainless steel**	**4005176282850**	**108.98**
		Skate **Wall plate, stainless steel** **for vertical installation** 156 x 197 mm push button actuation plastic fixing frame hidden fixing screws			
		**37 063 000** **37 063 SH0**	**Chrome** **alpine white**	**4005176142185** **4005176142307**	**63.72** **63.72**
		Surf **Flush plate** 156 x 197 mm manual activation push button actuation made of ABS **GROHE StarLight** chrome finish			
		**37 069 000**	**Chrome**	**4005176142352**	**110.39**
		Surf **Flush plate** **for vertical installation** 156 x 197 mm for concealed flush valve 6 - 9 l brass push button actuation fixing frame hidden fixing screws **GROHE StarLight** chrome finish			

GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 846 LS0	**moon white**	**4005176878367**	**305.06**
38 846 KS0	**velvet black**	**4005176878268**	**305.06**






Skate Cosmopolitan
Actuation plate
with glass surface
made of security glass
manual activation for urinal
plastic actuation button, chrome plated
compatible with
Rapido U or Rapido UMB
fixing frame with mounting-set
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable

38 784 000	**Chrome**	**4005176855535**	**116.07**
38 784 SH0	**alpine white**	**4005176855559**	**106.80**
38 784 P00	**matt chrome**	**4005176855542**	**119.60**






Skate Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 784 SD0	**stainless steel**	**4005176877407**	**171.23**






Skate Cosmopolitan
Wall plate, stainless steel
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
low noise (group II according to
German noise specification)
plastic fixing frame
hidden fixing screws

38 804 000	**Chrome**	**4005176861512**	**124.09**
38 804 SH0	**alpine white**	**4005176861529**	**112.73**
38 804 P00	**matt chrome**	**4005176861536**	**116.13**






Nova Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLUSH PLATES FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 857 000	**Chrome**	**4005176875694**	**116.13**
38 857 SH0	**alpine white**	**4005176875793**	**107.03**
38 857 P00	**matt chrome**	**4005176875663**	**112.71**






Arena Cosmopolitan
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

38 808 000	**Chrome**	**4005176864056**	**104.36**
38 808 SH0	**alpine white**	**4005176864070**	**91.41**
38 808 P00	**matt chrome**	**4005176864063**	**117.28**





Surf
Actuation plate
manual activation for urinal
compatible with
Rapido U or Rapido UMB
116 x 144 mm
mechanical functional cartridge
flow pressure min 0.5 bar
operating pressure max 6 bar
1.0 - 6.0 adjustable
GROHE StarLight chrome finish

GROHE
CONNECTION AND SECURITY TECHNOLOGY






CONTENTS

Angle Valves	724
WAS valves	728
Safety Systems	729

GROHE
ANGLE VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)






22 039 AL0 **Brushed Hard Graphite** **4005176467936** **73.68**

Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish






22 043 000 **Chrome** **4005176305597** **16.18**

Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish






22 037 000 **Chrome** **4005176305535** **10.44**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish






22 041 000 **Chrome** **4005176305573** **10.45**

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish






22 046 000 **Chrome** **4005176305627** **9.27**


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic metal handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 023 000	Chrome	4005176305405	6.95


Angle valve 1/2"
self-sealing connection thread
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 018 000	Chrome	4005176305382	5.79


Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
GROHE StarLight finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 029 000	Chrome	4005176305467	10.43

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 032 000	Chrome	4005176305481	10.46

Angle valve 1/2"
pre-roughened connection thread for easy sealing
wall connection 1/2"
outlet 1/2"
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
blister packaging
GROHE StarLight finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 053 000	Chrome	4005176349027	11.62

Angle valve 3/8"
pre-roughened connection thread for easy sealing
wall connection 3/8"
outlet thread 3/8"
with length compensation
with compression nut Ø 10 mm
water protected spindle shutoff, brass,
with grease chamber and double o-ring sealing
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm


GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**22 017 00M**	**Chrome**	**4005176940613**	**56.90**
	Universal angle valve 1/2" with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal **GROHE StarLight** finish sales unit 10 pieces			
 	**22 016 00M**	**Chrome**	**4005176940606**	**80.13**
	Universal angle valve 1/2" with connection 1/2" plastic handle marking: neutral screw escutcheon metal **GROHE StarLight** finish sales unit 10 pieces			
 	**22 939 000**	**Chrome**	**4005176829369**	**20.52**
	Angle valve 1/2" with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon **GROHE StarLight** finish			
 	**22 940 000**	**Chrome**	**4005176829376**	**20.52**
	Angle valve 1/2" without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon **GROHE StarLight** finish			
 	**22 958 00M**	**Chrome**	**4005176034237**	**418.28**
	Service valve connection thread 1/2" TDL handle marking: neutral escutcheon **GROHE StarLight** finish sales unit 1 piece			
 	**22 917 000**	**Chrome**	**4005176501388**	**47.79**
	Atlanta **Angle valve 1/2"** wall connection 1/2" outlet thread 3/8" socket spanner headpart closed cap with compression nut Ø 10 mm marking: neutral escutcheon **GROHE StarLight** finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**22 012 000**	**Chrome**	**4005176906343**	**45.29**
	22 012 DC0	**supersteel**	**4005176525742**	**66.14**
	22 012 AL0	**Brushed Hard Graphite**	**4005176585944**	**75.59**



Eurocube
Angle valve 1/2“
wall connection 1/2“
outlet thread 3/8“
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

	**22 013 000**	**Chrome**	**4005176909689**	**45.29**




Eurocube
Angle valve 1/2“
wall connection 1/2“
outlet 1/2“
cartridge headpart
metal handle
marking: neutral
metal push-on escutcheon

GROHE
WAS VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)






22 035 000 **Chrome** **4005176305511** **22.06**

Original WAS combination service valve 1/2“
pre-roughened connection thread for easy sealing
wall connection 1/2“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handle
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000






22 033 000 **Chrome** **4005176305498** **26.71**

Original WAS combination service valve 3/8“
wall connection 3/8“
outlet thread 3/8“
with length compensation
with compression nut Ø 10 mm
outlet 3/4“
with hose connection
grease chamber headpart
non-return valve type EB
long connecting shaft
ergonomic handles
marking: neutral
metal push-on escutcheon Ø 55 mm
for combination with pipe ventilating valve type HB 41 239 000






41 007 000 **Chrome** **4005176281815** **15.02**

Eggemann
Original WAS T-piece 3/8“
for service valve
with compression nut
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SAFETY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**41 275 000**	**Chrome**	**4005176280481**	**41.86**

Original WAS inclined filter 3/4“
suitable for cold and warm water up to + 80 C
transparent cap
mesh width 315 µm
stainless steel filter insert
GROHE StarLight chrome finish

GROHE
SPARE PARTS





CONTENTS

Cartridges	732
Thermo elements and thermostatic cartridges	734
Aquadimmer	737
Head parts	738
Spare parts for two-handle faucets	741
Extension sets	742
Unions	743
Outlets and spouts	744
Flow straighteners	745
Waste sets and traps	747
Connections and non-return valves	750
Spare parts for electronics	751
Diverters	752
Hoses	753
Spare parts for kitchen faucets	754
Spare parts for showers	755
Miscellaneous	757
Special tools	758
Cleaning and care	759
Spare parts for sanitary systems	760
Spare parts for shower toilet	762
Spare parts for Ceramics	763

GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**46 580 000**		**4005176831867**	**96.14**
	Cartridge 28 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter for all single lever mixers			
	**46 374 000**		**4005176169076**	**96.14**
	Cartridge 35 mm **GROHE SilkMove** with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	**46 048 000**		**4005176008283**	**96.14**
	Cartridge **GROHE SilkMove** adjustable flow rate limiter for all single lever mixers			
	**46 386 000**		**4005176169410**	**117.73**
	Cartridge **GROHE SilkMove**			
	**46 278 000**		**4005176131868**	**106.93**
	Ceramic cartridge for Euroeco special mixer			
	**46 308 000**		**4005176131769**	**42.13**
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE CARTRIDGES

Ref. No.	Colour	EAN	Retail Guide Price (£)



46 375 000 **4005176169083** **42.13**

Temperature limiter
for 35 mm cartridge 46 374 000
please see possible utilisation in current Technical Product Information and spare part documentation in print/online media



48 359 000 **4005176442810** **44.28**

Cartridge
for SmartControl concealed
push button
including fastening nut and fitting template
including extension and spindle from extension set 14 048 000



07 000 000 **4005176016899** **128.54**

Cartridge from 1974
for Euromix and Ladylux



42 383 000 **Chrome** **4005176903281** **42.13**

Cartridge
for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)



42 384 000 **Chrome** **4005176903298** **52.93**

Cartridge
for Euroeco Cosmopolitan T self-closing gate valve 1/2"
marking: blue/red
GROHE StarLight chrome finish
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 450 000		4005176076190	171.74
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	150.14
	ditto, for reverse waterways, 1/2“			
	47 310 000		4005176079238	193.34
	Wax thermo-element-cartridge wax element			
	47 349 000		4005176141461	128.54
	Wax thermo-element-cartridge 3/8“ wax element			
	47 217 000		4005176241246	150.14
	Thermo-element wax element with non-rising spindle			
	47 220 000		4005176241253	193.34
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 111 000		4005176009921	322.96
	Thermo-element wax element for Grohmix Thermostat			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000 **Wax thermo-element-cartridge** wax element for Grohmix Thermostat		4005176009549	452.57
	47 532 000 **Thermostatic cartridge**		4005176206795	204.14
	00 798 000 **Wax thermo-element**	**Chrome**	4005176229008	31.32
	47 598 000 **Control unit**		4005176229169	290.56
	47 600 000 **Control unit**		4005176228995	247.35
	47 439 000 **Thermostatic compact cartridge 1/2“** **GROHE TurboStat** compact cartridge with wax thermoelement		4005176811975	160.94
	47 175 000 **ditto, for reverse waterways, 1/2“**		4005176803895	160.94

GROHE
THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000		4005176924729	42.13
	Thermostatic compact cartridge 1/2“ GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	193.34
	Thermostatic compact cartridge 3/4“ **GROHE TurboStat** compact cartridge with wax thermoelement			
	47 186 000		4005176803901	193.34
	ditto, for reverse waterways, 3/4“			
	49 028 000		4005176442827	51.85
	Thermostatic compact cartridge 3/4“ for Grohtherm SmartControl concealed **GROHE TurboStat** compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	20.52
	Stop ring and regulating nut			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
AQUADIMMER


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**47 364 000** **Aquadimmer** for thermostatic mixers		**4005176171819**	**85.33**
	**12 433 000** **Aquadimmer** for exposed fittings		**4005176272752**	**85.33**
	**47 262 000** **Aquadimmer** for concealed thermostatic shower mixer 3/4“ for three and four-hole bath combination 3/4“		**4005176118722**	**204.14**

GROHE
HEAD PARTS



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000 **Headpart 1/2"** short spindle, 1/2"		4005176017261	20.52
	45 346 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176104572	52.93
	45 342 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 180° stop: left-hand		4005176129865	52.93
	45 885 000 **Ceramic headpart 3/4", 180°** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189913	106.93
	45 869 000 **Concealed headpart 1/2"** with ceramic sealing disks rotation angle 180° stop: right-hand		4005176189876	31.32
	45 882 000 **Ceramic headpart, 1/2"** with ceramic sealing disks rotation angle 90° stop: right-hand		4005176189883	42.13

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**45 883 000**		**4005176189890**	**42.13**
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	**45 888 000**		**4005176189944**	**74.53**
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	**06 188 000**		**4005176002519**	**106.93**
	Headpart without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	**07 025 000**		**4005176016929**	**31.32**
	Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"			
 	**19 830 000**	**Chrome**	**4005176030697**	**28.35**
	Atlanta **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) **GROHE StarLight** chrome finish			
	19 831 000	**Chrome**	**4005176030703**	**27.79**
	ditto, marking red			

GROHE
HEAD PARTS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**19 841 000**	**Chrome**	**4005176030765**	**45.16**
	Atlanta **Concealed stop-valve trim** set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner **GROHE StarLight** chrome finish			
	19 840 000	**Chrome**	**4005176030758**	**36.02**
	ditto, installation depth infinitely adjustable 20-80 mm			
 	**19 470 000**	**Chrome**	**4005176848018**	**69.54**
	Grohtherm 3000 Cosmopolitan **Concealed stop-valve trim** set for final installation for 35 028 000 **GROHE StarLight** chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR TWO-HANDLE FAUCETS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**10 099 00M**	**Chrome**	**4005176812965**	**14.04**
	Cover Cap multi-packaging: 2 pieces			

GROHE
EXTENSION SETS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 048 000		4005176413483	159.10
GROHE Rapido SmartBox **Universal extension set single-lever mixers, 25 mm** fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox				
 	14 056 000		4005176466298	117.47
Universal extension set single-lever mixers, 25 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**				
 	14 057 000		4005176466304	151.95
Universal extension set single-lever mixers, 50 mm fits for concealed single-lever mixers in combination with **GROHE Rapido SmartBox**				
 	14 058 000		4005176466311	151.96
Universal extension set 2-handle thermostats, 25 mm fits for concealed 2-handle thermostats in combination with **GROHE Rapido SmartBox**				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**12 400 000**	**Chrome**	**4005176004582**	**42.13**
	S-union 1/2" x 3/4" **adjustment range 10 mm** **GROHE StarLight** chrome finish			
 	**12 051 000**	**Chrome**	**4005176213588**	**42.13**
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections **GROHE StarLight** chrome finish			
	**12 693 000**	**Chrome**	**4005176829918**	**20.52**
	S-union 1/2" x 3/4" **adjustment range 7.5 mm** with sound absorber screw escutcheon **GROHE StarLight** chrome finish			
 	**18 862 000**	**Chrome**	**4005176028120**	**63.72**
	Wall union			
 	**18 121 000**	**Chrome**	**4005176815812**	**53.99**
	Pillar union, pair **GROHE StarLight** chrome finish			

GROHE
OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 034 000**	**Chrome**	**4005176022869**	**53.64**

Swivel tube spout
for kitchen wall mixers, 1/2"
tubular spout
mousseur
projection 300 mm
coupling nut 3/4"
DR-brass
GROHE StarLight finish

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**13 071 000**	**Chrome**	**4005176023132**	**36.13**

Swivel tube spout
swivelling, without stop
mousseur
coupling nut 3/4"
projection 140 mm
DR-brass
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
FLOW STRAIGHTENERS

Ref. No.	Colour	EAN	Retail Guide Price (£)



48 189 000 **Chrome** **4005176928772** **29.63**

Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 190 000 **Chrome** **4005176928987** **34.18**


Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence



48 191 000 **Chrome** **4005176928994** **34.18**

Water saving set
includes two supply adapters incl. flow regulator
and one mousseur insert
for combination with M22/24 mousseurs
connection size G 3/8“
low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence





13 928 000 **Chrome** **4005176025365** **12.96**

Flow restrictor
internal thread
M 22 x 1(LP)
13.5 l/min at 3 bar
GROHE StarLight finish
female thread






13 960 000 **Chrome** **4005176109522** **16.20**

Flow straightener
external thread
M 24 x 1
7.5 l/min at 3 bar
GROHE StarLight finish
male thread






13 929 000 **Chrome** **4005176025440** **12.96**

Flow restrictor
external thread
M 24 x 1
13.5 l/min at 3 bar
GROHE StarLight finish
male thread

GROHE
FLOW STRAIGHTENERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 952 000	Chrome	4005176079818	12.96
Flow restrictor external thread M 24 x 1 flow class C 30 l/min. at 3 bar **GROHE StarLight** finish male thread				
 	13 927 000	Chrome	4005176005541	20.52
Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar **GROHE StarLight** finish male thread				
 	13 220 000		4005176855504	20.52
Flow restrictor flow class Z 7.5 l/min at 3 bar including disassembly key				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 910 000	**Chrome**	**4005176603846**	**63.72**






Pop-up waste set 1 1/4"
for wash basins with overflow
for basin/bidet fittings

40 565 000	**Chrome**	**4005176912757**	**78.56**
40 565 DC0	**supersteel**	**4005176491702**	**85.43**
40 565 AL0	**Brushed Hard Graphite**	**4005176491696**	**96.75**






Waste set with push-open plug
for wash basins with overflow
GROHE StarLight chrome finish

65 807 000	**Chrome**	**4005176849893**	**42.87**
65 807 BE0	**polished nickel**	**4005176467691**	**64.45**
65 807 GL0	**cool sunrise**	**4005176467738**	**93.56**
65 807 DA0	**warm sunset**	**4005176467752**	**93.56**
65 807 A00	**hard graphite**	**4005176467721**	**102.92**






Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
removable plug
closable
GROHE StarLight chrome finish

65 807 DC0	**supersteel**	**4005176442797**	**104.45**
65 807 EN0	**brushed nickel**	**4005176467707**	**70.69**
65 807 GN0	**brushed cool sunrise**	**4005176467745**	**76.55**
65 807 DL0	**brushed warm sunset**	**4005176467769**	**127.87**
65 807 AL0	**Brushed Hard Graphite**	**4005176467714**	**76.55**






Waste set with push-open plug
with push-open cover
for wash basins with overflow
removable cover
removable plug
closable
GROHE StarLight finish

65 808 000	**Chrome**	**4005176860065**	**44.84**






Waste 1 1/4"
for basins mixers without Pop Up Waste
removable cover
non-closable
GROHE StarLight chrome finish

40 824 000	**Chrome**	**4005176332975**	**21.64**





Waste set with push-open plug
for wash basins with overflow
removable plug
closable

GROHE
WASTE SETS AND TRAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)



07 182 000	**Chrome**	**4005176017438**	**25.93**

Chrome bath plug
for waste set 1 1/4"
GROHE StarLight chrome finish



07 052 000		**4005176003370**	**31.32**


Eccentric rod
for waste set 1 1/4"
length 180 mm
GROHE StarLight chrome finish



07 341 000	**Chrome**	**4005176017728**	**42.13**

Eccentric rod
for waste set 1 1/4"
length 350 mm
GROHE StarLight chrome finish






28 920 000	**Chrome**	**4005176603914**	**33.34**

Bottle trap, 1 1/4"
for basins
with fixed dip tube
wall connection
escutcheon
GROHE StarLight chrome finish






40 564 000	**Chrome**	**4005176912740**	**263.34**
40 564 DC0	**supersteel**	**4005176491795**	**342.03**
40 564 A00	**hard graphite**	**4005176491849**	**366.98**
40 564 AL0	**Brushed Hard Graphite**	**4005176491788**	**390.89**

Bottle trap
for **wash basin**
GROHE StarLight chrome finish
brass body






28 912 000	**Chrome**	**4005176266751**	**241.53**

Bottle trap, 1 1/4"
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
WASTE SETS AND TRAPS





Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 DC0	**supersteel**	**4005176467905**	**223.51**
28 912 EN0	**brushed nickel**	**4005176467837**	**276.97**
28 912 GN0	**brushed cool sunrise**	**4005176467875**	**276.97**
28 912 DL0	**brushed warm sunset**	**4005176467899**	**252.62**
28 912 AL0	**Brushed Hard Graphite**	**4005176467844**	**252.62**

Bottle trap, 1 1/4“
for basins
brass
(screw-top for cleaning)
large sliding escutcheon
GROHE StarLight finish

GROHE
CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	7.45
	Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8“ including nut & olive			
	47 189 000	**Chrome**	4005176010330	42.13
	Non-return valve multi-packaging: 2 pieces **GROHE StarLight** chrome finish			
	14 116 00M		4005176006005	54.16
	Non-return valve 1/2“ multi-packaging: 2 pieces			
	14 117 00M		4005176006012	66.66
	Backflow preventer multi-packaging: 2 pieces			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**42 229 000** **Solenoid valve** for Europlus E		**4005176299223**	**214.95**
	**42 886 000** **Battery** 6V lithium battery, type CR-P2		**4005176200670**	**42.13**

GROHE
DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**08 915 000**	**Chrome**	**4005176020124**	**52.93**
	Diverter for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower			
	**46 058 000**	**Chrome**	**4005176008467**	**63.72**
	Diverter for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 **GROHE StarLight** chrome finish			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 293 000		4005176358593	31.32



Shower hose
for sink mixer with pull-out dual spray or mousseur
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position
including weight and knurled nuts G 1/2
approx. 1425 mm
M15 x 1
GROHE StarLight finish

GROHE
SPARE PARTS FOR KITCHEN FAUCETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**46 575 000**	**Chrome**	**4005176830099**	**74.53**


K4
Hand shower
GROHE StarLight chrome finish

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)






28 634 XX0 **dark grey** **4005176041440** **32.15**

Relexa
Quick coupling
for combination with average showers
without integrated **Grohclick**
with new system
only in connection with coupling piece
(28 635/28 637)





28 817 000 **Chrome** **4005176602962** **13.94**


Adapter 1/2" x 1/4"
female thread 3/4" x 1/2"
male thread
GROHE StarLight chrome finish



06 765 000 **Chrome** **4005176831973** **96.14**

Sliding piece
suitable for shower rails of Relexa, Rainshower
and Euphoria range with diameter of 25 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish





07 659 000 **Chrome** **4005176003707** **53.99**

Sliding piece
suitable for shower rails of Tempesta range
with diameter of 25 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish



12 140 000 **Chrome** **4005176288319** **63.72**




Sliding piece
suitable for shower rails with diameter of 22 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish



45 650 IP0 **chrome/ matt chrome** **4005176137228** **52.93**


Sliding piece
suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm
glider with swivel holder
for height adjustability of the hand shower
GROHE StarLight chrome finish

GROHE
SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 435 000	Chrome	4005176272141	54.78
Relexa Plus **Gliding element with metal sleeve** for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut **GROHE StarLight** chrome finish				
	48 099 000	Chrome	4005176908583	20.52
Sliding piece suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	48 177 000	Chrome	4005176924248	42.97
Sliding piece suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower **GROHE StarLight** chrome finish				
	45 363 000	Chrome	4005176112324	20.52
Cover plate for shower rail Relexa and Tempesta ø 25 mm				

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated


GROHE
MISCELLANEOUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**07 264 00M**	**Chrome**	**4005176228797**	**9.72**
	Filter multi-packaging: 2 pieces			
	**49 002 00M**		**4005176372193**	**6.48**
	Temperature limiter GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.			
	**07 587 000**	**Chrome**	**4005176229015**	**20.52**
	Slider			

GROHE
SPECIAL TOOLS

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 332 000		**4005176823695**	**74.53**





Socket Spanner
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge
32 mm for disassembly of 35 mm cartridge

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
CLEANING AND CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**45 937 000**		**4005176279683**	**25.32**
	Grohe Special grease 25 g sales unit 15 pieces			
	**48 166 000**		**4005176923197**	**15.54**
	Grohclean **Detergent for fittings and bathrooms** 500 ml spray bottle based on citric acid in display box sales unit 10 pieces			

GROHE
SPARE PARTS FOR SANITARY SYSTEMS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**42 303 000**	**Chrome**	**4005176835391**	**76.77**
	Skate **Flush plate** for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation **for vertical and horizontal installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	**42 304 000**	**Chrome**	**4005176835469**	**76.77**
	Skate Air **Flush plate** for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) **for vertical installation** 156 x 197 mm made of ABS **GROHE StarLight** chrome finish **GROHE EcoJoy** technology for less water and perfect flow			
	**42 305 000**	**Chrome**	**4005176835490**	**76.77**
	Skate Air **Flush plate** for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS **GROHE EcoJoy** technology for less water and perfect flow **GROHE StarLight** chrome finish			
	**42 740 000**		**4005176230653**	**376.97**
	Solenoid Valve			
	**43 544 000**		**4005176157738**	**10.00**
	Outlet piston			
	**43 506 000**		**4005176157356**	**10.00**
	Bellow			

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**42 764 00M**		**4005176222092**	**16.10**
	Threaded bolt for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	**42 233 000**	**Chrome**	**4005176300653**	**20.52**
	Connecting hose			
	**43 758 00M**		**4005176159121**	**42.13**
	Membrane filling valve multi-packaging: 10 pieces			


GROHE
SPARE PARTS FOR SHOWER TOILET

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	**14 926 002**		**4005176572128**	**262.47**

GROHE Sensia Arena
Remote control
for 39 354 SH0 and 39 354 SH1
for Sensia Arena shower toilet system, wall hung
including wall holder

All prices shown exc. VAT / Errors and omissions excepted / Suitable for High Pressure only, unless otherwise stated

GROHE
SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	**49 510 000**		**4005176373329**	**60.98**
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	**49 024 000**	**Chrome**	**4005176454196**	**65.51**
	Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
 	**37 095 000**		**4005176145124**	**32.26**
	Filling valve 3/8“ universal application			

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
00			
00 798 000	4005176229008	735	31.32
06			
06 188 000	4005176002519	739	106.93
06 765 000	4005176831973	755	96.14
07			
07 000 000	4005176016899	733	128.54
07 025 000	4005176016929	739	31.32
07 052 000	4005176003370	748	31.32
07 146 000	4005176017261	738	20.52
07 182 000	4005176017438	748	25.93
07 264 00M	4005176228797	757	9.72
07 341 000	4005176017728	748	42.13
07 587 000	4005176229015	757	20.52
07 659 000	4005176003707	755	53.99
08			
08 915 000	4005176020124	752	52.93
10			
10 099 00M	4005176812965	741	14.04
12			
12 051 000	4005176213588	592, 602	42.13
12 140 000	4005176288319	755	63.72
12 400 000	4005176004582	743	42.13
12 433 000	4005176272752	737	85.33
12 435 000	4005176272141	756	54.78
12 693 000	4005176829918	743	20.52
13			
13 034 000	4005176022869	531, 744	53.64
13 071 000	4005176023132	531, 744	36.13
13 139 003	4005176455131	57	225.37
13 139 AL3	4005176455155	57	409.29
13 139 DA3	4005176493287	57	349.61
13 139 DC3	4005176455148	57	358.10
13 139 GL3	4005176493263	57	349.61
13 220 000	4005176855504	746	20.52
13 255 001	4005176556722	183, 189	71.96
13 261 000	4005176877384	166	87.62
13 262 000	4005176877391	166	96.77
13 264 000	4005176882449	40	242.71
13 276 002	4005176887246	145	103.35
13 278 002	4005176887871	129	103.33
13 280 001	4005176888687	138	94.38
13 281 001	4005176888694	138	123.71
13 299 000	4005176899003	31	335.58
13 299 AL0	4005176490705	31	492.01
13 299 DC0	4005176490712	31	431.28
13 303 000	4005176906350	95	126.58
13 303 AL0	4005176585562	95	195.28
13 303 DC0	4005176525100	95	171.13
13 304 000	4005176906367	95	138.18
13 317 000	4005176912603	40	776.90
13 319 000	4005176912627	31	776.90
13 319 AL0	4005176353284	31	1,138.41
13 319 DC0	4005176490651	31	996.36
13 341 000	4005176931000	67	237.95
13 341 IG0	4005176931017	67	317.64
13 378 000	4005176351532	590	85.33
13 380 000	4005176351549	590	94.31
13 383 001	4005176418167	79	207.87
13 383 DC1	4005176418174	79	346.70
13 404 003	4005176529788	106	143.07
13 404 DC3	4005176574115	106	193.51
13 448 003	4005176613555	176	94.08
13 540 000	4005176005411	194	106.93
13 927 000	4005176005541	746	20.52
13 928 000	4005176025365	745	12.96
13 929 000	4005176025440	745	12.96
13 952 000	4005176079818	746	12.96
13 960 000	4005176109522	745	16.20
14			
14 014 000	4005176929274	353	57.73
14 015 000	4005176932748	314	144.22
14 048 000	4005176413483	292, 742	159.10
14 053 00M	4005176413513	292	52.37
14 055 000	4005176413520	198, 292	166.24
14 056 000	4005176466298	292, 742	117.47
14 057 000	4005176466304	293, 742	151.95
14 058 000	4005176466311	293, 742	151.96
14 074 000	4005176575365	619, 654	38.08
14 116 00M	4005176006005	750	54.16
14 117 00M	4005176006012	750	66.66
14 926 002	4005176572128	618, 762	262.47
18			
18 121 000	4005176815812	743	53.99
18 349 000	4005176874796	162	27.18
18 608 001	4005176985140	263	45.96
18 700 000	4005176940811	267	45.95
18 862 000	4005176028120	743	63.72
19			
19 025 000	4005176209154	79, 108	56.33
19 069 003	4005176455469	55	87.70
19 069 AL3	4005176455483	55	159.16
19 069 DA3	4005176494031	55	136.49
19 069 DC3	4005176455476	55	139.25
19 069 GL3	4005176494017	55	136.49
19 088 003	4005176455162	55	113.23
19 088 AL3	4005176455186	55	157.65
19 088 DA3	4005176493348	55	136.49
19 088 DC3	4005176455179	55	146.53
19 088 GL3	4005176493324	55	136.49
19 287 003	4005176454738	46	375.25
19 287 AL3	4005176454752	46	682.13
19 287 DA3	4005176492372	46	582.69
19 287 DC3	4005176454745	46	596.86
19 287 GL3	4005176492358	46	582.69
19 309 000	4005176820656	37	591.08
19 316 000	4005176821783	39	1,334.33
19 332 000	4005176823695	758	74.53
19 334 000	4005176823800	41	146.87
19 345 001	4005176888953	136	154.90
19 346 001	4005176889080	137	168.60
19 381 000	4005176874673	161	187.45
19 382 000	4005176874697	166	131.98
19 383 000	4005176874765	165	109.81
19 384 000	4005176875755	42	146.87
19 386 000	4005176876011	37	637.55
19 408 001	4005176307133	114	196.24
19 408 A01	4005176426209	114	323.26
19 408 AL1	4005176426193	114	344.81
19 408 BE1	4005176426216	114	316.92
19 408 DA1	4005176426179	114	316.92
19 408 DC1	4005176369964	114	295.78
19 408 DL1	4005176426186	114	344.81
19 408 EN1	4005176426223	114	338.04

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
19 408 GL1	4005176426155	114	316.92
19 408 GN1	4005176426162	114	338.04
19 409 001	4005176409158	74	289.16
19 409 AL1	4005176586170	74	392.66
19 409 DC1	4005176412752	74	370.46
19 470 000	4005176848018	740	69.54
19 506 002	4005176887185	144	161.40
19 506 003	4005176334399	154	149.80
19 506 LS3	4005176334542	154	196.26
19 507 002	4005176887079	144	161.39
19 507 003	4005176334337	154	126.57
19 507 LS3	4005176334528	154	176.38
19 571 002	4005176886973	141	231.10
19 571 003	4005176334269	150	231.11
19 571 LS3	4005176334498	150	289.17
19 573 002	4005176887659	126	219.50
19 575 001	4005176888366	133	189.81
19 576 002	4005176429088	138	728.49
19 577 001	4005176409233	77	695.61
19 577 AL1	4005176586224	77	1,340.70
19 577 DC1	4005176412820	77	1,272.15
19 577 EN1	4005176413018	77	1,508.69
19 578 001	4005176307195	117	776.91
19 578 A01	4005176426520	117	1,143.32
19 578 AL1	4005176426513	117	1,219.55
19 578 BE1	4005176426537	117	1,143.32
19 578 DA1	4005176426490	117	1,143.32
19 578 DC1	4005176371103	117	1,067.11
19 578 DL1	4005176426506	117	1,219.55
19 578 EN1	4005176374463	117	1,219.55
19 578 GL1	4005176426476	117	1,143.32
19 578 GN1	4005176426483	117	1,219.55
19 590 000	4005176890529	41	203.77
19 781 000	4005176898822	28	704.74
19 781 AL0	4005176490385	28	1,064.30
19 781 DC0	4005176490392	28	931.52
19 783 000	4005176898846	28	765.31
19 783 AL0	4005176490477	28	1,135.32
19 783 DC0	4005176490484	28	993.27
19 787 001	4005176429057	30	1,608.97
19 787 AL1	4005176489563	30	2,341.66
19 787 DC1	4005176489570	30	2,048.31
19 796 000	4005176899133	32	196.27
19 796 AL0	4005176353062	32	265.56
19 796 DC0	4005176490019	32	253.21
19 798 000	4005176899157	31	272.10
19 798 AL0	4005176353079	31	369.52
19 798 DC0	4005176489969	31	352.02
19 808 001	4005176843204	194	21.63
19 809 001	4005176853876	194	22.06
19 830 000	4005176030697	739	28.35
19 831 000	4005176030703	739	27.79
19 840 000	4005176030758	740	36.02
19 841 000	4005176030765	740	45.16
19 895 000	4005176901072	89	265.94
19 895 AL0	4005176585494	89	402.46
19 897 001	4005176429101	94	1,126.45
19 897 AL1	4005176585548	94	1,585.12
19 897 DC1	4005176525087	94	1,387.50
19 910 000	4005176987014	96	56.88
19 918 003	4005176454769	47	425.21
19 918 AL3	4005176454783	47	773.10
19 918 DA3	4005176492440	47	660.38
19 918 DC3	4005176454776	47	676.46
19 918 GL3	4005176492426	47	660.38
19 919 000	4005176924125	66	1,194.31
19 919 IG0	4005176924132	66	1,558.63
19 922 003	4005176455568	56	1,281.70
19 922 AL3	4005176455582	56	1,864.60
19 922 DA3	4005176494697	56	1,748.06
19 922 DC3	4005176455575	56	1,590.58
19 922 GL3	4005176494673	56	1,748.06
19 923 003	4005176455537	56	1,281.70
19 923 AL3	4005176455551	56	1,713.41
19 923 DA3	4005176494635	56	1,748.06
19 923 DC3	4005176455544	56	1,790.62
19 923 GL3	4005176494611	56	1,748.06
19 929 000	4005176930430	64	412.67
19 929 IG0	4005176930447	64	568.11
19 930 000	4005176930454	64	477.03
19 930 IG0	4005176930461	64	625.03
19 936 000	4005176930812	65	1,148.50
19 936 IG0	4005176930829	65	1,456.16
19 942 000	4005176931048	67	146.86
19 942 IG0	4005176931055	67	186.27
19 944 000	4005176931086	67	112.69
19 944 IG0	4005176931093	67	135.48
19 952 000	4005176174230	79, 107	50.60
19 952 A00	4005176352874	197	124.75
19 952 AL0	4005176353376	79, 107	137.23
19 952 DC0	4005176467776	79, 107	63.42
19 952 EN0	4005176468100	197	260.94
19 954 000	4005176175732	198	21.49
19 965 001	4005176409240	78	509.79
19 966 000	4005176986864	94	699.92
19 967 001	4005176307140	114	219.49
19 967 A01	4005176426285	114	357.05
19 967 AL1	4005176426278	114	380.84
19 967 BE1	4005176426292	114	357.05
19 967 DA1	4005176426254	114	357.05
19 967 DC1	4005176369971	114	333.26
19 967 DL1	4005176426261	114	380.84
19 967 EN1	4005176426308	114	380.84
19 967 GL1	4005176426230	114	357.05
19 967 GN1	4005176426247	114	380.84
19 968 000	4005176993657	120	219.48
19 969 000	4005176993671	120	237.96
19 974 002	4005176305948	126	231.09
19 976 001	4005176307218	118	463.34
19 997 000	4005176342189	82	254.31
19 998 000	4005176342196	82	289.16
20			
20 008 003	4005176455285	53	500.70
20 008 AL3	4005176455308	53	909.52
20 008 DA3	4005176493621	53	776.92
20 008 DC3	4005176455292	53	795.84
20 008 GL3	4005176493607	53	776.92
20 009 003	4005176454974	53	400.78
20 009 AL3	4005176454998	53	909.52
20 009 DA3	4005176492853	53	776.92
20 009 DC3	4005176454981	53	795.84
20 009 GL3	4005176492839	53	776.92
20 021 003	4005176455193	52	250.92
20 021 AL3	4005176455216	52	454.77
20 021 DA3	4005176493416	52	388.46
20 021 DC3	4005176455209	52	397.95
20 021 GL3	4005176493393	52	388.46
20 025 000	4005176099403	603	128.54
20 143 000	4005176832581	36	660.78
20 164 003	4005176455315	53	425.21
20 164 AL3	4005176455339	53	773.10
20 164 DA3	4005176493690	53	660.38
20 164 DC3	4005176455322	53	676.46

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
20 164 GL3	4005176493676	53	660.38
20 169 003	4005176455001	53	425.21
20 169 AL3	4005176455025	53	773.10
20 169 DA3	4005176492921	53	660.38
20 169 DC3	4005176455018	53	676.46
20 169 GL3	4005176492907	53	660.38
20 186 001	4005176874437	192	67.17
20 187 000	4005176874680	161	209.63
20 188 000	4005176875724	36	660.78
20 189 000	4005176875731	37	591.08
20 190 000	4005176875748	36	579.49
20 192 000	4005176875991	36	625.93
20 193 000	4005176876004	37	625.93
20 201 000	4005176883354	196	110.31
20 203 000	4005176883378	196	97.53
20 205 000	4005176883682	196	80.14
20 208 002	4005176886980	141	265.94
20 216 001	4005176888373	133	232.22
20 296 001	4005176307072	113	265.94
20 299 001	4005176307096	113	329.03
20 301 003	4005176529757	100	310.84
20 304 001	4005176409141	73	370.46
20 342 000	4005176898860	27	730.47
20 342 AL0	4005176490064	27	1,070.47
20 342 DC0	4005176490071	27	936.66
20 344 000	4005176898884	27	852.75
20 344 AL0	4005176353185	27	1,401.32
20 344 DC0	4005176489815	27	1,117.82
20 346 000	4005176898907	27	753.67
20 346 AL0	4005176490200	27	1,111.64
20 346 DC0	4005176490217	27	972.69
20 348 000	4005176898921	27	800.14
20 348 AL0	4005176490293	27	1,182.67
20 348 DC0	4005176490309	27	1,034.45
20 351 000	4005176901041	89	312.38
20 351 AL0	4005176584688	89	488.92
20 351 DC0	4005176525001	89	428.19
20 389 000	4005176924101	63	579.49
20 389 IG0	4005176924118	63	738.90
20 393 001	4005176842993	192	74.01
20 404 001	4005176842986	192	55.77
20 414 000	4005176930492	63	428.52
20 414 IG0	4005176930508	63	521.54
20 415 000	4005176930515	63	444.15
20 415 IG0	4005176930522	63	613.66
20 417 000	4005176930553	63	521.41
20 417 IG0	4005176930560	63	670.58
20 421 001	4005176556173	177	51.96
20 421 10M	4005176556180	177	103.83
20 422 001	4005176529504	184	51.96
20 575 000	4005176388422	190	55.94
21			
21 019 003	4005176455223	52	400.80
21 019 AL3	4005176455247	52	727.64
21 019 DA3	4005176493485	52	621.53
21 019 DC3	4005176455230	52	636.67
21 019 GL3	4005176493461	52	621.53
21 022 003	4005176454943	52	400.80
21 022 AL3	4005176454967	52	727.64
21 022 DA3	4005176492792	52	621.53
21 022 DC3	4005176454950	52	636.67
21 022 GL3	4005176492778	52	621.53
21 044 003	4005176455254	52	550.68
21 044 AL3	4005176455278	52	1,000.49
21 044 DA3	4005176493553	52	854.61
21 044 DC3	4005176455261	52	875.44
21 044 GL3	4005176493539	52	854.61
21 107 000	4005176930393	62	440.13
21 107 IG0	4005176930409	62	568.11
21 375 001	4005176843037	192	101.32
21 390 001	4005176843006	192	149.80
22			
22 009 001	4005176556227	183	21.35
22 012 000	4005176906343	97, 727	45.29
22 012 AL0	4005176585944	97, 727	75.59
22 012 DC0	4005176525742	97, 727	66.14
22 013 000	4005176909689	97, 727	45.29
22 016 00M	4005176940606	726	80.13
22 017 00M	4005176940613	726	56.90
22 018 000	4005176305382	725	5.79
22 023 000	4005176305405	725	6.95
22 029 000	4005176305467	725	10.43
22 032 000	4005176305481	725	10.46
22 033 000	4005176305498	728	26.71
22 035 000	4005176305511	728	22.06
22 037 000	4005176305535	724	10.44
22 039 AL0	4005176467936	724	73.68
22 041 000	4005176305573	724	10.45
22 043 000	4005176305597	724	16.18
22 046 000	4005176305627	724	9.27
22 053 000	4005176349027	725	11.62
22 054 001	4005176554162	184	72.80
22 917 000	4005176501388	726	47.79
22 939 000	4005176829369	726	20.52
22 940 000	4005176829376	726	20.52
22 958 00M	4005176034237	726	418.28
23			
23 029 000	4005176898709	26	591.09
23 029 AL0	4005176353154	26	960.17
23 029 DC0	4005176489471	26	765.80
23 033 000	4005176898716	26	591.09
23 033 AL0	4005176489648	26	874.91
23 033 DC0	4005176489488	26	765.80
23 037 002	4005176886355	139	149.78
23 039 002	4005176886881	139	91.75
23 043 003	4005176472732	141	194.30
23 048 003	4005176429132	144	869.81
23 049 002	4005176887536	123	192.42
23 051 002	4005176887567	123	103.35
23 054 003	4005176472596	125	190.51
23 055 002	4005176887680	126	242.69
23 058 003	4005176313790	345	702.95
23 060 001	4005176888021	130	134.11
23 061 002	4005176417917	344	578.62
23 076 000	4005176890505	35	533.02
23 106 001	4005176409110	73	242.70
23 106 AL1	4005176586149	73	344.36
23 106 DC1	4005176412721	73	326.29
23 109 000	4005176898754	26	742.06
23 109 AL0	4005176353161	26	1,101.35
23 109 DC0	4005176489860	26	952.10
23 112 000	4005176898778	26	742.06
23 112 AL0	4005176489785	26	1,087.97
23 114 000	4005176898792	26	898.28
23 114 AL0	4005176353178	26	1,348.38
23 114 DC0	4005176489914	26	1,179.58
23 117 000	4005176898938	28	659.20
23 117 AL0	4005176490569	28	993.27
23 117 DC0	4005176490576	28	869.76
23 119 000	4005176899027	30	2,669.81
23 119 001	4005176428883	30	2,482.67

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
23 119 AL0	4005176353208	30	4,307.74
23 119 DC0	4005176489679	30	3,451.24
23 127 000	4005176900341	87	231.10
23 127 00E	4005176901591	87	231.10
23 132 000	4005176900990	87	219.49
23 132 00E	4005176906725	87	219.49
23 135 000	4005176901027	88	254.31
23 135 00E	4005176906732	88	237.95
23 137 000	4005176901096	87	173.05
23 138 000	4005176901133	90	219.50
23 140 000	4005176901157	91	272.11
23 140 AL0	4005176585531	91	429.22
23 140 DC0	4005176525056	91	375.69
23 141 000	4005176901164	91	347.20
23 145 000	4005176901270	90	249.32
23 145 AL0	4005176585524	90	368.49
23 145 DC0	4005176525049	90	322.17
23 147 001	4005176313271	345	1,247.90
23 200 000	4005176908354	28, 89	242.72
23 200 002	4005176519901	28, 90	226.45
23 293 000	4005176921148	598	206.17
23 296 001	4005176409127	73	312.38
23 296 DC1	4005176412738	73	428.25
23 302 000	4005176923876	594	337.02
23 303 000	4005176924088	62	370.48
23 303 IG0	4005176924095	62	477.03
23 310 000	4005176930331	62	370.48
23 310 IG0	4005176930348	62	477.03
23 313 000	4005176930614	62	486.57
23 313 IG0	4005176930621	62	625.03
23 315 000	4005176930652	64	416.91
23 315 IG0	4005176930669	64	533.97
23 316 000	4005176930690	64	401.19
23 316 IG0	4005176930706	64	521.54
23 317 000	4005176930799	65	533.96
23 317 IG0	4005176930805	65	651.93
23 318 000	4005176930874	66	1,740.77
23 318 IG0	4005176930881	66	2,207.59
23 319 000	4005176931192	64	237.96
23 322 003	4005176613302	170	109.81
23 323 003	4005176613319	171	109.81
23 324 003	4005176613326	171	98.71
23 325 000	4005176933974	159	131.98
23 327 000	4005176934094	159	120.89
23 327 KW0	4005176565205	159	158.00
23 328 001	4005176556241	177	72.11
23 330 001	4005176556302	177	67.87
23 331 001	4005176556494	181	72.11
23 335 001	4005176529566	184	83.78
23 337 001	4005176555725	184	67.87
23 338 001	4005176555893	187	94.38
23 372 003	4005176613241	169	96.50
23 373 20E	4005176936661	140	126.55
23 374 003	4005176334153	147	126.58
23 374 20E	4005176936678	140	126.56
23 374 LS3	4005176334450	147	173.04
23 376 00E	4005176936623	158	115.35
23 377 00E	4005176936630	158	120.89
23 378 00E	4005176936647	158	107.65
23 379 001	4005176306891	110	173.04
23 380 10E	4005176938245	131	147.40
23 382 20E	4005176936708	124	184.67
23 384 20E	4005176936722	124	215.19
23 385 10E	4005176938269	131	136.79
23 387 20E	4005176938382	139	126.56
23 389 20E	4005176938412	124	192.43
23 390 00E	4005176938436	87	231.10
23 392 00E	4005176938450	87	231.09
23 393 30E	4005176613340	171	109.81
23 394 30E	4005176613364	172	98.71
23 395 30E	4005176613357	172	98.71
23 396 00E	4005176938504	159	131.99
23 403 000	4005176941627	35	707.24
23 405 001	4005176409134	73	289.16
23 405 AL1	4005176586163	73	481.90
23 405 DC1	4005176412745	73	456.80
23 406 000	4005176941658	88	289.14
23 406 AL0	4005176584671	88	451.86
23 406 DC0	4005176524998	88	395.25
23 425 000	4005176993596	120	184.64
23 427 000	4005176993619	120	207.87
23 428 000	4005176993633	120	312.38
23 429 000	4005176993695	47, 82	242.71
23 430 000	4005176993725	121	226.57
23 431 000	4005176993749	121	231.09
23 432 000	4005176993763	125	300.77
23 444 001	4005176411977	74	289.15
23 444 AL1	4005176586187	74	425.20
23 444 DC1	4005176412769	74	402.96
23 445 000	4005176998706	88	242.72
23 445 AL0	4005176584657	88	342.76
23 445 DC0	4005176524974	88	299.53
23 446 000	4005176998720	88	231.08
23 447 000	4005176998737	89	265.94
23 448 002	4005176998744	125	196.27
23 449 002	4005176998768	125	184.64
23 450 001	4005176998775	132	158.00
23 451 001	4005176998799	132	147.40
23 456 003	4005176613272	167	96.50
23 462 001	4005176306907	111	196.25
23 462 A01	4005176425325	111	288.85
23 462 AL1	4005176426070	111	308.10
23 462 BE1	4005176426087	111	288.85
23 462 DA1	4005176426056	111	288.85
23 462 DC1	4005176369933	111	269.57
23 462 DL1	4005176426063	111	308.10
23 462 EN1	4005176426094	111	308.10
23 462 GL1	4005176426032	111	288.85
23 462 GN1	4005176426049	111	308.10
23 463 001	4005176306914	111	184.64
23 480 001	4005176306921	111	189.39
23 491 001	4005176307263	119	1,194.98
23 491 A01	4005176407598	119	1,805.26
23 491 AL1	4005176407604	119	1,925.59
23 491 BE1	4005176426605	119	1,805.26
23 491 DA1	4005176407574	119	1,805.26
23 491 DC1	4005176371127	119	1,684.90
23 491 DL1	4005176426599	119	1,925.59
23 491 EN1	4005176371134	119	1,925.59
23 491 GL1	4005176407581	119	1,805.26
23 491 GN1	4005176426582	119	1,925.59
23 537 003	4005176613395	172	150.28
23 541 001	4005176313912	112	196.25
23 559 001	4005176556326	177	75.21
23 564 003	4005176334146	146	124.94
23 567 003	4005176334214	148	126.58
23 569 003	4005176334238	149	219.49
23 569 LS3	4005176334467	149	242.52
23 570 003	4005176334245	149	242.71
23 570 LS3	4005176334474	149	289.17
23 571 000	4005176334276	74, 114	231.08
23 590 001	4005176339189	110	155.62
23 590 A01	4005176426001	110	238.73
23 590 AL1	4005176425998	110	254.63

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
23 590 BE1	4005176426018	110	238.73
23 590 DA1	4005176425875	110	238.73
23 590 DC1	4005176369926	110	222.79
23 590 DL1	4005176425882	110	254.63
23 590 EN1	4005176426025	110	259.72
23 590 GL1	4005176425851	110	238.73
23 590 GN1	4005176425868	110	254.63
23 602 001	4005176556029	188	94.99
23 604 001	4005176556593	182	94.99
23 633 001	4005176555923	187	72.49
23 635 001	4005176556524	181	72.49
23 654 000	4005176342080	81	242.73
23 656 000	4005176342103	81	219.48
23 657 000	4005176342110	81	300.77
23 658 000	4005176342127	81	231.09
23 661 000	4005176342158	81	312.38
23 664 000	4005176342202	82	254.32
23 665 000	4005176342219	82	277.54
23 666 000	4005176342226	83	324.01
23 667 001	4005176429019	85	1,696.67
23 672 001	4005176429002	95	1,680.40
23 672 AL1	4005176585555	95	2,435.32
23 672 DC1	4005176525094	95	2,130.65
23 707 003	4005176364778	146	114.96
23 707 LS3	4005176364785	146	161.40
23 708 003	4005176364990	146	109.16
23 709 003	4005176365003	147	114.96
23 709 LS3	4005176365010	147	149.78
23 715 003	4005176365065	148	103.36
23 716 003	4005176365072	148	149.79
23 717 30L	4005176365089	149	103.36
23 718 003	4005176365096	149	196.27
23 718 LS3	4005176365102	149	231.09
23 719 003	4005176365119	150	231.11
23 719 LS3	4005176365126	150	265.94
23 720 003	4005176365157	151	114.96
23 720 LS3	4005176365164	151	161.39
23 722 003	4005176365188	151	173.07
23 722 LS3	4005176365195	151	173.04
23 725 003	4005176365249	154	161.43
23 726 003	4005176365256	152	173.05
23 726 LS3	4005176365263	152	231.07
23 730 003	4005176365324	155	173.04
23 739 002	4005176472602	132	208.93
23 741 001	4005176371509	118	1,798.86
23 741 DC1	4005176371516	118	3,158.97
23 743 003	4005176613401	173	144.56
23 751 000	4005176388149	190	77.64
23 752 000	4005176388156	190	73.07
23 753 000	4005176388163	190	111.91
23 754 000	4005176388170	190	101.61
23 755 000	4005176388187	191	78.78
23 756 000	4005176388392	191	90.20
23 757 001	4005176556340	179	100.98
23 758 001	4005176556364	179	91.20
23 759 001	4005176556388	179	91.20
23 760 001	4005176556418	180	103.93
23 761 001	4005176556449	181	123.02
23 762 001	4005176555763	185	91.20
23 763 001	4005176555800	186	103.93
23 764 001	4005176555848	187	123.02
23 790 001	4005176408380	72	231.09
23 791 001	4005176409097	72	231.09
23 791 AL1	4005176586125	72	323.36
23 791 DC1	4005176412707	72	305.90
23 792 001	4005176409257	78	1,717.54
23 792 AL1	4005176586231	78	2,493.48
23 792 DC1	4005176412837	78	2,365.61
23 792 EN1	4005176413001	78	2,388.49
23 843 003	4005176496547	100	338.64
23 843 DC3	4005176574085	100	448.77
23 844 003	4005176496554	100	338.64
23 845 003	4005176496677	105	698.89
23 846 003	4005176496684	105	1,542.92
23 846 AL3	4005176585722	105	2,398.27
23 846 DC3	4005176574177	105	2,098.74
23 851 003	4005176496523	99	287.17
23 851 AL3	4005176585623	99	442.60
23 851 DC3	4005176574078	99	387.02
23 870 003	4005176529719	98	204.83
23 871 003	4005176529726	99	256.30
23 871 AL3	4005176585616	99	395.25
23 871 DC3	4005176574061	99	345.84
23 872 003	4005176529733	99	256.30
23 873 003	4005176529986	99	287.17
23 877 001	4005176554025	185	83.78
23 878 001	4005176554032	184	83.78
23 879 001	4005176554049	185	83.78
23 883 001	4005176554179	185	72.80
23 885 001	4005176554216	186	91.20
23 886 001	4005176554247	186	91.20
23 887 001	4005176554254	186	91.20
23 891 001	4005176554322	187	103.93
23 894 001	4005176554896	178	72.11
23 895 001	4005176554902	177	72.11
23 896 001	4005176554919	178	72.11
23 899 001	4005176555022	178	75.21
23 901 001	4005176555084	179	91.20
23 902 001	4005176555091	180	91.20
23 904 001	4005176555114	179	91.20
23 908 001	4005176555176	180	91.20
23 911 001	4005176555237	180	103.93
23 917 001	4005176555787	186	91.20
23 920 001	4005176583421	133	204.83
23 921 000	4005176583438	160	173.95
23 922 003	4005176613227	167	98.69
23 923 003	4005176613333	171	109.81
23 924 003	4005176613265	169	99.82
23 925 000	4005176583353	156	113.32
23 926 000	4005176583360	159	129.39
23 927 000	4005176583377	158	129.39
23 928 000	4005176583384	159	118.52
23 929 003	4005176583995	146	120.89
23 930 003	4005176584008	147	120.89
23 931 001	4005176584015	130	134.11
23 932 001	4005176584022	132	144.50
23 933 001	4005176584039	160	149.65
23 965 003	4005176611544	169	99.82
23 967 003	4005176611568	170	87.62
23 968 003	4005176611575	170	99.82
23 969 003	4005176613180	170	99.82
23 970 003	4005176613418	172	150.28
23 971 003	4005176613425	173	202.87
23 972 001	4005176634451	178	68.99
24			
24 027 003	4005176455346	54	425.21
24 027 AL3	4005176455360	54	773.10
24 027 DA3	4005176493768	54	660.38
24 027 DC3	4005176455353	54	676.46
24 027 GL3	4005176493744	54	660.38
24 036 000	4005176993701	121	219.48
24 042 003	4005176613616	175	131.92
24 043 003	4005176613548	175	145.33

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
24 044 000	4005176465185	164	135.44
24 045 000	4005176465291	165	149.08
24 046 003	4005176465307	153	136.30
24 046 LS3	4005176465314	153	176.98
24 047 003	4005176465321	153	150.59
24 047 LS3	4005176465338	153	194.56
24 048 003	4005176465345	153	142.90
24 048 LS3	4005176465352	153	185.76
24 049 003	4005176465369	153	157.19
24 049 LS3	4005176465376	153	204.47
24 051 002	4005176465383	144	156.08
24 052 002	4005176465390	144	171.48
24 053 001	4005176465406	136	148.22
24 054 001	4005176465413	136	162.63
24 055 002	4005176465420	121, 128	159.49
24 056 002	4005176465437	122, 129	174.58
24 059 003	4005176529832	103	194.54
24 059 AL3	4005176585708	103	300.56
24 059 DC3	4005176574153	103	262.47
24 060 003	4005176529825	103	204.83
24 060 AL3	4005176585692	103	316.00
24 060 DC3	4005176574146	103	276.88
24 061 000	4005176465680	83, 91	190.15
24 061 AL0	4005176585586	91	274.82
24 062 000	4005176465697	83, 92	209.96
24 062 AL0	4005176585579	92	302.61
24 062 DC0	4005176553905	92	264.53
24 063 001	4005176465703	76	197.87
24 063 AL1	4005176586248	76	290.82
24 063 DC1	4005176465727	76	275.82
24 064 001	4005176465710	76	217.65
24 064 AL1	4005176586255	76	320.22
24 064 DC1	4005176465734	76	303.41
24 065 003	4005176465741	48	327.57
24 065 AL3	4005176465765	48	521.89
24 065 DA3	4005176564550	48	451.45
24 065 DC3	4005176465758	48	456.66
24 065 GL3	4005176564574	48	446.20
24 066 003	4005176465772	48	359.45
24 066 AL3	4005176465796	48	574.06
24 066 DA3	4005176564628	48	496.60
24 066 DC3	4005176465789	48	502.31
24 066 GL3	4005176564642	48	491.35
24 067 000	4005176465802	65	304.98
24 067 IG0	4005176465819	65	366.41
24 068 000	4005176465840	65	342.98
24 068 IG0	4005176465857	65	403.04
24 069 000	4005176465888	38	352.85
24 070 000	4005176465895	38	388.02
24 071 000	4005176465901	29	375.04
24 071 AL0	4005176465925	29	552.73
24 071 DC0	4005176465918	29	483.77
24 072 000	4005176465932	29	412.76
24 072 AL0	4005176465956	29	607.29
24 072 DC0	4005176465949	29	532.15
24 075 000	4005176465987	255	383.62
24 076 000	4005176465994	255	427.59
24 077 000	4005176466007	255	427.59
24 078 000	4005176466038	253	383.62
24 079 000	4005176466045	253	427.59
24 080 000	4005176466052	253	427.59
24 092 001	4005176480522	117	215.45
24 092 A01	4005176481291	117	315.08
24 092 AL1	4005176481307	117	336.06
24 092 BE1	4005176480607	117	315.08
24 092 DA1	4005176480560	117	315.08
24 092 DC1	4005176480539	117	294.06
24 092 DL1	4005176480577	117	336.06
24 092 EN1	4005176480614	117	336.06
24 092 GL1	4005176480546	117	315.08
24 092 GN1	4005176480553	117	336.06
24 093 003	4005176530050	104	225.42
24 093 AL3	4005176585760	104	355.11
24 093 DC3	4005176574214	104	310.85
24 094 000	4005176480638	84, 92	234.12
24 094 AL0	4005176585593	92	337.61
24 094 DC0	4005176574047	92	295.41
24 095 001	4005176480645	77	242.94
24 095 AL1	4005176586262	77	356.96
24 095 DC1	4005176480652	77	338.21
24 096 003	4005176480669	49	384.73
24 096 AL3	4005176480683	49	613.79
24 096 DA3	4005176564697	49	531.24
24 096 DC3	4005176480676	49	537.10
24 096 GL3	4005176564710	49	524.94
24 099 000	4005176480744	29	437.52
24 099 AL0	4005176480768	29	697.46
24 099 DC0	4005176480751	29	610.26
24 134 003	4005176480959	49	618.59
24 134 AL3	4005176480997	49	988.22
24 134 DA3	4005176564345	49	520.83
24 134 DC3	4005176480973	49	864.70
24 134 GL3	4005176564369	49	845.06
24 135 003	4005176480966	50	661.70
24 135 AL3	4005176481000	50	1,057.05
24 135 DA3	4005176564413	50	914.02
24 135 DC3	4005176480980	50	924.92
24 135 GL3	4005176564437	50	903.73
24 138 003	4005176481017	50	661.70
24 138 AL3	4005176481031	50	1,057.05
24 138 DA3	4005176564482	50	914.02
24 138 DC3	4005176481024	50	924.92
24 138 GL3	4005176564505	50	903.73
24 153 000	4005176481178	84, 92	505.28
24 153 AL0	4005176585913	84, 92	719.48
24 153 DC0	4005176574221	84, 92	629.93
24 154 000	4005176481185	84, 93	563.27
24 154 AL0	4005176585920	84, 93	801.82
24 154 DC0	4005176574238	84, 93	701.98
24 155 000	4005176481192	85, 93	563.27
24 155 AL0	4005176585937	85, 93	801.82
24 155 DC0	4005176574245	85, 93	701.98
25			
25 010 003	4005176455407	54	600.65
25 010 AL3	4005176455421	54	1,091.44
25 010 DA3	4005176493904	54	932.30
25 010 DC3	4005176455414	54	955.02
25 010 GL3	4005176493881	54	932.30
25 044 003	4005176455438	55	1,876.29
25 044 AL3	4005176455452	55	3,410.76
25 044 DA3	4005176493973	55	2,913.43
25 044 DC3	4005176455445	55	2,984.39
25 044 GL3	4005176493959	55	2,913.43
25 098 003	4005176644290	175	199.99
25 102 000	4005176881671	137	242.83
25 104 000	4005176881794	77	428.51
25 105 003	4005176644306	175	229.99
25 109 000	4005176881848	137	274.64
25 113 000	4005176881862	77	463.36
25 128 000	4005176905209	164	209.63
25 129 000	4005176905216	164	254.00
25 132 003	4005176529870	104	379.81
25 133 003	4005176529887	104	410.69

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
25 136 000	4005176906763	94	323.98
25 137 000	4005176906770	94	370.46
25 216 001	4005176556654	182	139.99
25 217 001	4005176556661	183	169.99
25 219 001	4005176466373	165	428.35
25 231 001	4005176554599	188	139.99
25 232 001	4005176554605	188	169.99
25 246 001	4005176674228	182	199.99
25 450 001	4005176843372	193	135.47
25 452 001	4005176843075	193	126.82
25 460 10A	4005176456541	193	158.24
26			
26 003 003	4005176455377	54	450.74
26 003 AL3	4005176455391	54	818.57
26 003 DA3	4005176493836	54	699.22
26 003 DC3	4005176455384	54	716.24
26 003 GL3	4005176493812	54	699.22
26 037 001	4005176487392	68	111.55
26 037 IG0	4005176936210	69	152.00
26 038 000	4005176935404	69	230.85
26 042 000	4005176935954	367	209.65
26 050 001	4005176444166	377, 425	49.51
26 051 001	4005176443954	378, 417	55.38
26 052 000	4005176937064	362	399.47
26 054 000	4005176937088	32, 361	564.44
26 056 000	4005176937101	360	552.65
26 060 000	4005176937149	43, 361	493.74
26 062 000	4005176937163	362	399.47
26 063 000	4005176937170	362	399.47
26 064 000	4005176937187	361	564.44
26 065 000	4005176937194	361	517.30
26 066 000	4005176937200	360	552.65
26 066 A00	4005176427237	360	911.68
26 066 AL0	4005176427220	360	968.69
26 066 BE0	4005176427244	360	911.68
26 066 DA0	4005176427206	360	911.69
26 066 DC0	4005176371172	360	797.76
26 066 DL0	4005176427213	360	968.69
26 066 EN0	4005176427251	360	968.67
26 066 GL0	4005176427183	360	911.69
26 066 GN0	4005176427190	360	968.67
26 067 000	4005176937217	360	552.65
26 067 A00	4005176427312	360	911.69
26 067 AL0	4005176427305	360	968.69
26 067 BE0	4005176427329	360	911.68
26 067 DA0	4005176427282	360	911.68
26 067 DC0	4005176371189	360	797.76
26 067 DL0	4005176427299	360	968.69
26 067 EN0	4005176427336	360	968.69
26 067 GL0	4005176427268	360	911.69
26 067 GN0	4005176427275	360	968.67
26 070 000	4005176937248	43, 361	493.74
26 071 000	4005176937255	43, 361	493.74
26 073 000	4005176937279	363, 410	246.29
26 075 000	4005176937606	336	870.82
26 075 001	4005176648014	333, 333	735.69
26 075 A00	4005176425387	336	1,766.38
26 075 AL0	4005176425370	336	2,360.28
26 075 BE0	4005176428593	336	1,766.38
26 075 DA0	4005176425356	336	1,766.38
26 075 DC0	4005176371219	336	1,287.44
26 075 DL0	4005176425363	336	1,766.37
26 075 EN0	4005176428609	336	1,766.37
26 075 GL0	4005176425332	336	1,766.38
26 075 GN0	4005176425349	336	1,766.37
26 082 002	4005176443268	413	23.57
26 083 002	4005176451546	414	68.35
26 084 002	4005176451645	416	37.68
26 085 001	4005176444036	411	48.33
26 086 001	4005176451904	411	97.82
26 087 000	4005176940828	338	1,295.03
26 089 001	4005176444067	365, 411	73.04
26 090 001	4005176443992	365, 416	76.58
26 114 001	4005176417870	343	747.09
26 130 001	4005176443909	413	29.46
26 145 000	4005176986000	381	140.24
26 146 000	4005176986017	381	116.67
26 146 LS0	4005176997266	381	116.65
26 161 001	4005176444104	418	25.92
26 162 001	4005176451713	420	59.70
26 164 001	4005176451867	422	37.16
26 171 000	4005176997310	362	423.03
26 187 000	4005176310744	338	1,000.45
26 223 001	4005176408144	351	669.65
26 224 001	4005176408168	351	464.82
26 241 000	4005176316319	342	463.12
26 243 000	4005176316326	344	618.67
26 249 000	4005176317156	341	623.35
26 250 000	4005176316999	318	1,495.37
26 250 LS0	4005176317002	318	1,471.80
26 254 000	4005176317026	321, 355	623.35
26 254 LS0	4005176409806	322, 355	741.19
26 256 000	4005176318597	360	811.88
26 257 000	4005176317927	360	588.02
26 264 001	4005176417108	322, 355	210.93
26 267 001	4005176444197	365, 423	61.25
26 302 001	4005176408137	349	523.35
26 308 001	4005176843129	193	101.33
26 328 000	4005176332111	427	70.70
26 329 000	4005176332128	427	175.59
26 330 001	4005176843112	193	85.39
26 332 000	4005176332135	427	187.36
26 333 000	4005176332142	427	75.43
26 334 000	4005176332159	432	17.34
26 335 000	4005176332166	432	19.25
26 346 000	4005176332173	432	21.58
26 352 000	4005176333835	428	35.71
26 353 000	4005176333866	428	34.16
26 354 000	4005176333873	428	45.96
26 355 IL0	4005176333880	428	34.17
26 356 IL0	4005176333903	429	34.09
26 357 000	4005176333927	429	93.07
26 358 000	4005176333941	429	122.56
26 361 000	4005176347580	319	1,365.72
26 361 LS0	4005176409707	319	1,353.96
26 362 LN0	4005176339257	354	21.24
26 363 000	4005176339264	339	741.21
26 370 000	4005176341380	311, 439	34.16
26 373 001	4005176415593	310, 366	22,094.13
26 374 000	4005176350825	314	953.31
26 376 001	4005176415609	310, 366	2,103.42
26 381 001	4005176451980	352	254.00
26 383 000	4005176369025	340	774.18
26 383 001	4005176460050	340	947.41
26 384 000	4005176369032	336	928.56
26 385 000	4005176375057	323, 354	21.24
26 405 000	4005176385162	409	83.10
26 406 001	4005176451881	422	55.21
26 408 000	4005176390111	377, 425	96.65
26 409 000	4005176390128	377, 425	96.65
26 410 000	4005176390142	377, 425	96.65
26 412 000	4005176390173	364, 423	170.88
26 413 000	4005176390180	364, 424	170.89

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
26 414 000	4005176408090	364, 424	143.78
26 418 000	4005176407666	342	501.77
26 443 000	4005176409875	320	1,365.75
26 443 LS0	4005176409882	320	1,353.96
26 446 000	4005176409905	321	1,462.35
26 446 LS0	4005176409912	321	1,462.38
26 449 000	4005176409790	251, 322	293.39
26 450 000	4005176409813	322, 355	578.61
26 450 LS0	4005176409820	322, 355	578.60
26 455 000	4005176416903	375, 406	141.43
26 457 000	4005176416934	375, 406	141.43
26 458 000	4005176416958	362, 405	235.69
26 459 000	4005176416965	362, 405	235.69
26 460 000	4005176416972	363, 405	187.37
26 461 000	4005176416989	363, 405	187.37
26 465 000	4005176423918	384	155.06
26 465 A00	4005176459146	384	247.86
26 465 AL0	4005176459153	384	263.35
26 465 BE0	4005176459160	384	247.86
26 465 DA0	4005176459122	384	247.86
26 465 DC0	4005176459092	384	216.89
26 465 DL0	4005176459139	384	263.34
26 465 EN0	4005176423925	384	263.34
26 465 GL0	4005176459108	384	247.86
26 465 GN0	4005176459115	384	263.34
26 467 000	4005176423956	408	93.76
26 468 000	4005176423963	376	157.28
26 469 000	4005176423970	371	499.64
26 472 000	4005176424908	371	515.63
26 474 000	4005176424939	373	372.86
26 474 BE0	4005176424953	373	484.73
26 474 EN0	4005176424946	373	484.73
26 474 ZB0	4005176424960	373	484.73
26 475 000	4005176423758	356	553.84
26 475 A00	4005176557095	356	800.06
26 475 AL0	4005176557101	356	850.13
26 475 BE0	4005176557118	356	800.06
26 475 DA0	4005176557125	356	800.06
26 475 DC0	4005176526237	356	699.92
26 475 DL0	4005176557132	356	850.13
26 475 EN0	4005176557149	356	850.13
26 475 GL0	4005176557156	356	800.06
26 475 GN0	4005176557163	356	850.13
26 475 LS0	4005176425899	356	727.05
26 477 000	4005176423772	356	553.84
26 477 A00	4005176557170	356	800.06
26 477 AL0	4005176557187	356	850.13
26 477 BE0	4005176557194	356	800.06
26 477 DA0	4005176557200	356	800.06
26 477 DC0	4005176526244	356	699.92
26 477 DL0	4005176557217	356	850.13
26 477 EN0	4005176557224	356	850.13
26 477 GL0	4005176557231	356	800.06
26 477 GN0	4005176557248	356	850.13
26 477 LS0	4005176425912	356	727.05
26 479 000	4005176425196	357	583.30
26 479 A00	4005176557255	357	842.68
26 479 AL0	4005176557262	357	895.94
26 479 DC0	4005176526251	357	737.21
26 479 DL0	4005176557293	357	895.94
26 479 GN0	4005176557323	357	895.94
26 479 LS0	4005176425936	357	756.53
26 481 000	4005176425219	357	583.31
26 481 A00	4005176557330	357	842.68
26 481 AL0	4005176557347	357	895.94
26 481 DC0	4005176526268	357	737.21
26 481 DL0	4005176557378	357	895.94
26 481 GN0	4005176557408	357	895.94
26 481 LS0	4005176425950	357	756.53
26 483 000	4005176425103	358	115.48
26 484 000	4005176425110	358	115.48
26 507 000	4005176457586	106, 331	1,165.42
26 507 A00	4005176557415	331	1,776.96
26 507 AL0	4005176557422	106, 331	1,881.36
26 507 BE0	4005176557439	331	1,776.96
26 507 DA0	4005176557446	331	1,776.96
26 507 DC0	4005176526374	106, 331	1,568.16
26 507 DL0	4005176557453	331	1,881.36
26 507 EN0	4005176557460	331	1,881.36
26 507 GL0	4005176557477	331	1,776.96
26 507 GN0	4005176557484	331	1,881.36
26 507 LS0	4005176457609	106, 331	1,342.18
26 508 000	4005176457593	107, 331	1,165.42
26 508 A00	4005176557491	331	1,776.96
26 508 AL0	4005176557507	107, 331	1,881.36
26 508 DC0	4005176526367	107, 331	1,568.16
26 508 DL0	4005176557538	331	1,881.36
26 508 GN0	4005176557569	331	1,881.36
26 508 LS0	4005176457616	107, 331	1,342.18
26 509 000	4005176457623	332	1,012.22
26 510 000	4005176457630	332	1,177.21
26 513 000	4005176457722	401	71.89
26 514 000	4005176476099	349	602.13
26 544 000	4005176478888	386	76.70
26 546 000	4005176479816	386	164.06
26 550 000	4005176479854	388	76.70
26 552 000	4005176486272	388	76.70
26 553 000	4005176479885	390	95.88
26 557 000	4005176481710	359	390.40
26 558 000	4005176481727	359	390.40
26 559 000	4005176481734	359	390.40
26 560 000	4005176481741	359	390.40
26 561 000	4005176481758	370	320.12
26 561 LS0	4005176482137	370	416.05
26 562 000	4005176481765	369	320.12
26 562 LS0	4005176482144	369	416.05
26 563 000	4005176481772	359	418.29
26 564 000	4005176481789	359	418.29
26 564 A00	4005176557736	359	731.88
26 564 AL0	4005176557743	359	770.24
26 564 DL0	4005176557774	359	770.24
26 564 GN0	4005176557804	359	770.24
26 565 000	4005176482090	359	418.29
26 566 000	4005176482106	359	418.29
26 566 A00	4005176557811	359	731.88
26 566 AL0	4005176557828	359	770.24
26 566 DC0	4005176526282	359	743.36
26 566 DL0	4005176557859	359	770.24
26 566 GN0	4005176557880	359	770.24
26 567 000	4005176482113	370	348.02
26 567 LS0	4005176482151	370	452.84
26 568 000	4005176482120	370	348.02
26 568 LS0	4005176482168	370	452.84
26 569 000	4005176482175	369	305.75
26 569 EN0	4005176482182	369	458.09
26 570 000	4005176482199	370	332.39
26 570 EN0	4005176482205	370	498.57
26 574 000	4005176485916	386	76.70
26 574 DC0	4005176526459	386	136.36
26 575 000	4005176485947	386	164.06
26 578 000	4005176485985	386	168.32
26 578 LS0	4005176486197	387	168.32
26 579 LS0	4005176486203	387	169.39
26 580 000	4005176486210	387	126.78

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
26 580 LS0	4005176486227	388	126.78
26 581 000	4005176486234	387	107.60
26 581 LS0	4005176486241	387	107.60
26 582 000	4005176486258	388	76.70
26 583 000	4005176486289	388	164.06
26 584 000	4005176486296	388	164.06
26 584 LS0	4005176486302	389	164.06
26 585 000	4005176486319	388	164.06
26 586 000	4005176486333	389	168.32
26 586 LS0	4005176486357	389	168.32
26 587 000	4005176486340	389	169.39
26 587 LS0	4005176486364	389	169.39
26 588 000	4005176486371	390	126.78
26 588 LS0	4005176486388	390	126.78
26 589 000	4005176486395	389	107.60
26 589 LS0	4005176486401	390	107.60
26 590 000	4005176486418	390	95.88
26 591 000	4005176486425	391	193.89
26 592 000	4005176486449	391	193.89
26 592 LS0	4005176486432	391	194.96
26 593 000	4005176486456	391	199.22
26 594 000	4005176486470	391	200.28
26 594 LS0	4005176486463	392	200.28
26 602 000	4005176486531	392, 441	99.08
26 603 000	4005176486548	392, 441	104.40
26 603 A00	4005176558696	392, 441	208.80
26 603 AL0	4005176558702	392, 441	229.05
26 603 BE0	4005176558719	392, 441	208.80
26 603 DA0	4005176558726	392, 441	208.80
26 603 DL0	4005176558733	392, 441	229.05
26 603 EN0	4005176558740	392, 441	229.05
26 603 GL0	4005176558757	392, 441	208.80
26 603 GN0	4005176558764	392, 441	229.05
26 638 000	4005176528347	419	61.79
26 639 000	4005176528354	422	45.81
26 640 000	4005176530203	358	602.97
26 641 000	4005176530210	369	556.10
26 642 000	4005176530227	358	627.48
26 643 000	4005176530234	369	581.67
26 647 000	4005176533013	324	910.86
26 647 LS0	4005176533051	324	1,048.28
26 648 000	4005176533020	325	910.86
26 648 LS0	4005176533068	325	1,048.28
26 649 000	4005176533037	326	910.86
26 652 000	4005176533044	326	910.86
26 657 000	4005176533075	326	1,048.28
26 662 000	4005176580499	376, 424	118.32
26 663 000	4005176580505	363, 423	194.90
26 664 000	4005176580512	363, 424	157.36
26 666 000	4005176580536	376, 424	105.99
26 668 000	4005176580550	363, 423	182.58
26 669 000	4005176580567	363, 424	145.04
26 670 000	4005176580574	347	532.65
26 681 000	4005176580680	377, 425	122.46
26 682 000	4005176580697	364, 423	201.72
26 683 000	4005176580703	364, 424	162.87
26 685 000	4005176580727	377, 425	109.69
26 687 000	4005176580741	364, 423	188.97
26 688 000	4005176580758	364, 424	150.11
26 689 000	4005176580765	347	532.65
26 690 000	4005176580772	348	620.99
26 691 000	4005176580789	350	692.45
26 723 000	4005176648021	333	784.46

27

Ref. No.	EAN	Page	Retail Guide Price (£)
27 032 001	4005176877155	329	1,047.58
27 055 000	4005176830433	435	45.97
27 056 000	4005176830440	435	34.15
27 057 000	4005176830457	438	57.72
27 057 A00	4005176338953	438	88.32
27 057 AL0	4005176338960	438	93.79
27 057 BE0	4005176426957	438	88.32
27 057 DA0	4005176338939	438	88.32
27 057 DC0	4005176371196	438	76.88
27 057 DL0	4005176426940	438	93.79
27 057 EN0	4005176426964	438	93.34
27 057 GL0	4005176338946	438	88.32
27 057 GN0	4005176426933	438	93.79
27 058 000	4005176830464	330	741.19
27 062 000	4005176831669	374, 399	210.91
27 067 000	4005176832123	375, 399	140.21
27 068 000	4005176832130	374, 399	152.02
27 074 000	4005176833083	436	34.16
27 074 A00	4005176338991	436	63.61
27 074 AL0	4005176339004	436	63.60
27 074 BE0	4005176834325	436	63.61
27 074 DA0	4005176338977	436	63.61
27 074 DC0	4005176374487	436	57.73
27 074 DL0	4005176427091	436	63.60
27 074 EN0	4005176834301	436	63.60
27 074 GL0	4005176338984	436	63.61
27 074 GN0	4005176427084	436	63.60
27 074 LS0	4005176873591	436	45.94
27 075 000	4005176833090	436	34.16
27 076 000	4005176833106	439	57.72
27 102 000	4005176600074	430	58.52
27 134 000	4005176836060	373, 393	128.44
27 135 000	4005176836077	372	127.14
27 135 EN0	4005176836084	372	235.46
27 137 000	4005176836237	432	20.91
27 151 000	4005176837012	438	104.88
27 174 001	4005176877162	328	1,342.19
27 180 000	4005176839306	354	45.94
27 206 000	4005176845444	443	22.40
27 220 000	4005176854118	402	45.94
27 221 000	4005176854125	401	57.74
27 221 001	4005176457708	401	66.00
27 222 000	4005176854132	401	69.51
27 224 000	4005176854156	402	34.15
27 225 001	4005176899508	404	104.88
27 226 001	4005176899515	404	116.65
27 227 001	4005176899522	404	116.65
27 230 001	4005176899546	403	98.96
27 231 001	4005176899553	403	104.88
27 232 001	4005176899560	402	116.66
27 237 000	4005176854286	375, 406	81.30
27 238 000	4005176854293	402	44.95
27 239 000	4005176854323	401	63.61
27 239 001	4005176457715	401	71.89
27 242 001	4005176899782	403	104.84
27 243 001	4005176899799	403	104.88
27 251 000	4005176856327	368	116.64
27 251 A00	4005176338878	368	192.41
27 251 AL0	4005176338885	368	204.42
27 251 BE0	4005176431593	368	177.91
27 251 DA0	4005176338854	368	177.91
27 251 DC0	4005176431586	368	155.54
27 251 DL0	4005176431579	368	188.57
27 251 EN0	4005176431562	368	188.57
27 251 GL0	4005176338861	368	177.91
27 251 GN0	4005176431555	368	188.57
27 252 000	4005176856334	368	116.64
27 253 000	4005176856365	369	175.57
27 254 000	4005176856372	368	175.57

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
27 256 001	4005176899805	403	87.19
27 265 000	4005176856983	402	34.15
27 265 00E	4005176885693	402	34.15
27 266 001	4005176899812	403	93.09
27 266 00E	4005176890710	403	84.13
27 267 001	4005176899829	404	101.32
27 271 000	4005176860690	368	470.16
27 272 000	4005176860836	396	116.66
27 273 001	4005176875502	396	258.06
27 274 000	4005176861383	397	116.66
27 276 000	4005176861437	393	93.10
27 276 LS0	4005176861451	393	93.10
27 277 001	4005176875489	395	222.72
27 285 000	4005176860713	368	470.16
27 286 000	4005176860737	367	1,884.24
27 296 001	4005176896293	341	617.89
27 296 002	4005176417818	337	609.22
27 296 003	4005176647963	334	621.05
27 320 000	4005176600159	444	83.29
27 354 000	4005176874444	405	57.74
27 355 000	4005176874451	405	104.87
27 367 000	4005176875939	407	45.97
27 368 000	4005176875946	407	175.58
27 369 000	4005176875953	407	81.29
27 400 000	4005176877292	407	45.97
27 406 000	4005176600166	383, 426	54.78
27 421 002	4005176417924	346	486.67
27 443 000	4005176880025	393	93.11
27 444 000	4005176880049	393	93.11
27 446 000	4005176880063	394	93.11
27 447 000	4005176880087	394	94.53
27 448 000	4005176880100	394	93.11
27 449 000	4005176879982	394	93.11
27 467 000	4005176882609	367	646.93
27 469 000	4005176882593	42, 329	1,188.99
27 470 000	4005176882531	370	493.74
27 470 LS0	4005176997235	370	590.30
27 473 001	4005176417900	344	547.94
27 475 001	4005176417863	343	762.41
27 475 002	4005176647840	335	783.78
27 477 000	4005176883286	372	517.31
27 478 000	4005176883293	372	517.31
27 479 000	4005176883309	371	505.54
27 480 000	4005176883316	371	505.53
27 484 000	4005176885488	382	69.53
27 485 000	4005176885495	382	57.75
27 488 000	4005176885525	381	81.30
27 492 000	4005176885556	375, 407	140.22
27 499 000	4005176886041	406, 442	45.96
27 500 000	4005176886058	406, 442	57.73
27 512 001	4005176333804	428	22.39
27 513 001	4005176333842	428	34.16
27 514 001	4005176333910	429	69.53
27 519 000	4005176886485	412, 442	57.74
27 520 000	4005176886492	412, 442	57.75
27 521 000	4005176886508	417, 442	45.95
27 522 000	4005176886515	417, 442	57.74
27 523 000	4005176886522	425, 442	45.94
27 524 000	4005176886539	425, 442	69.51
27 530 000	4005176889219	374, 398	493.73
27 531 000	4005176889486	438	278.37
27 541 001	4005176451676	378, 417	88.36
27 569 000	4005176894275	329	1,188.97
27 571 002	4005176443893	413	29.46
27 571 20E	4005176443275	413	29.46
27 572 002	4005176443923	413	37.69
27 573 002	4005176443947	413	49.48
27 574 002	4005176443916	413	37.69
27 575 002	4005176443930	413	49.48
27 576 002	4005176451560	414	87.18
27 577 002	4005176451584	414	89.55
27 578 002	4005176451386	415	65.33
27 578 20E	4005176451362	415	65.33
27 579 002	4005176451492	415	76.61
27 580 002	4005176451515	414	84.86
27 584 002	4005176451621	415	56.58
27 588 002	4005176451669	416	53.03
27 591 001	4005176443985	377, 416	69.53
27 594 000	4005176895920	437	12.84
27 595 000	4005176895937	435	18.87
27 596 000	4005176895944	406, 417	10.60
27 597 001	4005176985508	418	25.92
27 597 10E	4005176985409	418	25.92
27 598 001	4005176985515	420	59.71
27 598 10E	4005176985416	420	59.71
27 600 001	4005176451775	419	78.96
27 601 10E	4005176985430	421	42.82
27 606 001	4005176444180	377, 425	62.45
27 608 001	4005176444029	411	55.39
27 609 001	4005176451898	411	103.71
27 610 001	4005176444050	378, 411	63.62
27 615 001	4005176417825	337	609.22
27 615 002	4005176647970	334	621.05
27 621 000	4005176898310	438	328.77
27 641 000	4005176901645	330	1,188.99
27 644 001	4005176451720	420	69.50
27 645 001	4005176451744	419	76.58
27 646 001	4005176985522	421	66.46
27 646 10E	4005176985423	421	66.46
27 693 000	4005176907043	436	22.40
27 696 000	4005176907074	346	729.42
27 698 000	4005176907098	409	45.95
27 699 000	4005176907104	409	45.95
27 700 000	4005176907111	409	222.70
27 702 000	4005176907135	410	81.28
27 703 000	4005176907142	410	81.28
27 704 000	4005176907159	439	34.15
27 705 000	4005176907166	376, 410	152.01
27 706 000	4005176908439	32, 436	34.17
27 706 A00	4005176491030	436	50.08
27 706 AL0	4005176490972	32, 436	53.27
27 706 DC0	4005176490989	32, 436	43.68
27 707 000	4005176908446	32, 439	45.97
27 707 A00	4005176490941	439	79.90
27 707 AL0	4005176490880	32, 439	84.17
27 707 DC0	4005176490897	32, 439	69.25
27 709 000	4005176909092	382	116.65
27 711 000	4005176909115	382	93.09
27 786 002	4005176451508	415	76.61
27 787 002	4005176451522	414	84.86
27 790 002	4005176451614	415	82.04
27 794 001	4005176451737	420	69.50
27 795 001	4005176451751	419	76.58
27 796 001	4005176451850	421	76.58
27 798 10E	4005176985447	422	37.16
27 799 001	4005176985539	422	37.16
27 803 10E	4005176985454	422	39.42
27 805 001	4005176451911	411	71.89
27 812 IL1	4005176333897	428	35.34
27 841 000	4005176916670	410, 441	210.93
27 852 001	4005176444081	418	20.27
27 853 001	4005176451706	420	49.57
27 854 001	4005176451829	421	56.34
27 863 000	4005176918155	371	705.84

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
27 865 000	4005176918179	312, 366	4,492.32
27 869 001	4005176444005	365, 416	82.51
27 884 001	4005176919695	408	93.10
27 888 000	4005176921179	311, 408	93.10
27 889 000	4005176921186	408	140.22
27 890 000	4005176921193	408	269.86
27 891 000	4005176921209	408	258.08
27 892 000	4005176921216	441	199.17
27 922 000	4005176923364	350	505.24
27 922 001	4005176985348	348	523.35
27 923 001	4005176444074	418	20.27
27 924 001	4005176451690	420	49.57
27 925 001	4005176451812	421	56.34
27 926 001	4005176451768	419	68.73
27 929 002	4005176451577	414	87.18
27 932 000	4005176924231	342	588.03
27 934 000	4005176927157	313	3,486.85
27 936 000	4005176927058	409	202.27
27 938 001	4005176927072	367	3,227.57
27 939 001	4005176927287	367	3,227.62
27 964 000	4005176929595	339	764.77
27 966 000	4005176929250	328	1,188.99
27 966 001	4005176532993	327	1,107.94
27 967 000	4005176929670	329	1,047.58
27 968 000	4005176929687	328	1,188.99
27 968 001	4005176533006	327	1,107.94
27 969 000	4005176931123	69	93.09
27 969 IG0	4005176931130	69	116.65
27 970 000	4005176931154	69	128.45
27 970 IG0	4005176931161	69	175.56
27 974 000	4005176932793	68, 373	458.40
27 974 IG0	4005176933486	68, 373	599.78
27 978 000	4005176932830	68, 383	81.29
27 986 000	4005176933011	68, 382	104.87
27 986 IG0	4005176933547	68, 382	140.21
27 993 000	4005176933080	69	163.78
27 993 IG0	4005176933585	69	210.91
28			
28 002 000	4005176858796	379, 400	199.13
28 020 L01	4005176333828	428	15.20
28 025 000	4005176284830	431	26.96
28 034 000	4005176231810	43, 384	152.01
28 094 000	4005176601132	379, 400	54.78
28 105 000	4005176601217	431	19.25
28 139 000	4005176601316	431	21.11
28 140 000	4005176601323	431	23.48
28 142 000	4005176601330	431, 596	20.91
28 143 000	4005176601347	311, 431	23.23
28 143 KS0	4005176842252	431, 596	30.50
28 143 LS0	4005176842269	431, 596	30.50
28 145 000	4005176601354	431, 596	27.40
28 146 000	4005176121753	433	52.93
28 150 001	4005176933196	433	9.20
28 151 001	4005176933202	433	11.14
28 151 L01	4005176935091	433	21.20
28 154 001	4005176933219	433	13.01
28 155 001	4005176933226	433	14.40
28 158 000	4005176601606	433	32.86
28 161 001	4005176935107	432, 595	17.83
28 198 000	4005176038686	380	133.04
28 214 003	4005176444098	418	24.78
28 233 000	4005176868016	375, 407	93.11
28 261 002	4005176444135	418	34.16
28 280 004	4005176306624	420	57.73
28 286 000	4005176198526	380, 400	104.87
28 308 000	4005176254949	373, 384	133.04
28 341 000	4005176259463	384	152.01
28 342 000	4005176260070	379, 400	66.35
28 343 000	4005176260285	430	22.37
28 348 000	4005176263262	384	144.22
28 361 000	4005176295157	381	104.87
28 362 000	4005176295225	432	14.87
28 362 A00	4005176427633	432	22.76
28 362 BE0	4005176295249	432	22.76
28 362 DA0	4005176427602	432	22.76
28 362 DC0	4005176386435	432	19.98
28 362 GL0	4005176427589	432	22.76
28 364 000	4005176295294	432	16.72
28 368 000	4005176267253	372	240.16
28 368 00E	4005176867385	372	352.33
28 368 LS0	4005176997242	372	446.59
28 369 000	4005176267260	373, 393	375.91
28 373 000	4005176267277	372	364.11
28 388 000	4005176295362	432	19.04
28 388 A00	4005176427701	432	28.78
28 388 BE0	4005176295386	432	28.78
28 388 DA0	4005176427671	432	28.78
28 388 DC0	4005176386428	432	25.55
28 388 GL0	4005176427657	432	28.78
28 389 000	4005176269837	385, 444	13.31
28 401 000	4005176264474	435	49.08
28 403 000	4005176264511	436	43.60
28 404 000	4005176601736	379, 399	21.35
28 405 000	4005176264559	439, 595	54.78
28 406 000	4005176264566	440, 595	54.78
28 409 001	4005176933233	433	13.14
28 410 001	4005176933240	433	20.01
28 413 001	4005176933257	433	16.43
28 417 000	4005176264702	431	25.07
28 419 002	4005176444128	418	34.16
28 421 002	4005176444142	418	45.96
28 422 002	4005176444111	418	25.92
28 429 000	4005176601910	383, 426	54.78
28 436 002	4005176451799	419	86.03
28 438 001	4005176985553	420	60.85
28 448 000	4005176265167	374	180.26
28 497 000	4005176270338	382	69.54
28 528 000	4005176271199	374	143.91
28 537 000	4005176040443	399	110.68
28 541 000	4005176040528	383, 426	43.60
28 576 000	4005176274022	381	81.30
28 578 002	4005176444159	418	45.96
28 587 000	4005176282966	441, 595	197.21
28 605 000	4005176041105	437	21.24
28 620 000	4005176041259	441	144.22
28 621 000	4005176041273	441	177.75
28 622 000	4005176041297	437	32.69
28 623 000	4005176031595	435	32.42
28 626 000	4005176041358	440	54.78
28 628 000	4005176041396	440	55.20
28 631 000	4005176019142	443	54.78
28 634 XX0	4005176041440	444, 755	32.15
28 636 000	4005176078606	440	57.74
28 671 000	4005176103070	439, 595	34.16
28 678 000	4005176116711	440	47.64
28 679 000	4005176116759	440	54.78
28 680 000	4005176116780	439	43.60
28 690 000	4005176256196	384, 435	99.50
28 724 000	4005176812644	382	57.74
28 737 000	4005176872983	376, 410	57.73
28 778 000	4005176820526	371	682.29
28 789 002	4005176451843	421	76.58
28 796 000	4005176824296	398	140.21

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
28 799 000	4005176602511	445	105.20
28 817 000	4005176602962	755	13.94
28 856 000	4005176603495	443	32.42
28 874 000	4005176042348	444, 592	77.28
28 897 000	4005176827044	398	137.39
28 910 000	4005176603846	747	63.72
28 912 000	4005176266751	80, 108	241.53
28 912 AL0	4005176467844	80, 108	252.62
28 912 DC0	4005176467905	80, 108	223.51
28 912 DL0	4005176467899	749	252.62
28 912 EN0	4005176467837	749	276.97
28 912 GN0	4005176467875	749	276.97
28 917 000	4005176827112	398	234.58
28 920 000	4005176603914	748	33.34
28 939 000	4005176209161	198	86.40
28 943 000	4005176209178	198, 635	97.34
28 948 000	4005176209871	379, 400	144.22
28 964 001	4005176877254	398	234.51
28 982 000	4005176829987	381	140.24
28 988 000	4005176042805	444, 592	105.93
28 990 000	4005176174025	197	137.50
28 991 000	4005176174032	197, 635	195.76
28 993 000	4005176174056	197	96.80
28 995 000	4005176175725	197	274.34
29			
29 007 000	4005176837678	592	160.83
29 025 002	4005176519895	27, 37	235.71
29 032 000	4005176845277	32, 42	33.02
29 033 000	4005176845338	32, 41	260.72
29 037 000	4005176865749	30, 66	800.12
29 037 002	4005176519918	57, 105	745.21
29 069 000	4005176918384	312	140.22
29 072 000	4005176918421	312	258.07
29 073 000	4005176918445	313	258.07
29 074 000	4005176918469	313	411.26
29 078 001	4005176556555	182	119.99
29 079 001	4005176556692	182	131.87
29 080 001	4005176555961	188	119.99
29 081 001	4005176556081	188	131.87
29 086 000	4005176935497	26, 26	237.95
29 094 000	4005176354106	591	222.17
29 095 000	4005176354113	591	226.78
29 096 000	4005176354120	591	183.25
29 097 003	4005176365133	150	214.18
29 097 LS3	4005176365140	150	282.42
29 098 003	4005176365225	154	126.56
29 098 LS3	4005176365232	154	170.08
29 099 003	4005176365300	155	149.79
29 099 LS3	4005176365317	155	184.40
29 118 000	4005176412240	57, 245	506.94
29 118 A00	4005176493010	245	685.51
29 118 AL0	4005176455049	57, 245	703.70
29 118 BE0	4005176492952	245	685.51
29 118 DA0	4005176492990	57, 245	685.51
29 118 DC0	4005176455032	57, 245	623.76
29 118 DL0	4005176493003	245	731.83
29 118 EN0	4005176492969	245	731.83
29 118 GL0	4005176492976	57, 245	685.51
29 118 GN0	4005176492983	245	731.83
29 119 000	4005176412257	58, 246	584.68
29 119 A00	4005176493089	246	747.27
29 119 AL0	4005176455063	58, 246	766.21
29 119 BE0	4005176493027	246	747.27
29 119 DA0	4005176493065	58, 246	747.27
29 119 DC0	4005176455056	58, 246	764.62
29 119 DL0	4005176493072	246	796.68
29 119 EN0	4005176493034	246	796.68
29 119 GL0	4005176493041	58, 246	747.27
29 119 GN0	4005176493058	246	796.68
29 120 000	4005176412264	246	662.40
29 121 000	4005176412271	58, 247	597.09
29 121 A00	4005176493225	247	808.00
29 121 AL0	4005176455100	58, 247	945.21
29 121 BE0	4005176493164	247	808.00
29 121 DA0	4005176493201	58, 247	808.00
29 121 DC0	4005176455094	58, 247	734.92
29 121 DL0	4005176493218	247	861.52
29 121 EN0	4005176493171	247	861.52
29 121 GL0	4005176493188	58, 247	808.00
29 121 GN0	4005176493195	247	871.82
29 122 000	4005176412288	59, 247	363.89
29 122 A00	4005176515231	247	493.03
29 122 AL0	4005176455124	59, 247	482.74
29 122 BE0	4005176493232	247	493.03
29 122 DA0	4005176515217	59, 247	493.03
29 122 DC0	4005176455117	59, 247	448.77
29 122 DL0	4005176515224	247	525.97
29 122 EN0	4005176413728	247	482.74
29 122 GL0	4005176515194	59, 247	493.03
29 122 GN0	4005176515200	247	525.97
29 123 000	4005176413292	241	530.26
29 123 A00	4005176558054	241	693.75
29 123 AL0	4005176558061	241	740.07
29 123 DL0	4005176558092	241	740.07
29 123 GN0	4005176558122	241	740.07
29 124 000	4005176413308	241	577.41
29 124 A00	4005176558139	241	755.51
29 124 AL0	4005176558146	241	805.94
29 124 DC0	4005176526329	241	705.07
29 124 DL0	4005176558177	241	805.94
29 124 GN0	4005176558207	241	805.94
29 125 000	4005176413315	242	692.87
29 126 000	4005176413322	242, 311	624.55
29 126 A00	4005176558290	242	817.26
29 126 AL0	4005176558306	242	871.82
29 126 DC0	4005176526343	242	762.71
29 126 DL0	4005176558337	242	871.82
29 126 GN0	4005176558368	242	871.82
29 127 000	4005176413339	243	380.62
29 127 A00	4005176558375	243	499.21
29 127 AL0	4005176558382	243	532.15
29 127 DC0	4005176526350	243	466.27
29 127 DL0	4005176558412	243	532.15
29 127 GN0	4005176558443	243	532.15
29 150 LS0	4005176413544	248	682.29
29 151 LS0	4005176413551	248	729.43
29 152 LS0	4005176413575	249	481.94
29 153 LS0	4005176413582	243	682.30
29 156 LS0	4005176413599	244	729.43
29 157 LS0	4005176413605	244	776.53
29 158 LS0	4005176413612	245	481.94
29 303 003	4005176529764	101	256.30
29 303 AL3	4005176585654	101	384.96
29 303 DC3	4005176574108	101	337.61
29 306 003	4005176529771	101	266.59
29 307 003	4005176529993	104	822.41
29 307 AL3	4005176585715	104	1,302.06
29 307 DC3	4005176574160	104	1,139.44
29 708 000	4005176102653	67	301.36
29 800 000	4005176504839	41, 96	31.32
29 801 000	4005176504846	42, 96	25.81
29 802 000	4005176504853	41, 67	52.93
29 804 000	4005176504877	42, 96	41.05

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
29 805 000	4005176504884	41, 96	88.89
29 811 000	4005176062711	42, 68	52.93
29 813 000	4005176062735	295	85.33
29 904 LS0	4005176413568	249	776.53
30			
30 008 001	4005176843242	194	33.01
30 058 001	4005176989162	491	1,320.93
30 058 A01	4005176489259	491	1,561.10
30 058 AL1	4005176489266	491	1,629.72
30 058 DA1	4005176489273	491	1,561.10
30 058 DC1	4005176989179	491	1,518.21
30 058 DL1	4005176489280	491	1,629.72
30 060 001	4005176989186	492	1,218.00
30 064 001	4005176843259	527	44.40
30 098 001	4005176843266	194, 526	33.01
30 189 000	4005176914102	509	173.03
30 190 000	4005176914119	509	186.10
30 193 000	4005176919459	520	131.98
30 193 DC0	4005176938559	520	154.17
30 195 000	4005176919473	520	180.80
30 199 000	4005176922022	520	103.16
30 208 000	4005176927836	598	265.94
30 215 001	4005176409066	510	369.30
30 215 DC1	4005176409073	510	376.36
30 219 002	4005176466540	503	697.66
30 219 DC2	4005176466557	503	941.68
30 221 002	4005176984235	517	138.19
30 260 003	4005176635434	523	109.81
30 269 000	4005176314902	507	277.55
30 269 A00	4005176428661	507	358.84
30 269 AL0	4005176428654	507	358.86
30 269 DA0	4005176428630	507	358.84
30 269 DC0	4005176314919	507	347.23
30 269 DL0	4005176428647	507	358.86
30 269 GL0	4005176428616	507	358.84
30 269 GN0	4005176428623	507	358.86
30 270 000	4005176314926	507	347.20
30 270 A00	4005176427473	507	463.32
30 270 AL0	4005176427466	507	463.32
30 270 BE0	4005176427480	507	463.35
30 270 DA0	4005176427442	507	463.35
30 270 DC0	4005176314933	507	405.29
30 270 DL0	4005176427459	507	463.32
30 270 EN0	4005176427497	507	463.32
30 270 GL0	4005176427428	507	463.35
30 270 GN0	4005176427435	507	463.32
30 273 001	4005176314964	515	276.17
30 273 DC1	4005176314971	515	353.82
30 274 000	4005176314988	499	276.17
30 274 A00	4005176488658	499	373.76
30 274 AL0	4005176488665	499	373.76
30 274 DA0	4005176488672	499	373.76
30 274 DC0	4005176314995	499	346.37
30 274 DL0	4005176488689	499	373.76
30 294 000	4005176341472	506	440.12
30 294 A00	4005176488054	506	573.24
30 294 AL0	4005176488061	506	573.24
30 294 BE0	4005176488511	506	573.24
30 294 DA0	4005176488498	506	573.24
30 294 DC0	4005176341489	506	567.88
30 294 DL0	4005176488504	506	573.24
30 294 EN0	4005176488528	506	573.24
30 294 GL0	4005176488078	506	573.24
30 294 GN0	4005176488085	506	573.24
30 305 001	4005176635465	523	165.25
30 305 DC1	4005176635472	523	209.64
30 309 000	4005176351235	497	363.20
30 321 DG0	4005176438219	506	101.33
30 321 DP0	4005176438264	506	101.33
30 321 DU0	4005176438257	506	101.33
30 321 GE0	4005176438271	506	101.33
30 321 HG0	4005176385742	506	62.63
30 321 MW0	4005176385728	506	62.63
30 321 TY0	4005176438240	506	101.33
30 321 XC0	4005176385735	506	62.63
30 321 YF0	4005176438233	506	62.63
30 321 YR0	4005176438226	506	101.33
30 328 001	4005176414107	490	1,372.40
30 328 DC1	4005176414114	490	1,569.67
30 329 001	4005176414121	492	1,218.00
30 340 001	4005176414893	490	1,415.28
30 340 DC1	4005176414909	490	1,629.72
30 341 001	4005176414916	491	1,320.93
30 341 A01	4005176489297	491	1,561.10
30 341 AL1	4005176489303	491	1,629.72
30 341 DA1	4005176489310	491	1,561.10
30 341 DC1	4005176414923	491	1,518.21
30 341 DL1	4005176489327	491	1,629.72
30 348 001	4005176464973	501	213.13
30 362 000	4005176496479	505	464.65
30 362 AL0	4005176497292	505	695.83
30 362 DC0	4005176496486	505	605.43
30 382 000	4005176565496	484	488.91
30 382 DC0	4005176565502	484	557.53
30 383 000	4005176565519	484	334.51
30 385 000	4005176565533	484	300.21
30 387 000	4005176565557	485	257.31
30 468 000	4005176635755	524	182.50
30 978 000	4005176098918	603	219.47
31			
31 067 001	4005176845710	527	96.75
31 124 002	4005176886614	517	173.05
31 126 004	4005176466977	516	217.30
31 127 002	4005176886669	516	184.66
31 128 001	4005176886737	514	198.53
31 128 DC1	4005176891007	514	254.00
31 129 001	4005176886744	514	242.90
31 129 DC1	4005176891021	514	309.46
31 159 002	4005176888106	517	312.37
31 161 000	4005176889158	521	209.63
31 170 000	4005176889165	521	231.82
31 179 000	4005176889172	520	154.17
31 180 000	4005176889288	519	198.53
31 187 001	4005176843327	526	89.94
31 212 003	4005176466762	513	247.77
31 214 001	4005176891090	515	243.57
31 230 001	4005176478277	528	79.26
31 231 001	4005176478260	528	79.26
31 232 001	4005176478253	529	79.26
31 233 001	4005176478284	529	79.26
31 234 001	4005176478499	529	79.26
31 255 000	4005176901416	508	207.88
31 255 DC0	4005176994319	508	428.55
31 323 002	4005176989933	469	2,007.12
31 358 002	4005176465000	498	596.74
31 358 DC2	4005176465017	498	746.22
31 360 001	4005176343025	498	579.49
31 360 DC1	4005176343032	498	753.67
31 367 001	4005176478512	528	79.26
31 368 001	4005176478529	528	79.26
31 375 000	4005176934155	499	220.71
31 375 A00	4005176488610	499	313.92

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
31 375 AL0	4005176488627	499	313.92
31 375 DA0	4005176488634	499	313.92
31 375 DC0	4005176934162	499	287.27
31 375 DL0	4005176488641	499	313.92
31 379 000	4005176938085	496	631.11
31 379 DC0	4005176938092	496	819.66
31 391 003	4005176635762	524	115.59
31 395 000	4005176304774	508	602.70
31 395 DC0	4005176304767	508	776.92
31 455 000	4005176323027	476	1,483.90
31 455 DC0	4005176323034	476	1,689.76
31 481 001	4005176466922	519	197.38
31 482 003	4005176466984	516	251.80
31 483 002	4005176466809	514	251.48
31 483 DC2	4005176466816	514	328.36
31 491 000	4005176343308	513	353.82
31 491 DC0	4005176343315	513	464.73
31 535 001	4005176478550	529	79.26
31 536 001	4005176478567	528	79.26
31 538 001	4005176478574	529	79.26
31 552 SD1	4005176623714	540	107.75
31 562 SD1	4005176623721	540	194.84
31 563 SD1	4005176623738	536	201.01
31 564 SD1	4005176623745	539	160.78
31 565 SD1	4005176623752	539	180.89
31 566 SD0	4005176473234	538	173.06
31 567 SD0	4005176473241	538	249.26
31 568 SD0	4005176473258	537	216.60
31 569 SD0	4005176473265	537	314.56
31 570 SD0	4005176473272	539	358.10
31 571 SD1	4005176626029	536	227.48
31 572 SD1	4005176626036	536	325.45
31 574 SD1	4005176607080	534	223.36
31 575 SD1	4005176607097	534	564.06
31 576 SD1	4005176607103	534	256.30
31 577 SD1	4005176607110	535	256.30
31 578 SD1	4005176607127	535	201.74
31 580 SD1	4005176607134	535	261.44
31 581 SD1	4005176607141	532	802.85
31 582 SD1	4005176607158	532	802.85
31 583 SD1	4005176607165	532	541.41
31 584 SD1	4005176607172	533	602.14
31 585 SD1	4005176607189	533	802.85
31 586 SD1	4005176607196	533	703.01
31 587 SD0	4005176473449	538	249.26
31 588 SD1	4005176626043	537	336.33
31 593 002	4005176521942	503	412.75
31 593 DC2	4005176521959	503	619.64
31 613 000	4005176521973	498	314.47
31 613 A00	4005176523601	498	439.64
31 613 DA0	4005176523595	498	439.64
31 613 DC0	4005176521980	498	407.57
31 615 000	4005176523649	506	374.47
31 615 A00	4005176523717	506	524.47
31 615 AL0	4005176523724	506	561.71
31 615 BE0	4005176523731	506	524.47
31 615 DA0	4005176523694	506	524.47
31 615 DC0	4005176523656	506	487.23
31 615 DL0	4005176523700	506	561.71
31 615 EN0	4005176523748	506	561.71
31 615 GL0	4005176523670	506	524.47
31 615 GN0	4005176523687	506	561.71
31 639 AP0	4005176520457	545	237.08
31 639 AT0	4005176520464	545	237.08
31 640 AP0	4005176520471	545	298.52
31 640 AT0	4005176520488	545	298.52
31 641 AP0	4005176521102	545	321.15
31 641 AT0	4005176521119	545	321.15
31 642 AP0	4005176521126	546	343.78
31 642 AT0	4005176521133	546	343.78
31 643 AP0	4005176521140	546	365.33
31 643 AT0	4005176521157	546	365.33
31 644 AP0	4005176521164	543	318.99
31 644 AT0	4005176521171	543	318.99
31 645 AP0	4005176521188	543	333.01
31 645 AT0	4005176521195	543	333.01
31 646 AP0	4005176521201	543	354.55
31 646 AT0	4005176521218	543	354.55
31 647 AP0	4005176521225	544	398.74
31 647 AT0	4005176521232	544	398.74
31 648 AP0	4005176521249	544	304.99
31 648 AT0	4005176521256	544	304.99
31 649 AP0	4005176521263	544	371.79
31 649 AT0	4005176521270	544	371.79
31 650 AP0	4005176521287	541	240.32
31 650 AT0	4005176521294	541	240.32
31 651 AP0	4005176521300	541	283.42
31 651 AT0	4005176521317	541	283.42
31 652 AP0	4005176521324	541	316.83
31 652 AT0	4005176521331	541	316.83
31 653 AP0	4005176521348	542	210.15
31 653 AT0	4005176521355	542	210.15
31 654 AP0	4005176521362	542	241.40
31 654 AT0	4005176521379	542	241.40
31 655 AP0	4005176521386	542	285.59
31 655 AT0	4005176521393	542	285.59
31 656 AP0	4005176521409	546	197.22
31 656 AT0	4005176521416	546	197.22
31 680 000	4005176530487	530	66.90
31 688 000	4005176530333	530	75.14
31 693 000	4005176530371	530	75.14
31 706 000	4005176530449	530	75.14
31 715 000	4005176564123	530	75.14
31 819 001	4005176843471	527	101.30
31 829 001	4005176845697	526	79.69
31 831 001	4005176843280	526	78.56
31 868 000	4005176693113	522	109.81
31 869 000	4005176693120	523	165.25
31 930 001	4005176843303	526	169.62
32			
32 042 003	4005176454448	46	375.25
32 042 AL3	4005176454462	46	682.13
32 042 DA3	4005176492167	46	582.70
32 042 DC3	4005176454455	46	596.86
32 042 GL3	4005176492143	46	582.69
32 043 003	4005176454479	46	325.31
32 043 AL3	4005176454691	46	591.23
32 043 DC3	4005176454486	46	517.30
32 043 GL3	4005176492211	46	511.29
32 067 000	4005176811142	501	220.71
32 108 003	4005176454790	47	425.21
32 108 AL3	4005176454813	47	773.10
32 108 DA3	4005176492518	47	660.38
32 108 DC3	4005176454806	47	676.46
32 108 GL3	4005176492495	47	660.38
32 109 001	4005176408373	72	231.09
32 109 AL1	4005176586118	72	323.36
32 109 DC1	4005176412691	72	305.90
32 114 001	4005176409103	72	219.48
32 114 DC1	4005176412714	72	326.29
32 146 000	4005176821622	35	533.03
32 147 000	4005176821653	37	416.91
32 154 003	4005176613258	169	99.82

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
32 168 000	4005176824425	499	220.71
32 168 DC0	4005176824432	499	287.27
32 202 10L	4005176903960	131	136.79
32 204 10E	4005176887345	130	147.40
32 207 001	4005176888878	130	102.92
32 208 001	4005176888908	134	136.79
32 210 001	4005176888939	134	154.90
32 211 001	4005176889028	135	179.21
32 212 001	4005176889035	135	211.02
32 213 001	4005176888960	137	154.90
32 214 001	4005176889097	137	175.69
32 221 003	4005176635427	522	98.71
32 223 003	4005176635618	524	131.98
32 224 003	4005176635786	524	140.86
32 229 002	4005176887055	142	137.76
32 230 002	4005176886577	517	125.44
32 240 10E	4005176906794	131	136.79
32 240 10L	4005176903977	131	126.18
32 249 000	4005176832383	36	738.90
32 257 001	4005176834165	512	215.19
32 257 002	4005176886591	511	272.09
32 259 003	4005176466908	511	224.32
32 294 002	4005176466496	503	354.55
32 294 DC2	4005176466502	503	460.18
32 321 002	4005176465109	501	218.53
32 321 A02	4005176488733	501	312.87
32 321 AL2	4005176488740	501	312.87
32 321 DA2	4005176488757	501	312.87
32 321 DC2	4005176465116	501	284.43
32 321 DL2	4005176488764	501	312.87
32 321 GN2	4005176618529	501	312.99
32 322 002	4005176465123	502	218.53
32 322 A02	4005176488818	502	312.87
32 322 AL2	4005176488825	502	312.87
32 322 DA2	4005176488832	502	312.87
32 322 DC2	4005176465130	502	284.43
32 322 DL2	4005176488849	502	312.87
32 467 003	4005176613210	168	87.62
32 467 30L	4005176644276	168	87.62
32 468 003	4005176334207	148	114.96
32 468 20E	4005176906886	140	126.55
32 468 20L	4005176917097	140	121.03
32 469 20E	4005176908835	124	184.67
32 469 20L	4005176917110	124	175.18
32 488 000	4005176289552	501	176.35
32 488 A00	4005176488771	501	250.92
32 488 AL0	4005176488788	501	250.92
32 488 DA0	4005176488795	501	250.92
32 488 DC0	4005176804939	501	232.41
32 488 DL0	4005176488801	501	250.92
32 511 000	4005176295621	500	265.09
32 553 002	4005176466649	504	331.93
32 553 DC2	4005176466656	504	520.87
32 612 003	4005176529696	98	204.83
32 612 30L	4005176529979	98	204.83
32 612 AL3	4005176585609	98	316.00
32 612 DC3	4005176574054	98	276.88
32 618 003	4005176529740	100	307.76
32 618 AL3	4005176585647	100	489.95
32 618 DC3	4005176574092	100	428.19
32 628 001	4005176306983	112	207.85
32 628 A01	4005176407376	112	316.92
32 628 AL1	4005176407383	112	338.04
32 628 BE1	4005176419669	112	316.92
32 628 DA1	4005176407352	112	316.92
32 628 DC1	4005176369940	112	295.78
32 628 DL1	4005176419652	112	338.04
32 628 EN1	4005176426100	112	338.04
32 628 GL1	4005176407369	112	316.92
32 628 GN1	4005176419645	112	338.04
32 629 002	4005176472619	133	179.21
32 647 003	4005176454707	46	526.26
32 647 AL3	4005176454721	46	955.02
32 647 DA3	4005176492303	46	815.76
32 647 DC3	4005176454714	46	835.65
32 647 GL3	4005176492280	46	815.76
32 650 003	4005176454820	47	450.74
32 650 AL3	4005176454844	47	818.56
32 650 DA3	4005176492587	47	699.22
32 650 DC3	4005176454837	47	716.24
32 650 GL3	4005176492563	47	699.22
32 652 003	4005176454851	48	526.26
32 652 AL3	4005176454875	48	955.02
32 652 DA3	4005176492655	48	815.76
32 652 DC3	4005176454868	48	835.65
32 652 GL3	4005176492631	48	815.76
32 653 003	4005176454912	51	1,451.09
32 653 AL3	4005176454936	51	2,637.64
32 653 DA3	4005176492723	51	2,253.06
32 653 DC3	4005176454929	51	2,307.95
32 653 GL3	4005176492709	51	2,253.06
32 659 001	4005176886713	515	176.35
32 661 003	4005176466823	513	196.57
32 661 DC3	4005176466830	513	240.50
32 663 003	4005176466854	513	218.53
32 663 DC3	4005176466861	513	306.39
32 666 001	4005176887406	514	331.64
32 700 001	4005176887994	136	165.30
32 706 000	4005176855092	36	254.30
32 750 000	4005176868238	525	89.94
32 752 000	4005176868252	525	101.32
32 754 002	4005176428876	40	2,367.89
32 757 000	4005176870897	35	416.91
32 760 000	4005176870927	35	693.36
32 762 000	4005176871023	598	114.96
32 763 000	4005176871030	598	114.96
32 765 000	4005176871054	598	242.73
32 766 000	4005176871061	598	254.31
32 767 000	4005176871078	599	289.14
32 768 000	4005176871689	599	268.83
32 770 000	4005176871702	599	236.44
32 771 000	4005176871719	599	312.38
32 772 000	4005176871726	600	272.10
32 773 000	4005176871733	600	281.80
32 774 000	4005176871740	600	314.20
32 775 000	4005176871757	600	327.14
32 776 000	4005176871764	599	239.70
32 778 000	4005176871788	599	265.94
32 779 000	4005176871795	599	300.78
32 780 000	4005176871801	600	111.29
32 783 000	4005176871832	601	130.76
32 784 000	4005176871849	601	138.18
32 786 000	4005176871863	525, 601	138.19
32 787 000	4005176871870	525, 602	136.35
32 788 000	4005176871887	604	242.70
32 789 000	4005176871894	604	219.49
32 790 000	4005176871900	604	291.57
32 792 000	4005176871924	605	385.44
32 793 000	4005176871931	605	401.63
32 795 000	4005176871955	604	382.07
32 823 000	4005176877995	604	359.47
32 824 000	4005176874604	157	109.81
32 824 00L	4005176917035	157	109.81
32 825 000	4005176874611	156	120.89

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
32 825 00E	4005176874628	156	120.89
32 825 00L	4005176917028	157	120.09
32 826 000	4005176882425	38	881.42
32 827 00E	4005176906565	157	120.89
32 830 001	4005176472749	160	152.65
32 831 000	4005176874703	162	154.17
32 832 000	4005176874710	164	176.35
32 833 000	4005176874727	163	123.96
32 836 000	4005176874758	162	151.14
32 837 000	4005176874772	161	129.39
32 839 000	4005176874802	161	109.81
32 840 000	4005176874819	161	97.87
32 842 000	4005176874833	520	109.81
32 843 002	4005176466939	519	133.61
32 843 20E	4005176466946	519	136.49
32 843 DC2	4005176466953	519	200.53
32 845 002	4005176466960	519	125.99
32 846 000	4005176882432	38	722.16
32 870 000	4005176876523	602	97.22
32 871 000	4005176876530	602	113.96
32 879 000	4005176877353	166	140.27
32 880 000	4005176877360	165	143.08
32 898 001	4005176306860	110	161.41
32 901 001	4005176306969	112	277.55
32 901 A01	4005176407512	112	429.28
32 901 AL1	4005176407529	112	457.88
32 901 BE1	4005176426131	112	429.28
32 901 DA1	4005176407499	112	429.28
32 901 DC1	4005176369957	112	400.64
32 901 DL1	4005176426124	112	457.88
32 901 EN1	4005176426148	112	457.88
32 901 GL1	4005176407505	112	429.28
32 901 GN1	4005176426117	112	457.88
32 917 000	4005176230950	500	176.35
32 917 A00	4005176488696	500	250.92
32 917 AL0	4005176488702	500	250.92
32 917 DA0	4005176488719	500	250.92
32 917 DC0	4005176804946	500	220.71
32 917 DL0	4005176488726	500	250.92
32 917 KS0	4005176980640	500	238.47
32 918 000	4005176230967	500	220.71
32 918 00E	4005176866616	500	220.71
32 918 DC0	4005176804953	500	287.27
32 926 003	4005176613234	168	98.71
32 929 003	4005176613623	173	95.97
32 935 001	4005176307171	115	161.41
32 935 A01	4005176426360	115	246.74
32 935 AL1	4005176426353	115	263.18
32 935 BE1	4005176426377	115	246.74
32 935 DA1	4005176426339	115	246.74
32 935 DC1	4005176369988	115	230.27
32 935 DL1	4005176426346	115	263.18
32 935 EN1	4005176426384	115	263.18
32 935 GL1	4005176426315	115	246.74
32 935 GN1	4005176426322	115	263.18
32 950 000	4005176879838	496	653.30
32 950 DC0	4005176879845	496	852.94
32 955 000	4005176880117	156	109.81

33

33 155 002	4005176865947	109	265.93
33 163 003	4005176529702	98	204.83
33 183 002	4005176887499	123	182.17
33 188 003	4005176613203	168	87.62
33 190 20E	4005176887482	123	196.27
33 192 002	4005176887864	127	219.50
33 202 003	4005176635588	523	131.98
33 241 003	4005176529849	101	204.83
33 241 AL3	4005176585739	101	316.00
33 241 DC3	4005176574184	101	276.88
33 244 002	4005176888779	126	181.02
33 265 003	4005176613197	167	98.71
33 265 30L	4005176644269	167	98.71
33 281 003	4005176635366	522	109.81
33 281 30E	4005176635410	522	109.81
33 281 DC3	4005176635397	522	124.22
33 300 003	4005176613456	174	118.02
33 302 003	4005176613470	174	150.96
33 303 003	4005176613524	174	198.53
33 305 003	4005176613531	176	151.65
33 339 000	4005176222818	39	823.37
33 390 002	4005176887796	127	219.50
33 395 002	4005176887802	128	283.47
33 547 003	4005176529818	103	348.93
33 552 20E	4005176886300	139	126.56
33 553 003	4005176529795	102	307.76
33 553 AL3	4005176585678	102	473.48
33 553 DC3	4005176574122	102	414.81
33 555 003	4005176613562	174	98.71
33 556 003	4005176613609	176	136.49
33 557 003	4005176334184	148	114.96
33 558 003	4005176334139	146	126.58
33 558 LS3	4005176335686	146	171.88
33 561 002	4005176886379	140	146.87
33 561 003	4005176334160	147	126.58
33 565 002	4005176887000	142	126.56
33 565 003	4005176334283	150	103.35
33 565 LS3	4005176334504	150	174.20
33 569 002	4005176887734	127	196.27
33 577 003	4005176529801	102	246.00
33 577 AL3	4005176585685	102	378.78
33 577 DC3	4005176574139	102	331.43
33 590 002	4005176887048	142	138.17
33 590 003	4005176334306	151	173.05
33 590 LS3	4005176334511	151	184.64
33 591 002	4005176887123	143	158.25
33 591 003	4005176334351	152	184.64
33 591 LS3	4005176334535	152	231.09
33 592 20A	4005176454288	143	213.66
33 592 30A	4005176456497	152	200.07
33 614 002	4005176887208	143	204.14
33 624 001	4005176990786	116	207.89
33 624 A01	4005176426445	116	334.99
33 624 AL1	4005176426438	116	357.31
33 624 BE1	4005176426452	116	334.99
33 624 DA1	4005176426414	116	334.99
33 624 DC1	4005176371097	116	312.67
33 624 DL1	4005176426421	116	357.31
33 624 EN1	4005176426469	116	357.31
33 624 GL1	4005176426391	116	334.99
33 624 GN1	4005176426407	116	357.31
33 628 001	4005176990793	116	254.31
33 635 003	4005176334344	154	154.33
33 636 001	4005176307287	115	173.05
33 636 A01	4005176426667	115	272.82
33 636 AL1	4005176426650	115	290.99
33 636 BE1	4005176426674	115	272.82
33 636 DA1	4005176426636	115	272.82
33 636 DC1	4005176371141	115	254.61
33 636 DL1	4005176426643	115	290.99
33 636 EN1	4005176426681	115	290.99
33 636 GL1	4005176426612	115	272.82
33 636 GN1	4005176426629	115	290.99
33 637 003	4005176334405	155	205.54

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
33 769 000	4005176819605	37	254.33
33 770 001	4005176828959	512	203.79
33 770 002	4005176888137	511	226.56
33 772 002	4005176890796	511	237.95
33 848 001	4005176409172	74	265.94
33 848 DC1	4005176412776	74	356.91
33 849 001	4005176409189	75	300.78
33 849 AL1	4005176586200	75	494.50
33 849 DC1	4005176412783	75	469.06
33 850 001	4005176409196	76	348.40
33 865 001	4005176409202	75	300.77
33 865 AL1	4005176586217	75	387.41
33 865 DC1	4005176412790	75	387.85
33 912 000	4005176111969	525, 601	416.28
33 961 000	4005176119972	294, 601	318.40
33 962 000	4005176119989	294, 601	214.95
33 963 000	4005176128387	294, 601	95.06
33 964 000	4005176128394	294, 601	96.14
33 975 004	4005176467004	516	194.31
33 977 002	4005176886560	517	149.81
33 982 002	4005176890833	518	138.19
34			
34 143 003	4005176309618	151, 270	231.82
34 146 003	4005176309625	270	220.71
34 151 004	4005176456664	272	282.84
34 152 004	4005176456640	272	303.91
34 155 003	4005176310027	152, 271	287.27
34 156 003	4005176310034	271	298.35
34 169 001	4005176926518	260	328.76
34 170 001	4005176926471	260	305.19
34 174 001	4005176926426	261	399.49
34 176 001	4005176926488	263	741.22
34 195 001	4005176926631	263	352.35
34 256 004	4005176456671	272	287.27
34 281 001	4005176926501	263	517.30
34 294 001	4005176306877	110	149.81
34 430 000	4005176917981	269	254.00
34 437 000	4005176918025	269	298.35
34 438 003	4005176309632	270	231.82
34 439 003	4005176310041	271	298.35
34 446 001	4005176926402	260	328.76
34 448 000	4005176919183	269	376.00
34 463 001	4005176926419	259	388.85
34 464 001	4005176926433	261	399.46
34 466 001	4005176926440	262	411.28
34 469 001	4005176926396	259	352.34
34 484 001	4005176932519	262	423.03
34 487 000	4005176936234	588, 602	138.19
34 488 000	4005176940620	82, 90	375.91
34 491 000	4005176940644	265	423.02
34 497 000	4005176940675	83, 91	474.07
34 502 000	4005176940798	266	529.07
34 508 000	4005176941795	266	505.53
34 509 000	4005176941801	265	387.69
34 519 000	4005176998515	269	285.24
34 557 001	4005176456688	272	254.00
34 558 000	4005176310089	191, 279	198.53
34 562 000	4005176310102	279	209.63
34 565 001	4005176456718	280	220.71
34 566 001	4005176456701	280	241.80
34 567 000	4005176310157	191, 279	254.00
34 569 000	4005176310171	280	254.00
34 665 000	4005176351556	589	364.23
34 666 000	4005176351563	590	322.97
34 667 000	4005176351570	589	290.91
34 671 000	4005176351587	590	371.06
34 681 000	4005176354090	590	347.21
34 705 000	4005176413285	59, 79	1,471.78
34 706 000	4005176413797	39, 107	1,459.99
34 713 000	4005176409776	251	941.54
34 714 000	4005176409783	251	882.60
34 718 000	4005176457647	75, 102	434.82
34 719 000	4005176457654	75, 102	394.73
34 720 000	4005176457661	252	505.53
34 721 000	4005176457678	252	512.60
34 725 000	4005176457081	589	361.37
34 726 000	4005176466014	256	580.40
34 727 000	4005176466021	256	649.65
34 728 000	4005176466069	254	591.39
34 729 000	4005176466076	254	663.95
34 730 000	4005176466342	254	1,436.71
34 731 000	4005176466359	256	1,436.71
34 732 000	4005176466366	256	986.01
34 734 000	4005176466403	254	1,013.50
34 735 000	4005176466410	257	809.03
34 741 000	4005176481208	85, 93	1,334.02
34 742 000	4005176484094	39, 249	1,377.55
34 743 000	4005176484100	250	1,283.27
34 744 000	4005176484117	250	1,078.21
34 765 000	4005176612022	115, 134	198.00
34 766 000	4005176612039	116, 135	257.95
34 767 000	4005176612046	163, 276	192.97
34 768 000	4005176612053	278	230.02
34 769 000	4005176612060	278	235.68
34 770 000	4005176612077	277	252.93
34 771 000	4005176612886	276	202.27
34 772 000	4005176612893	277	262.23
34 776 000	4005176612930	273	209.00
34 779 000	4005176612961	273	272.29
34 780 000	4005176612978	273	267.26
34 781 000	4005176612985	274	213.28
34 782 000	4005176612992	274	276.56
34 783 000	4005176613005	274	241.25
34 784 000	4005176613012	275	244.83
34 787 000	4005176613043	275	245.52
35			
35 028 000	4005176908316	41, 42	138.17
35 034 000	4005176915697	438	222.72
35 085 000	4005176207068	593	2,023.51
35 087 000	4005176207082	593	2,310.42
35 500 000	4005176831522	591, 591	265.93
35 604 000	4005176698774	29, 29	136.05
36			
36 015 001	4005176929359	571	538.24
36 016 001	4005176929366	571	464.23
36 078 000	4005176856532	317	112.72
36 194 000	4005176140921	531	144.62
36 207 001	4005176929373	571	620.34
36 208 001	4005176929380	571	526.54
36 209 000	4005176207105	572, 606	74.15
36 233 000	4005176283338	606	555.16
36 249 000	4005176283345	606	633.03
36 264 001	4005176416279	557, 560	223.11
36 265 000	4005176893131	608	127.83
36 266 000	4005176893148	608	104.35
36 267 000	4005176893155	608	104.37
36 268 000	4005176893162	608	104.35
36 269 000	4005176893179	582	315.46
36 271 000	4005176893193	582	292.01
36 272 000	4005176893209	582	292.01
36 273 000	4005176893216	583	383.36

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
36 274 000	4005176893223	583	374.08
36 309 000	4005176894794	317	272.12
36 315 000	4005176896590	578	491.35
36 316 000	4005176896279	608	33.99
36 317 000	4005176896514	607	289.17
36 318 000	4005176896521	607	312.39
36 319 000	4005176896538	607	485.94
36 320 000	4005176896545	607	451.76
36 321 000	4005176896552	607	323.98
36 322 001	4005176595400	607	134.39
36 324 001	4005176305757	575	564.06
36 325 001	4005176305764	574	397.54
36 327 001	4005176305771	160, 573	350.63
36 330 001	4005176305788	575	374.09
36 331 001	4005176305795	573	307.25
36 332 000	4005176896682	576	826.45
36 333 000	4005176896699	576	811.73
36 334 SD0	4005176896705	577	456.18
36 335 SD0	4005176896712	577	432.71
36 336 001	4005176991769	565, 577	322.29
36 337 001	4005176595417	565, 577	121.92
36 338 000	4005176896743	558, 561	92.64
36 339 001	4005176595424	566, 578	222.64
36 340 000	4005176911385	557, 561	55.80
36 341 000	4005176911392	557, 561	100.32
36 359 000	4005176918414	312	1,330.42
36 360 000	4005176918438	313	1,141.87
36 367 000	4005176923203	315	305.20
36 371 000	4005176928970	315	646.92
36 376 000	4005176932243	578	585.16
36 384 000	4005176982774	583	643.78
36 386 001	4005176311673	575	681.90
36 397 000	4005176999413	314	1,141.85
36 407 001	4005176368974	557, 561	268.96
36 409 000	4005176320538	563	498.40
36 410 000	4005176320545	565	572.26
36 412 000	4005176320569	566	644.97
36 413 000	4005176320576	562	605.10
36 414 000	4005176320583	564	820.88
36 415 000	4005176320590	567	542.45
36 416 001	4005176595394	567, 580	629.75
36 421 000	4005176368523	574	370.11
36 422 000	4005176368530	573	372.41
36 439 000	4005176389740	574	276.43
36 440 000	4005176415623	556	817.27
36 441 000	4005176415630	89, 556	783.65
36 441 AL0	4005176686825	556	1,170.51
36 441 DC0	4005176686818	556	1,014.44
36 442 000	4005176415647	556	884.55
36 444 000	4005176415661	559	660.32
36 445 000	4005176415678	113, 559	637.91
36 445 A00	4005176686795	559	877.88
36 445 AL0	4005176686801	559	940.60
36 445 DA0	4005176686573	559	877.88
36 445 DC0	4005176686542	559	815.17
36 445 DL0	4005176686788	559	940.60
36 445 GL0	4005176686559	559	877.88
36 445 GN0	4005176686566	559	940.60
36 446 000	4005176415685	560	593.07
36 447 000	4005176416293	560	839.70
36 451 000	4005176473678	181, 586	243.28
36 452 000	4005176473685	586	226.46
36 453 000	4005176473791	587	256.73
36 454 000	4005176487774	576	935.08
36 455 000	4005176487781	576	909.63
36 456 000	4005176494758	579	226.78
36 457 000	4005176494765	578	853.44
36 458 000	4005176494772	579	685.94
36 459 000	4005176576188	579	736.82
36 463 000	4005176576690	580	201.58
36 464 000	4005176576706	580	617.02

37

Ref. No.	EAN	Page	Retail Guide Price (£)
37 035 000	4005176143731	706	12.74
37 036 000	4005176143748	706	20.09
37 037 000	4005176143762	706	22.20
37 038 000	4005176143786	707	24.31
37 039 000	4005176143793	707	26.40
37 040 000	4005176143861	707	29.49
37 042 000	4005176143908	707	17.93
37 043 000	4005176143922	707	39.70
37 044 000	4005176160776	706	21.14
37 059 000	4005176142857	716	144.62
37 060 000	4005176142901	717	65.64
37 063 000	4005176142185	719	63.72
37 063 SH0	4005176142307	719	63.72
37 069 000	4005176142352	719	110.39
37 078 PI0	4005176160783	690	85.17
37 085 PI0	4005176149641	690	54.51
37 088 PI0	4005176149672	690	52.93
37 092 000	4005176145049	689	35.86
37 093 000	4005176145070	689	42.13
37 095 000	4005176145124	689, 763	32.26
37 099 K00	4005176142086	690	31.64
37 100 SH0	4005176142093	690	21.14
37 104 K00	4005176160844	692	21.14
37 105 K00	4005176141904	693	21.14
37 107 000	4005176141713	696	47.42
37 108 000	4005176141720	696	40.51
37 112 000	4005176141911	696	73.61
37 114 000	4005176141935	696	19.49
37 119 000	4005176144370	693	4.33
37 131 000	4005176144585	681, 693	42.36
37 132 000	4005176144608	695	19.49
37 133 000	4005176144622	695	32.19
37 135 000	4005176144653	696	6.22
37 139 000	4005176143083	695	89.94
37 141 000	4005176143113	695	107.60
37 311 K00	4005176160851	692	21.14
37 321 001	4005176929496	702	549.98
37 321 SD1	4005176929502	702	549.98
37 324 001	4005176929526	703	549.98
37 324 SD1	4005176929533	703	518.31
37 336 001	4005176929540	702	549.98
37 337 001	4005176929557	702	518.31
37 338 000	4005176837920	568, 704	139.53
37 339 000	4005176837937	706	112.70
37 347 000	4005176837999	695	215.20
37 396 000	4005176907968	706	127.83
37 419 000	4005176933806	697	831.44
37 419 SD0	4005176933813	697	831.44
37 421 000	4005176935572	701	449.52
37 489 000	4005176167386	692	10.00
37 503 000	4005176320507	568, 703	702.45
37 504 000	4005176320521	569, 698	878.33
37 535 000	4005176416019	97, 108	67.80
37 535 A00	4005176431364	710	175.57
37 535 AL0	4005176431357	97, 108	175.57
37 535 BE0	4005176431340	710	175.57
37 535 DA0	4005176431333	710	175.57
37 535 DC0	4005176416040	97, 108	175.57
37 535 DL0	4005176431326	710	175.57
37 535 EN0	4005176431319	710	175.57
37 535 GL0	4005176431302	710	175.57

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
37 535 GN0	4005176431296	710	175.57
37 535 P00	4005176416026	710	67.80
37 535 SH0	4005176416033	710	70.35
37 547 000	4005176189425	719	76.77
37 547 P00	4005176189449	719	71.42
37 547 SH0	4005176189418	719	63.72
37 601 000	4005176416057	80, 119	77.64
37 601 A00	4005176528996	119, 710	175.64
37 601 AL0	4005176529030	80, 119	175.64
37 601 BE0	4005176529009	119, 710	175.64
37 601 DA0	4005176524288	119, 710	175.64
37 601 DC0	4005176416088	80, 119	175.64
37 601 DL0	4005176529023	119, 710	175.64
37 601 EN0	4005176529047	119, 710	175.64
37 601 GL0	4005176524271	119, 710	175.64
37 601 GN0	4005176529016	119, 710	175.64
37 601 P00	4005176416064	710	103.20
37 601 SH0	4005176416071	710	63.88
37 624 000	4005176416095	108, 129	77.64
37 624 A00	4005176529078	711	175.64
37 624 AL0	4005176529115	108, 711	175.64
37 624 BE0	4005176529085	711	175.64
37 624 DA0	4005176529061	711	175.64
37 624 DC0	4005176416125	108, 711	175.67
37 624 DL0	4005176529108	711	175.64
37 624 EN0	4005176529122	711	175.64
37 624 GL0	4005176529054	711	175.64
37 624 GN0	4005176529092	711	175.64
37 624 P00	4005176416101	711	103.20
37 624 SH0	4005176416118	711	63.88
37 761 000	4005176213243	717	43.60
37 762 SH0	4005176213250	686	76.77
37 791 SH0	4005176217241	686	171.74
37 945 SH0	4005176256387	686	76.77
37 965 000	4005176442506	711	68.01
37 965 SH0	4005176442513	711	52.36
37 998 000	4005176262586	680	112.71
38			
38 338 000	4005176286179	682	30.10
38 422 000	4005176275203	687	187.37
38 445 SD0	4005176282850	719	108.98
38 488 000	4005176289866	717	43.40
38 496 000	4005176289958	717	199.15
38 505 000	4005176290053	714	51.57
38 505 P00	4005176290060	714	89.91
38 505 SH0	4005176290046	714	34.01
38 506 000	4005176290121	714	75.02
38 506 P00	4005176290138	714	76.77
38 506 SH0	4005176290114	714	69.22
38 525 001	4005176863967	671	325.94
38 526 000	4005176291050	671	244.45
38 528 001	4005176863943	662	188.70
38 536 001	4005176863929	669	214.43
38 539 001	4005176863912	669	244.45
38 541 000	4005176291234	676, 678	167.25
38 543 000	4005176291258	677	313.07
38 545 000	4005176291272	677	321.65
38 546 000	4005176291289	676	158.68
38 553 001	4005176863813	676	270.18
38 554 001	4005176863806	675	137.24
38 557 001	4005176863783	675	128.65
38 558 00M	4005176291418	671, 674	27.60
38 559 001	4005176863776	679	201.57
38 562 001	4005176863752	681	101.32
38 564 000	4005176291784	716	80.94
38 564 SH0	4005176291777	716	62.06
38 565 000	4005176291845	716	51.62
38 573 000	4005176292316	716	57.48
38 573 P00	4005176292323	716	76.77
38 573 SH0	4005176292309	716	63.72
38 574 000	4005176292385	716	63.72
38 629 000	4005176293191	681	56.91
38 661 000	4005176294907	686	175.59
38 672 SD0	4005176296468	716	127.83
38 675 001	4005176863516	670, 678	351.67
38 691 000	4005176815454	687	187.37
38 698 SD1	4005176929571	697	737.61
38 699 001	4005176929588	697	620.34
38 714 000	4005176828454	694, 717	15.02
38 721 001	4005176863431	666	257.31
38 722 001	4005176863424	666	257.31
38 732 000	4005176836114	714	75.06
38 732 A00	4005176339110	714	147.69
38 732 AL0	4005176339127	714	147.69
38 732 BE0	4005176427749	714	147.69
38 732 BR0	4005176873676	714	127.81
38 732 DA0	4005176339097	714	147.69
38 732 DC0	4005176431371	714	136.76
38 732 DL0	4005176427732	714	147.69
38 732 EN0	4005176427756	714	147.69
38 732 GL0	4005176339103	714	147.69
38 732 GN0	4005176427725	714	147.69
38 732 P00	4005176836121	714	55.17
38 732 SD0	4005176847691	713	163.00
38 732 SH0	4005176836138	714	57.43
38 733 000	4005176837289	681	32.99
38 735 000	4005176837500	691	57.46
38 736 000	4005176837517	691	45.74
38 748 002	4005176416323	557, 561	591.84
38 750 001	4005176863363	664	291.63
38 761 000	4005176841620	667	295.91
38 764 001	4005176863301	667	231.58
38 765 000	4005176846830	712	75.04
38 765 P00	4005176846847	712	73.87
38 765 SH0	4005176846854	712	57.47
38 771 000	4005176848551	717	45.74
38 772 001	4005176863288	666	257.31
38 773 000	4005176850288	667	295.91
38 776 SD0	4005176853555	713	162.99
38 778 000	4005176855269	698	684.82
38 779 000	4005176855306	681	106.93
38 784 000	4005176855535	720	116.07
38 784 P00	4005176855542	720	119.60
38 784 SD0	4005176877407	720	171.23
38 784 SH0	4005176855559	720	106.80
38 786 001	4005176864025	673	283.05
38 787 000	4005176855689	704	116.11
38 796 000	4005176857034	718	69.18
38 803 001	4005176864049	673	355.96
38 804 000	4005176861512	720	124.09
38 804 P00	4005176861536	720	116.13
38 804 SH0	4005176861529	720	112.73
38 805 000	4005176865596	718	139.53
38 808 000	4005176864056	721	104.36
38 808 P00	4005176864063	721	117.28
38 808 SH0	4005176864070	721	91.41
38 809 000	4005176864681	712	608.60
38 821 000	4005176868986	713	245.10
38 827 000	4005176870477	664	317.36
38 844 000	4005176874963	714	75.04
38 844 P00	4005176875687	714	69.18
38 844 SH0	4005176874970	714	57.46
38 845 KS0	4005176878343	712	256.82

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
38 845 LS0	4005176878336	712	256.82
38 845 MF0	4005176878619	712	256.82
38 846 KS0	4005176878268	720	305.06
38 846 LS0	4005176878367	720	305.06
38 857 000	4005176875694	721	116.13
38 857 P00	4005176875663	721	112.71
38 857 SH0	4005176875793	721	107.03
38 858 000	4005176876714	714	75.04
38 858 P00	4005176876721	714	69.18
38 858 SH0	4005176876738	714	57.46
38 860 000	4005176878084	664	257.31
38 861 000	4005176832284	715	69.19
38 862 000	4005176832314	714	75.04
38 862 P00	4005176832321	714	66.54
38 862 SD0	4005176834721	715	169.63
38 862 SH0	4005176832338	714	55.77
38 863 000	4005176832345	687	140.22
38 868 000	4005176878091	667	295.91
38 882 000	4005176879197	718	8.65
38 885 000	4005176879609	665	390.27
38 888 000	4005176879630	664	454.60
38 915 KS0	4005176897108	712	895.49
38 915 LS0	4005176897115	712	909.67
38 916 0A0	4005176896941	713	306.26
38 947 000	4005176911217	668	338.80
38 948 000	4005176911224	668	257.31
38 957 000	4005176914409	713	112.72
38 987 000	4005176924798	686	117.28
38 994 000	4005176932335	670	343.10
38 995 000	4005176932342	670	411.71
39			
39 002 000	4005176936920	663	360.24
39 052 000	4005176935961	675	192.98
39 053 000	4005176935978	687	81.29
39 054 000	4005176936289	687	81.29
39 056 000	4005176936302	688	21.14
39 140 000	4005176315268	678	707.63
39 201 000	4005176344947	641	75.54
39 202 000	4005176344954	642	87.33
39 206 000	4005176344992	642	270.28
39 206 00H	4005176418495	642	323.38
39 208 000	4005176345029	645	264.39
39 208 00H	4005176418532	645	317.49
39 245 00H	4005176524479	638	494.39
39 300 000	4005176346026	655	256.30
39 301 000	4005176346033	655	188.93
39 302 000	4005176346040	655	181.19
39 305 000	4005176346071	655	320.39
39 306 000	4005176346088	656	208.80
39 307 000	4005176346095	656	458.49
39 308 000	4005176346101	656	394.41
39 323 000	4005176407116	640	105.02
39 323 00H	4005176417344	640	158.13
39 324 000	4005176407123	641	69.64
39 324 00H	4005176417375	641	122.75
39 325 000	4005176407130	642	75.54
39 327 000	4005176390104	641	87.33
39 327 00H	4005176418341	641	140.45
39 328 000	4005176407161	642	293.88
39 328 00H	4005176417382	642	347.00
39 330 001	4005176468834	644	105.06
39 331 001	4005176468827	645	74.86
39 332 000	4005176407208	644	211.26
39 333 000	4005176407215	644	211.26
39 335 000	4005176407239	640	99.14
39 335 00H	4005176417351	640	146.36
39 336 000	4005176407246	641	97.61
39 336 00H	4005176417368	641	144.58
39 337 000	4005176407253	641	105.03
39 337 00H	4005176418334	641	158.15
39 338 000	4005176407260	643	228.98
39 338 00H	4005176418501	643	282.07
39 339 000	4005176407277	644	224.63
39 339 00H	4005176418525	644	277.75
39 340 000	4005176423697	645	228.95
39 340 00H	4005176423703	645	282.07
39 346 000	4005176449673	652	323.10
39 347 000	4005176449680	652	311.52
39 349 000	4005176449659	649	143.60
39 351 000	4005176450006	651	195.71
39 354 SH1	4005176470448	616	2,298.77
39 367 000	4005176341533	705	545.89
39 368 000	4005176341540	704	529.99
39 369 000	4005176341557	705	705.14
39 374 KS0	4005176344770	662	740.19
39 374 LS0	4005176344787	662	740.19
39 376 000	4005176342998	673	291.63
39 383 000	4005176356926	564	57.45
39 386 00H	4005176438356	636	554.73
39 420 000	4005176405983	646	74.12
39 421 000	4005176428906	646	68.34
39 422 000	4005176406195	647	114.67
39 423 000	4005176406201	641, 648	114.67
39 424 000	4005176406218	648	62.53
39 425 000	4005176406225	648	62.53
39 426 000	4005176406232	648	68.35
39 427 000	4005176406249	648	114.65
39 428 000	4005176406256	649	132.02
39 429 000	4005176406263	649	143.60
39 430 000	4005176406270	649	97.29
39 431 000	4005176406287	650	97.29
39 432 000	4005176406294	651	195.70
39 433 000	4005176406300	651	195.72
39 436 000	4005176406331	649	114.64
39 437 000	4005176406348	649	114.64
39 438 000	4005176406355	651	218.88
39 439 000	4005176406362	651	218.88
39 440 000	4005176405976	647	62.53
39 462 000	4005176454608	644	494.90
39 462 00H	4005176454615	644	545.83
39 469 00H	4005176438363	636	479.44
39 473 00H	4005176438370	636	259.41
39 474 00H	4005176438387	636	242.04
39 475 00H	4005176442599	636	554.73
39 476 00H	4005176442605	636	480.60
39 477 00H	4005176442612	637	260.57
39 478 00H	4005176442629	637	244.36
39 479 00H	4005176442636	637	250.14
39 480 00H	4005176442643	637	233.93
39 481 00H	4005176442650	637	233.93
39 482 00H	4005176442667	637	207.29
39 483 00H	4005176442674	638	201.51
39 484 00H	4005176442698	638	465.55
39 485 00H	4005176442704	638	433.13
39 486 00H	4005176442711	639	379.86
39 487 00H	4005176442728	639	392.59
39 488 000	4005176442735	639	179.51
39 489 000	4005176442742	638	244.38
39 490 000	4005176442759	639	244.38
39 491 000	4005176449994	648	80.29
39 492 000	4005176450013	650	45.18
39 493 000	4005176450020	650	91.52
39 496 000	4005176450051	652	324.04

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
39 497 000	4005176450068	651	147.99
39 500 000	4005176453861	663	325.94
39 501 000	4005176453878	665	281.34
39 503 000	4005176454097	665	281.34
39 504 000	4005176454103	665	281.34
39 538 000	4005176468292	643	230.21
39 554 000	4005176484452	642	393.55
39 564 00H	4005176485602	628	283.92
39 565 00H	4005176485619	628	262.00
39 566 00H	4005176485626	628	623.75
39 567 00H	4005176485633	628	448.35
39 568 00H	4005176485640	628	305.85
39 570 000	4005176484865	629	163.34
39 571 00H	4005176485671	629	393.54
39 572 00H	4005176485688	629	437.39
39 573 00H	4005176485794	629	411.08
39 574 00H	4005176485800	630	393.54
39 575 00H	4005176485817	630	411.08
39 576 000	4005176485121	630	108.53
39 577 000	4005176485138	630	163.34
39 578 000	4005176485145	630	251.04
39 579 000	4005176485152	630	251.04
39 581 000	4005176496011	666	313.07
39 584 00H	4005176519161	640	369.43
39 585 00H	4005176519178	640	476.85
39 596 000	4005176527494	617, 660	261.61
39 598 000	4005176527517	617, 661	295.91
39 603 000	4005176527562	660	317.36
39 604 000	4005176524486	653	338.71
39 608 00H	4005176566493	628	596.34
39 609 00H	4005176566509	629	397.93
39 611 000	4005176571275	631	6,791.97
39 612 000	4005176571282	631	6,576.95
39 613 00H	4005176571299	631	6,931.44
39 614 00H	4005176571305	631	7,070.92
39 617 000	4005176571312	632	1,303.94
39 619 000	4005176571329	633	1,438.01
39 620 00H	4005176571336	633	1,438.01
39 621 00H	4005176571343	633	1,570.92
39 622 000	4005176571350	633	6,498.79
39 623 000	4005176571367	634	6,942.62
39 641 000	4005176570155	640	235.70
39 642 000	4005176570162	640	246.66
39 642 KW0	4005176573521	640	281.00
39 643 000	4005176570179	647	196.23
39 644 000	4005176570186	646	179.79
39 648 SH0	4005176575310	619, 653	254.24
39 649 00H	4005176571374	634	6,942.46
39 650 00H	4005176571381	634	7,083.94
39 651 SH0	4005176575327	619, 653	356.14
39 652 SH0	4005176575334	619, 654	483.77
39 693 000	4005176581281	643	364.78
39 703 000	4005176583896	643	337.14
39 726 00H	4005176594861	632	7,070.92
39 727 00H	4005176594878	632	6,931.44
39 728 000	4005176594885	632	6,576.95
39 729 000	4005176594991	631	6,187.26
39 898 000	4005176713972	650	95.83
39 923 000	4005176724008	650	95.83

40

40 254 000	4005176211065	43, 43	27.38
40 254 003	4005176462405	60	41.35
40 256 000	4005176211089	43, 43	38.87
40 256 003	4005176462443	60	38.42
40 278 000	4005176824081	43, 43	81.27
40 279 000	4005176824098	44	110.42
40 284 000	4005176824104	44	44.61
40 304 003	4005176461576	60	50.34
40 304 AL3	4005176462399	60	80.83
40 304 DA3	4005176494154	60	112.38
40 304 DC3	4005176461583	60	70.67
40 304 GL3	4005176494130	60	112.38
40 305 003	4005176462412	60	50.34
40 305 AL3	4005176462436	60	80.83
40 305 DA3	4005176494208	60	112.38
40 305 DC3	4005176462429	60	70.67
40 305 GL3	4005176494185	60	112.38
40 306 003	4005176461545	60	50.34
40 306 AL3	4005176461569	60	80.83
40 306 DA3	4005176494093	60	112.38
40 306 DC3	4005176461552	60	70.67
40 306 GL3	4005176494079	60	112.38
40 307 003	4005176462450	60	67.57
40 307 AL3	4005176462474	60	110.42
40 307 DA3	4005176494260	60	150.55
40 307 DC3	4005176462467	60	92.75
40 307 GL3	4005176494246	60	150.55
40 308 003	4005176462481	61	114.85
40 308 AL3	4005176462504	61	175.80
40 308 DA3	4005176494321	61	250.20
40 308 DC3	4005176462498	61	159.02
40 308 GL3	4005176494307	61	250.20
40 309 003	4005176462511	61	106.01
40 309 AL3	4005176462627	61	172.26
40 309 DA3	4005176494383	61	238.54
40 309 DC3	4005176462528	61	150.19
40 309 GL3	4005176494369	61	238.54
40 312 003	4005176462535	61	34.89
40 312 AL3	4005176462559	61	55.64
40 312 DA3	4005176494444	61	77.39
40 312 DC3	4005176462542	61	48.58
40 312 GL3	4005176494420	61	77.39
40 313 003	4005176462566	61	76.42
40 313 AL3	4005176462580	61	123.68
40 313 DA3	4005176494505	61	169.63
40 313 DC3	4005176462573	61	106.01
40 313 GL3	4005176494482	61	169.63
40 314 003	4005176462597	61	150.19
40 314 AL3	4005176462610	61	246.50
40 314 DA3	4005176494567	61	337.14
40 314 DC3	4005176462603	61	211.16
40 314 GL3	4005176494543	61	337.14
40 339 000	4005176824111	44	110.42
40 340 000	4005176824128	45	176.69
40 341 000	4005176824135	44	163.43
40 342 000	4005176824142	44	163.43
40 344 001	4005176323461	214	97.18
40 344 DC1	4005176413209	214	136.93
40 364 001	4005176326332	210	10.59
40 364 A01	4005176429514	210	15.89
40 364 AL1	4005176429668	210	17.22
40 364 BE1	4005176430114	210	15.89
40 364 DA1	4005176428913	210	15.89
40 364 DL1	4005176429965	210	17.22
40 364 EN1	4005176326349	210	17.22
40 364 GL1	4005176429361	210	15.89
40 364 GN1	4005176429811	210	17.22
40 365 001	4005176326240	208	19.43
40 365 A01	4005176429521	208	29.14
40 365 AL1	4005176429675	208	31.36
40 365 BE1	4005176430121	208	29.14
40 365 DA1	4005176428920	208	29.14
40 365 DC1	4005176412431	208	27.38

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 365 DL1	4005176429972	208	31.36
40 365 EN1	4005176326257	208	31.36
40 365 GL1	4005176429378	208	29.14
40 365 GN1	4005176429828	208	31.36
40 366 001	4005176326264	209	30.91
40 366 A01	4005176429552	209	46.37
40 366 AL1	4005176429705	209	49.47
40 366 BE1	4005176430152	209	46.37
40 366 DA1	4005176428951	209	46.37
40 366 DC1	4005176412448	209	43.28
40 366 DL1	4005176430008	209	49.47
40 366 EN1	4005176326271	209	49.47
40 366 GL1	4005176429408	209	46.37
40 366 GN1	4005176429859	209	49.47
40 367 001	4005176326387	212	25.61
40 367 A01	4005176429620	212	38.42
40 367 AL1	4005176429774	212	41.07
40 367 BE1	4005176430220	212	38.42
40 367 DA1	4005176429323	212	38.42
40 367 DC1	4005176412455	212	35.77
40 367 DL1	4005176430077	212	41.07
40 367 EN1	4005176326394	212	41.07
40 367 GL1	4005176429477	212	38.42
40 367 GN1	4005176429927	212	41.07
40 368 001	4005176326219	207, 215	5.38
40 369 001	4005176326196	207	19.43
40 369 A01	4005176429576	207	29.14
40 369 AL1	4005176429729	207	31.36
40 369 BE1	4005176430176	207	29.14
40 369 DA1	4005176428975	207	29.14
40 369 DC1	4005176412462	207	27.38
40 369 DL1	4005176430022	207	31.36
40 369 EN1	4005176326202	207	31.36
40 369 GL1	4005176429422	207	29.14
40 369 GN1	4005176429873	207	31.36
40 371 001	4005176326318	209	34.44
40 371 A01	4005176429538	209	51.67
40 371 AL1	4005176429682	209	55.21
40 371 BE1	4005176430138	209	51.67
40 371 DA1	4005176428937	209	51.67
40 371 DC1	4005176412479	209	48.58
40 371 DL1	4005176429989	209	55.21
40 371 EN1	4005176430268	209	55.21
40 371 GL1	4005176429385	209	51.67
40 371 GN1	4005176429835	209	55.21
40 372 001	4005176326226	207, 215	6.44
40 374 001	4005176326400	212	31.80
40 374 A01	4005176429590	212	47.70
40 374 AL1	4005176429743	212	51.24
40 374 BE1	4005176430190	212	47.70
40 374 DA1	4005176429293	212	47.70
40 374 DC1	4005176412486	212	44.61
40 374 DL1	4005176430046	212	51.24
40 374 EN1	4005176430282	212	51.24
40 374 GL1	4005176429446	212	47.70
40 374 GN1	4005176429897	212	51.24
40 385 001	4005176326356	212	19.43
40 385 A01	4005176429606	212	29.14
40 385 AL1	4005176429750	212	31.36
40 385 BE1	4005176430206	212	29.14
40 385 DA1	4005176429309	212	29.14
40 385 DC1	4005176413094	212	27.38
40 385 DL1	4005176430053	212	31.36
40 385 EN1	4005176430299	212	31.36
40 385 GL1	4005176429453	212	29.14
40 385 GN1	4005176429903	212	31.36
40 386 001	4005176326301	209	38.87
40 386 A01	4005176429569	209	58.30
40 386 AL1	4005176429712	209	62.27
40 386 BE1	4005176430169	209	58.30
40 386 DA1	4005176428968	209	58.30
40 386 DL1	4005176430015	209	62.27
40 386 EN1	4005176430275	209	62.27
40 386 GL1	4005176429415	209	58.30
40 386 GN1	4005176429866	209	62.27
40 394 001	4005176326233	207, 215	15.89
40 394 A01	4005176429583	207	23.84
40 394 AL1	4005176429736	207, 215	25.61
40 394 BE1	4005176430183	207	23.84
40 394 DA1	4005176428982	207	23.84
40 394 DC1	4005176421532	207, 215	22.52
40 394 DL1	4005176430039	207	25.61
40 394 EN1	4005176412646	207, 222	25.61
40 394 GL1	4005176429439	207	23.84
40 394 GN1	4005176429880	207	25.61
40 404 001	4005176984068	487	50.17
40 405 001	4005176698019	486	24.88
40 407 001	4005176328350	213	61.40
40 407 DC1	4005176413179	213	86.13
40 412 001	4005176984082	487	124.37
40 421 001	4005176326325	210	30.91
40 421 A01	4005176429637	210	46.37
40 421 AL1	4005176429781	210	49.47
40 421 BE1	4005176430237	210	46.37
40 421 DA1	4005176429330	210	46.37
40 421 DC1	4005176413117	210	43.28
40 421 DL1	4005176430084	210	49.47
40 421 EN1	4005176430305	210	49.47
40 421 GL1	4005176429484	210	46.37
40 421 GN1	4005176429934	210	49.47
40 422 000	4005176890246	488	68.61
40 423 000	4005176890253	489	85.77
40 430 001	4005176984075	487	94.35
40 432 000	4005176883255	493	21.44
40 434 001	4005176985294	488	24.87
40 437 000	4005176885471	486	24.87
40 438 001	4005176984105	493	124.37
40 444 001	4005176328336	208	24.73
40 444 DC1	4005176413148	208	34.89
40 444 EN1	4005176335501	208	39.74
40 447 001	4005176328701	208	24.29
40 447 DC1	4005176413162	208	34.01
40 447 EN1	4005176335518	208	38.42
40 448 001	4005176328343	208	36.21
40 448 DC1	4005176413155	208	50.80
40 448 EN1	4005176335525	208	57.87
40 457 001	4005176327865	220	19.81
40 459 001	4005176327810	219	22.51
40 460 001	4005176327803	219	15.76
40 461 001	4005176327858	220	9.45
40 462 001	4005176327827	220	83.30
40 463 001	4005176327872	220	25.66
40 493 000	4005176899256	33	211.16
40 494 000	4005176899263	33	317.18
40 496 000	4005176899287	33	172.26
40 497 000	4005176899294	33	193.49
40 498 000	4005176899300	34	83.04
40 499 000	4005176899317	34	167.86
40 500 000	4005176899324	34	273.00
40 503 000	4005176900068	33	246.50
40 504 000	4005176900075	33	255.32
40 507 001	4005176324598	217	29.59
40 507 AL1	4005176636639	217	61.49
40 507 DC1	4005176636530	217	54.07

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 508 001	4005176324413	215	25.61
40 508 AL1	4005176636653	215	53.01
40 508 DC1	4005176636554	215	46.65
40 509 001	4005176324437	216	39.31
40 509 DC1	4005176636493	216	71.03
40 510 001	4005176324420	216	35.34
40 510 AL1	4005176636578	216	73.15
40 510 DC1	4005176636172	216	63.61
40 511 001	4005176324475	216	15.01
40 511 AL1	4005176636615	216	30.75
40 511 DC1	4005176636516	216	27.56
40 512 001	4005176324451	216	128.10
40 512 AL1	4005176636608	216	263.98
40 513 001	4005176324604	217	51.67
40 513 AL1	4005176636561	217	104.96
40 513 DC1	4005176636165	217	92.24
40 514 001	4005176324468	217	53.00
40 514 AL1	4005176636622	217	109.20
40 514 DC1	4005176636523	217	95.42
40 535 000	4005176905490	531	39.45
40 535 A00	4005176489396	531	88.52
40 535 AL0	4005176489402	531	88.52
40 535 BE0	4005176489457	531	88.52
40 535 DA0	4005176489433	531	88.52
40 535 DC0	4005176905520	531	55.31
40 535 DL0	4005176489440	531	88.52
40 535 GL0	4005176489419	531	88.52
40 535 GN0	4005176489426	531	88.52
40 536 000	4005176905506	531	35.59
40 536 DC0	4005176905537	531	50.17
40 537 000	4005176905513	531	43.73
40 537 DC0	4005176905544	531	76.69
40 547 001	4005176984099	487	50.17
40 554 002	4005176458521	474	1,441.02
40 564 000	4005176912740	108, 748	263.34
40 564 A00	4005176491849	748	366.98
40 564 AL0	4005176491788	108, 748	390.89
40 564 DC0	4005176491795	108, 748	342.03
40 565 000	4005176912757	747	78.56
40 565 AL0	4005176491696	747	96.75
40 565 DC0	4005176491702	747	85.43
40 575 001	4005176385766	487	98.64
40 575 002	4005176674082	487	98.64
40 585 001	4005176327797	219	15.76
40 623 001	4005176324482	217	24.73
40 623 AL1	4005176636646	217	50.89
40 623 DC1	4005176636547	217	44.53
40 624 001	4005176324444	216	49.91
40 624 AL1	4005176636585	216	101.78
40 624 DC1	4005176636486	216	89.06
40 625 000	4005176927706	71	128.10
40 625 EN0	4005176927720	71	202.31
40 625 IG0	4005176927713	71	167.86
40 626 000	4005176927737	70	123.68
40 626 IG0	4005176927744	70	159.02
40 627 000	4005176927768	70	163.43
40 627 IG0	4005176927775	70	211.16
40 628 000	4005176927898	70	150.19
40 628 IG0	4005176927904	70	193.49
40 629 000	4005176927928	70	172.26
40 629 EN0	4005176927942	70	348.80
40 629 IG0	4005176927935	70	219.99
40 630 000	4005176927959	70	106.01
40 630 EN0	4005176927973	70	167.86
40 630 IG0	4005176927966	70	136.93
40 631 000	4005176927980	70	49.47
40 631 IG0	4005176927997	70	64.04
40 632 000	4005176928017	71	181.11
40 632 IG0	4005176928024	71	237.67
40 633 000	4005176928048	71	114.85
40 633 EN0	4005176928062	71	184.66
40 633 IG0	4005176928055	71	150.19
40 636 SD0	4005176706707	486	10.81
40 652 001	4005176324321	222	19.43
40 652 EN1	4005176324239	222	31.36
40 653 001	4005176324345	222	30.91
40 653 EN1	4005176324253	222	49.47
40 654 001	4005176324352	223	53.00
40 654 EN1	4005176324260	223	85.25
40 655 001	4005176324338	222	19.43
40 655 EN1	4005176324246	222	31.36
40 656 001	4005176324383	223	10.59
40 656 EN1	4005176324291	223	17.22
40 657 001	4005176324390	223	22.96
40 657 EN1	4005176324307	223	36.66
40 658 001	4005176324406	223	31.80
40 658 EN1	4005176324314	223	51.24
40 659 001	4005176324376	224	34.89
40 659 EN1	4005176324284	224	55.64
40 660 001	4005176324369	223	106.01
40 660 EN1	4005176324277	223	167.86
40 663 001	4005176327834	212, 220	44.13
40 664 001	4005176327841	213, 221	35.57
40 684 000	4005176940088	502	64.04
40 684 DC0	4005176940095	502	67.31
40 687 000	4005176981838	488	30.01
40 688 001	4005176326288	209	28.26
40 688 A01	4005176429545	209	42.40
40 688 AL1	4005176429699	209	45.50
40 688 BE1	4005176430145	209	42.40
40 688 DA1	4005176428944	209	42.40
40 688 DC1	4005176413124	209	39.74
40 688 DL1	4005176429996	209	45.50
40 688 EN1	4005176326295	209	45.50
40 688 GL1	4005176429392	209	42.40
40 688 GN1	4005176429842	209	45.50
40 689 001	4005176326363	211	22.96
40 689 A01	4005176429613	211	34.44
40 689 AL1	4005176429767	211	36.66
40 689 BE1	4005176430213	211	34.44
40 689 DA1	4005176429316	211	34.44
40 689 DC1	4005176413131	211	32.24
40 689 DL1	4005176430060	211	36.66
40 689 EN1	4005176326370	211	36.66
40 689 GL1	4005176429460	211	34.44
40 689 GN1	4005176429910	211	36.66
40 691 002	4005176674099	487	64.31
40 694 000	4005176985300	488	10.72
40 711 001	4005176454301	483	1,132.23
40 754 001	4005176328367	216	31.36
40 755 001	4005176328374	215	30.91
40 756 001	4005176328381	215	41.51
40 757 001	4005176328497	217	86.57
40 758 001	4005176328503	218	132.51
40 766 000	4005176347849	204	48.58
40 767 000	4005176347856	205	92.75
40 768 000	4005176347863	204	136.93
40 775 001	4005176328626	213	60.51
40 775 DC1	4005176413186	213	84.80
40 775 EN1	4005176324765	213	97.18
40 776 001	4005176328633	213	78.18
40 776 DC1	4005176413193	213	110.42
40 777 001	4005176328640	218	75.53
40 778 001	4005176328657	218	106.01

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
40 781 000	4005176347870	205	74.64
40 782 000	4005176347887	205	25.61
40 783 000	4005176347894	204	22.96
40 784 000	4005176347900	205	34.44
40 791 001	4005176323409	61, 203	4.86
40 791 KS1	4005176336379	61, 203	4.86
40 793 001	4005176327599	211	44.17
40 793 DC1	4005176413230	211	61.84
40 794 001	4005176327605	211	53.00
40 794 DC1	4005176413247	211	74.20
40 797 001	4005176327636	211	136.93
40 799 001	4005176327971	211	35.34
40 799 DC1	4005176413216	211	49.47
40 800 001	4005176327988	210	106.01
40 800 A01	4005176429644	210	154.60
40 800 AL1	4005176429798	210	167.86
40 800 BE1	4005176430244	210	154.60
40 800 DA1	4005176429347	210	154.60
40 800 DC1	4005176413223	210	145.76
40 800 DL1	4005176430091	210	167.86
40 800 EN1	4005176430312	210	167.86
40 800 GL1	4005176429491	210	154.60
40 800 GN1	4005176429941	210	167.86
40 802 001	4005176328107	210	53.00
40 802 A01	4005176429651	210	79.95
40 802 AL1	4005176429804	210	85.25
40 802 BE1	4005176430251	210	79.95
40 802 DA1	4005176429354	210	79.95
40 802 DL1	4005176430107	210	85.25
40 802 EN1	4005176430329	210	85.25
40 802 GL1	4005176429507	210	79.95
40 802 GN1	4005176429958	210	85.25
40 804 000	4005176347917	205	255.32
40 805 000	4005176347924	204	42.84
40 806 000	4005176347931	204	28.71
40 807 000	4005176347948	205	141.35
40 808 000	4005176347955	206	128.10
40 809 000	4005176347962	206	101.59
40 824 000	4005176332975	747	21.64
40 834 001	4005176335280	493	771.98
40 841 001	4005176335358	492	94.35
40 842 001	4005176335365	493	720.51
40 843 000	4005176337109	489	36.02
40 846 001	4005176344091	213	97.18
40 847 001	4005176344107	218	123.68
40 848 000	4005176351082	486	7.29
40 848 AL0	4005176646997	486	14.57
40 848 DL0	4005176647017	486	14.57
40 848 GN0	4005176647000	486	14.57
40 848 SD0	4005176386008	486	10.72
40 857 000	4005176378393	206	101.59
40 865 000	4005176378140	204	34.44
40 899 000	4005176413896	618, 671	39.85
40 911 000	4005176416132	682, 694	12.30
40 919 SD0	4005176450136	493	12.86
40 920 000	4005176470646	489	15.43
40 949 000	4005176477881	682, 694	22.64
40 950 000	4005176478994	682, 694	17.45
40 954 000	4005176496844	103	101.90
40 962 000	4005176529412	486	18.00

41

Ref. No.	EAN	Page	Retail Guide Price (£)
41 007 000	4005176281815	728	15.02
41 027 000	4005176576836	199	51.95
41 027 A00	4005176576911	199	78.45
41 027 AL0	4005176576928	199	83.75
41 027 BE0	4005176576850	199	78.45
41 027 DA0	4005176576898	199	78.45
41 027 DC0	4005176576843	199	73.15
41 027 DL0	4005176576904	199	83.75
41 027 EN0	4005176576867	199	83.75
41 027 GL0	4005176576874	199	78.45
41 027 GN0	4005176576881	199	83.75
41 028 000	4005176576942	199	51.95
41 028 A00	4005176577024	199	78.45
41 028 AL0	4005176577031	199	83.75
41 028 BE0	4005176576966	199	78.45
41 028 DA0	4005176577000	199	78.45
41 028 DC0	4005176576959	199	73.15
41 028 DL0	4005176577017	199	83.75
41 028 EN0	4005176576973	199	83.75
41 028 GL0	4005176576980	199	78.45
41 028 GN0	4005176576997	199	83.75
41 029 000	4005176577055	199	25.44
41 035 000	4005176577062	199	58.31
41 035 A00	4005176577147	199	87.99
41 035 AL0	4005176577154	199	93.30
41 035 BE0	4005176577086	199	87.99
41 035 DA0	4005176577123	199	87.99
41 035 DC0	4005176577079	199	81.63
41 035 DL0	4005176577130	199	93.30
41 035 EN0	4005176577093	199	93.30
41 035 GL0	4005176577109	199	87.99
41 035 GN0	4005176577116	199	93.30
41 036 000	4005176577178	200	33.93
41 037 000	4005176577185	200	14.84
41 038 000	4005176577192	200	68.91
41 038 A00	4005176577277	200	102.84
41 038 AL0	4005176577284	200	110.26
41 038 BE0	4005176577215	200	102.84
41 038 DA0	4005176577253	200	102.84
41 038 DC0	4005176577208	200	96.48
41 038 DL0	4005176577260	200	110.26
41 038 EN0	4005176577222	200	110.26
41 038 GL0	4005176577239	200	102.84
41 038 GN0	4005176577246	200	110.26
41 039 000	4005176577307	200	19.08
41 039 A00	4005176577383	200	28.62
41 039 AL0	4005176577390	200	30.75
41 039 BE0	4005176577321	200	28.62
41 039 DA0	4005176577369	200	28.62
41 039 DC0	4005176577314	200	26.50
41 039 DL0	4005176577376	200	30.75
41 039 EN0	4005176577338	200	30.75
41 039 GL0	4005176577345	200	28.62
41 039 GN0	4005176577352	200	30.75
41 049 000	4005176577413	200	31.81
41 049 A00	4005176577499	200	46.65
41 049 AL0	4005176577505	200	49.83
41 049 BE0	4005176577437	200	46.65
41 049 DA0	4005176577475	200	46.65
41 049 DC0	4005176577420	200	44.53
41 049 DL0	4005176577482	200	49.83
41 049 EN0	4005176577444	200	49.83
41 049 GL0	4005176577451	200	46.65
41 049 GN0	4005176577468	200	49.83
41 056 000	4005176577529	201	83.75
41 056 A00	4005176577604	201	125.10
41 056 AL0	4005176577611	201	133.58
41 056 BE0	4005176577543	201	125.10
41 056 DA0	4005176577581	201	125.10
41 056 DC0	4005176577536	201	116.62
41 056 DL0	4005176577598	201	133.58
41 056 EN0	4005176577550	201	133.58

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
41 056 GL0	4005176577567	201	125.10
41 056 GN0	4005176577574	201	133.58
41 057 000	4005176577635	201	97.54
41 058 000	4005176577642	201	108.14
41 058 A00	4005176577727	201	162.21
41 058 AL0	4005176577734	201	172.81
41 058 BE0	4005176577666	201	162.21
41 058 DA0	4005176577703	201	162.21
41 058 DC0	4005176577659	201	151.61
41 058 DL0	4005176577710	201	172.81
41 058 EN0	4005176577673	201	172.81
41 058 GL0	4005176577680	201	162.21
41 058 GN0	4005176577697	201	172.81
41 059 000	4005176577758	201	114.50
41 059 A00	4005176577833	201	171.75
41 059 AL0	4005176577840	201	183.41
41 059 BE0	4005176577772	201	171.75
41 059 DA0	4005176577819	201	171.75
41 059 DC0	4005176577765	201	160.09
41 059 DL0	4005176577826	201	183.41
41 059 EN0	4005176577789	201	183.41
41 059 GL0	4005176577796	201	171.75
41 059 GN0	4005176577802	201	183.41
41 063 000	4005176577864	202	93.30
41 063 A00	4005176577949	202	139.94
41 063 AL0	4005176577956	202	149.49
41 063 BE0	4005176577888	202	139.94
41 063 DA0	4005176577925	202	139.94
41 063 DC0	4005176577871	202	131.46
41 063 DL0	4005176577932	202	149.49
41 063 EN0	4005176577895	202	149.49
41 063 GL0	4005176577901	202	139.94
41 063 GN0	4005176577918	202	149.49
41 064 000	4005176577970	202	64.67
41 064 A00	4005176578052	202	96.48
41 064 AL0	4005176578069	202	102.84
41 064 BE0	4005176577994	202	96.48
41 064 DA0	4005176578038	202	96.48
41 064 DC0	4005176577987	202	90.12
41 064 DL0	4005176578045	202	102.84
41 064 EN0	4005176578007	202	102.84
41 064 GL0	4005176578014	202	96.48
41 064 GN0	4005176578021	202	102.84
41 066 000	4005176578083	202	229.00
41 066 A00	4005176578168	202	342.44
41 066 AL0	4005176578175	202	365.76
41 066 BE0	4005176578106	202	342.44
41 066 DA0	4005176578144	202	342.44
41 066 DC0	4005176578090	202	320.17
41 066 DL0	4005176578151	202	365.76
41 066 EN0	4005176578113	202	365.76
41 066 GL0	4005176578120	202	342.44
41 066 GN0	4005176578137	202	365.76
41 067 000	4005176578199	202	51.95
41 067 A00	4005176578274	202	78.45
41 067 AL0	4005176578281	202	83.75
41 067 BE0	4005176578212	202	78.45
41 067 DA0	4005176578250	202	78.45
41 067 DC0	4005176578205	202	73.15
41 067 DL0	4005176578267	202	83.75
41 067 EN0	4005176578229	202	83.75
41 067 GL0	4005176578236	202	78.45
41 067 GN0	4005176578243	202	83.75
41 068 000	4005176578304	203	42.41
41 068 A00	4005176578380	203	62.55
41 068 AL0	4005176578397	203	66.79
41 068 BE0	4005176578328	203	62.55
41 068 DA0	4005176578366	203	62.55
41 068 DC0	4005176578311	203	58.31
41 068 DL0	4005176578373	203	66.79
41 068 EN0	4005176578335	203	66.79
41 068 GL0	4005176578342	203	62.55
41 068 GN0	4005176578359	203	66.79
41 069 000	4005176578410	203	83.75
41 069 A00	4005176578496	203	125.10
41 069 AL0	4005176578502	203	133.58
41 069 BE0	4005176578434	203	125.10
41 069 DA0	4005176578472	203	125.10
41 069 DC0	4005176578427	203	116.62
41 069 DL0	4005176578489	203	133.58
41 069 EN0	4005176578441	203	133.58
41 069 GL0	4005176578458	203	125.10
41 069 GN0	4005176578465	203	133.58
41 076 000	4005176578526	203	103.90
41 076 A00	4005176578601	203	155.85
41 076 AL0	4005176578618	203	166.45
41 076 BE0	4005176578540	203	155.85
41 076 DA0	4005176578588	203	155.85
41 076 DC0	4005176578533	203	145.24
41 076 DL0	4005176578595	203	166.45
41 076 EN0	4005176578557	203	166.45
41 076 GL0	4005176578564	203	155.85
41 076 GN0	4005176578571	203	166.45
41 077 000	4005176578632	203	155.85
41 077 A00	4005176578700	203	233.24
41 077 AL0	4005176578717	203	249.14
41 077 BE0	4005176578656	203	233.24
41 077 DA0	4005176575587	203	233.24
41 077 DC0	4005176578649	203	218.40
41 077 DL0	4005176578694	203	249.14
41 077 EN0	4005176578663	203	249.14
41 077 GL0	4005176578670	203	233.24
41 077 GN0	4005176578687	203	249.14
41 275 000	4005176280481	729	41.86
42			
42 137 000	4005176259524	691	20.52
42 181 000	4005176286872	689	43.40
42 229 000	4005176299223	751	214.95
42 233 000	4005176300653	692, 761	20.52
42 242 000	4005176804977	694	13.35
42 253 000	4005176814532	689	65.64
42 297 PI0	4005176832048	689	67.19
42 303 000	4005176835391	760	76.77
42 304 000	4005176835469	760	76.77
42 305 000	4005176835490	760	76.77
42 314 000	4005176835636	691	65.64
42 320 000	4005176837487	691	65.64
42 327 000	4005176838705	672, 693	13.24
42 333 000	4005176845888	672, 693	15.02
42 383 000	4005176903281	733	42.13
42 384 000	4005176903298	733	52.93
42 429 000	4005176918520	314	116.67
42 593 000	4005176566417		34.31
42 740 000	4005176230653	760	376.97
42 764 00M	4005176222092	761	16.10
42 766 000	4005176222115	682	13.35
42 774 000	4005176221590	692	63.72
42 886 000	4005176200670	606, 751	42.13
43			
43 352 000	4005176832413	692	10.00
43 486 000	4005176157158	691	54.51
43 506 000	4005176157356	760	10.00

All prices shown exclude VAT | Errors and omissions excepted

GROHE
SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)
43 537 000	4005176157653	689	42.13
43 544 000	4005176157738	693, 760	10.00
43 617 000	4005176841163	683, 698	74.53
43 733 000	4005176158926	690	9.72
43 758 00M	4005176159121	690, 761	42.13
43 907 PI0	4005176177545	689	85.33
43 908 000	4005176160257	692	20.52
43 977 000	4005176164798	700, 716	214.95
45			
45 314 000	4005176099250	603	85.33
45 342 000	4005176129865	738	52.93
45 346 000	4005176104572	738	52.93
45 363 000	4005176112324	756	20.52
45 459 000	4005176056444	442	13.95
45 650 IP0	4005176137228	755	52.93
45 869 000	4005176189876	738	31.32
45 882 000	4005176189883	738	42.13
45 883 000	4005176189890	739	42.13
45 885 000	4005176189913	738	106.93
45 888 000	4005176189944	739	74.53
45 914 XE0	4005176842054	397, 442	25.99
45 937 000	4005176279683	759	25.32
45 973 001	4005176442919	434	10.31
45 984 001	4005176992056	31, 40	370.46
46			
46 048 000	4005176008283	732	96.14
46 058 000	4005176008467	752	63.72
46 278 000	4005176131868	605, 732	106.93
46 308 000	4005176131769	732	42.13
46 374 000	4005176169076	732	96.14
46 375 000	4005176169083	733	42.13
46 386 000	4005176169410	732	117.73
46 575 000	4005176830099	754	74.53
46 580 000	4005176831867	732	96.14
46 914 000	4005176326424	750	7.45
46 944 001	4005176479977	618	204.83
47			
47 025 000	4005176009549	735	452.57
47 111 000	4005176009921	734	322.96
47 167 000	4005176010125	736	20.52
47 175 000	4005176803895	264, 267	160.94
47 186 000	4005176803901	736	193.34
47 189 000	4005176010330	750	42.13
47 217 000	4005176241246	734	150.14
47 220 000	4005176241253	734	193.34
47 262 000	4005176118722	737	204.14
47 282 000	4005176061592	734	150.14
47 310 000	4005176079238	734	193.34
47 349 000	4005176141461	734	128.54
47 364 000	4005176171819	737	85.33
47 439 000	4005176811975	735	160.94
47 450 000	4005176076190	734	171.74
47 483 000	4005176815409	736	193.34
47 532 000	4005176206795	735	204.14
47 533 000	4005176207181	588, 602	31.32
47 598 000	4005176229169	735	290.56
47 600 000	4005176228995	735	247.35
47 780 000	4005176836541	579, 592	146.84
47 781 000	4005176836558	592	169.64
47 790 000	4005176841491	292	61.47
47 837 000	4005176918490	315	81.30
47 867 000	4005176923227	316	81.30
47 868 000	4005176923234	316	81.30
47 877 000	4005176923241	316	81.30
47 885 000	4005176924729	736	42.13
47 910 000	4005176938887	316	57.73
47 994 000	4005176364723	592	2.24
48			
48 051 000	4005176890024	406, 417	6.71
48 053 000	4005176890031	353	99.50
48 054 000	4005176890048	353	77.14
48 099 000	4005176908583	756	20.52
48 166 000	4005176923197	759	15.54
48 177 000	4005176924248	756	42.97
48 189 000	4005176928772	745	29.63
48 190 000	4005176928987	745	34.18
48 191 000	4005176928994	745	34.18
48 293 000	4005176358593	753	31.32
48 349 000	4005176409851	323, 353	117.82
48 350 000	4005176409868	323, 353	147.30
48 359 000	4005176442810	733	44.28
49			
49 002 00M	4005176372193	757	6.48
49 003 000	4005176413537	293	214.41
49 024 000	4005176454196	763	65.51
49 028 000	4005176442827	736	51.85
49 113 000	4005176571398	635	2,091.37
49 113 SH0	4005176571404	635	2,095.80
49 115 000	4005176571411	635	105.01
49 510 000	4005176373329	763	60.98
49 533 000	4005176478475	656	32.71
49 533 SH0	4005176560033	656	50.15
49 534 000	4005176478482	656	32.71
49 534 SH0	4005176560040	656	50.15
64			
64 508 001	4005176984112	488	28.73
65			
65 807 000	4005176849893	747	42.87
65 807 A00	4005176467721	747	102.92
65 807 AL0	4005176467714	747	76.55
65 807 BE0	4005176467691	747	64.45
65 807 DA0	4005176467752	747	93.56
65 807 DC0	4005176442797	747	104.45
65 807 DL0	4005176467769	747	127.87
65 807 EN0	4005176467707	747	70.69
65 807 GL0	4005176467738	747	93.56
65 807 GN0	4005176467745	747	76.55
65 808 000	4005176860065	747	44.84
66			
66 791 000	4005176866562	682	16.10

LIXIL MAKES BETTER HOMES
A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide.
What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarat wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.

lixil.com

LIXIL Link to Good Living












GROHE | American Standard | INAX | TOSTEM | SATO

Visit us:



QUALITY

*"**No.1** most trusted brand in the sanitary industry" –*
Wirtschaftswoche, 2017



TECHNOLOGY

*"**Top 50** companies to change the world" –*
Fortune Magazine, 2017



DESIGN

*Over **400 design awards** won since 2003*



SUSTAINABILITY

***Double award winner** of the German Sustainability Award 2021*

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Hounslow
Middlesex
TW6 2SF
Tel: 0208 283 2840
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

GB_07/2021 – Copyright by GROHE

PART OF LIXIL