



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Essential Glue

This safety data sheet pertains to the following products:

40915000 Essential
41246000 GROHE QuickGlue Set S1
41245000 GROHE QuickGlue Set S2
41247000 GROHE QuickGlue Set S
41127000 GROHE QuickGlue
41128000 GROHE QuickGlue

UFI: NHT0-G0TG-V00C-9YPS

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Adhesive

1.3 Details of the supplier of the safety data sheet

Company name: Grohe AG
Street/POB-No.: Industriepark Edelburg
Postal Code, city: DE-58675 Hemer
WWW: www.grohe.com
E-mail: info@grohe.com
Telephone: +49 (0)2372 93-0
Telefax: +49 (0)2372 93-1322

Department responsible for information:
Telephone: +49 (0)2372 93-2037
sustainability@grohe.com

Additional information: Corporate headquarters:
Grohe AG
Feldmühleplatz 15
40545 Düsseldorf
Telephone: +49 (0)211 9130 3000

1.4 Emergency telephone number

Poisons Information Centre of Ireland
Telephone: 01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

2.2 Label elements

Labelling (CLP)

Hazard statements: not applicable

Precautionary statements: not applicable

Special labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 2 of 8

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

3.2 Mixtures

Chemical characterisation: Mixture of the substances listed below with non-hazardous additions

Hazardous ingredients:

Identifiers	Designation Classification	Content
REACH 01-2119489379-17-xxxx EC No. 236-675-5 CAS 13463-67-7	Titanium dioxide Carc. 2; H351.	3.5 - 5.5 %
REACH 01-2119537297-32-xxxx EC No. 258-207-9 CAS 52829-07-9	Bis(2,2,6,6-Tetramethyl-4-piperidyl)sebacate Eye Dam. 1; H318. Repr. 2; H361f. Aquatic Acute 1; H400. Aquatic Chronic 2; H411. M-factors: Aquatic Acute 1: M = 1.	< 1 %

Full text of H- and EUH-statements: see section 16.

Customs tariff number: 32141010

Additional information: Contains: Calcium carbonate, Silicon dioxide, Aluminium oxide: The maximum workplace exposure limits are, where necessary, listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: Move victim to fresh air. Seek medical treatment in case of troubles.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After swallowing: Rinse mouth. Never give anything by mouth to an unconscious person. Do not induce vomiting. Consult doctor afterwards.

4.2 Most important symptoms and effects, both acute and delayed

No data available

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: Water spray jet, foam, extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 3 of 8

5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: nitrogen oxides (NO_x), carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

Additional information:

Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid contact with the substance. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse.

6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains. Do not breathe Dusts, Aerosol and vapours.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Thoroughly clean surrounding area.

Additional information:

Special danger of slipping by leaking/spilling product.

6.4 Reference to other sections

Refer additionally to section 8 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling:

Provide adequate ventilation, and local exhaust as needed. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Storage temperature: 5 °C up to 25 °C.

Protect from frost. Protect from heat and direct sunlight.

Keep container tightly closed in a cool, well-ventilated place.

Hints on joint storage:

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

No information available.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 4 of 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Type	Limit value
13463-67-7	Titanium dioxide	Ireland: 8 hours	10 mg/m ³ (inhalable fraction)
		Ireland: 8 hours	4 mg/m ³ (respirable fraction)
7631-86-9	Silicon dioxide	Ireland: 8 hours	2.4 mg/m ³
			(Silicon dioxide, amorphous, respirable fraction)
		Ireland: 8 hours	6 mg/m ³
			(Silicon dioxide, amorphous, inhalable fraction)
1344-28-1	Aluminium oxide	Ireland: 8 hours	10 mg/m ³ (inhalable fraction)
		Ireland: 8 hours	4 mg/m ³ (respirable fraction)

DNEL/DMEL: Information about Bis(2,2,6,6-Tetramethyl-4-piperidyl)sebacate:

Systemic effects:

DNEL Long-term, workers, oral: 1.27 mg/kg bw/d

DNEL Long-term, workers, dermal: 1.8 mg/kg bw/d

DNEL Long-term, consumers, inhalative: 0.31 mg/m³

DNEL Long-term, consumers, dermal: 0.9 mg/kg bw/d

DNEL Long-term, consumers, oral: 0.18 mg/kg bw/d

PNEC: Information about Bis(2,2,6,6-Tetramethyl-4-piperidyl)sebacate:

PNEC water (freshwater): 0.004 mg/L

PNEC water (marine water): 0.38 µg/L

PNEC water (intermittent release): 0.007 mg/L

PNEC sewage treatment plant: 1 mg/L

PNEC freshwater sediment: 5.9 mg/kg

PNEC marine sediment: 0.59 mg/kg

PNEC soil: 1.18 mg/kg

8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

Personal protection equipment

Occupational exposure controls

Respiratory protection: Respiratory protection must be worn whenever the WEL levels have been exceeded. Use combination filter type ABEK-P2 according to EN 14387. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection: Protective gloves according to EN 374. During splash contact: Glove material: polychloroprene - Layer thickness: > 1 mm Breakthrough time: > 60 min In case of prolonged or frequently repeated skin contact: polychloroprene or natural rubber - Layer thickness: > 1 mm Breakthrough time: > 480 min Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 5 of 8

General protection and hygiene measures:

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with the substance. Avoid contact with skin and eyes.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Wash hands before breaks and after work.

Environmental exposure controls

Refer to "6.2 Environmental precautions".

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa	solid
Colour:	Form: Pasty White
Odour:	Characteristic
Odour threshold:	No data available
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flammability:	No data available
Upper/lower flammability or explosive limits:	No data available
Flash point/flash point range:	Not applicable
Decomposition temperature:	No data available
pH:	Not applicable
Viscosity, dynamic:	255000 mPa*s
Solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Vapour pressure:	No data available
Density:	1.5 g/cm ³
Vapour density:	No data available
Particle characteristics:	No data available

9.2 Other information

Explosive properties:	No data available
Oxidizing characteristics:	No data available
Auto-ignition temperature:	No data available
Evaporation rate:	No data available
Additional information:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Refer to 10.3

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 6 of 8

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met. ATEmix calculated: > 5000 mg/kg

Acute toxicity (dermal): Based on available data, the classification criteria are not met. ATEmix calculated: > 5000 mg/kg

Acute toxicity (inhalative): Based on available data, the classification criteria are not met. ATEmix calculated (Dusts/mist): > 15 mg/L

Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data.

Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information: Information about Titanium dioxide:
LD50 Rat, oral: > 5,000 mg/kg (OECD 425 Up-and-Down)
LD50 Rabbit, dermal: > 10,000 mg/kg
LC50 Rat, inhalative (dust): > 6,82 mg/L/4h

Information about Bis(2,2,6,6-Tetramethyl-4-piperidyl)sebacate:
LD50 Rat, oral: > 3,700 mg/kg (OECD 423)
LD50 Rabbit, dermal: > 3,170 mg/kg OECD 402

SECTION 12: Ecological information

12.1 Toxicity

Further details: No data available

12.2 Persistence and degradability

Further details: No data available

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:
No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 7 of 8

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

General information: Do not allow to enter into ground-water, surface water or drains.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number: 08 04 10 = waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation: Dispose of waste according to applicable legislation.

Package

Recommendation: Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID, IMDG, IATA-DGR: not applicable

14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous according to the criteria of the UN model regulations.

Marine pollutant: no

14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No data available



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH) and Regulation (EU) No 2020/878

Essential Glue

Material number 4091xxxxx

Revision date: 15/12/2022

Version: 9.0

Replaces version: 8.1

Language: en-IE

Date of print: 2/1/2023

Page: 8 of 8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations - EC member states

Volatile organic compounds (VOC):

0.5 % by weight

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

Information about Dioctyltin oxide: This substance is subject of Regulation (EU) No. 649/2012 (PIC).

15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

SECTION 16: Other information

Wording of the H-phrases under paragraph 2 and 3:

H303 = May be harmful if swallowed.

H318 = Causes serious eye damage.

H351 = Suspected of causing cancer.

H361f = Suspected of damaging fertility.

H400 = Very toxic to aquatic life.

H411 = Toxic to aquatic life with long lasting effects.

EUH212 = Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Reason of change:

Changes in section 1: Changes of product list

Changes in section 1: Address

Changes in section 1: Poisons information service

Date of first version:

2/5/2017

Department issuing data sheet: see section 1: Department responsible for information

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Acute: Hazardous to the aquatic environment - acute

Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

ATEmix: Acute Toxicity Estimate of mixture

Carc.: Carcinogenicity

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EN: European Standard

EQ: Excepted quantities

EU: European Union

Eye Dam.: Eye damage

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

M-factor: Multiplication factor

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational Exposure Limit Value

OSHA: Occupational Safety and Health Administration

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

Repr.: Reproductive toxicity

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

TLV: Threshold Limit Value

TRGS: Technical Rules for Hazardous Substances

vPvB: Very persistent and very bioaccumulative

WEL: Workplace Exposure Limit

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.