

# SPECIFIERS' CATALOGUE **10/2022**

EDITION FOR  
PROFESSIONALS



PRICES VALID FROM 1ST OCTOBER 2022  
GROHE.CO.UK

# GROHE TABLE OF CONTENTS

Bath Taps	Single Lever Mixers	Allure Brilliant	26
		Allure 2021	35
		Allure	47
		Atrio	51
		Grandera	67
		Lineare	77
		Eurocube Joy	86
		Eurocube	92
		GROHE Plus	103
		Europlus	115
		Essence	116
		Eurodisc Joy	130
		Eurodisc Cosmopolitan	133
		Concetto	140
		Eurostyle Cosmopolitan	149
		Eurostyle	156
		Eurosmart Cosmopolitan	167
		Eurosmart	178
		Eurosmart Care	189
		BauEdge	194
		BauLoop	201
		BauFlow	207
		Two Handle fittings	Costa L
Universal	Universal	213	
Bath Sets	Talentofill	214	
Accessories	Selection	216	
	Selection Cube	221	
	Essentials	224	
	Essentials Cube	232	
	BauCosmopolitan	236	
	Essentials Authentic	239	
Thermostats	Grohtherm	Grohtherm SmartControl	257
		Grohtherm 2 handle trim sets	269



# GROHE

## TABLE OF CONTENTS

		Grohtherm 2000	276
		Grohtherm Cube	282
		Grohtherm 1000 Cosmopolitan 3/4"	286
		Grohtherm 1000	288
		Grohtherm 1000 Performance	292
		Grohtherm 800 Cosmopolitan	296
		Grohtherm 800	299
		Grohtherm 500	301
Concealed Solutions		GROHE Rapido SmartBox	312
		GROHE Rapido	314
		GROHE Rapido C / stop valves	315
Showers	GROHE Digital	F-digital Deluxe	330
		F-digital Controllers	337
	Shower Systems	Rainshower System SmartControl	338
		Rainshower SmartActive System	342
		Rainshower System	345
		Euphoria SmartControl System	348
		Euphoria Shower System	350
		Tempesta System	360
		Shower System Accessories	365
	Head Showers	Head Showers	367
	Showers	Sena	395
		Rainshower SmartActive	397
		Rainshower	404
		Relaxa	407
		Euphoria	410
		Tempesta	420
		Sena Trigger Sprays	436
		Tempesta-F Trigger Sprays	437
		Shower Hoses	439
		Shower Accessories	443
Kitchen Fittings	Water Systems	GROHE Blue Professional	479
		GROHE Blue Home	485

# GROHE TABLE OF CONTENTS

		GROHE Blue Pure	494
		GROHE Blue Accessories	496
		GROHE Red	500
		Waste separation systems	504
	Premium Lines	K7	506
		Foot Control	507
		Minta / Minta SmartControl / Minta Touch	508
		Zedra / Zedra SmartControl / Zedra Touch	513
		Atrio	515
		Essence	516
		Eurocube	518
	Competence Lines	Eurodisc Cosmopolitan	519
		Eurodisc	520
		Concetto	521
		Eurostyle Cosmopolitan	524
		Eurosmart Cosmopolitan	526
		Eurosmart	529
		Euroeco / Euroeco Special	532
		Costa	533
		Bau Lines	535
		Soap dispensers	538
	Kitchen sinks	Stainless steel sinks	539
		Composite sinks	546
Commercial fittings	Electronic Fittings	Eurocube E	560
		Essence E	562
		Bluetooth monitoring	565
		Europlus E	574
		Eurosmart Cosmopolitan E	576
		Euroeco Cosmopolitan E	585
		Bau Cosmopolitan E	589
	Special Thermostats	Grohtherm Micro	591
		Grohtherm Special	592
		Grohtherm XL	596

# GROHE TABLE OF CONTENTS

	Single-Lever Mixers	Eurosmart Care	597
		Vertica Eurostyle Cosmopolitan	602
		Commercial Showers	603
		Euroeco Special	606
		Hospita	611
		Euroeco Single Sequential	612
	Self-closing Fittings	Eurodisc SE	614
		Eurosmart Cosmopolitan T	615
		Euroeco Cosmopolitan T	616
Shower Toilet		GROHE Sensia Arena	624
		Manual bidet seat	627
Ceramics		Essence	636
		Cube Ceramic	641
		Euro Ceramic	645
		Bau Ceramic	651
		Acrylic shower trays	660
Installation Systems	Rapid SLX	Rapid SLX	664
	Rapid SL	Rapid SL for WC	666
		Rapid SL for Urinal	677
		Rapid SL for Wash Basin and Bidet	679
		Rapid SL for the Disabled	682
		Rapid SL Fitting Supports	684
		Rapid SL Accessories	685
Flushing Systems	WC	Flushing Cisterns	690
		Accessories for Flushing Cisterns	693
		WC Flush Valves	699
		Electronic Actuators for WC	701
	Urinal	Electronic Actuators for Urinal	706
		Urinal Flush Valves	711
Actuations	WC	Flush Plates for WC	716
		GROHE Fresh	724
		Flush Plates for WC Flush Valves	725
	Urinal	Flush Plates for Urinal	726

# GROHE

## TABLE OF CONTENTS

---

Connection and Security Technology	Angle Valves	730
	WAS valves	734
	Safety Systems	735
<hr/>		
Spare Parts and Accessories	Cartridges	738
	Thermo elements and thermostatic cartridges	740
	Aquadimmer	743
	Head parts	744
	Spare parts for two-handle faucets	747
	Extension sets	748
	Unions	749
	Outlets and spouts	750
	Flow straighteners	751
	Waste sets and traps	753
	Connections and non-return valves	756
	Spare parts for electronics	757
	Diverter	758
	Hoses	759
	Spare parts for kitchen faucets	760
	Spare parts for showers	761
	Miscellaneous	763
	Special tools	764
	Cleaning and care	765
	Spare parts for sanitary systems	766
Spare parts for shower toilet	768	
Spare parts for Ceramics	769	
<hr/>		
Survey of contents		770
<hr/>		
LIXIL makes better homes a reality for everyone, everywhere		798
<hr/>		

# PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.









## QUALITY

From the first design sketch to the final product to after-sales services: Our customers can rely on our Made in Germany sense of perfectionism.

*"No.1 most trusted brand in the sanitary industry" –  
Wirtschaftswoche, 2017*



## TECHNOLOGY

We constantly drive innovation to enrich your everyday water experience, delivering smart solutions on the path of the digitization of water.

*"Top 50 companies to change the world" –  
Fortune Magazine, 2017*





## DESIGN

Our highly awarded design DNA's recipe for success is simple: Merging the contemporary and the timeless into products that feel like they were designed just for you.

*Over 400 design awards won since 2003*



## SUSTAINABILITY

Water is our passion. We care about every drop and our CSR commitment goes even beyond one element alone: We strive to protect all of our planet's resources for future generations.

*Double award winner of the German Sustainability Award 2021*

# IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in bar. Please refer to the diagrams to help identify your water system.

## GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each metre in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 metres in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 metres as you will see in the below drawing.




Fig 1

## FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

## GRAVITY FED (LOW PRESSURE) SYSTEMS

### Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

### How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

### BOOSTED GRAVITY FED WATER SYSTEM

**Your home has:**

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

**How does it work?**

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3

### MAINS HIGH PRESSURE WATER SYSTEM

**Your home has:**

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min.)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)




Fig 4

### COMBINATION BOILER WATER SYSTEM

**Your home has:**

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

**How does it work?**

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

# GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

## THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



## THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE 2 years plus Manufacturer's Guarantee" is applicable.

[http://www.grohe.co.uk/en\\_gb/our-service/guarantee.html](http://www.grohe.co.uk/en_gb/our-service/guarantee.html)



# GROHE HELPDESK YOUR RELIABLE CONTACT



## **We'd love to help you – offering a friendly and helpful service**

No matter what issues or questions you may have, you can find the right contact person for you.

### **Order management**

(Ordering and Delivery Service)

**Tel. 0208 283 2840**

**orders-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

### **Customer Service**

(Warranty, Technical, General Enquiries)

**Tel. 0208 283 2840**

**info-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

### **Projects**

(Quotations, Architects, Developers)

**Tel. 0208 283 2840**

**projects-uk@grohe.com**

Opening Times:

Monday – Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply.  
We reserve the right to make changes to specifications, dimensions and design.



# CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fitting products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 600 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit [www.grohe.co.uk](http://www.grohe.co.uk) for our up-to-date listing.





SPECIFIERS'  
CATALOGUE  
**2022**  
EDITION FOR PROFESSIONALS



GROHE  
BATH TAPS





## CONTENTS

Single Lever Mixers	Allure Brilliant	26
	Allure	35
	Allure	47
	Atrio	51
	Grandera	67
	Lineare	77
	Eurocube Joy	86
	Eurocube	92
	GROHE Plus	103
	Europlus	115
	Essence	116
	Eurodisc Joy	130
	Eurodisc Cosmopolitan	133
	Concetto	140
	Eurostyle Cosmopolitan	149
	Eurostyle	156
	Eurosmart Cosmopolitan	167
	Eurosmart	178
	Eurosmart Care	189
	BauEdge	194
BauLoop	201	
BauFlow	207	
Two Handle fittings	Costa L	209
	Universal	213
Bath Sets	Talentofill	214
Accessories	Selection	216
	Selection Cube	221
	Essentials	224
	Essentials Cube	232
	BauCosmopolitan	236
	Essentials Authentic	239

# GROHE PLUS

## ACCURACY THAT GOES BEYOND DESIGN

Imagine a bathroom that offers not just sleek, cutting-edge, bold design design, but also confidence and control. Where you can tell water temperature at a glance and switch water flow with just a swipe of your hand. A room where nothing is left to chance, where form delivers function in a sleek, tactile package. With the new GROHE Plus you can make it a reality.

This innovative range puts control and convenience in your hands, delivering accurate temperature information at a glance. The GROHE Plus range includes some taps with a temperature display, so you know the water will always be just the right temperature. GROHE Plus also offers a new level of ergonomic comfort and practical function too, presented in a silhouette of architectural strength and elegance, with surfaces so sleek they invite interaction.



**23 959 003**  
L-Size  
Basin mixer  
with LED water temperature display  
and two sprays  
with smooth body  
with push-open waste set

# DESIGN OPTIONS FOR EVERY CONCEPT

## THE PERFECT FINISH

Whether your bathroom is a space of timeless elegance or slick minimalist styling, the GROHE Plus is a perfect fit. The Plus range features a broad selection of sizes, with models from compact basin mixers to wall-mounted taps and show-stopping floor-standing bath filler. GROHE Plus taps are also available in three durable, desirable finishes. Choose between the dazzling chrome finish or the more architectural SuperSteel or Brushed Hard Graphite, according to your taste.

### 23 871 DC3

Basin mixer M-Size with pop-up waste set



### 32 612 003

Basin mixer S-Size with pop-up waste set



### 33 547 003 + 40 954 000

Shower mixer with shower set + tray



# CO-ORDINATED BATHROOM IN GROHE COLOURS

When it comes to perfect bathroom design, the ultimate guide should be the own personal style. GROHE has developed GROHE Colours as an enabler to put vision into reality.





































The combination of outstanding design lines and exclusive colours gives the ultimate freedom of choice to perfectly express individuality. Whether tone-on-tone colour scheme, a harmony of contrasting colours, the shining golden beauty of Cool Sunrise or the intriguing elegance of Brushed Hard Graphite – GROHE Colours are the perfect choice. A carefully selected range of 10 colours and finishes offering countless options to complement every interior design.

There is more to it than just the obvious beauty. GROHE Colours come with GROHE PVD quality. This outstanding finish ensures both maximum colour brilliance as well as unparalleled material resistance.

















GROHE Colours are not driven by fashion. They open new dimensions to express personal style in bathroom design. Taps, showers and accessories are all perfectly aligned in a preferred colour with GROHE quality to stay perfect in finish and function for the years to come.



# GROHE COLOURS

PRODUCT RANGE	COLOUR OPTIONS										
	CHROME	SUPERSTEEL	POLISHED NICKEL	BRUSHED NICKEL	COOL SUNRISE	BRUSHED COOL SUNRISE	WARM SUNSET	BRUSHED WARM SUNSET	HARD GRAPHITE	BRUSHED HARD GRAPHITE	
GRANDERA											
ALLURE BRILLIANT											
ATRIO											
ESSENCE											
EUROCUBE											
LINEARE											
GROHE PLUS											

# GROHE BATHROOM COMBINATIONS


		THERMOSTATS									SHOWER SYSTEMS					HEAD SHOWERS							
		DESIGN THERMOSTATS	GROHTHERM SMARTCONTROL	GROHTHERM 2-HANDLE TRIM SETS	GROHTHERM CUBE	GROHTHERM 3000	GROHTHERM 2000	GROHTHERM 1000 PERFORMANCE	GROHTHERM 1000	GROHTHERM 800 COSMOPOLITAN	GROHTHERM 800	RAINSHOWER SYSTEM SMARTCONTROL	RAINSHOWER SYSTEM	EUPHORIA SMARTCONTROL SYSTEM	EUPHORIA SYSTEM CUBE	EUPHORIA SYSTEM	TEMPESTA SYSTEM	DESIGN HEAD SHOWERS	AQUASYMPHONY / RAINSHOWER F-SERIES	RAINSHOWER 360	RAINSHOWER 310	EUPHORIA 260	TEMPESTA 210
ALLURE BRILLIANT			•		•							•	•	•	•			•	•		•		
ALLURE			•			•						•	•	•				•	•		•		
ATRIO		•	•			•						•	•	•				•	•	•	•		
GRANDERA												•	•					•	•		•		
LINEARE			•	•		•						•	•	•		•			•	•	•	•	
EUROCUBE			•	•	•									•	•				•		•		
GROHE PLUS			•	•		•						•	•	•		•			•	•	•	•	
ESSENCE			•	•		•						•	•	•					•		•		
EURODISC COSMOPOLITAN			•	•			•					•		•	•						•	•	
CONCETTO				•				•		•					•							•	
EUROSTYLE COSMOPOLITAN				•				•		•					•							•	
EUROSTYLE				•				•	•						•							•	
EUROSMART COSMOPOLITAN				•				•		•						•							•
EUROSMART				•				•	•							•							•
BAUEDGE										•						•							•
BAULOOP										•						•							•
BAUFLOW										•						•							•





# GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 029 000	Chrome	4005176898709	708.96
23 029 DC0	supersteel	4005176489471	918.52
23 029 AL0	Brushed Hard Graphite	4005176353154	1,151.66

**Allure Brilliant**  
Basin mixer 1/2"  
M-Size  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses

23 033 000	Chrome	4005176898716	708.96
23 033 DC0	supersteel	4005176489488	918.52
23 033 AL0	Brushed Hard Graphite	4005176489648	1,049.40

Ditto, smooth body




23 109 000	Chrome	4005176898754	890.05
23 109 DC0	supersteel	4005176489860	1,141.99
23 109 AL0	Brushed Hard Graphite	4005176353161	1,321.00

**Allure Brilliant**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses


23 112 000	Chrome	4005176898778	890.05
23 112 AL0	Brushed Hard Graphite	4005176489785	1,304.94

Ditto, smooth body



23 114 000	Chrome	4005176898792	1,077.42
23 114 DC0	supersteel	4005176489914	1,414.82
23 114 AL0	Brushed Hard Graphite	4005176353178	1,617.30

**Allure Brilliant**  
Basin mixer 1/2"  
XL-Size  
monobloc installation  
for free-standing basins  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
**GROHE FastFixation** installation system  
spout with integrated mousseur  
smooth body  
flexible connection hoses




29 086 000		4005176935497	285.40
------------	--	---------------	--------

**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
without finishing trim set  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug


# GROHE ALLURE BRILLIANT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------





20 344 000	Chrome	4005176898884	1,022.81
20 344 DC0	supersteel	4005176489815	1,340.76
20 344 AL0	Brushed Hard Graphite	4005176353185	1,680.79

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 spout with integrated mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves



20 342 000	Chrome	4005176898860	876.14
20 342 DC0	supersteel	4005176490071	1,123.48
20 342 AL0	Brushed Hard Graphite	4005176490064	1,283.96

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 ceramic headparts 1/2", 90°  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 low spout with integrated mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves




20 346 000	Chrome	4005176898907	903.99
20 346 DC0	supersteel	4005176490217	1,166.69
20 346 AL0	Brushed Hard Graphite	4005176490200	1,333.34

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 wall mounted  
**without concealed body**  
 set for final installation for  
 29 025 002  
 valves hot/cold  
 with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.0 l/min. flow limiter  
 spout with integrated mousseur  
 projection 161 mm

20 348 000	Chrome	4005176898921	959.74
20 348 DC0	supersteel	4005176490309	1,240.76
20 348 AL0	Brushed Hard Graphite	4005176490293	1,418.54







Ditto, projection 210 mm

29 025 002		4005176519895	282.72
------------	--	---------------	--------













**Two-handle basin mixer**  
**concealed body, 1/2"**  
 for 3-hole basin mixer  
 wall installation  
**without finishing trim set**  
 DR-brass  
 installation device  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve

# GROHE ALLURE BRILLIANT






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 781 000	Chrome	4005176898822	845.29
	19 781 DC0	supersteel	4005176490392	1,117.29
	19 781 AL0	Brushed Hard Graphite	4005176490385	1,276.57
	<b>Allure Brilliant</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm			
	19 783 000	Chrome	4005176898846	917.96
	19 783 DC0	supersteel	4005176490484	1,191.37
	19 783 AL0	Brushed Hard Graphite	4005176490477	1,361.75
	Ditto, projection 210 mm			
<hr/>				
	23 200 000		4005176908354	291.13
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device			
<hr/>				
	23 200 002		4005176519901	271.62
	<b>Single-lever mixer 1/2", concealed body</b> for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter spout can be positioned on the right or left installation depth 45 to 75 mm DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			
	23 117 000	Chrome	4005176898938	790.67
	23 117 DC0	supersteel	4005176490576	1,043.23
	23 117 AL0	Brushed Hard Graphite	4005176490569	1,191.37
	<b>Allure Brilliant</b> <b>Bidet mixer 1/2"</b> <b>M-Size</b> 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE FastFixation installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses			
				



# GROHE ALLURE BRILLIANT





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 037 000		4005176865749	959.70
	<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b>            base frame            drainage box with integrated outlet for splash water            caps to cover screw fixations always come in chrome color</p>			
	23 119 001	Chrome	4005176428883	2,977.81
	<p><b>Allure Brilliant Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for 45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with integrated mousseur            hand shower Euphoria Cube+ 6.5 l/min            Silverflex shower hose 1250 mm            projection 270 mm            integrated non-return valve in the shower outlet 1/2"            with shower holder            protected against backflow</p>			
	23 119 000	Chrome	4005176899027	3,202.27
	23 119 DC0	supersteel	4005176489679	4,139.55
	23 119 AL0	Brushed Hard Graphite	4005176353208	5,166.86
	<p><b>Allure Brilliant Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for 45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            spout with integrated mousseur            projection 270 mm            integrated non-return valve in the shower outlet 1/2"            with shower holder            hand shower Euphoria Cube+            metal shower hose 1250 mm            protected against backflow</p>			
	45 984 001		4005176992056	444.34
	<p><b>Rough-in set 1/2"</b>            for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm            installation depth 65-157 mm for shower mixers, depth compensation 92 mm            two 1/2" female connections (hot/cold supplies)            flushing plug            Can take a single mixed supply            fixing material</p>			
	29 086 000		4005176935497	285.40
	<p><b>Rough-in set 1/2"</b>            for floor-mounted tub spouts and mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 47-151 mm            depth compensation 104 mm            two 1/2" female connections (hot/cold supplies)            flushing plug</p>			

# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 319 000	Chrome	4005176912627	931.83
	13 319 DC0	supersteel	4005176490651	1,195.08
	13 319 AL0	Brushed Hard Graphite	4005176353284	1,365.45
	<b>Allure Brilliant</b> <b>Cascade spout for bath and shower</b> wall mounted <b>GROHE StarLight</b> chrome finish projection 180 mm			
	13 299 000	Chrome	4005176899003	402.51
	13 299 DC0	supersteel	4005176490712	517.30
	13 299 AL0	Brushed Hard Graphite	4005176490705	590.13
	<b>Allure Brilliant</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish projection 161 mm spout with integrated mousseur			
	19 798 000	Chrome	4005176899157	326.35
	19 798 DC0	supersteel	4005176489969	422.23
	19 798 AL0	Brushed Hard Graphite	4005176353079	443.23
	<b>Allure Brilliant</b> <b>5-way diverter</b> set for final installation for <b>29 033 000</b> without concealed body <b>GROHE StarLight</b> chrome finish installation depth adjustable 66 - 113 mm			
	29 033 000		4005176845338	312.73
	<b>5-way diverter</b> concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass			
	19 796 000	Chrome	4005176899133	235.41
	19 796 DC0	supersteel	4005176490019	303.71
	19 796 AL0	Brushed Hard Graphite	4005176353062	318.53
	<b>Allure Brilliant</b> <b>Concealed stop-valve trim</b> set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 <b>GROHE StarLight</b> chrome finish installation depth adjustable 43 - 91 mm			









# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 032 000		4005176845277	39.61
<p><b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
	26 054 000	Chrome	4005176937088	677.01
<p><b>Rainshower Allure 230</b> <b>Head shower set 286 mm, 1 spray</b> Rainshower Allure 230 metal head shower (27 479) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system</p>				
	27 707 000	Chrome	4005176908446	55.13
	27 707 DC0	supersteel	4005176490897	83.05
	27 707 AL0	Brushed Hard Graphite	4005176490880	100.97
<p><b>Allure Brilliant</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow material: metal <b>GROHE StarLight</b> chrome finish</p>				
	27 706 000	Chrome	4005176908439	40.98
	27 706 DC0	supersteel	4005176490989	52.40
	27 706 AL0	Brushed Hard Graphite	4005176490972	63.90
<p><b>Allure Brilliant</b> <b>Wall hand Shower holder</b> non-adjustable material: metal <b>GROHE StarLight</b> chrome finish</p>				

# GROHE ALLURE BRILLIANT


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 494 000	Chrome	4005176899263	380.43
<p><b>Allure Brilliant</b>  <b>Holder with soap dispenser</b>            material: glass / metal            filling quantity 150 ml            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 493 000	Chrome	4005176899256	253.28
<p><b>Allure Brilliant</b>  <b>Holder with tumbler</b>            material: glass / metal            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 503 000	Chrome	4005176900068	295.65
<p><b>Allure Brilliant</b>  <b>Shelf with tumbler</b>            material: glass / metal            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 504 000	Chrome	4005176900075	306.24
<p><b>Allure Brilliant</b>  <b>Shelf with soap dish</b>  <b>GROHE StarLight</b> chrome finish</p>				
 	40 496 000	Chrome	4005176899287	206.61
<p><b>Allure Brilliant</b>  <b>Towel bar</b>            2 arms, not pivotable            length 431 mm            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 497 000	Chrome	4005176899294	232.08
<p><b>Allure Brilliant</b>  <b>Towel rail</b>            650 mm (drilling length 600 mm)            material: metal            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				

# GROHE ALLURE BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 498 000	Chrome	4005176899300	99.60
	<b>Allure Brilliant</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 499 000	Chrome	4005176899317	201.34
	<b>Allure Brilliant</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 500 000	Chrome	4005176899324	327.45
	<b>Allure Brilliant</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			


# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 757 001	Chrome	4005176498589	314.91
32 757 GN1	brushed cool sunrise	4005176499326	503.84
32 757 DL1	brushed warm sunset	4005176499340	503.84
32 757 A01	hard graphite	4005176499357	472.35

**Allure**  
**Basin mixer 1/2"**  
**M-Size**  
 monobloc installation  
 swivelling spout  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE FastFixation Plus** installation system  
**GROHE AquaGuide** adjustable slim air mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 temperature limiter



32 146 001	Chrome	4005176499388	349.89
32 146 GN1	brushed cool sunrise	4005176499425	559.82
32 146 DL1	brushed warm sunset	4005176499449	559.82
32 146 A01	hard graphite	4005176499456	524.84

**Allure**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 swivelling spout  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE FastFixation Plus** installation system  
**GROHE AquaGuide** adjustable slim air mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 temperature limiter




23 403 001	Chrome	4005176499487	472.00
23 403 GN1	brushed cool sunrise	4005176499524	703.70
23 403 DL1	brushed warm sunset	4005176499548	703.70
23 403 A01	hard graphite	4005176499555	643.61

**Allure**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 swivelling spout  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
 smooth body  
**GROHE AquaGuide** adjustable slim air mousseur  
 projection 185 mm  
 height 377 mm  
 push-to-open waste set  
 flexible connection hoses  
 temperature limiter


# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 856 001	Chrome	4005176499586	1,224.62
23 856 GN1	brushed cool sunrise	4005176499623	1,959.39
23 856 DL1	brushed warm sunset	4005176499647	1,959.39
23 856 A01	hard graphite	4005176499654	1,836.94

**Allure**  
**Single-lever basin mixer floor mounted**  
 monobloc installation  
**for free-standing basins**  
 set for final installation for 45 984 001  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
 smooth body  
**GROHE AquaGuide** adjustable slim air mousseur  
 projection 185 mm  
 temperature limiter




45 984 001		4005176992056	444.34
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material



20 188 001	Chrome	4005176499685	594.81
20 188 GN1	brushed cool sunrise	4005176499722	951.71
20 188 DL1	brushed warm sunset	4005176499746	951.71
20 188 A01	hard graphite	4005176499753	892.22

**Allure**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 deck mounted  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
**GROHE AquaGuide** adjustable slim air mousseur  
 projection 143 mm  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 pop-up waste set 1 1/4"



20 189 002	Chrome	4005176499784	429.08
20 189 GN2	brushed cool sunrise	4005176499821	772.34
20 189 DL2	brushed warm sunset	4005176499845	772.34
20 189 A02	hard graphite	4005176499852	729.45





**Allure**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 wall mounted, with lever handles  
**without concealed body**  
 set for final installation for 29 025 000  
 valves hot/cold  
 with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min. flow limiter  
 Precision Control with haptic click feedback (optional)  
**GROHE AquaGuide** adjustable slim air mousseur  
 projection 150 mm

29 025 002		4005176519895	282.72
------------	--	---------------	--------

**Rough-in set for 3-hole basin mixer**




# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 193 002	Chrome	4005176499883	472.00
	20 193 GN2	brushed cool sunrise	4005176499920	772.35
	20 193 DL2	brushed warm sunset	4005176499944	772.35
	20 193 A02	hard graphite	4005176499951	686.54
	<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      wall mounted                      with lever handles  <b>without concealed body</b>                      set for final installation for 29 025 000                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter                      Precision Control with haptic click feedback (optional)  <b>GROHE AquaGuide</b> adjustable slim air mousseur                      projection 208 mm</p>			
	29 025 002		4005176519895	282.72
<p><b>Rough-in set for 3-hole basin mixer</b></p>				
	19 309 002	Chrome	4005176499982	647.31
	19 309 GN2	brushed cool sunrise	4005176514173	1,035.68
	19 309 DL2	brushed warm sunset	4005176514227	1,035.68
	19 309 A02	hard graphite	4005176514302	970.95
	<p><b>Allure</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>                      wall mounted  <b>without concealed body</b>                      set for final installation for 23 429 000                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE AquaGuide</b> adjustable slim air mousseur                      centre distance 110 mm                      projection 154 mm</p>			
	23 429 000		4005176993695	291.12
<p><b>Set for final installation for 2-hole basin mixer</b></p>				
	19 386 002	Chrome	4005176512995	664.79
	19 386 GN2	brushed cool sunrise	4005176512810	1,063.67
	19 386 DL2	brushed warm sunset	4005176512872	1,063.67
	19 386 A02	hard graphite	4005176512971	997.19
	<p><b>Allure</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted  <b>without concealed body</b>                      set for final installation for 23 429 000                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE AquaGuide</b> adjustable slim air mousseur                      centre distance 110 mm                      projection 212 mm</p>			
	23 429 000		4005176993695	291.12
<p><b>Set for final installation for 2-hole basin mixer</b></p>				
	<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer  <b>without finishing trim set</b>                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			


# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




24 160 001	Chrome	4005176596230	274.61
24 160 GN1	brushed cool sunrise	4005176596278	411.93
24 160 DL1	brushed warm sunset	4005176598692	411.93
24 160 A01	hard graphite	4005176598708	377.59

**Allure**  
**Bidet mixer 1/2"**  
**M-Size**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
**GROHE StarLight** chrome finish  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses




32 846 001	Chrome	4005176506895	384.88
32 846 GN1	brushed cool sunrise	4005176506734	615.81
32 846 DL1	brushed warm sunset	4005176506796	615.81
32 846 A01	hard graphite	4005176506871	577.31

**Allure**  
**Single-lever shower mixer 1/2" exposed**  
 wall mounted  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** system  
 adjustable flow rate limiter  
 shower front outlet 1/2"  
 with integrated non return-valve  
 covered S-unions  
 protected against backflow



32 826 001	Chrome	4005176507076	419.87
32 826 GN1	brushed cool sunrise	4005176506918	671.80
32 826 DL1	brushed warm sunset	4005176506970	671.80
32 826 A01	hard graphite	4005176507052	629.81

**Allure**  
**Single-lever bath mixer 1/2" exposed**  
 wall mounted  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** system  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 cast spout  
 mousseur  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 protected against backflow




18 968 001	Chrome	4005176514586	134.70
18 968 GN1	brushed cool sunrise	4005176514401	215.53
18 968 DL1	brushed warm sunset	4005176514463	215.53
18 968 A01	hard graphite	4005176514562	202.06

**Allure**  
**Shower and bath tray**  
 for installation with 32 846 001 and 32 826 001  
 easy to click on and remove  
 material: acrylic glass  
 width 315 mm  
 depth 136 mm

# GROHE ALLURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
19 317 001	Chrome	4005176513756	253.68
19 317 GN1	brushed cool sunrise	4005176513572	405.88
19 317 DL1	brushed warm sunset	4005176513633	405.88
19 317 A01	hard graphite	4005176513732	380.52




**Allure**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

19 315 001	Chrome	4005176514159	288.66
19 315 GN1	brushed cool sunrise	4005176513978	461.87
19 315 DL1	brushed warm sunset	4005176514036	461.87
19 315 A01	hard graphite	4005176514135	432.98




**Allure**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 176 001	Chrome	4005176507779	314.91
29 176 GN1	brushed cool sunrise	4005176507618	503.84
29 176 DL1	brushed warm sunset	4005176507670	503.84
29 176 A01	hard graphite	4005176507755	472.35




**Allure**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

19 380 002	Chrome	4005176513190	586.86
19 380 GN2	brushed cool sunrise	4005176513015	531.83
19 380 DL2	brushed warm sunset	4005176513077	531.83
19 380 A02	hard graphite	4005176513176	498.59



### Allure

#### Thermostat for concealed installation with one valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

**without roughing-in-set**




35 604 000

4005176698774

142.72

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 181 002	Chrome	4005176558993	349.89
29 181 GN2	brushed cool sunrise	4005176559037	559.82
29 181 DL2	brushed warm sunset	4005176559051	559.82
29 181 A02	hard graphite	4005176559068	524.84



### Allure

#### Thermostat for concealed installation with 2-way diverter head shower/hand shower

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min

**without roughing-in-set**



35 604 000


4005176698774

142.72

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE ALLURE


Ref. No.	Colour	EAN	Retail Guide Price (£)
19 446 002	Chrome	4005176512797	617.73
19 446 GN2	brushed cool sunrise	4005176512612	559.82
19 446 DL2	brushed warm sunset	4005176512674	559.82
19 446 A02	hard graphite	4005176512773	524.84



**Allure**  
**Thermostat for concealed installation with 2-way diverter hand shower/bath filler**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermostem  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed hand shower and bath filler symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**




35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			




25 221 001	Chrome	4005176509438	871.23
25 221 GN1	brushed cool sunrise	4005176509254	1,393.97
25 221 DL1	brushed warm sunset	4005176509315	1,393.97
25 221 A01	hard graphite	4005176509414	1,306.85

**Allure**  
**5-hole bath/shower combination**  
 for installation under tiled surround  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 Consisting of:  
 pre-assembled spout fixing  
 with lever handles  
 bath spout with mousseur and diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 optional baseframes for installation: 29 037 001/29 037 002



19 316 001	Chrome	4005176513954	1,238.62
19 316 GN1	brushed cool sunrise	4005176513770	1,981.78
19 316 DL1	brushed warm sunset	4005176513831	1,981.78
19 316 A01	hard graphite	4005176513930	1,857.92

**Allure**  
**4-hole single-lever bath combination**  
 for installation under tiled surround  
**GROHE StarLight** chrome finish  
 single lever mixer operating element  
 diverter bath/shower  
 Sena hand shower 6.6 l/min  
 shower hose 2000 mm  
 optional baseframes for installation: 29 037 001/29 037 002













29 037 001		4005176455490	946.93
------------	--	---------------	--------






**4/5-hole bath combination (optional)**  
**baseframe for installation under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water  
 caps to cover screw fixations always come in chrome color








# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 037 002		4005176519918	893.84
	<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b>            base frame            drainage box with integrated outlet for splash water            allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve            caps to cover screw fixations always come in chrome color</p>			
	25 222 001 25 222 GN1 25 222 DL1 25 222 A01	Chrome brushed cool sunrise brushed warm sunset hard graphite	4005176509230 4005176509056 4005176509117 4005176509216	1,539.52 2,463.24 2,463.24 2,309.29
	<p><b>Allure Single-lever bath mixer 1/2", floor mounted</b>            set for final installation for 45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            automatic diverter: bath/shower            swivel spout with mousseur and stop limiter            projection 263 mm            integrated non-return valve in the shower outlet 1/2"            with shower holder            Sena hand shower 6.6 l/min            shower hose 1250 mm            protected against backflow</p>			
	45 984 001		4005176992056	444.34
	<p><b>Rough-in set 1/2"</b>            for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>            installation plate with 360° horizontal and 3° vertical adjustment            installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm            installation depth 65-157 mm for shower mixers, depth compensation 92 mm            two 1/2" female connections (hot/cold supplies)            flushing plug            Can take a single mixed supply            fixing material</p>			
	13 317 001 13 317 GN1 13 317 DL1 13 317 A01	Chrome brushed cool sunrise brushed warm sunset hard graphite	4005176514869 4005176514685 4005176514746 4005176514845	979.69 1,567.51 1,567.51 1,469.55
	<p><b>Allure Cascade spout for bath and shower</b>            wall mounted            with decorative glass cover plate  <b>GROHE StarLight</b> chrome finish            projection 169 mm</p>			
	13 264 001	Chrome	4005176515149	218.68
	<p><b>Allure Bath spout 3/4"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish            projection 167 mm            caché mousseur</p>			







# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 590 001	Chrome	4005176512599	148.71
	19 590 GN1	brushed cool sunrise	4005176512414	237.92
	19 590 DL1	brushed warm sunset	4005176512476	237.92
	19 590 A01	hard graphite	4005176512575	223.06
	<p><b>Allure</b>  <b>3-way diverter</b>                      set for final installation for  <b>29 033 000</b>                      without concealed body                      bayonet union escutcheon                      installation depth adjustable                      66 - 113 mm                      only for use with concealed body  <b>GROHE StarLight</b> chrome finish</p>			
	29 033 000		4005176845338	312.73
	<p><b>5-way diverter</b>                      concealed body                      wall installation                      with ceramic sealing disks                      connection cold and hot 1/2"                      2 outlets 1/2"                      1 bath outlet 3/4"                      installation depth adjustable                      66 - 113 mm                      DR-brass</p>			
	19 334 001	Chrome	4005176513558	87.48
	19 334 GN1	brushed cool sunrise	4005176513374	139.96
	19 334 DL1	brushed warm sunset	4005176513435	139.96
	19 334 A01	hard graphite	4005176513534	131.21
	<p><b>Allure</b>  <b>Concealed stop-valve trim</b>                      for concealed valve 35 028 000 or 29 032 000  <b>GROHE StarLight</b> chrome finish                      installation depth adjustable                      20-80 mm                      escutcheon with screwable wall sealing                      with lever handle</p>			
	35 028 000		4005176908316	165.73
	<p><b>GROHE Rapido C</b>  <b>Rough-in for single volume control</b>                      for grid installation of Grohtherm Custom Shower system                      built-in box with removable protection cover                      waterproof membrane base for wall sealing                      for masonry and drywall installation                      fixing points for front and back wall                      body of DR brass                      pre-assembled ceramic headpart 3/4"                      connection threads 1/2"                      installation depth 70 - 95 mm</p>			
	29 032 000		4005176845277	39.61
	<p><b>Concealed valve</b>                      pre-assembled headpart 1/2"                      threaded union 1/2"                      installation depth adjustable                      43 - 91 mm                      DR-brass</p>			

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 278 001	Chrome	4005176531545	80.47
	40 278 GN1	brushed cool sunrise	4005176531583	128.76
	40 278 DL1	brushed warm sunset	4005176531606	128.76
	40 278 A01	hard graphite	4005176531613	120.71
	<b>Allure</b> <b>Glass/soap dish holder</b> fits glass 40 254 003 or soap dispenser 40 306 003 (to be ordered separately) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 306 003	Chrome	4005176461545	60.39
	<b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately) <b>GROHE StarLight</b> chrome finish			
 	40 254 003		4005176462405	49.60
	<b>Glass</b> material: glass fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)			
 	40 963 001	Chrome	4005176530913	54.91
	40 963 GN1	brushed cool sunrise	4005176530951	85.82
	40 963 DL1	brushed warm sunset	4005176530975	85.82
	40 963 A01	hard graphite	4005176530982	75.52
	<b>Allure</b> <b>Glass/soap dish holder</b> for soap dish 40 256 003 or hair dryer inlet 40 964 001 (to be ordered separately) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 256 003	Glass Matt	4005176462443	46.07
	<b>Soap dish</b> material: glass fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately			
 	40 964 001	black	4005176531019	12.01
	<b>Allure</b> <b>Hair dryer inlet</b> material: plastic holder 40 963 001 to be ordered separately			

# GROHE ALLURE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 284 001	Chrome	4005176531941	30.89
	40 284 GN1	brushed cool sunrise	4005176531989	48.06
	40 284 DL1	brushed warm sunset	4005176532009	48.06
	40 284 A01	hard graphite	4005176532016	42.92
	<b>Allure</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 342 001	Chrome	4005176531644	111.56
	40 342 GN1	brushed cool sunrise	4005176531682	205.96
	40 342 DL1	brushed warm sunset	4005176531705	205.96
	40 342 A01	hard graphite	4005176531712	171.63
	<b>Allure</b> <b>Double towel bar</b> material: metal pivotable 90° length 460 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 341 001	Chrome	4005176531743	111.56
	40 341 GN1	brushed cool sunrise	4005176531781	205.96
	40 341 DL1	brushed warm sunset	4005176531804	205.96
	40 341 A01	hard graphite	4005176531811	171.63
	<b>Allure</b> <b>Towel rail</b> center distance 569 mm material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 339 001	Chrome	4005176531026	69.97
	40 339 GN1	brushed cool sunrise	4005176531064	111.96
	40 339 DL1	brushed warm sunset	4005176531088	111.96
	40 339 A01	hard graphite	4005176531095	104.97
	<b>Allure</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 955 001	Chrome	4005176531842	148.71
	40 955 GN1	brushed cool sunrise	4005176531880	237.92
	40 955 DL1	brushed warm sunset	4005176531903	237.92
	40 955 A01	hard graphite	4005176531910	223.06
	<b>Allure</b> <b>Grab rail</b> material: metal concealed fastening center distance 269 mm <b>GROHE StarLight</b> chrome finish			
	40 279 001	Chrome	4005176532047	104.97
	40 279 GN1	brushed cool sunrise	4005176532085	167.95
	40 279 DL1	brushed warm sunset	4005176532108	167.95
	40 279 A01	hard graphite	4005176532115	157.45
	<b>Allure</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ALLURE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 956 001	Chrome	4005176532146	96.22
	40 956 GN1	brushed cool sunrise	4005176532184	153.95
	40 956 DL1	brushed warm sunset	4005176532207	153.95
	40 956 A01	hard graphite	4005176532214	144.33
	<b>Allure</b> <b>Spare toilet paper holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 340 001	Chrome	4005176532245	174.94
	40 340 GN1	brushed cool sunrise	4005176532283	279.91
	40 340 DL1	brushed warm sunset	4005176532306	279.91
	40 340 A01	hard graphite	4005176532313	262.42
	<b>Allure</b> <b>Toilet brush set</b> wall mounted concealed fastening material: glass / metal <b>GROHE StarLight</b> chrome finish			
	40 965 001	Chrome	4005176531125	236.18
	40 965 GN1	brushed cool sunrise	4005176531163	377.88
	40 965 DL1	brushed warm sunset	4005176531187	377.88
	40 965 A01	hard graphite	4005176531194	354.27
	<b>Allure</b> <b>Shelf</b> wall mounted material: glass / metal concealed fastening width 600 mm depth 100 mm <b>GROHE StarLight</b> chrome finish			
	40 966 001	Chrome	4005176531224	171.63
	40 966 GN1	brushed cool sunrise	4005176531262	214.53
	40 966 DL1	brushed warm sunset	4005176531286	214.53
	40 966 A01	hard graphite	4005176531293	214.54
	<b>Allure</b> <b>Shower basket</b> wall mounted material: metal/plastic with draining function concealed fastening width 300 mm depth 100 mm height 66 mm <b>GROHE StarLight</b> chrome finish			
	40 967 001	Chrome	4005176531323	122.46
	40 967 GN1	brushed cool sunrise	4005176531361	195.94
	40 967 DL1	brushed warm sunset	4005176531385	195.94
	40 967 A01	hard graphite	4005176531392	183.69
	<b>Allure</b> <b>Beauty / shaving mirror</b> wall mounted magnification: x 7 material: glass / metal concealed fastening <b>GROHE StarLight</b> chrome finish			













# GROHE ALLURE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 076 000	Chrome	4005176890505	662.79
	<p><b>Allure</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      U spout                      without lift rod and without pop up waste                      flexible connection hoses</p>			
	32 760 000	Chrome	4005176870927	862.16
	<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      projection 104 mm</p>			
	32 249 000	Chrome	4005176832383	918.79
	<p><b>Allure</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      GROHE EcoJoy 6.0 l/min. flow limiter                      rapid installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	20 143 000	Chrome	4005176832581	821.64
	<p><b>Allure</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      with metal plate  <b>GROHE StarLight</b> chrome finish                      ceramic headpart 1/2", 180°                      flow limiter 8 l/min.                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves</p>			



# GROHE ALLURE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 800 000		4005176504839	37.55
	<p><b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass</p>			
	29 802 000		4005176504853	63.48
	<p><b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b></p>			
	29 805 000		4005176504884	106.63
	<p><b>ditto, 1", pre-assembled headpart 1", thread union 1"</b></p>			
 	29 801 000		4005176504846	30.95
	<p><b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass</p>			
	29 804 000		4005176504877	49.24
	<p><b>ditto, soldered connection Ø 22 mm</b></p>			
 	29 811 000		4005176062711	63.47
	<p><b>Concealed stop valve 1/2"</b> preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>			
 	19 384 000	Chrome	4005176875755	182.63
	<p><b>Allure</b> <b>Concealed stop-valve trim</b> with lever handle set for final installation for <b>29 032 000</b> 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon <b>without concealed body</b> <b>GROHE StarLight</b> chrome finish</p>			
	35 028 000		4005176908316	165.73
	<p><b>GROHE Rapido C rough-in box for single volume control</b></p>			
 	29 032 000		4005176845277	39.61
	<p><b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 469 000	Chrome	4005176882593	1,426.13
------------	--------	---------------	----------

**Rainshower F-Series System 254**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower F-Series 254 (27 285 000)  
 material: metal  
 with ball joint, rotation angle  $\pm 20^\circ$   
 hand shower Sena (28 341 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat**  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect flow  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life




26 070 000	Chrome	4005176937248	592.20
------------	--------	---------------	--------

**Rainshower F-Series 10" 254 x 254**  
**Head shower set 275 mm, 1 spray**  
 Consisting of:  
 head shower Rainshower F-Series 254 (27 285 000)  
 material: metal  
 1 spray pattern:  
 Rain  
 Shower arm Rainshower 275 mm (27 488 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system


26 060 000	Chrome	4005176937149	592.20
------------	--------	---------------	--------

ditto, with non-restricted flow



26 071 000	Chrome	4005176937255	592.20
------------	--------	---------------	--------









**Rainshower F-Series 10"**  
**Head shower set ceiling 142 mm, 1 spray**  
 Consisting of:  
 head shower Rainshower F-Series 254 (27 285 000)  
 material: metal  
 1 spray pattern:  
 Rain  
 Rainshower shower arm ceiling 142 mm (27 485 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system



28 034 000	Chrome	4005176231810	182.34
------------	--------	---------------	--------

**Sena Stick**  
**Hand shower 1 spray**  
 Normal spray  
 material: metal  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

# GROHE ATRIO


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 043 003	Chrome	4005176454479	390.19
	32 043 DC3	supersteel	4005176454486	620.48
	32 043 GL3	cool sunrise	4005176492211	613.27
	32 043 AL3	Brushed Hard Graphite	4005176454691	709.14
	<b>Atrio</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses			
	32 042 003	Chrome	4005176454448	450.09
	32 042 DC3	supersteel	4005176454455	715.91
	32 042 GL3	cool sunrise	4005176492143	698.89
	32 042 DA3	warm sunset	4005176492167	698.90
	32 042 AL3	Brushed Hard Graphite	4005176454462	818.17
<b>Atrio</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses				
	32 647 003	Chrome	4005176454707	631.23
	32 647 DC3	supersteel	4005176454714	1,002.30
	32 647 GL3	cool sunrise	4005176492280	978.45
	32 647 DA3	warm sunset	4005176492303	978.45
	32 647 AL3	Brushed Hard Graphite	4005176454721	1,145.49
<b>Atrio</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation <b>for free-standing basins</b> 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses				
	19 287 003	Chrome	4005176454738	450.09
	19 287 DC3	supersteel	4005176454745	715.91
	19 287 GL3	cool sunrise	4005176492358	698.89
	19 287 DA3	warm sunset	4005176492372	698.89
	19 287 AL3	Brushed Hard Graphite	4005176454752	818.17
<b>Atrio</b> <b>Two-hole basin mixer joystick</b> wall mounted <b>without concealed body</b> set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur centre distance 110 mm projection 185 mm				

# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 918 003	Chrome	4005176454769	510.03
	19 918 DC3	supersteel	4005176454776	811.37
	19 918 GL3	cool sunrise	4005176492426	792.08
	19 918 DA3	warm sunset	4005176492440	792.08
	19 918 AL3	Brushed Hard Graphite	4005176454783	927.28
		<p><b>Atrio</b>  <b>Two-hole basin mixer joystick</b>                      wall mounted                      without concealed body                      set for final installation for 23 429 000                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      centre distance 110 mm                      projection 221 mm</p>		
	23 429 000		4005176993695	291.12
		<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer                      without finishing trim set                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>		
	32 108 003	Chrome	4005176454790	510.03
	32 108 DC3	supersteel	4005176454806	811.37
	32 108 GL3	cool sunrise	4005176492495	792.08
	32 108 DA3	warm sunset	4005176492518	792.08
	32 108 AL3	Brushed Hard Graphite	4005176454813	927.28
		<p><b>Atrio</b>  <b>Bidet mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      rapid installation system                      tubular C-spout with ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>		
	32 650 003	Chrome	4005176454820	540.64
	32 650 DC3	supersteel	4005176454837	859.10
	32 650 GL3	cool sunrise	4005176492563	838.67
	32 650 DA3	warm sunset	4005176492587	838.67
	32 650 AL3	Brushed Hard Graphite	4005176454844	981.81
		<p><b>Atrio</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve                      covered S-unions                      protected against backflow</p>		




# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
32 652 003	Chrome	4005176454851	631.23
32 652 DC3	supersteel	4005176454868	1,002.30
32 652 GL3	cool sunrise	4005176492631	978.45
32 652 DA3	warm sunset	4005176492655	978.45
32 652 AL3	Brushed Hard Graphite	4005176454875	1,145.49

**Atrio**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 cast spout  
 mousseur  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 protected against backflow




24 065 003	Chrome	4005176465741	392.91
24 065 DC3	supersteel	4005176465758	547.74
24 065 GL3	cool sunrise	4005176564574	535.18
24 065 DA3	warm sunset	4005176564550	541.48
24 065 AL3	Brushed Hard Graphite	4005176465765	625.98

**Atrio**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			




24 066 003	Chrome	4005176465772	431.14
24 066 DC3	supersteel	4005176465789	602.48
24 066 GL3	cool sunrise	4005176564642	589.36
24 066 DA3	warm sunset	4005176564628	595.65
24 066 AL3	Brushed Hard Graphite	4005176465796	688.56

**Atrio**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
24 096 003	Chrome	4005176480669	461.46
24 096 DC3	supersteel	4005176480676	644.21
24 096 GL3	cool sunrise	4005176564710	629.63
24 096 DA3	warm sunset	4005176564697	637.19
24 096 AL3	Brushed Hard Graphite	4005176480683	736.22

## Atrio

### Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

### 3-way diverter

flow performance:

outlet A = 27 l/min,


outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set



35 604 000	4005176698774	142.72
GROHE Rapido SmartBox universal rough-in box for concealed installation		



24 134 003	Chrome	4005176480959	741.96
24 134 DC3	supersteel	4005176480973	1,037.16
24 134 GL3	cool sunrise	4005176564369	1,013.60
24 134 DA3	warm sunset	4005176564345	624.70
24 134 AL3	Brushed Hard Graphite	4005176480997	1,185.31

## Atrio

### Thermostatic mixer for 1 outlet with shut off valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE StarLight chrome finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

GROHE SafeStop safety button at 38°C

( calibration required )

GROHE SafeStop Plus optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

ceramic stop valve, 120°

metal handles

flow performance:

outlet B = 27 l/min

outlet C = 30 l/min


without roughing-in-set



35 604 000	4005176698774	142.72
GROHE Rapido SmartBox universal rough-in box for concealed installation		

# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 135 003	Chrome	4005176480966	793.67
24 135 DC3	supersteel	4005176480980	1,109.38
24 135 GL3	cool sunrise	4005176564437	1,083.97
24 135 DA3	warm sunset	4005176564413	1,096.32
24 135 AL3	Brushed Hard Graphite	4005176481000	1,267.88



## Atrio

### Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

**without roughing-in-set**



35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

24 138 003	Chrome	4005176481017	793.67
24 138 DC3	supersteel	4005176481024	1,109.38
24 138 GL3	cool sunrise	4005176564505	1,083.97
24 138 DA3	warm sunset	4005176564482	1,096.32
24 138 AL3	Brushed Hard Graphite	4005176481031	1,267.88



## Atrio

### Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

metal handles

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

**without roughing-in-set**



35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE ATRIO



Ref. No.	Colour	EAN	Retail Guide Price (£)
32 653 003	Chrome	4005176454912	1,740.48
32 653 DC3	supersteel	4005176454929	2,768.24
32 653 GL3	cool sunrise	4005176492709	2,702.41
32 653 DA3	warm sunset	4005176492723	2,702.41
32 653 AL3	Brushed Hard Graphite	4005176454936	3,163.68

## Atrio

### Single-lever bath mixer, floor mounted

set for final installation for

45 984 001

**without roughing-in-set**

**GROHE SilkMove** 35 mm ceramic cartridge

with temperature limiter

**GROHE StarLight** chrome finish

automatic diverter: bath/shower

spout with mousseur

projection 301 mm

integrated non-return valve

in the shower outlet 1/2"

with shower holder

hand shower Sena Stick (26 465)

Silverflex shower hose 1250 mm

protected against backflow


45 984 001		4005176992056	444.34
<b>Rough-in set 1/2" for floor-mounted mixers/spouts</b>			

# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 021 003	Chrome	4005176455193	300.97
	20 021 DC3	supersteel	4005176455209	477.32
	20 021 GL3	cool sunrise	4005176493393	465.93
	20 021 DA3	warm sunset	4005176493416	465.93
	20 021 AL3	Brushed Hard Graphite	4005176455216	545.47
	<p><b>Atrio</b>  <b>Pillar tap 1/2" XS-Size</b>                      headpart 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      rapid installation system                      mousseur                      fixed spout                      with lever handle</p>			
	21 022 003	Chrome	4005176454943	480.74
	21 022 DC3	supersteel	4005176454950	763.65
	21 022 GL3	cool sunrise	4005176492778	745.49
	21 022 DA3	warm sunset	4005176492792	745.49
	21 022 AL3	Brushed Hard Graphite	4005176454967	872.75
	<p><b>Atrio</b>  <b>Basin mixer, 1/2"</b>  <b>L-Size</b>                      ceramic headparts 1/2", 90°  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      rapid installation system                      swivel tubular spout with mousseur and stop limiter                      Push-open waste set 1 1/4"                      flexible connection hoses                      with lever handles                      Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	21 019 003	Chrome	4005176455223	480.74
	21 019 DC3	supersteel	4005176455230	763.65
	21 019 GL3	cool sunrise	4005176493461	745.49
	21 019 DA3	warm sunset	4005176493485	745.49
	21 019 AL3	Brushed Hard Graphite	4005176455247	872.75
	<p><b>Atrio</b>  <b>Basin mixer, 1/2"</b>  <b>L-Size</b>                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      rapid installation system                      swivel tubular spout with mousseur and stop limiter                      Push-open waste set 1 1/4"                      flexible connection hoses                      with cross handles                      Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			
	21 044 003	Chrome	4005176455254	660.51
	21 044 DC3	supersteel	4005176455261	1,050.04
	21 044 GL3	cool sunrise	4005176493539	1,025.07
	21 044 DA3	warm sunset	4005176493553	1,025.07
	21 044 AL3	Brushed Hard Graphite	4005176455278	1,200.02
	<p><b>Atrio</b>  <b>Basin mixer, 1/2"</b>  <b>XL-Size</b>  <b>for free-standing basins</b>                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> 5.7 l/min laminar mousseur                      rapid installation system                      swivel tubular spout with mousseur and stop limiter                      Push-open waste set 1 1/4"                      flexible connection hoses                      with cross handles                      Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.</p>			


# GROHE ATRIO

Ref. No.      Colour      EAN      Retail Guide Price (£)




20 009 003	Chrome	4005176454974	480.71
20 009 DC3	supersteel	4005176454981	954.56
20 009 GL3	cool sunrise	4005176492839	931.86
20 009 DA3	warm sunset	4005176492853	931.86
20 009 AL3	Brushed Hard Graphite	4005176454998	1,090.91

**Atrio**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
swivel tubular spout with mousseur and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses between spout and side valves  
with lever handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




20 008 003	Chrome	4005176455285	600.56
20 008 DC3	supersteel	4005176455292	954.56
20 008 GL3	cool sunrise	4005176493607	931.86
20 008 DA3	warm sunset	4005176493621	931.86
20 008 AL3	Brushed Hard Graphite	4005176455308	1,090.91

**Atrio**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
swivel tubular spout with mousseur and stop limiter  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.



20 169 003	Chrome	4005176455001	510.03
20 169 DC3	supersteel	4005176455018	811.37
20 169 GL3	cool sunrise	4005176492907	792.08
20 169 DA3	warm sunset	4005176492921	792.08
20 169 AL3	Brushed Hard Graphite	4005176455025	927.28

**Atrio**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
wall mounted  
set for final installation for 29 025 002  
**without concealed body**  
valves hot/cold  
with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
centre distance 200 mm  
projection 180 mm  
with lever handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.





20 164 003	Chrome	4005176455315	510.03
20 164 DC3	supersteel	4005176455322	811.37
20 164 GL3	cool sunrise	4005176493676	792.08
20 164 DA3	warm sunset	4005176493690	792.08
20 164 AL3	Brushed Hard Graphite	4005176455339	927.28

**Atrio**  
**3-hole basin mixer**  
wall mounted  
set for final installation for 29 025 002  
**without concealed body**  
valves hot/cold  
with headparts 1/2" - 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 5.7 l/min laminar mousseur  
centre distance 200 mm  
projection 180 mm  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.




# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 025 002		4005176519895	282.72




**Two-handle basin mixer concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve

24 027 003	Chrome	4005176455346	510.03
24 027 DC3	supersteel	4005176455353	811.37
24 027 GL3	cool sunrise	4005176493744	792.08
24 027 DA3	warm sunset	4005176493768	792.08
24 027 AL3	Brushed Hard Graphite	4005176455360	927.28




**Atrio Bidet mixer 1/2"**  
**M-Size**  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
rapid installation system  
ball-joint mousseur  
bow spout  
pop-up waste set 1 1/4"  
flexible connection hoses  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.

26 003 003	Chrome	4005176455377	540.64
26 003 DC3	supersteel	4005176455384	859.10
26 003 GL3	cool sunrise	4005176493812	838.67
26 003 DA3	warm sunset	4005176493836	838.67
26 003 AL3	Brushed Hard Graphite	4005176455391	981.83



**Atrio Shower mixer 1/2"**  
wall mounted  
ceramic headparts 1/2", 90°  
shower outlet 1/2"  
integrated non-return valves in the shower outlet 1/2"  
covered S-unions  
protected against backflow  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


25 010 003	Chrome	4005176455407	720.44
25 010 DC3	supersteel	4005176455414	1,145.49
25 010 GL3	cool sunrise	4005176493881	1,118.22
25 010 DA3	warm sunset	4005176493904	1,118.22
25 010 AL3	Brushed Hard Graphite	4005176455421	1,309.11



**Atrio Bath / shower mixer 1/2"**  
wall mounted  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
tubular spout  
with stop restriction  
mousseur  
covered S-unions  
protected against backflow  
without shower set  
with cross handles  
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




25 044 003	Chrome	4005176455438	2,250.49
25 044 DC3	supersteel	4005176455445	3,579.59
25 044 GL3	cool sunrise	4005176493959	3,494.48
25 044 DA3	warm sunset	4005176493973	3,494.48
25 044 AL3	Brushed Hard Graphite	4005176455452	4,091.00

**Atrio**  
**Bath / shower mixer 1/2"**  
 floor-mounted installation  
 with high pillar unions (765 mm)  
 set for final installation for  
 45 984 001  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 swivel tubular spout with mousseur and stop limiter  
 projection 301 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 hand shower Sena Stick (26 465)  
 with shower holder  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow, with cross handles  
 Two different sets of caps included. One set with  
 „H“ and „C“ marking, one set without marking.




45 984 001		4005176992056	444.34
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath  
 mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material



19 088 003	Chrome	4005176455162	135.82
19 088 DC3	supersteel	4005176455179	175.76
19 088 GL3	cool sunrise	4005176493324	163.72
19 088 DA3	warm sunset	4005176493348	163.72
19 088 AL3	Brushed Hard Graphite	4005176455186	189.09

**Atrio**  
**Concealed stop-valve trim**  
 for concealed valve 35 028 000 or 29 032 000  
**GROHE StarLight** chrome finish  
 installation depth adjustable  
 20-80 mm  
 escutcheon with screwable wall sealing  
 with lever handle




19 069 003	Chrome	4005176455469	105.20
19 069 DC3	supersteel	4005176455476	167.03
19 069 GL3	cool sunrise	4005176494017	163.72
19 069 DA3	warm sunset	4005176494031	163.72
19 069 AL3	Brushed Hard Graphite	4005176455483	190.91

**Atrio**  
**Concealed stop-valve trim**  
 for concealed valve 35 028 000 or 29 032 000  
**GROHE StarLight** chrome finish  
 installation depth adjustable  
 20-80 mm  
 escutcheon with screwable wall sealing  
 with cross handle




# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




29 037 002		4005176519918	893.84
------------	--	---------------	--------

**4/5-hole bath combination (optional) baseframe for installation under tiled surround**  
 base frame  
 drainage box with integrated outlet for splash water  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve  
 caps to cover screw fixations always come in chrome color



13 139 003	Chrome	4005176455131	270.31
13 139 DC3	supersteel	4005176455148	429.52
13 139 GL3	cool sunrise	4005176493263	419.34
13 139 DA3	warm sunset	4005176493287	419.34
13 139 AL3	Brushed Hard Graphite	4005176455155	490.92

**Atrio**  
 Bath spout  
 wall mounted  
**GROHE StarLight** chrome finish  
 mousseur  
 projection 171 mm



29 118 000	Chrome	4005176412240	608.04
29 118 DC0	supersteel	4005176455032	748.15
29 118 GL0	cool sunrise	4005176492976	822.23
29 118 DA0	warm sunset	4005176492990	822.23
29 118 AL0	Brushed Hard Graphite	4005176455049	844.04

**Grotherm SmartControl**  
 Thermostat for concealed installation with one valve  
 set for final installation for GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
**without roughing-in-set**  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min




35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	701.29
29 119 DC0	supersteel	4005176455056	917.11
29 119 GL0	cool sunrise	4005176493041	896.30
29 119 DA0	warm sunset	4005176493065	896.30
29 119 AL0	Brushed Hard Graphite	4005176455063	919.02



### Grohtherm SmartControl

#### Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 121 000	Chrome	4005176412271	716.17
29 121 DC0	supersteel	4005176455094	881.49
29 121 GL0	cool sunrise	4005176493188	969.14
29 121 DA0	warm sunset	4005176493201	969.14
29 121 AL0	Brushed Hard Graphite	4005176455100	1,133.71

### Grohtherm SmartControl

#### Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:


outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min


outlet A + B + C = 36 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 122 000	Chrome	4005176412288	436.47
29 122 DC0	supersteel	4005176455117	538.28
29 122 GL0	cool sunrise	4005176515194	591.35
29 122 DA0	warm sunset	4005176515217	591.35
29 122 AL0	Brushed Hard Graphite	4005176455124	579.01



### Grotherm SmartControl Triple volume control trim

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604/35 601  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable  
10 mm thin profile escutcheon

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow

exchangeable symbols

GROHE ProGrip with knurl structure


multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



34 705 000	Chrome	4005176413285	1,765.31
------------	--------	---------------	----------

### Grotherm SmartControl Perfect shower set with Rainshower SmartActive 310

Consisting of:

concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation  
(29 121 000)

GROHE Rapido SmartBox 35 600/35 604

Rainshower 310 head shower set (26 475) including head shower with 2 sprays,  
horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367)




Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)











Silverflex shower hose 1.500 mm (28 364)











# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 304 003	Chrome	4005176461576	60.39
	40 304 DC3	supersteel	4005176461583	84.76
	40 304 GL3	cool sunrise	4005176494130	134.79
	40 304 DA3	warm sunset	4005176494154	134.79
	40 304 AL3	Brushed Hard Graphite	4005176462399	96.94
	<b>Atrio</b> <b>Glass/soap dish holder</b> for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 306 003	Chrome	4005176461545	60.39
	40 306 DC3	supersteel	4005176461552	84.76
	40 306 GL3	cool sunrise	4005176494079	134.79
	40 306 DA3	warm sunset	4005176494093	134.79
	40 306 AL3	Brushed Hard Graphite	4005176461569	96.94
	<b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately) <b>GROHE StarLight</b> chrome finish			
 	40 254 003		4005176462405	49.60
		<b>Glass</b> material: glass fits holders Allure 40 278 001 and Atrio 40 304 xx3 (to be ordered separately)		
 	40 305 003	Chrome	4005176462412	60.39
	40 305 DC3	supersteel	4005176462429	84.76
	40 305 GL3	cool sunrise	4005176494185	134.79
	40 305 DA3	warm sunset	4005176494208	134.79
	40 305 AL3	Brushed Hard Graphite	4005176462436	96.94
	<b>Atrio</b> <b>Glass/soap dish holder</b> for Atrio soap dish (40 256 003) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
 	40 256 003	Glass Matt	4005176462443	46.07
		<b>Soap dish</b> material: glass fits holders Allure (40 963 001) and Atrio (40 305 xx3), sold separately		
 	40 307 003	Chrome	4005176462450	81.04
	40 307 DC3	supersteel	4005176462467	111.24
	40 307 GL3	cool sunrise	4005176494246	180.57
	40 307 DA3	warm sunset	4005176494260	180.57
	40 307 AL3	Brushed Hard Graphite	4005176462474	132.45
	<b>Atrio</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			









# GROHE ATRIO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 308 003	Chrome	4005176462481	137.76
	40 308 DC3	supersteel	4005176462498	190.73
	40 308 GL3	cool sunrise	4005176494307	300.10
	40 308 DA3	warm sunset	4005176494321	300.10
	40 308 AL3	Brushed Hard Graphite	4005176462504	210.86
	<b>Atrio</b> <b>Towel bar</b> material: metal 2 arms, not pivotable length 489 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 309 003	Chrome	4005176462511	127.15
	40 309 DC3	supersteel	4005176462528	180.15
	40 309 GL3	cool sunrise	4005176494369	286.11
	40 309 DA3	warm sunset	4005176494383	286.11
	40 309 AL3	Brushed Hard Graphite	4005176462627	206.61
	<b>Atrio</b> <b>Towel rail</b> 650 mm (drilling length 600 mm) material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 312 003	Chrome	4005176462535	41.84
	40 312 DC3	supersteel	4005176462542	58.27
	40 312 GL3	cool sunrise	4005176494420	92.84
	40 312 DA3	warm sunset	4005176494444	92.84
	40 312 AL3	Brushed Hard Graphite	4005176462559	66.74
	<b>Atrio</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 313 003	Chrome	4005176462566	91.66
	40 313 DC3	supersteel	4005176462573	127.15
	40 313 GL3	cool sunrise	4005176494482	203.46
	40 313 DA3	warm sunset	4005176494505	203.46
	40 313 AL3	Brushed Hard Graphite	4005176462580	148.35
	<b>Atrio</b> <b>Toilet roll holder</b> material: metal concealed fastening without cover <b>GROHE StarLight</b> chrome finish			
	40 314 003	Chrome	4005176462597	180.15
	40 314 DC3	supersteel	4005176462603	253.27
	40 314 GL3	cool sunrise	4005176494543	404.38
	40 314 DA3	warm sunset	4005176494567	404.38
	40 314 AL3	Brushed Hard Graphite	4005176462610	295.66
	<b>Atrio</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 791 001	white	4005176323409	5.83
	40 791 KS1	velvet black	4005176336379	5.83
	<b>Spare Brush Head</b>			









# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 303 000	Chrome	4005176924088	444.36
	23 303 IGO	chrome/gold	4005176924095	572.16
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 310 000	Chrome	4005176930331	444.36
	23 310 IGO	chrome/gold	4005176930348	572.16
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      smooth body                      flexible connection hoses</p>			
	21 107 000	Chrome	4005176930393	527.90
	21 107 IGO	chrome/gold	4005176930409	681.42
	<p><b>Grandera</b>  <b>Two-handle basin mixer, 1/2"</b>  <b>L-Size</b>                      monobloc installation                      valves hot/cold                      with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      swivel spout                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 313 000	Chrome	4005176930614	583.61
	23 313 IGO	chrome/gold	4005176930621	749.68
	<p><b>Grandera</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min                      smooth body                      flexible connection hoses</p>			

# GROHE GRANDERA


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 417 000	Chrome	4005176930553	625.41
	20 417 IGO	chrome/gold	4005176930560	804.34
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>            valves hot/cold            with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min            pop-up waste set 1 1/4"            pressure-proof, flexible connection hoses            between spout and side valves</p>			
	20 389 000	Chrome	4005176924101	695.08
	20 389 IGO	chrome/gold	4005176924118	886.27
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>            valves hot/cold            with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min            pop-up waste set 1 1/4"            pressure-proof, flexible connection hoses            between spout and side valves</p>			
	20 414 000	Chrome	4005176930492	514.00
	20 414 IGO	chrome/gold	4005176930508	625.56
	<p><b>Grandera</b>  <b>Three-hole basin mixer 1/2"</b>  <b>S-Size</b>            wall mounted            set for final installation for            29 025 002  <b>without concealed body</b>            valves hot/cold            with headparts 1/2" - 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min            centre distance 200 mm            projection 177 mm</p>			
	20 415 000	Chrome	4005176930515	532.73
	20 415 IGO	chrome/gold	4005176930522	736.05
	<b>Ditto, projection 234 mm</b>			
	29 025 002		4005176519895	282.72
		<p><b>Two-handle basin mixer</b>  <b>concealed body, 1/2"</b>            for 3-hole basin mixer            wall installation  <b>without finishing trim set</b>            DR-brass            installation device            allows for waterproofing of wall construction surrounding the concealed body            with sealing sleeve</p>		

# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 929 000	Chrome	4005176930430	494.96
	19 929 IGO	chrome/gold	4005176930447	681.42
	<p><b>Grandera</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>            wall mounted            set for final installation for 23 319 000  <b>without concealed body</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow  <b>GROHE AquaGuide</b> adjustable mousseur 5.7 l/min            centre distance 110 mm            projection 177 mm</p>			
	19 930 000	Chrome	4005176930454	572.17
	19 930 IGO	chrome/gold	4005176930461	749.68
	<b>Ditto, projection 234 mm</b>			
	23 319 000		4005176931192	285.42
	<p><b>Grandera</b>  <b>Single-lever mixer 1/2", concealed body</b>            for 2 hole basin mixer            wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge            adjustable flow rate limiter            installation depth 45 to 75 mm            installation device</p>			
	23 315 000	Chrome	4005176930652	500.06
	23 315 IGO	chrome/gold	4005176930669	640.47
	<p><b>Grandera</b>  <b>Bidet mixer 1/2"</b>  <b>M-Size</b>            monobloc installation            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system            ball-joint mousseur            pop-up waste set 1 1/4"            flexible connection hoses</p>			
	23 316 000	Chrome	4005176930690	481.21
	23 316 IGO	chrome/gold	4005176930706	625.56
	<p><b>Grandera</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            integrated hand shower holder            shower outlet 1/2"            integrated non-return valve            covered S-unions            protected against backflow</p>			

# GROHE GRANDERA


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



23 317 000	Chrome	4005176930799	640.46
23 317 IGO	chrome/gold	4005176930805	781.94

**Grandera**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 integrated hand shower holder  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 covered S-unions  
 protected against backflow

24 067 000	Chrome	4005176465802	365.80
24 067 IGO	chrome/gold	4005176465819	439.48



24 067 000	Chrome	4005176465802	365.80
24 067 IGO	chrome/gold	4005176465819	439.48


**Grandera**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 068 000	Chrome	4005176465840	411.38
24 068 IGO	chrome/gold	4005176465857	483.42



24 068 000	Chrome	4005176465840	411.38
24 068 IGO	chrome/gold	4005176465857	483.42


**Grandera**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

19 936 000	Chrome	4005176930812	1,377.56
19 936 IGO	chrome/gold	4005176930829	1,746.57













19 936 000	Chrome	4005176930812	1,377.56
19 936 IGO	chrome/gold	4005176930829	1,746.57













**Grandera**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 Consisting of:  
 pre-assembled spout fixing  
 single lever mixer operating element  
 bath spout with mousseur and diverter bath/shower  
 Grandera hand shower 7.6 l/min  
 metal shower hose  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 can be used with 29 037 000













# GROHE GRANDERA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 919 000	Chrome	4005176924125	1,432.51
	19 919 IGO	chrome/gold	4005176924132	1,869.47
	<p><b>Grandera</b>  <b>5-hole bath/shower combination</b>                      ceramic headparts 1/2", 90°                      GROHE StarLight chrome finish                      Consisting of:                      pre-assembled spout fixing                      single lever mixer operating element                      bath spout with mousseur and diverter bath/shower                      Grandera hand shower 7.6 l/min                      metal shower hose                      flexible connection hoses                      connection for shower hose                      protected against backflow                      can be used with 29 037 000</p>			
	29 037 000		4005176865749	959.70
		<p><b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b>                      base frame                      drainage box with integrated outlet for splash water                      caps to cover screw fixations always come in chrome color</p>		
	23 318 000	Chrome	4005176930874	2,087.96
	23 318 IGO	chrome/gold	4005176930881	2,647.86
	<p><b>Grandera</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for 45 984 001  <b>without roughing-in set</b>                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      automatic diverter: bath/shower                      spout with mousseur                      projection 320 mm                      integrated non-return valves in the shower outlet 1/2"                      with shower holder                      Grandera hand shower 7.6 l/min                      Silverflex shower hose 1250 mm                      protected against backflow</p>			
	45 984 001		4005176992056	444.34
		<p><b>Rough-in set 1/2"</b>                      for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>                      installation plate with 360° horizontal and 3° vertical adjustment                      installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm                      installation depth 65-157 mm for shower mixers, depth compensation 92 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug                      Can take a single mixed supply                      fixing material</p>		
	29 086 000		4005176935497	285.40
		<p><b>Rough-in set 1/2"</b>                      for floor-mounted tub spouts and mixers  <b>without finishing trim set</b>                      installation plate with 360° horizontal and 3° vertical adjustment                      installation depth 47-151 mm                      depth compensation 104 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug</p>		

# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	13 341 000	Chrome	4005176931000	285.41
	13 341 IGO	chrome/gold	4005176931017	380.99
	<b>Grandera</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur projection 177 mm			
	19 944 000	Chrome	4005176931086	135.16
	19 944 IGO	chrome/gold	4005176931093	162.50
	<b>Grandera</b> <b>Volume Control Trim</b> set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") <b>GROHE StarLight</b> chrome finish installation depth adjustable 43 - 91 mm			
	29 032 000		4005176845277	39.61
	<b>Concealed valve</b> pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass			
				
	29 802 000		4005176504853	63.48
	<b>Concealed stop valve 3/4"</b> pre-assembled headpart 3/4" short spindle protection sleeve thread union 3/4" DR-brass			
				
	29 811 000		4005176062711	63.47
	<b>Concealed stop valve 1/2"</b> preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass			
				
	27 974 000	Chrome	4005176932793	549.82
	27 974 IGO	chrome/gold	4005176933486	719.40
	<b>Grandera 210</b> <b>Head shower 1 spray</b> 221 x 221 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 986 000	Chrome	4005176933011	125.78
	27 986 IGO	chrome/gold	4005176933547	168.17
	<p><b>Rainshower Grandera</b>  <b>Shower arm 286 mm</b>                      projection 286 mm                      material: metal                      connection thread 1/2"                      Grandera escutcheon  <b>GROHE StarLight</b> chrome finish</p>			
	27 978 000	Chrome	4005176932830	97.49
	<p><b>Rainshower Grandera</b>  <b>Shower arm ceiling 142 mm</b>                      material: metal                      length 142 mm                      connection thread 1/2"                      Grandera escutcheon  <b>GROHE StarLight</b> chrome finish</p>			
	26 037 001	Chrome	4005176487392	133.79
	<p><b>Grandera Stick</b>  <b>Hand shower 1 spray</b>                      Rain spray pattern                      material: metal                      GROHE EcoJoy 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern                      Inner WaterGuide for a longer life                      GROHE CoolTouch prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish                      SpeedClean anti-limescale system                      Universal Mounting System. Fits all standard shower hoses</p>			
	26 037 IGO	chrome/gold	4005176936210	182.32
	<p><b>Grandera Stick</b>  <b>Hand shower 1 spray</b>                      Rain spray pattern                      material: metal                      GROHE EcoJoy 7.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern                      Inner WaterGuide for a longer life                      GROHE CoolTouch prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish                      SpeedClean anti-limescale system                      Universal Mounting System. Fits all standard shower hoses</p>			
	27 993 000	Chrome	4005176933080	196.45
	27 993 IGO	chrome/gold	4005176933585	252.97
	<p><b>Grandera Stick</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      Stick hand shower (26 037 000)                      Wall hand shower holder (27 969)                      Rotaflex shower hose 1500 mm (28 417 000)                      GROHE EcoJoy 7.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern                      Inner WaterGuide for a longer life                      GROHE CoolTouch prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish                      SpeedClean anti-limescale system</p>			







# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 038 000	Chrome	4005176935404	276.88
	<b>Grandera Stick</b> <b>Shower rail set 1 spray</b> Consisting of: Stick hand shower (26 037 000) shower rail 900 mm (27 785) Rotaflex Longlife metal shower hose 1750 mm (28 025) <b>GROHE EcoJoy</b> 7.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>Inner WaterGuide</b> for a longer life <b>GROHE CoolTouch</b> prevents scalding on hot surfaces <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	27 970 000	Chrome	4005176931154	154.06
	27 970 IGO	chrome/gold	4005176931161	210.56
	<b>Grandera</b> <b>Shower outlet elbow, 1/2"</b> material: metal male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	27 969 000	Chrome	4005176931123	111.66
	27 969 IGO	chrome/gold	4005176931130	139.92
	<b>Grandera</b> <b>Wall hand Shower holder</b> material: metal <b>GROHE StarLight</b> chrome finish			
 	29 708 000		4005176102653	361.45
	<b>5-way diverter</b> <b>concealed body, 1/2"</b> <b>without finishing trim set</b> wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm			

# GROHE GRANDERA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 627 000	Chrome	4005176927768	196.02
	40 627 IGO	chrome/gold	4005176927775	253.27
	<b>Grandera</b> <b>holder with ceramic soap dispenser</b> material: ceramic/metal filling quantity 110 ml <b>GROHE StarLight</b> chrome finish			
	40 626 000	Chrome	4005176927737	148.35
	40 626 IGO	chrome/gold	4005176927744	190.73
	<b>Grandera</b> <b>holder with ceramic tumbler</b> material: ceramic/metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 628 000	Chrome	4005176927898	180.14
	40 628 IGO	chrome/gold	4005176927904	232.09
	<b>Grandera</b> <b>soap dish with holder</b> material: ceramic/metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 630 000	Chrome	4005176927959	127.15
	40 630 IGO	chrome/gold	4005176927966	164.24
	40 630 EN0	brushed nickel	4005176927973	201.34
	<b>Grandera</b> <b>Towel ring</b> Ø 205 mm material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 629 000	Chrome	4005176927928	206.61
	40 629 IGO	chrome/gold	4005176927935	263.87
	40 629 EN0	brushed nickel	4005176927942	418.36
	<b>Grandera</b> <b>Towel rail</b> 600 mm <b>GROHE StarLight</b> chrome finish			
	40 631 000	Chrome	4005176927980	59.34
	40 631 IGO	chrome/gold	4005176927997	76.81
	<b>Grandera</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE GRANDERA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 633 000	Chrome	4005176928048	137.75
	40 633 IG0	chrome/gold	4005176928055	180.14
	40 633 EN0	brushed nickel	4005176928062	221.49
	<b>Grandera</b> <b>Bath grip</b> material: metal length 385 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 625 000	Chrome	4005176927706	153.65
	40 625 IG0	chrome/gold	4005176927713	201.35
	40 625 EN0	brushed nickel	4005176927720	242.66
	<b>Grandera</b> <b>Toilet roll holder</b> without cover material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 632 000	Chrome	4005176928017	217.22
	40 632 IG0	chrome/gold	4005176928024	285.08
	<b>Grandera</b> <b>Toilet brush set</b> material: ceramic <b>GROHE StarLight</b> chrome finish			
				




# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 109 001	Chrome	4005176408373	254.52
	32 109 DC1	supersteel	4005176412691	336.93
	32 109 AL1	Brushed Hard Graphite	4005176586118	356.16
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 791 001	Chrome	4005176409097	254.52
	23 791 DC1	supersteel	4005176412707	336.93
	23 791 AL1	Brushed Hard Graphite	4005176586125	356.16
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 790 001	Chrome	4005176408380	254.52
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>XS-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				
	32 114 001	Chrome	4005176409103	241.74
	32 114 DC1	supersteel	4005176412714	359.39
	<p><b>Lineare</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				


# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 106 001	Chrome	4005176409110	267.32
23 106 DC1	supersteel	4005176412721	359.39
23 106 AL1	Brushed Hard Graphite	4005176586149	379.30

**Lineare**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses




23 296 001	Chrome	4005176409127	360.93
23 296 DC1	supersteel	4005176412738	494.80

**Lineare**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** installation system  
 swivel spout with mousseur  
 and stop limiter  
 pop-up waste set 1 1/4"  
 flexible connection hoses



23 405 001	Chrome	4005176409134	334.11
23 405 DC1	supersteel	4005176412745	527.79
23 405 AL1	Brushed Hard Graphite	4005176586163	556.80








**Lineare**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation Plus** rapid installation system  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar



20 304 001	Chrome	4005176409141	428.02
------------	--------	---------------	--------


**Lineare**  
**Three-hole basin mixer 1/2"**  
**M-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** installation system  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm

# GROHE LINEARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 409 001	Chrome	4005176409158	334.10
	19 409 DC1	supersteel	4005176412752	428.03
	19 409 AL1	Brushed Hard Graphite	4005176586170	453.68
	<p><b>Lineare</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      set for final installation for 23 571 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 149 mm</p>			
	23 444 001	Chrome	4005176411977	334.08
	23 444 DC1	supersteel	4005176412769	465.59
	23 444 AL1	Brushed Hard Graphite	4005176586187	491.29
	<p><b>Lineare</b>  <b>2-hole basin mixer</b>  <b>L-Size</b>                      wall mounted                      set for final installation for 23 571 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 207 mm</p>			
	23 571 000		4005176334276	277.17
	<p><b>Single-lever mixer 1/2", universal concealed body</b>                      for 2 hole basin mixer                      wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			
	33 848 001	Chrome	4005176409172	307.27
	33 848 DC1	supersteel	4005176412776	412.40
	<p><b>Lineare</b>  <b>Bidet mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> installation system                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				


# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
33 865 001	Chrome	4005176409202	347.52
33 865 DC1	supersteel	4005176412790	448.13
33 865 AL1	Brushed Hard Graphite	4005176586217	447.62





**Lineare**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 shower outlet 1/2"  
 integrated non-return valve  
 covered S-unions  
 protected against backflow

34 719 000	Chrome	4005176457654	473.46
------------	--------	---------------	--------




**Grotherm SmartControl**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
 integrated **GROHE EasyReach** shower tray  
 shower bottom outlet 1/2"  
 built-in non return valve  
 and dirt strainers  
 protected against backflow

33 849 001	Chrome	4005176409189	347.53
33 849 DC1	supersteel	4005176412783	541.96
33 849 AL1	Brushed Hard Graphite	4005176586200	571.35



**Lineare**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 covered S-unions  
 protected against backflow  
 pillar installation optional with pillar unions 12 030 000


34 718 000	Chrome	4005176457647	521.54
------------	--------	---------------	--------




**Grotherm SmartControl**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE ProGrip** with knurl structure  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
 EcoJoy to full flow  
 integrated **GROHE EasyReach** shower tray  
 shower bottom outlet 1/2"  
 bath spout with mousseur  
 built-in non return valve  
 and dirt strainers  
 protected against backflow

# GROHE LINEARE


Ref. No.	Colour	EAN	Retail Guide Price (£)
33 850 001	Chrome	4005176409196	402.55







**Lineare**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 covered S-unions  
 protected against backflow with shower set  
 Consisting of:  
 hand shower Sena Stick (26 465)  
 wall shower holder Tempesta 100  
 Cosmopolitan (27 594 000)  
 Silverflex shower hose 1.500 mm (28 364)

24 063 001	Chrome	4005176465703	228.62
24 063 DC1	supersteel	4005176465727	318.69
24 063 AL1	Brushed Hard Graphite	4005176586248	336.01







**Lineare**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**




<b>35 604 000</b>	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

24 064 001	Chrome	4005176465710	251.48
24 064 DC1	supersteel	4005176465734	350.57
24 064 AL1	Brushed Hard Graphite	4005176586255	369.98






**Lineare**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



<b>35 604 000</b>	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE LINEARE


Ref. No.	Colour	EAN	Retail Guide Price (£)
24 095 001	Chrome	4005176480645	280.70
24 095 DC1	supersteel	4005176480652	390.77
24 095 AL1	Brushed Hard Graphite	4005176586262	412.44



**Lineare**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**




35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			




25 113 000	Chrome	4005176881862	555.78
------------	--------	---------------	--------

**Lineare**  
**Two-handed Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valves in the  
 shower outlet 1/2"  
**recommended pressure 0.2-5.0 bar**  
**GROHE StarLight** chrome finish



25 104 000	Chrome	4005176881794	513.97
------------	--------	---------------	--------









**Lineare**  
**Two-handed Bath filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**recommended pressure 0.2-5.0 bar**  
**GROHE StarLight** chrome finish













19 577 001	Chrome	4005176409233	803.71
19 577 DC1	supersteel	4005176412820	1,469.88
19 577 EN1	brushed nickel	4005176413018	1,743.18
19 577 AL1	Brushed Hard Graphite	4005176586224	1,549.06

**Lineare**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 hand shower Sena Stick (26 465)  
 metal shower hose 2000 mm (always chrome for any colour of the set)  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 965 001	Chrome	4005176409240	589.02
	<p><b>Lineare</b>  <b>3-hole single-lever bath combination</b>                      Three hole installation  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      single lever mixer operating element                      diverter bath/shower                      hand shower Sena Stick (26 465)                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with 29 037 000                      for combination with 28 990 / 28 991</p>			
	29 037 000		4005176865749	959.70
	<p><b>4/5-hole bath combination (optional)</b>  <b>baseframe for installation</b>  <b>under tiled surround</b>                      base frame                      drainage box with                      integrated outlet for splash water                      caps to cover screw fixations always come in chrome color</p>			
	23 792 001	Chrome	4005176409257	1,984.48
	23 792 DC1	supersteel	4005176412837	2,733.27
	23 792 EN1	brushed nickel	4005176413001	2,759.72
	23 792 AL1	Brushed Hard Graphite	4005176586231	2,881.02
	<p><b>Lineare</b>  <b>Single-lever bath mixer 1/2", floor mounted</b>                      set for final installation for                      45 984 001  <b>without roughing-in-set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      spout with mousseur                      projection 271 mm                      integrated non-return valve                      in the shower outlet 1/2"                      with shower holder                      hand shower Sena Stick (26 465)                      Silverflex shower hose 1250 mm (28 362)                      protected against backflow</p>			
	45 984 001		4005176992056	444.34
	<p><b>Rough-in set 1/2"</b>                      for floor-mounted bath mixers/spouts and shower mixers  <b>without finishing trim set</b>                      installation plate with 360° horizontal and 3° vertical adjustment                      installation depth 53-157 mm for bath                      mixers/spouts, depth compensation 104 mm                      installation depth 65-157 mm for shower mixers, depth compensation 92 mm                      two 1/2" female connections (hot/cold supplies)                      flushing plug                      Can take a single mixed supply                      fixing material</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 086 000		4005176935497	285.40
	<p><b>Rough-in set 1/2"</b> for floor-mounted tub spouts and mixers <b>without finishing trim set</b> installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
 	13 383 001 13 383 DC1	Chrome supersteel	4005176418167 4005176418174	240.18 400.58
	<p><b>Lineare</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur male thread 1/2" projection 170 mm</p>			
 	34 705 000	Chrome	4005176413285	1,765.31
	<p><b>Grotherm SmartControl</b> <b>Perfect shower set with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>			
 	19 952 000 19 952 DC0 19 952 AL0	Chrome supersteel Brushed Hard Graphite	4005176174230 4005176467776 4005176353376	60.69 76.07 164.59
	<p><b>Talentofill</b> <b>Inlet, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set</p> <p><b>in combination with Talentofill</b> 28 990 000/28 991 000</p>			
 	19 025 000	Chrome	4005176209154	67.58
	<p><b>Talento</b> <b>Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish</p>			


# GROHE LINEARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



28 912 000	Chrome	4005176266751	289.70
28 912 DC0	supersteel	4005176467905	268.09
28 912 AL0	Brushed Hard Graphite	4005176467844	303.02











**Bottle trap, 1 1/4"**  
for basins  
brass  
(screw-top for cleaning)  
large sliding escutcheon  
**GROHE StarLight** chrome finish



37 601 000	Chrome	4005176416057	93.12
37 601 DC0	supersteel	4005176416088	210.67
37 601 AL0	Brushed Hard Graphite	4005176529030	210.67

**Nova Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000  
(sold separately)


# GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 654 000	Chrome	4005176342080	291.14
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 656 000	Chrome	4005176342103	263.25
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses			
	23 657 000	Chrome	4005176342110	360.76
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 658 000	Chrome	4005176342127	277.18
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses			
	23 661 000	Chrome	4005176342158	374.69
	<b>Eurocube Joy</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system smooth body flexible connection hoses			




# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 666 000	Chrome	4005176342226	388.63
------------	--------	---------------	--------

**Eurocube Joy**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
 GROHE FeatherControl Joystick cartridge  
**GROHE XL Waterfall**  
 integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow



34 497 000	Chrome	4005176940675	568.62
------------	--------	---------------	--------

**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow




24 061 000	Chrome	4005176465680	228.08
------------	--------	---------------	--------

**Eurocube**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**



24 062 000	Chrome	4005176465697	251.83
------------	--------	---------------	--------

**Eurocube**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**




35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**



# GROHE EUROCUBE JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 094 000	Chrome	4005176480638	280.80




**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 153 000	Chrome	4005176481178	606.04
24 153 DC0	supersteel	4005176574221	755.56
24 153 AL0	Brushed Hard Graphite	4005176585913	862.96




**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 154 000	Chrome	4005176481185	675.61
24 154 DC0	supersteel	4005176574238	841.99
24 154 AL0	Brushed Hard Graphite	4005176585920	961.72











**Grotherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			


# GROHE EUROCUBE JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 155 000	Chrome	4005176481192	675.61
	24 155 DC0	supersteel	4005176574245	841.99
	24 155 AL0	Brushed Hard Graphite	4005176585937	961.72
	<b>Grohtherm Cube</b> <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE TurboStat</b> compact cartridge with wax thermostatic element <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable printed hand shower and bath filler symbol <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included GROHE AquaDimmer, integrated shut off/diverter valve flow performance: outlet B = 27 l/min outlet C = 30 l/min <b>without roughing-in-set</b>			
				
	35 604 000		4005176698774	142.72
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
	34 741 000	Chrome	4005176481208	1,600.07
	<b>Grohtherm Cube</b> <b>Perfect shower set with Rainshower Allure 230</b> Consisting of: Grohtherm Cube set for final installation with Aquadimmer (24 154) GROHE Rapido SmartBox 35 600/35 604 Rainshower Allure 230 metal head shower (27 479) Rainshower shower arm (27 709) hand shower Euphoria Cube (27 699 000) 9.5 l/min. shower outlet elbow (26 370) Silverflex shower hose 1250 mm (28 362)			
				
	23 667 001	Chrome	4005176429019	2,035.05
	<b>Eurocube Joy</b> <b>Single-lever bath mixer 1/2", floor mounted</b> set for final installation for 45 984 001 <b>without roughing-in-set</b> GROHE FeatherControl Joystick cartridge <b>GROHE StarLight</b> finish automatic diverter: bath/shower spout with mousseur hand shower Euphoria Cube+ 6.6 l/min Silverflex shower hose 1250 mm (28 362) projection 298 mm integrated non-return valve in the shower outlet 1/2" with shower holder protected against backflow			
				
	45 984 001		4005176992056	444.34
	<b>Rough-in set 1/2"</b> for floor-mounted bath mixers/spouts and shower mixers <b>without finishing trim set</b> installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply fixing material			
				

# GROHE EUROCUBE JOY









Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 086 000		4005176935497	285.40
------------	--	---------------	--------











**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug

# GROHE EUROCUBE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 137 000	Chrome	4005176901096	207.56
<p><b>Eurocube Pillar tap XS-Size</b>            monobloc installation            metal lever            ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min            union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	Chrome	4005176901591	277.18
<p><b>Eurocube Basin mixer 1/2\"</b>            S-Size            monobloc installation            metal lever            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system            pop-up waste set 1 1/4"            flexible connection hoses</p>				
	23 127 000	Chrome	4005176900341	277.18
<p><b>ditto, with non-restricted flow</b></p>				
 	23 132 00E	Chrome	4005176906725	263.27
<p><b>Eurocube Basin mixer 1/2\"</b>            S-Size            monobloc installation            metal lever            28 mm ceramic cartridge            with <b>GROHE SilkMove</b>            temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system            smooth body            flexible connection hoses</p>				
 	23 390 00E	Chrome	4005176938436	277.18
<p><b>Eurocube Basin mixer 1/2\"</b>            S-Size            monobloc installation            metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge            with energy saving function via cold start            with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> rapid installation system            pop-up waste set 1 1/4"            flexible connection hoses</p>				
	23 392 00E	Chrome	4005176938450	277.18
<p><b>Ditto, smooth body</b></p>				

# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 445 000	Chrome	4005176998706	291.13
	23 445 DC0	supersteel	4005176524974	359.28
	23 445 AL0	Brushed Hard Graphite	4005176584657	411.12
	<p><b>Eurocube Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 446 000	Chrome	4005176998720	277.17
	<p><b>Eurocube Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      flexible connection hoses</p>			
				
	23 135 00E	Chrome	4005176906732	285.40
	<p><b>Eurocube Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation, metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      swivel tubular spout with stop limiter                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
				
	23 406 000	Chrome	4005176941658	346.80
	23 406 DC0	supersteel	4005176524998	474.09
	23 406 AL0	Brushed Hard Graphite	4005176584671	541.99
	<p><b>Eurocube Basin mixer 1/2" XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      flexible connection hoses</p>			


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 441 000	Chrome	4005176415630	905.45
36 441 DC0	supersteel	4005176686818	1,172.11
36 441 AL0	Brushed Hard Graphite	4005176686825	1,352.42




**Eurocube E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
 laminar spray regulator 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

20 351 000	Chrome	4005176901041	374.69
20 351 DC0	supersteel	4005176525001	513.59
20 351 AL0	Brushed Hard Graphite	4005176584688	586.43



**Eurocube**  
**Three-hole basin mixer 1/2"**  
**S-Size**  
 metal lever  
 ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
 spout with mousseur  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut 1/2" x 10.5 mm


19 895 000	Chrome	4005176901072	318.97
19 895 AL0	Brushed Hard Graphite	4005176585494	482.73



**Eurocube**  
**2-hole basin mixer**  
**S-Size**  
 wall mounted  
 set for final installation for 23 200 000  
**without concealed body**  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 171 mm

23 447 000	Chrome	4005176998737	318.99
<b>Ditto, projection 231 mm</b>			

23 200 000		4005176908354	291.13
------------	--	---------------	--------




**Single-lever mixer 1/2", concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 installation depth 45 to 75 mm  
 DR-brass  
 installation device




# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 200 002		4005176519901	271.62




**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
spout can be positioned on the right or left  
installation depth 45 to 75 mm  
DR-brass  
installation device  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve

23 138 000	Chrome	4005176901133	263.27
------------	--------	---------------	--------




**Eurocube**  
**Bidet mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses

23 145 000	Chrome	4005176901270	299.05
23 145 DC0	supersteel	4005176525049	386.43
23 145 AL0	Brushed Hard Graphite	4005176585524	441.98



**Eurocube**  
**Single-lever shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
adjustable flow rate limiter  
shower bottom outlet 1/2" with  
integrated non return-valve  
covered S-unions  
protected against backflow


34 488 000	Chrome	4005176940620	450.87
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
integrated mixed water shut off  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
ceramic headpart 1/2", 180°  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
protected against backflow  
covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 140 000	Chrome	4005176901157	326.38
23 140 DC0	supersteel	4005176525056	450.62
23 140 AL0	Brushed Hard Graphite	4005176585531	514.83

**Eurocube**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted, metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur, integrated non-return valve  
 in the shower outlet 1/2"  
 covered S-unions  
 protected against backflow  
 optional temperature limiter (46 375 000)




23 141 000	Chrome	4005176901164	416.45
------------	--------	---------------	--------

**Eurocube**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 covered S-unions  
 protected against backflow  
 optional temperature limiter (46 375 000)  
 Hand shower (27 698 000)  
 wall shower holder (27 693 000)  
 shower hose 1500 mm (28 151 000)



34 497 000	Chrome	4005176940675	568.62
------------	--------	---------------	--------

**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow



24 061 000	Chrome	4005176465680	228.08
24 061 AL0	Brushed Hard Graphite	4005176585586	329.63


**Eurocube**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 062 000	Chrome	4005176465697	251.83
24 062 DC0	supersteel	4005176553905	317.28
24 062 AL0	Brushed Hard Graphite	4005176585579	362.96




**Eurocube**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 094 000	Chrome	4005176480638	280.80
24 094 DC0	supersteel	4005176574047	354.32
24 094 AL0	Brushed Hard Graphite	4005176585593	404.94




**Eurocube**  
**Single-lever mixer with 3-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE SilkMove** 46 mm ceramic cartridge  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
**3-way diverter**  
 flow performance:  
 outlet A = 27 l/min,  
 outlet B = 27 l/min,  
 outlet C = 27 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 153 000	Chrome	4005176481178	606.04
24 153 DC0	supersteel	4005176574221	755.56
24 153 AL0	Brushed Hard Graphite	4005176585913	862.96




**Grotherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 154 000	Chrome	4005176481185	675.61
24 154 DC0	supersteel	4005176574238	841.99
24 154 AL0	Brushed Hard Graphite	4005176585920	961.72



## Grotherm Cube Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed head and hand shower symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

without roughing-in-set



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

24 155 000	Chrome	4005176481192	675.61
24 155 DC0	supersteel	4005176574245	841.99
24 155 AL0	Brushed Hard Graphite	4005176585937	961.72



## Grotherm Cube Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge  
with wax thermoelement

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:

outlet B = 27 l/min


outlet C = 30 l/min

without roughing-in-set



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

34 741 000	Chrome	4005176481208	1,600.07
------------	--------	---------------	----------



## Grotherm Cube Perfect shower set with Rainshower Allure 230

Consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox 35 600/35 604

Rainshower Allure 230 metal head shower (27 479)











Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

shower outlet elbow (26 370)


Silverflex shower hose 1250 mm (28 362)

# GROHE EUROCUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 137 000	Chrome	4005176906770	444.34
<p><b>Eurocube</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      automatic diverter: bath/shower                      integrated non-return valve                      in the shower outlet 1/2"  <b>GROHE StarLight</b> chrome finish                      recommended pressure 0.2 - 5.0 bar</p>				
 	25 136 000	Chrome	4005176906763	388.59
<p><b>Eurocube</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"  <b>GROHE StarLight</b> chrome finish                      recommended pressure 0.2 - 5.0 bar</p>				
 	19 897 001 19 897 DC1 19 897 AL1	Chrome supersteel Brushed Hard Graphite	4005176429101 4005176525087 4005176585548	1,351.11 1,664.22 1,901.26
<p><b>Eurocube</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      pre-assembled spout fixing                      single lever mixer operating element                      metal lever                      bath inlet with mousseur                      diverter bath/shower                      hand shower Euphoria Cube+ 6.6 l/min                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with 29 037 000</p>				
 	19 966 000	Chrome	4005176986864	839.51
<p><b>Eurocube</b>  <b>3-hole bath combination trim set</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      Consisting of:                      single lever mixer operating element                      diverter bath/shower                      without spout                      Euphoria Cube hand shower (27 699 000) 9.4 l/min                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      for use with 29 037 000                      for combination with 28 990 / 28 991</p>				
 	29 037 000		4005176865749	959.70
<p><b>4/5-hole bath combination (optional)</b>  <b>baseframe for installation</b>                      under tiled surround                      base frame                      drainage box with                      integrated outlet for splash water                      caps to cover screw fixations always come in chrome color</p>				

# GROHE EUROCUBE


Ref. No.	Colour	EAN	Retail Guide Price (£)
23 672 001	Chrome	4005176429002	2,015.53
23 672 DC1	supersteel	4005176525094	2,555.59
23 672 AL1	Brushed Hard Graphite	4005176585555	2,921.01



**Eurocube**  
**Single-lever bath mixer 1/2", floor mounted**

set for final installation for  
45 984 001  
29 038 001  
29 086 000  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
automatic diverter: bath/shower  
spout with mousseur  
Euphoria Cube+ Stick hand shower 6.6 l/min (26 467)  
Silverflex shower hose 1250 mm (28 362)  
projection 298 mm  
integrated non-return valve  
in the shower outlet 1/2"  
protected against backflow  
with shower holder


45 984 001		4005176992056	444.34
------------	--	---------------	--------



**Rough-in set 1/2"**  
for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**

installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 53-157 mm for bath  
mixers/spouts, depth compensation 104 mm  
installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug  
Can take a single mixed supply  
fixing material


29 086 000		4005176935497	285.40
------------	--	---------------	--------



**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**


installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug

13 303 000	Chrome	4005176906350	151.82
13 303 DC0	supersteel	4005176525100	205.27
13 303 AL0	Brushed Hard Graphite	4005176585562	234.23













**Eurocube**  
**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm

13 304 000	Chrome	4005176906367	165.74
------------	--------	---------------	--------




**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
automatic diverter: bath/shower  
male thread 1/2"  
projection 170 mm



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 910 000	Chrome	4005176987014	68.23
<p><b>Eurocube</b>  <b>Volume Control Trim</b>                      for concealed valves, 1/2", 3/4"  <b>without concealed body</b>                      installation depth adjustable                      16 - 38 mm                      metal handle                      Sliding escutcheon with wall sealing  <b>GROHE StarLight</b> chrome finish</p>				
 	29 811 000		4005176062711	63.47
<p><b>Concealed stop valve 1/2"</b>                      preassembled ceramic headpart 1/2"                      180°                      threaded union 1/2"                      installation depth adjustable                      25 - 80 mm                      DR-brass</p>				
 	35 028 000		4005176908316	165.73
<p><b>GROHE Rapido C</b>  <b>Rough-in for single volume control</b>                      for grid installation of Grohtherm Custom Shower system                      built-in box with removable protection cover                      waterproof membrane base for wall sealing                      for masonry and drywall installation                      fixing points for front and back wall                      body of DR brass                      pre-assembled ceramic headpart 3/4"                      connection threads 1/2"                      installation depth 70 - 95 mm</p>				
 	29 800 000		4005176504839	37.55
<p><b>Concealed stop-valve, 1/2"</b>                      pre-assembled headpart 1/2"                      short spindle                      protection sleeve                      threaded union 1/2"                      DR-brass</p>				
	29 802 000		4005176504853	63.48
<p><b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b></p>				
	29 805 000		4005176504884	106.63
<p><b>ditto, 1", pre-assembled headpart 1", thread union 1"</b></p>				
 	29 801 000		4005176504846	30.95
<p><b>Concealed stop-valve, 1/2"</b>                      pre-assembled headpart 1/2"                      short spindle                      protection sleeve                      soldered connection Ø15 mm                      DR-brass</p>				
	29 804 000		4005176504877	49.24
<p><b>ditto, soldered connection Ø 22 mm</b></p>				


# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




22 012 000	Chrome	4005176906343	54.32
22 012 DC0	supersteel	4005176525742	79.32
22 012 AL0	Brushed Hard Graphite	4005176585944	90.66

**Eurocube**  
**Angle valve 1/2"**  
 wall connection 1/2"  
 outlet thread 3/8"  
 cartridge headpart  
 metal handle  
 marking: neutral  
 metal push-on escutcheon









22 013 000	Chrome	4005176909689	54.32
------------	--------	---------------	-------









**Eurocube**  
**Angle valve 1/2"**  
 wall connection 1/2"  
 outlet 1/2"  
 cartridge headpart  
 metal handle  
 marking: neutral  
 metal push-on escutcheon



















37 535 000	Chrome	4005176416019	81.30
37 535 DC0	supersteel	4005176416040	210.57
37 535 AL0	Brushed Hard Graphite	4005176431357	210.57

**Skate Cosmopolitan S**  
**Flush plate**  
 for dual flush or start & stop actuation  
 for pneumatic drop valve AV1  
 compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
 130 x 172 mm  
 made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
 flush plate with magnetic holder and fixing brackets included  
 compatible with Rapid SLX  
 for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 958 003	Chrome	4005176605642	807.51
	<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2" with LED display</b>  <b>M-size</b>                      colour LED water temperature display                      infra-red diverter: mousseur / Eco spray                      automatic return to mousseur                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      1.5 V alkaline mono battery, 4 x mono cell                      external battery</p>			
	23 959 003	Chrome	4005176605659	831.29
	<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2" with LED display</b>  <b>L-Size</b>                      colour LED water temperature display                      infra-red diverter: mousseur / Eco spray                      automatic return to mousseur                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> mousseur  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      1.5 V alkaline mono battery, 4 x mono cell                      external battery</p>			
	32 612 003	Chrome	4005176529696	236.67
	32 612 DC3	supersteel	4005176574054	319.92
	32 612 AL3	Brushed Hard Graphite	4005176585609	365.11
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>32 612 30L</b>	<b>Chrome</b>	<b>4005176529979</b>	<b>236.67</b>
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> installation system                      mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      for <b>low pressure</b>                      min. recommended pressure 0.2 bar</p>			
 	<b>33 163 003</b>	<b>Chrome</b>	<b>4005176529702</b>	<b>236.67</b>
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
 	<b>23 870 003</b>	<b>Chrome</b>	<b>4005176529719</b>	<b>236.67</b>
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
 	<b>23 871 003</b> <b>23 871 DC3</b> <b>23 871 AL3</b>	<b>Chrome</b> <b>supersteel</b> <b>Brushed Hard Graphite</b>	<b>4005176529726</b> <b>4005176574061</b> <b>4005176585616</b>	<b>296.13</b> <b>399.60</b> <b>456.68</b>
	<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 872 003	Chrome	4005176529733	296.13
	<p><b>GROHE Plus Basin mixer 1/2" M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 851 003 23 851 DC3 23 851 AL3	Chrome supersteel Brushed Hard Graphite	4005176496523 4005176574078 4005176585623	331.81 447.17 511.39
	<p><b>GROHE Plus Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 873 003	Chrome	4005176529986	331.81
	<p><b>GROHE Plus Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      swivel spout with easy docking                      swivel area 90°                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 843 003 23 843 DC3	Chrome supersteel	4005176496547 4005176574085	391.27 518.53
	<p><b>GROHE Plus Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      pull out spout  <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>23 844 003</b>	<b>Chrome</b>	<b>4005176496554</b>	<b>391.27</b>
<p><b>GROHE Plus</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      pull out spout  <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	<b>32 618 003</b> <b>32 618 DC3</b> <b>32 618 AL3</b>	<b>Chrome</b> <b>supersteel</b> <b>Brushed Hard Graphite</b>	<b>4005176529740</b> <b>4005176574092</b> <b>4005176585647</b>	<b>355.60</b> <b>494.74</b> <b>566.10</b>
<p><b>GROHE Plus</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      smooth body                      flexible connection hoses</p>				
 	<b>20 301 003</b>	<b>Chrome</b>	<b>4005176529757</b>	<b>359.16</b>
<p><b>GROHE Plus</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      pop-up waste set 1 1/4"  <b>GROHE FastFixation</b> installation system                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>				
 	<b>29 303 003</b> <b>29 303 DC3</b> <b>29 303 AL3</b>	<b>Chrome</b> <b>supersteel</b> <b>Brushed Hard Graphite</b>	<b>4005176529764</b> <b>4005176574108</b> <b>4005176585654</b>	<b>296.12</b> <b>390.08</b> <b>444.79</b>
<p><b>GROHE Plus</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      set for final installation for 23 200 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 147 mm                      min. recommended pressure 1.0 bar</p>				
	<b>29 306 003</b>	<b>Chrome</b>	<b>4005176529771</b>	<b>308.03</b>
<p><b>ditto, projection 203 mm</b></p>				














# GROHE PLUS











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 200 002		4005176519901	271.62
<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer                      wall installation                      without finishing trim set                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      spout can be positioned on the right or left                      installation depth 45 to 75 mm                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>				
 	23 200 000		4005176908354	291.13
<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer                      wall installation                      without finishing trim set                      GROHE SilkMove 35 mm ceramic cartridge                      adjustable flow rate limiter                      installation depth 45 to 75 mm                      DR-brass                      installation device</p>				
 	33 241 003	Chrome	4005176529849	236.67
	33 241 DC3	supersteel	4005176574184	319.92
	33 241 AL3	Brushed Hard Graphite	4005176585739	365.11
<p><b>GROHE Plus Bidet mixer 1/2"</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with GROHE SilkMove                      with temperature limiter                      GROHE StarLight chrome finish                      rapid installation system                      ball-joint mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>				
 	33 577 003	Chrome	4005176529801	284.22
	33 577 DC3	supersteel	4005176574139	382.95
	33 577 AL3	Brushed Hard Graphite	4005176585685	437.64
<p><b>GROHE Plus Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      with temperature limiter                      GROHE StarLight chrome finish                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	473.46
	<p><b>Grohtherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	33 553 003	Chrome	4005176529795	355.58
	33 553 DC3	supersteel	4005176574122	479.29
	33 553 AL3	Brushed Hard Graphite	4005176585678	547.07
	<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      laminar mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      min. recommended pressure 1.0 bar</p>			
	34 718 000	Chrome	4005176457647	521.54
	<p><b>Grohtherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated <b>GROHE EasyReach</b> shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	33 547 003	Chrome	4005176529818	403.17
	<p><b>GROHE Plus</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      laminar mousseur                      shower outlet 1/2"                      integrated non-return valve                      covered S-unions                      protected against backflow                      with shower set                      Consisting of:                      hand shower Euphoria Cube Stick (27 698 000)                      wall shower holder (27 693 000)                      Silverflex shower hose 1.500 mm (28 364)                      min. recommended pressure 1.0 bar</p>			


# GROHE PLUS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 954 000	Chrome	4005176496844	117.74
	<b>GROHE Plus Tray</b> suitable for 33 553 003 33 547 003 33 577 003			
 	24 059 003	Chrome	4005176529832	224.78
	24 059 DC3	supersteel	4005176574153	303.26
	24 059 AL3	Brushed Hard Graphite	4005176585708	347.28
<b>GROHE Plus Single-lever shower mixer trim</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min <b>without roughing-in-set</b>				
	35 604 000		4005176698774	142.72
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	24 060 003	Chrome	4005176529825	236.67
	24 060 DC3	supersteel	4005176574146	319.92
	24 060 AL3	Brushed Hard Graphite	4005176585692	365.11
<b>GROHE Plus Single-lever mixer with 2-way diverter</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min <b>without roughing-in-set</b>				
	35 604 000		4005176698774	142.72
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	24 093 003	Chrome	4005176530050	260.47
	24 093 DC3	supersteel	4005176574214	359.17
	24 093 AL3	Brushed Hard Graphite	4005176585760	410.31
<b>GROHE Plus Single-lever mixer with 3-way diverter</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever <b>3-way diverter</b> flow performance: outlet A = 27 l/min, outlet B = 27 l/min, outlet C = 27 l/min <b>without roughing-in-set</b>				
	35 604 000		4005176698774	142.72
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE PLUS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 132 003	Chrome	4005176529870	438.83
<p><b>GROHE Plus</b> <b>Two-handed Bath filler 1/2"</b> deck mounted metal handles Longlife headpart 3/4" <b>recommended pressure 0.2 - 5.0 bar</b> <b>GROHE StarLight</b> finish</p>				
 	25 133 003	Chrome	4005176529887	474.51
<p><b>GROHE Plus</b> <b>Two-handed Bath/Shower mixer 1/2"</b> deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" <b>recommended pressure 0.2 - 5.0 bar</b> <b>GROHE StarLight</b> finish</p>				
 	29 307 003 29 307 DC3 29 307 AL3	Chrome supersteel Brushed Hard Graphite	4005176529993 4005176574160 4005176585715	950.23 1,316.53 1,504.43
<p><b>GROHE Plus</b> <b>4-hole single-lever bath combination</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish Consisting of: pre-assembled spout laminar mousseur single lever mixer operating element metal lever diverter bath/shower hand shower Euphoria Cube 6.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 min. recommended pressure 1.0 bar</p>				
 	23 845 003	Chrome	4005176496677	807.51
<p><b>GROHE Plus</b> <b>3-hole single-lever bath combination</b> Three hole installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish Consisting of: single lever mixer operating element diverter bath/shower without spout Euphoria Cube hand shower 7.6 l/min metal shower hose 2000 mm (always chrome for any colour of the set) flexible connection hoses connection for shower hose protected against backflow can be used with 29 037 002 for combination with 28 990 / 28 991 min. recommended pressure 1.0 bar</p>				
 	29 037 002		4005176519918	893.84
<p><b>4/5-hole bath combination (optional)</b> <b>baseframe for installation</b> <b>under tiled surround</b> base frame drainage box with integrated outlet for splash water allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve caps to cover screw fixations always come in chrome color</p>				

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 846 003	Chrome	4005176496684	1,782.71
23 846 DC3	supersteel	4005176574177	2,424.94
23 846 AL3	Brushed Hard Graphite	4005176585722	2,771.01

**GROHE Plus**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 spout with laminar mousseur  
 projection 282 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 hand shower Euphoria Cube 6.6 l/min  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow  
 min. recommended pressure 1.0 bar




45 984 001		4005176992056	444.34
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material




29 086 000		4005176935497	285.40
------------	--	---------------	--------

**Rough-in set 1/2"**  
 for floor-mounted tub spouts and mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 47-151 mm  
 depth compensation 104 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug



13 404 003	Chrome	4005176529788	165.30
13 404 DC3	supersteel	4005176574115	223.58

**GROHE Plus**  
**Bath spout**  
 wall mounted  
**GROHE StarLight** chrome finish  
 laminar mousseur  
 male thread 1/2"  
 projection 168 mm



Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,397.84
26 507 LS0	moon white	4005176457609	1,609.86
26 507 DC0	supersteel	4005176526374	1,880.92
26 507 AL0	Brushed Hard Graphite	4005176557422	2,256.59

### Euphoria SmartControl System 310 Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

integrated **GROHE EasyReach** shower tray


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



26 508 000	Chrome	4005176457593	1,397.84
26 508 LS0	moon white	4005176457616	1,609.86
26 508 DC0	supersteel	4005176526367	1,880.92
26 508 AL0	Brushed Hard Graphite	4005176557507	2,256.59

### Euphoria SmartControl System 310 Cube Duo Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE StarLight** chrome finish

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system






**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>34 705 000</b>	<b>Chrome</b>	<b>4005176413285</b>	<b>1,765.31</b>
	<b>Grotherm SmartControl</b> <b>Perfect shower set with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			
	<b>19 952 000</b>	<b>Chrome</b>	<b>4005176174230</b>	<b>60.69</b>
	<b>19 952 DC0</b>	<b>supersteel</b>	<b>4005176467776</b>	<b>76.07</b>
	<b>19 952 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176353376</b>	<b>164.59</b>
	<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set  <b>in combination with Talentofill</b> <b>28 990 000/28 991 000</b>			
	<b>19 025 000</b>	<b>Chrome</b>	<b>4005176209154</b>	<b>67.58</b>
	<b>Talento</b> <b>Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish			
	<b>40 564 000</b>	<b>Chrome</b>	<b>4005176912740</b>	<b>315.87</b>
	<b>40 564 DC0</b>	<b>supersteel</b>	<b>4005176491795</b>	<b>410.25</b>
	<b>40 564 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176491788</b>	<b>468.84</b>
	<b>Bottle trap</b> <b>for wash basin</b> <b>GROHE StarLight</b> chrome finish brass body			
	<b>28 912 000</b>	<b>Chrome</b>	<b>4005176266751</b>	<b>289.70</b>
	<b>28 912 DC0</b>	<b>supersteel</b>	<b>4005176467905</b>	<b>268.09</b>
	<b>28 912 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176467844</b>	<b>303.02</b>
	<b>Bottle trap, 1 1/4"</b> for basins brass (screw-top for cleaning) large sliding escutcheon <b>GROHE StarLight</b> chrome finish			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 535 000	Chrome	4005176416019	81.30
37 535 DC0	supersteel	4005176416040	210.57
37 535 AL0	Brushed Hard Graphite	4005176431357	210.57



### Skate Cosmopolitan S

#### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

#### for vertical installation


130 x 172 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

37 624 000	Chrome	4005176416095	93.12
37 624 DC0	supersteel	4005176416125	210.71
37 624 AL0	Brushed Hard Graphite	4005176529115	210.67



### Arena Cosmopolitan S

#### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

#### for vertical installation


130 x 172 mm  
made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>33 155 002</b>	<b>Chrome</b>	<b>4005176865947</b>	<b>330.67</b>
-------------------	---------------	----------------------	---------------

**Europlus**  
**Basin mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable minimum flow rate 2.5 l/min  
 temperature limiter  
**GROHE StarLight** chrome finish  
 rapid installation system  
 pull out spout with mousseur  
 integrated non-return valve  
 pop-up waste set 1 1/4"  
 flexible connection hoses


# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)



24 171 001	Chrome	4005176698309	200.59
24 171 DC1	supersteel	4005176711466	276.20
24 171 GL1	cool sunrise	4005176711497	301.87
24 171 GN1	brushed cool sunrise	4005176712036	315.67
24 171 DA1	warm sunset	4005176711459	295.94
24 171 DL1	brushed warm sunset	4005176711473	315.67
24 171 A01	hard graphite	4005176711428	295.94
24 171 AL1	Brushed Hard Graphite	4005176711435	321.98

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition




24 172 001	Chrome	4005176698316	186.67
24 172 DC1	supersteel	4005176712081	267.23
24 172 GL1	cool sunrise	4005176712111	286.34
24 172 GN1	brushed cool sunrise	4005176712128	305.42
24 172 DA1	warm sunset	4005176712074	286.34
24 172 DL1	brushed warm sunset	4005176712098	305.42
24 172 A01	hard graphite	4005176712043	286.34
24 172 AL1	Brushed Hard Graphite	4005176712050	305.42

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
smooth body  
flexible connection hoses  
professional edition

23 590 001	Chrome	4005176339189	186.67
23 590 DC1	supersteel	4005176369926	267.23
23 590 GL1	cool sunrise	4005176425851	286.34
23 590 GN1	brushed cool sunrise	4005176425868	305.42
23 590 DA1	warm sunset	4005176425875	286.34
23 590 DL1	brushed warm sunset	4005176425882	305.42
23 590 A01	hard graphite	4005176426001	286.34
23 590 AL1	Brushed Hard Graphite	4005176425998	305.42

will be replaced by 24 172














24 180 001	Chrome	4005176698446	165.74
------------	--------	---------------	--------

**Essence**  
Basin mixer 1/2"  
S-Size  
monobloc installation  
metal lever  
**GROHE SilkMove ES** 28 mm ceramic cartridge  
with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition


23 591 001	Chrome	4005176339196	165.74
------------	--------	---------------	--------

will be replaced by 24 172

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>24 179 001</b>	<b>Chrome</b>	<b>4005176698439</b>	<b>198.30</b>
		<p> <b>Essence Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      waste set with push-open plug                      flexible connection hoses                      professional edition                 </p>			
		<b>23 797 001</b> will be replaced by 24 172	<b>Chrome</b>	<b>4005176415531</b>	<b>198.30</b>
		 <b>24 175 001</b>	<b>Chrome</b>	<b>4005176698347</b>	<b>193.61</b>
		<p> <b>Essence Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition                 </p>			
		<b>32 898 001</b> will be replaced by 24 175 001	<b>Chrome</b>	<b>4005176306860</b>	<b>193.61</b>
		 <b>34 813 001</b>	<b>Chrome</b>	<b>4005176698392</b>	<b>179.69</b>
		<p> <b>Essence Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      smooth body                      flexible connection hoses                      professional edition                 </p>			
		<b>34 294 001</b> will be replaced by 34 813 001	<b>Chrome</b>	<b>4005176306877</b>	<b>179.69</b>
		<b>23 379 001</b>	<b>Chrome</b>	<b>4005176306891</b>	<b>207.55</b>
		<p> <b>Essence Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                 </p>			

# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)




24 173 001	Chrome	4005176698323	235.40
24 173 DC1	supersteel	4005176711282	323.33
24 173 GL1	cool sunrise	4005176711312	346.44
24 173 GN1	brushed cool sunrise	4005176711329	369.55
24 173 DA1	warm sunset	4005176711275	346.44
24 173 DL1	brushed warm sunset	4005176711299	369.55
24 173 A01	hard graphite	4005176712005	346.44
24 173 AL1	Brushed Hard Graphite	4005176712012	369.55

**Essence**  
Basin mixer 1/2"  
M-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition

23 462 001	Chrome	4005176306907	235.40
23 462 DC1	supersteel	4005176369933	323.33
23 462 GL1	cool sunrise	4005176426032	346.44
23 462 GN1	brushed cool sunrise	4005176426049	369.55
23 462 DA1	warm sunset	4005176426056	346.44
23 462 DL1	brushed warm sunset	4005176426063	369.55
23 462 A01	hard graphite	4005176425325	346.44
23 462 AL1	Brushed Hard Graphite	4005176426070	369.55

will be replaced by 24 173




23 480 001	Chrome	4005176306921	227.16
------------	--------	---------------	--------

**Essence**  
Basin mixer 1/2"  
M-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
retractable chain  
flexible connection hoses



24 176 001	Chrome	4005176698378	221.47
------------	--------	---------------	--------



**Essence**  
Basin mixer 1/2"  
M-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
smooth body  
flexible connection hoses  
professional edition

23 463 001	Chrome	4005176306914	221.47
------------	--------	---------------	--------


will be replaced by 24 176 001



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 174 001	Chrome	4005176698330	249.30
24 174 DC1	supersteel	4005176711565	354.76
24 174 GL1	cool sunrise	4005176711596	380.13
24 174 GN1	brushed cool sunrise	4005176711602	405.46
24 174 DA1	warm sunset	4005176711558	380.13
24 174 DL1	brushed warm sunset	4005176711572	405.46
24 174 A01	hard graphite	4005176711527	380.13
24 174 AL1	Brushed Hard Graphite	4005176711534	405.46




**Essence**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition

32 628 001	Chrome	4005176306983	249.30
32 628 DC1	supersteel	4005176369940	354.76
32 628 GL1	cool sunrise	4005176407369	380.13
32 628 GN1	brushed cool sunrise	4005176419645	405.46
32 628 DA1	warm sunset	4005176407352	380.13
32 628 DL1	brushed warm sunset	4005176419652	405.46
32 628 A01	hard graphite	4005176407376	380.13
32 628 AL1	Brushed Hard Graphite	4005176407383	405.46

will be replaced by 24 174



24 177 001	Chrome	4005176698408	235.39
------------	--------	---------------	--------



**Essence**  
Single-lever basin mixer 1/2"  
L-Size  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** installation system  
swivel spout with mousseur  
and stop limiter  
smooth body  
flexible connection hoses  
professional edition

23 541 001	Chrome	4005176313912	235.39
------------	--------	---------------	--------


will be replaced by 24 177 001

# GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



24 170 001	Chrome	4005176698293	332.90
24 170 DC1	supersteel	4005176711657	480.54
24 170 GL1	cool sunrise	4005176711688	514.90
24 170 GN1	brushed cool sunrise	4005176711695	549.21
24 170 DA1	warm sunset	4005176711640	514.90
24 170 DL1	brushed warm sunset	4005176711664	549.21
24 170 A01	hard graphite	4005176711619	514.90
24 170 AL1	Brushed Hard Graphite	4005176711626	549.21




**Essence**  
**Basin mixer 1/2"**  
**XL-Size**  
 monobloc installation  
 metal lever  
**for free-standing basins**  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
**GROHE FastFixation Plus** rapid installation system  
 swivel spout with mousseur  
 and stop limiter  
 smooth body  
 flexible connection hoses  
 professional edition







32 901 001	Chrome	4005176306969	332.90
32 901 DC1	supersteel	4005176369957	480.54
32 901 GL1	cool sunrise	4005176407505	514.90
32 901 GN1	brushed cool sunrise	4005176426117	549.21
32 901 DA1	warm sunset	4005176407499	514.90
32 901 DL1	brushed warm sunset	4005176426124	549.21
32 901 A01	hard graphite	4005176407512	514.90
32 901 AL1	Brushed Hard Graphite	4005176407529	549.21

will be replaced by 24 170


36 445 000	Chrome	4005176415678	737.05
36 445 DC0	supersteel	4005176686542	941.87
36 445 GL0	cool sunrise	4005176686559	1,014.32
36 445 GN0	brushed cool sunrise	4005176686566	1,086.80
36 445 DA0	warm sunset	4005176686573	1,014.32
36 445 DL0	brushed warm sunset	4005176686788	1,086.80
36 445 A00	hard graphite	4005176686795	1,014.32
36 445 AL0	Brushed Hard Graphite	4005176686801	1,086.80

**Essence E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
 adjustable swivel area 0° / 150° / 360°  
 laminar spray regulator 5.0 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K



	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>20 296 001</b>	<b>Chrome</b>	<b>4005176307072</b>	<b>318.98</b>
		<p><b>Essence</b>  <b>Three-hole basin mixer 1/2"</b>  <b>M-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>			
		<b>20 299 001</b>	<b>Chrome</b>	<b>4005176307096</b>	<b>394.64</b>
		<p><b>Essence</b>  <b>3-hole basin mixer</b>  <b>L-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system  <b>GROHE AquaGuide</b> adjustable mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut 1/2" x 10.5 mm</p>			
		<b>29 192 001</b>	<b>Chrome</b>	<b>4005176698279</b>	<b>235.39</b>
		<b>29 192 DC1</b>	<b>supersteel</b>	<b>4005176711770</b>	<b>354.76</b>
		<b>29 192 GL1</b>	<b>cool sunrise</b>	<b>4005176711800</b>	<b>380.13</b>
		<b>29 192 GN1</b>	<b>brushed cool sunrise</b>	<b>4005176711817</b>	<b>405.46</b>
		<b>29 192 DA1</b>	<b>warm sunset</b>	<b>4005176711763</b>	<b>380.13</b>
		<b>29 192 DL1</b>	<b>brushed warm sunset</b>	<b>4005176711787</b>	<b>413.58</b>
		<b>29 192 A01</b>	<b>hard graphite</b>	<b>4005176711732</b>	<b>387.73</b>
		<b>29 192 AL1</b>	<b>Brushed Hard Graphite</b>	<b>4005176711749</b>	<b>413.58</b>
		<p><b>Essence</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      set for final installation for                      23 571 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 183 mm                      professional edition</p>			
		<b>19 408 001</b>	<b>Chrome</b>	<b>4005176307133</b>	<b>235.39</b>
		<b>19 408 DC1</b>	<b>supersteel</b>	<b>4005176369964</b>	<b>354.76</b>
		<b>19 408 GL1</b>	<b>cool sunrise</b>	<b>4005176426155</b>	<b>380.13</b>
<b>19 408 GN1</b>	<b>brushed cool sunrise</b>	<b>4005176426162</b>	<b>405.46</b>		
<b>19 408 DA1</b>	<b>warm sunset</b>	<b>4005176426179</b>	<b>380.13</b>		
<b>19 408 DL1</b>	<b>brushed warm sunset</b>	<b>4005176426186</b>	<b>413.58</b>		
<b>19 408 A01</b>	<b>hard graphite</b>	<b>4005176426209</b>	<b>387.73</b>		
<b>19 408 AL1</b>	<b>Brushed Hard Graphite</b>	<b>4005176426193</b>	<b>413.58</b>		
<b>will be replaced by 29 192</b>					

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 193 001	Chrome	4005176698286	263.26
29 193 DC1	supersteel	4005176711954	399.71
29 193 GL1	cool sunrise	4005176711985	428.25
29 193 GN1	brushed cool sunrise	4005176711992	456.80
29 193 DA1	warm sunset	4005176711947	428.25
29 193 DL1	brushed warm sunset	4005176711961	456.80
29 193 A01	hard graphite	4005176711916	428.25
29 193 AL1	Brushed Hard Graphite	4005176711923	456.80




**Essence**  
**2-hole basin mixer**  
**L-Size**  
 wall mounted  
 set for final installation for  
 23 571 000  
**without concealed body**  
 metal escutcheon  
 metal lever  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE AquaGuide** adjustable mousseur  
 centre distance 110 mm  
 projection 230 mm  
**replaces 19 967 001**  
 professional edition

19 967 001	Chrome	4005176307140	263.26
19 967 DC1	supersteel	4005176369971	399.71
19 967 GL1	cool sunrise	4005176426230	428.25
19 967 GN1	brushed cool sunrise	4005176426247	456.80
19 967 DA1	warm sunset	4005176426254	428.25
19 967 DL1	brushed warm sunset	4005176426261	456.80
19 967 A01	hard graphite	4005176426285	428.25
19 967 AL1	Brushed Hard Graphite	4005176426278	456.80


will be replaced by 29 193

23 571 000		4005176334276	277.17
------------	--	---------------	--------



**Single-lever mixer 1/2", universal concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 spout can be positioned on the right or left  
 DR-brass  
 installation device  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve

Ref. No. Colour EAN Retail Guide Price (£)




24 178 001	Chrome	4005176698415	193.61
24 178 DC1	supersteel	4005176712395	276.20
24 178 GL1	cool sunrise	4005176712425	295.94
24 178 GN1	brushed cool sunrise	4005176712432	315.67
24 178 DA1	warm sunset	4005176712388	295.94
24 178 DL1	brushed warm sunset	4005176712401	315.67
24 178 A01	hard graphite	4005176711701	295.94
24 178 AL1	Brushed Hard Graphite	4005176711718	315.67

**Essence Bidet mixer 1/2" S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** installation system  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition

32 935 001	Chrome	4005176307171	193.61
32 935 DC1	supersteel	4005176369988	276.20
32 935 GL1	cool sunrise	4005176426315	295.94
32 935 GN1	brushed cool sunrise	4005176426322	315.67
32 935 DA1	warm sunset	4005176426339	295.94
32 935 DL1	brushed warm sunset	4005176426346	315.67
32 935 A01	hard graphite	4005176426360	295.94
32 935 AL1	Brushed Hard Graphite	4005176426353	315.67

will be replaced by 24 178



25 252 001	Chrome	4005176698385	207.56
25 252 DC1	supersteel	4005176711220	305.40
25 252 GL1	cool sunrise	4005176711251	327.23
25 252 GN1	brushed cool sunrise	4005176711268	349.03
25 252 DA1	warm sunset	4005176711213	327.23
25 252 DL1	brushed warm sunset	4005176711237	349.03
25 252 A01	hard graphite	4005176711183	327.23
25 252 AL1	Brushed Hard Graphite	4005176711190	349.03

**Essence Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 professional edition

33 636 001	Chrome	4005176307287	207.56
33 636 DC1	supersteel	4005176371141	305.40
33 636 GL1	cool sunrise	4005176426612	327.23
33 636 GN1	brushed cool sunrise	4005176426629	349.03
33 636 DA1	warm sunset	4005176426636	327.23
33 636 DL1	brushed warm sunset	4005176426643	349.03
33 636 A01	hard graphite	4005176426667	327.23
33 636 AL1	Brushed Hard Graphite	4005176426650	349.03


will be replaced by 25 252

# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)


34 765 000 Chrome 4005176612022 237.48

**Grotherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow



25 250 001	Chrome	4005176698354	249.36
25 250 DC1	supersteel	4005176712487	375.02
25 250 GL1	cool sunrise	4005176711169	401.80
25 250 GN1	brushed cool sunrise	4005176711176	428.59
25 250 DA1	warm sunset	4005176712470	401.80
25 250 DL1	brushed warm sunset	4005176712494	428.59
25 250 A01	hard graphite	4005176712449	401.80
25 250 AL1	Brushed Hard Graphite	4005176712456	428.59

**Essence**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 professional edition




33 624 001	Chrome	4005176990786	249.36
33 624 DC1	supersteel	4005176371097	375.02
33 624 GL1	cool sunrise	4005176426391	401.80
33 624 GN1	brushed cool sunrise	4005176426407	428.59
33 624 DA1	warm sunset	4005176426414	401.80
33 624 DL1	brushed warm sunset	4005176426421	428.59
33 624 A01	hard graphite	4005176426445	401.80
33 624 AL1	Brushed Hard Graphite	4005176426438	428.59

will be replaced by 25 250



25 249 001 Chrome 4005176698262 305.03


**Essence**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 mousseur  
 shower outlet 1/2"  
 integrated non-return valve  
 S-unions  
 protected against backflow  
 with shower set  
 Consisting of:  
 Euphoria Cosmopolitan Stick handshower (27 367)  
 wall shower holder Tempesta 100  
 Cosmopolitan (27 594 000)  
 Silverflex shower hose 1.500 mm (28 364)  
 professional edition



33 628 001	Chrome	4005176990793	305.03
------------	--------	---------------	--------

will be replaced by 25 249 001


Ref. No.	Colour	EAN	Retail Guide Price (£)
34 766 000	Chrome	4005176612039	309.40



**Grotherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow



24 168 001	Chrome	4005176698453	206.99
24 168 DC1	supersteel	4005176712173	283.49
24 168 GL1	cool sunrise	4005176712203	303.74
24 168 GN1	brushed cool sunrise	4005176712210	323.98
24 168 DA1	warm sunset	4005176712166	303.74
24 168 DL1	brushed warm sunset	4005176712180	323.98
24 168 A01	hard graphite	4005176712135	303.74
24 168 AL1	Brushed Hard Graphite	4005176712142	323.98



**Essence**  
**Single-lever shower mixer trim**  
 set for final installation for  
 GROHE Rapido SmartBox (35 604)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 flow performance:  
 outlet B or C = 30 l/min  
**without roughing-in-set**  
 professional edition




35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**



24 167 001	Chrome	4005176698422	228.08
24 167 DC1	supersteel	4005176712265	311.80
24 167 GL1	cool sunrise	4005176712296	334.08
24 167 GN1	brushed cool sunrise	4005176712302	356.36
24 167 DA1	warm sunset	4005176712258	334.08
24 167 DL1	brushed warm sunset	4005176712272	356.36
24 167 A01	hard graphite	4005176712227	340.75
24 167 AL1	Brushed Hard Graphite	4005176712234	356.36



**Essence**  
**Single-lever mixer with 2-way diverter**  
 set for final installation for  
 GROHE Rapido SmartBox (35 604)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 metal lever  
 automatic 2-way diverter  
 flow performance:  
 outlet B = 27 l/min, outlet C = 27 l/min  
**without roughing-in-set**  
 professional edition



# GROHE ESSENCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 169 001	Chrome	4005176698477	258.42
24 169 DC1	supersteel	4005176712357	352.71
24 169 GL1	cool sunrise	4005176711503	377.94
24 169 GN1	brushed cool sunrise	4005176711510	403.07
24 169 DA1	warm sunset	4005176712340	377.94
24 169 DL1	brushed warm sunset	4005176712364	403.07
24 169 A01	hard graphite	4005176712319	377.94
24 169 AL1	Brushed Hard Graphite	4005176712326	403.07

## Essence

### Single-lever mixer with 3-way diverter

set for final installation for

GROHE Rapido SmartBox (35 604)

GROHE SilkMove 46 mm ceramic cartridge

GROHE StarLight chrome finish

wall escutcheon with GROHE FastFixation

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

### 3-way diverter

flow performance:


outlet A = 27 l/min,

outlet B = 27 l/min,

outlet C = 27 l/min

without roughing-in-set

professional edition



24 092 001	Chrome	4005176480522	258.42
24 092 DC1	supersteel	4005176480539	352.71
24 092 GL1	cool sunrise	4005176480546	377.94
24 092 GN1	brushed cool sunrise	4005176480553	403.07
24 092 DA1	warm sunset	4005176480560	377.94
24 092 DL1	brushed warm sunset	4005176480577	403.07
24 092 A01	hard graphite	4005176481291	377.94
24 092 AL1	Brushed Hard Graphite	4005176481307	403.07

will be replaced by 24 169

35 604 000		4005176698774	142.72
------------	--	---------------	--------

GROHE Rapido SmartBox universal rough-in box for concealed installation

34 705 000	Chrome	4005176413285	1,765.31
------------	--------	---------------	----------

## Grohtherm SmartControl

### Perfect shower set with Rainshower SmartActive 310

Consisting of:

concealed thermostat with 3 valves

Grohtherm SmartControl set for final installation

(29 121 000)

GROHE Rapido SmartBox 35 600/35 604


Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)

Euphoria Cosmopolitan Stick handshower (27 367)


Rainshower wall holder (27 074 000)

Rainshower wall union 1/2" (27 057 000)

Silverflex shower hose 1.500 mm (28 364)




Ref. No.	Colour	EAN	Retail Guide Price (£)
25 251 001	Chrome	4005176698361	918.89
25 251 DC1	supersteel	4005176711862	1,286.44
25 251 GL1	cool sunrise	4005176711893	1,378.33
25 251 DA1	warm sunset	4005176711855	1,378.33
25 251 DL1	brushed warm sunset	4005176711114	1,470.20
25 251 A01	hard graphite	4005176711824	1,378.33
25 251 AL1	Brushed Hard Graphite	4005176711831	1,470.20



**Essence**  
**4-hole single-lever bath combination**  
**GROHE SilkMove** 35 mm ceramic cartridge with temperature limiter  
**GROHE StarLight** chrome finish  
 pre-assembled spout fixing  
 single lever mixer operating element  
 metal lever  
 bath inlet with mousseur  
 diverter bath/shower  
 for chrome: hand shower 27400000  
 metal shower hose 2000 mm (always chrome for any colour of the set)  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000  
 professional edition


19 578 001	Chrome	4005176307195	931.85
19 578 DC1	supersteel	4005176371103	1,279.94
19 578 GL1	cool sunrise	4005176426476	1,371.34
19 578 GN1	brushed cool sunrise	4005176426483	1,462.78
19 578 DA1	warm sunset	4005176426490	1,371.34
19 578 DL1	brushed warm sunset	4005176426506	1,462.78
19 578 A01	hard graphite	4005176426520	1,371.34
19 578 AL1	Brushed Hard Graphite	4005176426513	1,462.78

will be replaced by 25 251



19 976 001	Chrome	4005176307218	555.74
------------	--------	---------------	--------


**Essence**  
**3-hole single-lever bath combination**  
 Three hole installation  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 single lever mixer operating element  
 diverter bath/shower  
 hand shower 27 400 000  
 metal shower hose 2000 mm (always chrome for any colour of the set)  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
 for use with 29 037 000  
 for combination with 28 990 / 28 991



29 037 000		4005176865749	959.70
------------	--	---------------	--------

**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water  
 caps to cover screw fixations always come in chrome color


Ref. No.	Colour	EAN	Retail Guide Price (£)
23 741 001	Chrome	4005176371509	2,157.60
23 741 DC1	supersteel	4005176371516	3,788.98



**Essence**  
**Single-lever free-standing shower system**  
 floor-mounted  
 set for final installation for  
 45 984 001  
 29 038 001  
 29 086 000  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter  
 head shower/hand shower  
 360° horizontal swivable shower arm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)  
 with ball joint  
 rotation angle ± 15°  
**GROHE DreamSpray** perfect spray pattern  
**SpeedClean** anti-limescale system  
 for chrome: hand shower 27400000  
 Silverflex shower hose 1750 mm (28 388 000)  
 protected against backflow




25 248 001	Chrome	4005176698255	1,433.31
25 248 DC1	supersteel	4005176711374	2,020.92
25 248 GL1	cool sunrise	4005176711404	2,165.29
25 248 GN1	brushed cool sunrise	4005176711411	2,309.61
25 248 DA1	warm sunset	4005176711367	2,165.29
25 248 DL1	brushed warm sunset	4005176711381	2,309.61
25 248 A01	hard graphite	4005176711336	2,165.29
25 248 AL1	Brushed Hard Graphite	4005176711343	2,309.61



**Essence**  
**Single-lever bath mixer 1/2", floor mounted**  
 set for final installation for  
 45 984 001  
**without roughing-in-set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 with temperature limiter  
**GROHE StarLight** chrome finish  
 automatic diverter: bath/shower  
 swivel spout with mousseur  
 and stop limiter  
 projection 277 mm  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 for chrome: hand shower 27400000  
 Silverflex shower hose 1250 mm (28 362)  
 protected against backflow  
 professional edition

23 491 001	Chrome	4005176307263	1,433.31
23 491 DC1	supersteel	4005176371127	2,020.92
23 491 GL1	cool sunrise	4005176407581	2,165.29
23 491 GN1	brushed cool sunrise	4005176426582	2,309.61
23 491 DA1	warm sunset	4005176407574	2,165.29
23 491 DL1	brushed warm sunset	4005176426599	2,309.61
23 491 A01	hard graphite	4005176407598	2,165.29
23 491 AL1	Brushed Hard Graphite	4005176407604	2,309.61


will be replaced by 25 248



45 984 001		4005176992056	444.34
------------	--	---------------	--------


**Rough-in set 1/2"**  
 for floor-mounted bath mixers/spouts and shower mixers  
**without finishing trim set**  
 installation plate with 360° horizontal and 3° vertical adjustment  
 installation depth 53-157 mm for bath  
 mixers/spouts, depth compensation 104 mm  
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm  
 two 1/2" female connections (hot/cold supplies)  
 flushing plug  
 Can take a single mixed supply  
 fixing material

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



29 086 000		4005176935497	285.40
------------	--	---------------	--------

**Rough-in set 1/2"**  
for floor-mounted tub spouts and mixers  
**without finishing trim set**  
installation plate with 360° horizontal and 3° vertical adjustment  
installation depth 47-151 mm  
depth compensation 104 mm  
two 1/2" female connections (hot/cold supplies)  
flushing plug



37 601 000	Chrome	4005176416057	93.12
37 601 DC0	supersteel	4005176416088	210.67
37 601 GL0	cool sunrise	4005176524271	210.67
37 601 GN0	brushed cool sunrise	4005176529016	210.67
37 601 DA0	warm sunset	4005176524288	210.67
37 601 DL0	brushed warm sunset	4005176529023	210.67
37 601 A00	hard graphite	4005176528996	210.67
37 601 AL0	Brushed Hard Graphite	4005176529030	210.67

**Nova Cosmopolitan S**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m  
**for vertical installation**  
130 x 172 mm  
made of ABS  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included  
compatible with Rapid SLX  
for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

# GROHE EURODISC JOY

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 425 000	Chrome	4005176993596	221.47
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 427 000	Chrome	4005176993619	249.33
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE FastFixation Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 428 000	Chrome	4005176993633	374.70
	<b>Eurodisc Joy</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE FastFixation Plus installation system smooth body flexible connection hoses			
	19 968 000	Chrome	4005176993657	263.24
	<b>Eurodisc Joy</b> <b>2-hole basin mixer</b> <b>M-Size</b> wall mounted set for final installation for 23 429 000 <b>without concealed body</b> metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm			
	19 969 000	Chrome	4005176993671	285.43
	<b>Eurodisc Joy</b> <b>2-hole basin mixer</b> <b>L-Size</b> wall mounted set for final installation for 23 429 000 <b>without concealed body</b> GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm			

# GROHE EURODISC JOY


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 429 000		4005176993695	291.12
<p><b>Single-lever mixer 1/2", concealed body</b>                      for 2 hole basin mixer  <b>without finishing trim set</b>                      GROHE FeatherControl Joystick cartridge                      wall installation                      installation device                      DR-brass                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>				
 	24 036 000	Chrome	4005176993701	263.25
<p><b>Eurodisc Joy Bidet mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy ball-joint mousseur 5.7 l/min</b>  <b>GROHE FastFixation Plus</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>				
 	23 430 000	Chrome	4005176993725	271.76
<p><b>Eurodisc Joy Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE FeatherControl Joystick cartridge  <b>GROHE StarLight</b> chrome finish                      shower bottom outlet 1/2" with                      integrated non return-valve                      S-unions                      protected against backflow</p>				
 	23 431 000	Chrome	4005176993749	277.18
<p><b>Eurodisc Joy Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> Joystick cartridge  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow</p>				
 	24 055 002	Chrome	4005176465420	191.31
<p><b>Eurodisc Cosmopolitan Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				



# GROHE EURODISC JOY

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

24 056 002	Chrome	4005176465437	209.40
------------	--------	---------------	--------



## Eurodisc Cosmopolitan

### Single-lever mixer with 2-way diverter

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

**GROHE SilkMove** 46 mm ceramic cartridge

**GROHE StarLight** chrome finish

wall escutcheon with **GROHE FastFixation**

(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

metal lever

automatic 2-way diverter

flow performance:

outlet B = 27 l/min, outlet C = 27 l/min

**without roughing-in-set**



35 604 000





4005176698774

142.72









**GROHE Rapido SmartBox universal rough-in box for concealed installation**











# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 051 002	Chrome	4005176887567	123.96
<p><b>Eurodisc Cosmopolitan</b> Pillar tap XS-Size monobloc installation metal lever ceramic headpart <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 049 002	Chrome	4005176887536	230.80
<p><b>Eurodisc Cosmopolitan</b> Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 190 20E	Chrome	4005176887482	235.42
<p><b>Eurodisc Cosmopolitan</b> Basin mixer 1/2" S-Size monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>				
 	33 183 002	Chrome	4005176887499	218.50
<p><b>Eurodisc Cosmopolitan</b> Basin mixer 1/2" S-Size monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>				









# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 469 20E	Chrome	4005176908835	221.51
	<p><b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> metal lever monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>			
	32 469 20L	Chrome	4005176917110	210.10
	<p><b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE FastFixation</b> Plus installation system with centering support <b>GROHE StarLight</b> chrome finish mousseur smooth body flexible connection hoses for <b>low pressure</b> min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109</p>			
	23 389 20E	Chrome	4005176938412	230.81
	<p><b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar</p>			
	23 384 20E	Chrome	4005176936722	258.10
	<p><b>Eurodisc Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 382 20E	Chrome	4005176936708	221.51
	<p><b>Ditto, with GROHE SilkMove ES</b></p>			









# GROHE EURODISC COSMOPOLITAN

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		23 448 002	Chrome	4005176998744	235.41
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 449 002	Chrome	4005176998768	221.47
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses			
		23 054 003	Chrome	4005176472596	228.50
		<b>Eurodisc Cosmopolitan Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation Plus</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar optional temperature limiter (46 375 000)			
		23 432 000	Chrome	4005176993763	360.76
		<b>Eurodisc Cosmopolitan Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy SpeedClean</b> mousseur 5.7 l/min <b>GROHE FastFixation Plus</b> installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			








# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 055 002	Chrome	4005176887680	291.08
	<p><b>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size</b> monobloc installation metal lever <b>for free-standing basins</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	19 573 002	Chrome	4005176887659	263.28
	<p><b>Eurodisc Cosmopolitan 2-hole basin mixer M-Size</b> wall mounted set for final installation for 23 571 000 <b>without concealed body</b> metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE AquaGuide NEW</b> centre distance 110 mm projection 170 mm</p>			
	19 974 002	Chrome	4005176305948	277.18
	<b>ditto, projection 225 mm</b>			
	23 571 000		4005176334276	277.17
	<p><b>Single-lever mixer 1/2\", universal concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	33 244 002	Chrome	4005176888779	217.12
	<p><b>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size</b> metal lever monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	33 569 002	Chrome	4005176887734	235.42
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>            wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            shower bottom outlet 1/2"            integrated non-return valve, S-unions            protected against backflow            optional temperature limiter (46 308 000)</p>				
 	34 719 000	Chrome	4005176457654	473.46
<p><b>Grotherm SmartControl</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE CoolTouch</b> prevents scalding on hot surfaces  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement  <b>GROHE ProGrip</b> with knurl structure  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            integrated <b>GROHE EasyReach</b> shower tray            shower bottom outlet 1/2"            built-in non return valve            and dirt strainers            protected against backflow</p>				
 	33 192 002	Chrome	4005176887864	263.28
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            flexible connection hoses            protected against backflow            optional temperature limiter (46 308 000)</p>				
 	33 390 002	Chrome	4005176887796	263.28
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            mousseur, integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)</p>				

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 718 000	Chrome	4005176457647	521.54
	<p><b>Grotherm SmartControl</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch prevents scalding on hot surfaces                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow                      integrated GROHE EasyReach shower tray                      shower bottom outlet 1/2"                      bath spout with mousseur                      built-in non return valve                      and dirt strainers                      protected against backflow</p>			
	33 395 002	Chrome	4005176887802	340.01
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve                      in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance                      with DIN4109                      with shower set                      Consisting of:                      hand shower euphoria 110 Champagne (27 222)                      wall shower holder (27 056)                      Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	24 055 002	Chrome	4005176465420	191.31
	<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      wall escutcheon with GROHE FastFixation                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				




# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>24 056 002</b>	<b>Chrome</b>	<b>4005176465437</b>	<b>209.40</b>
	<b>Eurodisc Cosmopolitan</b> <b>Single-lever mixer with 2-way diverter</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min <b>without roughing-in-set</b>			
		<b>35 604 000</b>	<b>4005176698774</b>	<b>142.72</b>
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	<b>34 705 000</b>	<b>Chrome</b>	<b>4005176413285</b>	<b>1,765.31</b>
	<b>Grotherm SmartControl</b> <b>Perfect shower set with Rainshower SmartActive 310</b> Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600/35 604 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)			
 	<b>13 278 002</b>	<b>Chrome</b>	<b>4005176887871</b>	<b>123.94</b>
	<b>Eurodisc Cosmopolitan</b> <b>Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur male thread 1/2" projection 170 mm			
 	<b>37 624 000</b>	<b>Chrome</b>	<b>4005176416095</b>	<b>93.12</b>
	<b>Arena Cosmopolitan S</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m <b>for vertical installation</b> 130 x 172 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included compatible with Rapid SLX for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)			




# GROHE CONCETTO

Ref. No.      Colour      EAN      Retail Guide Price (£)




**32 207 001      Chrome      4005176888878      123.43**

**Concetto**  
**Pillar tap**  
**XS-Size**  
monobloc installation  
metal lever  
ceramic headparts 1/2", 90°  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
union nut 1/2" x 10.5 mm  
noise classification 1 in accordance with DIN4109




**32 204 10E      Chrome      4005176887345      176.80**

**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge with **GROHE SilkMove** temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** installation system with centering support  
pop-up waste set 1 1/4"  
flexible connection hoses



**23 931 001      Chrome      4005176584015      160.86**







**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge with **GROHE SilkMove** adjustable flow rate limiter  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** installation system with centering support  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar  
noise classification 1 in accordance with DIN4109



**23 060 001      Chrome      4005176888021      160.85**


**Concetto**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** installation system with centering support  
flow straightener  
pop-up waste set 1 1/4"  
flexible connection hoses  
**for use with displacement water heater**  
optional temperature limiter (46 375 000)  
noise classification 1 in accordance with DIN4109

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 202 10L	Chrome	4005176903960	164.07
	<b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE Silkmove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
	32 240 10E	Chrome	4005176906794	164.07
	<b>Concetto</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE Silkmove</b> adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body flexible connection hoses			
	32 240 10L	Chrome	4005176903977	151.35
	<b>Concetto</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE Silkmove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 380 10E	Chrome	4005176938245	176.80
	<b>Concetto</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE Silkmove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 385 10E	Chrome	4005176938269	164.07
	<b>Ditto, with GROHE Silkmove ES</b>			


# GROHE CONCETTO

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 450 001      Chrome      4005176998775      189.51**

**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
pop-up waste set 1 1/4"  
flexible connection hoses




**23 932 001      Chrome      4005176584022      173.32**

**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses  
min. recommended pressure 1.0 bar



**23 451 001      Chrome      4005176998799      176.80**








**Concetto**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** SpeedClean mousseur 5.7 l/min  
**GROHE FastFixation** rapid installation system  
smooth body  
flexible connection hoses



**23 739 002      Chrome      4005176472602      250.61**


**Concetto**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
swivel tubular spout  
with stop restriction  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter (46 375 000)  
min. recommended pressure 1.0 bar

# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 629 002	Chrome	4005176472619	214.94
	<p><b>Concetto</b>  <b>Single-lever basin mixer 1/2"</b>  <b>L-Size</b>                      monobloc installation                      metal lever                      covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system                      mousseur                      swivel tubular spout                      with stop restriction                      pop-up waste set 1 1/4"                      flexible connection hoses                      optional temperature limiter (46 375 000)                      min. recommended pressure 1.0 bar</p>			
	23 920 001	Chrome	4005176583421	245.68
	<p><b>Concetto</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      metal lever  <b>for free-standing basins</b>                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      rapid installation system                      smooth body                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	20 216 001	Chrome	4005176888373	278.54
	<p><b>Concetto</b>  <b>Three-hole basin mixer 1/2"</b>  <b>L-Size</b>                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      pressure-proof, flexible connection hoses between middle-body and side valves</p>			
	19 575 001	Chrome	4005176888366	227.65
	<p><b>Concetto</b>  <b>2-hole basin mixer</b>  <b>S-Size</b>                      wall mounted                      set for final installation for 23 571 000  <b>without concealed body</b>                      metal escutcheon  <b>GROHE StarLight</b> chrome finish                      centre distance 110 mm                      projection 147 mm</p>			


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
23 571 000		4005176334276	277.17




**Single-lever mixer 1/2", universal concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 spout can be positioned on the right or left  
 DR-brass  
 installation device  
 allows for waterproofing of wall construction surrounding the concealed body  
 with sealing sleeve

32 208 001	Chrome	4005176888908	164.07
------------	--------	---------------	--------




**Concetto**  
**Bidet mixer 1/2"**  
**S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** installation system  
 with centering support  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses

32 210 001	Chrome	4005176888939	185.80
------------	--------	---------------	--------



**Concetto**  
**Single-lever shower mixer 1/2"**  
 wall mounted, metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve, S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)  
 noise classification 1 in accordance  
 with DIN4109


34 765 000	Chrome	4005176612022	237.48
------------	--------	---------------	--------



**Grohtherm 800 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




32 211 001	Chrome	4005176889028	214.95
------------	--------	---------------	--------

**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)



34 766 000	Chrome	4005176612039	309.40
------------	--------	---------------	--------











**Grohtherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow



32 212 001	Chrome	4005176889035	253.11
------------	--------	---------------	--------











**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur, integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 protected against backflow  
 optional temperature limiter (46 308 000)  
 with shower set  
 Consisting of:  
 Euphoria Cosmopolitan hand shower (27 400)  
 wall shower holder (27 056)  
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)

# GROHE CONCETTO









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>32 700 001</b>	<b>Chrome</b>	<b>4005176887994</b>	<b>198.27</b>
	<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      noise classification 1 in accordance with DIN4109</p>			
 	<b>24 053 001</b>	<b>Chrome</b>	<b>4005176465406</b>	<b>177.79</b>
	<p><b>Concetto</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>			
		<b>35 604 000</b>	<b>4005176698774</b>	<b>142.72</b>
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	<b>24 054 001</b>	<b>Chrome</b>	<b>4005176465413</b>	<b>195.06</b>
	<p><b>Concetto</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>			
		<b>35 604 000</b>	<b>4005176698774</b>	<b>142.72</b>
	<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			
 	<b>19 345 001</b>	<b>Chrome</b>	<b>4005176888953</b>	<b>185.80</b>
	<p><b>Concetto</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>			











# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 213 001	Chrome	4005176888960	185.79
	<p><b>Concetto</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      Consisting of:                      set for final installation                      concealed body 33 964 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>			
	19 346 001	Chrome	4005176889080	202.23
	<p><b>Concetto</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for 33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      metal lever                      GROHE StarLight chrome finish                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      wall escutcheon                      covered coupling</p>			
	32 214 001	Chrome	4005176889097	210.72
	<p><b>Concetto</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      Consisting of:                      set for final installation                      concealed body 33 963 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter                      min. recommended pressure 1.0 bar</p>			
	25 102 000	Chrome	4005176881671	291.26
	<p><b>Concetto</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      GROHE StarLight chrome finish  <b>recommended pressure 0.2-5.0 bar</b></p>			
	25 109 000	Chrome	4005176881848	329.43
	<p><b>Concetto</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"                      automatic diverter: bath/shower                      integrated non-return valve                      in the shower outlet 1/2"                      GROHE StarLight chrome finish</p>			









# GROHE CONCETTO

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 576 002	Chrome	4005176429088	873.80
	<p><b>Concetto</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      pre-assembled spout fixing                      single lever mixer operating element                      diverter bath/shower                      Euphoria Cosmopolitan hand shower 6.6 l/min                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      can be used with 29 037 000</p>			
 	29 037 000		4005176865749	959.70
	<p><b>4/5-hole bath combination (optional)</b>  <b>baseframe for installation</b>  <b>under tiled surround</b>                      base frame                      drainage box with                      integrated outlet for splash water                      caps to cover screw fixations always come in chrome color</p>			
 	13 280 001	Chrome	4005176888687	113.20
	<p><b>Concetto</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      mousseur                      male thread 1/2"</p>			
 	13 281 001	Chrome	4005176888694	148.39
	<p><b>Concetto</b>  <b>Bath spout with diverter</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      mousseur                      automatic diverter: bath/shower                      male thread 1/2"</p>			








# GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>23 039 002</b>	<b>Chrome</b>	<b>4005176886881</b>	<b>110.06</b>
		<b>Eurostyle Cosmopolitan</b> <b>Pillar tap</b> <b>XS-Size</b> monobloc installation metal lever ceramic headpart <b>GROHE StarLight</b> chrome finish mousseur			
		<b>23 037 002</b>	<b>Chrome</b>	<b>4005176886355</b>	<b>179.65</b>
		<b>Eurostyle Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
		<b>23 387 20E</b>	<b>Chrome</b>	<b>4005176938382</b>	<b>151.80</b>
		<b>Eurostyle Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		<b>33 552 20E</b>	<b>Chrome</b>	<b>4005176886300</b>	<b>151.80</b>
		<b>Eurostyle Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support pop-up waste set 1 1/4" flexible connection hoses noise classification 1 in accordance with DIN4109			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 561 002	Chrome	4005176886379	176.16
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>for use with displacement water heater</b>                      optional temperature limiter (46 375 000)                      noise classification 1 in accordance with DIN4109</p>			
	32 468 20E	Chrome	4005176906886	151.79
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      smooth body                      flexible connection hoses                      noise classification 1 in accordance with DIN4109</p>			
	32 468 20L	Chrome	4005176917097	145.17
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      mousseur, smooth body                      flexible connection hoses  <b>for low pressure</b>                      min. recommended pressure 0.2 bar                      optional temperature limiter (46 375 000)</p>			
	23 374 20E	Chrome	4005176936678	151.80
	<p><b>Eurostyle Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 373 20E	Chrome	4005176936661	151.79
	<p><b>Ditto, with GROHE SilkMove ES</b></p>			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 043 003	Chrome	4005176472732	233.05
	<b>Eurostyle Cosmopolitan</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever covered lever fixing <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system mousseur swivel tubular spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar			
	20 208 002	Chrome	4005176886980	318.97
	<b>Eurostyle Cosmopolitan</b> <b>3-hole basin mixer</b> <b>S-Size</b> metal lever ceramic headparts 1/2", 90° <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses pressure-proof, flexible connection hoses between middle-body and side valves			
	19 571 002	Chrome	4005176886973	277.19
	<b>Eurostyle Cosmopolitan</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted set for final installation for 23 571 000 <b>without concealed body</b> metal escutcheon metal lever <b>GROHE StarLight</b> chrome finish <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 171 mm			
	23 571 000		4005176334276	277.17
	<b>Single-lever mixer 1/2", universal concealed body</b> for 2 hole basin mixer wall installation <b>without finishing trim set</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve			

# GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 565 002	Chrome	4005176887000	151.80
	<b>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	33 590 002	Chrome	4005176887048	165.72
	<b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b> wall mounted, metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)			
	32 229 002	Chrome	4005176887055	165.23
	<b>Eurostyle Cosmopolitan Single-lever shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve S-unions protected against backflow optional temperature limiter ref. no. 08 791 noise classification 1 in accordance with DIN4109			
	34 765 000	Chrome	4005176612022	237.48
	<b>Grohtherm 800 Cosmopolitan Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C ( calibration required ) <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE EcoJoy</b> technology for less water and perfect flow			

# GROHE EUROSTYLE COSMOPOLITAN





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 614 002	Chrome	4005176887208	244.84
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            monobloc installation            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            adjustable minimum flow rate 2.5 l/min            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            flexible connection hoses            protected against backflow            optional temperature limiter (46 308 000)</p>			
	33 591 002	Chrome	4005176887123	189.80
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur, integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)</p>			
	34 766 000	Chrome	4005176612039	309.40
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off            automatic diverter: bath/shower            volume handle with <b>GROHE EcoButton</b>            (economy button with individually            adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	33 592 20A	Chrome	4005176454288	256.27
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall mounted            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            adjustable flow rate limiter            automatic diverter: bath/shower            mousseur            integrated non-return valve            in the shower outlet 1/2"            S-unions            protected against backflow            optional temperature limiter (46 308 000)            with shower set            hand shower Tempesta Cosmopolitan 100, 2 sprays (27 571)            wall shower holder (27 056)            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			













# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 051 002	Chrome	4005176465383	187.20
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 052 002	Chrome	4005176465390	205.66
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	19 507 002	Chrome	4005176887079	193.58
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>				
 	19 506 002	Chrome	4005176887185	193.60
<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      metal lever  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>				
 	23 048 003	Chrome	4005176429132	1,043.28
<p><b>Eurostyle Cosmopolitan</b>  <b>4-hole single-lever bath combination</b>  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      pre-assembled spout fixing, single lever mixer operating element                      diverter bath/shower                      Euphoria Cosmopolitan hand shower 6.6 l/min                      metal shower hose 2000 mm (always chrome for any colour of the set)                      flexible connection hoses                      connection for shower hose                      protected against backflow                      can be used with 29 037 000</p>				









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 037 000		4005176865749	959.70
	<b>4/5-hole bath combination (optional) baseframe for installation under tiled surround</b> base frame drainage box with integrated outlet for splash water caps to cover screw fixations always come in chrome color			
 	13 276 002	Chrome	4005176887246	123.96
	<b>Eurostyle Cosmopolitan Bath spout</b> wall mounted <b>GROHE StarLight</b> chrome finish mousseur male thread 1/2" projection 170 mm			











# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 558 003	Chrome	4005176334139	151.83
	33 558 LS3	moon white	4005176335686	206.14
	<p><b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 929 003	Chrome	4005176583995	144.98
	<p><b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 707 003	Chrome	4005176364778	137.88
	23 707 LS3	moon white	4005176364785	193.59
	<p><b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 564 003	Chrome	4005176334146	149.85
	<p><b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 708 003	Chrome	4005176364990	130.94
	<p><b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 374 003	Chrome	4005176334153	151.83
	23 374 LS3	moon white	4005176334450	207.54
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 709 003	Chrome	4005176365003	137.88
	23 709 LS3	moon white	4005176365010	179.65
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 930 003	Chrome	4005176584008	144.99
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy                      saving function via cold start                      adjustable flow rate limiter                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	33 561 003	Chrome	4005176334160	151.83
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> rapid installation system                      flow straightener                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			









# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 557 003	Chrome	4005176334184	137.88
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system retractable chain flexible connection hoses			
	32 468 003	Chrome	4005176334207	137.88
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 715 003	Chrome	4005176365065	123.97
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 567 003	Chrome	4005176334214	151.83
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			
	23 716 003	Chrome	4005176365072	179.66
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			

# GROHE EUROSTYLE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 717 30L	Chrome	4005176365089	123.97
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation solid metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar			
	23 569 003 23 569 LS3	Chrome moon white	4005176334238 4005176334467	263.26 290.89
	<b>Eurostyle</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation loop metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses			
	23 718 003 23 718 LS3	Chrome moon white	4005176365096 4005176365102	235.42 277.16
	<b>Eurostyle</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation solid metal lever with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4"			
	23 570 003 23 570 LS3	Chrome moon white	4005176334245 4005176334474	291.12 346.84
	<b>Eurostyle</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> monobloc installation loop metal lever <b>for free-standing basins</b> <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system smooth body flexible connection hoses			







# GROHE EUROSTYLE



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 719 003	Chrome	4005176365119	277.21
	23 719 LS3	moon white	4005176365126	318.97
	<p><b>Eurostyle</b>  <b>Basin mixer 1/2"</b>  <b>XL-Size</b>                      monobloc installation                      solid metal lever                      for free-standing basins  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body                      flexible connection hoses</p>			
	19 571 003	Chrome	4005176334269	277.20
	19 571 LS3	moon white	4005176334498	346.84
	<p><b>Eurostyle</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for                      23 571 000                      metal escutcheon                      loop metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>			
	29 097 003	Chrome	4005176365133	256.88
	29 097 LS3	moon white	4005176365140	338.74
	<p><b>Eurostyle</b>  <b>2-hole basin mixer</b>  <b>M-Size</b>                      wall mounted                      without concealed body                      set for final installation for                      23 571 000                      metal escutcheon                      solid metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 203 mm</p>			
	23 571 000		4005176334276	277.17
		<p><b>Single-lever mixer 1/2"</b>, universal concealed body                      for 2 hole basin mixer                      wall installation                      without finishing trim set  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>		







# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 565 003	Chrome	4005176334283	123.96
	33 565 LS3	moon white	4005176334504	208.93
	<p><b>Eurostyle Bidet mixer 1/2" S-Size</b>                      monobloc installation                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	23 720 003	Chrome	4005176365157	137.88
	23 720 LS3	moon white	4005176365164	193.58
	<p><b>Eurostyle Bidet mixer 1/2" S-Size</b>                      monobloc installation                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			
	33 590 003	Chrome	4005176334306	207.57
	33 590 LS3	moon white	4005176334511	221.47
	<p><b>Eurostyle Single-lever shower mixer 1/2"</b>                      wall mounted                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons                      protected against backflow</p>			
	23 722 003	Chrome	4005176365188	207.59
	23 722 LS3	moon white	4005176365195	207.55
	<p><b>Eurostyle Single-lever shower mixer 1/2"</b>                      wall mounted                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons                      protected against backflow</p>			








	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>34 814 003</b> <b>Chrome</b>	<b>4005176695728</b>	<b>278.06</b>
		<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE MetalGrip ergonomically shaped metal handles                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow                      professional edition</p>		
		<b>34 143 003</b> <b>Chrome</b>	<b>4005176309618</b>	<b>278.06</b>
		<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE MetalGrip ergonomically shaped metal handles                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow</p>		
		<b>33 591 003</b> <b>Chrome</b>	<b>4005176334351</b>	<b>221.47</b>
		<b>33 591 LS3</b> <b>moon white</b>	<b>4005176334535</b>	<b>277.18</b>
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      loop metal lever                      GROHE SilkMove 35 mm ceramic cartridge                      with temperature limiter                      GROHE StarLight chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons                      protected against backflow</p>				










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 726 003	Chrome	4005176365256	207.56
	23 726 LS3	moon white	4005176365263	277.15
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      solid metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      protected against backflow</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 816 003	Chrome	4005176695742	344.57
	<p><b>Grotherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      professional edition</p>			
				











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 155 003	Chrome	4005176310027	344.57
	<p><b>Grotherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
				

# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 592 30A	Chrome	4005176456497	239.97
	<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      loop metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      shower outlet 1/2" with integrated non-return valve                      covered S-unions                      metal wall escutcheons protected against backflow with shower set Tempesta                      Consisting of:                      hand shower Tempesta 100, 2 sprays, 9.5 l/min (26 161)                      wall shower holder (28 605)                      Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	24 048 003	Chrome	4005176465345	171.41
	24 048 LS3	moon white	4005176465352	222.80
<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
	24 046 003	Chrome	4005176465307	163.48
	24 046 LS3	moon white	4005176465314	212.28
<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      flow performance:                      outlet B or C = 30 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			
	24 049 003	Chrome	4005176465369	188.54
	24 049 LS3	moon white	4005176465376	245.25
<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b></p>				
	35 604 000		4005176698774	142.72
	<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>			









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 047 003	Chrome	4005176465321	180.63
	24 047 LS3	moon white	4005176465338	233.35
	<p><b>Eurostyle</b>  <b>Single-lever mixer with 2-way diverter</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      metal lever                      automatic 2-way diverter                      flow performance:                      outlet B = 27 l/min, outlet C = 27 l/min                      without roughing-in-set</p>			
	35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
	19 507 003	Chrome	4005176334337	151.81
	19 507 LS3	moon white	4005176334528	211.55
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000                      without concealed body                      loop metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>			
	29 098 003	Chrome	4005176365225	151.80
	29 098 LS3	moon white	4005176365232	204.00
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer trim</b>                      set for final installation for                      33 961 000, 33 962 000, 33 963 000, 33 964 000,                      33 965 000, 33 966 000, 35 501 000                      without concealed body                      solid metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>			
	33 635 003	Chrome	4005176334344	185.10
	<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with                      (19 507 003)                      with concealed body                      adjustable flow rate limiter                      loop metal lever                      escutcheon- and shaft-sealing                      metal wall escutcheon                      optional temperature limiter (46 308 000)</p>			
				

# GROHE EUROSTYLE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>23 725 003</b>	<b>Chrome</b>	<b>4005176365249</b>	<b>193.63</b>
<p><b>Eurostyle</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation                      Consisting of:                      compatible with (19 507 003)                      with concealed body                      solid metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish                      metal wall escutcheon                      escutcheon- and shaft-sealing                      GROHE FastFixation covered fixing                      optional temperature limiter (46 308 000)</p>				
 	<b>19 506 003</b> <b>19 506 LS3</b>	<b>Chrome</b> <b>moon white</b>	<b>4005176334399</b> <b>4005176334542</b>	<b>179.68</b> <b>235.40</b>
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      metal wall escutcheon</p>				
 	<b>29 099 003</b> <b>29 099 LS3</b>	<b>Chrome</b> <b>moon white</b>	<b>4005176365300</b> <b>4005176365317</b>	<b>179.67</b> <b>221.18</b>
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000  <b>without concealed body</b>                      solid metal lever  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing</p>				
 	<b>33 637 003</b>	<b>Chrome</b>	<b>4005176334405</b>	<b>246.52</b>
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      loop metal lever                      escutcheon- and shaft-sealing                      metal wall escutcheon                      optional temperature limiter (46 308 000)</p>				
 	<b>23 730 003</b>	<b>Chrome</b>	<b>4005176365324</b>	<b>207.55</b>
<p><b>Eurostyle</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      GROHE FastFixation covered fixing                      Consisting of:                      compatible with (19 506 003)                      with concealed body                      adjustable flow rate limiter                      automatic diverter: bath/shower                      solid metal lever                      optional temperature limiter (46 308 000)                      metal wall escutcheons</p>				











# GROHE EUROSMART COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 825 00E	Chrome	4005176874628	139.67
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation, metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable minimum flow rate 2.5 l/min  temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system  with centering support  pop-up waste set 1 1/4"  flexible connection hoses  min. recommended pressure 1.0 bar</p>			
	32 955 000	Chrome	4005176880117	126.87
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system  with centering support  flow straightener  pop-up waste set 1 1/4"  flexible connection hoses  <b>for use with displacement water heater</b>  optional temperature limiter (46 375 000)  noise classification 1 in accordance  with DIN4109</p>			
	23 925 000	Chrome	4005176583353	130.91
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system  with centering support  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  smooth body with push-open pop-up waste set 1 1/4"  flexible connection hoses  optional temperature limiter (46 375 000)  noise classification 1 in accordance  with DIN4109</p>			
	32 825 00L	Chrome	4005176917028	138.76
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>S-Size</b>  monobloc installation  metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system  with centering support  mousseur  pop-up waste set 1 1/4"  flexible connection hoses  <b>for low pressure</b>  <b>recommended pressure 0.2 - 5.0 bar</b>  optional temperature limiter (46 375 000)</p>			














# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 827 00E	Chrome	4005176906565	139.67
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> SpeedClean mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support retractable chain flexible connection hoses noise classification 1 in accordance with DIN4109			
	32 824 000	Chrome	4005176874604	126.87
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support mousseur smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	32 824 00L	Chrome	4005176917035	126.87
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish adjustable minimum flow rate 2.5 l/min <b>GROHE FastFixation</b> installation system with centering support mousseur smooth body flexible connection hoses for <b>low pressure</b> <b>recommended pressure 0.2 - 5.0 bar</b> optional temperature limiter (46 375 000)			
	23 377 00E	Chrome	4005176936630	139.67
	<b>Eurosmart Cosmopolitan</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 1.0 bar			







# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 378 00E	Chrome	4005176936647	124.37
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support retractable chain flexible connection hoses			
	23 376 00E	Chrome	4005176936623	133.27
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body flexible connection hoses			
	23 927 000	Chrome	4005176583377	149.51
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system with centering support smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses			
	23 325 000	Chrome	4005176933974	152.50
	<b>Eurosmart Cosmopolitan Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 926 000	Chrome	4005176583360	149.50
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar                      optional temperature limiter (46 375 000)</p>			
	23 327 000	Chrome	4005176934094	139.68
	23 327 KW0	supermatt black	4005176565205	182.56
				
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> rapid installation system                      smooth body                      flexible connection hoses                      optional temperature limiter (46 375 000)</p>			
	23 396 00E	Chrome	4005176938504	152.51
				
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min  <b>GROHE StarLight</b> chrome finish                      temperature limiter  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      pop-up waste set 1 1/4"                      flexible connection hoses                      min. recommended pressure 1.0 bar</p>			
	23 928 000	Chrome	4005176583384	136.95
				
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b>                      35 mm ceramic cartridge with energy saving function via cold start                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system with centering support                      smooth body with push-open pop-up waste set 1 1/4"                      flexible connection hoses</p>			









# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 830 001	Chrome	4005176472749	176.38
	<p><b>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size</b>  monobloc installation  metal lever  covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system  mousseur  swivel tubular spout with stop limiter  pop-up waste set 1 1/4"  flexible connection hoses  optional temperature limiter (46 375 000)</p>			
	23 933 001	Chrome	4005176584039	172.90
	<p><b>Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size</b>  monobloc installation  metal lever  covered lever fixing  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  adjustable flow rate limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system  mousseur  swivel tubular spout with stop limiter  smooth body with push-open pop-up waste set 1 1/4"  flexible connection hoses  optional temperature limiter (46 375 000)</p>			
	23 921 000	Chrome	4005176583438	200.98
	<p><b>Eurosmart Cosmopolitan Basin mixer 1/2" XL-Size</b>  monobloc installation  metal lever  <b>for free-standing basins</b>  28 mm ceramic cartridge  with <b>GROHE SilkMove</b>  with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur  rapid installation system  smooth body  flexible connection hoses  min. recommended pressure 1.0 bar</p>			







# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 327 001	Chrome	4005176305771	420.57
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      flexible connection hoses                      non-return valve                      dirt strainers                      with integrated solenoid valve                      external battery                      rapid installation system                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings                      by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109                      type of protection faucet IP 59K</p>			
	20 187 000	Chrome	4005176874680	242.22
	<p><b>Eurosmart Cosmopolitan</b>  <b>Three-hole basin mixer 1/2" S-Size</b>                      metal lever                      ceramic headparts 1/2", 90°  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> installation system                      with centering support                      spout with mousseur                      pop-up waste set 1 1/4"                      pressure-proof, flexible connection hoses                      between spout and side valves                      union nut with 10.5-mm drilling</p>			
	19 381 000	Chrome	4005176874673	216.60
	<p><b>Eurosmart Cosmopolitan</b>  <b>2-hole basin mixer S-Size</b>                      wall mounted                      set for final installation for 23 571 000  <b>without concealed body</b>                      metal escutcheon                      metal lever  <b>GROHE StarLight</b> chrome finish  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 170 mm</p>			
	23 571 000		4005176334276	277.17
	<p><b>Single-lever mixer 1/2", universal concealed body</b>                      for 2 hole basin mixer                      wall installation  <b>without finishing trim set</b>  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			

# GROHE EUROSMART COSMOPOLITAN









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>32 839 000</b>	<b>Chrome</b>	<b>4005176874802</b>	<b>126.87</b>
	<b>Eurosmart Cosmopolitan</b> <b>Bidet mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation</b> installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	<b>32 840 000</b>	<b>Chrome</b>	<b>4005176874819</b>	<b>113.08</b>
	<b>ditto, with retractable chain</b>			
 	<b>32 837 000</b>	<b>Chrome</b>	<b>4005176874772</b>	<b>149.49</b>
	<b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer 1/2"</b> wall mounted, metal lever <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow			
 	<b>18 349 000</b>		<b>4005176874796</b>	<b>31.39</b>
	<b>Eurosmart Cosmopolitan</b> <b>Plastic tray</b> for 32 837 000			
 	<b>34 765 000</b>	<b>Chrome</b>	<b>4005176612022</b>	<b>237.48</b>
	<b>Grontherm 800 Cosmopolitan</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE MetalGrip</b> ergonomically shaped metal handles <b>GROHE SafeStop</b> safety button at 38°C <b>( calibration required )</b> <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included <b>GROHE TurboStat</b> compact cartridge with wax thermoelement integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon <b>GROHE EcoJoy</b> technology for less water and perfect flow			

# GROHE EUROSMART COSMOPOLITAN













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 836 000	Chrome	4005176874758	174.63
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      monobloc installation                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      flexible connection hoses protected against backflow                      optional temperature limiter (46 308 000)                      Qualitel E1/E3C2A2U3 applied for</p>			
	32 831 000	Chrome	4005176874703	178.12
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted, metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)</p>			
	34 766 000	Chrome	4005176612039	309.40
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			













# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 767 000	Chrome	4005176612046	231.46
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      built-in non return valves                      shower bottom outlet 1/2"                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	32 833 000	Chrome	4005176874727	143.22
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      46 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b>  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter ref. no. 08 791</p>			
 	32 832 000	Chrome	4005176874710	203.76
	<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      protected against backflow                      optional temperature limiter (46 308 000)                      with shower set                      Euphoria Cosmopolitan hand shower (27 367)                      wall shower holder (27 056)                      Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
 	25 128 000	Chrome	4005176905209	242.21
	<p><b>Eurosmart Cosmopolitan</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal handles                      Longlife headpart 3/4"  <b>GROHE StarLight</b> chrome finish                      min. recommended pressure 0.2 bar</p>			

# GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 129 000	Chrome	4005176905216	293.49
<b>Eurosmart Cosmopolitan</b> <b>Two-handed Bath/Shower mixer 1/2"</b> deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" <b>GROHE StarLight</b> chrome finish min. recommended pressure 0.2 bar				
 	24 044 000	Chrome	4005176465185	156.49
<b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer trim</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever flow performance: outlet B or C = 30 l/min <b>without roughing-in-set</b>				
		35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
 	24 045 000	Chrome	4005176465291	172.24
<b>Eurosmart Cosmopolitan</b> <b>Single-lever mixer with 2-way diverter</b> set for final installation for GROHE Rapido SmartBox 35 600/35 604 <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE StarLight</b> chrome finish wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon, retroactively 6° adjustable metal lever automatic 2-way diverter flow performance: outlet B = 27 l/min, outlet C = 27 l/min <b>without roughing-in-set</b>				
		35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
 	25 219 001	Chrome	4005176466373	494.93
<b>Eurosmart Cosmopolitan</b> <b>Perfect shower set with Tempesta 210</b> Consisting of: Eurosmart Cosmopolitan set for final installation with automatic diverter bath / shower (24 045) GROHE Rapido SmartBox universal rough-in box, 1/2" (35 600) head shower Tempesta 210 9.5 l/min (26 410) Shower arm Rainshower 286 mm (28 576 000) hand shower Tempesta 100 II 9.5 l/min (27 597) Shower outlet elbow (28 628 000) Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)				
 	19 383 000	Chrome	4005176874765	126.88
<b>Eurosmart Cosmopolitan</b> <b>Single-lever shower mixer trim</b> set for final installation for 33 961 000, 33 962 000, 33 963 000, 33 964 000, 33 965 000, 33 966 000, 35 501 000 <b>without concealed body</b> metal lever <b>GROHE StarLight</b> chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing				

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 880 000	Chrome	4005176877360	165.31
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever shower mixer 1/2"</b>                      wall installation                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      Consisting of:                      set for final installation                      concealed body                      33 962 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      metal lever                      escutcheon- and shaft-sealing                      metal escutcheon                      screwed                      optional temperature limiter</p>				
 	19 382 000	Chrome	4005176874697	152.48
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer trim</b>                      set for final installation for                      33 961 000, 33 963 000, 33 965 000                      without concealed body                      metal lever                      GROHE StarLight chrome finish                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      wall escutcheon                      covered fixing</p>				
 	32 879 000	Chrome	4005176877353	162.07
<p><b>Eurosmart Cosmopolitan</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall installation                      GROHE SilkMove 46 mm ceramic cartridge                      GROHE StarLight chrome finish                      Consisting of:                      set for final installation                      concealed body                      33 961 000                      adjustable flow rate limiter                      adjustable minimum flow rate 2.5 l/min                      automatic diverter: bath/shower                      metal lever                      metal wall escutcheon                      screwed                      optional temperature limiter (46 308 000)</p>				
 	13 261 000	Chrome	4005176877384	101.23
<p><b>Eurosmart Cosmopolitan</b>  <b>Bath spout</b>                      wall mounted                      GROHE StarLight chrome finish                      mousseur                      male thread 1/2"                      projection 170 mm</p>				
 	13 262 000	Chrome	4005176877391	111.81
<p><b>Eurosmart Cosmopolitan</b>  <b>Bath spout</b>                      wall mounted                      GROHE StarLight chrome finish                      mousseur                      automatic diverter: bath/shower                      male thread 1/2"                      projection 170 mm</p>				


# GROHE EUROSMART

Ref. No. Colour EAN Retail Guide Price (£)




**23 965 003 Chrome 4005176611544 119.73**

**Eurosmart Basin mixer 1/2" S-Size**  
 angled version  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter  
 adjustable flow rate limiter  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition




**23 968 003 Chrome 4005176611575 105.09**

**Eurosmart Basin mixer 1/2" S-Size**  
 angled version  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove**  
 adjustable flow rate limiter with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
 flexible connection hoses  
 smooth body with push-open pop-up waste set 1 1/4"  
 professional edition



**23 967 003 Chrome 4005176611568 105.09**


**Eurosmart Basin mixer 1/2" S-Size**  
 angled version  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove**  
 adjustable flow rate limiter with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
 flexible connection hoses  
 smooth body  
 professional edition



**23 969 003 Chrome 4005176613180 105.09**


**Eurosmart Basin mixer 1/2" S-Size**  
 angled version  
 monobloc installation  
 metal lever  
**GROHE SilkMove ES** 28 mm ceramic cartridge with energy saving function via cold start  
 adjustable flow rate limiter with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition

Ref. No.      Colour      EAN      Retail Guide Price (£)



**23 975 003      Chrome      4005176644153      396.89**

**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 2-in-1 hybrid with touchless or manual operation  
 manual lever operation having priority  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** with temperature limiter  
 infra-red electronic with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day)  
 non-return valve  
 dirt strainer with integrated solenoid valve  
 external battery  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 smooth body  
 flexible connection hoses  
 min. recommended pressure 1.0 bar  
 CE approved  
 professional edition



**33 265 003      Chrome      4005176613197      118.40**


**Eurosmart Basin mixer 1/2" S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** adjustable flow rate limiter with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
 flexible connection hoses  
 pop-up waste set 1 1/4"  
 professional edition



**23 922 003      Chrome      4005176613227      118.37**  
 ditto, smooth body with push-open pop-up waste set 1 1/4"

















**32 467 003      Chrome      4005176613210      105.09**  
 ditto, smooth body









**33 265 30L      Chrome      4005176644269      118.40**




**Eurosmart Basin mixer 1/2" S-Size**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove** adjustable flow rate limiter with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE FastFixation** installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 mousseur  
 for **low pressure**  
 min. recommended pressure 0.2 bar  
 professional edition

# GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	 23 456 003	Chrome	4005176613272	115.73
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter adjustable flow rate limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system flexible connection hoses hybrid pop-up waste set 1 1/4" professional edition			
	 33 188 003	Chrome	4005176613203	105.09
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			
	 32 467 30L	Chrome	4005176644276	105.09
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter mousseur <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses min. recommended pressure 0.2 bar for <b>low pressure</b> professional edition			
	 32 926 003	Chrome	4005176613234	118.40
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system pop-up waste set 1 1/4" lift rod in lateral position flexible connection hoses professional edition			
	 23 924 003	Chrome	4005176613265	119.73
	 32 154 003	Chrome	4005176613258	119.73
		ditto, smooth body with push-open pop-up waste set 1 1/4"		
		ditto, smooth body		



















	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 192 003	Chrome	4005176723964	146.99
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      Cradle to Cradle Certified Gold                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE FastFixation</b> installation system                      smooth body                      flexible connection hoses                      professional edition</p>			
	23 322 003	Chrome	4005176613302	131.69
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 923 003	Chrome	4005176613333	131.69
	ditto, smooth body with push-open pop-up waste set 1 1/4"			
	23 324 003	Chrome	4005176613326	118.39
	ditto, smooth body			
	23 393 30E	Chrome	4005176613340	131.69
	<p><b>Eurosmart</b>  <b>Basin mixer 1/2"</b>  <b>M-Size</b>                      monobloc installation                      metal lever  <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge                      with energy saving function via cold start                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 395 30E	Chrome	4005176613357	118.39
	ditto, smooth body			



























# GROHE EUROSMART

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 976 003	Chrome	4005176644160	251.48
	<b>Eurosmart Basin mixer 1/2" M-Size</b> pull out spout monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system <b>GROHE Magnetic Docking</b> guarantees easy retraction and smooth docking of the spray head back to the starting position smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 537 003	Chrome	4005176613395	158.31
	<b>Eurosmart Single-lever basin mixer 1/2" L-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system swivel tubular spout pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 970 003	Chrome	4005176613418	158.31
	<b>Eurosmart Basin mixer 1/2" S-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			
	23 323 003	Chrome	4005176613319	131.70
	<b>Eurosmart Basin mixer 1/2" M-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			















	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 394 30E	Chrome	4005176613364	118.39
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE SilkMove ES</b> 28 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE FastFixation</b> installation system retractable chain flexible connection hoses professional edition			
	23 743 003	Chrome	4005176613401	158.32
	<b>Eurosmart</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE FastFixation</b> installation system swivel tubular spout retractable chain flexible connection hoses professional edition			
	23 971 003	Chrome	4005176613425	224.27
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>XL-Size</b> <b>for free-standing basins</b> monobloc installation metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses professional edition			
	29 337 003	Chrome	4005176613432	208.30
	<b>Eurosmart</b> <b>2-hole basin mixer</b> <b>S-Size</b> wall mounted metal lever <b>without concealed body</b> set for final installation for 23 571 000 metal escutcheon <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min <b>GROHE AquaGuide</b> adjustable mousseur centre distance 110 mm projection 171 mm professional edition			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 338 003	Chrome	4005176613449	227.03
	<p><b>Eurosmart 2-hole basin mixer M-Size</b>                      wall mounted                      metal lever                      without concealed body                      set for final installation for 23 571 000                      metal escutcheon  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE AquaGuide</b> adjustable mousseur                      centre distance 110 mm                      projection 211 mm                      professional edition</p>			
	23 571 000		4005176334276	277.17
	<p><b>Single-lever mixer 1/2", universal concealed body</b>                      for 2 hole basin mixer                      wall installation                      without finishing trim set  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter                      spout can be positioned on the right or left                      DR-brass                      installation device                      allows for waterproofing of wall construction surrounding the concealed body                      with sealing sleeve</p>			
	32 929 003	Chrome	4005176613623	105.08
	<p><b>Eurosmart Bidet mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      28 mm ceramic cartridge                      with <b>GROHE SilkMove</b>                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE FastFixation</b> installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	33 555 003	Chrome	4005176613562	118.39
	<p><b>Eurosmart Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      adjustable flow rate limiter                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      shower bottom outlet 1/2" with                      integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow                      professional edition</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 558 000</b>	<b>Chrome</b>	<b>4005176310089</b>	<b>238.13</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermostatic element                      integrated mixed water shut off volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      dirt strainers                      built-in non return valves protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
 	<b>33 300 003</b>	<b>Chrome</b>	<b>4005176613456</b>	<b>131.69</b>
	<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever  <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter  <b>GROHE StarLight</b> chrome finish                      automatic diverter: bath/shower mousseur                      integrated non-return valve in the shower outlet 1/2"                      S-unions                      metal wall escutcheons protected against backflow                      professional edition</p>			
 	<b>34 567 000</b>	<b>Chrome</b>	<b>4005176310157</b>	<b>304.65</b>
	<p><b>Grotherm 800</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermostatic element                      integrated mixed water shut off automatic diverter: bath/shower volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>33 302 003</b> <b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow with shower set Consisting of: hand shower Tempesta 100, 1 spray, 9.5 l/min (27 923) wall shower holder (28 605) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151) professional edition	Chrome	4005176613470	171.62
		<b>33 303 003</b> <b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> deck mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with <b>GROHE SilkMove</b> adjustable flow rate limiter with temperature limiter <b>GROHE StarLight</b> chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow professional edition	Chrome	4005176613524	238.12
		<b>25 098 003</b> <b>Eurosmart</b> <b>Two-handed Bath filler 1/2"</b> deck mounted metal lever Ceramic valves 3/4", 90° <b>GROHE StarLight</b> chrome finish <b>Min. recommended pressure 0.5 bar</b> professional edition	Chrome	4005176644290	239.88
		<b>25 105 003</b> <b>Eurosmart</b> <b>Two-handed Bath/Shower mixer 1/2"</b> deck mounted metal lever Ceramic valves 3/4", 90° automatic diverter, lockable: bath/shower integrated non-return valve <b>GROHE StarLight</b> chrome finish <b>Min. recommended pressure 0.5 bar</b> professional edition	Chrome	4005176644306	275.85

# GROHE EUROSMART


	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>24 042 003</b>	<b>Chrome</b>	<b>4005176613616</b>	<b>148.59</b>
		<p><b>Eurosmart</b>  <b>Single-lever shower mixer trim</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            metal lever            flow performance:            outlet B or C = 30 l/min  <b>without roughing-in-set</b>            professional edition</p>			
		 <b>35 604 000</b>		<b>4005176698774</b>	<b>142.72</b>
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>					
		 <b>24 043 003</b>	<b>Chrome</b>	<b>4005176613548</b>	<b>163.72</b>
		<p><b>Eurosmart</b>  <b>Single-lever mixer with 2-way diverter</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            automatic 2-way diverter            flow performance:            outlet B = 27 l/min, outlet C = 27 l/min  <b>without roughing-in-set</b>            metal lever            professional edition</p>			
		 <b>35 604 000</b>		<b>4005176698774</b>	<b>142.72</b>
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>					
		 <b>33 556 003</b>	<b>Chrome</b>	<b>4005176613609</b>	<b>163.72</b>
		<p><b>Eurosmart</b>  <b>Single-lever shower mixer 1/2"</b>            wall installation            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> escutcheon with covered fixation            Consisting of:            set for final installation (19 451 003)            with concealed body            adjustable flow rate limiter            escutcheon- and shaft-sealing            metal wall escutcheon            optional temperature limiter (46 308 000)            professional edition</p>			
		 <b>33 305 003</b>	<b>Chrome</b>	<b>4005176613531</b>	<b>163.71</b>
		<p><b>Eurosmart</b>  <b>Single-lever bath/shower mixer 1/2"</b>            wall installation            metal lever  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> escutcheon with covered fixation            Consisting of:            set for final installation (19 450 003)            with concealed body            adjustable flow rate limiter            automatic diverter: bath/shower            metal escutcheon            escutcheon- and shaft-sealing            optional temperature limiter (46 308 000)            professional edition</p>			

# GROHE EUROSMART

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



13 448 003	Chrome	4005176613555	107.95
------------	--------	---------------	--------



**Eurosmart**  
**Bath spout**  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
male thread 1/2"  
projection 171 mm  
min. recommended pressure 1.0 bar  
professional edition




# GROHE EUROSMART CARE

Ref. No.      Colour      EAN      Retail Guide Price (£)




23 988 003      Chrome      4005176644351      150.81



**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection not possible  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** mousseur 4.2 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition




23 989 003      Chrome      4005176644368      165.74



**Eurosmart Basin mixer 1/2" M-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection not possible  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** mousseur 4.2 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition




23 986 003      Chrome      4005176643859      196.54



**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 loop metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
 built-in non return valves  
 dirt strainers  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** 4.2 l/min laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition


# GROHE EUROSMART CARE

Ref. No. Colour EAN Retail Guide Price (£)




**23 987 003 Chrome 4005176644344 211.46**

**Eurosmart Basin mixer 1/2" M-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 loop metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
 built-in non return valves  
 dirt strainers  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** 4.2 l/min laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition




**23 980 003 Chrome 4005176644207 120.65**

**Eurosmart Basin mixer 1/2" S-Size**  
 monobloc installation  
 loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 laminar flow straightener 9 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition



**23 981 003 Chrome 4005176644214 135.59**









**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 laminar flow straightener 9 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition



**25 241 003 Chrome 4005176644221 149.87**


**Eurosmart Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 S-unions  
 metal wall escutcheons  
 protected against backflow  
 professional edition

# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 242 003	Chrome	4005176644238	130.50
<p><b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>				
 	23 984 003	Chrome	4005176643835	196.54
<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap built-in non return valves dirt strainers <b>GROHE EcoJoy</b> 4.2 l/min laminar flow straightener <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>				
 	23 985 003	Chrome	4005176643842	211.46
<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation long metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap built-in non return valves dirt strainers <b>GROHE EcoJoy</b> 4.2 l/min laminar flow straightener <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition</p>				
 	23 982 003	Chrome	4005176644245	120.65
<p><b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation long metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min <b>GROHE FastFixation</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition</p>				


# GROHE EUROSMART CARE

Ref. No.      Colour      EAN      Retail Guide Price (£)




**23 983 003**      **Chrome**      **4005176644313**      **135.59**

**Eurosmart**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
long metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
laminar flow straightener 9 l/min  
**GROHE FastFixation** installation system  
smooth body with push-open pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition




**25 243 003**      **Chrome**      **4005176644320**      **149.87**

**Eurosmart**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted  
long metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
automatic diverter: bath/shower  
mousseur  
integrated non-return valve  
in the shower outlet 1/2"  
S-unions  
metal wall escutcheons  
protected against backflow  
professional edition



**34 665 000**      **Chrome**      **4005176351556**      **436.87**

**Grohtherm Special**  
**Thermostatic bath/shower mixer 1/2"**  
wall mounted  
ergonomic metal wing handles  
Aquadimmer handle with multiple function  
flow control  
integrated mixed water shut off  
diverter bath/shower  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
temperature scale handle with pre-adjustable  
safety stop between 35°C and 41°C ( calibration required )  
shower bottom outlet 1/2" with  
integrated non return-valve  
metal temperature safety stop  
laminar mousseur  
dirt strainers  
**GROHE FastFixation** for fast exchange of non return valves in connections  
100% GROHE CoolTouch consisting of safety  
housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish




**25 244 003**      **Chrome**      **4005176644337**      **130.50**












**Eurosmart**  
**Single-lever shower mixer 1/2"**  
wall mounted  
long metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
adjustable flow rate limiter  
with temperature limiter  
shower bottom outlet 1/2" with  
integrated non return-valve  
S-unions  
metal wall escutcheons  
protected against backflow  
professional edition

# GROHE EUROSMART CARE









Ref. No.	Colour	EAN	Retail Guide Price (£)
34 667 000	Chrome	4005176351570	348.93



**Grohtherm Special**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
 ergonomic metal wing handles  
 ceramic headparts 1/2", 90°  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 temperature scale handle with pre-adjustable  
 safety stop between 35°C and 41°C ( calibration required )  
 integrated mixed water shut off  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 metal temperature safety stop  
 dirt strainers  
**GROHE FastFixation** for fast exchange of non return valves in connections  
 100% GROHE CoolTouch consisting of safety  
 housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 421 001	Chrome	4005176556173	62.33
	<p><b>BauEdge</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      fixation nut G 1/2"                      professional edition</p>			
	20 421 10M	Chrome	4005176556180	124.54
	<p><b>BauEdge</b>  <b>Basin tap 1/2"</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  <b>2 pieces</b>                      fixation nut G 1/2"                      min. recommended pressure 1.0 bar</p>			
	23 328 001	Chrome	4005176556241	86.49
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 895 001	Chrome	4005176554902	86.49
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 330 001	Chrome	4005176556302	81.41
<p><b>ditto, smooth body</b></p>				
	23 559 001	Chrome	4005176556326	90.22
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			

# GROHE BAUEDGE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 899 001	Chrome	4005176555022	90.22
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 894 001	Chrome	4005176554896	86.49
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap                      GROHE LowFlow mousseur 3.5 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 896 001	Chrome	4005176554919	86.49
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap                      GROHE LowFlow mousseur 3.5 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 972 001	Chrome	4005176634451	82.75
	<p><b>BauEdge</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      mousseur                      for <b>low pressure</b>  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap                      rapid installation system                      flexible connection hoses                      crimp unions included</p>			




Ref. No.      Colour      EAN      Retail Guide Price (£)




**24 193 001**      **Chrome**      **4005176723971**      **110.12**

**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
Cradle to Cradle Certified Gold  
monobloc installation  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses  
professional edition




**23 757 001**      **Chrome**      **4005176556340**      **121.11**

**BauEdge**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
**GROHE Longlife** 35 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses  
with shower set consisting of  
hand shower with integrated diverter  
wall shower holder  
shower hose  
shower hose 1500 mm  
professional edition



**23 758 001**      **Chrome**      **4005176556364**      **109.39**

**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition




**23 901 001**      **Chrome**      **4005176555084**      **109.39**

**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition


**23 904 001**      **Chrome**      **4005176555114**      **109.39**  
ditto, without plastic push open waste set 1 1/4"

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>23 759 001</b>	<b>Chrome</b>	<b>4005176556388</b>	<b>109.39</b>
-------------------	---------------	----------------------	---------------

**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition




<b>23 908 001</b>	<b>Chrome</b>	<b>4005176555176</b>	<b>109.39</b>
-------------------	---------------	----------------------	---------------

**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition



<b>23 902 001</b>	<b>Chrome</b>	<b>4005176555091</b>	<b>109.39</b>
-------------------	---------------	----------------------	---------------


**BauEdge**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
**GROHE Longlife** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE LowFlow** mousseur 3.5 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition



<b>23 760 001</b>	<b>Chrome</b>	<b>4005176556418</b>	<b>124.65</b>
-------------------	---------------	----------------------	---------------


**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
**GROHE Longlife** 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 911 001	Chrome	4005176555237	124.65
------------	--------	---------------	--------

**BauEdge**  
**Single-lever basin mixer 1/2"**  
**L-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
swivel tubular spout  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition




23 761 001	Chrome	4005176556449	147.55
------------	--------	---------------	--------

**BauEdge**  
**Basin mixer 1/2"**  
**XL-Size**  
for free-standing basins  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body  
flexible connection hoses  
professional edition












36 451 000	Chrome	4005176473678	291.80
------------	--------	---------------	--------











**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
with infrared sensor for bi-directional communication  
for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
body made of composite polymer  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance  
with DIN4109  
type of protection faucet IP 59











23 331 001	Chrome	4005176556494	86.49
------------	--------	---------------	-------

**BauEdge**  
**Bidet mixer 1/2"**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
with ball joint  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 635 001	Chrome	4005176556524	86.95
	<p><b>BauEdge</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>			
	29 078 001	Chrome	4005176556555	143.93
	<p><b>BauEdge</b>  <b>Single-lever shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>			
	 34 793 000	Chrome	4005176632433	184.86
	<p><b>Grotherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      GROHE thermostatic cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      headpart 90°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	23 604 001	Chrome	4005176556593	113.92
	<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 246 001	Chrome	4005176674228	239.88
<p><b>BauEdge</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE StarLight</b> chrome finish  <b>Min. recommended pressure 0.5 bar</b>                      with shower set                      Tempesta Cosmopolitan hand shower (26 130)                      Tempesta shower holder (27 595)                      Relaxaflex shower hose 1500 mm (28 161)</p>				
 	29 079 001	Chrome	4005176556692	158.17
<p><b>BauEdge</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>				
 	25 216 001	Chrome	4005176556654	167.91
<p><b>BauEdge</b>  <b>Two-handed Bath filler 1/2"</b>                      deck mounted                      metal lever                      Ceramic valves 3/4", 90°  <b>GROHE StarLight</b> chrome finish  <b>Min. recommended pressure 0.5 bar</b></p>				
 	25 217 001	Chrome	4005176556661	203.90
<p><b>BauEdge</b>  <b>Two-handed Bath/Shower mixer 1/2"</b>                      deck mounted                      Ceramic valves 3/4", 90°                      automatic diverter, lockable: bath/shower                      integrated non-return valve  <b>GROHE StarLight</b> chrome finish  <b>Min. recommended pressure 0.5 bar</b></p>				
 	13 255 001	Chrome	4005176556722	86.32
<p><b>BauCosmopolitan</b>  <b>Bath spout</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish                      mousseur                      projection 171 mm                      male thread 1/2"</p>				

# GROHE BAULOOP


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	20 422 001	Chrome	4005176529504	62.34
	<p><b>BauLoop</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      fixation nut G 1/2"                      professional edition</p>			
	23 335 001	Chrome	4005176529566	100.49
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 878 001	Chrome	4005176554032	100.49
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body with plastic push open waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			
	23 337 001	Chrome	4005176555725	81.41
	ditto, without plastic push open waste set 1 1/4"			
	22 054 001	Chrome	4005176554162	87.32
	<p><b>BauLoop</b>  <b>Basin mixer 1/2"</b>  <b>S-Size</b>                      monobloc installation                      metal lever  <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start                      with temperature limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses                      professional edition</p>			

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




23 883 001	Chrome	4005176554179	87.32
------------	--------	---------------	-------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
**GROHE Longlife ES** 28 mm ceramic cartridge with energy saving function via cold start  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition




23 877 001	Chrome	4005176554025	100.49
------------	--------	---------------	--------

**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
GROHE LowFlow mousseur 3.5 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition



23 879 001	Chrome	4005176554049	100.49
------------	--------	---------------	--------









**BauLoop**  
**Basin mixer 1/2"**  
**S-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
GROHE LowFlow mousseur 3.5 l/min  
rapid installation system  
smooth body with plastic push open waste set 1 1/4"  
flexible connection hoses  
professional edition











23 762 001	Chrome	4005176555763	109.39
------------	--------	---------------	--------

**BauLoop**  
**Basin mixer 1/2"**  
**M-Size**  
monobloc installation  
metal lever  
GROHE Longlife 28 mm ceramic cartridge  
with temperature limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** mousseur 5.7 l/min  
rapid installation system  
plastic pop-up waste set 1 1/4"  
flexible connection hoses  
professional edition









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 886 001	Chrome	4005176554247	109.39
	<p><b>BauLoop</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system smooth body with plastic push open waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 917 001	Chrome	4005176555787	109.39
	ditto, without plastic push open waste set 1 1/4"			
	23 887 001	Chrome	4005176554254	109.39
	<p><b>BauLoop</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever <b>GROHE Longlife ES</b> 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 885 001	Chrome	4005176554216	109.39
	<p><b>BauLoop</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap GROHE LowFlow mousseur 3.5 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			
	23 763 001	Chrome	4005176555800	124.65
	<p><b>BauLoop</b> <b>Single-lever basin mixer 1/2"</b> <b>L-Size</b> monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge with temperature limiter <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses professional edition</p>			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	29 080 001	Chrome	4005176555961	143.93
<p><b>BauLoop</b>  <b>Single-lever shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>				
 	34 793 000	Chrome	4005176632433	184.86
<p><b>Grotherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      GROHE thermostatic cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      headpart 90°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	23 602 001	Chrome	4005176556029	113.92
<p><b>BauLoop</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 35 mm ceramic cartridge                      with temperature limiter  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with                      integrated non return-valve                      protected against backflow                      S-unions                      metal wall escutcheon                      professional edition</p>				
 	29 081 001	Chrome	4005176556081	158.17
<p><b>BauLoop</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      concealed installation                      Consisting of:                      set for final installation                      metal lever                      concealed body                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      escutcheon- and shaft-sealing                      optional temperature limiter (46 375 000)                      professional edition</p>				

# GROHE BAULOOP

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 231 001	Chrome	4005176554599	167.91
 	25 232 001	Chrome	4005176554605	203.90
 	13 255 001	Chrome	4005176556722	86.32

25 231 001 Chrome 4005176554599 167.91











**BauLoop**  
Two-handed Bath filler 1/2"  
deck mounted  
Ceramic valves 3/4", 90°  
**GROHE StarLight** chrome finish









25 232 001 Chrome 4005176554605 203.90

**BauLoop**  
Two-handed Bath/Shower mixer 1/2"  
deck mounted  
metal lever  
Ceramic valves 3/4", 90°  
automatic diverter, lockable: bath/shower  
integrated non-return valve  
**GROHE StarLight** chrome finish  
**Min. recommended pressure 0.5 bar**











13 255 001 Chrome 4005176556722 86.32

**BauCosmopolitan**  
Bath spout  
wall mounted  
**GROHE StarLight** chrome finish  
mousseur  
projection 171 mm  
male thread 1/2"

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 575 000	Chrome	4005176388422	67.10
	<p><b>BauFlow</b>  <b>Pillar tap 1/2" XS-Size</b>                      monobloc installation                      metal lever                      ceramic headpart  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      fixation nut G 1/2"</p>			
 	23 751 000	Chrome	4005176388149	93.12
	<p><b>BauFlow</b>  <b>Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>			
 	23 752 000	Chrome	4005176388156	87.64
	<p><b>BauFlow</b>  <b>Basin mixer 1/2" S-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      smooth body                      flexible connection hoses</p>			
 	23 753 000	Chrome	4005176388163	134.23
	<p><b>BauFlow</b>  <b>Single-lever basin mixer 1/2" L-Size</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      swivel tubular spout                      plastic pop-up waste set 1 1/4"                      flexible connection hoses</p>			
 	23 754 000	Chrome	4005176388170	121.88
	<p><b>BauFlow</b>  <b>Bidet mixer 1/2"</b>                      monobloc installation                      metal lever                      GROHE Longlife 28 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> mousseur 5.7 l/min                      rapid installation system                      with ball joint                      pop-up waste set 1 1/4"                      flexible connection hoses</p>			











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	23 755 000	Chrome	4005176388187	94.49
<p><b>BauFlow</b>  <b>Single-lever shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      shower bottom outlet 1/2" with integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow</p>				
 	23 756 000	Chrome	4005176388392	108.19
<p><b>BauFlow</b>  <b>Single-lever bath/shower mixer 1/2"</b>                      wall mounted                      metal lever                      GROHE Longlife 46 mm ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      automatic diverter: bath/shower                      spout with mousseur                      shower bottom outlet 1/2" with integrated non return-valve                      S-unions                      metal wall escutcheons                      protected against backflow</p>				
 	34 558 000	Chrome	4005176310089	238.13
<p><b>Grohtherm 800</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b> (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      dirt strainers                      built-in non return valves                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				
 	34 793 000	Chrome	4005176632433	184.86
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      GROHE thermostatic cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      headpart 90°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>				

# GROHE COSTA L











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 404 001	Chrome	4005176842986	66.90
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      Longlife-headpart                      cast spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE StarLight</b> chrome finish</p>				
 	20 186 001	Chrome	4005176874437	80.56
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      Longlife-headpart                      cast spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE StarLight</b> chrome finish</p>				
 	20 393 001	Chrome	4005176842993	88.78
<p><b>Costa L</b>  <b>Basin tap 1/2"</b>                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)                      Longlife-headpart                      swivel tubular spout with mousseur                      union nut 1/2" with 10.5 mm drilling  <b>GROHE StarLight</b> chrome finish</p>				
 	21 390 001	Chrome	4005176843006	179.68
<p><b>Costa L</b>  <b>Basin mixer, 1/2"</b>                      metal handles                      heat-insulated                      screwable                      Longlife-headpart                      cast spout with mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>GROHE StarLight</b> chrome finish</p>				
 	21 375 001	Chrome	4005176843037	121.54
<p><b>Costa L</b>  <b>Basin mixer, 1/2"</b>                      metal handles                      heat-insulated                      screwable                      Longlife-headpart                      swivel tubular spout with mousseur                      pop-up waste set 1 1/4"                      flexible connection hoses  <b>GROHE StarLight</b> chrome finish</p>				






# GROHE COSTA L



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 330 001	Chrome	4005176843112	102.42
 	26 308 001	Chrome	4005176843129	121.55
 	25 450 001	Chrome	4005176843372	162.50
 	25 452 001	Chrome	4005176843075	152.12
 	25 460 10A	Chrome	4005176456541	189.79







# GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 540 000	Chrome	4005176005411	128.26
<p><b>Bath spout 3/4"</b>                      wall mounted                      flow straightener                      female thread 3/4"                      projection 140 mm  <b>GROHE StarLight</b> chrome finish</p>				
 	30 098 001	Chrome	4005176843266	39.60
<p><b>Costa L Bibtap 1/2"</b>                      wall mounted                      metal handle                      heat-insulated                      screwable                      marking: blue (cold)  <b>GROHE StarLight</b> finish                      mousseur                      Longlife-headparts</p>				
 	30 008 001	Chrome	4005176843242	39.59
<p><b>Costa L Stop cock</b>                      wall mounted                      heat-insulated                      metal handle                      screwable                      marking: blue (cold)                      Longlife-headpart  <b>GROHE StarLight</b> chrome finish                      pipe-ventilating valve</p>				
 	19 808 001	Chrome	4005176843204	25.94
<p><b>Costa L Concealed stop-valve trim</b>                      set for final installation for 35 028 000                      for concealed valves, 1/2", 3/4"                      installation depth adjustable                      20-80 mm                      escutcheon with wall sealing                      screwable                      metal handle                      heat-insulated                      marking: blue (cold)  <b>GROHE StarLight</b> chrome finish</p>				
	19 809 001	Chrome	4005176853876	26.46
<p><b>ditto, marking red</b></p>				
 	35 028 000		4005176908316	165.73
<p><b>GROHE Rapido C</b>  <b>Rough-in for single volume control</b>                      for grid installation of Grohtherm Custom Shower system                      built-in box with removable protection cover                      waterproof membrane base for wall sealing                      for masonry and drywall installation                      fixing points for front and back wall                      body of DR brass                      pre-assembled ceramic headpart 3/4"                      connection threads 1/2"                      installation depth 70 - 95 mm</p>				





# GROHE COSTA L

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 800 000		4005176504839	37.55
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve threaded union 1/2" DR-brass			
	29 802 000		4005176504853	63.48
	<b>ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"</b>			
	29 805 000		4005176504884	106.63
	<b>ditto, 1", pre-assembled headpart 1", thread union 1"</b>			
	29 801 000		4005176504846	30.95
	<b>Concealed stop-valve, 1/2"</b> pre-assembled headpart 1/2" short spindle protection sleeve soldered connection Ø15 mm DR-brass			
	29 804 000		4005176504877	49.24
	<b>ditto, soldered connection Ø 22 mm</b>			













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	20 201 000	Chrome	4005176883354	132.30
<p><b>Universal pillar tap 1/2"</b>                      C-spout                      flow rate: 6 l/min at 3 bar flow pressure                      flow-stop mousseur                      ceramic disk headpart                      union nut 1/2"                      with 10.5 mm drilling  <b>GROHE StarLight</b> chrome finish                      projection 113 mm</p>				
 	20 205 000	Chrome	4005176883682	96.11
<p><b>Universal wall-mounted tap DN15</b>                      flow rate: 6 l/min at 3 bar flow pressure                      flow-stop mousseur                      ceramic disk headpart                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish                      projection 106 mm</p>				
 	20 203 000	Chrome	4005176883378	116.98
<p><b>Universal wall-mounted tap DN15</b>                      flow rate: 6 l/min at 3 bar flow pressure                      flow-stop mousseur                      ceramic disk headpart                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish                      projection 185 mm</p>				

# GROHE TALENTOFILL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	19 952 000	Chrome	4005176174230	60.69
	19 952 DC0	supersteel	4005176467776	76.07
	19 952 BE0	polished nickel	4005176468094	price on request
	19 952 EN0	brushed nickel	4005176468100	312.99
	19 952 GL0	cool sunrise	4005176352423	119.70
	19 952 GN0	brushed cool sunrise	4005176468117	238.90
	19 952 DA0	warm sunset	4005176351945	price on request
	19 952 DL0	brushed warm sunset	4005176468124	137.17
	19 952 A00	hard graphite	4005176352874	149.62
	19 952 AL0	Brushed Hard Graphite	4005176353376	164.59
	<b>Talentofill</b> Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set			
	<b>in combination with Talentofill</b> 28 990 000/28 991 000			
	28 990 000	Chrome	4005176174025	164.93
	<b>Talentofill</b> Inlet-, pop-up and waste-system for normal baths <b>without finishing trim set</b> with bottle trap and 45°-outlet-bend			
	28 991 000		4005176174032	234.80
	<b>Talentofill</b> Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach <b>without finishing trim set</b>			
	28 993 000		4005176174056	116.11
	<b>Talentofill</b> Connection set 3/4" with 1.5 m-flexible connection pipe <b>without finishing trim set</b>			
	28 995 000		4005176175725	329.06
	<b>Talentofill</b> Connection set 3/4" with concealed anti-vacuum device Consisting of: -concealed-pipe-interrupter ref.-no. 28 994 (A2 type, DIN 1988, part IV) - 3.5 m-flexible connection pipe (in 2 parts) without escutcheon (19 954)			

# GROHE TALENTOFILL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	19 954 000	Chrome	4005176175732	25.76
<p><b>Talentofill Escutcheon</b> for connection set 28 995 <b>GROHE StarLight</b> chrome finish</p>				
 	14 055 000		4005176413520	182.94
<p><b>Backflow protection combination (DIN-EN1717)</b> retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers</p>				
 	19 025 000	Chrome	4005176209154	67.58
<p><b>Talento Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish</p>				
 	28 939 000		4005176209161	103.62
<p><b>Talento Pop-up bath waste and overflow</b> set for normal bath and deep shower trays with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				
 	28 943 000		4005176209178	116.75
<p><b>Talento Pop-up bath waste and overflow</b> with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow</p>				


# GROHE SELECTION

Ref. No.	Colour	EAN	Retail Guide Price (£)
41 027 000	Chrome	4005176576836	62.31
41 027 DC0	supersteel	4005176576843	87.73
41 027 BE0	polished nickel	4005176576850	94.10
41 027 EN0	brushed nickel	4005176576867	100.44
41 027 GL0	cool sunrise	4005176576874	94.10
41 027 GN0	brushed cool sunrise	4005176576881	100.44
41 027 DA0	warm sunset	4005176576898	94.10
41 027 DL0	brushed warm sunset	4005176576904	100.44
41 027 A00	hard graphite	4005176576911	94.10
41 027 AL0	Brushed Hard Graphite	4005176576928	100.44



**Selection**  
**Glass/soap dish holder**  
 material: metal  
 for Selection soap dispenser (41 028) or Selection glass (41 029 000)  
 concealed fastening  
**GROHE StarLight** chrome finish


41 028 000	Chrome	4005176576942	62.31
41 028 DC0	supersteel	4005176576959	87.73
41 028 BE0	polished nickel	4005176576966	94.10
41 028 EN0	brushed nickel	4005176576973	100.44
41 028 GL0	cool sunrise	4005176576980	94.10
41 028 GN0	brushed cool sunrise	4005176576997	100.44
41 028 DA0	warm sunset	4005176577000	94.10
41 028 DL0	brushed warm sunset	4005176577017	100.44
41 028 A00	hard graphite	4005176577024	94.10
41 028 AL0	Brushed Hard Graphite	4005176577031	100.44




**Selection**  
**Soap dispenser**  
 material: glass / metal  
 filling quantity 120 ml  
 fits in the following holder:  
 41 027  
**GROHE StarLight** chrome finish

41 029 000	Chrome	4005176577055	30.52
------------	--------	---------------	-------

**Selection**  
**White glass**  
 material: glass  
 fits in the following holder:  
 41 027













41 035 000	Chrome	4005176577062	69.94
41 035 DC0	supersteel	4005176577079	97.91
41 035 BE0	polished nickel	4005176577086	105.53
41 035 EN0	brushed nickel	4005176577093	111.91
41 035 GL0	cool sunrise	4005176577109	105.53
41 035 GN0	brushed cool sunrise	4005176577116	111.91
41 035 DA0	warm sunset	4005176577123	105.53
41 035 DL0	brushed warm sunset	4005176577130	111.91
41 035 A00	hard graphite	4005176577147	105.53
41 035 AL0	Brushed Hard Graphite	4005176577154	111.91











**Selection**  
**Towel ring**  
 material: metal  
 holder for soap dish (41 036) and shower tray (41 037)  
 length 200 mm  
 concealed fastening  
**GROHE StarLight** chrome finish










# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		41 036 000	glass clear	4005176577178	40.69
		<b>Selection</b> Soap dish without holder material: glass for use with towel ring (41 035)			
		41 037 000		4005176577185	17.81
		<b>Selection</b> Shower tray without holder material: plastic for use with towel ring (41 035)			
		41 038 000	Chrome	4005176577192	82.65
		41 038 DC0	supersteel	4005176577208	115.72
		41 038 BE0	polished nickel	4005176577215	123.35
		41 038 EN0	brushed nickel	4005176577222	132.25
		41 038 GL0	cool sunrise	4005176577239	123.35
		41 038 GN0	brushed cool sunrise	4005176577246	132.25
		41 038 DA0	warm sunset	4005176577253	123.35
		41 038 DL0	brushed warm sunset	4005176577260	132.25
		41 038 A00	hard graphite	4005176577277	123.35
		41 038 AL0	Brushed Hard Graphite	4005176577284	132.25
		<b>Selection</b> Corner shower tray with holder material: metal/plastic concealed fastening GROHE StarLight chrome finish			
				41 039 000	Chrome
41 039 DC0	supersteel			4005176577314	31.78
41 039 BE0	polished nickel			4005176577321	34.32
41 039 EN0	brushed nickel			4005176577338	36.89
41 039 GL0	cool sunrise			4005176577345	34.32
41 039 GN0	brushed cool sunrise			4005176577352	36.89
41 039 DA0	warm sunset			4005176577369	34.32
41 039 DL0	brushed warm sunset			4005176577376	36.89
41 039 A00	hard graphite			4005176577383	34.32
41 039 AL0	Brushed Hard Graphite			4005176577390	36.89
<b>Selection</b> Single robe hook material: metal concealed fastening GROHE StarLight chrome finish					
				41 049 000	Chrome
		41 049 DC0	supersteel	4005176577420	53.42
		41 049 BE0	polished nickel	4005176577437	55.96
		41 049 EN0	brushed nickel	4005176577444	59.76
		41 049 GL0	cool sunrise	4005176577451	55.96
		41 049 GN0	brushed cool sunrise	4005176577468	59.76
		41 049 DA0	warm sunset	4005176577475	55.96
		41 049 DL0	brushed warm sunset	4005176577482	59.76
		41 049 A00	hard graphite	4005176577499	55.96
		41 049 AL0	Brushed Hard Graphite	4005176577505	59.76
		<b>Selection</b> Double robe hook material: metal concealed fastening GROHE StarLight chrome finish			









# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	41 056 000	Chrome	4005176577529	100.44	
	41 056 DC0	supersteel	4005176577536	139.86	
	41 056 BE0	polished nickel	4005176577543	150.04	
	41 056 EN0	brushed nickel	4005176577550	160.23	
	41 056 GL0	cool sunrise	4005176577567	150.04	
	41 056 GN0	brushed cool sunrise	4005176577574	160.23	
	41 056 DA0	warm sunset	4005176577581	150.04	
	41 056 DL0	brushed warm sunset	4005176577598	160.23	
	41 056 A00	hard graphite	4005176577604	150.04	
	41 056 AL0	Brushed Hard Graphite	4005176577611	160.23	
		<b>Selection</b> <b>Towel rail</b> material: metal length 600 mm concealed fastening for use with glass shelf (41 057) <b>GROHE StarLight</b> chrome finish			
		41 057 000	Chrome	4005176577635	116.99
<b>Selection</b> <b>Glass shelf</b> material: glass for use with towel rail (41 056)					
					
	41 058 000	Chrome	4005176577642	129.72	
	41 058 DC0	supersteel	4005176577659	181.84	
	41 058 BE0	polished nickel	4005176577666	194.56	
	41 058 EN0	brushed nickel	4005176577673	207.28	
	41 058 GL0	cool sunrise	4005176577680	194.56	
	41 058 GN0	brushed cool sunrise	4005176577697	207.28	
	41 058 DA0	warm sunset	4005176577703	194.56	
	41 058 DL0	brushed warm sunset	4005176577710	207.28	
	41 058 A00	hard graphite	4005176577727	194.56	
	41 058 AL0	Brushed Hard Graphite	4005176577734	207.28	
		<b>Selection</b> <b>Towel rail</b> material: metal length 800 mm concealed fastening <b>GROHE StarLight</b> chrome finish			
		41 059 000	Chrome	4005176577758	137.34
41 059 DC0		supersteel	4005176577765	192.02	
41 059 BE0		polished nickel	4005176577772	206.02	
41 059 EN0		brushed nickel	4005176577779	219.99	
41 059 GL0		cool sunrise	4005176577796	206.02	
41 059 GN0		brushed cool sunrise	4005176577802	219.99	
41 059 DA0		warm sunset	4005176577819	206.02	
41 059 DL0		brushed warm sunset	4005176577826	219.99	
41 059 A00		hard graphite	4005176577833	206.02	
41 059 AL0		Brushed Hard Graphite	4005176577840	219.99	
		<b>Selection</b> <b>Towel holder, non pivotable</b> material: metal depth 411 mm (functional depth 360 mm) two arms concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	41 063 000	Chrome	4005176577864	111.91	
	41 063 DC0	supersteel	4005176577871	157.68	
	41 063 BE0	polished nickel	4005176577888	167.85	
	41 063 EN0	brushed nickel	4005176577895	179.30	
	41 063 GL0	cool sunrise	4005176577901	167.85	
	41 063 GN0	brushed cool sunrise	4005176577918	179.30	
	41 063 DA0	warm sunset	4005176577925	167.85	
	41 063 DL0	brushed warm sunset	4005176577932	179.30	
	41 063 A00	hard graphite	4005176577949	167.85	
	41 063 AL0	Brushed Hard Graphite	4005176577956	179.30	
	<b>Selection</b> <b>Towel holder, pivotable</b> material: metal depth 441 mm (functional depth 400 mm) two arms concealed fastening <b>GROHE StarLight</b> chrome finish				
	 	41 064 000	Chrome	4005176577970	77.56
41 064 DC0		supersteel	4005176577987	108.10	
41 064 BE0		polished nickel	4005176577994	115.73	
41 064 EN0		brushed nickel	4005176578007	123.35	
41 064 GL0		cool sunrise	4005176578014	115.73	
41 064 GN0		brushed cool sunrise	4005176578021	123.35	
41 064 DA0		warm sunset	4005176578038	115.73	
41 064 DL0		brushed warm sunset	4005176578045	123.35	
41 064 A00		hard graphite	4005176578052	115.73	
41 064 AL0		Brushed Hard Graphite	4005176578069	123.35	
<b>Selection</b> <b>Grip bar</b> material: metal length 336 mm (functional length 300 mm) concealed fastening <b>GROHE StarLight</b> chrome finish					
 		41 066 000	Chrome	4005176578083	274.67
	41 066 DC0	supersteel	4005176578090	384.02	
	41 066 BE0	polished nickel	4005176578106	410.73	
	41 066 EN0	brushed nickel	4005176578113	438.70	
	41 066 GL0	cool sunrise	4005176578120	410.73	
	41 066 GN0	brushed cool sunrise	4005176578137	438.70	
	41 066 DA0	warm sunset	4005176578144	410.73	
	41 066 DL0	brushed warm sunset	4005176578151	438.70	
	41 066 A00	hard graphite	4005176578168	410.73	
	41 066 AL0	Brushed Hard Graphite	4005176578175	438.70	
	<b>Selection</b> <b>Multi-towel rack</b> material: metal length 596 mm concealed fastening <b>GROHE StarLight</b> chrome finish				
	 	41 067 000	Chrome	4005176578199	62.31
41 067 DC0		supersteel	4005176578205	87.73	
41 067 BE0		polished nickel	4005176578212	94.10	
41 067 EN0		brushed nickel	4005176578229	100.44	
41 067 GL0		cool sunrise	4005176578236	94.10	
41 067 GN0		brushed cool sunrise	4005176578243	100.44	
41 067 DA0		warm sunset	4005176578250	94.10	
41 067 DL0		brushed warm sunset	4005176578267	100.44	
41 067 A00		hard graphite	4005176578274	94.10	
41 067 AL0		Brushed Hard Graphite	4005176578281	100.44	
<b>Selection</b> <b>Spare toilet paper holder (2 rolls)</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish					










# GROHE SELECTION

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	41 068 000	Chrome	4005176578304	50.87	
	41 068 DC0	supersteel	4005176578311	69.94	
	41 068 BE0	polished nickel	4005176578328	75.02	
	41 068 EN0	brushed nickel	4005176578335	80.11	
	41 068 GL0	cool sunrise	4005176578342	75.02	
	41 068 GN0	brushed cool sunrise	4005176578359	80.11	
	41 068 DA0	warm sunset	4005176578366	75.02	
	41 068 DL0	brushed warm sunset	4005176578373	80.11	
	41 068 A00	hard graphite	4005176578380	75.02	
	41 068 AL0	Brushed Hard Graphite	4005176578397	80.11	
		<b>Selection</b> Toilet roll holder without cover material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
		41 069 000	Chrome	4005176578410	100.44
41 069 DC0		supersteel	4005176578427	139.86	
41 069 BE0		polished nickel	4005176578434	150.04	
41 069 EN0		brushed nickel	4005176578441	160.23	
41 069 GL0		cool sunrise	4005176578458	150.04	
41 069 GN0		brushed cool sunrise	4005176578465	160.23	
41 069 DA0		warm sunset	4005176578472	150.04	
41 069 DL0		brushed warm sunset	4005176578489	160.23	
41 069 A00		hard graphite	4005176578496	150.04	
41 069 AL0		Brushed Hard Graphite	4005176578502	160.23	
		<b>Selection</b> Toilet roll holder with cover material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
		41 076 000	Chrome	4005176578526	124.63
	41 076 DC0	supersteel	4005176578533	174.22	
	41 076 BE0	polished nickel	4005176578540	186.93	
	41 076 EN0	brushed nickel	4005176578557	199.65	
	41 076 GL0	cool sunrise	4005176578564	186.93	
	41 076 GN0	brushed cool sunrise	4005176578571	199.65	
	41 076 DA0	warm sunset	4005176578588	186.93	
	41 076 DL0	brushed warm sunset	4005176578595	199.65	
	41 076 A00	hard graphite	4005176578601	186.93	
	41 076 AL0	Brushed Hard Graphite	4005176578618	199.65	
		<b>Selection</b> Toilet brush set material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
		40 791 001	white	4005176323409	5.83
	40 791 KS1	velvet black	4005176336379	5.83	
	<b>Spare Brush Head</b>				
	41 077 000	Chrome	4005176578632	186.93	
	41 077 DC0	supersteel	4005176578649	261.95	
	41 077 BE0	polished nickel	4005176578656	279.76	
	41 077 EN0	brushed nickel	4005176578663	298.82	
	41 077 GL0	cool sunrise	4005176578670	279.76	
	41 077 GN0	brushed cool sunrise	4005176578687	298.82	
	41 077 DA0	warm sunset	4005176575587	279.76	
	41 077 DL0	brushed warm sunset	4005176578694	298.82	
	41 077 A00	hard graphite	4005176578700	279.76	
	41 077 AL0	Brushed Hard Graphite	4005176578717	298.82	
		<b>Selection</b> Shaving mirror material: glass / metal without lights magnification: x 7 concealed fastening <b>GROHE StarLight</b> chrome finish			







# GROHE SELECTION CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 865 000	Chrome	4005176378140	41.31
<p><b>Selection Cube</b>  <b>Glass/soap dish holder</b>                      material: metal                      for Selection Cube glass (40 783 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 805 000	Chrome	4005176347924	51.38
<p><b>Selection Cube</b>  <b>Soap dispenser</b>                      material: glass / metal                      filling quantity 300 ml                      fits in the following holder:                      Selection Cube (40 865 000)  <b>GROHE StarLight</b> finish</p>				
 	40 806 000	Glass Matt	4005176347931	34.44
<p><b>Selection Cube</b>  <b>Soap dish</b>                      material: glass                      fits in the following holder:                      Selection Cube (40 865 000)</p>				
 	40 783 000		4005176347894	27.55
<p><b>Selection Cube</b>  <b>Glass</b>                      material: glass                      fits in the following holder:                      Selection Cube (40 865 000)</p>				
 	40 766 000	Chrome	4005176347849	58.27
<p><b>Selection Cube</b>  <b>Towel ring</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> finish</p>				
 	40 768 000	Chrome	4005176347863	164.24
<p><b>Selection Cube</b>  <b>Double towel bar</b>                      material: metal                      2 arms, pivotable                      400 mm                      concealed fastening  <b>GROHE StarLight</b> finish</p>				

# GROHE SELECTION CUBE



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 767 000	Chrome	4005176347856	111.24
<b>Selection Cube</b> <b>Towel rail</b> 500 mm (functional length 459 mm) material: metal concealed fastening GROHE StarLight chrome finish				
 	40 804 000	Chrome	4005176347917	306.24
<b>Selection Cube</b> <b>Multi bath towel rack</b> material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish				
 	40 782 000	Chrome	4005176347887	30.71
<b>Selection Cube</b> <b>Robe hook</b> material: metal concealed fastening GROHE StarLight finish				
 	40 807 000	Chrome	4005176347948	169.55
<b>Selection Cube</b> <b>Grip bar/towel bar</b> material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish				
 	40 781 000	Chrome	4005176347870	89.53
<b>Selection Cube</b> <b>Toilet roll holder</b> material: metal concealed fastening with cover GROHE StarLight finish				
 	40 784 000	Chrome	4005176347900	41.31
<b>Selection Cube</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening GROHE StarLight finish				



# GROHE SELECTION CUBE



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 857 000	Chrome	4005176378393	121.85
<p><b>Selection Cube Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening                      GROHE StarLight finish</p>				
 	40 809 000	Chrome	4005176347962	121.85
<p><b>Selection Cube Soap wire basket</b>                      material: metal                      for corner installation                      GROHE StarLight finish</p>				
 	40 808 000	Chrome	4005176347955	153.64
<p><b>Selection Cube Shaving mirror</b>                      material: glass / metal                      wall mounted                      concealed fastening                      magnification: x 3                      GROHE StarLight finish</p>				





# GROHE ESSENTIALS





	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 369 001	Chrome	4005176326196	23.30
	40 369 DC1	supersteel	4005176412462	32.84
	40 369 BE1	polished nickel	4005176430176	34.96
	40 369 EN1	brushed nickel	4005176326202	37.61
	40 369 GL1	cool sunrise	4005176429422	34.96
	40 369 GN1	brushed cool sunrise	4005176429873	37.61
	40 369 DA1	warm sunset	4005176428975	34.96
	40 369 DL1	brushed warm sunset	4005176430022	37.61
	40 369 A01	hard graphite	4005176429576	34.96
	40 369 AL1	Brushed Hard Graphite	4005176429729	37.61
	<b>Essentials</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			

 	40 394 001	Chrome	4005176326233	19.06
	40 394 DC1	supersteel	4005176421532	27.01
	40 394 BE1	polished nickel	4005176430183	28.60
	40 394 EN1	brushed nickel	4005176412646	30.71
	40 394 GL1	cool sunrise	4005176429439	28.60
	40 394 GN1	brushed cool sunrise	4005176429880	30.71
	40 394 DA1	warm sunset	4005176428982	28.60
	40 394 DL1	brushed warm sunset	4005176430039	30.71
	40 394 A01	hard graphite	4005176429583	28.60
	40 394 AL1	Brushed Hard Graphite	4005176429736	30.71
	<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish			









 	40 368 001	glass clear	4005176326219	6.45
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			

 	40 372 001		4005176326226	7.73
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			









# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 448 001	Chrome	4005176328343	43.43
	40 448 DC1	supersteel	4005176413155	60.93
	40 448 EN1	brushed nickel	4005176335525	69.42
	<b>Essentials</b> <b>Soap dispenser with holder</b> material: glass / metal filling quantity 160 ml Consisting of: holder (40 369 001) soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 444 001	Chrome	4005176328336	29.66
	40 444 DC1	supersteel	4005176413148	41.85
	40 444 EN1	brushed nickel	4005176335501	47.67
	<b>Essentials</b> <b>Soap dish with holder</b> material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 447 001	Chrome	4005176328701	29.14
	40 447 DC1	supersteel	4005176413162	40.79
	40 447 EN1	brushed nickel	4005176335518	46.07
	<b>Essentials</b> <b>Crystal glass with holder</b> material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			
	40 365 001	Chrome	4005176326240	23.30
	40 365 DC1	supersteel	4005176412431	32.84
	40 365 BE1	polished nickel	4005176430121	34.96
	40 365 EN1	brushed nickel	4005176326257	37.61
	40 365 GL1	cool sunrise	4005176429378	34.96
	40 365 GN1	brushed cool sunrise	4005176429828	37.61
	40 365 DA1	warm sunset	4005176428920	34.96
	40 365 DL1	brushed warm sunset	4005176429972	37.61
	40 365 A01	hard graphite	4005176429521	34.96
	40 365 AL1	Brushed Hard Graphite	4005176429675	37.61
	<b>Essentials</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			











# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	40 371 001	Chrome	4005176326318	41.31	
	40 371 DC1	supersteel	4005176412479	58.27	
	40 371 BE1	polished nickel	4005176430138	61.97	
	40 371 EN1	brushed nickel	4005176430268	66.23	
	40 371 GL1	cool sunrise	4005176429385	61.97	
	40 371 GN1	brushed cool sunrise	4005176429835	66.23	
	40 371 DA1	warm sunset	4005176428937	61.97	
	40 371 DL1	brushed warm sunset	4005176429989	66.23	
	40 371 A01	hard graphite	4005176429538	61.97	
	40 371 AL1	Brushed Hard Graphite	4005176429682	66.23	
	<b>Essentials</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
	 	40 688 001	Chrome	4005176326288	33.89
40 688 DC1		supersteel	4005176413124	47.67	
40 688 BE1		polished nickel	4005176430145	50.86	
40 688 EN1		brushed nickel	4005176326295	54.58	
40 688 GL1		cool sunrise	4005176429392	50.86	
40 688 GN1		brushed cool sunrise	4005176429842	54.58	
40 688 DA1		warm sunset	4005176428944	50.86	
40 688 DL1		brushed warm sunset	4005176429996	54.58	
40 688 A01		hard graphite	4005176429545	50.86	
40 688 AL1		Brushed Hard Graphite	4005176429699	54.58	
<b>Essentials</b> <b>Towel rail</b> material: metal 504 mm (useable length 450 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)					
 		40 366 001	Chrome	4005176326264	37.07
	40 366 DC1	supersteel	4005176412448	51.91	
	40 366 BE1	polished nickel	4005176430152	55.61	
	40 366 EN1	brushed nickel	4005176326271	59.33	
	40 366 GL1	cool sunrise	4005176429408	55.61	
	40 366 GN1	brushed cool sunrise	4005176429859	59.33	
	40 366 DA1	warm sunset	4005176428951	55.61	
	40 366 DL1	brushed warm sunset	4005176430008	59.33	
	40 366 A01	hard graphite	4005176429552	55.61	
	40 366 AL1	Brushed Hard Graphite	4005176429705	59.33	
	<b>Essentials</b> <b>Towel rail</b> material: metal 654 mm (useable length 600 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
	 	40 386 001	Chrome	4005176326301	46.62
40 386 BE1		polished nickel	4005176430169	69.94	
40 386 EN1		brushed nickel	4005176430275	74.68	
40 386 GL1		cool sunrise	4005176429415	69.94	
40 386 GN1		brushed cool sunrise	4005176429866	74.68	
40 386 DA1		warm sunset	4005176428968	69.94	
40 386 DL1		brushed warm sunset	4005176430015	74.68	
40 386 A01		hard graphite	4005176429569	69.94	
40 386 AL1		Brushed Hard Graphite	4005176429712	74.68	
<b>Essentials</b> <b>Towel rail</b> material: metal 854 mm (useable length 800 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)					


# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 802 001	Chrome	4005176328107	63.56
	40 802 BE1	polished nickel	4005176430251	95.90
	40 802 EN1	brushed nickel	4005176430329	102.25
	40 802 GL1	cool sunrise	4005176429507	95.90
	40 802 GN1	brushed cool sunrise	4005176429958	102.25
	40 802 DA1	warm sunset	4005176429354	95.90
	40 802 DL1	brushed warm sunset	4005176430107	102.25
	40 802 A01	hard graphite	4005176429651	95.90
	40 802 AL1	Brushed Hard Graphite	4005176429804	102.25
		<p><b>Essentials</b>  <b>Double towel rail</b>  material: metal  654 mm (useable length 600 mm)  concealed fastening  <b>GROHE StarLight</b> chrome finish  suitable for screwing (including screws and dowels)</p>		
	40 800 001	Chrome	4005176327988	127.14
	40 800 DC1	supersteel	4005176413223	174.83
	40 800 BE1	polished nickel	4005176430244	185.45
	40 800 EN1	brushed nickel	4005176430312	201.34
	40 800 GL1	cool sunrise	4005176429491	185.45
	40 800 GN1	brushed cool sunrise	4005176429941	201.34
	40 800 DA1	warm sunset	4005176429347	185.45
	40 800 DL1	brushed warm sunset	4005176430091	201.34
	40 800 A01	hard graphite	4005176429644	185.45
	40 800 AL1	Brushed Hard Graphite	4005176429798	201.34
	<p><b>Essentials</b>  <b>Multi bath towel rack</b>  material: metal  604 mm (useable length 550 mm)  concealed fastening  <b>GROHE StarLight</b> chrome finish  suitable for screwing (including screws and dowels)</p>			
	40 364 001	Chrome	4005176326332	12.70
	40 364 BE1	polished nickel	4005176430114	19.06
	40 364 EN1	brushed nickel	4005176326349	20.64
	40 364 GL1	cool sunrise	4005176429361	19.06
	40 364 GN1	brushed cool sunrise	4005176429811	20.64
	40 364 DA1	warm sunset	4005176428913	19.06
	40 364 DL1	brushed warm sunset	4005176429965	20.64
	40 364 A01	hard graphite	4005176429514	19.06
	40 364 AL1	Brushed Hard Graphite	4005176429668	20.64
		<p><b>Essentials</b>  <b>Robe hook</b>  material: metal  concealed fastening  <b>GROHE StarLight</b> chrome finish  suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>		
	40 421 001	Chrome	4005176326325	37.07
	40 421 DC1	supersteel	4005176413117	51.91
	40 421 BE1	polished nickel	4005176430237	55.61
	40 421 EN1	brushed nickel	4005176430305	59.33
	40 421 GL1	cool sunrise	4005176429484	55.61
	40 421 GN1	brushed cool sunrise	4005176429934	59.33
	40 421 DA1	warm sunset	4005176429330	55.61
	40 421 DL1	brushed warm sunset	4005176430084	59.33
	40 421 A01	hard graphite	4005176429637	55.61
	40 421 AL1	Brushed Hard Graphite	4005176429781	59.33
	<p><b>Essentials</b>  <b>Grip bar</b>  material: metal  349 mm (useable length 295 mm)  concealed fastening  <b>GROHE StarLight</b> chrome finish  suitable for screwing (including screws and dowels)</p>			

# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 793 001	Chrome	4005176327599	52.98
	40 793 DC1	supersteel	4005176413230	74.18
<b>Essentials</b> <b>Grip bar</b> material: metal 507 mm (useable length 450 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
 	40 794 001	Chrome	4005176327605	63.56
	40 794 DC1	supersteel	4005176413247	89.00
<b>Essentials</b> <b>Grip bar</b> material: metal 657 mm (useable length 600 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
 	40 797 001	Chrome	4005176327636	164.23
<b>Essentials</b> <b>Grip bar</b> material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels)				
 	40 799 001	Chrome	4005176327971	42.39
	40 799 DC1	supersteel	4005176413216	59.33
<b>Essentials</b> <b>Glass shelf</b> material: glass / metal 530 mm (useable length 380 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 689 001	Chrome	4005176326363	27.54
	40 689 DC1	supersteel	4005176413131	38.68
	40 689 BE1	polished nickel	4005176430213	41.31
	40 689 EN1	brushed nickel	4005176326370	43.97
	40 689 GL1	cool sunrise	4005176429460	41.31
	40 689 GN1	brushed cool sunrise	4005176429910	43.97
	40 689 DA1	warm sunset	4005176429316	41.31
	40 689 DL1	brushed warm sunset	4005176430060	43.97
	40 689 A01	hard graphite	4005176429613	41.31
	40 689 AL1	Brushed Hard Graphite	4005176429767	43.97
	<b>Essentials</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)			

# GROHE ESSENTIALS



Ref. No.	Colour	EAN	Retail Guide Price (£)
40 367 001	Chrome	4005176326387	30.72
40 367 DC1	supersteel	4005176412455	42.90
40 367 BE1	polished nickel	4005176430220	46.07
40 367 EN1	brushed nickel	4005176326394	49.26
40 367 GL1	cool sunrise	4005176429477	46.07
40 367 GN1	brushed cool sunrise	4005176429927	49.26
40 367 DA1	warm sunset	4005176429323	46.07
40 367 DL1	brushed warm sunset	4005176430077	49.26
40 367 A01	hard graphite	4005176429620	46.07
40 367 AL1	Brushed Hard Graphite	4005176429774	49.26


## Essentials

### Toilet roll holder

material: metal  
with cover  
concealed fastening

**GROHE StarLight** chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 385 001	Chrome	4005176326356	23.30
40 385 DC1	supersteel	4005176413094	32.84
40 385 BE1	polished nickel	4005176430206	34.96
40 385 EN1	brushed nickel	4005176430299	37.61
40 385 GL1	cool sunrise	4005176429453	34.96
40 385 GN1	brushed cool sunrise	4005176429903	37.61
40 385 DA1	warm sunset	4005176429309	34.96
40 385 DL1	brushed warm sunset	4005176430053	37.61
40 385 A01	hard graphite	4005176429606	34.96
40 385 AL1	Brushed Hard Graphite	4005176429750	37.61


## Essentials

### Spare toilet paper holder

material: metal  
wall mounted  
concealed fastening

**GROHE StarLight** chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)



40 374 001	Chrome	4005176326400	38.14
40 374 DC1	supersteel	4005176412486	53.51
40 374 BE1	polished nickel	4005176430190	57.21
40 374 EN1	brushed nickel	4005176430282	61.45
40 374 GL1	cool sunrise	4005176429446	57.21
40 374 GN1	brushed cool sunrise	4005176429897	61.45
40 374 DA1	warm sunset	4005176429293	57.21
40 374 DL1	brushed warm sunset	4005176430046	61.45
40 374 A01	hard graphite	4005176429590	57.21
40 374 AL1	Brushed Hard Graphite	4005176429743	61.45

## Essentials

### Toilet brush set


material: glass / metal  
wall mounted  
concealed fastening

**GROHE StarLight** chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)

40 791 001	white	4005176323409	5.83
40 791 KS1	velvet black	4005176336379	5.83

### Spare Brush Head



40 663 001	Chrome	4005176327834	52.92
------------	--------	---------------	-------

## BauCosmopolitan











### Soap wire basket

material: metal  
for corner installation  
large

suitable for screwing (including screws and dowels)




# GROHE ESSENTIALS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 664 001	Chrome	4005176327841	42.66
<b>BauCosmopolitan</b> <b>Soap wire basket</b> material: metal <b>for corner installation</b> small suitable for screwing (including screws and dowels)				
 	40 407 001 40 407 DC1	Chrome supersteel	4005176328350 4005176413179	73.65 103.31
<b>Essentials</b> <b>3-in-1 WC set</b> material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 775 001 40 775 DC1 40 775 EN1	Chrome supersteel brushed nickel	4005176328626 4005176413186 4005176324765	72.57 101.72 116.56
<b>Essentials</b> <b>3-in-1 Guest bathroom accessories set</b> material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 776 001 40 776 DC1	Chrome supersteel	4005176328633 4005176413193	93.77 132.45
<b>Essentials</b> <b>4-in-1 Master bathroom accessories set</b> material: metal Consisting of: towel ring (40 365 001) robe hook (40 364 001) toilet paper holder (40 367 001) towel rail, 600 mm (40 366 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				
 	40 846 001	Chrome	4005176344091	116.56
<b>Essentials</b> <b>4-in-1 Master bathroom accessories set</b> material: metal Consisting of: soap dispenser with holder (40 448 001) crystal glass with holder (40 447 001) double towel bar (40 371 001), suitable for screwing only (including screws and dowels) robe hook (40 364 001) concealed fastening <b>GROHE StarLight</b> finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)				



Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 344 001	Chrome	4005176323461	116.56
40 344 DC1	supersteel	4005176413209	164.23



**Essentials**

**Master bathroom accessories set 5-in-1**

material: glass / metal

Consisting of:

towel ring (40 365 001)

towel rail, 600 mm (40 366 001)

robe hook (40 364 001)

paper holder with cover (40 367 001)













soap dish with holder (40 444 001)

concealed fastening













**GROHE StarLight** chrome finish

suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)











# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 508 001	Chrome	4005176324413	30.71
	40 508 DC1	supersteel	4005176636554	55.97
	40 508 AL1	Brushed Hard Graphite	4005176636653	63.58
	<p><b>Essentials Cube</b>  <b>Glass/soap dish holder</b>            material: metal            for crystal glass (40 372 001)            soap dish (40 368 001) or soap dispenser (40 394 001)            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 394 001	Chrome	4005176326233	19.06
	40 394 DC1	supersteel	4005176421532	27.01
	40 394 AL1	Brushed Hard Graphite	4005176429736	30.71
	<p><b>Essentials</b>  <b>Soap dispenser</b>            material: glass / metal            filling quantity 160 ml            fits in the following holders:            Essentials (40 369 xx1)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)            Essentials Authentic (40 652)  <b>GROHE StarLight</b> chrome finish</p>			
	40 368 001	glass clear	4005176326219	6.45
	<p><b>Essentials</b>  <b>Soap dish</b>            material: glass            fits in the following holders:            Essentials (40 369 xx1)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)            Essentials Authentic (40 652)</p>			
	40 372 001		4005176326226	7.73
	<p><b>Essentials</b>  <b>Crystal glass</b>            material: glass            fits in the following holders:            Essentials (40 369 xx1)            Essentials Cube (40 508 000)            Bau Cosmopolitan (40 585)            Essentials Authentic (40 652)</p>			
	40 756 001	Chrome	4005176328381	49.77
	<p><b>Essentials Cube</b>  <b>Soap dispenser with holder</b>            material: glass / metal            filling quantity 160 ml            Consisting of:            holder (40 508 001)            soap dispenser (40 394 001)            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			
	40 755 001	Chrome	4005176328374	37.07
	<p><b>Essentials Cube</b>  <b>Crystal glass with holder</b>            material: glass / metal            Consisting of:            holder (40 508 001)            crystal glass (40 372 001)            concealed fastening  <b>GROHE StarLight</b> chrome finish</p>			









# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 754 001	Chrome	4005176328367	37.62
<b>Essentials Cube</b> <b>Soap dish with holder</b> material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 510 001	Chrome	4005176324420	42.39
	40 510 DC1	supersteel	4005176636172	76.30
	40 510 AL1	Brushed Hard Graphite	4005176636578	87.72
<b>Essentials Cube</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 624 001	Chrome	4005176324444	59.88
	40 624 DC1	supersteel	4005176636486	106.82
	40 624 AL1	Brushed Hard Graphite	4005176636585	122.08
<b>Essentials Cube</b> <b>Towel bar</b> material: metal 2 arms, pivotable 439 mm concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 509 001	Chrome	4005176324437	47.16
	40 509 DC1	supersteel	4005176636493	85.20
<b>Essentials Cube</b> <b>Towel rail</b> material: metal 600 mm (useable length 558 mm) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 512 001	Chrome	4005176324451	153.65
	40 512 AL1	Brushed Hard Graphite	4005176636608	316.63
<b>Essentials Cube</b> <b>Multi-towel rack</b> material: metal 600 mm (useable length 558 mm) concealed fastening <b>GROHE StarLight</b> chrome finish				
 	40 511 001	Chrome	4005176324475	18.01
	40 511 DC1	supersteel	4005176636516	33.06
	40 511 AL1	Brushed Hard Graphite	4005176636615	36.89
<b>Essentials Cube</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish				













# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 514 001	Chrome	4005176324468	63.56
	40 514 DC1	supersteel	4005176636523	114.45
	40 514 AL1	Brushed Hard Graphite	4005176636622	130.97
	<b>Essentials Cube</b> <b>Grip bar</b> material: metal 392 mm (useable length 340 mm) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 507 001	Chrome	4005176324598	35.49
	40 507 DC1	supersteel	4005176636530	64.86
	40 507 AL1	Brushed Hard Graphite	4005176636639	73.75
	<b>Essentials Cube</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 623 001	Chrome	4005176324482	29.66
	40 623 DC1	supersteel	4005176636547	53.41
	40 623 AL1	Brushed Hard Graphite	4005176636646	61.03
	<b>Essentials Cube</b> <b>Spare toilet paper holder</b> material: metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 513 001	Chrome	4005176324604	61.98
	40 513 DC1	supersteel	4005176636165	110.63
	40 513 AL1	Brushed Hard Graphite	4005176636561	125.88
	<b>Essentials Cube</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 791 001	white	4005176323409	5.83
	40 791 KS1	velvet black	4005176336379	5.83
	<b>Spare Brush Head</b>			
	40 757 001	Chrome	4005176328497	103.83
	<b>Essentials Cube</b> <b>3-in-1 WC set</b> material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
				











# GROHE ESSENTIALS CUBE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 777 001	Chrome	4005176328640	90.59
<p><b>Essentials Cube</b>  <b>3-in-1 Guest bathroom accessories set</b>                      material: metal                      Consisting of:                      robe hook (40 511 001)                      toilet paper holder (40 507 001)                      towel rail, 558 mm (40 509 001)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 778 001	Chrome	4005176328657	127.15
<p><b>Essentials Cube</b>  <b>4-in-1 Master bathroom accessories set</b>                      material: metal                      Consisting of:                      robe hook (40 511 001)                      towel ring (40 510 001)                      toilet paper holder (40 507 001)                      towel rail, 558 mm (40 509 001)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				
 	40 847 001	Chrome	4005176344107	148.34
<p><b>Essentials Cube</b>  <b>4-in-1 Bathroom accessories set</b>                      material: glass / metal                      Consisting of:                      soap dispenser with holder (40 756 001)                      crystal glass with holder (40 755 001)                      double towel bar (40 624 001)                      robe hook (40 511 001)                      concealed fastening  <b>GROHE StarLight</b> finish</p>				
 	40 758 001	Chrome	4005176328503	158.93
<p><b>Essentials Cube</b>  <b>Master bathroom accessories set 5-in-1</b>                      material: glass / metal                      Consisting of:                      soap dish with holder (40 754 001)                      towel rail, 558 mm (40 509 001)                      toilet paper holder (40 507 001)                      robe hook (40 511 001)                      towel ring (40 510 001)                      concealed fastening  <b>GROHE StarLight</b> chrome finish</p>				

# GROHE BAUCOSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 585 001	Chrome	4005176327797	18.89
<p><b>BauCosmopolitan</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 394 001	Chrome	4005176326233	19.06
<p><b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish</p>				
 	40 368 001	glass clear	4005176326219	6.45
<p><b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001		4005176326226	7.73
<p><b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 460 001	Chrome	4005176327803	18.89
<p><b>BauCosmopolitan</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 459 001	Chrome	4005176327810	27.00
<p><b>BauCosmopolitan</b> <b>Towel rail</b> material: metal 522 mm (useable length 430 mm) concealed fastening <b>GROHE StarLight</b> chrome finish suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				

# GROHE BAUCOSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 462 001	Chrome	4005176327827	99.92
<p><b>BauCosmopolitan</b>  <b>Multi-towel rack</b>                      material: metal                      564 mm (useable length 510 mm)                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels)</p>				
 	40 461 001	Chrome	4005176327858	11.34
<p><b>BauCosmopolitan</b>  <b>Robe hook</b>                      material: metal                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 457 001	Chrome	4005176327865	23.77
<p><b>BauCosmopolitan</b>  <b>Toilet Roll Holder</b>                      material: metal                      without cover                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
 	40 463 001	Chrome	4005176327872	30.78
<p><b>BauCosmopolitan</b>  <b>Toilet brush set</b>                      material: glass / metal                      wall mounted                      concealed fastening  <b>GROHE StarLight</b> chrome finish                      suitable for screwing (including screws and dowels) or gluing (glue 40 915 000 sold separately)</p>				
	40 791 001	white	4005176323409	5.83
	40 791 KS1	velvet black	4005176336379	5.83
<p><b>Spare Brush Head</b></p>				
 	40 663 001	Chrome	4005176327834	52.92
<p><b>BauCosmopolitan</b>  <b>Soap wire basket</b>                      material: metal  <b>for corner installation</b>                      large                      suitable for screwing (including screws and dowels)</p>				



# GROHE BAUCOSMOPOLITAN











Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 664 001	Chrome	4005176327841	42.66
------------	--------	---------------	-------













**BauCosmopolitan**  
**Soap wire basket**  
material: metal  
**for corner installation**  
small  
suitable for screwing (including screws and dowels)

# GROHE ESSENTIALS AUTHENTIC



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 652 001	Chrome	4005176324321	23.30
	40 652 EN1	brushed nickel	4005176324239	37.61
	<b>Essentials Authentic</b> <b>Glass/soap dish holder</b> material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 394 001	Chrome	4005176326233	19.06
	40 394 EN1	brushed nickel	4005176412646	30.71
	<b>Essentials</b> <b>Soap dispenser</b> material: glass / metal filling quantity 160 ml fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) <b>GROHE StarLight</b> chrome finish			
	40 368 001	glass clear	4005176326219	6.45
	<b>Essentials</b> <b>Soap dish</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 372 001		4005176326226	7.73
	<b>Essentials</b> <b>Crystal glass</b> material: glass fits in the following holders: Essentials (40 369 xx1) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)			
	40 655 001	Chrome	4005176324338	23.30
	40 655 EN1	brushed nickel	4005176324246	37.61
	<b>Essentials Authentic</b> <b>Towel ring</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish			
	40 653 001	Chrome	4005176324345	37.07
	40 653 EN1	brushed nickel	4005176324253	59.33
	<b>Essentials Authentic</b> <b>Towel rail</b> material: metal 626 mm (useable length 582 mm) concealed fastening <b>GROHE StarLight</b> chrome finish			

# GROHE ESSENTIALS AUTHENTIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 654 001	Chrome	4005176324352	63.56
	40 654 EN1	brushed nickel	4005176324260	102.25
	<p><b>Essentials Authentic</b> <b>Double towel rail</b> material: metal 626 mm (useable length 582 mm) concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
	40 660 001	Chrome	4005176324369	127.15
	40 660 EN1	brushed nickel	4005176324277	201.35
	<p><b>Essentials Authentic</b> <b>Multi-towel rack</b> material: metal 586 mm (useable length 542 mm) concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
	40 656 001	Chrome	4005176324383	12.70
	40 656 EN1	brushed nickel	4005176324291	20.64
	<p><b>Essentials Authentic</b> <b>Robe hook</b> material: metal concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
	40 657 001	Chrome	4005176324390	27.54
	40 657 EN1	brushed nickel	4005176324307	43.97
	<p><b>Essentials Authentic</b> <b>Toilet roll holder</b> material: metal without cover concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
	40 658 001	Chrome	4005176324406	38.14
	40 658 EN1	brushed nickel	4005176324314	61.45
	<p><b>Essentials Authentic</b> <b>Toilet brush set</b> material: glass / metal wall mounted concealed fastening <b>GROHE StarLight</b> chrome finish</p>			
	40 791 001	white	4005176323409	5.83
	40 791 KS1	velvet black	4005176336379	5.83
	<p><b>Spare Brush Head</b></p>			

# GROHE ESSENTIALS AUTHENTIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
40 659 001	Chrome	4005176324376	41.84
40 659 EN1	brushed nickel	4005176324284	66.74



**Essentials Authentic  
Corner Basket, small**  
material: metal  
concealed fastening  
**GROHE StarLight** chrome finish

# GROHTHERM THERMOSTATS







## CONTENTS

Grohtherm SmartControl	257
Grohtherm 2 handle trim sets	269
Grohtherm 2000	276
Grohtherm Cube	282
Grohtherm 1000 Cosmopolitan 3/4"	286
Grohtherm 1000	288
Grohtherm 1000 Performance	292
Grohtherm 800 Cosmopolitan	296
Grohtherm 800	299
Grohtherm 500	301

## SAFETY NOTE

### Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43 °C. The Grohtherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38 °C. In these cases we recommend the Grohtherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


# GROHE TURBOSTAT



## ALWAYS THE RIGHT TEMPERATURE, FOR ULTIMATE CONVENIENCE AND SAFETY.


GROHE TurboStat technology lies at the heart of our Grotherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

### Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



### Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat
- with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.





# GROHE COOLTOUCH




THERMOSTATS

## SAFETY FIRST WITH 100 % GROHE COOLTOUCH.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.




## Safety surround = 100% GROHE CoolTouch No risk of scalding



Safety housing with water cooling



Thermal image  
**without** GROHE CoolTouch



Thermal image  
**with** GROHE CoolTouch

# THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl


Concealed technology and elegant super slim design – 43 mm – for more space under the shower



# NEW GROHE TWO-HANDLE THERMOSTATS: ROUND, SQUARE OR CUBE?

Our new thermostats with conventional operation are anything but conventional. We have designed them to be as user-friendly and intuitive as possible. Turn on the hand shower by rotating the upper control button slightly to the left. To switch over to the head shower, turn the control button towards the right. Also available as 1-function model to operate a single shower. The exceedingly narrow plates, with a height of just 10 mm and the slim design of the controls, ensure that the overall outreach is a mere 43 mm. Offering the choice between round, square and cube shapes, our thermostats appeal not only to lovers of geometry. Representing the perfect balance between form and function, our two-handle thermostats provide a beautiful centrepiece for every shower.

All Grohtherm Concealed thermostats are made to fit our new universal solution: the GROHE Rapido SmartBox system.





# THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL COMBI** SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl Combi shower system, which offers a range of different installation options and possible combinations. This means for example, that you are free to position the thermostat either vertically under the shower head or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



**Easy cleaning**  
Flush to wall mounting

**SmartControl push for ON-OFF**, turn for volume adjustment from EcoJoy to Full Flow

**Integrated GROHE EasyReach tray**  
Easily accessible storage by optional shelf. Easy to clean.

**100 % GROHE CoolTouch**  
No risk of scalding on hot metal surfaces

**SafeStop**  
Temperature stop protects against scalding.

**GROHE TurboStat**  
For a perfect water temperature at all times.

# DISCOVER THE NEW STANDARD IN EXPOSED THERMOSTATS: **GROHTHERM SMARTCONTROL EXPOSED**

We are proud to present our Grohtherm SmartControl: a major new development in exposed thermostats. Available as separate units, Grohtherm SmartControl exposed thermostats combine the design of GROHE and the comfort of SmartControl. We've given it a compact shape to offer more space under the shower and its EasyReach tray makes plenty of room on top for shower accessories. A forward-facing thermostat button makes operation from the front most convenient. And like all GROHE thermostats, Grohtherm SmartControl comes equipped with TurboStat for precise temperature control and 100 % CoolTouch to keep thermostat surfaces at a safe temperature and avoid scalding.






# GROHTHERM 3000 COSMOPOLITAN

## MINIMALIST & 100 % GROHE COOLTOUCH.

Grohtherm 3000 Cosmopolitan thermostats are based on an aesthetic philosophy based on simple cylinders in perfect proportions, creating balance and harmony enhanced by GROHE StarLight chrome, a deep luxurious finish.

While GROHE TurboStat maintains your perfect water temperature, GROHE CoolTouch eliminates the risk of scalding from hot chrome surfaces, while the EcoButton enables you to reduce your water consumption up to 50 %.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**100 % GROHE CoolTouch**  
No risk of scalding on hot metal surfaces

**Covered S-unions**  
No visible connections

**Ergonomic grip**  
The indentation in the handle improves grip and control, even with soapy hands.

**SafeStop**  
Temperature stop protects against scalding.

**Minimalist design**  
Minimalistic in every detail; fully integrated mousseur

**GROHE AquaDimmer**  
Volume handle with integrated diverter

# GROHTHERM 2000

## 100 % GROHE COOLTOUCH, ADVANCED ERGONOMICS & EASYREACH TRAY.

The elegant design of Grohtherm 2000 ensures it will complement any bathroom design. Experience the beauty of the XL Waterfall from our exposed bath/shower thermostat. Enjoy the convenience of the GROHE EasyReach shower tray, with easy-to-clean integrated storage for your shampoo or soap.

Featuring 100 % GROHE CoolTouch, the solid metal housing of Grohtherm 2000 remains cool and safe at all times. With GROHE TurboStat you will always enjoy your perfect water temperature, independent of any fluctuations in water pressure. Grohtherm 2000 thermostats are available with and without the metal made GROHE EasyReach storage.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE Aqua Paddle**  
Beautiful ergonomics for ease of use and precise water control.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.

**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.

**100 % GROHE CoolTouch**  
No scalding from hot surfaces; the child-friendly solution.



# GROHTHERM CUBE

## 100 % CUBE.

For years, GROHE has been synonymous with thermostats for the bathroom, with over 30 million sold worldwide. With the launch of this pure Cubist thermostat range, GROHE offers innovative design combined with the highest quality standards. From its Cubist design and its water-saving options to the smart EasyReach soap tray – Grohtherm Cube thermostats and shower systems offer full enjoyment to the last detail, perfectly matching several GROHE cubic tap and shower designs.



**GROHE EasyReach**  
Easily accessible storage by optional shelf. Easy to clean.

**GROHE AquaDimmer Eco**  
The water-saving system for bath and shower.

**GROHE TurboStat**  
For a perfect water temperature at all times.


**GROHE XL Waterfall**  
Wide bath spout with XL-Size silent water flow.



# GROHTHERM 1000

## ULTIMATE COMFORT WITH GROHE COOLTOUCH.

Enjoy taking a refreshing shower more than ever before. The Grohtherm 1000 with contemporary design offers a GROHE CoolTouch compact body, ergonomically shaped metal handles, GROHE TurboStat technology and water-saving eco functions.





# GROHTHERM 1000 PERFORMANCE

## COOLTOUCH THERMOSTAT WITH PROGRIP.

Transform your shower into a smart comfort zone. GROHE TurboStat provides you with a constant water temperature without the hot or cold surprises during your shower. The smart designed ProGrip gives you precise control on waterflow and temperature and thanks to the internal cooling channel of GROHE CoolTouch, the complete shower body never exceeds your showering temperature.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**GROHE CoolTouch compact body**  
No risk of scalding on the body.

**Smart Ergonomics**  
GROHE ProGrip with knurl structure combines ergonomic grip with amazing shape

**SafeStop**  
Safety lock protects against scalding.

**EasyLogic**  
improved intuitive graphics on body

**GROHE AquaDimmer Eco**  
Switch between spout and shower with water saving function for shower.



# GROHTHERM 800 COSMOPOLITAN

## MINIMALISTIC DESIGN WITH ERGONOMIC METAL HANDLE.

Offering quality, technology and design at a competitive price, Grohtherm 800 Cosmopolitan is our most compact thermostat. Crafted from a series of perfect cylinders, its slender design is the preferred choice for modern, architectural-style spaces.



**Automatic diverter**  
automatically returns from hand  
shower to bath spout when off

**EcoButton**  
saving up to  
50 % water.

**Metal grip**  
Ergonomic metal handle –  
easy to use with soapy hands.

**GROHE TurboStat**  
For a perfect water  
temperature at all times.

**SafeStop**  
Temperature stop protects  
against scalding.

# GROHTHERM 800

## SAFE AND ERGONOMIC.

Experience the benefits of a thermostatically controlled shower at an attractive price. Finished in sparkling GROHE StarLight chrome, Grohtherm 800 benefits from GROHE TurboStat technology, ensuring luxurious showering at a constant temperature. The SafeStop button, set at 38 °C, prevents children from turning up the temperature, while the EcoButton allows you to reduce water usage.



**GROHE TurboStat**  
For a perfect water temperature at all times.

**EasyLogic**  
Improved intuitive graphics on body


**SafeStop**  
Temperature stop protects against scalding.

**Eco Button**  
Saving up to 50 % water



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 123 000	Chrome	4005176413292	636.01
29 123 GN0	brushed cool sunrise	4005176558122	887.67
29 123 DL0	brushed warm sunset	4005176558092	887.67
29 123 A00	hard graphite	4005176558054	832.11
29 123 AL0	Brushed Hard Graphite	4005176558061	887.67




**Grotherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
**without roughing-in-set**  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min



35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

29 124 000	Chrome	4005176413308	692.57
29 124 DC0	supersteel	4005176526329	845.68
29 124 GN0	brushed cool sunrise	4005176558207	966.69
29 124 DL0	brushed warm sunset	4005176558177	966.69
29 124 A00	hard graphite	4005176558139	906.18
29 124 AL0	Brushed Hard Graphite	4005176558146	966.69





**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min





35 604 000	4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		




# GROHE GROHTHERM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
	29 125 000	Chrome	4005176413315	831.05	
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 2 valves and integrated shower holder</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> chrome finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve and dirt strainers            multiple outlets can be run simultaneously            integrated shower union with shower outlet 1/2"  <b>without roughing-in-set</b>            flow performance:            outlet B = 24 l/min            hand shower = 12 l/min            outlet B + hand shower = 27 l/min</p>				
		35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>					

	29 126 000	Chrome	4005176413322	749.10	
	29 126 DC0	supersteel	4005176526343	914.81	
	29 126 GN0	brushed cool sunrise	4005176558368	1,045.68	
	29 126 DL0	brushed warm sunset	4005176558337	1,045.68	
	29 126 A00	hard graphite	4005176558290	980.26	
	29 126 AL0	Brushed Hard Graphite	4005176558306	1,045.68	
	<p><b>Grotherm SmartControl</b>  <b>Thermostat for concealed installation with 3 valves</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604            metal wall escutcheon with <b>GROHE FastFixation</b> (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  <b>GROHE StarLight</b> chrome finish  <b>GROHE SmartControl</b> push for ON-OFF, turn for volume adjustment from EcoJoy to full flow            exchangeable symbols  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            GROHE ProGrip with knurl structure  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve and dirt strainers            multiple outlets can be run simultaneously  <b>without roughing-in-set</b>            flow performance:            outlet A = 23 l/min            outlet B = 27 l/min            outlet C = 23 l/min            outlet A + B = 33 l/min            outlet A + B + C = 36 l/min</p>				
		35 604 000		4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>					

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 127 000	Chrome	4005176413339	456.54
29 127 DC0	supersteel	4005176526350	559.28
29 127 GN0	brushed cool sunrise	4005176558443	638.28
29 127 DL0	brushed warm sunset	4005176558412	638.28
29 127 A00	hard graphite	4005176558375	598.76
29 127 AL0	Brushed Hard Graphite	4005176558382	638.28



**Grotherm SmartControl  
Triple volume control trim**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604/35 601  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable  
10 mm thin profile escutcheon

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min

optional flow reducer for CALGreen compliance included



<b>35 604 000</b>	<b>4005176698774</b>	<b>142.72</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

<b>29 153 LS0</b>	<b>moon white</b>	<b>4005176413582</b>	<b>818.36</b>
-------------------	-------------------	----------------------	---------------

**Grotherm SmartControl**

**Thermostat for concealed installation with one valve**

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers


cover plate in moon white acrylic glass

**without roughing-in-set**

flow performance:

outlet A (to external shut-off) = 34 l/min

outlet B/C = 29 l/min




<b>35 604 000</b>	<b>4005176698774</b>	<b>142.72</b>
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>		

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 156 LS0	moon white	4005176413599	874.90
------------	------------	---------------	--------




**Grotherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 157 LS0	moon white	4005176413605	931.39
------------	------------	---------------	--------



**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min




35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 158 LS0	moon white	4005176413612	578.06
------------	------------	---------------	--------



**Grotherm SmartControl  
Triple volume control trim**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604/35 601  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable  
10 mm thin profile escutcheon

**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
exchangeable symbols  
GROHE ProGrip with knurl structure  
multiple outlets can be run simultaneously  
cover plate in moon white acrylic glass


**without roughing-in-set**

flow performance:  
outlet D = 28 l/min  
outlet E = 28 l/min  
outlet A = 28 l/min  
outlet D+E+A = 65 l/min  
optional flow reducer for CALGreen compliance included



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 118 000	Chrome	4005176412240	608.04
29 118 DC0	supersteel	4005176455032	748.15
29 118 GL0	cool sunrise	4005176492976	822.23
29 118 GN0	brushed cool sunrise	4005176492983	877.79
29 118 DA0	warm sunset	4005176492990	822.23
29 118 DL0	brushed warm sunset	4005176493003	877.79
29 118 A00	hard graphite	4005176493010	822.23
29 118 AL0	Brushed Hard Graphite	4005176455049	844.04



**Grotherm SmartControl**

**Thermostat for concealed installation with one valve**

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604  
metal wall escutcheon with **GROHE FastFixation** (covered escutcheon  
and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
exchangeable symbols

**GROHE TurboStat** compact cartridge  
with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C  
( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
built-in non return valve  
and dirt strainers

**without roughing-in-set**


flow performance:  
outlet A (to external shut-off) = 34 l/min  
outlet B/C = 29 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 119 000	Chrome	4005176412257	701.29
29 119 DC0	supersteel	4005176455056	917.11
29 119 GL0	cool sunrise	4005176493041	896.30
29 119 GN0	brushed cool sunrise	4005176493058	955.58
29 119 DA0	warm sunset	4005176493065	896.30
29 119 DL0	brushed warm sunset	4005176493072	955.58
29 119 A00	hard graphite	4005176493089	896.30
29 119 AL0	Brushed Hard Graphite	4005176455063	919.02



## Grotherm SmartControl

### Thermostat for concealed installation with 2 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet B = 24 l/min

outlet C = 26 l/min

outlet B+C = 29 l/min



35 604 000

4005176698774

142.72

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 120 000 Chrome 4005176412264 794.51

## Grotherm SmartControl

### Thermostat for concealed installation with 2 valves and integrated shower holder

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

integrated shower union with shower outlet 1/2"


**without roughing-in-set**

flow performance:

outlet B = 24 l/min

hand shower = 12 l/min

outlet B + hand shower = 27 l/min



35 604 000


4005176698774

142.72

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
29 121 000	Chrome	4005176412271	716.17
29 121 DC0	supersteel	4005176455094	881.49
29 121 GL0	cool sunrise	4005176493188	969.14
29 121 GN0	brushed cool sunrise	4005176493195	1,045.68
29 121 DA0	warm sunset	4005176493201	969.14
29 121 DL0	brushed warm sunset	4005176493218	1,033.32
29 121 A00	hard graphite	4005176493225	969.14
29 121 AL0	Brushed Hard Graphite	4005176455100	1,133.71



## Grotherm SmartControl

### Thermostat for concealed installation with 3 valves

set for final installation for

GROHE Rapido SmartBox 35 600/35 604

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

exchangeable symbols

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

built-in non return valve

and dirt strainers

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet A = 23 l/min

outlet B = 27 l/min

outlet C = 23 l/min

outlet A + B = 33 l/min

outlet A + B + C = 36 l/min




35 604 000

4005176698774

142.72

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 122 000	Chrome	4005176412288	436.47
29 122 DC0	supersteel	4005176455117	538.28
29 122 BE0	polished nickel	4005176493232	591.35
29 122 EN0	brushed nickel	4005176413728	579.01
29 122 GL0	cool sunrise	4005176515194	591.35
29 122 GN0	brushed cool sunrise	4005176515200	630.87
29 122 DA0	warm sunset	4005176515217	591.35
29 122 DL0	brushed warm sunset	4005176515224	630.87
29 122 A00	hard graphite	4005176515231	591.35
29 122 AL0	Brushed Hard Graphite	4005176455124	579.01



## Grotherm SmartControl

### Triple volume control trim

set for final installation for

GROHE Rapido SmartBox 35 600/35 604/35 601

metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable

10 mm thin profile escutcheon

**GROHE StarLight** chrome finish

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from

EcoJoy to full flow

exchangeable symbols

GROHE ProGrip with knurl structure

multiple outlets can be run simultaneously

**without roughing-in-set**

flow performance:

outlet D = 28 l/min

outlet E = 28 l/min

outlet A = 28 l/min

outlet D+E+A = 65 l/min



35 604 000

4005176698774

142.72


**GROHE Rapido SmartBox universal rough-in box for concealed installation**



# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 150 LS0	moon white	4005176413544	818.35
------------	------------	---------------	--------




**Grohtherm SmartControl**  
**Thermostat for concealed installation with one valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet A (to external shut-off) = 34 l/min  
 outlet B/C = 29 l/min



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

29 151 LS0	moon white	4005176413551	874.90
------------	------------	---------------	--------



**Grohtherm SmartControl**  
**Thermostat for concealed installation with 2 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet B = 24 l/min  
 outlet C = 26 l/min  
 outlet B+C = 29 l/min




35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

29 904 LS0	moon white	4005176413568	931.39
------------	------------	---------------	--------




**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			

29 152 LS0	moon white	4005176413575	578.06
------------	------------	---------------	--------




**Grotherm SmartControl**  
**Triple volume control trim**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604/35 601  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
 10 mm thin profile escutcheon  
**GROHE StarLight** finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
 GROHE ProGrip with knurl structure  
 multiple outlets can be run simultaneously  
 cover plate in moon white acrylic glass  
**without roughing-in-set**  
 flow performance:  
 outlet D = 28 l/min  
 outlet E = 28 l/min  
 outlet A = 28 l/min  
 outlet D+E+A = 65 l/min  
 optional flow reducer for CALGreen compliance included



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			


34 742 000	Chrome	4005176484094	1,652.28
------------	--------	---------------	----------




**Grotherm SmartControl**  
**Perfect shower set**  
 Consisting of:  
 concealed thermostat with 2 valves and integrated hand shower holder  
 Grotherm SmartControl set for final installation (29 125 000)  
 GROHE Rapido SmartBox 35 600/35 604  
 Rainshower F-Series 10" head shower set (26 070 000)  
 including horizontal shower arm 286 mm  
 hand shower Power&Soul Cosmopolitan 115 (27 661 000)  
 Silverflex shower hose 1250 mm (28 362)

# GROHE GROHTHERM SMARTCONTROL


Ref. No.      Colour      EAN      Retail Guide Price (£)



**Grotherm SmartControl  
Perfect shower set with Rainshower SmartActive 310 Cube**  
Consisting of:  
concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation (29 126 000)  
GROHE Rapido SmartBox (35 604)  
Rainshower SmartActive 310 Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
hand shower Euphoria Cube Stick (27 698 000)  
Euphoria Cube wall union with integrated shower holder (26 370 000)  
Rotaflex shower hose 1500 mm (28 417 000) professional edition



**34 743 000      Chrome      4005176484100      1,539.20**  
**Grotherm SmartControl  
Perfect shower set**  
Consisting of:  
concealed thermostat with 2 valves and integrated hand shower holder  
Grotherm SmartControl set for final installation (29 120 000)  
GROHE Rapido SmartBox 35 600/35 604  
Rainshower Cosmopolitan 210 head shower set (26 062 000) including horizontal shower arm 286 mm  
hand shower Power&Soul Cosmopolitan 115 (27 661 000)  
Silverflex shower hose 1250 mm (28 362)




**34 744 000      Chrome      4005176484117      1,293.24**  
**Grotherm SmartControl  
Perfect shower set**  
Consisting of:  
concealed thermostat with 2 valves and integrated hand shower holder  
Grotherm SmartControl set for final installation (29 120 000)  
GROHE Rapido SmartBox 35 600/35 604  
Euphoria 260 head shower set 3 sprays (26 458 000) including horizontal shower arm 380 mm  
hand shower Euphoria Cosmopolitan Stick (27 400)  
Silverflex shower hose 1250 mm (28 362)




**34 705 000      Chrome      4005176413285      1,765.31**  
**Grotherm SmartControl  
Perfect shower set with Rainshower SmartActive 310**  
Consisting of:  
concealed thermostat with 3 valves  
Grotherm SmartControl set for final installation (29 121 000)  
GROHE Rapido SmartBox 35 600/35 604  
Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000)  
Euphoria Cosmopolitan Stick handshower (27 367)  
Rainshower wall holder (27 074 000)  
Rainshower wall union 1/2" (27 057 000)  
Silverflex shower hose 1.500 mm (28 364)

# GROHE GROHTHERM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 713 000	Chrome	4005176409776	1,129.33







**Grotherm SmartControl**  
Combi thermostatic shower mixer  
with 3 valves, exposed/concealed  
wall mounted

- GROHE CoolTouch prevents scalding on hot surfaces
- GROHE StarLight chrome finish
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE ProGrip with knurl structure
- GROHE SafeStop safety button at 38°C ( calibration required )
- GROHE SafeStop Plus optional temperature limiter at 43°C included
- GROHE EcoJoy technology for less water and perfect flow
- GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- exchangeable symbols
- GROHE EasyReach shower tray shower bottom outlet 1/2"
- multiple outlets can be run simultaneously
- protected against backflow
- requires concealed body 26 449 000 – to be ordered separately

34 714 000	Chrome	4005176409783	1,058.63
------------	--------	---------------	----------







**Grotherm SmartControl**  
Combi thermostatic shower mixer  
with 2 valves, exposed/concealed  
wall mounted

- GROHE CoolTouch prevents scalding on hot surfaces
- GROHE StarLight chrome finish
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE ProGrip with knurl structure
- GROHE SafeStop safety button at 38°C ( calibration required )
- GROHE SafeStop Plus optional temperature limiter at 43°C included
- GROHE EcoJoy technology for less water and perfect flow
- GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- exchangeable symbols
- GROHE EasyReach shower tray shower bottom outlet 1/2"
- multiple outlets can be run simultaneously
- protected against backflow
- requires concealed body 26 449 000 – to be ordered separately









26 449 000		4005176409790	351.91
------------	--	---------------	--------














**Concealed body for exposed/concealed variants**  
wall mounted  
2 outlets 1/2"  
installation depth 75-105 mm  
flushing plug  
wall sealing  
installation device

# GROHE GROHTHERM SMARTCONTROL





	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 719 000	Chrome	4005176457654	473.46
	<b>Grotherm SmartControl</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C ( calibration required ) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" built-in non return valve and dirt strainers protected against backflow			
	34 718 000	Chrome	4005176457647	521.54
	<b>Grotherm SmartControl</b> <b>Thermostatic bath/shower mixer 1/2"</b> wall mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C ( calibration required ) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement GROHE ProGrip with knurl structure GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow integrated GROHE EasyReach shower tray shower bottom outlet 1/2" bath spout with mousseur built-in non return valve and dirt strainers protected against backflow			
	34 721 000	Chrome	4005176457678	614.83
	<b>Grotherm SmartControl</b> <b>Thermostatic shower mixer 1/2" with shower set</b> Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 900 mm (27 226 001)			
	34 720 000	Chrome	4005176457661	606.36
	<b>Grotherm SmartControl</b> <b>Thermostatic shower mixer 1/2" with shower set</b> Consisting of: Grotherm SmartControl thermostatic shower mixer (34 719 000) Euphoria 110 Massage shower set, 600 mm (27 231 001)			

# GROHE GROHTHERM 2 HANDLE TRIM SETS










	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 078 000	Chrome	4005176466038	460.12
	<p><b>Grotherm</b>  <b>Thermostatic mixer for 1 outlet with shut off valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      ceramic stop valve, 120°                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 079 000	Chrome	4005176466045	512.87
	<p><b>Grotherm</b>  <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed head and hand shower symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 080 000	Chrome	4005176466052	512.87
	<p><b>Grotherm</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				











# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 728 000	Chrome	4005176466069	709.35
<p><b>Grohtherm Perfect shower set with Tempesta 210</b>            Consisting of:            Grohtherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox 35 600/35 604            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)  <b>hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</b></p>				
	34 729 000	Chrome	4005176466076	796.36
<p><b>Grohtherm Perfect shower set with Tempesta 210</b>            Consisting of:            Grohtherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox 35 600/35 604            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)            hand shower Tempesta 100 II (27 597)            Shower outlet elbow (28 628 000)            Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>				
	34 730 000	Chrome	4005176466342	1,723.23
<p><b>Grohtherm Perfect shower set with Rainshower Cosmopolitan 310</b>            Consisting of:            Grohtherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox 35 600/35 604            metal head shower Rainshower Cosmopolitan 310 (27 477 000)            Rainshower shower arm 422 mm (26 145 000)            hand shower (28 034 000)            Rainshower wall holder (27 075 000)            Rainshower wall elbow connection (27 076 000)            Silverflex shower hose 1250 mm (28 362)</p>				
	34 734 000	Chrome	4005176466403	1,215.62
<p><b>Grohtherm Perfect shower set with Rainshower Cosmopolitan 210</b>            Consisting of:            Grohtherm set for final installation with Aquadimmer (24 079)            GROHE Rapido SmartBox 35 600/35 604            metal head shower Rainshower Cosmopolitan 210 (28 368 000)            shower arm Rainshower 422 mm (26 146 000)            Euphoria Hand shower (27 265)            Shower outlet elbow (28 628 000)            Silverflex shower hose 1250 mm (28 362)</p>				

# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	24 075 000	Chrome	4005176465987	460.12
	<p><b>Grotherm</b>  <b>Thermostatic mixer for 1 outlet with shut off valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermosteement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      built-in non return valve                      and dirt strainers                      ceramic stop valve, 120°                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 076 000	Chrome	4005176465994	512.87
	<p><b>Grotherm</b>  <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermosteement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed head and hand shower symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				
 	24 077 000	Chrome	4005176466007	512.87
	<p><b>Grotherm</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>                      set for final installation for                      GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge                      with wax thermosteement  <b>GROHE StarLight</b> chrome finish                      wall escutcheon with <b>GROHE FastFixation</b>                      (covered escutcheon- and shaft sealing, covered fixing)                      metal escutcheon, retroactively 6° adjustable                      printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included                      GROHE AquaDimmer, integrated shut off/diverter valve                      flow performance:                      outlet B = 27 l/min                      outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
		35 604 000	4005176698774	142.72
<p><b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b></p>				


# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 726 000	Chrome	4005176466014	696.16
	<p><b>Grotherm</b>  <b>Perfect shower set with Tempesta 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 076)            GROHE Rapido SmartBox 35 600/35 604            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)  <b>hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</b></p>			
	34 727 000	Chrome	4005176466021	779.20
	<p><b>Grotherm</b>  <b>Perfect shower set with Tempesta 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 076)            GROHE Rapido SmartBox 35 600/35 604            head shower Tempesta 210 9.5 l/min (26 410)            Shower arm Rainshower 286 mm (28 576 000)            hand shower Tempesta 100 II (27 597)            Shower outlet elbow (28 628 000)            Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409)</p>			
	34 731 000	Chrome	4005176466359	1,723.23
	<p><b>Grotherm</b>  <b>Perfect shower set with Rainshower Cosmopolitan 310</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 076)            GROHE Rapido SmartBox 35 600/35 604            metal head shower Rainshower Cosmopolitan 310 (27 477 000)            shower arm Rainshower 422 mm (26 146 000)            hand shower (28 034 000)            Rainshower wall holder (27 074 000)            Rainshower wall elbow connection (27 057 000)            Silverflex shower hose 1250 mm (28 362)</p>			
	34 732 000	Chrome	4005176466366	1,182.65
	<p><b>Grotherm</b>  <b>Perfect shower set with Rainshower Cosmopolitan 210</b>            Consisting of:            Grotherm set for final installation with Aquadimmer (24 076)            GROHE Rapido SmartBox 35 600/35 604            Rainshower Cosmopolitan 210 metal head shower (28 373)            Rainshower shower arm 286 mm (28 576)            hand shower (28 034 000)            Rainshower wall holder (27 074 000)            Rainshower wall elbow connection (27 057 000)            Silverflex shower hose 1250 mm (28 362)</p>			

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------









34 735 000	Chrome	4005176466410	970.39
------------	--------	---------------	--------



**Grotherm**  
**Perfect shower set with Rainshower Cosmopolitan 160**  
 Consisting of:  
 Grotherm set for final installation with Aquadimmer (24 076)  
 GROHE Rapido SmartBox 35 600/35 604  
 Rainshower Cosmopolitan Headshower 160 mm (27 134)  
 Rainshower shower arm 286 mm (28 576)  
 Euphoria Hand shower (27 265)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm (28 362)

THERMOSTATS

# GROHE GROHTHERM 2 HANDLE TRIM SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	24 153 000	Chrome	4005176481178	606.04
	24 153 DC0	supersteel	4005176574221	755.56
	24 153 AL0	Brushed Hard Graphite	4005176585913	862.96
	<p><b>Grotherm Cube</b>  <b>Thermostatic mixer for 1 outlet with shut off valve</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            built-in non return valve            and dirt strainers            ceramic stop valve, 120°            flow performance:            outlet B = 27 l/min            outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
	24 154 000	Chrome	4005176481185	675.61
	24 154 DC0	supersteel	4005176574238	841.99
	24 154 AL0	Brushed Hard Graphite	4005176585920	961.72
	<p><b>Grotherm Cube</b>  <b>Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            printed head and hand shower symbol  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            GROHE AquaDimmer, integrated shut off/diverter valve            flow performance:            outlet B = 27 l/min            outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				
	24 155 000	Chrome	4005176481192	675.61
	24 155 DC0	supersteel	4005176574245	841.99
	24 155 AL0	Brushed Hard Graphite	4005176585937	961.72
	<p><b>Grotherm Cube</b>  <b>Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve</b>            set for final installation for            GROHE Rapido SmartBox 35 600/35 604  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement  <b>GROHE StarLight</b> chrome finish            wall escutcheon with <b>GROHE FastFixation</b>            (covered escutcheon- and shaft sealing, covered fixing)            metal escutcheon, retroactively 6° adjustable            printed hand shower and bath filler symbol  <b>GROHE SafeStop</b> safety button at 38°C  <b>( calibration required )</b>  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C or 46°C included            GROHE AquaDimmer, integrated shut off/diverter valve            flow performance:            outlet B = 27 l/min            outlet C = 30 l/min  <b>without roughing-in-set</b></p>			
	35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>				

# GROHE GROHTHERM 2 HANDLE TRIM SETS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 741 000	Chrome	4005176481208	1,600.07
------------	--------	---------------	----------



**Grotherm Cube  
Perfect shower set with Rainshower Allure 230**

Consisting of:  
 Grotherm Cube set for final installation with Aquadimmer (24 154)  
 GROHE Rapido SmartBox 35 600/35 604  
 Rainshower Allure 230 metal head shower (27 479)  
 Rainshower shower arm (27 709)  
 hand shower Euphoria Cube (27 699 000) 9.5 l/min.  
 shower outlet elbow (26 370)  
 Silverflex shower hose 1250 mm (28 362)




# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


34 469 001	Chrome	4005176926396	422.61
------------	--------	---------------	--------

**Grotherm 2000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
 chrome  
**GROHE EcoJoy** technology for less water and perfect flow









34 463 001	Chrome	4005176926419	466.40
------------	--------	---------------	--------

**Grotherm 2000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 integrated flow limiter 14 l/min in the shower outlet  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
 chrome  
**GROHE EcoJoy** technology for less water and perfect flow



# GROHE GROHTHERM 2000


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<p><b>34 169 001</b></p>	<p><b>Chrome</b></p>	<p><b>4005176926518</b></p>	<p><b>394.33</b></p>
 	<p><b>34 446 001</b></p>	<p><b>Chrome</b></p>	<p><b>4005176926402</b></p>	<p><b>394.32</b></p>
 	<p><b>34 170 001</b></p>	<p><b>Chrome</b></p>	<p><b>4005176926471</b></p>	<p><b>366.06</b></p>

# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


34 464 001	Chrome	4005176926433	479.11
------------	--------	---------------	--------

**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
**GROHE EasyReach** shower tray  
 removable for easy cleaning  
**GROHE EcoJoy** technology for less water and perfect flow



34 174 001	Chrome	4005176926426	479.16
------------	--------	---------------	--------

**Grotherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
**GROHE EcoJoy** technology for less water and perfect flow




# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


34 466 001	Chrome	4005176926440	493.29
------------	--------	---------------	--------

**Grohtherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
**( calibration required )**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 shower bottom outlet 1/2"  
 - diverter: bath/shower  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions, CoolTouch escutcheons with wall sealing  
 optional upgrade: GROHE EasyReach shower tray (18 608 001)  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow



34 484 001	Chrome	4005176932519	507.40
------------	--------	---------------	--------


**Grohtherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
 GROHE Aqua Paddle ergonomically shaped handles  
**GROHE SafeStop** safety button at 38°C  
**( calibration required )**  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow



# GROHE GROHTHERM 2000


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 176 001	Chrome	4005176926488	889.05
------------	--------	---------------	--------




**Grohtherm 2000**  
**Thermostatic bath/shower mixer 1/2"**  
 deck mounted  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
**GROHE Aqua Paddle** ergonomically shaped handles  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated (economy button with economy stop for shower)  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 pillar unions with covered fixing  
**GROHE EcoJoy** technology for less water and perfect flow

34 281 001	Chrome	4005176926501	620.46
------------	--------	---------------	--------



**Grohtherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grohtherm 2000 thermostat shower mixer (34 469)  
 Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)

34 195 001	Chrome	4005176926631	422.63
------------	--------	---------------	--------




**Grohtherm 2000**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grohtherm 2000 thermostat shower mixer (34 469)  
 Euphoria 110 Massage shower set, 600 mm (27 231 001)

# GROHE GROHTHERM 2000

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

18 608 001	Chrome	4005176985140	55.11
------------	--------	---------------	-------



**Grohtherm 2000**  
**GROHE EasyReach shower tray**  
 metal tray  
 removable for easy cleaning  
**GROHE StarLight** chrome finish  
 suitable for Grohtherm 2000  
 - exposed thermostatic shower mixer with centre distance 150 mm  
 - exposed thermostatic bath mixer with centre distance 150 mm

47 175 000		4005176803895	177.10
------------	--	---------------	--------




**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings



# GROHE GROHTHERM CUBE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 491 000	Chrome	4005176940644	507.39
------------	--------	---------------	--------




**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EasyReach** shower tray (18 700 000)  
 removable for easy cleaning  
 Da Vinci satin white finish  
**GROHE EcoJoy** technology for less water and perfect flow

34 488 000	Chrome	4005176940620	450.87
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow

34 509 000	Chrome	4005176941801	465.02
------------	--------	---------------	--------




**Grohtherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 shower bottom outlet 1/2"  
 ceramic headpart 1/2", 180°  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
 integrated flow limiter 14 l/min in the shower outlet  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM CUBE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 502 000	Chrome	4005176940798	634.58
------------	--------	---------------	--------




**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EasyReach** shower tray (18 700 000)  
 removable for easy cleaning  
 Da Vinci satin white finish  
**GROHE EcoJoy** technology for less water and perfect flow

34 497 000	Chrome	4005176940675	568.62
------------	--------	---------------	--------



**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow

34 508 000	Chrome	4005176941795	606.35
------------	--------	---------------	--------




**Grohtherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge  
 with wax thermoelement  
 integrated mixed water shut off  
**GROHE AquaDimmer Eco** with multiple function:  
 - integrated **GROHE EcoButton**  
 (economy button with economy stop for shower)  
 - flow control  
 - diverter: bath/shower  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow straightener  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 covered S-unions  
**GROHE EcoJoy** technology for less water and perfect flow

# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

18 700 000	daVinci satin white	4005176940811	55.10
------------	---------------------	---------------	-------




**Grohtherm Cube**  
**GROHE EasyReach tray**  
 for Grohtherm Cube  
 removable for easy cleaning  
 Da Vinci satin white finish  
 suitable for Grohtherm Cube  
 - exposed thermostatic shower mixer with centre distance 150 mm  
 - exposed thermostatic bath mixer with centre distance 150 mm

47 175 000		4005176803895	177.10
------------	--	---------------	--------



**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings

24 153 000	Chrome	4005176481178	606.04
24 153 DC0	supersteel	4005176574221	755.56
24 153 AL0	Brushed Hard Graphite	4005176585913	862.96




**Grohtherm Cube**  
**Thermostatic mixer for 1 outlet with shut off valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve  
 and dirt strainers  
 ceramic stop valve, 120°  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**



35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

24 154 000	Chrome	4005176481185	675.61
24 154 DC0	supersteel	4005176574238	841.99
24 154 AL0	Brushed Hard Graphite	4005176585920	961.72



**Grohtherm Cube**  
**Thermostatic shower mixer for 2 outlets with integrated shut off/diverter valve**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE StarLight** chrome finish  
 wall escutcheon with **GROHE FastFixation**  
 (covered escutcheon- and shaft sealing, covered fixing)  
 metal escutcheon, retroactively 6° adjustable  
 printed head and hand shower symbol  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 GROHE AquaDimmer, integrated shut off/diverter valve  
 flow performance:  
 outlet B = 27 l/min  
 outlet C = 30 l/min  
**without roughing-in-set**




35 604 000		4005176698774	142.72
------------	--	---------------	--------

**GROHE Rapido SmartBox universal rough-in box for concealed installation**

# GROHE GROHTHERM CUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
24 155 000	Chrome	4005176481192	675.61
24 155 DC0	supersteel	4005176574245	841.99
24 155 AL0	Brushed Hard Graphite	4005176585937	961.72



**Grotherm Cube**  
Thermostatic bath tub mixer for 2 outlets with integrated shut off/diverter valve

set for final installation for  
GROHE Rapido SmartBox 35 600/35 604

**GROHE TurboStat** compact cartridge  
with wax thermostatic element

**GROHE StarLight** chrome finish  
wall escutcheon with **GROHE FastFixation**  
(covered escutcheon- and shaft sealing, covered fixing)

metal escutcheon, retroactively 6° adjustable

printed hand shower and bath filler symbol

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included

GROHE AquaDimmer, integrated shut off/diverter valve

flow performance:


outlet B = 27 l/min

outlet C = 30 l/min

without roughing-in-set



35 604 000		4005176698774	142.72
<b>GROHE Rapido SmartBox universal rough-in box for concealed installation</b>			



34 741 000	Chrome	4005176481208	1,600.07
------------	--------	---------------	----------

**Grotherm Cube**  
Perfect shower set with Rainshower Allure 230

Consisting of:

Grotherm Cube set for final installation with Aquadimmer (24 154)

GROHE Rapido SmartBox 35 600/35 604

Rainshower Allure 230 metal head shower (27 479)









Rainshower shower arm (27 709)

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

shower outlet elbow (26 370)

Silverflex shower hose 1250 mm (28 362)

# GROHE GROHTHERM 1000 COSMOPOLITAN 3/4"

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 430 000	Chrome	4005176917981	304.67
	<p><b>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4"</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>			
	34 437 000	Chrome	4005176918025	357.86
	<p><b>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4"</b>                      with shower set                      Consisting of:                      Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000)                      Euphoria Mono shower set (27 256 001) with <b>GROHE DreamSpray</b>                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1                      Euphoria Shower set (27 256 001)</p>			
	34 448 000	Chrome	4005176919183	450.98
	<p><b>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4"</b>  <b>GROHE StarLight</b> chrome finish                      chromed scale rings  <b>GROHE SafeStop Plus</b>, removable max. temperature stop at 46° C  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valve                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>			
	34 519 000	Chrome	4005176998515	342.12
	<p><b>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2"</b>  <b>GROHE StarLight</b> finish                      chromed scale rings  <b>GROHE SafeStop Plus</b>, removable max. temperature stop at 46° C  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off                      automatic diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valve                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      recommended pressure 0.1 - 1.0 bar                      max. pressure differential 5:1</p>			

# GROHE GROHTHERM 1000 COSMOPOLITAN 3/4"

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

47 175 000		4005176803895	177.10
------------	--	---------------	--------









**GROHE TurboStat cartridge 1/2"**  
for reversed inlets (hot water right)  
fits Grohtherm 800, Grohtherm 800 Cosmopolitan, Grohtherm 1000 Performance, Grohtherm 1000, Grohtherm Cube, Grohtherm 2000, Grohtherm 3000 and Grohtherm SmartControl exposed thermostats service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after being installed in exposed fittings





THERMOSTATS









# GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>34 814 003</b>	<b>Chrome</b>	<b>4005176695728</b>	<b>278.06</b>
		<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      professional edition</p>			
	<b>34 143 003</b>	<b>Chrome</b> replaced by 34 814 003	<b>4005176309618</b>	<b>278.06</b>	
		 <b>34 818 003</b>	<b>Chrome</b>	<b>4005176695766</b>	<b>278.05</b>
		<p><b>Grotherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      protected against backflow                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      professional edition</p>			

# GROHE GROHTHERM 1000

Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	34 817 003	Chrome	4005176695759	264.72
<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2"</b>            wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off            volume handle with <b>GROHE EcoButton</b>            (economy button with individually adjustable economy stop)            ceramic headpart 1/2", 180°            shower bottom outlet 1/2"            built-in non return valves            dirt strainers            protected against backflow            without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow            professional edition</p>				
<p>34 146 003      Chrome      4005176309625      264.71            replaced by 34 817 003</p>				
 	34 816 003	Chrome	4005176695742	344.57
<p><b>Grohtherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>            wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C            ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge            with wax thermoelement            integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:            - integrated <b>GROHE EcoButton</b>            (economy button with economy stop for shower)            - flow control            - diverter: bath/shower            shower bottom outlet 1/2"            mousseur            built-in non return valves            dirt strainers            protected against backflow            S-unions            metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow            professional edition</p>				
<p>34 155 003      Chrome      4005176310027      344.57            replaced by 34 816 003</p>				







# GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>34 821 003</b> <b>Chrome</b>	<b>4005176698590</b>	<b>357.86</b>
		<p><b>Grohtherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b> (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      professional edition</p>		
		<b>34 823 003</b> <b>Chrome</b>	<b>4005176698613</b>	<b>357.86</b>
		<p><b>Grohtherm 1000</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement                      integrated mixed water shut off  <b>GROHE AquaDimmer Eco</b> with multiple function:                      - integrated <b>GROHE EcoButton</b> (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower shower bottom outlet 1/2"                      built-in non return valves                      mousseur                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      professional edition</p>		
		<b>34 156 003</b> <b>Chrome</b> replaced by 34 823 003	<b>4005176310034</b>	<b>357.86</b>
		<b>34 824 004</b> <b>Chrome</b>	<b>4005176698620</b>	<b>344.56</b>
		<p><b>Grohtherm 1000</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grohtherm 1000 NEW thermostatic shower mixer 1/2"                      (34 814)                      Tempesta shower set II, 900 mm (27 646)                      professional edition</p>		
		<b>34 256 004</b> <b>Chrome</b> replaced by 34 824 004	<b>4005176456671</b>	<b>344.56</b>





# GROHE GROHTHERM 1000

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 820 004</b>	<b>Chrome</b>	<b>4005176698583</b>	<b>339.25</b>
	<b>Grotherm 1000</b> <b>Thermostatic shower mixer 1/2" with shower set</b> Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 814) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition			
	<b>34 151 004</b>	<b>Chrome</b>	<b>4005176456664</b>	<b>339.26</b>
	<b>replaced by 34 820 004</b>			
 	<b>34 825 001</b>	<b>Chrome</b>	<b>4005176698637</b>	<b>304.67</b>
	<b>Grotherm 1000</b> <b>Thermostatic shower mixer 1/2" with shower set</b> Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 818) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition			
	<b>34 557 001</b>	<b>Chrome</b>	<b>4005176456688</b>	<b>304.67</b>
	<b>replaced by 34 825 001</b>			
 	<b>34 819 004</b>	<b>Chrome</b>	<b>4005176695773</b>	<b>364.51</b>
	<b>Grotherm 1000</b> <b>Thermostatic shower mixer 1/2" with shower set</b> Consisting of: Grotherm 1000 NEW thermostatic shower mixer 1/2" (34 817) Tempesta shower rail set 2 sprays, 600 mm (27 598) professional edition			
	<b>34 152 004</b>	<b>Chrome</b>	<b>4005176456640</b>	<b>364.51</b>
	<b>replaced by professional version 34 819 004</b>			
	<b>47 175 000</b>		<b>4005176803895</b>	<b>177.10</b>
	<b>GROHE TurboStat cartridge 1/2"</b> for reversed inlets (hot water right) fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats service solution, does not comply with EN1111 Note: CoolTouch-function is omitted after being installed in exposed fittings			

# GROHE GROHTHERM 1000 PERFORMANCE










	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>34 827 000</b>	<b>Chrome</b>	<b>4005176698651</b>	<b>250.69</b>
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow                      professional edition</p>			
		<b>34 776 000</b>	<b>Chrome</b>	<b>4005176612930</b>	<b>250.69</b>
<p>replaced by professional version 34 827 000</p>					
		 <b>34 830 000</b>	<b>Chrome</b>	<b>4005176698682</b>	<b>326.60</b>
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated <b>GROHE EcoButton</b>                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow                      professional edition</p>			
		<b>34 779 000</b>	<b>Chrome</b>	<b>4005176612961</b>	<b>326.60</b>
<p>replaced by professional version 34 830 000</p>					

# GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>34 831 000</b>	<b>Chrome</b>	<b>4005176698699</b>	<b>320.58</b>
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus optional temperature limiter at 43°C included                      GROHE TurboStat compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated GROHE EcoButton                      (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower                      shower bottom outlet 1/2"                      built-in non return valves                      mousseur                      dirt strainers                      protected against backflow                      without connection unions for wall mounting                      GROHE EcoJoy technology for less water and perfect flow                      professional edition</p>			
	<b>34 780 000</b>	<b>Chrome</b>	<b>4005176612978</b>	<b>320.58</b>
	<p>replaced by professional version 34 831 000</p>			
 	<b>34 832 000</b>	<b>Chrome</b>	<b>4005176698705</b>	<b>255.81</b>
	<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge                      with wax thermoelement                      GROHE ProGrip with knurl structure                      integrated mixed water shut off                      volume handle with GROHE EcoButton                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      S-unions                      protected against backflow                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow                      professional edition</p>			
	<b>34 781 000</b>	<b>Chrome</b>	<b>4005176612985</b>	<b>255.81</b>
	<p>replaced by professional version 34 832 000</p>			




# GROHE GROHTHERM 1000 PERFORMANCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>34 833 000</b>	<b>Chrome</b>	<b>4005176698712</b>	<b>331.72</b>
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      GROHE CoolTouch safety housing                      GROHE StarLight chrome finish                      GROHE SafeStop safety button at 38°C                      ( calibration required )                      GROHE SafeStop Plus integrated temperature limiter at max 50°C                      GROHE Turbostat C3 compact cartridge with wax thermoelement                      GROHE ProGrip with knurl structure integrated mixed water shut off                      GROHE AquaDimmer Eco with multiple function:                      - integrated GROHE EcoButton (economy button with economy stop for shower)                      - flow control                      - diverter: bath/shower shower bottom outlet 1/2"                      mousseur                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon                      GROHE EcoJoy technology for less water and perfect flow professional edition</p>			
		 <b>34 834 000</b>	<b>Chrome</b>	<b>4005176698729</b>	<b>289.36</b>
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 827)                      Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)                      optional GROHE EcoJoy 5.7 l/min flow limiter included                      professional edition</p>			
		 <b>34 835 000</b>	<b>Chrome</b>	<b>4005176698736</b>	<b>293.66</b>
		<p><b>Grotherm 1000 Performance</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 827)                      Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)                      optional GROHE EcoJoy 5.7 l/min flow limiter included                      professional edition</p>			

# GROHE GROHTHERM 1000 PERFORMANCE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

THERMOSTATS



34 838 000	Chrome	4005176698767	294.49
------------	--------	---------------	--------

**Grotherm 1000 Performance  
Thermostatic shower mixer 1/2" with shower set**

Consisting of:  
Grotherm 1000 Performance thermostatic shower mixer 1/2" (34 832)  
Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)  
professional edition

34 787 000	Chrome	4005176613043	294.49
replaced by professional version 34 838 000			







47 175 000		4005176803895	177.10
------------	--	---------------	--------



**GROHE TurboStat cartridge 1/2"**

for reversed inlets (hot water right)  
fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,  
Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and  
Grotherm SmartControl exposed thermostats  
service solution, does not comply with EN1111  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings


# GROHE GROHTHERM 800 COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	34 765 000	Chrome	4005176612022	237.48
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 767 000	Chrome	4005176612046	231.46
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      built-in non return valves                      shower bottom outlet 1/2"                      dirt strainers                      protected against backflow                      without connection unions for wall mounting  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			
	34 771 000	Chrome	4005176612886	242.62
	<p><b>Grotherm 800 Cosmopolitan</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE MetalGrip</b> ergonomically shaped metal handles  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> integrated temperature limiter at max 50°C  <b>GROHE Turbostat C3</b> compact cartridge                      with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      (economy button with individually adjustable economy stop)                      ceramic headpart 1/2", 180°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

# GROHE GROHTHERM 800 COSMOPOLITAN


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 766 000	Chrome	4005176612039	309.40
------------	--------	---------------	--------




**Grotherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2" mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 770 000	Chrome	4005176612077	303.36
------------	--------	---------------	--------



**Grotherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2" mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 without connection unions for wall mounting  
**GROHE EcoJoy** technology for less water and perfect flow

34 772 000	Chrome	4005176612893	314.53
------------	--------	---------------	--------



**Grotherm 800 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2" mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow


# GROHE GROHTHERM 800 COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 768 000	Chrome	4005176612053	275.88
------------	--------	---------------	--------

## Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"

Consisting of:  
 Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)  
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 600 mm (27 578 002)  
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included



34 769 000	Chrome	4005176612060	282.69
------------	--------	---------------	--------

## Grotherm 800 Cosmopolitan Thermostatic shower set 1/2"

Consisting of:  
 Grotherm 800 Cosmopolitan thermostatic shower mixer 1/2" (34 765 000)  
 Tempesta Cosmopolitan 100 shower set, 2 sprays, 900 mm (27 788 002)  
 optional **GROHE EcoJoy** 5.7 l/min flow limiter included



47 175 000		4005176803895	177.10
------------	--	---------------	--------


## GROHE TurboStat cartridge 1/2"

for reversed inlets (hot water right)  
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance,  
 Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and  
 Grotherm SmartControl exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after  
 being installed in exposed fittings




# GROHE GROHTHERM 800

Ref. No.	Colour	EAN	Retail Guide Price (£)
34 558 000	Chrome	4005176310089	238.13




**Grohtherm 800**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 dirt strainers  
 built-in non return valves  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 562 000	Chrome	4005176310102	251.45
------------	--------	---------------	--------



**Grohtherm 800**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE Turbostat C3** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 567 000	Chrome	4005176310157	304.65
------------	--------	---------------	--------




**Grohtherm 800**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow



# GROHE GROHTHERM 800


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 569 000	Chrome	4005176310171	304.67
------------	--------	---------------	--------




**Grotherm 800**  
**Thermostatic bath mixer 1/2", 160cc**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 GROHE Turbostat C3 compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 automatic diverter: bath/shower volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 protected against backflow  
 S-unions  
 metal escutcheon  
**GROHE EcoJoy** technology for less water and perfect flow

34 566 001	Chrome	4005176456701	290.02
------------	--------	---------------	--------



**Grotherm 800**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grotherm 800 thermostatic shower mixer 1/2"  
 (34 558 000)  
 Tempesta shower set II, 900 mm (27 646)

34 565 001	Chrome	4005176456718	264.72
------------	--------	---------------	--------





**Grotherm 800**  
**Thermostatic shower mixer 1/2" with shower set**  
 Consisting of:  
 Grotherm 800 thermostatic shower mixer 1/2"  
 (34 558 000)  
 Tempesta shower rail set 2 sprays, 600 mm (27 598)



47 175 000		4005176803895	177.10
------------	--	---------------	--------





**GROHE TurboStat cartridge 1/2"**  
 for reversed inlets (hot water right)  
 fits Grotherm 800, Grotherm 800 Cosmopolitan, Grotherm 1000 Performance, Grotherm 1000, Grotherm Cube, Grotherm 2000, Grotherm 3000 and Grotherm SmartControl exposed thermostats  
 service solution, does not comply with EN1111  
 Note: CoolTouch-function is omitted after being installed in exposed fittings

# GROHE GROHTHERM 500

Ref. No.	Colour	EAN	Retail Guide Price (£)
 	Chrome	4005176632433	184.86
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafeStop</b> safety button at 38°C                      ( calibration required )  <b>GROHE SafeStop Plus</b> optional temperature limiter at 43°C included                      GROHE thermostatic cartridge with wax thermoelement                      integrated mixed water shut off                      volume handle with <b>GROHE EcoButton</b>                      headpart 90°                      shower bottom outlet 1/2"                      built-in non return valves                      dirt strainers                      protected against backflow                      S-unions                      metal escutcheon  <b>GROHE EcoJoy</b> technology for less water and perfect flow</p>			

 	Chrome	4005176632464	226.68
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2" with shower set</b>                      Consisting of:                      Grohtherm 500 thermostatic shower mixer 1/2" (34 793)                      Tempesta 100 shower rail set 1 spray 620 mm (27 853)</p>			

 	Chrome	4005176684432	231.92
<p><b>Grohtherm 500</b>  <b>Thermostatic shower mixer 1/2" with shower set for low pressure</b>                      Consisting of:                      Grohtherm 500 thermostatic shower mixer 1/2" (34 793)                      Tempesta 100 shower rail set 1 spray for low pressure, 620 mm rail                      (27 214 + 28 161 + 27 523)                      min. recommended pressure 0.5 bar to comply with EN1111</p>			

# GROHE CONCEALED SOLUTIONS







**CONTENTS**

GROHE Rapido SmartBox	312
GROHE Rapido	314
GROHE Rapido C / stop valves	315







### GROHE SMARTCONTROL



- Control up to three shower functions for a better shower experience
- Intuitive operation and perfect control of water volume through SmartControl
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower



### TWO-HANDLE THERMOSTATS



- New trim range in round, square and cube style
- Concealed technology and elegant super slim design – 43 mm – for more space under the shower
- 1-function and 2-function models available with GROHE AquaDimmer



### SINGLE-LEVER MIXERS






















- New trims in coordinated design for all GROHE bath lines
- 1-, 2- and 3-function models
- Slim wall plates with GROHE QuickFix system and slim diverters



# GROHE RAPIDO SMARTBOX













## OVERVIEW SINGLE-LEVER MIXER TRIM SETS

	1 function	2 functions	3 functions
<b>Allure Brilliant</b>	 24 071 000	 24 072 000	 24 099 000
<b>Allure</b>	 24 069 000	 24 070 000	
<b>Atrio</b>	 24 065 003	 24 066 003	 24 096 003
<b>Grandera</b>	 24 067 000	 24 068 000	
<b>Lineare</b>	 24 063 001	 24 064 001	 24 095 001
<b>Eurocube</b>	 24 061 000	 24 062 000	 24 094 000
<b>GROHE Plus</b>	 24 059 003	 24 060 003	 24 093 003

	1 function	2 functions	3 functions
<b>Essence</b>	 24 057 001	 24 058 001	 24 092 001
<b>Eurodisc Cosmopolitan</b>	 24 055 002	 24 056 002	
<b>Concetto</b>	 24 053 001	 24 054 001	
<b>Eurostyle Cosmopolitan</b>	 24 051 002	 24 052 002	
<b>Eurostyle</b>	 24 046 003	 24 047 003	
	 24 048 003	 24 049 003	
<b>Eurosmart Cosmopolitan</b>	 24 044 000	 24 045 000	
<b>Eurosmart</b>	 24 042 002	 24 043 002	





























# GROHE RAPIDO SMARTBOX

## OVERVIEW TWO-HANDLE THERMOSTAT TRIM SETS

	1 function	2 functions shower/shower	2 functions bathtub/shower
<b>Atrio</b>	 24 134 003	 24 135 003	 24 138 003
<b>Grohtherm Cube</b>	 24 153 000	 24 154 000	 24 155 000
<b>Grohtherm (square)</b>	 24 078 000	 24 079 000	 24 080 000
<b>Grohtherm (round)</b>	 24 075 000	 24 076 000	 24 077 000

# GROHE RAPIDO SMARTBOX


















## OVERVIEW SMARTCONTROL TRIM SETS

	1 function	2 functions	3 functions	4 functions
<b>Grohtherm SmartControl round</b>	 29 118 000	  29 119 000    29 120 000	 29 121 000	  29 118 000 + 29 122 000
<b>Grohtherm SmartControl square</b>	 29 123 000	  29 124 000    29 125 000	 29 126 000	  29 123 000 + 29 127 000
<b>Grohtherm SmartControl glass round</b>	 29 150 LS0	 29 151 LS0	 29 904 LS0	  29 150 LS0 + 29 152 LS0
<b>Grohtherm SmartControl glass square</b>	 29 153 LS0	 29 156 LS0	 29 157 LS0	  29 153 LS0 + 29 158 LS0
<b>SmartControl Mixer round</b>	 29 144 000	 29 145 000	 29 146 000	
<b>SmartControl Mixer square</b>	 29 147 000	 29 148 000	 29 149 000	

# GROHE RAPIDO C / CONCEALED VALVES OVERVIEW












	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800 / 29 802 / 29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801 / 29 803 / 29 804 / 29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811 / 29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003

\* Concealed valve 29 032 000 with longlife headpart can also be used






	Rapido C stop-valve with pre-assembled ceramic headpart	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart
	35 028	29 800 / 29 802 / 29 805	29 801 / 29 803 / 29 804 / 29 806	29 811 / 29 813
<b>Brilliant</b>	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
<b>Costa</b>	 19 808 001 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
<b>Eurocube</b>	 19 910 000	 19 910 000	 19 910 000	 19 910 000
<b>Grandera</b>	 19 944 000			
<b>Grotherm 3000 Cosmopolitan</b>	 19 470 000	 19 470 000	 19 470 000	 19 470 000



# GROHE RAPIDO SMARTBOX

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	35 604 000		4005176698774	142.72
	<b>GROHE Rapido SmartBox Universal rough-in box, 1/2"</b> 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation professional edition			
 	14 055 000		4005176413520	182.94
	<b>Backflow protection combination (DIN-EN1717)</b> retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use fits trim sets for 2 outlets made for combination with GROHE Rapido SmartBox: Grohtherm SmartControl, SmartControl Mixer, Grohtherm 2-handle thermostats, single-lever mixers			
 	14 053 00M		4005176413513	57.63
	<b>Service stops</b> fits Grohtherm SmartControl, SmartControl mixer and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox packaging unit: 2 pieces			
	47 790 000		4005176841491	73.72
	<b>Rapido connection set</b> fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600/35 604) VA approved 2 pcs./unit			
 	14 048 000		4005176413483	175.08
	<b>GROHE Rapido SmartBox Universal extension set single-lever mixers, 25 mm</b> fits Grohtherm SmartControl and SmartControl Mixer sets for final installation with up to three functions in combination with GROHE Rapido SmartBox			
 	14 056 000		4005176466298	129.27
	<b>Universal extension set single-lever mixers, 25 mm</b> fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox			

# GROHE RAPIDO SMARTBOX



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	14 057 000		4005176466304	167.21
<p><b>Universal extension set single-lever mixers, 50 mm</b> fits for concealed single-lever mixers in combination with GROHE Rapido SmartBox</p>				
 	14 058 000		4005176466311	167.22
<p><b>Universal extension set 2-handle thermostats, 25 mm</b> fits for concealed 2-handle thermostats in combination with GROHE Rapido SmartBox</p>				
	49 003 000	Chrome	4005176413537	235.94
<p><b>GROHE TurboStat cartridge 3/4"</b> for reversed inlets (hot water right) fits Grohtherm SmartControl and Grohtherm 2-handle thermostatic trim sets in combination with GROHE Rapido SmartBox service solution, does not comply with EN1111</p>				

CONCEALED SOLUTIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 961 000		4005176119972	381.90
<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing fastening loops</p>				
	33 962 000		4005176119989	257.80
<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing fastening loops</p>				
	33 963 000		4005176128387	114.03
<p><b>Single-lever mixer 1/2", concealed body for bath and shower without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter outlet above and below 1/2" cap included diverter in set for final installation clockwise closing</p>				
	33 964 000		4005176128394	115.31
<p><b>Single-lever mixer 1/2", concealed body for shower without finishing trim set</b> wall installation <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter top outlet 1/2" clockwise closing</p>				

# GROHE RAPIDO C / STOP VALVES


Ref. No.      Colour      EAN      Retail Guide Price (£)



**35 028 000**      **4005176908316**      **165.73**

**GROHE Rapido C**  
**Rough-in for single volume control**  
 for grid installation of Grohtherm Custom Shower system  
 built-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 installation depth 70 - 95 mm

CONCEALED SOLUTIONS



**29 800 000**      **4005176504839**      **37.55**


**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 threaded union 1/2"  
 DR-brass

**29 802 000**      **4005176504853**      **63.48**

**ditto, 3/4", pre-assembled headpart 3/4", thread union 3/4"**

**29 805 000**      **4005176504884**      **106.63**

**ditto, 1", pre-assembled headpart 1", thread union 1"**




**29 801 000**      **4005176504846**      **30.95**

**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 soldered connection Ø15 mm  
 DR-brass

**29 804 000**      **4005176504877**      **49.24**

**ditto, soldered connection Ø 22 mm**



**29 811 000**      **4005176062711**      **63.47**

**Concealed stop valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass

**29 813 000**      **4005176062735**      **102.38**

**ditto, 3/4"**



GROHE  
SHOWERS





## CONTENTS

GROHE Digital	F-digital Deluxe	330
	F-digital Controllers	337
Shower Systems	Rainshower System SmartControl	338
	Rainshower SmartActive System	342
	Rainshower System	345
	Euphoria SmartControl System	348
	Euphoria Shower System	350
	Tempesta System	360
	Shower System Accessories	365
Head Showers	Head Showers	367
Showers	Sena	395
	Rainshower SmartActive	397
	Rainshower	404
	Relexa	407
	Euphoria	410
	Tempesta	420
	Sena Trigger Sprays	436
	Tempesta-F Trigger Sprays	437
	Shower Hoses	439
	Shower Accessories	443



# GROHE SHOWERS

## INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads delivers the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

### GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

### DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





### DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



### AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



### NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



### RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



### GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



### SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



### GROHE RAIN O<sup>2</sup> SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



### GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



### WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



### PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



### JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



### ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



### MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



### CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



### DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



### GROHE TRIOMASSAGE SPRAY


The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

# GROHE RAINSHOWER SMARTACTIVE SPREAD HAPPINESS – DESIGNED TO MAKE YOU SMILE

## LIFE IS FUN. AND SO IS SHOWERING.

Start or end your day with a great shower experience, one that leaves you refreshed, relaxed and smiling. The new premium Rainshower SmartActive hand shower offers three great spray patterns. It comes in a choice of sleek, minimalist shapes in round and square and two sizes – 130 mm and 150 mm – and with either a chrome-plated or white moulded spray face as well as a host of colour options.

Every aspect of the **GROHE Rainshower SmartActive** is designed to make you smile. From its fresh design to the colourful range and the one-touch switching between the three spray modes.





**RIGHT IS JUST ONE CLICK AWAY.**

The GROHE SmartTip controller on the back of the shower head lets you switch between spray patterns with just one click.



**GROHE Rain**

A soft and refreshing shower.



**GROHE ActiveMassage**

A moving spray reducing stress and tension.



**GROHE Jet**

The power shower after sports.





# EUPHORIA SMARTCONTROL


## YOUR TURN – YOUR SHOWER

We've put a lot of thought into our new GROHE Euphoria SmartControl shower system: the result is a range of features that make the Euphoria more convenient and more enjoyable to use. The shower arm has a swivel function that allows you to rotate the showerhead through 180° to achieve the perfect angle. And the fully adjustable shower holder allows the hand shower to be positioned individually at the ideal height.


We have made the sleek Grohtherm SmartControl body smaller and more compact to offer more space in the shower. And because we want you to enjoy your shower as quickly as possible, we came up with the GROHE QuickFix. This allows the position of the upper bracket to be altered during installation of the shower rail. The advantage: the upper bracket can be installed easily and quickly by utilising existing drilled holes.








Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.




# GROHE RAINSHOWER SMARTCONTROL 3D SHOWERING – PUSH, TURN, SHOWER

**Rainshower SmartControl – choose the spray, control the volume, save the settings.** All with one control. Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = an innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to hand shower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.




# GROHE SPA F-DIGITAL DELUXE ALL OF THE SENSES IN **PERFECT HARMONY**

## **F-DIGITAL DELUXE: TIME TO CREATE YOUR OWN PERSONAL SPA.**

Create your own personal tailor-made spa experience with GROHE F-digital Deluxe. This cosmopolitan, multisensory shower will stimulate all your senses and transform your bathroom into an indulgent space for physical, emotional and spiritual well-being. The intuitive GROHE F-digital Deluxe App\* lets you design your own personal combination of lighting, sound and fsteam – by wireless Bluetooth® connection – for a unique spa sanctuary in your own home.



# A UNIQUE EXPERIENCE FOR ALL THE SENSES




## TOUCH

With just one touch you can transform your shower into your own personal spa. Soft lighting, relaxing steam and your favourite music. You can stimulate all of your senses with just a single movement of the hand.




## LIGHT

Colour has a positive effect on our sense of well-being. But we all perceive colours differently. With the GROHE light modules\*\*, you can change the colours to suit your mood and enjoy a personalised chromotherapy experience while showering.



## SOUND

There's nothing on this earth that moves us more than music. The perfect song or sound can fill us with joy, make us feel relaxed, recharge our batteries or help us forget our troubles. With the GROHE sound modules, you can now enjoy your favourite music while showering.



## STEAM

Experience regeneration in its purest form with the GROHE steam modules. Gentle steam not only enhances our sense of emotional well-being, but also has a positive effect on the entire body. It opens the pores, detoxifies the body, hydrates the skin and helps the muscles to relax.

A small niche at the top of the steam outlet close to the source of the steam can be topped up with pure essential oils that enriches the mist to give an all-embracing aroma and a truly relaxing experience.



\* Available for free via iTunes app or Google Play store.

\*\* This luminare contains built-in LED lamps, which cannot be changed: Energy efficiency class LED: A – A\*\*








# INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!

## GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000





# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 373 001	Chrome	4005176415593	26,500.51
------------	--------	---------------	-----------

## Rainshower F-Series 40" AquaSymphony Ceiling shower 6+ sprays with light

1016 mm x 762 mm x 145 mm

material: metal

minimum flow rate 25 l/min

min. recommended pressure 3.0 bar

1 x AquaCurtain

1 x Pure XL spray

1 x 2 mist spray

2 x GROHE PureRain spray 400 x 190 mm

2 x XL Waterfall (separately controlled)

1 x 4 Bokoma Spray with adjustment angle 20° and combinations

full spectrum LED: soft light with changing rainbow colours

individually adjustable: permanent lighting with colour selection

power supply for light 12 V DC

CE approved

**SpeedClean** anti-limescale system

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.



recommendation: configuration with Grohtherm SmartControl

3 x Grohtherm SmartControl (29 126 000)

3 x GROHE Rapido SmartBox (35 604 000)

1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001	Chrome	4005176415609	2,522.92
------------	--------	---------------	----------

## Rainshower F-Series 40"

### Roughing-in set

for use with Rainshower F-Series 40" AquaSymphony ceiling shower

1000 mm x 745 mm x 152 mm

min. installation depth: 167 mm

Waterways: Brass


1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

# GROHE F-DIGITAL DELUXE

Ref. No.      Colour      EAN      Retail Guide Price (£)

29 126 000      Chrome      4005176413322      749.10




**Grotherm SmartControl**  
**Thermostat for concealed installation with 3 valves**  
 set for final installation for  
 GROHE Rapido SmartBox 35 600/35 604  
 metal wall escutcheon with **GROHE FastFixation** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable  
**GROHE StarLight** chrome finish  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
 exchangeable symbols  
**GROHE TurboStat** compact cartridge with wax thermoelement  
 GROHE ProGrip with knurl structure  
**GROHE SafeStop** safety button at 38°C ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C or 46°C included  
 built-in non return valve and dirt strainers  
 multiple outlets can be run simultaneously  
**without roughing-in-set**  
 flow performance:  
 outlet A = 23 l/min  
 outlet B = 27 l/min  
 outlet C = 23 l/min  
 outlet A + B = 33 l/min  
 outlet A + B + C = 36 l/min




35 604 000      4005176698774      142.72  
**GROHE Rapido SmartBox universal rough-in box for concealed installation**

26 370 000      Chrome      4005176341380      40.97




**Euphoria Cube**  
**Shower outlet elbow, 1/2"**  
 with wall shower holder  
 male thread  
 protected against backflow  
**GROHE StarLight** chrome finish

27 888 000      Chrome      4005176921179      111.67



**Euphoria Cube+ Stick**  
**Hand shower 1 spray**  
 Normal spray  
 material: metal  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all standard shower hoses

28 143 000      Chrome      4005176601347      27.87



**Relaxflex Metal Longlife**  
**Metal shower hose 1500**  
 1500 mm  
 material: metal  
**Longlife**  
 strengthened model  
 tensile strength 750 N  
 pressure resistance up to 16 bar  
 heat resistance 75°C  
 AntiFold bendproof  
 universal connection G 1/2" x 1/2"  
**GROHE StarLight** chrome finish  
**blister packaging**

SHOWERS

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 865 000	Chrome	4005176918179	5,388.25
------------	--------	---------------	----------

## Rainshower F-Series 20" Ceiling shower with light, 1 spray

Rain  
508 x 508 x 59 mm  
material: metal  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system


**suitable for instantaneous heater**

requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

For detailed planning and product information please contact your local GROHE Customer Service.




29 069 000		4005176918384	168.19
------------	--	---------------	--------

## Rainshower F-Series Cable connection

for ceiling shower with light (27 865 000)

Consisting of:

2 cable extensions (5 m each)



36 359 000	Chrome	4005176918414	1,595.75
------------	--------	---------------	----------

## Rainshower F-Series

### Light set

127 x 127 mm per module

full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
Consisting of:

- 1 light module with two plug connections

- 1 light module with one plug connection

waterproof & corrosion protected

supply voltage: 12 V DC

CE approved


**GROHE StarLight** chrome finish

requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

For detailed planning and product information please contact your local GROHE Customer Service.



29 072 000		4005176918421	309.56
------------	--	---------------	--------

## Rainshower F-Series


### Rough-in set light set

for use with double light modules (36 359 000)

Consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)


- 2 cable extensions (5 m each)



# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

SHOWERS



<b>36 360 000</b>	<b>Chrome</b>	<b>4005176918438</b>	<b>1,369.59</b>
-------------------	---------------	----------------------	-----------------

**Rainshower F-Series**

**Sound set**

127 x 127 mm per module  
full range stereo speaker


Consisting of:

2 speakers with plug connections  
waterproof & corrosion protected

**GROHE StarLight** chrome finish

requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.



<b>29 073 000</b>		<b>4005176918445</b>	<b>309.56</b>
-------------------	--	----------------------	---------------

**Rainshower F-Series**

**Rough-in set sound set**

for use with double sound modules (36 360 000)

Consisting of:

- 2 rough-in sets (115 x 115 x 62-87 mm)

- 2 cable extensions (5 m each)

- 1 Y-piece

<b>27 934 000</b>	<b>Chrome</b>	<b>4005176927157</b>	<b>4,182.26</b>
-------------------	---------------	----------------------	-----------------

**GROHE F-digital Deluxe**

**Steam generator 6.6 kW  
with steam outlet and temperature sensor**

Consisting of:

**steam generator**

415 x 445 x 130 mm

suitable for rooms up to 12.5 m<sup>3</sup>

supply voltage 400 V 3L+N+PE AC, 50 Hz

power 6.6 kW

water inlet 3/4"

operating pressure 1 - 5 bar (above pressure reducer)

automatic emptying

water outlet 1/2"

steam temperature: max. 55°C

steam outlet 1/2"

type of protection IP 23

CE approved

with connection plug

**steam outlet module** with indentation for fragranced oil

127 x 127 mm

connection thread 1/2"

**temperature sensor module**



60 x 60 x 12 mm

**SpeedClean** anti-limescale system

**GROHE StarLight** chrome finish

requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.



<b>29 074 000</b>		<b>4005176918469</b>	<b>493.29</b>
-------------------	--	----------------------	---------------

**GROHE F-digital Deluxe**

**Rough-in set steam generator**

for use with steam module (36 362 000 or 27 934 000)

Consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)

- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)

- 1 cable extension temperature sensor, 5 m

- 1 cable extension steam generator, 5 m

# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



14 015 000	Chrome	4005176932748	173.00
------------	--------	---------------	--------

**GROHE F-digital Deluxe  
Descaler 6 x 80 g**

to remove limescale from the water tank of the steam generator absolutely odorless and harmless to human beings and the natural environment

2 bags sufficient for one time descaling

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

26 374 000		4005176350825	1,143.44
------------	--	---------------	----------

**GROHE F-digital Deluxe**

**Base unit box 4.0 Bluetooth F-Series 40" (BCU V4.0)**

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower



additional light, sound and steam modules can be connected and controlled Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 1 plug connection for one pair of light modules (36 359 000)
- 1 plug connection LightCurtain for Rainshower F-Series 40" AquaSymphony (26 373 000)
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000 component to be ordered separately



36 397 000		4005176999413	1,369.58
------------	--	---------------	----------

**GROHE F-digital Deluxe**

**Base unit box 2.0 Bluetooth (BCU V2.0)**

for connecting light, sound and steam modules


Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service

optional the base unit box can be placed into extra equipment 36 367 000



42 429 000		4005176918520	139.94
------------	--	---------------	--------

**GROHE F-digital Deluxe**

**Power supply base unit box**

power supply for base unit box (26 374 000 or 36 397 000)

each power supply for 2 light/sound modules (36 359 000)

or 1 ceiling shower with integrated light (27 865 000)

total 2 power supplies max (8 devices max.) can be connected to the base unit box

with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices


- per light module: 1 device

- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz

output voltage: 12 V DC

CE approved





# GROHE F-DIGITAL DELUXE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 371 000		4005176928970	775.94
------------	--	---------------	--------

## GROHE F-digital Deluxe

### Bluetooth unit BT-01A for Apple and Android devices

with integrated electronic for wireless data communication  
combinable with existing 36 365 000 docking station  
wall mounted  
86 x 73 x 42 mm

#### Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)
- CE approved

Bluetooth transmitter power supply: 12 V

Bluetooth transmitter frequency: 2.4 GHz

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately

Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

#### System requirements

**Android** operating system: as of release 2.3.3

pixel density: 160 dpi minimum

display resolution: 320 x 470 pixels per inch

#### System requirements

##### Apple

iPod touch 4/5, iPhone 4/5, iPad/ iPad mini\*\*


Apple operating system: as of release iOS 6.0 and above

Mobile devices and GROHE SPA F-digital deluxe App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/ iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



SHOWERS

36 367 000		4005176923203	366.07
------------	--	---------------	--------

## GROHE F-digital Deluxe

### Rough-in set base unit box

for use with base unit box (26 374 000 or 36 397 000)

550 x 700 x 110 mm

height (100 mm) and depth (50 mm) adjustable

with adjustable front frame for installation in wall niches


with adjustable front frame for installation in wall niches

galvanized and powder coated (RAL 9010, pure white) steel plate

1 mm thick steel plate

with two mounting rails and elbow for power outlets

and mounting materials



47 837 000		4005176918490	97.51
------------	--	---------------	-------


## GROHE F-digital Deluxe

### Cable extension steam generator, 5 m







extension between base unit box (26 374 000 or 36 397 000) and

steam generator (36 362 000 or 27 934 000)


cable extension up to 10 m




# GROHE F-DIGITAL DELUXE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	47 867 000		4005176923227	97.51
	<b>GROHE F-digital Deluxe</b> <b>Cable extension light set, 5 m</b> connection between base unit box (26 374 000 or 36 397 000) and light modules (27 865 000) each light module needs a separate extension cable cable extension up to 10 m			
	47 910 000		4005176938887	69.25
<b>ditto, length 1.65 m</b>				
 	47 868 000		4005176923234	97.51
	<b>GROHE F-digital Deluxe</b> <b>Cable extension for power supply, 5 m</b> connection between power supply (42 429 000) and base unit box (26 374 000 or 36 397 000) each power supply needs a separate extension cable cable extension up to 5 m			
 	47 877 000		4005176923241	97.51
	<b>GROHE F-digital Deluxe</b> <b>Cable extension temperature sensor, 5 m</b> extension between base unit box (26 374 000 or 36 397 000) and temperature sensor cable extension up to 5 m			

# GROHE F-DIGITAL CONTROLLERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 309 000	Chrome	4005176894794	299.44
	<b>F-digital Digital Controller</b> <b>Remote Controller for bath or shower</b> additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring <b>GROHE StarLight</b> chrome finish energy efficiency class illumination of control unit: not applicable			

	36 078 000		4005176856532	124.03
	<b>Plug power supply 110-240 V</b> operating voltage 6V cable length 400 mm			

SHOWERS

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




26 250 000	Chrome	4005176316999	1,793.58
------------	--------	---------------	----------

## Rainshower System SmartControl Duo 360 Shower system with thermostat for wall mounting

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage  
hand shower Power&Soul 115, spray plate white (27 671 LSO)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.5 bar**  
GROHE DreamSpray perfect spray pattern  
GROHE StarLight chrome finish  
GROHE CoolTouch prevents scalding on hot surfaces  
GROHE TurboStat compact cartridge  
with wax thermoelement  
GROHE EcoJoy technology for less water and perfect flow  
GROHE SafeStop safety button at 38°C  
( calibration required )  
GROHE SafeStop Plus optional temperature limiter at 43°C included  
GROHE SmartControl push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
GROHE EasyReach shower tray  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
suitable for instantaneous heaters from 18 kW/h  
Twistfree preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

26 250 LSO	moon white	4005176317002	1,765.32
------------	------------	---------------	----------

ditto, head shower with white spray plate



26 361 000	Chrome	4005176347580	1,638.09
------------	--------	---------------	----------

## Rainshower System SmartControl Mono 360 Shower system with thermostat for wall mounting

Consisting of:  
horizontal 500 mm shower arm  
exposed SmartControl thermostat  
allows change between:  
head shower Rainshower Mono 360, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LSO)  
hand shower wall holder (27 055)  
Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.5 bar**  
GROHE DreamSpray perfect spray pattern  
GROHE StarLight chrome finish  
GROHE CoolTouch prevents scalding on hot surfaces  
GROHE TurboStat compact cartridge  
with wax thermoelement  
GROHE EcoJoy technology for less water and perfect flow  
GROHE SafeStop safety button at 38°C  
( calibration required )  
GROHE SafeStop Plus optional temperature limiter at 43°C included  
GROHE SmartControl push for ON-OFF, turn for volume adjustment from  
EcoJoy to full flow  
GROHE EasyReach shower tray  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
suitable for instantaneous heaters from 18 kW/h  
Twistfree preventing the hose from twisting  
\* to be decided during initial installation; factory default setting: GROHE PureRain

26 361 LSO	moon white	4005176409707	1,623.98
------------	------------	---------------	----------

ditto, head shower with white spray plate


# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.      Colour      EAN      Retail Guide Price (£)

26 443 000      Chrome      4005176409875      1,638.12

**Rainshower System SmartControl Duo 360**  
**Combi shower system with thermostat, exposed/concealed**

Consisting of:  
exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower Duo 360 with horizontal 450 mm shower arm, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately  
\* to be decided during initial installation; factory default setting: GROHE PureRain




26 443 LS0      moon white      4005176409882      1,623.97  
ditto, head shower with white spray plate

26 446 000      Chrome      4005176409905      1,754.00

**Rainshower System SmartControl Mono 360**  
**Combi shower system with thermostat, exposed/concealed**

Consisting of:  
exposed/concealed SmartControl thermostat  
allows change between:  
head shower Rainshower Mono 360 with horizontal 450 mm shower arm, spray plate chrome  
GROHE PureRain/GROHE Rain O<sup>2</sup> spray\*  
Power&Soul 130 hand shower, spray plate white (27 673 LS0)  
hand shower wall holder (27 055)  
Silverflex shower hose 1.500 mm (28 364)  
**min. recommended pressure 1.5 bar**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge with wax thermoelement  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
**GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately  
\* to be decided during initial installation; factory default setting: GROHE PureRain













26 446 LS0      moon white      4005176409912      1,754.04  
ditto, head shower with white spray plate

SHOWERS




# GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 254 000	Chrome	4005176317026	747.66
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 254 LS0	moon white	4005176409806	889.01
	<b>Rainshower Duo 360</b> <b>Head shower set 450 mm, 2 sprays</b> Consisting of: head shower Rainshower Duo 360, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* and TrioMassage horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 000	Chrome	4005176409813	693.99
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 450 LS0	moon white	4005176409820	693.98
	<b>Rainshower Mono 360</b> <b>Head shower set 450 mm, 1 spray</b> Consisting of: head shower Rainshower Mono 360, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O <sup>2</sup> spray* horizontal 450 mm shower arm <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life requires rough-in set 26 264 001 – to be ordered separately			
			* to be decided during initial installation; factory default setting: GROHE PureRain	
	26 264 001		4005176417108	253.00
	<b>Rainshower 360</b> <b>Rough-in box for head shower set 26 254 / 26 450</b> inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information			

# GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.      Colour      EAN      Retail Guide Price (£)


26 449 000           4005176409790      351.91



### Concealed body for exposed/concealed variants

wall mounted  
2 outlets 1/2"  
installation depth 75-105 mm  
flushing plug  
wall sealing  
installation device


48 349 000      Chrome      4005176409851      141.33



### Rainshower SmartControl Shower system pipe for retrofitting

metal  
shower pipe for retrofitting - 15 cm shorter  
than original shower system pipe  
suitable for all Rainshower SmartControl shower systems  
**GROHE StarLight** chrome finish

48 350 000      Chrome      4005176409868      176.68




### Rainshower SmartControl Shower system pipe for retrofitting

metal  
shower pipe for retrofitting  
15 cm longer than original shower system pipe  
suitable for all Rainshower SmartControl shower systems  
**GROHE StarLight** chrome finish

Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI

26 385 000      Chrome      4005176375057      25.47




### Rainshower SmartControl Spacer

for Rainshower SmartControl systems  
26 250, 26 361, 26 379  
stackable

# GROHE RAINSHOWER SMARTACTIVE SYSTEM


Ref. No.      Colour      EAN      Retail Guide Price (£)



**26 647 000      Chrome      4005176533013      1,092.52**

**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 561)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 544)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

**26 647 LS0      moon white      4005176533051      1,257.35**  
 ditto, head shower with white spray plate



**26 648 000      Chrome      4005176533020      1,092.52**


**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 (26 574)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

**26 648 LS0      moon white      4005176533068      1,257.35**  
 ditto, head shower with white spray plate

# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.      Colour      EAN      Retail Guide Price (£)



26 649 000      Chrome      4005176533037      1,092.52



**Rainshower SmartActive 310**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 Cube (26 567)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Rainshower SmartActive 130 Cube (26 550)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**GROHE FastFixation** upper bracket adjustable  
**SpeedClean** anti-limescale system  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

26 652 000      Chrome      4005176533044      1,092.52  
 ditto, with GROHE EcoJoy 9.5 l/min flow limiter

26 657 000      Chrome      4005176533075      1,257.35




**Rainshower SmartActive 310**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower Mono 310 (26 562)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Rainshower SmartActive 130 (26 574)  
 adjustable height via gliding element  
 including performance grip  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** (upper bracket adjustable to adapt to existing holes)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

SHOWERS

# GROHE RAINSHOWER SMARTACTIVE SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 966 001	Chrome	4005176532993	1,328.91
------------	--------	---------------	----------



## Rainshower SmartActive 310

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

Rainshower Cosmopolitan 310 head shower (27 477 000)

material: metal

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Rainshower SmartActive 130 (26 544)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE DreamSpray** perfect spray pattern

**GROHE One-Click Showering** spray selection

with one click

**GROHE StarLight** chrome finish

**GROHE FastFixation** upper bracket adjustable

**SpeedClean** anti-limescale system

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

27 968 001	Chrome	4005176533006	1,328.91
------------	--------	---------------	----------

ditto, with GROHE EcoJoy 9.5 l/min flow limiter


# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




27 174 001	Chrome	4005176877162	1,609.87
------------	--------	---------------	----------

**Rainshower System 400**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 400 head shower (28 778 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 shower hose 1.750 mm (28 025 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life



27 966 000	Chrome	4005176929250	1,426.13
------------	--------	---------------	----------

**Rainshower System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 310 head shower (27 477 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 minimum flow rate 7 l/min.




27 968 000	Chrome	4005176929687	1,426.13
------------	--------	---------------	----------

**Rainshower System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 310 head shower (27 477 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 minimum flow rate 7 l/min.



# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




27 469 000	Chrome	4005176882593	1,426.13
------------	--------	---------------	----------

**Rainshower F-Series System 254**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower F-Series 254 (27 285 000)  
 material: metal  
 with ball joint, rotation angle  $\pm 20^\circ$   
 hand shower Sena (28 341 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat**  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect flow  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life


27 569 000	Chrome	4005176894275	1,426.09
------------	--------	---------------	----------

ditto, with non-restricted flow



27 032 001	Chrome	4005176877155	1,256.51
------------	--------	---------------	----------

**Rainshower System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 with ball joint, rotation angle  $\pm 15^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm (27 178)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life




27 967 000	Chrome	4005176929670	1,256.51
------------	--------	---------------	----------

**Rainshower System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 210 head shower (28 368 000)  
 material: metal  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 minimum flow rate 7 l/min.

# GROHE RAINSHOWER® SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


27 641 000	Chrome	4005176901645	1,426.13
------------	--------	---------------	----------



**Rainshower System 210**  
**Shower system with bath thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Head shower Rainshower Cosmopolitan 210 (28 373 000)  
 material: metal  
 with ball joint, rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower Sena (28 341 000)  
 adjustable height via gliding element  
 (12 140 000)  
 metal shower hose 1750 mm (27 178)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch**  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

SHOWERS


27 058 000	Chrome	4005176830464	889.02
------------	--------	---------------	--------



**Rainshower System 210**  
**Shower system with diverter**  
**for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 change between hand and head shower  
 by using the diverter  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower (28 034 000)  
 adjustable height via gliding element  
 (12 140 000)  
 connection to water supply with 1/2"-thread of  
 the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life

# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
26 507 000	Chrome	4005176457586	1,397.84
26 507 LS0	moon white	4005176457609	1,609.86
26 507 DC0	supersteel	4005176526374	1,880.92
26 507 GL0	cool sunrise	4005176557477	2,131.36
26 507 GN0	brushed cool sunrise	4005176557484	2,256.59
26 507 DA0	warm sunset	4005176557446	2,131.36
26 507 DL0	brushed warm sunset	4005176557453	2,256.59
26 507 A00	hard graphite	4005176557415	2,131.36
26 507 AL0	Brushed Hard Graphite	4005176557422	2,256.59



## Euphoria SmartControl System 310 Duo

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria 110 Massage, spray plate white (27 221 001)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system


**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

26 508 000	Chrome	4005176457593	1,397.84
26 508 LS0	moon white	4005176457616	1,609.86
26 508 DC0	supersteel	4005176526367	1,880.92
26 508 GN0	brushed cool sunrise	4005176557569	2,256.59
26 508 DL0	brushed warm sunset	4005176557538	2,256.59
26 508 A00	hard graphite	4005176557491	2,131.36
26 508 AL0	Brushed Hard Graphite	4005176557507	2,256.59



## Euphoria SmartControl System 310 Cube Duo

### Shower system with thermostat for wall mounting

Consisting of:

horizontal 450 mm shower arm

upper bracket adjustable for minimal adaption to existing drilling holes

exposed SmartControl thermostat

allows change between:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

hand shower Euphoria Cube (27 699 000) 9.5 l/min.

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE DreamSpray** perfect spray pattern

**GROHE CoolTouch** prevents scalding on hot surfaces

**GROHE TurboStat** compact cartridge

with wax thermoelement

GROHE ProGrip with knurl structure

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE StarLight** chrome finish

- GROHE SafeStop at 38°C

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

integrated **GROHE EasyReach** shower tray

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

# GROHE EUPHORIA SMARTCONTROL SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


26 509 000	Chrome	4005176457623	1,214.09
------------	--------	---------------	----------



## Euphoria SmartControl System 260 Mono Shower system with thermostat for wall mounting

Consisting of:  
horizontal 450 mm shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl thermostat  
allows change between:  
head shower Euphoria 260 (26 455)  
3 spray patterns:  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE EcoJoy** technology for less water and perfect flow  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.

26 510 000	Chrome	4005176457630	1,411.99
------------	--------	---------------	----------




## Euphoria SmartControl System 260 Mono Shower system with bath thermostat for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes  
exposed SmartControl bath thermostat  
allows change between:  
head shower Euphoria 260 (26 455)  
3 spray patterns:  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
bath inlet  
hand shower Euphoria 110 Massage, spray plate white (27 221 001)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
GROHE ProGrip with knurl structure  
**GROHE EcoJoy** technology for less water and perfect flow  
- GROHE SafeStop at 38°C  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from EcoJoy to full flow  
integrated **GROHE EasyReach** shower tray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN Retail Guide Price (£)




**26 075 001 Chrome 4005176648014 882.42**

**Euphoria System 310  
Shower system with thermostatic mixer for wall mounting**

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Rainshower Mono 310 (26 561)  
spray pattern:  
GROHE PureRain  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 221 000)  
3 spray patterns:  
Rain, Massage, SmartRain  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition

**26 723 000 Chrome 4005176648021 940.91**




**Euphoria System 310  
Shower system with thermostatic mixer for wall mounting**

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Rainshower Mono 310 (26 562)  
spray pattern:  
GROHE PureRain  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 239 000)  
3 spray patterns:  
Rain, Massage, SmartRain  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
**GROHE MetalGrip** ergonomically shaped metal handles  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN Retail Guide Price (£)




**27 296 003 Chrome 4005176647963 744.91**

## Euphoria System 260 Shower system with thermostatic mixer for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Euphoria 260 (26 455)  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 221 000)  
3 spray patterns:  
Rain, Massage, SmartRain  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
GROHE ProGrip with knurl structure  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition

SHOWERS



**27 615 002 Chrome 4005176647970 744.91**


## Euphoria System 260 Shower system with thermostatic mixer for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Euphoria 260 (26 457)  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 239 000)  
3 spray patterns:  
Rain, Massage, SmartRain  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE CoolTouch** prevents scalding on hot surfaces  
GROHE ProGrip with knurl structure  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
optional upgrade: **GROHE EasyReach** tray (26 362)  
professional edition




# GROHE EUPHORIA SHOWER SYSTEM

Ref. No. Colour EAN Retail Guide Price (£)



**27 475 002 Chrome 4005176647840 940.10**

**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, Massage, SmartRain  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE FastFixation** upper bracket adjustable  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 professional edition





**26 075 DC0 supersteel 4005176371219 1,544.21**  
**26 075 GL0 cool sunrise 4005176425332 2,118.66**  
**26 075 GN0 brushed cool sunrise 4005176425349 2,118.64**  
**26 075 DA0 warm sunset 4005176425356 2,118.66**  
**26 075 DL0 brushed warm sunset 4005176425363 2,118.64**  
**26 075 A00 hard graphite 4005176425387 2,118.66**  
**26 075 AL0 Brushed Hard Graphite 4005176425370 2,831.00**

**Euphoria System 310**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 310 (27 477 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 087 000	Chrome	4005176940828	1,553.32
------------	--------	---------------	----------

**Euphoria Cube System 230**  
**Shower system with thermostatic mixer for wall mounting**  
 shower arm  
 projection 400 mm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Allure head shower (27 479 000)  
 material: metal  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube (27 699)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
 minimum flow rate 7 l/min.

SHOWERS




26 187 000	Chrome	4005176310744	1,199.96
------------	--------	---------------	----------

**Euphoria System 230**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Allure 230 (27 479 000)  
 material: metal  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 adjustable height via gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 363 000	Chrome	4005176339264	889.03
------------	--------	---------------	--------



**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 GROHE EasyReach tray (26 362 LN0)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting

27 964 000	Chrome	4005176929595	917.29
------------	--------	---------------	--------




**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
**GROHE MetalGrip** ergonomically shaped metal handles  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 383 000	Chrome	4005176369025	928.57
------------	--------	---------------	--------



**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**GROHE MetalGrip** ergonomically shaped metal handles  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower Cosmopolitan 210 metal head shower  
 Rain spray pattern  
**GROHE EcoJoy** 12 l/min flow limiter  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria 110 Massage  
**GROHE EcoJoy** 9.5 l/min flow limiter  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 optional upgrade: **GROHE EasyReach** tray (26 362)

26 249 000	Chrome	4005176317156	747.66
------------	--------	---------------	--------




**Euphoria System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower 190 1 spray (27 370)  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower 100 3 sprays: GROHE Rain O<sup>2</sup>, Rain, Massage (27 574001)  
 adjustable height via gliding element  
**GROHE EasyReach** shower tray  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow rate  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting

SHOWERS

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 296 001	Chrome	4005176896293	741.11
------------	--------	---------------	--------

## Euphoria System 180

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern

with ball joint, rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)



26 418 000	Chrome	4005176407666	601.83
------------	--------	---------------	--------

## Euphoria System 180 E

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

with ergonomic handles

allows change between:

head shower Euphoria Cosmopolitan 180 (27 491 000)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 932 000	Chrome	4005176924231	705.30
------------	--------	---------------	--------



**Euphoria System 150**  
**Shower system with thermostatic mixer for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria Cube 150 (27 705 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 12^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.  
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

27 475 001	Chrome	4005176417863	914.46
------------	--------	---------------	--------




**Euphoria System 260**  
**Shower system with bath thermostat for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria 260 (26 457)  
 3 spray patterns:  
 Rain, SmartRain, Jet  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 bath inlet  
 separate diverter for hand shower  
 hand shower Euphoria 110 Massage  
 (27 239 000)  
 3 spray patterns:  
 Rain, SmartRain, Massage  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
 flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.



# GROHE EUPHORIA SHOWER SYSTEM


Ref. No. Colour EAN Retail Guide Price (£)

26 243 000 Chrome 4005176316326 742.05




**Euphoria Shower System**  
**Shower system with bath thermostat for wall mounting**  
 with short shower rail for installation in showers  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 separate diverter for hand shower  
 gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 distance between thermostat and upper bracket: 1016 mm  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE SafeStop** safety button at 38°C  
 ( calibration required )  
**GROHE SafeStop Plus** optional temperature limiter at 43°C included  
**GROHE StarLight** chrome finish  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

23 058 003 Chrome 4005176313790 843.14



**Euphoria Eurodisc Cosmopolitan System 210**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 horizontal swivable 450 mm projection shower arm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 metal head shower Rainshower Cosmopolitan 210 (28 368 000)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cosmopolitan Stick (27 400)  
 Rain spray pattern  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.


23 147 001 Chrome 4005176313271 1,496.79



**Euphoria Cube System 230**  
**Shower system with single lever for wall mounting**  
 Consisting of:  
 shower arm  
 projection 400 mm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 Rainshower Allure 230 metal head shower (27 479)  
 Rain spray pattern  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Euphoria Cube Stick (27 698 000)  
 Rain spray pattern  
 adjustable height via gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
 suitable for instantaneous heaters from 18 kW/h  
 minimum flow rate 7 l/min.

# GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




27 421 002	Chrome	4005176417924	583.74
------------	--------	---------------	--------

## Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:  
horizontal swivable 450 mm projection shower arm  
change between hand and head shower  
by using the diverter  
head shower Euphoria 260 (26 457)  
3 spray patterns:  
Rain, SmartRain, Jet  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Euphoria 110 Massage  
(27 239 000)  
3 spray patterns:  
Rain, SmartRain, Massage  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE EcoJoy** 9.5 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE SprayDimmer** (Stepless  
flow rate reduction)  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.  
min. recommended pressure 1.0 bar

SHOWERS



27 696 000	Chrome	4005176907074	874.90
------------	--------	---------------	--------

## Euphoria Cube System 150 Shower system with diverter for wall mounting


Consisting of:  
shower arm  
projection 400 mm  
change between hand and head shower  
by using the diverter  
head shower Euphoria Cube 152 mm x 152 mm  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 20^\circ$   
hand shower Euphoria Cube Stick (27 698 000)  
adjustable height via gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
Silverflex shower hose 800 mm  
connection to water supply with 1/2"-thread of  
the 800 mm shower hose to faucet / wall union  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 670 000	Chrome	4005176580574	638.89
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 (26 666)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h


minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition



26 689 000	Chrome	4005176580765	638.89
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250 Cube

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)


professional edition

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 690 000	Chrome	4005176580772	766.65
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250 Cube Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm  
upper bracket adjustable for minimal adaption to existing drilling holes

### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

hand shower Tempesta Cosmopolitan 100

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 9.5 l/min flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermostatic element

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 50°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE MetalGrip** ergonomically shaped metal handles

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

professional edition

SHOWERS



26 514 000	Chrome	4005176476099	722.21
------------	--------	---------------	--------

## Tempesta Cosmopolitan System 210 Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 9.5 l/min (26 410)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** 9.5 l/min flow limiter

**GROHE TurboStat** compact cartridge

with wax thermostatic element

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** integrated temperature

limiter at max 50°C

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**GROHE MetalGrip** ergonomically shaped metal handles

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 302 001	Chrome	4005176408137	627.72
------------	--------	---------------	--------

## Tempesta Cosmopolitan System 210

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Relaxaflex shower hose 1500 mm (28 161)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at  $38^\circ\text{C}$

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish


**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

optional upgrade: **GROHE EasyReach** tray (26 362)



27 922 000	Chrome	4005176923364	606.01
------------	--------	---------------	--------

## Tempesta Cosmopolitan 160

### Shower system with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

#### exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle  $\pm 15^\circ$

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at  $38^\circ\text{C}$

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at  $43^\circ\text{C}$  included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting



optional upgrade: **GROHE EasyReach** tray (26 362)

# GROHE TEMPESTA SYSTEM

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 691 000	Chrome	4005176580789	830.54
------------	--------	---------------	--------



## Tempesta Cosmopolitan System 250 Cube Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

**exposed thermostatic shower**

with Aquadimmer function

allows change between:

head shower Tempesta 250 Cube (26 685)

spray pattern:

Rain

head shower with white rear cover

with ball joint

rotation angle  $\pm 10^\circ$

**GROHE EcoJoy** 9.5 l/min flow limiter

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

**GROHE EcoJoy** 5.7 l/min. flow limiter

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE EcoJoy** technology for less water and perfect flow

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life



**Twistfree** preventing the hose from twisting

suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.

professional edition

SHOWERS



26 223 001	Chrome	4005176408144	803.21
------------	--------	---------------	--------

## Tempesta Cosmopolitan System 210

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle  $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

**GROHE TurboStat** compact cartridge

with wax thermoelement

**GROHE SafeStop** safety button at 38°C

( calibration required )

**GROHE SafeStop Plus** optional temperature limiter at 43°C included

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

**Twistfree** preventing the hose from twisting


suitable for instantaneous heaters from 18 kW/h

minimum flow rate 7 l/min.



# GROHE TEMPESTA SYSTEM


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 224 001	Chrome	4005176408168	557.53
------------	--------	---------------	--------

## Tempesta Cosmopolitan System 210 Shower system with single lever for wall mounting

Consisting of:  
horizontal swivable 390 mm projection shower arm  
exposed single-lever shower mixer  
with diverter  
allows change between:  
head shower Tempesta 210 (26 408)  
Rain spray pattern  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Tempesta Cosmopolitan 100 (27 571 001)  
2 spray patterns:  
Rain, Jet  
adjustable height via gliding element  
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.













26 381 001	Chrome	4005176451980	304.67
------------	--------	---------------	--------





## Tempesta System 210 Flex shower system with diverter for wall mounting

Consisting of:  
horizontal 390 mm shower arm, adjustable before installation  
change by diverter between hand shower, head shower or head shower Eco setting  
head shower Tempesta 210 (26 408)  
2 spray patterns (via diverter):  
chrome plated spray face  
with ball joint  
rotation angle  $\pm 15^\circ$   
hand shower Tempesta 100 (27 852)  
Rain spray pattern  
adjustable height via gliding element  
distance between diverter and upper bracket: 620 mm  
shower hose Relexaflex 1500 mm (28 151)  
shower hose Relexaflex 1250 mm (28 150)  
flexible installation: connection to tap / wall union for water supply with 1/2" thread of the 1250 mm shower hose  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**ShockProof** silicone ring prevents damage caused by a shower falling  
suitable for instantaneous heaters from 18 kW/h  
minimum flow rate 7 l/min.


# GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 349 000	Chrome	4005176409851	141.33
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p>				
 	48 350 000	Chrome	4005176409868	176.68
<p><b>Rainshower SmartControl Shower system pipe for retrofitting</b> metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems <b>GROHE StarLight</b> chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	48 053 000	Chrome	4005176890031	119.34
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting 15 cm longer than original shower system pipe for bath/shower systems: 30 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE StarLight</b> chrome finish</p>				
 	48 054 000	Chrome	4005176890048	92.54
<p><b>Shower system pipe for retrofitting</b> for shower systems with metal or plastic inner water guide shower pipe for retrofitting - 15 cm shorter than original shower system pipe for bath/shower systems: 60 cm shorter than original pipe suitable for all Rainshower, Euphoria and Tempesta shower systems except SmartControl shower systems not suitable for shower systems with side sprays not suitable for Flex shower systems with diverter <b>GROHE StarLight</b> chrome finish</p>				
 	14 014 000	Chrome	4005176929274	69.25
<p><b>Rainshower Shower arm for shower systems</b> material: metal projection 340 mm distance from wall 390 mm connection thread 1/2" <b>GROHE StarLight</b> chrome finish suitable for all GROHE shower systems except SmartControl suitable for all GROHE shower systems</p>				

# GROHE SHOWER SYSTEM ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 180 000	Chrome	4005176839306	55.10
	<b>Rainshower Spacer</b> for Rainshower systems 27 174, 27 175, 27 032, 27 058, 27 030, 27 038, 27 089, 27 031 <b>GROHE StarLight</b> chrome finish			
 	26 385 000	Chrome	4005176375057	25.47
	<b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable			

# GROHE HEAD SHOWERS



Ref. No.	Colour	EAN	Retail Guide Price (£)
26 801 000	Chrome	4005176722769	140.72
26 801 DC0	supersteel	4005176722837	196.98
26 801 BE0	polished nickel	4005176722813	225.16
26 801 EN0	brushed nickel	4005176722783	239.23
26 801 GL0	cool sunrise	4005176722790	225.16
26 801 GN0	brushed cool sunrise	4005176722820	239.23
26 801 DA0	warm sunset	4005176722851	225.16
26 801 DL0	brushed warm sunset	4005176722868	239.23
26 801 A00	hard graphite	4005176722806	225.16
26 801 AL0	Brushed Hard Graphite	4005176722844	239.23








**Rainshower Aqua**  
**Body spray round 2 spray**  
 spray pattern:  
 PureRain, ActiveJet  
 including concealed body and compound seal  
 ØOslash; 75 mm  
 pivoting range ± 15° rotatable  
 connection thread 1/2"  
 throw distance 600 mm  
**GROHE EcoJoy** 3.3 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 min. recommended pressure 1.0 bar  
**not suitable for instantaneous heater**



26 802 000	Chrome	4005176722776	140.72
26 802 DC0	supersteel	4005176722899	196.98
26 802 GN0	brushed cool sunrise	4005176722882	239.23
26 802 DL0	brushed warm sunset	4005176722912	239.23
26 802 A00	hard graphite	4005176722875	225.16
26 802 AL0	Brushed Hard Graphite	4005176722905	239.23

**Rainshower Aqua**  
**Body spray cube 2 spray**  
 spray pattern:  
 PureRain, ActiveJet  
 including concealed body and compound seal  
 75 x 75 mm  
 pivoting range ± 15° rotatable  
 connection thread 1/2"  
 throw distance 600 mm  
**GROHE EcoJoy** 3.3 l/min flow limiter  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 min. recommended pressure 1.0 bar  
**not suitable for instantaneous heater**


# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 254 000	Chrome	4005176317026	747.66
	<p><b>Rainshower Duo 360</b>  <b>Head shower set 450 mm, 2 sprays</b>            Consisting of:            head shower Rainshower Duo 360, spray plate chrome            2 spray patterns:            GROHE PureRain/GROHE Rain O<sup>2</sup> spray* and TrioMassage            horizontal 450 mm shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 254 LSO	moon white	4005176409806	889.01
	<p>ditto, head shower with white spray plate</p>			
	26 450 000	Chrome	4005176409813	693.99
	<p><b>Rainshower Mono 360</b>  <b>Head shower set 450 mm, 1 spray</b>            Consisting of:            head shower Rainshower Mono 360, spray plate chrome            1 spray pattern:            GROHE PureRain/GROHE Rain O<sup>2</sup> spray*            horizontal 450 mm shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 264 001 – to be ordered separately</p> <p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>			
	26 450 LSO	moon white	4005176409820	693.98
	<p>ditto, head shower with white spray plate</p>			
	26 264 001		4005176417108	253.00
	<p><b>Rainshower 360</b>  <b>Rough-in box for head shower set 26 254 / 26 450</b>            inlets and outlets 1/2"            fixing points for back wall            leakproof housing            removable protection cover with installation information</p>			
	26 475 000	Chrome	4005176423758	664.31
	26 475 DC0	supersteel	4005176526237	839.52
	26 475 GL0	cool sunrise	4005176557156	959.62
	26 475 GN0	brushed cool sunrise	4005176557163	1,019.69
	26 475 DA0	warm sunset	4005176557125	959.62
	26 475 DL0	brushed warm sunset	4005176557132	1,019.69
	26 475 A00	hard graphite	4005176557095	959.62
	26 475 AL0	Brushed Hard Graphite	4005176557101	1,019.69
	<p><b>Rainshower SmartActive 310</b>  <b>Head shower set 430 mm, 2 sprays</b>            Consisting of:            head shower Rainshower SmartActive 310            2 spray patterns:            GROHE PureRain, ActiveRain            horizontal 430 mm shower arm  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
	26 475 LSO	moon white	4005176425899	872.06
	<p>ditto, head shower with white spray plate</p>			

# GROHE HEAD SHOWERS

SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



26 477 000	Chrome	4005176423772	664.31
26 477 DC0	supersteel	4005176526244	839.52
26 477 GL0	cool sunrise	4005176557231	959.62
26 477 GN0	brushed cool sunrise	4005176557248	1,019.69
26 477 DA0	warm sunset	4005176557200	959.62
26 477 DL0	brushed warm sunset	4005176557217	1,019.69
26 477 A00	hard graphite	4005176557170	959.62
26 477 AL0	Brushed Hard Graphite	4005176557187	1,019.69

**Rainshower SmartActive 310**  
Head shower set ceiling 142 mm, 2 sprays

Consisting of:

head shower Rainshower SmartActive 310

2 spray patterns:

GROHE PureRain, ActiveRain

142 mm ceiling shower arm

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 477 LS0	moon white	4005176425912	872.06
ditto, head shower with white spray plate			



26 479 000	Chrome	4005176425196	699.62
26 479 DC0	supersteel	4005176526251	884.24
26 479 GN0	brushed cool sunrise	4005176557323	1,074.61
26 479 DL0	brushed warm sunset	4005176557293	1,074.61
26 479 A00	hard graphite	4005176557255	1,010.72
26 479 AL0	Brushed Hard Graphite	4005176557262	1,074.61

**Rainshower SmartActive 310 Cube**  
Head shower set 430 mm, 2 sprays

Consisting of:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

horizontal 430 mm shower arm

**GROHE DreamSpray** perfect spray pattern


**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system

**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately

26 479 LS0	moon white	4005176425936	907.43
ditto, head shower with white spray plate			



26 481 000	Chrome	4005176425219	699.64
26 481 DC0	supersteel	4005176526268	884.24
26 481 GN0	brushed cool sunrise	4005176557408	1,074.61
26 481 DL0	brushed warm sunset	4005176557378	1,074.61
26 481 A00	hard graphite	4005176557330	1,010.72
26 481 AL0	Brushed Hard Graphite	4005176557347	1,074.61

**Rainshower SmartActive 310 Cube**  
Head shower set ceiling 142 mm, 2 sprays

Consisting of:

head shower Rainshower SmartActive 310 Cube

2 spray patterns:

GROHE PureRain, ActiveRain

142 mm ceiling shower arm

**GROHE DreamSpray** perfect spray pattern

**GROHE StarLight** chrome finish

**SpeedClean** anti-limescale system







**Inner WaterGuide** for a longer life

requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately







26 481 LS0	moon white	4005176425950	907.43
ditto, head shower with white spray plate			











# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>26 484 000</b>		<b>4005176425110</b>	<b>138.52</b>
	<p><b>Rainshower</b>  <b>Universal rough-in box, 1/2"</b>                      for head shower set                      26 475 / 26 477 / 26 479 / 26 481                      2 inlets, 1/2"                      installation depth 75-105 mm                      connection unit in DR brass                      stable build-in box and protective cover                      leakproof housing                      gasket                      integrated flushing plug  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter per each water way                      without set for final installation</p>			
	<b>26 483 000</b>		<b>4005176425103</b>	<b>138.52</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>26 640 000</b>	<b>Chrome</b>	<b>4005176530203</b>	<b>723.23</b>
	<p><b>Rainshower SmartConnect 310</b>  <b>Head shower set 422 mm, 2 sprays</b>                      Consisting of:                      head shower Rainshower SmartConnect 310 (26 641)                      spray plate chrome                      2 spray patterns:                      GROHE PureRain, ActiveRain                      default spray type programmable                      horizontal 422 mm shower arm (26 146)                      with round escutcheon                      with wireless remote control to change or combine spray patterns                      screw or glue holder to wall                      battery powered                      including 3 x AAA batteries and 1 x CR 2032 button cell                      LED indicator for pairing and battery change                      water resistant remote control rated IP57  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.5 bar</p>			
 	<b>26 642 000</b>	<b>Chrome</b>	<b>4005176530227</b>	<b>752.62</b>
	<p><b>Rainshower SmartConnect 310 Cube</b>  <b>Head shower set 422 mm, 2 sprays</b>                      Consisting of:                      head shower Rainshower SmartConnect 310 Cube (26 643)                      spray plate chrome                      2 spray patterns:                      GROHE PureRain, ActiveRain                      default spray type programmable                      horizontal 422 mm shower arm (26 146)                      with square escutcheon                      with wireless remote control to change or combine spray patterns                      screw or glue holder to wall                      battery powered                      including 3 x AAA batteries and 1 x CR 2032 button cell                      LED indicator for pairing and battery change                      water resistant remote control rated IP57  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suitable for instantaneous heater                      min. recommended pressure 1.5 bar</p>			

# GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 558 000	Chrome	4005176481727	468.26
	<b>Rainshower Mono 310</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain shower arm Rainshower 422 mm (26 146 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 557 000	Chrome	4005176481710	468.26
	ditto, with non-restricted flow			
	26 560 000	Chrome	4005176481741	468.26
	<b>Rainshower Mono 310</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower 310, spray plate chrome (26 562) 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 559 000	Chrome	4005176481734	468.26
	ditto, with non-restricted flow			
	26 564 000	Chrome	4005176481789	501.71
	26 564 GN0	brushed cool sunrise	4005176557804	923.85
	26 564 DL0	brushed warm sunset	4005176557774	923.85
	26 564 A00	hard graphite	4005176557736	877.84
	26 564 AL0	Brushed Hard Graphite	4005176557743	923.85
	<b>Rainshower Mono 310 Cube</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm 422 mm (26 145 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 563 000	Chrome	4005176481772	501.71
	26 566 000	Chrome	4005176482106	501.71
	26 566 DC0	supersteel	4005176526282	891.61
	26 566 GN0	brushed cool sunrise	4005176557880	923.85
	26 566 DL0	brushed warm sunset	4005176557859	923.85
	26 566 A00	hard graphite	4005176557811	877.84
	26 566 AL0	Brushed Hard Graphite	4005176557828	923.85
	<b>Rainshower Mono 310 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower 310 1 spray pattern: GROHE PureRain Rainshower shower arm ceiling 142 mm (27 485 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 565 000	Chrome	4005176482090	501.71
	ditto, with non-restricted flow			

# GROHE HEAD SHOWERS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 256 000	Chrome	4005176318597	973.79
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	26 257 000	Chrome	4005176317927	705.30
	<b>Rainshower 310</b> <b>Head shower set 422 mm, 1 spray</b> Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	26 066 000	Chrome	4005176937200	662.88
	26 066 DC0 supersteel 4005176371172 956.87 26 066 GL0 cool sunrise 4005176427183 1,093.50 26 066 GN0 brushed cool sunrise 4005176427190 1,161.85 26 066 DA0 warm sunset 4005176427206 1,093.50 26 066 DL0 brushed warm sunset 4005176427213 1,161.88 26 066 A00 hard graphite 4005176427237 1,093.49 26 066 AL0 Brushed Hard Graphite 4005176427220 1,161.88 <b>Rainshower Cosmopolitan 310</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 056 000	Chrome	4005176937101	662.88
	ditto, with non-restricted flow			
 	26 067 000	Chrome	4005176937217	662.88
	26 067 DC0 supersteel 4005176371189 956.87 26 067 GL0 cool sunrise 4005176427268 1,093.50 26 067 GN0 brushed cool sunrise 4005176427275 1,161.85 26 067 DA0 warm sunset 4005176427282 1,093.49 26 067 DL0 brushed warm sunset 4005176427299 1,161.88 26 067 A00 hard graphite 4005176427312 1,093.50 26 067 AL0 Brushed Hard Graphite 4005176427305 1,161.88 <b>Rainshower Cosmopolitan 310</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) material: metal 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			



# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 171 000	Chrome	4005176997310	507.39
<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set 422 mm, 1 spray</b>            Consisting of:            Rainshower Cosmopolitan 210 metal head shower, spray plate chrome (28 368 000)            1 spray pattern:            Rain            Rainshower shower arm 422 mm, escutcheon chrome (26 146)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>suitable for instantaneous heater</b>            starting at 0.5 bar flow pressure</p>				
 	26 062 000	Chrome	4005176937163	479.13
<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set 286 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Cosmopolitan 210 (28 373 000)            material: metal            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (28 576 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system            starting at 0.5 bar flow pressure</p>				
<p>26 052 000    Chrome    4005176937064    479.13  <b>ditto, with non-restricted flow</b></p>				
 	26 063 000	Chrome	4005176937170	479.13
<p><b>Rainshower Cosmopolitan 210</b>  <b>Head shower set ceiling 142 mm, 1 spray</b>            Consisting of:            Head shower Rainshower Cosmopolitan 210 (28 373 000)            material: metal            1 spray pattern:            Rain            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system            starting at 0.5 bar flow pressure</p>				
 	26 459 000	Chrome	4005176416965	282.69
<p><b>Euphoria 260</b>  <b>Head shower set 380 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>				
<p>26 458 000    Chrome    4005176416958    282.69  <b>ditto, with non-restricted flow</b></p>				

# GROHE HEAD SHOWERS







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 461 000	Chrome	4005176416989	224.73
	<b>Euphoria 260</b> <b>Head shower set ceiling 142 mm, 3 sprays</b> Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 460 000	Chrome	4005176416972	224.73
	ditto, with non-restricted flow			
 	26 073 000	Chrome	4005176937279	295.41
	<b>Euphoria Cube 150</b> <b>Head shower set 286 mm, 1 spray</b> head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	 26 663 000	Chrome	4005176580505	233.78
	<b>Tempesta 250</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	 26 668 000	Chrome	4005176580550	219.00
	ditto, but head shower with white rear cover			
 	 26 664 000	Chrome	4005176580512	188.75
	<b>Tempesta 250</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	 26 669 000	Chrome	4005176580567	173.98
	ditto, but head shower with white rear cover			



# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 682 000	Chrome	4005176580697	241.96
	<b>Tempesta 250 Cube</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 687 000	Chrome	4005176580741	226.66
	ditto, but head shower with white rear cover			
 	26 683 000	Chrome	4005176580703	195.35
	<b>Tempesta 250 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
	26 688 000	Chrome	4005176580758	180.06
	ditto, but head shower with white rear cover			
 	26 412 000	Chrome	4005176390173	204.96
	<b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
 	26 267 001	Chrome	4005176444197	73.47
	<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>for low pressure</b>			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 869 001	Chrome	4005176444005	98.97
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
 	26 090 001	Chrome	4005176443992	91.85
<b>Tempesta Cosmopolitan 100</b> <b>Head shower set 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				
 	26 089 001	Chrome	4005176444067	87.61
<b>Tempesta Rustic 100</b> <b>Head shower set 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater				

# GROHE HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

26 373 001	Chrome	4005176415593	26,500.51
------------	--------	---------------	-----------

**Rainshower F-Series 40" AquaSymphony**  
**Ceiling shower 6+ sprays with light**

1016 mm x 762 mm x 145 mm  
material: metal  
minimum flow rate 25 l/min  
min. recommended pressure 3.0 bar  
1 x AquaCurtain  
1 x Pure XL spray  
1 x 2 mist spray  
2 x GROHE PureRain spray 400 x 190 mm  
2 x XL Waterfall (separately controlled)  
1 x 4 Bokoma Spray with adjustment angle 20° and combinations  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved



**SpeedClean** anti-limescale system  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm SmartControl  
3 x Grohtherm SmartControl (29 126 000)  
3 x GROHE Rapido SmartBox (35 604 000)  
1 x Euphoria Cube Stick wall holder set 1 spray (26 405 000)

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A++



26 376 001	Chrome	4005176415609	2,522.92
------------	--------	---------------	----------

**Rainshower F-Series 40"**  
**Roughing-in set**

for use with Rainshower F-Series 40" AquaSymphony ceiling shower  
1000 mm x 745 mm x 152 mm  
min. installation depth: 167 mm  
Waterways: Brass  
1/2" connections

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

27 865 000	Chrome	4005176918179	5,388.25
------------	--------	---------------	----------

**Rainshower F-Series 20"**  
**Ceiling shower with light, 1 spray**


Rain  
508 x 508 x 59 mm  
material: metal  
full spectrum LED: soft light with changing rainbow colours  
individually adjustable: permanent lighting with colour selection  
power supply for light 12 V DC  
CE approved

**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**suitable for instantaneous heater**











requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.

this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+







For detailed planning and product information please contact your local GROHE Customer Service.












# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 286 000	Chrome	4005176860737	2,260.02
	<b>Rainshower F-Series 20"</b> <b>Ceiling shower 1 spray</b> Rain 508 x 508 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 939 001	Chrome	4005176927287	3,871.32
	<b>Rainshower F-Series 15"</b> <b>Ceiling shower 3 sprays</b> Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) material: metal <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE XL Waterfall</b> extra wide waterfall spray <b>SpeedClean</b> anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min head shower has to be controlled by 4 outlets			
 	27 938 001	Chrome	4005176927072	3,871.27
	<b>Rainshower F-Series 15"</b> <b>Head shower 3 sprays</b> Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) material: metal <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE XL Waterfall</b> extra wide waterfall spray <b>SpeedClean</b> anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min <b>Requires Rough-in (26 042) - to be ordered separately</b> head shower has to be controlled by 4 outlets			
 	26 042 000		4005176935954	251.46
	<b>Rainshower F-Series 15"</b> <b>Roughing-in set</b> for use with Rainshower F-Series 15" Multi Spray head shower 295 mm (width) x 121 mm (height) x 181 mm (depth) Max. installation depth: 91 mm Min. wall thickness: not less that 200 mm Minimum screw-in depth of stud bolts: 14 mm Full metal construction Waterways: Brass 1/2" connections			
 	27 467 000	Chrome	4005176882609	775.94
	<b>Rainshower F-Series 10" 254 x 254</b> <b>Ceiling shower 1 spray</b> Rain 254 x 254 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

# GROHE HEAD SHOWERS











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 285 000	Chrome	4005176860713	563.94
	<p><b>Rainshower F-Series 10"</b>  <b>Head shower 1 spray</b>            Rain            254 x 254 mm            material: metal            Ball joint +/- 20° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
	27 271 000	Chrome	4005176860690	563.94
	ditto, with non-restricted flow			
	27 252 000	Chrome	4005176856334	139.90
	<p><b>Rainshower F-Series 5"</b>  <b>Side shower 1 spray</b>            Normal spray            including concealed body            also to be used as head shower            127 x 127 mm            flow straightener with ball joint (<math>\pm 12.5^\circ</math> rotatable)            female thread 1/2" NPT  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FlowBalance</b> flow regulating screw  <b>SpeedClean</b> anti-limescale system            suitable for instantaneous heater</p>			
 	27 251 000	Chrome	4005176856327	139.90
	27 251 DC0	supersteel	4005176431586	186.55
	27 251 GL0	cool sunrise	4005176338861	213.39
	27 251 GN0	brushed cool sunrise	4005176431555	226.17
	27 251 DA0	warm sunset	4005176338854	213.39
	27 251 DL0	brushed warm sunset	4005176431579	226.17
	27 251 A00	hard graphite	4005176338878	230.79
	27 251 AL0	Brushed Hard Graphite	4005176338885	245.19
	<p><b>Rainshower F-Series 5"</b>  <b>Side shower 1 spray</b>            Normal spray            including concealed body            127 x 127 mm            flow straightener with ball joint (<math>\pm 12.5^\circ</math> rotatable)            connection thread 1/2"  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FlowBalance</b> flow regulating screw  <b>SpeedClean</b> anti-limescale system</p>			
		27 254 000	Chrome	4005176856372
<p><b>Rainshower F-Series 5"</b>  <b>Head shower 1 spray</b>            Normal spray            wall mounted            127 x 127 mm            flow straightener with ball joint (<math>\pm 12.5^\circ</math> rotatable)            female thread 1/2" NPT  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FlowBalance</b> flow regulating screw  <b>SpeedClean</b> anti-limescale system            suitable for instantaneous heater</p>				

# GROHE HEAD SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 253 000	Chrome	4005176856365	210.57
	<b>Rainshower F-Series 5"</b> <b>Head shower 1 spray</b> wall mounted 127 x 127 mm flow straightener with ball joint ( $\pm 12.5^\circ$ rotatable) connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FlowBalance</b> flow regulating screw <b>SpeedClean</b> anti-limescale system			
 	26 641 000	Chrome	4005176530210	667.00
	<b>Rainshower SmartConnect 310</b> <b>Head shower 2 sprays</b> GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
 	26 643 000	Chrome	4005176530234	697.67
	<b>Rainshower SmartConnect 310 Cube</b> <b>Head shower 2 sprays</b> GROHE PureRain, ActiveRain default spray type programmable spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" with wireless remote control to change or combine spray patterns screw or glue holder to wall battery powered including 3 x AAA batteries and 1 x CR 2032 button cell LED indicator for pairing and battery change water resistant remote control rated IP57 <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.5 bar			
	26 569 000	Chrome	4005176482175	366.73
	26 569 EN0	brushed nickel	4005176482182	549.47
	<b>Rainshower Mono 310</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater min. recommended pressure 1.0 bar			
	26 562 000	Chrome	4005176481765	383.96
	26 562 LS0	moon white	4005176482144	499.03
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			










# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 561 000	Chrome	4005176481758	383.96
	26 561 LS0	moon white	4005176482137	499.03
	<b>Rainshower Mono 310</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 570 000	Chrome	4005176482199	398.69
	26 570 EN0	brushed nickel	4005176482205	598.00
<b>Rainshower Mono 310 Cube</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
	26 568 000	Chrome	4005176482120	417.42
	26 568 LS0	moon white	4005176482168	543.17
<b>ditto, with GROHE EcoJoy 9.5 l/min flow limiter</b>				
	26 567 000	Chrome	4005176482113	417.42
	26 567 LS0	moon white	4005176482151	543.17
	<b>Rainshower Mono 310 Cube</b> <b>Head shower 1 spray</b> GROHE PureRain spray plate chrome ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	27 470 000	Chrome	4005176882531	592.21
	<b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	<b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
	27 470 LS0	moon white	4005176997235	708.02
	<b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
	<b>Rainshower Veris 300</b> <b>Head shower 1 spray</b> Rain spray plate white 300 x 150 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			










# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 863 000	Chrome	4005176918155	846.60
	<b>Rainshower Allure 230</b> <b>Ceiling shower 1 spray</b> Rain 230 x 230 mm material: metal connection thread 1/2" <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 469 000	Chrome	4005176423970	599.28
	<b>Rainshower Allure 230</b> <b>Head shower 1 spray</b> Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
 	27 480 000	Chrome	4005176883316	606.34
	<b>Rainshower Allure 230</b> <b>Head shower 1 spray</b> Rain 230 x 230 mm material: metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
	27 479 000	Chrome	4005176883309	606.37
	<b>ditto, with non-restricted flow</b>			
 	28 778 000	Chrome	4005176820526	818.36
	<b>Rainshower Cosmopolitan 400</b> <b>Head shower 1 spray</b> diameter 400 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497			
	26 472 000	Chrome	4005176424908	618.48
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> Rain Ø 310 mm material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 478 000	Chrome	4005176883293	620.48
	<b>Rainshower Cosmopolitan 310</b> <b>Head shower 1 spray</b> Rain Ø 310 mm material: metal ball joint with turning angle 20° ± 20° connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b>			
	27 477 000	Chrome	4005176883286	620.48
	ditto, with non-restricted flow			
 	28 368 00E	Chrome	4005176867385	422.59
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	28 368 000	Chrome	4005176267253	288.05
	ditto, with non-restricted flow			
	28 373 000	Chrome	4005176267277	436.72
ditto, with 9.5 l/min flow limiter				
 	28 368 LS0	moon white	4005176997242	535.65
	<b>Rainshower Cosmopolitan 210</b> <b>Head shower 1 spray</b> Rain starting at 0.5 bar flow pressure spray plate white Ø 210 mm material: metal with ball joint rotation angle ± 15° connection thread 1/2" <b>GROHE DreamSpray</b> perfect flow <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b> this headshower should only be used in conjunction with shower arm 28 384 000, 28 497 000, 28 576 000 or 28 724 000			
	27 135 000	Chrome	4005176836077	152.49
	27 135 EN0	brushed nickel	4005176836084	282.41
	<b>Rainshower Cosmopolitan 160</b> <b>Head shower 4 sprays</b> Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle 15° ± 15° <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>SpeedClean</b> anti-limescale system <b>suitable for instantaneous heater</b> <b>Min. recommended pressure 0.5 bar</b> The head shower is suitable for minimum flow rate of 7.5 l/min and a maximum of 9.5 l/min (ASME A112.18.1M). Minimum pressure > 1 bar, maximum 6 bar (ASME A112.18.1M). recommended for use with Rainshower shower arms			





# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 134 000	Chrome	4005176836060	154.04
	<b>Rainshower Cosmopolitan 160</b> <b>Head shower 4 sprays</b> Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	26 474 000	Chrome	4005176424939	447.23
	26 474 BE0	polished nickel	4005176424953	581.41
	26 474 EN0	brushed nickel	4005176424946	581.41
	26 474 ZB0	antique bronze	4005176424960	581.40
	<b>Rainshower Rustic 210</b> <b>Head shower 1 spray</b> Rain spray pattern normal (wide) spray <b>starting at 0.5 bar</b> flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2"			
	<b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 369 000	Chrome	4005176267260	450.87
	<b>Rainshower Rustic 210</b> <b>Head shower 1 spray</b> material: metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	27 974 000	Chrome	4005176932793	549.82
	27 974 IG0	chrome/gold	4005176933486	719.40
	<b>Grandera 210</b> <b>Head shower 1 spray</b> 221 x 221 mm material: metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2"			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 308 000	Chrome	4005176254949	159.58
	<b>Sena 75</b> <b>Head shower 1 spray</b> Normal spray sprayface: metal			
	<b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			

# GROHE HEAD SHOWERS










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 448 000	Chrome	4005176265167	216.21
	<b>Movario 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
	27 530 000	Chrome	4005176889219	592.19
	<b>Relexa Deluxe 130</b> <b>Head shower 4 sprays</b> Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>Inner WaterGuide</b> for a longer life			
	27 062 000	Chrome	4005176831669	252.97
	<b>Relexa 100 Five</b> <b>Head shower 5 sprays</b> Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life minimum flow rate 7.5 l/min.			
	27 067 000	Chrome	4005176832123	168.17
	<b>Relexa 65</b> <b>Side shower 2 sprays</b> Wide spray/Massage ball-joint <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
	26 457 000	Chrome	4005176416934	169.63
	<b>Euphoria 260</b> <b>Head shower 3 sprays</b> Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 455 000	Chrome	4005176416903	169.63
	ditto, with non-restricted flow			

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 492 000	Chrome	4005176885556	168.19
<p><b>Euphoria Cosmopolitan 180</b> Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system</p>				
 	28 233 000	Chrome	4005176868016	111.69
<p><b>Euphoria Cosmopolitan 160</b> Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater</p>				
 	27 237 000	Chrome	4005176854286	97.50
<p><b>Euphoria 110 Mono</b> Head shower 1 spray Rain connection thread 1/2" bellows <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater</p>				
	28 737 000	Chrome	4005176872983	69.25
<p><b>Euphoria Rustic 130</b> Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system</p>				
	26 468 000	Chrome	4005176423963	188.65
<p><b>Euphoria Cube 150</b> Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life</p>				



# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 705 000	Chrome	4005176907166	182.32
	<b>Euphoria Cube 150</b> <b>Head shower 1 spray</b> Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	26 662 000	Chrome	4005176580499	141.91
	 <b>Tempesta 250</b> <b>Head shower 1 spray</b> Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 666 000	Chrome	4005176580536	127.12
	ditto, but with white rear cover			
 	26 681 000	Chrome	4005176580680	146.87
	 <b>Tempesta 250 Cube</b> <b>Head shower 1 spray</b> Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 685 000	Chrome	4005176580727	131.56
	ditto, but with white rear cover			
	26 409 000	Chrome	4005176390128	115.94
	<b>Tempesta 210</b> <b>Head shower 1 spray</b> Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	115.94
	ditto, with 9.5 l/min flow limiter			
	26 408 000	Chrome	4005176390111	115.94
	ditto, with non-restricted flow			

# GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 606 001	Chrome	4005176444180	74.90
<b>Tempesta 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				
 	26 050 001	Chrome	4005176444166	59.40
<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	27 591 001	Chrome	4005176443985	83.40
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				
 	26 051 001	Chrome	4005176443954	66.43
<b>Tempesta Cosmopolitan 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater				
 	27 541 001	Chrome	4005176451676	105.98
<b>Tempesta Cosmopolitan 200</b> <b>Head shower 1 spray</b> Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater				
 	27 610 001	Chrome	4005176444050	76.32
<b>Tempesta Rustic 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life				

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 404 000	Chrome	4005176601736	25.63
	<b>Relexa Basic 85</b> <b>Head shower 1 spray</b> Rain brass tin plate 50 mm high connection thread 1/2"			
 	28 094 000	Chrome	4005176601132	65.71
	<b>Relexa Plus 50</b> <b>Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE StarLight</b> chrome finish adjustable flow rate without shower arm			
 	28 002 000	Chrome	4005176858796	238.86
	<b>Relexa 70</b> <b>Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	172.98
	<b>Relexa Plus 60</b> <b>Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 286 000	Chrome	4005176198526	125.79
	<b>Relexa 50</b> <b>Side shower 2 sprays</b> Wide Spray/ Needle Jet ball-joint <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			













# GROHE HEAD SHOWERS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 198 000	Chrome	4005176038686	159.58













**Relaxa 50**  
**Side shower 1 spray**  
 Normal spray  
 ball-joint  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
 pre-adjustment for the flow rate  
 pre-adjustable flow rate from 5-11 l/min.  
 minimum flow rate 4,5 l/min

# GROHE HEAD SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 146 000	Chrome	4005176986017	139.95
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with round escutcheon, can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	26 146 LS0	moon white	4005176997266	139.93
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with round escutcheon, white                      can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	28 982 000	Chrome	4005176829987	168.20
<p><b>Rainshower</b>  <b>Shower arm 378 mm</b>                      material: metal                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish</p>				
 	28 361 000	Chrome	4005176295157	125.79
<p><b>Rainshower</b>  <b>Shower arm, 380 mm</b>                      material: metal                      connection thread 1/2"                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE StarLight</b> chrome finish</p>				
	28 576 000	Chrome	4005176274022	97.51
<p><b>Ditto, projection 286 mm</b></p>				
 	26 145 000	Chrome	4005176986000	168.22
<p><b>Rainshower</b>  <b>Shower arm 422 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers  <b>GROHE StarLight</b> chrome finish</p>				
 	27 488 000	Chrome	4005176885525	97.51
<p><b>Rainshower</b>  <b>Shower arm 275 mm</b>                      material: metal                      connection thread 1/2"                      with square escutcheon                      can be used for all Rainshower head showers except Rainshower 400 mm  <b>GROHE StarLight</b> chrome finish</p>				

# GROHE HEAD SHOWERS













	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 709 000	Chrome	4005176909092	139.93
	<b>Rainshower</b> <b>Shower arm 286 mm</b> material: metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower <b>GROHE StarLight</b> chrome finish			
 	28 497 000	Chrome	4005176270338	83.41
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" can be used for all Rainshower head showers <b>GROHE StarLight</b> chrome finish			
	28 724 000	Chrome	4005176812644	69.26
	ditto, length 142 mm			
 	27 484 000	Chrome	4005176885488	83.39
	<b>Rainshower</b> <b>Shower ceiling arm 292 mm</b> material: metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers <b>GROHE StarLight</b> chrome finish			
	27 485 000	Chrome	4005176885495	69.27
	ditto, 142 mm length			
 	27 711 000	Chrome	4005176909115	111.65
	<b>Rainshower</b> <b>Shower arm ceiling 154 mm</b> material: metal connection thread 1/2" <b>GROHE StarLight</b> chrome finish			
 	27 986 000	Chrome	4005176933011	125.78
	27 986 IG0	chrome/gold	4005176933547	168.17
	<b>Rainshower Grandera</b> <b>Shower arm 286 mm</b> projection 286 mm material: metal connection thread 1/2" Grandera escutcheon <b>GROHE StarLight</b> chrome finish			



# GROHE HEAD SHOWERS


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 978 000	Chrome	4005176932830	97.49
<p><b>Rainshower Grandera</b>  <b>Shower arm ceiling 142 mm</b>                      material: metal                      length 142 mm                      connection thread 1/2"                      Grandera escutcheon  <b>GROHE StarLight</b> chrome finish</p>				
 	27 406 000	Chrome	4005176600166	65.69
<p><b>Relexa</b>  <b>Shower arm 218 mm</b>                      connection thread 1/2"                      projection 218 mm                      escutcheon  <b>GROHE StarLight</b> chrome finish</p>				
 	28 541 000	Chrome	4005176040528	52.31
<p><b>Relexa</b>  <b>Shower arm 147 mm</b>                      connection thread 1/2"                      escutcheon  <b>GROHE StarLight</b> chrome finish</p>				
 	28 429 000	Chrome	4005176601910	65.71
<p><b>Relexa</b>  <b>Shower arm 55 mm</b>                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish</p>				

# GROHE SENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 341 000	Chrome	4005176259463	182.34
	<p><b>Sena Stick</b>  <b>Hand shower 1 spray</b>            Normal spray            material: metal  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>			
 	28 034 000	Chrome	4005176231810	182.34
	<p><b>ditto, with non-restricted flow</b></p>			
 	26 465 000	Chrome	4005176423918	185.98
	26 465 DC0	supersteel	4005176459092	260.15
	26 465 BE0	polished nickel	4005176459160	297.29
	26 465 EN0	brushed nickel	4005176423925	315.86
	26 465 GL0	cool sunrise	4005176459108	297.29
	26 465 GN0	brushed cool sunrise	4005176459115	315.86
	26 465 DA0	warm sunset	4005176459122	297.29
	26 465 DL0	brushed warm sunset	4005176459139	315.86
	26 465 A00	hard graphite	4005176459146	297.29
	26 465 AL0	Brushed Hard Graphite	4005176459153	315.87
	<p><b>Sena Stick</b>  <b>Hand shower 1 spray</b>            Normal spray            material: metal  <b>GROHE EcoJoy</b> 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>			
 	28 348 000	Chrome	4005176263262	172.99
	<p><b>Sena</b>  <b>Wall holder set 1 spray</b>            material: metal            hand shower Sena Stick (28 034 000)            wall shower holder (28 690)            shower hose (28 151 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
 	28 308 000	Chrome	4005176254949	159.58
	<p><b>Sena 75</b>  <b>Head shower 1 spray</b>            Normal spray            sprayface: metal  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			
 	28 690 000	Chrome	4005176256196	119.34
	<p><b>Sena</b>  <b>Wall hand Shower holder</b>            non-adjustable            material: metal  <b>GROHE StarLight</b> chrome finish</p>			

# GROHE SENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------











28 389 000	Chrome	4005176269837	15.96
------------	--------	---------------	-------

**Sena**  
**Adapter 1/2" x 1/2"**  
material: metal  
for use with hand shower holder  
or shower rail  
**GROHE StarLight** chrome finish









# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	26 574 000	Chrome	4005176485916	92.00	
	26 574 DC0	supersteel	4005176526459	163.56	
	26 574 GL0	cool sunrise	4005176558511	157.18	
	26 574 GN0	brushed cool sunrise	4005176558528	166.12	
	26 574 DA0	warm sunset	4005176558481	157.18	
	26 574 DL0	brushed warm sunset	4005176558498	166.12	
	26 574 A00	hard graphite	4005176558450	157.18	
	26 574 AL0	Brushed Hard Graphite	4005176558467	166.12	
	<b>Rainshower SmartActive 130</b> <b>Hand shower 3 sprays</b> spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater				
		26 544 000	Chrome	4005176478888	92.00
ditto, with non-restricted flow					
 	26 574 LS0	moon white	4005176485923	92.00	
	<b>Rainshower SmartActive 130</b> <b>Hand shower 3 sprays</b> spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SmartTip showering spray selection via push of a ring GROHE RainStart - hand shower starts always with Rain spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater				
		26 575 000	Chrome	4005176485947	196.77
	<b>Rainshower SmartActive 130</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FastFixation Plus adjustable distance between brackets, to adapt to existing holes GROHE TileFix adjustable depth on upper and lower bracket SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater				
	 	26 546 000	Chrome	4005176479816	196.78
		ditto, with non-restricted flow			

# GROHE RAINSHOWER SMARTACTIVE







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 578 000	Chrome	4005176485985	201.88
	<b>Rainshower SmartActive 130</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 544) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 579 LS0	moon white	4005176486203	203.18
	<b>Rainshower SmartActive 130</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 578 LS0	moon white	4005176486197	201.88
	<b>ditto, with non-restricted flow</b>			
 	26 581 000	Chrome	4005176486234	129.05
	<b>Rainshower SmartActive 130</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 581 LS0	moon white	4005176486241	129.05
	<b>Rainshower SmartActive 130</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			

# GROHE RAINSHOWER SMARTACTIVE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 580 000	Chrome	4005176486210	152.07
	<b>Rainshower SmartActive 130</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 580 LS0	moon white	4005176486227	152.07
	<b>Rainshower SmartActive 130</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 (26 574) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 582 000	Chrome	4005176486258	92.00
	26 582 DC0	supersteel	4005176526466	142.88
	26 582 GN0	brushed cool sunrise	4005176558603	166.12
	26 582 DL0	brushed warm sunset	4005176558573	166.12
	26 582 A00	hard graphite	4005176558535	157.18
	26 582 AL0	Brushed Hard Graphite	4005176558542	166.12
 	<b>Rainshower SmartActive 130 Cube</b> <b>Hand shower 3 sprays</b> spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
	26 552 000	Chrome	4005176486272	92.00
	ditto, with GROHE EcoJoy 6.8 l/min flow limiter			
	26 550 000	Chrome	4005176479854	92.00
	ditto, with non-restricted flow			
 	26 582 LS0	moon white	4005176486265	92.00
	<b>Rainshower SmartActive 130 Cube</b> <b>Hand shower 3 sprays</b> spray plate moon white GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			



# GROHE RAINSHOWER SMARTACTIVE









	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>26 584 000</b>	<b>Chrome</b>	<b>4005176486296</b>	<b>196.77</b>
		<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
		<b>26 585 000</b>	<b>Chrome</b>	<b>4005176486319</b>	<b>196.77</b>
	<b>26 583 000</b>	<b>Chrome</b>	<b>4005176486289</b>	<b>196.78</b>	
	<b>ditto, with non-restricted flow</b>				
		<b>26 584 LS0</b>	<b>moon white</b>	<b>4005176486302</b>	<b>196.77</b>
		<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
		<b>26 586 000</b>	<b>Chrome</b>	<b>4005176486333</b>	<b>201.88</b>
		<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
		<b>26 587 000</b>	<b>Chrome</b>	<b>4005176486340</b>	<b>203.18</b>
	<b>ditto, with GROHE EcoJoy 9.5 l/min flow limiter</b>				

# GROHE RAINSHOWER SMARTACTIVE









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 586 LS0	moon white	4005176486357	201.88
	<b>Rainshower SmartActive 130 Cube Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 550) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 587 LS0	moon white	4005176486364	203.18
	ditto, with GROHE EcoJoy 9.5 l/min flow limiter			
 	26 589 000	Chrome	4005176486395	129.05
	<b>Rainshower SmartActive 130 Cube Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 589 LS0	moon white	4005176486401	129.05
	<b>Rainshower SmartActive 130 Cube Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder (27 056) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 588 000	Chrome	4005176486371	152.07
	<b>Rainshower SmartActive 130 Cube Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			

SHOWERS








# GROHE RAINSHOWER SMARTACTIVE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 588 LS0	moon white	4005176486388	152.07
	<b>Rainshower SmartActive 130 Cube</b> <b>Wall holder set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 130 Cube (26 582) wall shower holder, adjustable (27 055) Silverflex shower hose 1.500 mm (28 364) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 590 000	Chrome	4005176486418	115.01
	<b>Rainshower SmartActive 150</b> <b>Hand shower 3 sprays</b> spray plate chrome GROHE Rain including DripStop, Jet including DripStop, ActiveMassage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE SmartTip</b> showering spray selection via push of a ring <b>GROHE RainStart</b> - hand shower starts always with Rain spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b>			
	26 553 000	Chrome	4005176479885	115.01
	ditto, with non-restricted flow			
 	26 592 000	Chrome	4005176486449	232.55
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 591 000	Chrome	4005176486425	232.56
	ditto, with non-restricted flow			
 	26 592 LS0	moon white	4005176486432	233.83
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 554) shower rail 600 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			

# GROHE RAINSHOWER SMARTACTIVE


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 594 000	Chrome	4005176486470	240.20
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 590) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
	26 593 000	Chrome	4005176486456	238.95
	ditto, with non-restricted flow			
 	26 594 LSO	moon white	4005176486463	240.20
	<b>Rainshower SmartActive 150</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Rainshower SmartActive 150 (26 554) shower rail 900 mm with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) <b>GROHE EasyReach</b> tray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> finish <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b>			
 	26 602 000	Chrome	4005176486531	118.82
	<b>Rainshower SmartActive</b> <b>Shower rail, 600 mm</b> with wall holders made of metal glide element and swivel holder <b>GROHE FastFixation</b> (variable distance between wall shower holders to adapt to existing holes) <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>GROHE EasyReach</b> tray <b>GROHE StarLight</b> chrome finish			
 	26 603 000	Chrome	4005176486548	125.24
	26 603 BE0	polished nickel	4005176558719	250.43
	26 603 EN0	brushed nickel	4005176558740	274.74
	26 603 GL0	cool sunrise	4005176558757	250.43
	26 603 GN0	brushed cool sunrise	4005176558764	274.74
	26 603 DA0	warm sunset	4005176558726	250.43
	26 603 DL0	brushed warm sunset	4005176558733	274.74
	26 603 A00	hard graphite	4005176558696	250.43
	26 603 AL0	Brushed Hard Graphite	4005176558702	274.74
	<b>Rainshower SmartActive</b> <b>Shower rail, 900 mm</b> with wall holders made of metal glide element and swivel holder <b>GROHE FastFixation</b> (variable distance between wall shower holders to adapt to existing holes) <b>GROHE TileFix</b> adjustable depth on upper and lower bracket <b>GROHE EasyReach</b> tray <b>GROHE StarLight</b> chrome finish			

# GROHE RAINSHOWER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 134 000	Chrome	4005176836060	154.04
<p><b>Rainshower Cosmopolitan 160</b>  <b>Head shower 4 sprays</b>            Rain / Jet / Pure / Champagne spray            Ø 160 mm            ball joint with turning angle <math>\pm 15^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
 	28 369 000	Chrome	4005176267260	450.87
<p><b>Rainshower Rustic 210</b>  <b>Head shower 1 spray</b>            material: metal            ball joint with turning angle <math>20^\circ \pm 20^\circ</math>            connection thread 1/2"</p> <p><b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
 	27 276 000	Chrome	4005176861437	111.67
	27 276 LSO	moon white	4005176861451	111.67
<p><b>Rainshower Icon 150</b>  <b>Hand shower 2 sprays</b>            Rain, SmartRain            Eco function (reduction of flow rate)  <b>GROHE EcoJoy</b> technology for less water and perfect flow            metal elbow adapter for the combination of hand showers with shower hoses  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>				
 	27 277 001	Chrome	4005176875489	267.14
<p><b>Rainshower Icon 150</b>  <b>Shower rail set 2 sprays</b>            hand shower Icon 150 (27 276 000)            shower rail 900 mm (28 819 001)            with wall holders made of metal            Silverflex shower hose 1750 mm (28 388 000)            Elbow adapter for the combination of handshowers with shower sets  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting</p>				


# GROHE RAINSHOWER

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



27 272 000	Chrome	4005176860836	139.93
------------	--------	---------------	--------

**Rainshower Solo 150**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fits all standard shower hoses















27 273 001	Chrome	4005176875502	309.52
------------	--------	---------------	--------

**Rainshower Solo 150**  
**Shower rail set 2 sprays**  
 hand shower Solo 150 (27 272 000)  
 shower rail 900 mm (28 819 001)  
 with wall holders made of metal  
 Silverflex shower hose 1750 mm (28 388 000)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**GROHE FastFixation Plus** adjustable distance between brackets, to adapt to existing holes  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** preventing the hose from twisting



# GROHE RAINSHOWER


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 274 000	Chrome	4005176861383	139.93
	<b>Rainshower Eco 120</b> <b>Hand shower 2 sprays</b> Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets <b>GROHE StarLight</b> chrome finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
 	45 914 XE0	gray night time	4005176842054	31.18
	<b>Spacer</b> for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136			

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 530 000	Chrome	4005176889219	592.19
<p><b>Relexa Deluxe 130</b>  <b>Head shower 4 sprays</b>            Normal, Rain, Champagne spray, Champagne spray Deluxe            Ball joint +/- 15° rotatable  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>Inner WaterGuide</b> for a longer life</p>				
 	28 796 000	Chrome	4005176824296	168.18
<p><b>Relexa 100 Five</b>  <b>Hand shower 5 sprays</b>            Wide spray / Needle Jet / Rain / Massage / Champagne spray  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>				
 	28 964 001	Chrome	4005176877254	281.27
<p><b>Relexa 100 Five</b>  <b>Shower rail set 5 sprays</b>            Consisting of:            Hand shower Relexa Five (28 796 000)            shower rail, 600 mm (28 797)            with wall holders made of metal            Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting</p>				
 	27 062 000	Chrome	4005176831669	252.97
<p><b>Relexa 100 Five</b>  <b>Head shower 5 sprays</b>            Wide spray / Needle Jet / Rain / Massage / Champagne spray            ball-joint            connection thread with pre-assembled sealing  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            minimum flow rate 7.5 l/min.</p>				
 	27 067 000	Chrome	4005176832123	168.17
<p><b>Relexa 65</b>  <b>Side shower 2 sprays</b>            Wide spray/Massage            ball-joint  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 537 000	Chrome	4005176040443	132.74
<p><b>Relaxa Low Aerosol 46</b>  <b>Hand shower 1 spray</b>                      metal spray plate  <b>GROHE StarLight</b> chrome finish                      flow limiter                      Universal Mounting System. Fits all standard shower hoses                      9.5 l/min. maximum flow rate at 1 - 6 bar</p>				
 	28 404 000	Chrome	4005176601736	25.63
<p><b>Relaxa Basic 85</b>  <b>Head shower 1 spray</b>                      Rain                      brass tin plate                      50 mm high                      connection thread 1/2"</p>				
 	28 094 000	Chrome	4005176601132	65.71
<p><b>Relaxa Plus 50</b>  <b>Head shower 1 spray</b>                      with ball joint                      1/2" connection  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate                      without shower arm</p>				
 	28 002 000	Chrome	4005176858796	238.86
<p><b>Relaxa 70</b>  <b>Sports head shower 1 spray</b>                      low aerosol emission                      heavy, cast model                      theft proof                      connection thread 1/2"                      projection 57 mm                      flow limiter 9 l/min. and 12 l/min.  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      suicide resistant design                      pipe union plug-in for wall connection</p>				
 	28 948 000	Chrome	4005176209871	172.98
<p><b>Relaxa Plus 60</b>  <b>Sports head shower 1 spray</b>                      heavy, cast model                      connection thread 1/2"                      projection 148 mm  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				









# GROHE RELEXA

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 286 000	Chrome	4005176198526	125.79











**Relexa 50**  
**Side shower 2 sprays**  
 Wide Spray/ Needle Jet  
 ball-joint  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system









# GROHE EUPHORIA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 222 000	Chrome	4005176854132	83.39
<p><b>Euphoria 110 Champagne</b>  <b>Hand shower 3 sprays</b>            Rain, Champagne spray, SmartRain  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b></p>				
 	26 513 000	Chrome	4005176457722	86.22
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            spray face Ø 110 mm            Rain, Massage, SmartRain            GROHE EcoJoy 6.6 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish            spray plate white  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 239 001	Chrome	4005176457715	86.22
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            spray face Ø 110 mm            Rain, Massage, SmartRain            GROHE EcoJoy 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish            spray plate white  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
	27 221 001	Chrome	4005176457708	79.16
<p><b>ditto, with non-restricted flow</b></p>				
 	27 239 000	Chrome	4005176854323	76.30
<p><b>Euphoria 110 Massage</b>  <b>Hand shower 3 sprays</b>            Rain, Massage, SmartRain            GROHE EcoJoy 9.5 l/min flow limiter  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses</p>				
	27 221 000	Chrome	4005176854125	69.25
<p><b>ditto, with non-restricted flow</b></p>				

# GROHE EUPHORIA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 238 000	Chrome	4005176854293	53.91
	<b>Euphoria 110 Duo</b> <b>Hand shower 2 sprays</b> Rain, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 220 000	Chrome	4005176854118	55.10
	ditto, with non-restricted flow			
 	27 265 00E	Chrome	4005176885693	40.95
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> Rain GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 265 000	Chrome	4005176856983	40.95
	ditto, with non-restricted flow			
 	27 224 000	Chrome	4005176854156	40.95
	<b>Euphoria 110 Mono</b> <b>Hand shower 1 spray</b> Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1.0 bar			
 	27 232 001	Chrome	4005176899560	139.93
	<b>Euphoria 110 Champagne</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower Champagne (27 222) shower rail, 600 mm (27 499) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE SprayDimmer (Stepless flow rate reduction) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FastFixation (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			



	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 243 001	Chrome	4005176899799	125.80
	<p><b>Euphoria 110 Massage Shower rail set 3 sprays</b>  hand shower Massage (27 239 000)  shower rail, 600 mm (27 499)  Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
	27 231 001	Chrome	4005176899553	125.80
	<p><b>ditto, with non-restricted flow</b></p>			
	27 242 001	Chrome	4005176899782	125.75
	<p><b>Euphoria 110 Duo Shower rail set 2 sprays</b>  Consisting of:  hand shower Euphoria 110 Duo (27 238)  shower rail, 600 mm (27 499)  Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>  min. recommended pressure 1.0 bar</p>			
	27 230 001	Chrome	4005176899546	118.70
	<p><b>ditto, with non-restricted flow</b></p>			
	27 266 00E	Chrome	4005176890710	100.90
	<p><b>Euphoria 110 Mono Shower rail set 1 spray</b>  Consisting of:  hand shower Euphoria Mono (27 265 000)  shower rail, 600 mm (27 499)  Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>  min. recommended pressure 1.0 bar</p>			
	27 266 001	Chrome	4005176899812	111.65
	<p><b>ditto, with non-restricted flow</b></p>			
	27 256 001	Chrome	4005176899805	104.57
	<p><b>Euphoria 110 Mono Shower rail set 1 spray</b>  hand shower Mono (27 224 000)  shower rail, 600 mm (27 499)  shower hose 1500 mm (28 161)  soap dish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>  min. recommended pressure 1.0 bar</p>			
				

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 227 001	Chrome	4005176899522	139.92
	<p><b>Euphoria 110 Champagne Shower rail set 3 sprays</b>            Consisting of:            hand shower Champagne (27 222)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>			
 	27 226 001	Chrome	4005176899515	139.93
	<p><b>Euphoria 110 Massage Shower rail set 3 sprays</b>            Consisting of:            hand shower Massage (27 221 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
 	27 225 001	Chrome	4005176899508	125.81
	<p><b>Euphoria 110 Duo Shower rail set 2 sprays</b>            Consisting of:            hand shower Duo (27 220 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b></p>			
 	27 267 001	Chrome	4005176899829	121.53
	<p><b>Euphoria 110 Mono Shower rail set 1 spray</b>            Consisting of:            Handshower mono (27 265 000)            shower rail 900 mm (27 500)            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes)  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>			













# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 355 000	Chrome	4005176874451	125.79
<p><b>Euphoria 110 Champagne</b>  <b>Wall holder set 3 sprays</b>            Wall shower holder 28 401            Silverflex shower hose 1750 mm (28 388 000)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE SprayDimmer</b> (Stepless flow rate reduction)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 354 000	Chrome	4005176874444	69.26
<p><b>Euphoria 110 Mono</b>  <b>Wall holder set 1 spray</b>            wall shower holder (27 056)            Silverflex shower hose 1250 mm (28 362)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	26 459 000	Chrome	4005176416965	282.69
<p><b>Euphoria 260</b>  <b>Head shower set 380 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            shower arm Rainshower 380 mm (28 361 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>				
<p>26 458 000    Chrome    4005176416958    282.69  <b>ditto, with non-restricted flow</b></p>				
 	26 461 000	Chrome	4005176416989	224.73
<p><b>Euphoria 260</b>  <b>Head shower set ceiling 142 mm, 3 sprays</b>            Consisting of:            head shower Euphoria 260 (26 457)            3 spray patterns:            Rain, SmartRain, Jet            Rainshower shower arm ceiling 142 mm (28 724 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b></p>				
<p>26 460 000    Chrome    4005176416972    224.73  <b>ditto, with non-restricted flow</b></p>				









# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 457 000	Chrome	4005176416934	169.63
	<b>Euphoria 260</b> <b>Head shower 3 sprays</b> Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 455 000	Chrome	4005176416903	169.63
	ditto, with non-restricted flow			
 	27 237 000	Chrome	4005176854286	97.50
	<b>Euphoria 110 Mono</b> <b>Head shower 1 spray</b> Rain connection thread 1/2" bellows <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system suitable for instantaneous heater			
 	27 499 000	Chrome	4005176886041	55.12
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder <b>GROHE FastFixation</b> (upper bracket adjustable to adapt to existing holes) <b>GROHE StarLight</b> chrome finish			
	27 500 000	Chrome	4005176886058	69.24
	ditto, 900 mm			
 	48 051 000		4005176890024	8.04
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
 	27 596 000		4005176895944	12.72
	<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			

# GROHE EUPHORIA











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 400 000	Chrome	4005176877292	55.13
<p><b>Euphoria Cosmopolitan Stick Hand shower 1 spray</b>            Normal spray  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            Universal Mounting System. Fits all standard shower hoses  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 367 000	Chrome	4005176875939	55.13
<p><b>ditto, with non-restricted flow</b></p>				
 	27 368 000	Chrome	4005176875946	210.60
<p><b>Euphoria Cosmopolitan Stick Shower rail set 1 spray</b>            Consisting of:            hand shower 27 400 000            shower rail, 900 mm            with wall holders made of metal            Silverflex shower hose 1750 mm (28 388 000)            soap dish (27 206)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE FastFixation Plus</b> adjustable distance between brackets, to adapt to existing holes  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 369 000	Chrome	4005176875953	97.50
<p><b>Euphoria Cosmopolitan Stick Wall holder set 1 spray</b>            hand shower 27 400 000            wall shower holder (27 056)            Silverflex shower hose 1.500 mm (28 364)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting  <b>suitable for instantaneous heater</b>            Min. recommended pressure 0.5 bar</p>				
 	27 492 000	Chrome	4005176885556	168.19
<p><b>Euphoria Cosmopolitan 180 Head shower 1 spray</b>            Rain            Ø 180 mm            Ball joint +/- 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>				
 	28 233 000	Chrome	4005176868016	111.69
<p><b>Euphoria Cosmopolitan 160 Head shower 1 spray</b>            Rain            Ball joint +/- 15° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>suitable for instantaneous heater</b></p>				

# GROHE EUPHORIA










	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 467 000	Chrome	4005176423956	112.46
	<b>Euphoria Cube+ Stick</b> <b>Hand shower 1 spray</b> Normal spray material: metal GROHE EcoJoy 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 888 000	Chrome	4005176921179	111.67
	27 888 DC0	supersteel	4005176526442	165.42
	27 888 GN0	brushed cool sunrise	4005176558047	200.90
	27 888 DL0	brushed warm sunset	4005176558016	200.90
	27 888 A00	hard graphite	4005176557972	189.06
	27 888 AL0	Brushed Hard Graphite	4005176557989	200.90
 	<b>Euphoria Cube+ Stick</b> <b>Hand shower 1 spray</b> Normal spray material: metal GROHE EcoJoy 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 884 001	Chrome	4005176919695	111.67
	<b>ditto, with non-restricted flow</b>			
	27 891 000	Chrome	4005176921209	309.56
	<b>Euphoria Cube+ Stick</b> <b>Shower rail set 1 spray</b> hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting			
	27 890 000	Chrome	4005176921193	323.67
	<b>Euphoria Cube+ Stick</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower, metal shower rail 900 mm (27 841) metal shower hose 1750 mm (28 025) GROHE EcoJoy 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting			



# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 889 000	Chrome	4005176921186	168.19
<b>Euphoria Cube+ Stick</b> <b>Wall holder set 1 spray</b> hand shower, metal (27 888 000) wall shower holder (27 706) metal shower hose 1500 mm (28 417) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting				
 	27 699 000	Chrome	4005176907104	55.12
<b>Euphoria Cube Stick</b> <b>Hand shower 1 spray</b> Normal spray <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses				
	27 698 000	Chrome	4005176907098	55.12
ditto, with non-restricted flow				
 	27 936 000	Chrome	4005176927058	242.62
<b>Euphoria Cube</b> <b>Shower set</b> Consisting of: Hand shower (27 698 000) shower rail 600 mm (27 892 000) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar				
 	27 700 000	Chrome	4005176907111	267.11
<b>Euphoria Cube Stick</b> <b>Shower rail set 1 spray</b> Hand shower (27 698 000) shower rail 900 mm (27 841) Silverflex shower hose 1750 mm (28 388 000) <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting min. recommended pressure 1.0 bar				
 	26 405 000	Chrome	4005176385162	99.67
<b>Euphoria Cube Stick</b> <b>Wall holder set 1 spray</b> with integrated wall union 1/2" Consisting of: Handshower (27 699 000) shower outlet elbow 1/2" with wall shower holder (26 370) male thread protected against backflow Silverflex shower hose 1250 mm (28 362) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE StarLight</b> chrome finish <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>Twistfree</b> preventing the hose from twisting <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar				









# GROHE EUPHORIA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 703 000	Chrome	4005176907142	97.49
	<p><b>Euphoria Cube Stick</b>  <b>Wall holder set 1 spray</b>            Handshower (27 699 000)            wall shower holder (27 693 000)            Silverflex shower hose 1250 mm (28 362)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting            min. recommended pressure 1.0 bar</p>			
	27 702 000	Chrome	4005176907135	97.49
	<p><b>ditto, with non-restricted flow</b></p>			
	26 073 000	Chrome	4005176937279	295.41
	<p><b>Euphoria Cube 150</b>  <b>Head shower set 286 mm, 1 spray</b>            head shower Euphoria Cube 150 (27 705 000)            1 spray pattern:            Rain            Shower arm Rainshower 286 mm (27 709 000)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 705 000	Chrome	4005176907166	182.32
	<p><b>Euphoria Cube 150</b>  <b>Head shower 1 spray</b>            Rain            152 x 152 mm            ball-joint            rotation angle <math>\pm 12^\circ</math>            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 841 000	Chrome	4005176916670	253.01
	<p><b>Euphoria Cube</b>  <b>Shower rail, 900 mm</b>            with wall holders, glide element and swivel holder  <b>GROHE StarLight</b> chrome finish</p>			
	28 737 000	Chrome	4005176872983	69.25
	<p><b>Euphoria Rustic 130</b>  <b>Head shower 1 spray</b>            Rain            Ball joint +/- 20° rotatable            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system</p>			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 575 002	Chrome	4005176443930	59.35
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 573 002	Chrome	4005176443947	59.35
	<b>ditto, with non-restricted flow</b>			
	27 574 002	Chrome	4005176443916	45.22
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 572 002	Chrome	4005176443923	45.22
	<b>ditto, with non-restricted flow</b>			
	27 571 20E	Chrome	4005176443275	35.32
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 2 sprays</b> Rain, Jet <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses <b>suitable for instantaneous heater</b> min. recommended pressure 1.0 bar			
	27 571 002	Chrome	4005176443893	35.32
	<b>ditto, with non-restricted flow</b>			
	26 130 001	Chrome	4005176443909	35.33
	<b>ditto, with non-restricted flow, for low pressure</b>			
	26 082 002	Chrome	4005176443268	28.26
	<b>Tempesta Cosmopolitan 100</b> <b>Hand shower 1 spray</b> Rain <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life Universal Mounting System. Fits all standard shower hoses			











# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 577 002	Chrome	4005176451584	107.41
<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 4 sprays</b>            Consisting of:            hand shower (27 575)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 576 002	Chrome	4005176451560	104.55
<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower set 3 sprays</b>            Consisting of:            hand shower (27 574)            shower rail, 600 mm (27 521 000)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
	27 929 002	Chrome	4005176451577	104.55
<p><b>ditto, with non-restricted flow</b></p>				
 	26 083 002	Chrome	4005176451546	81.97
<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 1 spray</b>            Consisting of:            hand shower (26 082)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EasyReach</b> tray (27 596)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	27 580 002	Chrome	4005176451515	101.78
<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 4 sprays</b>            Consisting of:            hand shower Tempesta Cosmopolitan 100 (27 575)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
	27 787 002	Chrome	4005176451522	101.78
<p><b>ditto, with non-restricted flow</b></p>				

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	27 579 002	Chrome	4005176451492	91.88
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 3 sprays</b>            Consisting of:            hand shower (27 574)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 786 002	Chrome	4005176451508	91.88
	<b>ditto, with non-restricted flow</b>			
	27 578 20E	Chrome	4005176451362	78.36
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 2 sprays</b>            Consisting of:            hand shower Tempesta Cosmopolitan 100 (27 571 20E)            shower rail, 600 mm (27 521)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			
	27 578 002	Chrome	4005176451386	78.36
	<b>ditto, with non-restricted flow</b>			
	27 790 002	Chrome	4005176451614	98.40
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower rail set 4 sprays</b>            Consisting of:            hand shower (27 573)            shower rail, 900 mm (27 522)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>			
	27 584 002	Chrome	4005176451621	67.87
	<p><b>Tempesta Cosmopolitan 100</b>  <b>Shower set 3 sprays</b>            hand shower (27 574)            wall shower holder adjustable (27 595)            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 588 002	Chrome	4005176451669	63.61
<p><b>Tempesta Cosmopolitan 100</b>  <b>Wall holder set 3 sprays</b>            Consisting of:            hand shower (27 574)            wall shower holder non-adjustable (27 594)            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE StarLight</b> chrome finish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	26 084 002	Chrome	4005176451645	45.20
<p><b>Tempesta Cosmopolitan 100</b>  <b>Wall holder set 1 spray</b>            Consisting of:            hand shower (26 082)            wall shower holder non-adjustable (27 594)            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE StarLight</b> chrome finish  <b>GROHE DreamSpray</b> perfect spray pattern  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				
 	27 869 001	Chrome	4005176444005	98.97
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2"            escutcheon  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
 	26 090 001	Chrome	4005176443992	91.85
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower set 3 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage            Ball joint +/- 15° rotatable            shower arm with connection thread 1/2"            escutcheon  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            suitable for instantaneous heater</p>				
 	27 591 001	Chrome	4005176443985	83.40
<p><b>Tempesta Cosmopolitan 100</b>  <b>Head shower 4 sprays</b>            GROHE Rain O<sup>2</sup>, Rain, Massage, Jet            connection thread 1/2"  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life</p>				












SHOWERS















# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	26 051 001	Chrome	4005176443954	66.43
	<b>Tempesta Cosmopolitan 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
	27 541 001	Chrome	4005176451676	105.98
	<b>Tempesta Cosmopolitan 200</b> <b>Head shower 1 spray</b> Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" <b>suitable for instantaneous heater</b>			
	27 521 000	Chrome	4005176886508	55.12
	<b>Tempesta Cosmopolitan</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder <b>GROHE StarLight</b> chrome finish			
	27 522 000	Chrome	4005176886515	69.26
	<b>ditto, 900 mm</b>			
	48 051 000		4005176890024	8.04
	<b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500			
	27 596 000		4005176895944	12.72
	<b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 421 002	Chrome	4005176444142	55.12
	<b>Tempesta 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 578 002	Chrome	4005176444159	55.12
	<b>ditto, with non-restricted flow</b>			
	28 419 002	Chrome	4005176444128	40.97
	<b>Tempesta 100</b> <b>Hand shower 3 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 261 002	Chrome	4005176444135	40.97
	<b>ditto, with non-restricted flow</b>			
	27 597 10E	Chrome	4005176985409	31.08
	<b>Tempesta 100</b> <b>Hand shower 2 sprays</b> Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	26 161 001	Chrome	4005176444104	31.09
	<b>ditto, with 9.5 l/min flow limiter</b>			
	27 597 001	Chrome	4005176985508	31.08
	<b>ditto, with non-restricted flow</b>			
	28 422 002	Chrome	4005176444111	31.09
	<b>ditto, with non-restricted flow, for low pressure</b>			
	27 923 001	Chrome	4005176444074	24.31
	<b>Tempesta 100</b> <b>Hand shower 1 spray</b> Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses			
	27 852 001	Chrome	4005176444081	24.31
	<b>ditto, with non-restricted flow</b>			
	28 214 003	Chrome	4005176444098	29.72
	<b>ditto, with non-restricted flow, for low pressure</b>			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 436 002	Chrome	4005176451799	103.19
	<b>Tempesta 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
 	27 600 001	Chrome	4005176451775	94.71
	<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
 	26 638 000	Chrome	4005176528347	74.12
	<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 (26 161) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EasyReach</b> tray (27 596) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
 	27 926 001	Chrome	4005176451768	82.43
	<b>ditto, with non-restricted flow</b>			
 	27 645 001	Chrome	4005176451744	91.85
	<b>Tempesta 100</b> <b>Shower rail set 4 sprays</b> Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
 	27 795 001	Chrome	4005176451751	91.85
	<b>ditto, with non-restricted flow</b>			









# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		27 644 001	Chrome	4005176451720	83.36
		<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
		27 794 001	Chrome	4005176451737	83.36
		<b>ditto, with non-restricted flow</b>			
		26 803 000	Chrome	4005176723766	101.12
		<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Cradle to Cradle Certified Gold Consisting of: hand shower Tempesta 100 II 5.7 l/min shower rail, 600 mm (27 523) metal shower hose 1750 mm 1/2" x 1/2" <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
		27 598 10E	Chrome	4005176985416	71.62
		<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 II 5.7 l/min (27 597) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
		26 162 001	Chrome	4005176451713	71.62
		<b>ditto, with 9.5 l/min flow limiter</b>			
		27 598 001	Chrome	4005176985515	71.62
		<b>ditto, with non-restricted flow</b>			
		28 438 001	Chrome	4005176985553	72.99
		<b>ditto, with non-restricted flow, for low pressure</b>			
		27 924 001	Chrome	4005176451690	59.45
		<b>Tempesta 100</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
		27 853 001	Chrome	4005176451706	59.45
		<b>ditto, with non-restricted flow</b>			
		28 280 004	Chrome	4005176306624	69.26
		<b>ditto, with non-restricted flow, for low pressure</b>			

# GROHE TEMPESTA









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>28 789 002</b>	<b>Chrome</b>	<b>4005176451843</b>	<b>91.85</b>
	<b>Tempesta 100</b> <b>Shower rail set 3 sprays</b> Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 796 001</b>	<b>Chrome</b>	<b>4005176451850</b>	<b>91.85</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 646 10E</b>	<b>Chrome</b>	<b>4005176985423</b>	<b>79.72</b>
	<b>Tempesta 100</b> <b>Shower rail set 2 sprays</b> Consisting of: hand shower Tempesta 100 II (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 646 001</b>	<b>Chrome</b>	<b>4005176985522</b>	<b>79.72</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 925 001</b>	<b>Chrome</b>	<b>4005176451812</b>	<b>67.58</b>
	<b>Tempesta 100</b> <b>Shower rail set 1 spray</b> Consisting of: hand shower (27 923) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling <b>suitable for instantaneous heater</b>			
	<b>27 854 001</b>	<b>Chrome</b>	<b>4005176451829</b>	<b>67.58</b>
	<b>ditto, with non-restricted flow</b>			
 	<b>27 601 10E</b>	<b>Chrome</b>	<b>4005176985430</b>	<b>51.38</b>
	<b>Tempesta 100</b> <b>Wall holder set 2 sprays</b> hand shower Tempesta 100 II (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1.0 bar			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 639 000	Chrome	4005176528354	54.93
<p><b>Tempesta 100</b>  <b>Wall holder set 3 sprays</b>            Consisting of:            hand shower Tempesta 100 (28 419)            wall shower holder (28 605)            non-adjustable            Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154)  <b>GROHE EcoJoy</b> 9.5 l/min flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
 	27 803 10E	Chrome	4005176985454	47.28
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            hand shower Tempesta 100 II (27 597)            wall shower holder (28 605), non-adjustable            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling            min. recommended pressure 1.0 bar</p>				
 	27 798 10E	Chrome	4005176985447	44.57
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            Consisting of:            hand shower Tempesta 100 II (27 597)            wall shower holder (28 605)            non-adjustable            Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				
<p>26 164 001 Chrome 4005176451867 44.57  <b>ditto, with 9.5 l/min flow limiter</b></p> <p>27 799 001 Chrome 4005176985539 44.57  <b>ditto, with non-restricted flow</b></p>				
 	26 406 001	Chrome	4005176451881	66.23
<p><b>Tempesta 100</b>  <b>Wall holder set 2 sprays</b>            with integrated wall union 1/2"            Consisting of:            hand shower Tempesta 100 II (27 597)            shower outlet elbow 1/2" with wall shower holder (28 679)            male thread            protected against backflow            Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE DreamSpray</b> perfect spray pattern  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>ShockProof</b> silicone ring prevents damage caused by a shower falling  <b>suitable for instantaneous heater</b>            min. recommended pressure 1.0 bar</p>				



# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 663 000	Chrome	4005176580505	233.78
	<b>Tempesta 250</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm 380 mm (28 361) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 668 000	Chrome	4005176580550	219.00
	ditto, but head shower with white rear cover			
 	26 682 000	Chrome	4005176580697	241.96
	<b>Tempesta 250 Cube</b> <b>Head shower set 380 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm 380 mm with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 687 000	Chrome	4005176580741	226.66
	ditto, but head shower with white rear cover			
 	26 412 000	Chrome	4005176390173	204.96
	<b>Tempesta 210</b> <b>Head shower set 286 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
 	26 267 001	Chrome	4005176444197	73.47
	<b>Tempesta 100</b> <b>Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life for low pressure			

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		 <b>26 664 000</b>	<b>Chrome</b>	<b>4005176580512</b>	<b>188.75</b>
		<b>Tempesta 250</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 (26 662) Rain fully chrome plated surfaces shower arm ceiling 142 mm (28 724) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
		 <b>26 669 000</b>	<b>Chrome</b>	<b>4005176580567</b>	<b>173.98</b>
<b>ditto, but head shower with white rear cover</b>					
		 <b>26 683 000</b>	<b>Chrome</b>	<b>4005176580703</b>	<b>195.35</b>
		<b>Tempesta 250 Cube</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 250 Cube (26 681) 1 spray pattern: Rain fully chrome plated surfaces shower arm ceiling 142 mm (27 485) with square escutcheon <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
		 <b>26 688 000</b>	<b>Chrome</b>	<b>4005176580758</b>	<b>180.06</b>
<b>ditto, but head shower with white rear cover</b>					
		 <b>26 414 000</b>	<b>Chrome</b>	<b>4005176408090</b>	<b>172.46</b>
		<b>Tempesta 210</b> <b>Head shower set ceiling 142 mm, 1 spray</b> Consisting of: head shower Tempesta 210 9.5 l/min (26 410) 1 spray pattern: Rain Rainshower shower arm ceiling 142 mm (28 724 000) <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b>			
		 <b>26 413 000</b>	<b>Chrome</b>	<b>4005176390180</b>	<b>204.96</b>
<b>ditto, with non-restricted flow</b>					
		 <b>26 662 000</b>	<b>Chrome</b>	<b>4005176580499</b>	<b>141.91</b>
		<b>Tempesta 250</b> <b>Head shower 1 spray</b> Rain Ø 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life <b>suitable for instantaneous heater</b> professional edition			
		 <b>26 666 000</b>	<b>Chrome</b>	<b>4005176580536</b>	<b>127.12</b>
<b>ditto, but with white rear cover</b>					











# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 681 000	Chrome	4005176580680	146.87
	<b>Tempesta 250 Cube Head shower 1 spray</b> Rain 250 mm x 250 mm fully chrome plated surfaces ball joint with turning angle $\pm 10^\circ$ connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater professional edition			
	26 685 000	Chrome	4005176580727	131.56
<b>ditto, but with white rear cover</b>				
	26 409 000	Chrome	4005176390128	115.94
	<b>Tempesta 210 Head shower 1 spray</b> Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" <b>GROHE EcoJoy</b> 6.6 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
	26 410 000	Chrome	4005176390142	115.94
	<b>ditto, with 9.5 l/min flow limiter</b>			
	26 408 000	Chrome	4005176390111	115.94
<b>ditto, with non-restricted flow</b>				
 	27 606 001	Chrome	4005176444180	74.90
	<b>Tempesta 100 Head shower 4 sprays</b> <b>GROHE Rain O<sup>2</sup></b> , Rain, Massage, Jet connection thread 1/2" <b>GROHE EcoJoy</b> 9.5 l/min flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life			
 	26 050 001	Chrome	4005176444166	59.40
	<b>Tempesta 100 Head shower 1 spray</b> Rain Ball joint +/- 15° rotatable <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suitable for instantaneous heater			
 	27 523 000	Chrome	4005176886522	55.10
	<b>Tempesta Shower rail, 600 mm</b> with wall brackets, glider and swivel holder <b>GROHE StarLight</b> chrome finish			
	27 524 000	Chrome	4005176886539	83.39
<b>ditto, 900 mm</b>				

# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	48 051 000		4005176890024	8.04
<p><b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500</p>				
 	27 596 000		4005176895944	12.72
<p><b>GROHE EasyReach tray</b> acrylic for Tempesta and Euphoria shower rails Ø 22 mm</p>				
 	27 406 000	Chrome	4005176600166	65.69
<p><b>Relaxa</b> <b>Shower arm 218 mm</b> connection thread 1/2" projection 218 mm escutcheon <b>GROHE StarLight</b> chrome finish</p>				
 	28 541 000	Chrome	4005176040528	52.31
<p><b>Relaxa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish</p>				
 	28 429 000	Chrome	4005176601910	65.71
<p><b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				


# GROHE TEMPESTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 608 001	Chrome	4005176444029	66.44
	<b>Tempesta Rustic 100</b> <b>Hand shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 085 001	Chrome	4005176444036	57.97
	ditto, with non-restricted flow			
 	27 609 001	Chrome	4005176451898	124.39
	<b>Tempesta Rustic 100</b> <b>Shower rail set 4 sprays</b> hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 086 001	Chrome	4005176451904	117.33
	ditto, with non-restricted flow			
 	27 805 001	Chrome	4005176451911	86.23
	<b>Tempesta Rustic 100</b> <b>Wall holder set 4 sprays</b> hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	26 089 001	Chrome	4005176444067	87.61
	<b>Tempesta Rustic 100</b> <b>Head shower set 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater			
 	27 610 001	Chrome	4005176444050	76.32
	<b>Tempesta Rustic 100</b> <b>Head shower 4 sprays</b> GROHE Rain O <sup>2</sup> , Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			

# GROHE TEMPESTA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

27 519 000	Chrome	4005176886485	69.26
------------	--------	---------------	-------









**Tempesta Rustic**  
**Shower rail, 600 mm**  
with wall brackets, glider and swivel holder  
**GROHE StarLight** chrome finish










SHOWERS









# GROHE SENA TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 328 000	Chrome	4005176332111	84.79
	<p><b>Sena Trigger Spray 35</b>  <b>Hand shower 1 spray</b>                      with trigger control                      material: metal  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system                      Universal Mounting System. Fits all standard shower hoses  <b>Min. recommended pressure 0.5 bar</b>                      Please refer to local norms regarding installation.</p>			
 	26 332 000	Chrome	4005176332135	224.72
	<p><b>Sena Trigger Spray 35</b>  <b>Wall holder set with self-closing angle valve, 1 spray</b>                      Consisting of:                      hand shower with trigger control (26 328)                      valve with integrated shower holder (26 333 000)                      Silverflex Longlife shower hose 1250 mm (26 335)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Twistfree</b> preventing the hose from twisting  <b>Min. recommended pressure 0.5 bar</b>                      Please refer to local norms regarding installation.</p>			
	26 329 000	Chrome	4005176332128	210.60
	ditto, hose 1000 mm			
 	26 333 000	Chrome	4005176332142	90.49
	<p><b>Valve</b>                      with wall shower holder                      escutcheon                      connection thread 1/2"  <b>GROHE StarLight</b> chrome finish                      Please refer to local norms regarding installation.</p>			




# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 512 001	Chrome	4005176333804	26.86
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	28 020 L01	white	4005176333828	18.23
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Hand shower 1 spray</b>                      with trigger control  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Universal Mounting System. Fits all standard shower hoses                      Please refer to local norms regarding installation.</p>				
 	26 353 000	Chrome	4005176333866	40.97
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1500 mm (26 346)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
	27 513 001	Chrome	4005176333842	40.97
<p><b>ditto, with 1250 mm hose</b></p>				
	26 352 000	Chrome	4005176333835	42.84
<p><b>ditto, with 1000 mm hose</b></p>				
 	26 354 000	Chrome	4005176333873	55.13
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (27 512 001)                      wall shower holder (28 605)                      metal shower hose 1250 mm  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life                      Please refer to local norms regarding installation.                      Relexaflex Metal Longlife shower hose 1250 mm</p>				
 	27 812 IL1	chrome/white	4005176333897	42.38
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>                      Consisting of:                      hand shower with trigger control (28 020 L01)                      wall shower holder (28 605)                      Silverflex Longlife shower hose 1250 mm (26 335)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting                      Please refer to local norms regarding installation.</p>				
	26 355 IL0	chrome/white	4005176333880	40.98
<p><b>ditto, with 1000 mm hose</b></p>				







# GROHE TEMPESTA-F TRIGGER SPRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	26 356 ILO	chrome/white	4005176333903	40.89
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set 1 spray</b>            Consisting of:            hand shower with trigger control            wall shower holder (28 605)            Relaxaflex Metal Longlife shower hose 1250 mm  <b>GROHE EcoJoy</b> 5.7 l/min. flow limiter  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life            min. recommended pressure 1.0 bar            Please refer to local norms regarding installation.</p>				
 	26 357 000	Chrome	4005176333927	111.63
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set with angle valve 1 spray</b>            Consisting of:            hand shower with trigger control (27 512 001)            wall shower holder (28 605)            Silverflex Longlife shower hose 1500 mm (26 346)            angle valve 1/2" (22 958)  <b>GROHE StarLight</b> finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting            min. recommended pressure 1.0 bar            Please refer to local norms regarding installation.</p>				
	27 514 001	Chrome	4005176333910	83.40
<p><b>ditto, with 1250 mm hose</b></p>				
 	26 358 000	Chrome	4005176333941	147.01
<p><b>Tempesta-F Trigger Spray 30</b>  <b>Wall holder set with self-closing angle valve, 1 spray</b>            Consisting of:            hand shower with trigger control (27 512 001)            valve with integrated shower holder (26 333 000)            Silverflex Longlife shower hose 1000 mm (26 334)  <b>GROHE StarLight</b> chrome finish  <b>SpeedClean</b> anti-limescale system  <b>Inner WaterGuide</b> for a longer life  <b>Twistfree</b> preventing the hose from twisting            Please refer to local norms regarding installation.</p>				





# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 025 000	Chrome	4005176284830	32.34
	<b>Rotaflex Metal Longlife</b> <b>Metal shower hose Twistfree 1750</b> 1750 mm material: metal <b>Longlife</b> strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function Cone with silicone tape to prevent turning of hand shower during usage <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 417 000	Chrome	4005176264702	30.08
	ditto, 1500 mm hose			
	28 145 000	Chrome	4005176601354	32.86
	<b>Relexaflex Metal Longlife</b> <b>Metal shower hose 2000</b> 2000 mm material: metal <b>Longlife</b> strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 143 000	Chrome	4005176601347	27.87
	28 143 LSO	moon white	4005176842269	36.58
	28 143 KSO	velvet black	4005176842252	36.58
	ditto, 1500 mm hose			
	28 142 000	Chrome	4005176601330	25.07
	ditto, 1250 mm hose			
	28 140 000	Chrome	4005176601323	28.16
	<b>Relexaflex Metal</b> <b>Metal shower hose 2000</b> 2000 mm material: metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 139 000	Chrome	4005176601316	25.31
	ditto, 1750 mm hose			
	28 105 000	Chrome	4005176601217	23.09
	ditto, 1500 mm hose			

# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)		
		26 346 000	Chrome	4005176332173	25.88	
		<b>Silverflex Longlife Shower hose Twistfree 1500</b> 1500 mm smooth surface for easy cleaning <b>Longlife</b> strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				
		26 335 000	Chrome	4005176332166	23.09	
	26 334 000	Chrome	4005176332159	20.80		
<b>ditto, 1250 mm hose</b>						
<b>ditto, 1000 mm hose</b>						
		27 137 000	Chrome	4005176836237	25.07	
		<b>Silverflex Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				
		28 388 000	Chrome	4005176295362	22.83	
		28 388 DC0	supersteel	4005176386428	30.64	
		28 388 GL0	cool sunrise	4005176427657	34.52	
		28 388 DA0	warm sunset	4005176427671	34.52	
		28 388 A00	hard graphite	4005176427701	34.52	
		<b>ditto, 1750mm hose</b>				
		28 364 000	Chrome	4005176295294	20.05	
		<b>ditto, 1500 mm hose</b>				
28 362 000	Chrome	4005176295225	17.84			
28 362 DC0	supersteel	4005176386435	23.97			
28 362 GL0	cool sunrise	4005176427589	27.30			
28 362 DA0	warm sunset	4005176427602	27.30			
28 362 A00	hard graphite	4005176427633	27.30			
<b>ditto, 1250 mm</b>						
		28 161 001	Chrome	4005176935107	21.38	
		<b>Silverflex Shower hose Twistfree 1500 for low pressure</b> 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>				


# GROHE SHOWER HOSES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	28 413 001	Chrome	4005176933257	19.70
	<b>RotaFlex</b> <b>Shower hose Twistfree 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for <b>Twistfree</b> function <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 410 001	Chrome	4005176933240	24.00
	28 409 001	Chrome	4005176933233	15.76
	28 410 001	Chrome	4005176933240	24.00
	28 409 001	Chrome	4005176933233	15.76
	28 155 001	Chrome	4005176933226	17.28
	<b>Relexaflex</b> <b>Shower hose 2000</b> 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 154 001	Chrome	4005176933219	15.61
	28 151 001	Chrome	4005176933202	13.37
	28 151 L01	white	4005176935091	25.43
28 150 001	Chrome	4005176933196	11.03	
	28 150 001	Chrome	4005176933196	11.03
	28 158 000	Chrome	4005176601606	39.42
	<b>Metal hose</b> 2000 mm for bath rim, installation under tiled surround and shower sets <b>GROHE StarLight</b> chrome finish			
	28 146 000	Chrome	4005176121753	58.24
	<b>Metal hose</b> 2000 mm M 15 x M 15 <b>GROHE StarLight</b> chrome finish			



# GROHE SHOWER HOSES













Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------













45 973 001	Chrome	4005176442919	12.36
------------	--------	---------------	-------

**Relaxaflex**  
**Shower hose 1500**  
 1500 mm  
 smooth surface for easy cleaning  
 tensile strength 500 N  
 pressure resistance up to 5 bar  
 heat resistance 70°C  
 AntiFold bendproof  
 universal connection G 1/2" x 1/2"  
**GROHE StarLight** chrome finish  
 minimum order quantity 10 pieces







# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 055 000	Chrome	4005176830433	55.14
<p><b>Rainshower</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 401 000	Chrome	4005176264474	58.85
<p><b>Movario</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	Chrome	4005176031595	38.90
<p><b>Relexa</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	Chrome	4005176895937	22.63
<p><b>Tempesta</b> Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 690 000	Chrome	4005176256196	119.34
<p><b>Sena</b> Wall hand Shower holder non-adjustable material: metal GROHE StarLight chrome finish</p>				
 	27 056 000	Chrome	4005176830440	40.95
<p><b>Rainshower</b> Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish</p>				











# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	27 074 000	Chrome	4005176833083	40.97	
	27 074 DC0	supersteel	4005176374487	69.24	
	27 074 LS0	moon white	4005176873591	55.10	
	27 074 BE0	polished nickel	4005176834325	76.29	
	27 074 EN0	brushed nickel	4005176834301	76.29	
	27 074 GL0	cool sunrise	4005176338984	76.29	
	27 074 GN0	brushed cool sunrise	4005176427084	76.29	
	27 074 DA0	warm sunset	4005176338977	76.29	
	27 074 DL0	brushed warm sunset	4005176427091	76.29	
	27 074 A00	hard graphite	4005176338991	76.29	
	27 074 AL0	Brushed Hard Graphite	4005176339004	76.29	
	<b>Rainshower</b> <b>Wall hand Shower holder</b> non-adjustable with round escutcheon <b>GROHE StarLight</b> chrome finish				
	 	27 075 000	Chrome	4005176833090	40.97
<b>Rainshower</b> <b>Wall hand Shower holder</b> non-adjustable with square escutcheon <b>GROHE StarLight</b> chrome finish					
 	27 706 000	Chrome	4005176908439	40.98	
	27 706 DC0	supersteel	4005176490989	52.40	
	27 706 A00	hard graphite	4005176491030	60.07	
	27 706 AL0	Brushed Hard Graphite	4005176490972	63.90	
<b>Allure Brilliant</b> <b>Wall hand Shower holder</b> non-adjustable material: metal <b>GROHE StarLight</b> chrome finish					
 	27 693 000	Chrome	4005176907043	26.86	
	<b>Euphoria Cube</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish				
 	28 403 000	Chrome	4005176264511	52.31	
	<b>Movario</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish				













# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 622 000	Chrome	4005176041297	39.22
	<b>Relexa</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish			
 	27 594 000	Chrome	4005176895920	15.40
	<b>Tempesta Cosmopolitan</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish			
 	28 605 000	Chrome	4005176041105	25.49
	<b>Relexa</b> <b>Wall hand Shower holder</b> non-adjustable <b>GROHE StarLight</b> chrome finish			

# GROHE SHOWER ACCESSORIES







	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 151 000	Chrome	4005176837012	125.80
<p><b>Pull-out shower</b> for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The pull-out shower assembly can be combined with all hand showers</b> <b>GROHE StarLight</b> chrome finish</p>				
 	27 531 000	Chrome	4005176889486	333.89
<p><b>Pull-out shower</b> for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) <b>The pull-out shower assembly can be combined with all hand showers</b> <b>GROHE StarLight</b> chrome finish</p>				
 	27 621 000	Chrome	4005176898310	394.34
<p><b>Grotherm F</b> <b>Wall shower union with integrated shower holder</b> vertical and horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow</p>				
 	35 034 000		4005176915697	267.13
<p><b>Grotherm F</b> <b>Rough-in for wall shower union 27 621</b> for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing flushing plug for masonry and drywall installation fixing points for front and back wall body of DR brass 1/2" connections installation depth 70 - 95 mm</p>				
 	27 057 000	Chrome	4005176830457	69.24
<p><b>Rainshower</b> <b>Shower outlet elbow, 1/2"</b> male thread with round escutcheon protected against backflow <b>GROHE StarLight</b> chrome finish</p>				
	27 057 DC0	supersteel	4005176371196	92.21
	27 057 GL0	cool sunrise	4005176338946	105.94
	27 057 GN0	brushed cool sunrise	4005176426933	112.50
	27 057 DA0	warm sunset	4005176338939	105.94
	27 057 DL0	brushed warm sunset	4005176426940	112.50
	27 057 A00	hard graphite	4005176338953	105.94
	27 057 AL0	Brushed Hard Graphite	4005176338960	112.50

# GROHE SHOWER ACCESSORIES











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 076 000	Chrome	4005176833106	69.24
	<b>Rainshower</b> <b>Shower outlet elbow</b> male thread with square escutcheon protected against backflow <b>GROHE StarLight</b> chrome finish			
 	27 707 000 27 707 DC0 27 707 A00 27 707 AL0	Chrome supersteel hard graphite Brushed Hard Graphite	4005176908446 4005176490897 4005176490941 4005176490880	55.13 83.05 95.84 100.97
	<b>Allure Brilliant</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow material: metal <b>GROHE StarLight</b> chrome finish			
 	27 704 000	Chrome	4005176907159	40.96
	<b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	26 370 000	Chrome	4005176341380	40.97
	<b>Euphoria Cube</b> <b>Shower outlet elbow, 1/2"</b> with wall shower holder male thread protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 405 000	Chrome	4005176264559	65.70
	<b>Movario</b> <b>Shower outlet elbow, 1/2"</b> protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 671 000	Chrome	4005176103070	40.98
	<b>Relaxa</b> <b>Shower outlet elbow, 1/2"</b> male thread <b>GROHE StarLight</b> chrome finish			
	28 680 000	Chrome	4005176116780	52.30
	ditto, protected against backflow			





















# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 626 000	Chrome	4005176041358	65.69
	<b>Relexa</b> Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread <b>GROHE StarLight</b> chrome finish with matt chrome cap			
	28 678 000	Chrome	4005176116711	57.14
	28 636 000	Chrome	4005176078606	69.25
	<b>ditto, protected against backflow</b>			
	<b>ditto, for IG-combination</b>			
 	28 406 000	Chrome	4005176264566	65.70
	<b>Movario</b> Shower outlet elbow, 1/2" with shower holder protected against backflow <b>GROHE StarLight</b> chrome finish			
 	28 628 000	Chrome	4005176041396	66.20
	<b>Relexa</b> Shower outlet elbow, 1/2" with wall shower holder male thread <b>GROHE StarLight</b> chrome finish			
	28 679 000	Chrome	4005176116759	65.71
	<b>ditto, protected against backflow</b>			

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
 	<b>26 602 000</b>	<b>Chrome</b>	<b>4005176486531</b>	<b>118.82</b>	
	<b>Rainshower SmartActive</b> <b>Shower rail, 600 mm</b> with wall holders made of metal glide element and swivel holder GROHE FastFixation (variable distance between wall shower holders to adapt to existing holes) GROHE TileFix adjustable depth on upper and lower bracket GROHE EasyReach tray GROHE StarLight chrome finish				
	<b>26 603 000</b>	<b>Chrome</b>	<b>4005176486548</b>	<b>125.24</b>	
	<b>26 603 BE0</b>	<b>polished nickel</b>	<b>4005176558719</b>	<b>250.43</b>	
	<b>26 603 EN0</b>	<b>brushed nickel</b>	<b>4005176558740</b>	<b>274.74</b>	
	<b>26 603 GL0</b>	<b>cool sunrise</b>	<b>4005176558757</b>	<b>250.43</b>	
	<b>26 603 GN0</b>	<b>brushed cool sunrise</b>	<b>4005176558764</b>	<b>274.74</b>	
	<b>26 603 DA0</b>	<b>warm sunset</b>	<b>4005176558726</b>	<b>250.43</b>	
	<b>26 603 DL0</b>	<b>brushed warm sunset</b>	<b>4005176558733</b>	<b>274.74</b>	
	<b>26 603 A00</b>	<b>hard graphite</b>	<b>4005176558696</b>	<b>250.43</b>	
<b>26 603 AL0</b>	<b>Brushed Hard Graphite</b>	<b>4005176558702</b>	<b>274.74</b>		
<b>ditto, 900 mm</b>					
 	<b>28 620 000</b>	<b>Chrome</b>	<b>4005176041259</b>	<b>172.99</b>	
	<b>Relaxa</b> <b>Shower rail, 600 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
 	<b>28 621 000</b>	<b>Chrome</b>	<b>4005176041273</b>	<b>213.19</b>	
	<b>Relaxa</b> <b>Shower rail, 1000 mm</b> Ø 28 mm with wall holders glide element and swivel holder angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
 	<b>28 587 000</b>	<b>Chrome</b>	<b>4005176282966</b>	<b>236.55</b>	
	<b>Relaxa</b> <b>Shower rail, 900 mm</b> with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
 	<b>27 892 000</b>	<b>Chrome</b>	<b>4005176921216</b>	<b>238.89</b>	
	<b>Euphoria Cube</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE StarLight chrome finish				
<b>27 841 000</b> <b>Chrome</b> <b>4005176916670</b> <b>253.01</b> <b>ditto, 900 mm</b>					

# GROHE SHOWER ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 499 000	Chrome	4005176886041	55.12
	<b>Euphoria</b> <b>Shower rail, 600 mm</b> with wall holders, glide element and swivel holder GROHE FastFixation (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
 	27 519 000	Chrome	4005176886485	69.26
	<b>Tempesta Rustic</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
 	27 520 000	Chrome	4005176886492	69.26
	<b>ditto, 900 mm</b>			
 	27 521 000	Chrome	4005176886508	55.12
	<b>Tempesta Cosmopolitan</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
 	27 522 000	Chrome	4005176886515	69.26
	<b>ditto, 900 mm</b>			
 	27 523 000	Chrome	4005176886522	55.10
	<b>Tempesta</b> <b>Shower rail, 600 mm</b> with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
 	27 524 000	Chrome	4005176886539	83.39
	<b>ditto, 900 mm</b>			
 	12 435 000	Chrome	4005176272141	65.71
<b>Relexa Plus</b> <b>Gliding element with metal sleeve</b> for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish				
 	45 914 XE0	gray night time	4005176842054	31.18
<b>Spacer</b> for Relexa / Rainshower shower bars 28 819 / 28 797 / 27 136				

# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	45 459 000		4005176056444	16.72
<p><b>Spacer</b> for shower rail 28 620 / 28 621</p>				
 	48 051 000		4005176890024	8.04
<p><b>Spacer</b> for Tempesta shower rails 27 519 / 27 520 / 27 521 / 27 522 / 27 523 / 27 524 for Euphoria shower rails 27 499 / 27 500</p>				
 	26 385 000	Chrome	4005176375057	25.47
<p><b>Rainshower SmartControl Spacer</b> for Rainshower SmartControl systems 26 250, 26 361, 26 379 stackable</p>				
 	28 856 000		4005176603495	38.90
<p><b>Soap dish</b> acrylic, clear for Relexa shower rails (28 820 and 28 666) <b>GROHE StarLight</b> chrome finish</p>				
 	28 631 000		4005176019142	65.70
<p><b>Relexa Soap dish</b> for shower rail 28 620 / 28 621 <b>GROHE StarLight</b> chrome finish</p>				
 	27 206 000		4005176845444	26.86
<p><b>Soap dish</b> transparent surface textured in parts</p>				











# GROHE SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
27 596 000		4005176895944	12.72



**GROHE EasyReach tray**  
acrylic  
for Tempesta and Euphoria shower rails Ø 22 mm


# GROHE SHOWER ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	27 320 000	Chrome	4005176600159	99.90
<p><b>Riser pipe 1300 mm</b> with compression coupling 3/4" wall support with compensation piece <b>GROHE StarLight</b> chrome finish</p>				
 	28 389 000	Chrome	4005176269837	15.96
<p><b>Sena Adapter 1/2" x 1/2"</b> material: metal for use with hand shower holder or shower rail <b>GROHE StarLight</b> chrome finish</p>				
 	28 634 XX0	dark grey	4005176041440	38.57
<p><b>Relaxa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)</p>				
 	28 874 000	Chrome	4005176042348	92.68
<p><b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish</p>				
 	28 988 000	Chrome	4005176042805	127.08
<p><b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				




# GROHE SHOWER ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



28 799 000	Chrome	4005176602511	126.16
------------	--------	---------------	--------

**Diverter**  
GROHE StarLight chrome finish



27 102 000	Chrome	4005176600074	70.21
------------	--------	---------------	-------

**Trigger Spray**  
Wall holder set 1 spray  
GROHE StarLight chrome finish



GROHE  
**KITCHEN FITTINGS**







## CONTENTS

Water Systems	GROHE Blue Professional	479
	GROHE Blue Home	485
	GROHE Blue Pure	494
	GROHE Blue Accessories	496
	GROHE Red	500
	Waste separation systems	504
Premium Lines	K7	506
	Foot Control	507
	Minta / Minta SmartControl / Minta Touch	508
	Zedra / Zedra SmartControl / Zedra Touch	513
	Atrio	515
	Essence	516
	Eurocube	518
	Competence Lines	Eurodisc Cosmopolitan
	Eurodisc	520
	Concetto	521
	Eurostyle Cosmopolitan	524
	Eurosmart Cosmopolitan	526
	Eurosmart	529
	Euroeco / Euroeco Special	532
	Costa	533
	Bau Lines	535
Kitchen sinks	Soap dispensers	538
	Stainless steel sinks	539
	Composite sinks	546

# HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen taps include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



#### Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



#### EasyExchange

The aerator is easy to install and de-install using just a coin.



#### ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



#### EasyTouch

Just touch the tap at any point with your wrist, elbow or just your fingertip to turn the tap ON and OFF.



#### FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the tap ON and OFF.



#### Magnetic Docking

Thanks to powerful integrated magnets the pull-out spray head retracts easily and smoothly to the perfect position after every use.



#### Pull-Out Dual Spray

Increases operating radius of the tap and offers easy switching between mousseur and the spray.



#### Pull-Out Mousseur

Increases the operating radius of your tap.



#### EasyDock

Guarantees easy retraction and smooth docking for your pull-out spray head, every time.





**GROHE FastFixation**  
65 % faster installation.



**SpeedClean**  
Remove limescale  
with a single wipe.



**OpenWaterHeater**  
The perfect flow in combination  
with open water heaters.



**StopValve**  
Includes a dishwasher shut-off  
valve on the tap body.



**PreWindow**  
To open the window, just lift  
up the tap and lay it flat on the  
surface.



**ComfortHeight**  
Height of the spout allows  
easy filling of large pots.



**SwivelStop**  
Limited turn angle  
prevents flooding.



**Forward Rotating Lever**  
Forward rotating lever prevents  
the lever hitting the backsplash.



**Enhanced Water**  
Superior-quality water directly  
from the kitchen tap – saving time,  
money and the environment.



**ChildLock**  
Integrated safety mechanism  
prevents unintentional opening  
by young children.



**Titanium Inside**  
All boilers in our GROHE Red  
collection are made from titanium.



# GROHE BLUE HOME

## WELCOME TO YOUR **PRIVATE WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



## **STILL, MEDIUM OR SPARKLING:** THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

# THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN  
FITTINGS




# THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

# GROHE BLUE HOME

## NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mousseur and two separate waterways, delivering both filtered and unfiltered water effortlessly.



## CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO<sub>2</sub> need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

### System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

# GROHE BLUE HOME PRODUCT PORTFOLIO



**31 454 001**  
GROHE Blue Home  
L-spout Starter Kit



**31 455 001**  
GROHE Blue Home  
C-spout Starter Kit



**31 456 001**  
GROHE Blue Home  
U-spout Starter Kit



**31 498 001**  
GROHE Blue Home  
Mono Starter Kit



**31 539 000**  
GROHE Blue Home  
L-spout Starter Kit  
with pull-out mousseur



**31 541 000**  
GROHE Blue Home  
C-spout Starter Kit  
with pull-out mousseur



**31 543 000**  
GROHE Blue Home  
U-spout Starter Kit  
with pull-out mousseur

KITCHEN  
FITTINGS

## EACH GROHE BLUE HOME STARTER KIT CONTAINS:



GROHE BLUE HOME  
CARBONATOR



CO<sub>2</sub> BOTTLE 425 g



S-SIZE FILTER

### Colour options:

- 000/001 | StarLight Chrome
- DC0/DC1 | SuperSteel
- DL1 | Brushed Warm Sunset
- AL1 | Brushed Hard Graphite



# GROHE BLUE PROFESSIONAL

## THE **PERFECT SOLUTION** FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home or office. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



## FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing

# GROHE BLUE PROFESSIONAL PRODUCT PORTFOLIO



● ●  
**31 323 002**  
GROHE Blue Professional  
C-spout



● ●  
**31 347 003**  
GROHE Blue Professional  
L-spout



● ●  
**31 325 002**  
GROHE Blue Professional  
C-spout  
with pull-out mousseur



● ●  
**31 326 002**  
GROHE Blue Professional  
L-spout  
with pull-out mousseur



● ●  
**31 302 002 / 31 302 DC2**  
GROHE Blue Professional  
Mono

## EACH GROHE BLUE PROFESSIONAL CONTAINS:



COOLER AND CARBONATOR BOX,  
FILTER HEAD, CO<sub>2</sub> PRESSURE REDUCER  
AND CLEANING ADAPTER

Filter, CO<sub>2</sub> bottle and cleaning cartridge  
have to be ordered separately according  
to your personal needs.

KITCHEN  
FITTINGS

### Colour options:

● 002/003 | StarLight Chrome ● DC2/DC3 | SuperSteel



# GROHE RED

## 99 °C STRAIGHT FROM THE TAP

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



## THE **BENEFITS** ARE CRYSTAL CLEAR

### SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

### NO MORE WAITING

Kettle-hot water is always available at the push of a button, so waiting for the kettle or pot to boil is a thing of the past.

### LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

### CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

### CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single tap.



# GROHE RED PRODUCT PORTFOLIO



**30 340 001**  
GROHE Red Duo  
L-spout, L-Size boiler



**30 329 001**  
GROHE Red Mono  
L-spout, M-Size boiler



**30 058 001**  
GROHE Red Duo  
C-spout, M-Size boiler



**30 060 001**  
GROHE Red Mono  
C-spout, M-Size boiler

KITCHEN  
FITTINGS

## EACH GROHE RED CONTAINS: BOILER (M- OR L-SIZE) & FILTERSET



### Colour options:

- 001 | StarLight Chrome
- DA1 | Warm Sunset
- A01 | Hard Graphite
- DC1 | SuperSteel
- DL1 | Brushed Warm Sunset
- AL1 | Brushed Hard Graphite

# GROHE EASYS TOUCH



Simple activation/deactivation of the water flow by touch.



Manual control with the lever.



Kitchens are hands-on places, where multi-tasking is a must. Why not make life easier for yourself with a GROHE touch-activated tap? We've developed a choice of two innovative solutions that let you control the flow of water without using your hands, making your kitchen more hygienic, convenient and instinctive to use. GROHE EasyTouch taps can be activated with a simple touch of the wrist or elbow. Leave your hands free and keep your tap sparkling clean. Change the way you control your kitchen with just a single touch.

# GROHE SMARTCONTROL

## JUGGLING KITCHEN TASKS?

Multi-tasking is a fact of the modern world, and nowhere more so than in the kitchen, where the collision of family life, meal prep and entertaining mean you often have your hands full. So why can't everything be just that little bit easier? With the new GROHE SmartControl it is, offering innovative push-operation that is effortless to use. Instead of grappling with a lever handle with wet hands, simply press the button to start and stop the water flow. Holding a full pan or a pile of plates? Just push with your wrist or elbow. It couldn't be more simple. Turning the same button alters the flow, and there is even a water-saving option. Temperature control is as straightforward as a twist of the valve on the tap's body. Smooth and intuitive to use for the whole family, SmartControl is the perfect solution for anyone who too often has their hands full in the kitchen. And what could be easier than that?

## SUPERIOR DESIGN

- Sleek, streamlined and puristic

## SMARTCONTROL BUTTON

- Push the button to start & stop the water flow
- Turn the button by 150° from eco to powerful jet

## TEMPERATURE ADJUSTMENT

- Turn the valve gently to the left or right to adjust your perfect temperature

## PULL-OUT LAMINAR SPRAY

- For an increased operation radius

## MAGNETIC DOCKING

- Integrated magnets for seamless docking of the spray head

## LEAD AND NICKEL FREE WATER FLOW

## QUICKFIX PLUS INSTALLATION

- 65% faster installation





# GROHE PROFESSIONAL SPRAYS

## THE COLOURFUL WORLD OF **ESSENCE** PROFESSIONAL

Enhance your kitchen's performance with the sleek, architectural Essence New Profispray tap, designed to bring professional features and convenience to your scheme. From the 360 degree turnable spring arm to the effortless EasyDock M magnetic system for the dual-spray metal head, every detail has been designed with ease of use in mind. Featuring GrohFlexx technology, the hygienic santoprene hose is not only easy-to-clean but also comes in a choice of 11 colour finishes.



### Colour options (hose)

Order 30 503 000 (chrome) / 30 503 DC0 (SuperSteel) and add a colour of your choice 30 321 + colour code

- |                      |                   |                |                |                    |
|----------------------|-------------------|----------------|----------------|--------------------|
| ● MW0   Sheer Marble | ● XC0   Dark Grey | ● YF0   Yellow | ● YR0   Orange | ● DG0   Red        |
| ● DP0   Pink         | ● DU0   Purple    | ● GE0   Green  | ● TY0   Blue   | ● HG0   Dark Brown |

### Exchange the hose via 4 simple steps:



**Step 1**  
Loose the 2 screws with the screwdriver from the body and the spray.



**Step 2**  
Take the original hose with the connection out of the tap body and the spray and put it to the side.



**Step 3**  
Take the new hose and insert it with the connection into the tap body and the spray.



**Step 4**  
Insert the 2 screws with the screwdriver.

# A CYLINDRICAL STATEMENT **CONCETTO PROFESSIONAL**









Treat your kitchen to an upgrade with the Concetto Profispray tap, putting premium, professional performance in your hands. Switch the pull-down head between a mousser and powerful SpeedClean spray with ease – the EasyDock M intelligent docking system uses a powerful magnet to automatically dock the spray head when you are done. Thanks to its pared-back, slim design and height of just 510 mm, the new Concetto Professional is also a great solution for installation on kitchen islands and under wall cupboard. Enjoyable to use, its the ideal way to add enviable contemporary style to any busy kitchen.





# GROHE KITCHEN SINK FEATURES

## STAINLESS STEEL SINKS






	STANDARD BUILT-IN	FLAT-EDGE	FLUSH-MOUNT	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	AISI 304 (V2A)	AISI 316 (V4A)	SATIN FINISH	PVD COLOUR	PRE-POLISHED	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED	BUNDLE AVAILABLE	
	MOUNTING TYPE				NUMBER OF BOWLS & RADIUS			DRAINER	MATERIAL	FINISH				ADDITIONAL FEATURES					
K1000 			●		●			R10	●	●		●			●		***	●	
K800 			●		●		●	R10		●		●			●		***	●	
K700 U 	●		●	●	●	●		R10		●		●	●				***	●	
K700 	●		●		●			R15		●		●					***	●	
K500 	●		●		●	●	●	R65	●	●		●			●	●	***	●	●
K400+ 		●			●	●		R20	●		●	●			●	●	***	●	
K400 	●				●	●	●	R20	●	●		●			●	●	***	●	●
K200 	●				●	●		R100/ R60	●	●				●	●	●	***	●	●

\* R0 (bottom, front & back top) / R30 (right & left top)

\*\* R0 (vertical) / R9 (bottom)

\*\*\* optional accessory 40 986 SD0

## COMPOSITE SINKS

	STANDARD BUILT-IN	UNDERMOUNT	1	1.5	2	INNER RADIUS	DRAINER AVAILABLE	COMPOSITE	PRE-PUNCHED TAP HOLES	REVERSIBLE SINK	AUTOMATIC WASTE FITTING INCLUDED
	MOUNTING TYPE		NUMBER OF BOWLS & RADIUS				DRAINER	MATERIAL	ADDITIONAL FEATURES		
K700 U 	●	●	●			R0 / R30*		●			***
K700 	●	○	●	●	●	R0		●	●	○	***
K500 	●	○	●	●		R0 / R9**	●	●	●	○	***
K400 	●		●	●		R15	●	●	●	●	***
K200 	●		●			R60		●	●		***





















- selected products
- all products in this line

# GROHE BLUE & GROHE RED WATERSYSTEMS

	DESIGN	MIXED WATER	FILTERED WATER	SPARKLING WATER	BOILING WATER	PULL-OUT MOUSSEUR	CO <sub>2</sub> -BOTTLE	FILTER	FILTERHEAD	CARBONIZER	BOILER	APP CONTROL	CHROME	PVD COLOURS	PERFECT MATCH	
															SOAP DISPENSER 40 535 000 / 40 535 DC0	WASTE SYSTEMS
GROHE BLUE HOME		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE HOME MONO			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PROFESSIONAL		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
		●	●	●		●	●	●	●	●		●	●	●	●	●
GROHE BLUE MONO PROFESSIONAL			●	●			●	●	●			●	●	●	●	●
GROHE BLUE PURE FILTER		●	●					●	●				●	●	●	●*
		●	●					●	●				●	●	●	●*
GROHE BLUE PURE FILTER MONO			●					●	●				●	●	●	●*
GROHE RED DUO		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
		●			●			●	●		●		●	●	●	●
GROHE RED MONO					●			●	●		●		●	●	●	●
					●			●	●		●		●	●	●	●
















\* Additional waste bin is needed

# GROHE FUNCTIONALITY AT A GLANCE












	DESIGN	FILTERED WATER	EASYTOUCH	FOOTCONTROL	SMARTCONTROL	PROFESSIONAL SPRAY	PULL-OUT TRIPLE SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	SIDE SPRAY	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION			
															SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0	SOAP DISPENSER 40 537 000 / 40 537 DC0
GROHE K7								●		●			●	●	●			
						●							●	●	●			
GROHE K7 FOOTCONTROL				●		●							●		●			
GROHE MINTA					●			●	●			●	●	●	●			
								●	●			●	●	●	●			
GROHE MINTA TOUCH			●					●					●	●	●			
			●						●				●	●	●			
GROHE ZEDRA					●		●	●				●	●	●			●	
		●					●	●				●	●	●			●	
GROHE ZEDRA TOUCH			●				●	●					●	●			●	
GROHE ESSENCE					●	●		●					●	●	●			
GROHE ESSENCE FOOTCONTROL				●				●					●	●	●			
GROHE ATRIO													●	●	●			
GROHE EUROCUBE													●	●	●			
						●							●	●	●			
GROHE AMBI													●		●	●		
GROHE PARKFIELD								●					●	●				●
GROHE EURODISC COSMOPOLITAN								●			●	●	●		●			
									●				●		●			
													●		●			

KITCHEN FITTINGS

# GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PROFESSIONAL SPRAY	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
									SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 536 000 / 40 536 DC0
GROHE CONCETTO		●					●	●	●	
		●	●	●	●	●	●	●	●	
		●	●	●		●	●	●	●	
		●					●		●	
GROHE EUROSTYLE COSMOPOLITAN							●		●	
					●	●	●		●	
			●	●			●		●	
							●		●	
GROHE EUROSMART COSMOPOLITAN					●	●	●		●	
						●	●	●	●	
			●				●	●	●	
GROHE EUROSMART			●				●	●		●
						●	●	●		●
							●			●
GROHE BAU							●			●

















# GROHE FUNCTIONALITY AT A GLANCE

	DESIGN	PULL-OUT DUAL SPRAY	PULL-OUT MOUSSEUR	PRE-WINDOW	SHUT-OFF VALVE	CHROME	PVD COLOURS	PERFECT MATCH – OUR RECOMMENDATION	
								SOAP DISPENSER 40 535 000 / 40 535 DC0	SOAP DISPENSER 40 553 000 / 40 553 DC0
GROHE ZEDRA		●				●			●
GROHE MINTA			●			●		●	
		●				●		●	
GROHE CONCETTO			●	●	●	●		●	
			●			●		●	
GROHE EUROSTYLE COSMOPOLITAN						●		●	
						●		●	
						●		●	
GROHE EUROSMART COSMOPOLITAN						●		●	
						●	●	●	
						●		●	

KITCHEN FITTINGS



# ACCESSORIES FOR GROHE WATER SYSTEMS

	FILTER					CO <sub>2</sub> BOTTLES		CLEANING AND ACCESSORIES				
	 <b>40 404 001</b> S-Size	 <b>40 430 001</b> M-Size	 <b>40 412 001</b> L-Size	 <b>40 547 001</b> ACTIVATED CARBON	 <b>40 691 002</b> MAGNESIUM	 <b>40 422 000</b> CO <sub>2</sub> STARTER KIT 425 G	 <b>40 687 000</b> CO <sub>2</sub> REFILL 425 G	 <b>40 423 000</b> CO <sub>2</sub> STARTER KIT 2 KG	 <b>40 424 000</b> CO <sub>2</sub> REFILL 2 KG	 <b>40 962 000</b> CO <sub>2</sub> ADAPTER TO CO <sub>2</sub> G	 <b>40 434 001</b> CLEANING CARTRIDGE	 <b>40 694 000</b> CLEANING CARTRIDGE ADAPTER
 GROHE BLUE HOME	•	•		•	•	•					•	•
 GROHE BLUE PROFESSIONAL	•	•	•	•	•	•	•	•		•	•	•
 GROHE RED	•	•	•		•							
 FILTER TAPS	•	•	•	•	•							

# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 323 002	Chrome	4005176989933	2,407.42
31 323 DC2	supersteel	4005176989940	2,705.78

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher


Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 347 003	Chrome	4005176443336	2,407.42
31 347 DC3	supersteel	4005176446559	2,705.78

## GROHE Blue Professional

### L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout

swivel area 150°

separate inner water ways for filtered  
and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher


Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery  
and have to be ordered separately via an authorised Apple store/store/iTunes or  
Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 325 002	Chrome	4005176507274	2,530.88
31 325 DC2	supersteel	4005176507250	2,890.96

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or

Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by

Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of

Apple Inc., registered in the U.S. and other countries. Apple is not responsible for

the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 326 002	Chrome	4005176507236	2,530.88
31 326 DC2	supersteel	4005176507212	2,890.96

## GROHE Blue Professional

### L-spout kit

Consisting of:

**GROHE Blue** single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout

swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)

- filter M-size, capacity 1500 l at 20° dKH (40 430 001)

- filter L-size, capacity 2500 l at 20° dKH (40 412 001)

- activated carbon filter, capacity 3000 l (40 547 001)

- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery

and have to be ordered separately via an authorised Apple store/store/iTunes or

Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by

Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of

Apple Inc., registered in the U.S. and other countries. Apple is not responsible for

the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 302 002	Chrome	4005176443343	2,294.27
31 302 DC2	supersteel	4005176443350	2,561.75

## GROHE Blue Professional

### C-spout kit

Consisting of:

**GROHE Blue** Mono mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

**GROHE Blue Professional** cooler

delivers 12 liters of chilled sparkling water per hour

colour display with push and turn control

270 Watt cooling unit, 230 V, 50 Hz

sound level in standby 46 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

push notifications at low filter resp. CO<sub>2</sub> capacity

additional monitoring via GROHE Blue Professional Browser-Monitor possible  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

filter head with flexible water hardness adjustment

GROHE Blue filter, CO<sub>2</sub> bottle and cleaning cartridge are not included in the

delivery and have to be ordered separately

suitable filters:

- filter S-size, capacity 600 l at 20° dKH (40 404 001)
- filter M-size, capacity 1500 l at 20° dKH (40 430 001)
- filter L-size, capacity 2500 l at 20° dKH (40 412 001)
- activated carbon filter, capacity 3000 l (40 547 001)
- Magnesium + Zinc filter, capacity 400 l at 17° dGH (40 691 002)

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher


Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery  
and have to be ordered separately via an authorised Apple store/store/iTunes or  
Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

to be equipped with a non-return valve EA approved by Belgaqua






# GROHE BLUE PROFESSIONAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 554 002		4005176458521	1,585.70
------------	--	---------------	----------

## GROHE Blue Professional Cooler and carbonizer

delivers 12 liters of chilled water per hour  
 colour display with push and turn control  
 270 Watt cooling unit, 230 V, 50 Hz  
 type of protection IP 21  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
 push notifications at low filter resp. CO<sub>2</sub> capacity  
 additional monitoring via GROHE Blue Professional Browser-Monitor possible with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
 compatible only with GROHE Blue taps with push button operation



### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 001	Chrome	4005176454134	1,779.84
31 455 DC1	supersteel	4005176454141	2,026.77
31 455 DL1	brushed warm sunset	4005176488962	2,242.81
31 455 AL1	Brushed Hard Graphite	4005176488948	2,242.81

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards. \*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 455 000	Chrome	4005176323027	1,779.84
31 455 DC0	supersteel	4005176323034	2,026.77

## GROHE Blue Home

### C-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible


water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 541 000	Chrome	4005176437038	2,067.92
31 541 DC0	supersteel	4005176437045	2,345.69

## GROHE Blue Home

### C-spout

Consisting of:  
GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation  
C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish  
28 mm ceramic cartridge

with **GROHE SilkMove**

### pull out mousseur spout

swivel tubular spout, swivel area 360°  
separate inner water ways for filtered  
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 454 001	Chrome	4005176454110	1,779.84
31 454 DC1	supersteel	4005176454127	2,026.77
31 454 DL1	brushed warm sunset	4005176488924	2,242.81
31 454 AL1	Brushed Hard Graphite	4005176488900	2,242.81

## GROHE Blue Home

### L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Onodus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 539 000	Chrome	4005176437014	2,067.92
31 539 DC0	supersteel	4005176437021	2,345.69

## GROHE Blue Home

### L-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua





# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 456 001	Chrome	4005176454158	1,779.84
31 456 DC1	supersteel	4005176454165	2,026.77

## GROHE Blue Home

### U-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE

Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter  
40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery  
and have to be ordered separately via an authorised Apple store/store/iTunes or  
Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by  
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.  
Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of  
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for  
the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data  
at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 543 000	Chrome	4005176437052	2,067.92
31 543 DC0	supersteel	4005176437069	2,345.69

## GROHE Blue Home

### U-spout

Consisting of:

GROHE Blue Home single-lever sink mixer with filter function  
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

**GROHE StarLight** finish

28 mm ceramic cartridge

with **GROHE SilkMove**

**pull out mousseur spout**

swivel tubular spout, swivel area 360°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 498 001	Chrome	4005176454172	1,718.13
31 498 DC1	supersteel	4005176454189	1,985.61
31 498 DL1	brushed warm sunset	4005176489006	2,181.08
31 498 AL1	Brushed Hard Graphite	4005176488986	2,181.08

## GROHE Blue Home

### Mono Starter kit

Consisting of:

GROHE Blue Home Mono faucet with filter function  
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water  
still, medium, sparkling

### GROHE StarLight finish

swivel tubular spout

swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled sparkling water per hour

180 Watt cooling unit, 230 V, 50 Hz

sound level in standby 44 dB(A)

type of protection IP 21

CE approved

requires ventilation holes in the bottom of the kitchen cabinet

software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app

with Bluetooth 4.0\* and WIFI interface for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue activated

carbon filter and GROHE Blue magnesium + zinc filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter 40 547 001

**GROHE Blue** 425 g CO<sub>2</sub> bottle

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android

smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.

Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)

to be equipped with a non-return valve EA approved by Belgaqua



# GROHE BLUE HOME

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 711 001		4005176454301	1,245.91
------------	--	---------------	----------

## GROHE Blue Home Cooler

180 Watt cooling unit, 230 V, 50 Hz  
 sound level in standby 44 dB(A)  
 delivers 3 liters of chilled sparkling water per hour  
 CE approved  
 requires ventilation holes in the bottom of the kitchen cabinet  
 software set-up and monitoring of filter and CO<sub>2</sub> capacity possible via GROHE Ondus app  
 with Bluetooth 4.0\* and WIFI interface for wireless data communication for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
 adjustable for GROHE Blue filter S-Size, GROHE Blue activated carbon filter and GROHE Blue magnesium + zinc filter

### System requirements Apple

iPhone with iOS 12.0 or higher

### System requirements Android


smart phone with Android 6.0 or higher

Mobile devices and GROHE Watersystems App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.  
 \*\*\* Available for free via iTunes app or Google Play store.


to be equipped with a non-return valve EA approved by Belgaqua





# GROHE BLUE PURE

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 387 000	Chrome	4005176565557	308.63



## GROHE Blue Pure Mono

### Starter kit

Consisting of:

**GROHE Blue** Mono mixer with filter function  
monobloc installation

C-spout

handle for filtered table water

headpart 1/2"

**GROHE StarLight** chrome finish

swivel tubular spout

swivel area 150°

flexible connection hoses

GROHE Blue filter head

GROHE Blue activated carbon filter for premium taste

Up to 3000 Liters

filter exchange timer including 2 x AA batteries



# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 848 000</b>		<b>4005176351082</b>	<b>8.74</b>
	<b>GROHE Blue Drinking bottle</b> Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml			
 	<b>40 848 SD0</b> <b>40 848 GN0</b> <b>40 848 DL0</b> <b>40 848 AL0</b>	stainless steel brushed cool sunrise brushed warm sunset Brushed Hard Graphite	<b>4005176386008</b> <b>4005176647000</b> <b>4005176647017</b> <b>4005176646997</b>	<b>12.87</b> <b>17.47</b> <b>17.47</b> <b>17.47</b>
	<b>GROHE Blue Thermo drinking bottle</b> stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml			
 	<b>40 405 001</b>		<b>4005176698019</b>	<b>27.38</b>
	<b>GROHE Blue Glass carafe with lid set</b> crystal glass with GROHE Blue decor stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe volume 1l			
	<b>40 636 SD0</b>	stainless steel	<b>4005176706707</b>	<b>11.90</b>
	<b>GROHE Blue Lid set</b> set consists of 2 lids stainless steel lid with tilt lock with integrated sieve to hold back e.g. fruits plastic lid for closing BPA (Bisphenol A) free dish washer safe			
 	<b>40 437 000</b>		<b>4005176885471</b>	<b>29.83</b>
	<b>GROHE Blue Water glasses (6 pieces)</b> crystal glasses with GROHE Blue decor dish washer safe volume 250 ml			
	<b>40 962 000</b>		<b>4005176529412</b>	<b>21.59</b>
	<b>GROHE Blue CO<sub>2</sub> adapter</b> adapter for GROHE Blue Professional CO <sub>2</sub> pressure reducer for use with 425 g CO <sub>2</sub> bottles for GROHE Blue Professional systems as of January 2019			

# GROHE BLUE ACCESSORIES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>40 404 001</b>		<b>4005176984068</b>	<b>55.21</b>
	<b>GROHE Blue Filter S-Size</b> BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 600 L at 20° dKH 5-stage filter reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
	<b>40 430 001</b>		<b>4005176984075</b>	<b>103.82</b>
	<b>ditto, M-Size, capacity 1500 l at 20° dKh, 315 mm high</b>			
	<b>40 412 001</b>		<b>4005176984082</b>	<b>136.85</b>
	<b>ditto, L-Size, capacity 2500 l at 20° dKh, 350 mm high</b>			
 	<b>40 547 001</b>		<b>4005176984099</b>	<b>55.21</b>
	<b>GROHE Blue Activated carbon filter</b> BWT replacement filter for GROHE Blue water systems for soft water areas below 9° dKH Up to 3000 Liters reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure			
 	<b>40 691 002</b>		<b>4005176674099</b>	<b>70.77</b>
	<b>GROHE Blue Magnesium + Zinc filter</b> BWT replacement filter for GROHE Blue and GROHE Red water systems Capacity 400 L at 17° dGH enriches water with up to 35 mg/l magnesium and up to 3 mg/l zinc reduces substances responsible for unpleasant taste and odour, e.g. chlorine reduces limescale and heavy metals compatible with GROHE Blue Home, GROHE Blue Professional, GROHE Blue Pure (only with flow meter) and GROHE Red			
 	<b>40 575 002</b>		<b>4005176674082</b>	<b>108.54</b>
	<b>GROHE Blue UltraSafe filter</b> BWT replacement filter for GROHE Blue water systems filter capacity maximum 3000 l or 6 months retains microplastic > 1 µm and 99,999 % of bacteria, removes lead by 99,5 % reduces substances responsible for unpleasant taste and odour, e.g. chlorine compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Blue Pure (only with flow meter)			
	<b>64 508 001</b>		<b>4005176984112</b>	<b>31.62</b>
	<b>GROHE Blue Filter Head</b> for use with GROHE Blue filters, sold separately			

# GROHE BLUE ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	40 434 001		4005176985294	26.09
	<b>GROHE Blue Cleaning cartridge</b> for 100% disinfection and cleaning of the GROHE Blue cooler and filter head including spray head for use with GROHE Blue cleaning cartridge adapter 40 694 000, sold separately This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
	40 694 000		4005176985300	12.86
	<b>GROHE Blue Cleaning cartridge adapter</b> for GROHE Blue BWT filterhead 64 508 001 for use with GROHE Blue cleaning cartridge 40 434 001, sold separately			
 	40 422 000		4005176890246	71.97
	<b>GROHE Blue Starter kit 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water for refilling please order 40 687 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
 	40 687 000		4005176981838	31.48
	<b>GROHE Blue Refill 425 g CO<sub>2</sub> bottles (4 pieces)</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			
 	40 920 000	Chrome	4005176470646	16.19
	<b>GROHE Blue 425 g CO<sub>2</sub> bottle</b> carbondioxid from natural sources for food and beverage (E290) Purity: CO <sub>2</sub> 99.9 % v/v min. volume 1 bottle: 425 g, for up to 60 l of sparkling water sales unit 18 pieces This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a>			

# GROHE BLUE ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



40 423 000		4005176890253	89.97
------------	--	---------------	-------

## GROHE Blue

### Starter kit 2 kg CO<sub>2</sub> bottle

carbondioxid from natural sources for food and beverage (E290)

Purity: CO<sub>2</sub> 99.9 % v/v min.

volume 1 bottle: 2 kg, up to 350 l sparkling water

integrated residual pressure valve and safety carrier handle

for refilling please order 40 424 000

sales unit 1 piece

not suitable for the GROHE Blue Home cooler

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: [www.grohe.com/safety-data-sheets/](http://www.grohe.com/safety-data-sheets/)



40 843 000		4005176337109	43.20
------------	--	---------------	-------

## GROHE Blue

### Extension set

Consisting of:

extension cable 5 m

hose for drinking water, 5 m

tube cutter

adapters and clips

suitable for GROHE Blue Home and GROHE Blue Professional (from January 2019)

KITCHEN  
FITTINGS



Ref. No.	Colour	EAN	Retail Guide Price (£)
30 058 001	Chrome	4005176989162	1,584.38
30 058 DC1	supersteel	4005176989179	1,821.00
30 058 DL1	brushed warm sunset	4005176489280	1,954.74
30 058 AL1	Brushed Hard Graphite	4005176489266	1,954.74

### GROHE Red Duo

#### Tap and M Size Boiler

Consisting of:

#### GROHE Red Duo single-lever sink mixer

monobloc installation

C-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

#### GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

#### GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale

Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit



30 341 001	Chrome	4005176414916	1,584.38
30 341 DC1	supersteel	4005176414923	1,821.00
30 341 DL1	brushed warm sunset	4005176489327	1,954.74
30 341 AL1	Brushed Hard Graphite	4005176489303	1,954.74

### GROHE Red Duo

#### Tap and M Size Boiler

Consisting of:

#### GROHE Red Duo single-lever sink mixer

monobloc installation

L-spout

GROHE ChildLock push buttons for kettle hot water

TÜV certified triple electronic safeguards against accidental activation of boiling water

#### GROHE StarLight chrome finish

28 mm ceramic cartridge

with GROHE SilkMove

insulated tubular spout

swivel area 150°

separate water ways

flexible connection hoses

connection for GROHE Red boiler

#### GROHE Red boiler M size

reservoir for kettle hot and hot water

3 litre 99° C kettle hot water

4 litre total capacity

required inlet pressure: 1-7 bar

with flexible connection hose and outlet for kettle hot water

CE approved

power supply 230 V 50 Hz

power consumption 2100 W

standby power consumption 15 W

energy efficiency class A


GROHE Red filter set

for protection of the boiler from limescale






Capacity 600 L at 20° dKH

5 phase filter

flow rate measuring unit















	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>30 060 001</b>	<b>Chrome</b>	<b>4005176989186</b>	<b>1,460.92</b>
	<p><b>GROHE Red Mono Pillar tap and M size boiler</b>            Consisting of:  <b>GROHE Red Mono pillar tap</b>            monobloc installation            C-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            insulated tubular spout            swivel area 150°            connection for GROHE Red boiler  <b>GROHE Red boiler M size</b>            reservoir for kettle hot and hot water            3 litre 99° C kettle hot water            4 litre total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
	<b>30 329 001</b>	<b>Chrome</b>	<b>4005176414121</b>	<b>1,460.92</b>
	<p><b>GROHE Red Mono Pillar tap and M size boiler</b>            Consisting of:  <b>GROHE Red Mono pillar tap</b>            monobloc installation            L-spout            GROHE ChildLock push buttons for kettle hot water            TÜV certified triple electronic safeguards against accidental activation of boiling water  <b>GROHE StarLight</b> chrome finish            insulated tubular spout            swivel area 150°            connection for GROHE Red boiler  <b>GROHE Red boiler M size</b>            reservoir for kettle hot and hot water            3 litre 99° C kettle hot water            4 litre total capacity            required inlet pressure: 1-7 bar            with flexible connection hose and outlet for kettle hot water            CE approved            power supply 230 V 50 Hz            power consumption 2100 W            standby power consumption 15 W            energy efficiency class A            GROHE Red filter set            for protection of the boiler from limescale            Capacity 600 L at 20° dKH            5 phase filter            flow rate measuring unit</p>			
	<b>40 841 001</b>	<b>Chrome</b>	<b>4005176335358</b>	<b>103.82</b>
<p><b>GROHE Red Mixing valve</b>            for thermostatic mixing of mains and boiling water to generate warm water            adjustable between 35°C and 75°C            hot fill and cold fill installation possible            including 70 cm connection hose, manifold and wall fixation</p>				

# GROHE RED

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>40 842 001</b>	<b>Chrome</b>	<b>4005176335365</b>	<b>792.84</b>
	<b>GROHE Red Boiler Size M</b> reservoir for hot water 3 liter hot water at 99° C 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 834 001</b>	<b>Chrome</b>	<b>4005176335280</b>	<b>849.49</b>
	<b>GROHE Red Boiler Size L</b> reservoir for hot water 5.5 liter hot water at 99° C 5.5 liter total capacity required inlet pressure: 1-7 bar with flexible connection hoses and connection for boiling water CE approved power supply 230 V 50 Hz 30 VA power consumption 2100 W standby power consumption 15 W			
	<b>40 438 001</b>		<b>4005176984105</b>	<b>149.17</b>
	<b>GROHE Red Filter with filter head</b> for regions with water hardness higher 12° KH turn before GROHE Red boiler flexible connection hoses filter 600 I			
	<b>40 919 SD0</b>	<b>stainless steel</b>	<b>4005176450136</b>	<b>15.42</b>
	<b>GROHE Red Thermo drinking bottle</b> stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml			
	<b>40 432 000</b>		<b>4005176883255</b>	<b>25.71</b>
	<b>GROHE Red Tea glasses (4 pieces)</b> heat proof glass with GROHE Red decor dish washer safe volume 250 ml			


# GROHE WASTE SEPARATION SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 855 000		4005176356452	54.52
	<b>GROHE Blue</b> <b>Waste bin recycling separation system</b> installation type: floor mounted, behind swinging door technique: full extension operation: manual telescopic separation: double, 2 x up to 15 l filling volume cabinet width: 30 cm and wider compatible with GROHE Blue Home and GROHE Red M and L size			
	40 980 000		4005176586446	276.76
	<b>GROHE Blue</b> <b>Waste separation system 60 cm - 29 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: single, 1 x 29 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size			
	40 981 000		4005176586453	276.76
	<b>GROHE Blue</b> <b>Waste separation system 60 cm - 8 l / 8 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 2 x 8 l cabinet width: 60 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size			
	40 982 000		4005176586460	297.33
	<b>GROHE Blue</b> <b>Waste separation system 90 cm - 11 l / 29 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: double, 1 x 11 l, 1 x 29 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size			
	40 983 000		4005176586477	297.33
	<b>GROHE Blue</b> <b>Waste separation system 90 cm - 8 l / 8 l / 11 l</b> installation type: side wall and front panel technique: full extension with pull-in damping separation: triple, 2 x 8 l, 1 x 11 l cabinet width: 90 cm installation height 533 mm minimum, 573 mm maximum compatible with GROHE Blue Home, GROHE Blue Professional and GROHE Red M and L size			

# GROHE WASTE SEPARATION SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

40 984 000		4005176586484	44.74
------------	--	---------------	-------




**GROHE Blue**  
**Retrofit kit for extricable metal cover**  
 contents: pull-out rails and anti-slip mat  
 for use with GROHE Blue waste separation system 40 980, 40 981, 40 982 or 40 983, sold separately

KITCHEN  
FITTINGS


# GROHE K7

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



32 950 000	Chrome	4005176879838	783.59
32 950 DC0	supersteel	4005176879845	1,023.05

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout  
 swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system





31 379 000	Chrome	4005176938085	756.96
31 379 DC0	supersteel	4005176938092	983.14

**K7**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 professional spray  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 metal spray  
 adjustable flow rate limiter  
 swivel spout, swivel area 140°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

# GROHE FOOT CONTROL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

30 309 000		4005176351235	435.64
------------	--	---------------	--------



**30 309 000**

**Foot Control  
Dual flush valve set**

Foot control: activation of water via contact with sensor

**battery supply** 6 V lithium-battery,

type CR-P2

CE approved

solenoid valve

fixed value mixing valve

automatically stops after 60 sec. (factory set)

type of protection IP 44

upgrade set for GROHE pull-out kitchen faucets

not suitable for combination with open water heater (SKUs 32 555 000,

31 397 000, 32 511 000, 31 127 002, 33 984 002, 31 180 000, 30 194 000/DC0,


31 179 000, 31 132 001



# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 613 000	Chrome	4005176521973	377.18
31 613 DC0	supersteel	4005176521980	488.85
31 613 DA0	warm sunset	4005176523595	527.32
31 613 A00	hard graphite	4005176523601	527.32




**Minta SmartControl**  
Sink mixer with SmartControl  
monobloc installation  
**GROHE StarLight** chrome finish  
pull-out spray with laminar metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
temperature adjustment by turning of mixing valve on body  
swivel tubular spout  
swivel area 140°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap

31 360 001	Chrome	4005176343025	695.07
31 360 DC1	supersteel	4005176343032	903.98



**Minta Touch**  
Electronic single-lever sink mixer 1/2"  
L-spout  
**Touch: activation of water via skin contact**  
**battery supply** 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically stops after 60 sec. (factory set)  
type of protection IP 44  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system


31 358 002	Chrome	4005176465000	715.74
31 358 DC2	supersteel	4005176465017	895.05



**Minta Touch**  
Electronic single-lever sink mixer 1/2"  
C-spout  
monobloc installation  
**Touch: activation of water via skin contact**  
**battery supply** 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically stops after 60 sec. (factory set)  
type of protection IP 44  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No. Colour EAN Retail Guide Price (£)




31 375 000	Chrome	4005176934155	264.71
31 375 DC0	supersteel	4005176934162	344.56
31 375 DA0	warm sunset	4005176488634	376.53
31 375 DL0	brushed warm sunset	4005176488641	376.53
31 375 A00	hard graphite	4005176488610	376.53
31 375 AL0	Brushed Hard Graphite	4005176488627	376.53

**Minta**  
Single-lever sink mixer 1/2"  
L-spout  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout  
swivel range 0°/150°/360°  
flexible connection hoses  
protected against backflow  
rapid installation system



32 168 000	Chrome	4005176824425	264.72
32 168 DC0	supersteel	4005176824432	344.57

**Minta**  
Single-lever sink mixer 1/2"  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**pull out mousseur spout**  
adjustable flow rate limiter  
swivel tubular spout  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system









30 274 000	Chrome	4005176314988	331.25
30 274 DC0	supersteel	4005176314995	415.45
30 274 DA0	warm sunset	4005176488672	448.30
30 274 DL0	brushed warm sunset	4005176488689	448.29
30 274 A00	hard graphite	4005176488658	448.30
30 274 AL0	Brushed Hard Graphite	4005176488665	448.29

**Minta**  
Single-lever sink mixer 1/2"  
L-spout  
monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
flow strainer  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system

KITCHEN  
FITTINGS


# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		32 917 000	Chrome	4005176230950	211.51
		32 917 DC0	supersteel	4005176804946	264.71
		32 917 KS0	velvet black	4005176980640	286.04
		32 917 DA0	warm sunset	4005176488719	300.97
		32 917 DL0	brushed warm sunset	4005176488726	300.98
		32 917 A00	hard graphite	4005176488696	300.97
		32 917 AL0	Brushed Hard Graphite	4005176488702	300.98
	<p><b>Minta</b> Single-lever sink mixer 1/2" C-spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000)</p>				
		32 918 000	Chrome	4005176230967	264.71
		32 918 DC0	supersteel	4005176804953	344.57
		32 918 00E	Chrome	4005176866616	264.71
	<p><b>Minta</b> Single-lever sink mixer 1/2" monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p> <p><b>Ditto, with GROHE Ecojoy 5.7 l/min flow limiter</b></p>				
		32 511 000	Chrome	4005176295621	317.97
		<p><b>Minta</b> Single-lever sink mixer 1/2" for use with displacement water heater C-spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge pull-out laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			

# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN      Retail Guide Price (£)

32 321 002	Chrome	4005176465109	262.10
32 321 DC2	supersteel	4005176465116	341.16
32 321 GN2	brushed cool sunrise	4005176618529	375.42
32 321 DA2	warm sunset	4005176488757	375.26
32 321 DL2	brushed warm sunset	4005176488764	375.27
32 321 A02	hard graphite	4005176488733	375.26
32 321 AL2	Brushed Hard Graphite	4005176488740	375.27




## Minta Single-lever sink mixer 1/2"

C-spout  
monobloc installation  
GROHE StarLight chrome finish  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system


30 348 001	Chrome	4005176464973	255.62
------------	--------	---------------	--------

## Minta Single-lever sink mixer 1/2"

C-spout  
monobloc installation  
GROHE SilkMove 46 mm ceramic cartridge  
GROHE StarLight chrome finish  
GROHE EasyDock guarantees easy retraction and smooth docking back to the starting position  
pull-out dual spray  
diverter: laminar spray/SpeedClean shower jet  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
shorter lever (71 mm)  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system



32 488 000	Chrome	4005176289552	211.51
32 488 DC0	supersteel	4005176804939	278.76
32 488 DA0	warm sunset	4005176488795	300.97
32 488 DL0	brushed warm sunset	4005176488801	300.98
32 488 A00	hard graphite	4005176488771	300.97
32 488 AL0	Brushed Hard Graphite	4005176488788	300.98




## Minta Single-lever sink mixer 1/2"

U spout, monobloc installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
adjustable flow rate limiter  
selectable swivel area : 0° / 150° / 360°  
swivel tubular spout  
flexible connection hoses  
rapid installation system  
optional temperature limiter (46 308 000)

32 067 000	Chrome	4005176811142	264.71
------------	--------	---------------	--------

## Minta Single-lever sink mixer 1/2"


U spout  
monobloc installation  
GROHE StarLight finish  
GROHE SilkMove 46 mm ceramic cartridge  
pull out mousseur spout  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system



# GROHE MINTA / MINTA SMARTCONTROL / MINTA TOUCH

Ref. No.      Colour      EAN      Retail Guide Price (£)

32 322 002	Chrome	4005176465123	262.10
32 322 DC2	supersteel	4005176465130	341.16
32 322 DA2	warm sunset	4005176488832	375.26
32 322 DL2	brushed warm sunset	4005176488849	375.27
32 322 A02	hard graphite	4005176488818	375.26
32 322 AL2	Brushed Hard Graphite	4005176488825	375.27



**Minta**  
**Single-lever sink mixer 1/2"**  
 U spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 integrated non-return valve  
 protected against backflow  
 flexible connection hoses  
 rapid installation system


40 684 000	Chrome	4005176940088	76.81
40 684 DC0	supersteel	4005176940095	80.73



**Minta**  
**Lever**  
 for Minta single lever sink mixer


# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




31 593 002	Chrome	4005176521942	495.07
31 593 DC2	supersteel	4005176521959	743.22

**Zedra SmartControl**  
Sink mixer with SmartControl  
monobloc installation  
**GROHE StarLight** chrome finish  
pull-out spray with laminar metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
temperature adjustment by turning of mixing valve on body  
swivel tubular spout  
swivel area 140°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap



30 219 002	Chrome	4005176466540	836.80
30 219 DC2	supersteel	4005176466557	1,129.47

**Zedra Touch**  
Electronic single-lever sink mixer 1/2"  
**Touch:** activation of water via skin contact  
**battery supply** 6 V lithium-battery, type CR-P2  
CE approved  
solenoid valve  
fixed value mixing valve  
automatically stops after 60 sec. (factory set)  
type of protection IP 44  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses



32 294 002	Chrome	4005176466496	425.26
32 294 DC2	supersteel	4005176466502	551.95

**Zedra**  
Single-lever sink mixer 1/2"  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
pull-out spray with 3 spray types  
diverter: laminar spray/**SpeedClean** shower jet/GROHE Blade spray (reduced water consumption by up to 70 % and even stronger spray performance)  
stop function - pause button to stop the water flow  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap


KITCHEN FITTINGS



# GROHE ZEDRA / ZEDRA SMARTCONTROL / ZEDRA TOUCH

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

32 553 002	Chrome	4005176466649	398.12
32 553 DC2	supersteel	4005176466656	624.74



## Zedra

### Single-lever sink mixer 1/2"

monobloc installation

**GROHE StarLight** chrome finish

**GROHE SilkMove** 35 mm ceramic cartridge

**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of

the spray head back to the starting position

pull-out dual spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

adjustable flow rate limiter

swivel tubular spout

swivel area 360°

protected against backflow


flexible connection hoses

**GROHE FastFixation Plus** installation system

**GROHE Zero** isolated inner water ways - lead and nickel free within the tap


# GROHE ATRIO

Ref. No.	Colour	EAN	Retail Guide Price (£)
30 362 000	Chrome	4005176496479	557.33
30 362 DC0	supersteel	4005176496486	726.18
30 362 AL0	Brushed Hard Graphite	4005176497292	834.62




**Atrio**  
**Two handle sink mixer 1/2"**  
 C-spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 ceramic headparts 1/2", 90°  
 selectable swivel area : 0° / 150° / 360°  
 flexible connection hoses  
 rapid installation system  
 mousseur

# GROHE ESSENCE



Ref. No.	Colour	EAN	Retail Guide Price (£)
31 615 000	Chrome	4005176523649	449.16
31 615 DC0	supersteel	4005176523656	584.40
31 615 BE0	polished nickel	4005176523731	629.07
31 615 EN0	brushed nickel	4005176523748	673.73
31 615 GL0	cool sunrise	4005176523670	629.07
31 615 GN0	brushed cool sunrise	4005176523687	673.73
31 615 DA0	warm sunset	4005176523694	629.07
31 615 DL0	brushed warm sunset	4005176523700	673.73
31 615 A00	hard graphite	4005176523717	629.07
31 615 AL0	Brushed Hard Graphite	4005176523724	673.73

**Essence SmartControl**  
Sink mixer with SmartControl  
monobloc installation  
**GROHE StarLight** chrome finish  
pull-out spray with laminar metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
**GROHE SmartControl** push for ON-OFF, turn for volume adjustment from water saving eco mode to Full Flow  
temperature adjustment by turning of mixing valve on body  
swivel tubular spout  
swivel area 140°  
protected against backflow  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap



30 503 000	Chrome	4005176695698	527.90
30 503 DC0	supersteel	4005176720178	681.14

**Essence**  
Single-lever sink mixer 1/2"  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
flow strainer  
with integrated temperature limiter  
professional spray  
with flexible, hygienic GROHFlexx kitchen santoprene hose  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
swivel spout  
swivel area 360°  
protected against backflow  
flexible connection hoses  
rapid installation system  
professional edition  
available February 2022

30 294 000	Chrome	4005176341472	527.90
30 294 DC0	supersteel	4005176341489	681.14
30 294 GL0	cool sunrise	4005176488078	687.57
30 294 GN0	brushed cool sunrise	4005176488085	687.57
30 294 DA0	warm sunset	4005176488498	687.57
30 294 DL0	brushed warm sunset	4005176488504	687.57
30 294 A00	hard graphite	4005176488054	687.57
30 294 AL0	Brushed Hard Graphite	4005176488061	687.57

will be replaced by 30 503



30 321 GE0	green	4005176438271	121.53
30 321 XC0	Dark Grey	4005176385735	75.11
30 321 MW0	Sheer Marble	4005176385728	75.11
30 321 HG0	Dark Brown	4005176385742	75.11
30 321 DG0	red	4005176438219	121.53
30 321 DP0	pink	4005176438264	121.53
30 321 DU0	purple	4005176438257	121.53
30 321 TY0	blue	4005176438240	121.53
30 321 YF0	yellow	4005176438233	75.11
30 321 YR0	orange	4005176438226	121.53


**Essence GROHFlexx kitchen hose**  
Spout hose for Essence kitchen tap  
for 30 294 000/ 30 294 DC0  
flexible, hygienic **GROHFlexx kitchen** santoprene hose  
including fixing parts

# GROHE ESSENCE

Ref. No. Colour EAN Retail Guide Price (£)



30 505 000	Chrome	4005176695711	332.90
30 505 DC0	supersteel	4005176720062	416.47
30 505 GL0	cool sunrise	4005176720086	430.40
30 505 GN0	brushed cool sunrise	4005176720352	430.42
30 505 DA0	warm sunset	4005176719752	430.40
30 505 DL0	brushed warm sunset	4005176720079	430.42
30 505 A00	hard graphite	4005176719738	430.40
30 505 AL0	Brushed Hard Graphite	4005176719745	430.42




**Essence**  
Single-lever sink mixer 1/2"  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
mousseur  
swivel tubular spout  
adjustable swivel area 0° / 150° / 360°  
flexible connection hoses  
rapid installation system  
integrated temperature limiter  
professional edition  
available February 2022

30 269 000	Chrome	4005176314902	332.90
30 269 DC0	supersteel	4005176314919	416.47
30 269 GL0	cool sunrise	4005176428616	430.40
30 269 GN0	brushed cool sunrise	4005176428623	430.42
30 269 DA0	warm sunset	4005176428630	430.40
30 269 DL0	brushed warm sunset	4005176428647	430.42
30 269 A00	hard graphite	4005176428661	430.40
30 269 AL0	Brushed Hard Graphite	4005176428654	430.42

will be replaced by 30 505



30 504 000	Chrome	4005176695704	416.43
30 504 DC0	supersteel	4005176720130	486.11
30 504 GL0	cool sunrise	4005176720154	555.77
30 504 GN0	brushed cool sunrise	4005176720161	555.71
30 504 DA0	warm sunset	4005176720123	555.77
30 504 DL0	brushed warm sunset	4005176720147	555.71
30 504 A00	hard graphite	4005176720109	555.72
30 504 AL0	Brushed Hard Graphite	4005176720116	555.71




**Essence**  
Single-lever sink mixer 1/2"  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove**  
flow strainer  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
metal spray  
swivel tubular spout  
swivel area 360°  
integrated non-return valve  
protected against backflow  
flexible connection hoses  
rapid installation system  
integrated temperature limiter  
professional edition  
available February 2022

30 270 000	Chrome	4005176314926	416.43
30 270 DC0	supersteel	4005176314933	486.11
30 270 GL0	cool sunrise	4005176427428	555.77
30 270 GN0	brushed cool sunrise	4005176427435	555.71
30 270 DA0	warm sunset	4005176427442	555.77
30 270 DL0	brushed warm sunset	4005176427459	555.71
30 270 A00	hard graphite	4005176427473	555.72
30 270 AL0	Brushed Hard Graphite	4005176427466	555.71


will be replaced by 30 504

# GROHE EUROCUBE

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 395 000	Chrome	4005176304774	722.90
31 395 DC0	supersteel	4005176304767	931.86











**Eurocube**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 diverter: mousseur/shower jet  
 automatic return to laminar spray  
 swivel spout  
 swivel area 140°  
 360° maneuverable spring arm  
 protected against backflow  
 flexible connection hoses  
 applicable for under cupboard installation  
 rapid installation system



31 255 000	Chrome	4005176901416	249.35
31 255 DC0	supersteel	4005176994319	514.02





**Eurocube**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 mousseur  
 swivel cast spout  
 swivel area 90°  
 flexible connection hoses  
 rapid installation system

# GROHE EURODISC COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 259 003	Chrome	4005176466908	269.05
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      high spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap                      adjustable flow rate limiter                      swivel tubular spout                      selectable swivel area : 0° / 150°                      mousseur                      flexible connection hoses  <b>GROHE FastFixation</b> rapid installation system</p>				
 	33 770 002	Chrome	4005176888137	271.73
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>				
 	32 257 002	Chrome	4005176886591	326.36
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      automatic return to mousseur                      adjustable flow rate limiter                      swivel cast spout, swivel area 100°                      protected against backflow                      flexible connection hoses                      rapid installation system</p>				
 	33 772 002	Chrome	4005176890796	285.41
<p><b>Eurodisc Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      selectable swivel area : 0° / 150°                      projection 271 mm                      S-unions</p>				




# GROHE EURODISC


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 770 001	Chrome	4005176828959	244.44
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      with stop restriction                      flexible connection hoses                      rapid installation system</p>			
	32 257 001	Chrome	4005176834165	258.10
	<p><b>Eurodisc</b>  <b>Single-lever sink mixer 1/2"</b>                      low spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      pull-out dual spray                      diverter: mousseur/shower jet                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>			

# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 491 000	Chrome	4005176343308	424.40
31 491 DC0	supersteel	4005176343315	557.41




**Concetto**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight** chrome finish  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 flow strainer  
 with integrated temperature limiter  
 professional spray  
 with flexible, hygienic GROHFlexx kitchen santoprene hose  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
**GROHE Magnetic Docking** guarantees easy retraction and smooth docking of the spray head back to the starting position  
 swivel spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system




32 661 003	Chrome	4005176466823	235.76
32 661 DC3	supersteel	4005176466830	288.46

**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150°  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system



32 663 003	Chrome	4005176466854	262.12
32 663 DC3	supersteel	4005176466861	367.49

**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system




31 212 003	Chrome	4005176466762	297.19
------------	--------	---------------	--------


**Concetto**  
**Single-lever sink mixer 1/2"**  
**for use with displacement water heater**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 pull-out laminar spray  
 automatic return  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system

# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 483 002	Chrome	4005176466809	301.63
31 483 DC2	supersteel	4005176466816	393.86




**Concetto**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EasyDock** guarantees easy retraction and smooth docking back to the starting position  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 pull-out dual spray  
 diverter: laminar spray/SpeedClean shower jet  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 protected against backflow  
 flexible connection hoses  
**GROHE FastFixation** rapid installation system




31 128 001	Chrome	4005176886737	238.13
31 128 DC1	supersteel	4005176891007	304.67

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system



31 129 001	Chrome	4005176886744	291.34
31 129 DC1	supersteel	4005176891021	371.18

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**pull out mousseur spout**  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system




30 273 001	Chrome	4005176314964	331.24
30 273 DC1	supersteel	4005176314971	424.39

**Concetto**  
**Single-lever sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 flow strainer  
 pull-out dual spray control - switches between regular flow and spray  
 diverter: laminar spray/SpeedClean shower jet  
 automatic return to laminar spray  
 metal spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 integrated non-return valve  
 flexible connection hoses  
 rapid installation system


# GROHE CONCETTO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



31 214 001	Chrome	4005176891090	292.15
------------	--------	---------------	--------

**Concetto**  
**Single-lever sink mixer 1/2"**  
**for use with displacement water heater**  
 medium spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 pull-out laminar spray  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 protected against backflow  
 flexible connection hoses  
 rapid installation system











32 659 001	Chrome	4005176886713	211.52
------------	--------	---------------	--------





**Concetto**  
**Single-lever sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system

KITCHEN  
FITTINGS

# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	33 975 004	Chrome	4005176467004	233.07
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	31 127 002	Chrome	4005176886669	221.50
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> <b>for use with displacement water heater</b> high spout monobloc installation <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE StarLight</b> finish flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
	31 126 004	Chrome	4005176466977	260.65
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>pull out mousseur spout</b> adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	31 482 003	Chrome	4005176466984	302.03
	<p><b>Eurostyle Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			









# GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 124 002	Chrome	4005176886614	207.57
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      flexible connection hoses                      rapid installation system</p>			
	31 159 002	Chrome	4005176888106	374.67
	<p><b>Eurostyle Cosmopolitan</b>  <b>Single-lever sink mixer 1/2"</b>                      for installation in front of window                      medium spout                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      non-removable socket height: 30 mm                      flexible connection hoses</p>			











KITCHEN  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 843 002	Chrome	4005176466939	160.26
	32 843 DC2	supersteel	4005176466953	240.53
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
	32 843 20E	Chrome ditto, with GROHE Ecojoy	4005176466946	163.72
	31 180 000	Chrome	4005176889288	238.11
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> for use with displacement water heater high spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>			
				
	31 481 001	Chrome	4005176466922	236.75
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> high spout monobloc installation <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap pull-out dual spray diverter: laminar spray/SpeedClean shower jet adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses <b>GROHE FastFixation</b> rapid installation system</p>			
				
	30 193 000	Chrome	4005176919459	158.30
	30 193 DC0	supersteel	4005176938559	184.91
	<p><b>Eurosmart Cosmopolitan</b> <b>Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			

# GROHE EUROSMART COSMOPOLITAN

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	30 199 000	Chrome	4005176922022	123.72
	<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge with Eco-Override-Stop and cold start function mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system Qualitel approval</p>			
	30 195 000	Chrome	4005176919473	216.85
	<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> integrated stop valve medium spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° rapid installation system flexible connection hoses</p>			
	32 842 000	Chrome	4005176874833	131.69
	<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 179 000	Chrome	4005176889172	184.90
	<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> for use with displacement water heater low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge flow straightener adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			
	31 161 000	Chrome	4005176889158	251.44
	<p><b>Eurosmart Cosmopolitan Single-lever sink mixer 1/2"</b> integrated stop valve low spout monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>			

# GROHE EUROSMART COSMOPOLITAN

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




31 170 000	Chrome	4005176889165	278.06
------------	--------	---------------	--------

**Eurosmart Cosmopolitan**  
**Single-lever sink mixer 1/2"**  
 for installation in front of window  
 low spout  
 monobloc installation  
**GROHE StarLight** finish  
**GROHE SilkMove** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 mousseur  
 swivel tubular spout  
 swivel area 140°  
 non-removable socket height: 30 mm  
 flexible connection hoses


# GROHE EUROSMART

Ref. No.      Colour      EAN      Retail Guide Price (£)




**30 506 000**      **Chrome**      **4005176723667**      **165.60**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
Cradle to Cradle Certified Gold  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
**GROHE EcoJoy** 5,7 l/min mousseur with coin slot for tool free replacement  
adjustable flow rate limiter  
integrated temperature limiter  
swivel cast spout  
swivel area 140°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system




**33 281 003**      **Chrome**      **4005176635366**      **131.70**  
**33 281 DC3**      **supersteel**      **4005176635397**      **148.99**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
mousseur with coin slot for tool free replacement  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system



**31 868 000**      **Chrome**      **4005176693113**      **131.70**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
Cradle 2 Cradle certified  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
swivel area 140°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
adjustable flow rate limiter  
mousseur with coin slot for tool free replacement  
**GROHE FastFixation Plus** installation system  
swivel cast spout  
flexible connection hoses 1/2"




**33 281 30E**      **Chrome**      **4005176635410**      **131.70**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
adjustable flow rate limiter  
swivel cast spout  
swivel area 140°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** 5,7 l/min mousseur with coin slot for tool free replacement  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system


KITCHEN  
FITTINGS

Ref. No.      Colour      EAN      Retail Guide Price (£)




**30 260 003**      **Chrome**      **4005176635434**      **131.70**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove ES**  
35 mm ceramic cartridge with energy saving function via cold start  
adjustable flow rate limiter  
swivel cast spout  
swivel area 90°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
mousseur with coin slot for tool free replacement  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system




**30 305 001**      **Chrome**      **4005176635465**      **198.21**  
**30 305 DC1**      **supersteel**      **4005176635472**      **251.46**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel cast spout  
swivel area 90°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system  
protected against backflow



**31 869 000**      **Chrome**      **4005176693120**      **198.23**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
flow strainer  
with integrated temperature limiter  
pull-out dual spray control - switches between regular flow and spray  
diverter: laminar spray/SpeedClean shower jet  
automatic return to laminar spray  
adjustable flow rate limiter  
swivel area 90°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel cast spout  
**GROHE FastFixation Plus** installation system  
protected against backflow  
flexible connection hoses 1/2"




**33 202 003**      **Chrome**      **4005176635588**      **158.31**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
high spout  
monobloc installation  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
integrated temperature limiter  
mousseur  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 150°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
flexible connection hoses 3/8"  
**GROHE FastFixation Plus** installation system


# GROHE EUROSMART

Ref. No. Colour EAN Retail Guide Price (£)




**30 468 000 Chrome 4005176635755 218.88**

**Eurosmart**  
**Two handle sink mixer**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 cartridge: ceramic head parts, 90° turn angle  
 integrated temperature limiter  
 mousseur  
 swivel tubular spout  
 adjustable swivel area 0° / 150° / 360°  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 flexible connection hoses 1/2"  
 min. recommended pressure 0.2 bar



**31 391 003 Chrome 4005176635762 138.65**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 projection 216 mm  
 integrated temperature limiter  
 S-unions











**32 224 003 Chrome 4005176635786 168.96**

**Eurosmart**  
**Single-lever sink mixer 1/2"**  
 wall mounted  
**GROHE StarLight** chrome finish  
**GROHE SilkMove** 35 mm ceramic cartridge  
 mousseur  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 projection 276 mm  
 integrated temperature limiter  
 S-unions











KITCHEN  
FITTINGS









# GROHE EUROECO / EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	32 752 000	Chrome	4005176868252	121.51
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel range 0°/150°/360°                      metal lever                      flexible connection hoses                      rapid installation system</p>				
 	32 750 000	Chrome	4005176868238	107.87
<p><b>Euroeco</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      mousseur                      adjustable flow rate limiter                      swivel tubular spout                      swivel area 140°                      metal lever                      flexible connection hoses                      rapid installation system</p>				
 	32 786 000	Chrome	4005176871863	165.74
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      selectable swivel area : 0° / 150° / 360°                      metal lever                      lever length 120 mm                      flexible connection hoses</p>				
 	32 787 000	Chrome	4005176871870	163.54
<p><b>Euroeco Special</b>  <b>Single-lever sink mixer 1/2"</b>                      monobloc installation  <b>GROHE StarLight</b> finish  <b>GROHE SilkMove</b> 46 mm ceramic cartridge  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      adjustable flow rate limiter                      adjustable temperature limiter                      laminar flow straightener 9 l/min                      swivel tubular spout                      lever length 120 mm                      flexible connection hoses</p>				

# GROHE COSTA


		Ref. No.	Colour	EAN	Retail Guide Price (£)
		31 831 001	Chrome	4005176843280	94.22
<p><b>Costa L</b> Sink mixer 1/2" metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses</p>					
		31 930 001	Chrome	4005176843303	203.44
<p><b>Costa L</b> Sink mixer 1/2" for use with displacement water heater metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts flow straightener swivel tubular spout swivel area 360° chain ring copper pipes</p>					
		31 829 001	Chrome	4005176845697	95.58
<p><b>Costa L</b> Sink mixer 1/2" metal handles heat-insulated screwable Longlife-headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval</p>					
		31 187 001	Chrome	4005176843327	107.88
<p><b>Costa L</b> Wall sink mixer 1/2" metal handles heat-insulated <b>GROHE StarLight</b> finish Longlife-headparts mousseur swivel tubular spout swivel area 360° projection 200 mm S-unions</p>					
		30 098 001	Chrome	4005176843266	39.60
<p><b>Costa L</b> Bibtap 1/2" wall mounted metal handle heat-insulated screwable marking: blue (cold) <b>GROHE StarLight</b> finish mousseur Longlife-headparts</p>					

# GROHE COSTA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 819 001	Chrome	4005176843471	121.51
	<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish Carbidur headparts mousseur swivel tubular spout swivel area 360° flexible connection hoses			
	31 067 001	Chrome	4005176845710	116.05
	<b>Costa S</b> <b>Sink mixer 1/2"</b> metal handles heat-insulated screwable <b>GROHE StarLight</b> finish ceramic headparts 1/2", 180° mousseur swivel tubular spout swivel area 360° flexible connection hoses NF approval			
	30 064 001	Chrome	4005176843259	53.25
	<b>Costa L</b> <b>Bibtap 1/2"</b> metal handle wall mounted screwable marking: blue (cold) <b>GROHE StarLight</b> chrome finish Longlife-headpart Laminar flow straightener projection 150 mm			


# GROHE BAU LINES

Ref. No.      Colour      EAN      Retail Guide Price (£)




**31 368 001      Chrome      4005176478529      95.06**

**BauLoop**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 232 001      Chrome      4005176478253      95.06**

**BauLoop**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 367 001      Chrome      4005176478512      95.06**

**BauEdge**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
 rapid installation system  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed



**31 233 001      Chrome      4005176478284      95.06**

**BauEdge**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
 metal lever  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




**31 536 001      Chrome      4005176478567      95.06**

**BauCurve**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed

KITCHEN FITTINGS


# GROHE BAU LINES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




31 231 001	Chrome	4005176478260	95.06
------------	--------	---------------	-------

**BauCurve**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




31 538 001	Chrome	4005176478574	95.06
------------	--------	---------------	-------

**GROHE BauFlow**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




31 230 001	Chrome	4005176478277	95.06
------------	--------	---------------	-------

**GROHE BauFlow**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
 metal lever  
**GROHE StarLight** finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed



31 535 001	Chrome	4005176478550	95.06
------------	--------	---------------	-------

**BauClassic**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed




31 234 001	Chrome	4005176478499	95.06
------------	--------	---------------	-------

**BauClassic**  
**Single-lever sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE StarLight** chrome finish  
 GROHE Longlife 28 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 spout with mousseur  
 swivel tubular spout  
 swivel area 360°  
 flexible connection hoses  
**GROHE FastFixation Plus** installation system  
 for installation on a 60 mm worktop fixation set 48 384 000 is needed


# GROHE BAU LINES

Ref. No. Colour EAN Retail Guide Price (£)




**31 706 000 Chrome 4005176530449 90.12**

**BauLoop**  
Single-lever sink mixer 1/2"  
medium spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel tubular spout  
swivel area 140°  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed




**31 693 000 Chrome 4005176530371 90.12**

**BauEdge**  
Single-lever sink mixer 1/2"  
medium spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel tubular spout  
swivel area 140°  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed




**31 688 000 Chrome 4005176530333 90.12**

**GROHE BauFlow**  
Single-lever sink mixer 1/2"  
medium spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel tubular spout  
swivel area 140°  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed



**31 715 000 Chrome 4005176564123 90.12**

**BauCurve**  
Single-lever sink mixer 1/2"  
medium spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel tubular spout  
swivel area 140°  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed



**31 680 000 Chrome 4005176530487 80.25**

**BauEco**  
Single-lever sink mixer 1/2"  
low spout  
monobloc installation  
**GROHE StarLight** chrome finish  
GROHE Longlife 35 mm ceramic cartridge  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
swivel tubular spout  
swivel area 140°  
mousseur with coin slot for tool free replacement  
flexible connection hoses  
**GROHE FastFixation Plus** installation system  
for installation on a max. 40 mm worktop fixation set 48 384 000 is needed

KITCHEN  
FITTINGS




# GROHE SOAP DISPENSERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	40 535 000	Chrome	4005176905490	47.32
	40 535 DC0	supersteel	4005176905520	66.34
	40 535 BE0	polished nickel	4005176489457	106.17
	40 535 GL0	cool sunrise	4005176489419	106.17
	40 535 GN0	brushed cool sunrise	4005176489426	106.18
	40 535 DA0	warm sunset	4005176489433	106.17
	40 535 DL0	brushed warm sunset	4005176489440	106.18
	40 535 A00	hard graphite	4005176489396	106.17
	40 535 AL0	Brushed Hard Graphite	4005176489402	106.18
		<b>Cosmopolitan Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish		
	40 536 000	Chrome	4005176905506	42.68
	40 536 DC0	supersteel	4005176905537	60.18
	<b>Contemporary Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish			
	40 537 000	Chrome	4005176905513	52.46
	40 537 DC0	supersteel	4005176905544	91.99
	<b>Authentic Soap Dispenser</b> for liquid soaps storage bin 500 ml <b>GROHE StarLight</b> finish			
	36 194 000	Chrome	4005176140921	173.46
	<b>Soap dispenser pillar tap with push-button,</b> for liquid soaps projection 113 mm for tap hole drillings 22 - 30 mm storage bottle 1 l. <b>GROHE StarLight</b> finish			
	13 071 000	Chrome	4005176023132	43.34
	<b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE StarLight</b> chrome finish			
	13 034 000	Chrome	4005176022869	64.35
	<b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 582 SD1	stainless steel	4005176607158	962.97
------------	-----------------	---------------	--------



## K1000

### Stainless Steel Sink with Drainer

model: K1000 80-S 116/52 1.0 rh  
 mounting type: top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1.2 mm

**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper


min. cabinet size: 800 mm  
 dimensions: 1160 x 520 mm  
 1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

### GROHE FastFixation

installation system  
 sink mountable right  
 cut-out (top mount): 1145 x 505 mm  
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle,  
 waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 10

31 581 SD1	stainless steel	4005176607141	962.97
------------	-----------------	---------------	--------



## K1000

### Stainless Steel Sink with Drainer

model: K1000 80-S 116/52 1.0 lh  
 mounting type: top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1.2 mm

**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper


min. cabinet size: 800 mm  
 dimensions: 1160 x 520 mm  
 1 bowl: 710 x 400 mm

outer radius: R3, inner bowl radius: R10

### GROHE FastFixation

installation system  
 sink mountable left  
 cut-out (top mount): 1145 x 505 mm  
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle,  
 waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 10

31 583 SD1	stainless steel	4005176607165	649.40
------------	-----------------	---------------	--------



## K800

### Stainless steel sink

model: K800 60-S 51.8/51 1.0  
 mounting type: top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm

**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper







min. cabinet size: 600 mm  
 dimensions: 518 x 510 mm  
 1 bowl: 462 x 400 x 200 mm

outer radius: R3, inner bowl radius: R10

### GROHE FastFixation

installation system  
 cut-out (top mount): 503 x 495 mm  
 waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle,  
 waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 8


# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 584 SD1	stainless steel	4005176607172	722.22
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 90-S 84.6/51 1.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 900 mm            dimensions: 846 x 510 mm            1 bowl: 790 x 400 x 200 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out (top mount): 831 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			
	31 585 SD1	stainless steel	4005176607189	962.97
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 120-S 102.4/51 2.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 1200 mm            dimensions: 1024 x 510 mm            1 bowl: 462 x 400 x 200 mm            2 bowl: 462 x 400 x 200 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out (top mount): 1009 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			
	31 586 SD1	stainless steel	4005176607186	843.23
	<p><b>K800</b>  <b>Stainless steel sink</b>            model: K800 120-S 102.4/51 1.0            mounting type: top mount or flush mount            material: stainless steel AISI 304 (V2A)            material thickness: 1 mm  <b>GROHE StarLight</b> finish            finish: satin finish  <b>GROHE Whisper</b>            min. cabinet size: 1200 mm            dimensions: 1024 x 510 mm            1 bowl: 968 x 400 x 200 mm            outer radius: R3, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out (top mount): 1009 x 495 mm            waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 574 SD1	stainless steel	4005176607080	267.91
------------	-----------------	---------------	--------



## K700U

### Stainless steel sink

model: K700U 60-S 54.4/44.4 1.0

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 550 x 450 mm

1 bowl: 500 x 400 x 200 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

cut-out: 500 x 400 mm

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

31 575 SD1	stainless steel	4005176607097	676.55
------------	-----------------	---------------	--------



## K700U

### Stainless steel sink

model: K700U 80-S 76/45 1.5 lh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 800 mm

dimensions: 760 x 450 mm

1 bowl: 500 x 400 x 195 mm

0.5 bowl: 180 x 400 x 200 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

sink mountable left

cut-out (undermount): 712 x 402 mm (R16)

cut-out (top mount): 745 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste


accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

31 576 SD1	stainless steel	4005176607103	307.42
------------	-----------------	---------------	--------



## K700U

### Stainless steel sink

model: K700U 60-S 59.5/45 1.5 rh

mounting type: undermount, top mount or flush mount

material: stainless steel AISI 304 (V2A)

material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 600 mm

dimensions: 595 x 450 mm

1 bowl: 340 x 400 x 200 mm

0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

**GROHE FastFixation** installation system

sink mountable right

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm

drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 577 SD1	stainless steel	4005176607110	307.42
------------	-----------------	---------------	--------

## K700U

### Stainless steel sink

model: K700U 60-S 59.5/45 1.5 lh  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm

**GROHE StarLight** finish  
 finish: satin finish

### GROHE Whisper

min. cabinet size: 600 mm  
 dimensions: 595 x 450 mm  
 1 bowl: 340 x 400 x 200 mm  
 0.5 bowl: 180 x 400 x 140 mm

outer radius: R16 (undermount)/R3 (topmount), inner bowl radius: R15

### GROHE FastFixation

installation system

sink mountable left

cut-out (undermount): 547 x 402 mm (R16)

cut-out (top mount): 580 x 435 mm


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



31 578 SD1	stainless steel	4005176607127	241.98
------------	-----------------	---------------	--------

## K700

### Stainless steel sink

model: K700 45-S 46.4/46.4 1.0  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

### GROHE Whisper

min. cabinet size: 450 mm  
 dimensions: 464 x 464 mm  
 1 bowl: 400 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

### GROHE FastFixation

installation system

cut-out (undermount): 402 x 402 mm (R11)

cut-out (top mount): 449 x 449 mm


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8

amount of fasteners included (undermount): 8



31 580 SD1	stainless steel	4005176607134	313.59
------------	-----------------	---------------	--------

## K700

### Stainless steel sink

model: K700 90-S 86.4/46.4 1.0  
 mounting type: undermount, top mount or flush mount  
 material: stainless steel AISI 304 (V2A)  
 material thickness: 1 mm

**GROHE StarLight** finish

finish: satin finish

### GROHE Whisper

min. cabinet size: 900 mm  
 dimensions: 864 x 464 mm  
 1 bowl: 800 x 400 x 200 mm

outer radius: R11 (undermount)/R3 (topmount), inner bowl radius: R10

### GROHE FastFixation

installation system

cut-out (undermount): 802 x 402 mm (R11)

cut-out (top mount): 849 x 449 mm


drainer: Ø 3.5"/90 mm basket strainer waste

accessories included: waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 8


amount of fasteners included (undermount): 8



# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 571 SD1	stainless steel	4005176626029	272.84
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 45-S 86/50 1.0 rev  
mounting type: top mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE StarLight** finish  
finish: satin finish


### GROHE Whisper

min. cabinet size: 450 mm  
dimensions: 860 x 500 mm  
1 bowl: 340 x 420 x 170 mm  
outer radius: R6 (topmount), inner bowl radius: R65

### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top mount): 842 x 482 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 14

31 563 SD1	stainless steel	4005176623738	241.10
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 60-S 100/50 1.0 rev  
mounting type: top mount or flush mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE StarLight** finish  
finish: satin finish


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 450 x 400 x 180 mm  
outer radius: R6 (topmount), inner bowl radius: R75

### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top mount): 982 x 482 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 16

31 572 SD1	stainless steel	4005176626036	390.37
------------	-----------------	---------------	--------



## K500

### Stainless Steel Sink with Drainer

model: K500 60-S 100/50 1.5 rev  
mounting type: top mount  
material: stainless steel AISI 304 (V2A)  
material thickness: 0.7 mm

**GROHE StarLight** finish  
finish: satin finish

### GROHE Whisper




min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 340 x 420 x 185 mm  
0.5 bowl: 170 x 320 x 125 mm  
outer radius: R6 (topmount), inner bowl radius: R65

### GROHE FastFixation

installation system  
sink mountable left or right  
cut-out (top mount): 982 x 482 mm  
drilling holes: 2 x 35 mm  
waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 16




# GROHE STAINLESS STEEL SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>31 588 SD1</b>	<b>stainless steel</b>	<b>4005176626043</b>	<b>403.41</b>
	<p><b>K500</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K500 80-S 116/50 2.0 rev                      mounting type: top mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.7 mm  <b>GROHE StarLight</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 800 mm                      dimensions: 1160 x 500 mm                      1 bowl: 340 x 420 x 190 mm                      2 bowl: 340 x 420 x 190 mm                      outer radius: R6 (topmount), inner bowl radius: R90  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out (top mount): 1140 x 480 mm                      drilling holes: 2 x 35 mm                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 18</p>			
	<b>31 564 SD1</b>	<b>stainless steel</b>	<b>4005176623745</b>	<b>192.84</b>
	<p><b>K200</b>  <b>Stainless Steel Sink with Drainer</b>                      model: K200 60-S 96.5/50 1.5 rev                      mounting type: top mount                      material: stainless steel AISI 304 (V2A)                      material thickness: 0.6 mm  <b>GROHE StarLight</b> finish                      finish: satin finish  <b>GROHE Whisper</b>                      min. cabinet size: 600 mm                      dimensions: 965 x 500 mm                      1 bowl: 346 x 396 x 165 mm                      0.5 bowl: 180 x 340 x 130 mm                      outer radius: R10 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system                      sink mountable left or right                      cut-out (top mount): 941 x 476 mm                      drilling holes: 2 x 35 mm                      waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting                      accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 16</p>			
	<b>31 565 SD1</b>	<b>stainless steel</b>	<b>4005176623752</b>	<b>216.96</b>
	<p><b>Eurosmart</b>  <b>Kitchen sink and tap bundle</b>                      Consisting of:                      K200 stainless steel sink with drainer (31 552 SD1)                      mounting type: top mount                      Eurosmart single lever sink mixer (33 281 003)                      low spout                      monobloc installation  <b>GROHE StarLight</b> chrome finish  <b>GROHE SilkMove</b> 35 mm ceramic cartridge                      with integrated temperature limiter                      adjustable flow rate limiter                      swivel cast spout                      swivel area 140°  <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap                      mousseur with coin slot for tool free replacement                      flexible connection hoses                      outer radius: R6 (topmount), inner bowl radius: R100  <b>GROHE FastFixation</b> installation system                      optional push to open excenter (40 986 SD0)                      amount of fasteners included (top mount): 14</p>			

# GROHE STAINLESS STEEL SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 562 SD1	stainless steel	4005176623721	233.70
------------	-----------------	---------------	--------



## Bau

### Kitchen sink and tap bundle

Consisting of:

K200 stainless steel sink with drainer (31 552 SD1)

mounting type: top mount

Bau Edge single lever sink mixer (31 367 001)

high spout

monobloc installation

**GROHE StarLight** chrome finish

GROHE Longlife 28 mm ceramic cartridge

**GROHE Zero** isolated inner water ways - lead and nickel free within the tap

mousseur

swivel tubular spout

swivel area 360°

flexible connection hoses

outer radius: R6 (topmount), inner bowl radius: R100

**GROHE FastFixation** installation system

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 14

31 552 SD1	stainless steel	4005176623714	129.24
------------	-----------------	---------------	--------

## K200

### Stainless Steel Sink with Drainer

model: K200 45-S 86/50 1.0 rev

mounting type: top mount

material: stainless steel AISI 304 (V2A)

material thickness: 0.6 mm

**GROHE StarLight** finish

finish: satin finish

**GROHE Whisper**

min. cabinet size: 450 mm

dimensions: 860 x 500 mm

1 bowl: 350 x 400 x 160 mm

outer radius: R6 (topmount), inner bowl radius: R100

**GROHE FastFixation** installation system

sink mountable left or right

cut-out (top mount): 842 x 482 mm

drilling holes: 2 x 35 mm


waste: Ø 3.5"/90 mm waste strainer with automatic waste fitting

accessories included: automatic waste fitting with rotary handle,







waste kit, basket strainer waste, mounting set

optional push to open excenter (40 986 SD0)

amount of fasteners included (top mount): 14




# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 650 AT0	granite gray	4005176521294	288.25
	31 650 AP0	granite black	4005176521287	288.25
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 50-C 40/50 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 500 mm            dimensions: 400 x 500 mm            1 bowl: 340 x 370 x 200 mm            outer radius: R6, inner bowl radius: R45  <b>GROHE FastFixation</b> installation system            cut-out: 380 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 6</p>			
	31 651 AT0	granite gray	4005176521317	339.95
	31 651 AP0	granite black	4005176521300	339.95
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 60-C 56/51 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 560 x 510 mm            1 bowl: 500 x 360 x 200 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out: 545 x 495 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 8</p>			
	31 652 AT0	granite gray	4005176521331	380.03
	31 652 AP0	granite black	4005176521324	380.03
	<p><b>K700</b>  <b>Composite sink</b>            model: K700 80-C 78/51 1.0            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 800 mm            dimensions: 780 x 510 mm            1 bowl: 720 x 370 x 220 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            cut-out: 764 x 494 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 9</p>			

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 653 AT0	granite gray	4005176521355	252.06
31 653 AP0	granite black	4005176521348	252.06



## K700U

### Composite sink

model: K700U 50-C 45.7/40.6 1.0  
mounting type: top mount or undermount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 457 x 406 mm  
1 bowl: 417 x 366 x 203 mm  
outer radius: R6, inner bowl radius: R10

### GROHE FastFixation installation system

cut-out: 417 x 366 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set  
mounting with silicone (top mount)  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (undermount): 8

31 654 AT0	granite gray	4005176521379	289.54
31 654 AP0	granite black	4005176521362	289.54



## K700U

### Composite sink

model: K700U 60-C 53.3/45.7 1.0  
mounting type: top mount or undermount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 533 x 457 mm  
1 bowl: 469 x 393 x 205 mm  
outer radius: R7, inner bowl radius: R10

### GROHE FastFixation installation system

cut-out: 468 x 390 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 6  
amount of fasteners included (undermount): 6

31 655 AT0	granite gray	4005176521393	342.54
31 655 AP0	granite black	4005176521386	342.54



## K700U

### Composite sink

model: K700U 70-C 61/45.7 1.0  
mounting type: top mount or undermount  
material: quartz composite

### GROHE Whisper

min. cabinet size: 700 mm  
dimensions: 610 x 460 mm  
1 bowl: 544 x 394 x 205 mm  
outer radius: R3, inner bowl radius: R10


### GROHE FastFixation installation system

cut-out: 543 x 393 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 6  
amount of fasteners included (undermount): 6

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 644 AT0	granite gray	4005176521171	382.61
31 644 AP0	granite black	4005176521164	382.61



## K500

**Composite sink with drainer**  
model: K500 50-C 86/50 1.0 rev  
mounting type: top mount  
material: quartz composite


## GROHE Whisper

min. cabinet size: 500 mm  
dimensions: 860 x 500 mm  
1 bowl: 347 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

## GROHE FastFixation installation system

sink mountable left or right  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12

31 645 AT0	granite gray	4005176521195	399.42
31 645 AP0	granite black	4005176521188	399.42



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.0 rev  
mounting type: top mount  
material: quartz composite


## GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 480 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

## GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12

31 646 AT0	granite gray	4005176521218	425.24
31 646 AP0	granite black	4005176521201	425.24



## K500

**Composite sink with drainer**  
model: K500 60-C 100/50 1.5 rev  
mounting type: top mount  
material: quartz composite

## GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 1000 x 500 mm  
1 bowl: 345 x 440 x 200 mm  
0.5 bowl: 155 x 295 x 146 mm  
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10


## GROHE FastFixation installation system

sink mountable left or right  
cut-out: 980 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12

# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

31 647 AT0	granite gray	4005176521232	478.27
31 647 AP0	granite black	4005176521225	478.27



## K500

**Composite sink with drainer**  
model: K500 80-C 116/50 2.0 rev  
mounting type: top mount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 800 mm  
dimensions: 1160 x 500 mm  
1 bowl: 330 x 440 x 200 mm  
2 bowl: 330 x 440 x 200 mm  
outer radius: R6, inner bowl radius: R12

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 1140 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 12

31 648 AT0	granite gray	4005176521256	365.81
31 648 AP0	granite black	4005176521249	365.81



## K500

**Composite sink**  
model: K500 60-C 55.5/46 1.5 rev  
mounting type: top mount or undermount  
material: quartz composite


### GROHE Whisper

min. cabinet size: 600 mm  
dimensions: 555 x 460 mm  
1 bowl: 335 x 400 x 200 mm  
0.5 bowl: 155 x 400 x 140 mm  
outer radius: R6, inner bowl radius: big bowl R12, small bowl R10

### GROHE FastFixation installation system

sink mountable left or right  
cut-out: 525 x 400 mm  
drainer: Ø 3.5"/90 mm basket strainer waste  
accessories included: waste kit, basket strainer waste, mounting set  
mounting with silicone (top mount)  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (undermount): 8

31 649 AT0	granite gray	4005176521270	445.93
31 649 AP0	granite black	4005176521263	445.93



## K500

**Composite sink**  
model: K500 90-C 86/50 2.0  
mounting type: top mount  
material: quartz composite

### GROHE Whisper







min. cabinet size: 900 mm  
dimensions: 860 x 500 mm  
1 bowl: 390 x 430 x 200 mm  
2 bowl: 380 x 365 x 200 mm  
outer radius: R3, inner bowl radius: R10

### GROHE FastFixation installation system

sink mountable left  
cut-out: 840 x 480 mm  
drainer: automatic waste fitting  
accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
optional push to open excenter (40 986 SD0)  
amount of fasteners included (top mount): 10




# GROHE COMPOSITE SINKS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	31 639 AT0	granite gray	4005176520464	284.38
	31 639 AP0	granite black	4005176520457	284.38
	<p><b>K400</b>  <b>Composite sink with drainer</b>            model: K400 50-C 78/50 1.0 rev            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 500 mm            dimensions: 780 x 500 mm            1 bowl: 347 x 440 x 205 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out: 765 x 485 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			
				
	<p><b>K400</b>  <b>Composite sink with drainer</b>            model: K400 50-C 86/50 1.0 rev            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 500 mm            dimensions: 860 x 500 mm            1 bowl: 337 x 420 x 205 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out: 840 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 10</p>			
				
	<p><b>K400</b>  <b>Composite sink with drainer</b>            model: K400 60-C 100/50 1.0 rev            mounting type: top mount            material: quartz composite  <b>GROHE Whisper</b>            min. cabinet size: 600 mm            dimensions: 1000 x 500 mm            1 bowl: 480 x 420 x 205 mm            outer radius: R6, inner bowl radius: R10  <b>GROHE FastFixation</b> installation system            sink mountable left or right            cut-out: 980 x 480 mm            drainer: automatic waste fitting            accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set            optional push to open excenter (40 986 SD0)            amount of fasteners included (top mount): 12</p>			
				


# GROHE COMPOSITE SINKS

Ref. No.	Colour	EAN	Retail Guide Price (£)
31 642 AT0	granite gray	4005176521133	412.34
31 642 AP0	granite black	4005176521126	412.34




**K400**  
**Composite sink with drainer**  
 model: K400 60-C 100/50 1.5 rev  
 mounting type: top mount  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 600 mm  
 dimensions: 1000 x 500 mm  
 1 bowl: 335 x 420 x 205 mm  
 0.5 bowl: 155 x 295 x 146 mm  
 outer radius: R6, inner bowl radius: big bowl R10, small bowl R8  
**GROHE FastFixation** installation system  
 sink mountable left or right  
 cut-out: 980 x 480 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 10

31 643 AT0	granite gray	4005176521157	438.19
31 643 AP0	granite black	4005176521140	438.19



**K400**  
**Composite sink with drainer**  
 model: K400 80-C 116/50 1.5 rev  
 mounting type: top mount  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 800 mm  
 dimensions: 1160 x 500 mm  
 1 bowl: 400 x 420 x 205 mm  
 2 bowl: 295 x 295 x 205 mm  
 outer radius: R6, inner bowl radius: R10  
**GROHE FastFixation** installation system  
 sink mountable left or right  
 cut-out: 1140 x 480 mm  
 drainer: automatic waste fitting  
 accessories included: automatic waste fitting with rotary handle, waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 10

31 656 AT0	granite gray	4005176521416	236.55
31 656 AP0	granite black	4005176521409	236.55



**K200**  
**Composite sink**  
 model: K200 50-C 51 1.0  
 mounting type: top mount  
 material: quartz composite  
**GROHE Whisper**  
 min. cabinet size: 500 mm  
 dimensions: Ø 510 mm  
 1 bowl: Ø 380 x 200 mm  
 inner bowl radius: Ø 380  
**GROHE FastFixation** installation system  
 cut-out: Ø 490 mm  
 drainer: automatic waste fitting  
 accessories included: waste kit, basket strainer waste, mounting set  
 optional push to open excenter (40 986 SD0)  
 amount of fasteners included (top mount): 3

GROHE  
**COMMERCIAL FITTINGS**





## CONTENTS

Electronic Fittings	Eurocube E	560
	Essence E	562
	Bluetooth monitoring	565
	Europlus E	574
	Eurosmart Cosmopolitan E	576
	Euroeco Cosmopolitan E	585
	Bau Cosmopolitan E	589
Special Thermostats	Grohtherm Micro	591
	Grohtherm Special	592
	Grohtherm XL	596
Single-Lever Mixers	Eurosmart Care	597
	Vertica Eurostyle Cosmopolitan	602
	Commercial Showers	603
	Euroeco Special	606
	Hospita	611
	Euroeco Single Sequential	612
Self-closing Fittings	Eurodisc SE	614
	Eurosmart Cosmopolitan T	615
	Euroeco Cosmopolitan T	616

## SYSTEM REQUIREMENTS FOR ELECTRONIC FAUCETS WITH BLUETOOTH

Apple iOS 8.0 or higher  
Android 4.3 or higher

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store / store / iTunes or Google Play store.

\* The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

\*\*\* Available for free via iTunes app or Google Play store.



# GROHE FULL BATHROOM ACROSS ALL YOUR FACILITIES

## CONSISTENT BATHROOM STYLE – ACROSS ALL PRIVATE & PUBLIC AREAS OF A BUILDING

Our product solutions for private and public areas are perfectly matched. This enables you to offer a consistent bathroom experience across all your facilities.



PRIVATE AREA



PUBLIC AREA



**ROUND AND SQUARE**



**BAUEDGE  
SINGLE-LEVER MIXER**



**BAU CERAMIC**



**BAU COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND AND SQUARE**



**EUROSMART COSMOPOLITAN  
SINGLE-LEVER MIXER**



**EURO CERAMIC**



**EUROSMART COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**EUROECO COSMOPOLITAN E  
TOUCHLESS BASIN MIXER**



**ROUND FEMININE**



**ESSENCE  
SINGLE-LEVER MIXER**



**ESSENCE**



**ESSENCE E  
TOUCHLESS BASIN MIXER**



**EDGE MASCULINE**



**EUROCUBE  
SINGLE-LEVER MIXER**



**CUBE CERAMIC**



**EUROCUBE E  
TOUCHLESS BASIN MIXER**



# EUROSMART COSMOPOLITAN E

THE COMFORT OF A PUBLIC BATHROOM –  
WITHOUT COMPROMISING ON HYGIENE



Our touchless range Eurosmart Cosmopolitan E offers solutions for basins, showers, WC's and urinals. Enjoy the benefits of a public bathroom – completely touchless. Avoiding the spread of germs through touchless use, thermal disinfection and hygienic flushing.



### WC / URINAL



### BASIN



COMMERCIAL  
FITTINGS

# BAU COSMOPOLITAN E

## DISCOVER TOUCHLESS COMFORT

### HYGIENE



#### TOUCHLESS

Reliable, proven and precise sensor technology for hygienic, touch-free actuation of basin taps, WCs and urinals.



#### INNER WATER GUIDE

Innovative tap construction allows for significant dead space reduction.

### SUSTAINABILITY



#### GROHE ECOJOY

Save precious resources and enjoy 100 % water comfort. Water and energy saving aerator provides a flow rate of 5.7 l/min. Precise touchless technology prevents you from water loss.



### QUALITY

German perfectionism inspires ultimate customer confidence



### DESIGN

#### GROHE STARLIGHT


Made-to-last surfaces ranging from precious matte to shiny like a diamond.

### TECHNOLOGY



#### GROHE SENSOR

The responsive sensor switches the mixer on and off for ultimate comfort and the simple cleaning mode makes maintenance easy.



**36 407 001**  
Remote control for  
GROHE Touchless fittings

*Basic functionalities can be adjusted without remote control - simply by hand.*



#### GROHE REMOTE CONTROL

Detailed configuration for all functions by remote control

- Automatic flushing
- Thermal disinfection
- Cleaning mode
- Detection range and shut-off delay



**LOGLIFE BATTERY**

Unique low-energy electronics ensure a long service life.



**36 451 000**  
Touchless basin mixer  
(battery operated)



**36 452 000**  
Touchless basin tap  
(battery operated)



**MAINS OPERATED**




**36 453 000**  
Touchless basin mixer  
(with plug transformer 100 – 230 V AC)



# GROHE EUROCUBE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 440 000	Chrome	4005176415623	944.29
------------	--------	---------------	--------



## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K


36 441 000	Chrome	4005176415630	905.45
36 441 DC0	supersteel	4005176686818	1,172.11
36 441 AL0	Brushed Hard Graphite	4005176686825	1,352.42

## Eurocube E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
laminar spray regulator 5.7 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K




36 442 000	Chrome	4005176415647	1,022.03
------------	--------	---------------	----------

## Eurocube E

### Infra-red electronic wall basin tap without mixing device









with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC

laminar spray regulator 5.7 l/min  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
noise classification 1 in accordance with DIN4109



36 264 001	Concealed mounting box	4005176416279	257.78
------------	------------------------	---------------	--------

# GROHE EUROCUBE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>38 748 002</b>	<b>Chrome</b>	<b>4005176416323</b>	<b>742.94</b>
		<p><b>Rapid SL</b>  <b>Element for wash basin with roughin-in set for infra-red electronic</b>                      for wall mounted fittings                      suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000                      and Eurocube E 36 442 000  <b>1.13 m finished installation height</b>                      for on-the-wall installations or studded walls  <b>Includes</b>                      wash basin fixing bolts with                      fixing device for ceramic                      variable distance of fixing bolts                      HT-outlet bend Ø 50 mm                      seal Ø 32 mm                      pre-mounted roughing-in set                      with protecting block                      fire-proof pipe for laying electronic cables                      installation box with water group, stop valve and flush elbow                      connection with noise protected fitting holder 1/2"                      connecting box for mains supply 230 V                      CE approved                      for installation with pre-mixed or cold water                      for on-the-wall installation please order wall brackets 38 558 00M (sold                      separately)</p>			
		<b>36 407 001</b>		<b>4005176368974</b>	<b>322.60</b>
		<p><b>Remote control</b>                      for all GROHE one eye infra-red products                      as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)                      3 x 1.5 V DC (AAA) battery supply</p>			
		<b>36 340 000</b>		<b>4005176911385</b>	<b>66.94</b>
		<p><b>Power extension cable</b>                      length 3.00 m</p>			
		<b>36 341 000</b>		<b>4005176911392</b>	<b>120.34</b>
<p><b>ditto, length 10 m</b></p>					
		<b>36 338 000</b>		<b>4005176896743</b>	<b>111.11</b>
		<p><b>Switch mode power supply</b>                      for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage                      100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000,                      36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,                      36 015 001, 36 016 001, 36 421 000</p>			


COMMERCIAL  
FITTINGS



# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 444 000	Chrome	4005176415661	762.95
------------	--------	---------------	--------



## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K


36 445 000	Chrome	4005176415678	737.05
36 445 DC0	supersteel	4005176686542	941.87
36 445 GL0	cool sunrise	4005176686559	1,014.32
36 445 GN0	brushed cool sunrise	4005176686566	1,086.80
36 445 DA0	warm sunset	4005176686573	1,014.32
36 445 DL0	brushed warm sunset	4005176686788	1,086.80
36 445 A00	hard graphite	4005176686795	1,014.32
36 445 AL0	Brushed Hard Graphite	4005176686801	1,086.80

## Essence E

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter


with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hoses  
non-return valve  
dirt strainers  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K



# GROHE ESSENCE E

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 446 000	Chrome	4005176415685	685.24




## Essence E

### Infra-red electronic basin tap 1/2"

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE StarLight** chrome finish  
adjustable swivel area 0° / 150° / 360°  
laminar spray regulator 5.0 l/min  
flexible connection hose  
dirt strainer  
with integrated solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 447 000	Chrome	4005176416293	970.22
------------	--------	---------------	--------




## Essence E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
laminar spray regulator 5.0 l/min  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
set for final installation  
for use with Rapid SL 38 748 002 or roughing-in set 36 264 001  
CE approved  
noise classification 1 in accordance with DIN4109









36 264 001		4005176416279	257.78
------------	--	---------------	--------



## Concealed mounting box


wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
connection housing for power supply  
suitable for 36 447 000, 36 442 000

# GROHE ESSENCE E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 748 002</b>	<b>Chrome</b>	<b>4005176416323</b>	<b>742.94</b>
	<p><b>Rapid SL</b>  <b>Element for wash basin with roughin-in set for infra-red electronic</b>                      for wall mounted fittings                      suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000                      and Eurocube E 36 442 000  <b>1.13 m finished installation height</b>                      for on-the-wall installations or studed walls  <b>Includes</b>                      wash basin fixing bolts with                      fixing device for ceramic                      variable distance of fixing bolts                      HT-outlet bend Ø 50 mm                      seal Ø 32 mm                      pre-mounted roughing-in set                      with protecting block                      fire-proof pipe for laying electronic cables                      installation box with water group, stop valve and flush elbow                      connection with noise protected fitting holder 1/2"                      connecting box for mains supply 230 V                      CE approved                      for installation with pre-mixed or cold water                      for on-the-wall installation please order wall brackets 38 558 00M (sold                      separately)</p>			
 	<b>36 407 001</b>		<b>4005176368974</b>	<b>322.60</b>
	<p><b>Remote control</b>                      for all GROHE one eye infra-red products                      as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)                      3 x 1.5 V DC (AAA) battery supply</p>			
 	<b>36 340 000</b>		<b>4005176911385</b>	<b>66.94</b>
	<p><b>Power extension cable</b>                      length 3.00 m</p>			
	<b>36 341 000</b>		<b>4005176911392</b>	<b>120.34</b>
<p><b>ditto, length 10 m</b></p>				
 	<b>36 338 000</b>		<b>4005176896743</b>	<b>111.11</b>
	<p><b>Switch mode power supply</b>                      for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage                      100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000,                      36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,                      36 015 001, 36 016 001, 36 421 000</p>			

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 413 000	Chrome	4005176320576	725.78



**Eurosmart Cosmopolitan E Bluetooth**  
**Infra-red electronic basin tap 1/2" with mixing device**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
**without power supply 36 338 000** ( required )  
 rapid installation system  
 mixing device with adjustable hot water limiter  
**GROHE StarLight** finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 with integrated solenoid valve  
 integrated non-return valves  
 and dirt strainers  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 detection range and shut off delay  
 auto flush  
 thermal disinfection  
 cleaning mode  
 2 on/off timers  
 identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.




# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 414 000	Chrome	4005176320583	984.59
------------	--------	---------------	--------

**Eurosmart Cosmopolitan E Bluetooth**  
**Infra-red electronic thermostatic basin mixer, wall mounted**  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**GROHE StarLight** finish  
**GROHE CoolTouch**  
**GROHE EcoJoy** technology for less water and perfect flow  
**GROHE SafeStop** safety button at 38°C  
**( calibration required )**  
 swivel cast spout 219 mm  
 with swivel stop at 130° or fixed projection 287 mm  
 laminar mousseur 9 l/min  
 S-unions  
 escutcheon covers for S-unions  
 non-return valve  
 dirt strainers  
 power connection cable 3.0 m  
 for use with connection set 39 383 000  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  
**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days  
 thermal disinfection cycles and timings last disinfection  
**configuration**  
 detection range and shut off delay  
 auto flush  
 thermal disinfection  
 cleaning mode  
 2 on/off timers  
 identification by name  
**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

COMMERCIAL FITTINGS

39 383 000		4005176356926	68.91
------------	--	---------------	-------

**Eurosmart Cosmopolitan E**  
**Thermostatic 230 V connection set**  
 fitting support  
 2 fitting connections DN 15  
 power supply connector  
 wall installation  
 for use with Eurosmart Cosmopolitan E thermostat 230 V





# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 410 000	Chrome	4005176320545	686.38
------------	--------	---------------	--------

**Euroeco Cosmopolitan E Bluetooth  
Infra-red electronic basin tap**

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 336 001/36 337 001

**GROHE StarLight** finish

**GROHE EcoJoy** technology for less water and perfect flow  
laminar flow straightener 9 l/min  
chrome escutcheon and spout  
projection 172 mm

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

**monitoring**

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

**configuration**

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles


reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109



Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

36 337 001		4005176595417	146.24
------------	--	---------------	--------

**Euroeco Cosmopolitan E  
Concealed mounting box**

wall installation  
for installation with pre-mixed or cold water

suitable for IR-sets for final installation

stop valve


connection housing for power supply

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body

with sealing sleeve



36 336 001		4005176991769	386.57
------------	--	---------------	--------

**Eurosmart Cosmopolitan E  
Concealed mounting box**

with integrated pre-adjustable

thermostatic mixer

wall installation

suitable for IR-sets for final installation

2 stop valves


non-return valve

suitable for

36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000

allows for waterproofing of wall construction surrounding the concealed body


with sealing sleeve



# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 412 000	Chrome	4005176320569	773.59
------------	--------	---------------	--------



## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
set for final installation for concealed fitting box  
36 339 001

### GROHE StarLight finish

GROHE EcoJoy technology for less water and perfect flow

laminar flow straightener 9 l/min

chrome escutcheon and spout

projection 172 mm

with Bluetooth 4.0\* for wireless data communication

for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

### monitoring

password protected products

app detects all Bluetooth products in range

auto flush cycles and timing last auto flush

usage per day over 30 days

thermal disinfection cycles and timings last disinfection

### configuration

detection range and shut off delay

auto flush

thermal disinfection

cleaning mode

2 on/off timers

identification by name

### service

send and save 3 profiles

reset to factory or user settings

hard and software version

CE approved

noise classification 1 in accordance

with DIN4109


Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

COMMERCIAL  
FITTINGS



36 339 001

4005176595424

267.03

## Eurosmart Cosmopolitan E

### Concealed mounting box

#### with mixture

wall installation

suitable for IR-sets for final installation

2 stop valves

housing with mixing device

non-return valve

connection housing for power supply

suitable for

36 315 000, 36 412 000, 36 376 000

allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 415 000	Chrome	4005176320590	650.63
------------	--------	---------------	--------

## Eurosmart Cosmopolitan E Bluetooth

### Infra-red electronic for concealed thermostatic shower

with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
for concealed installation box  
36 416 001

### GROHE StarLight chrome finish

chrome escutcheon  
with Bluetooth 4.0\* for wireless data communication  
for Apple\*\* and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

### monitoring

password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day over 30 days  
thermal disinfection cycles and timings last disinfection

### configuration

shut off delay  
auto flush  
thermal disinfection  
cleaning mode  
2 on/off timers  
identification by name

### service


send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.




36 416 001		4005176595394	755.35
------------	--	---------------	--------

## Eurosmart Cosmopolitan E

### Concealed control unit

for shower  
with integrated pre-adjustable  
thermostatic mixer  
suitable for infra-red set 36 415 000 and 36 463 000  
2 stop valves


non-return valves with filters  
connection housing for power supply  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve



# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 503 000	Chrome	4005176320507	842.55
------------	--------	---------------	--------



**Tectron Skate Bluetooth  
Infra-red electronic for Urinal  
for Rapido U 37 338 000**

with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose

**GROHE StarLight** finish  
flow pressure min 0.5 bar  
operating pressure max 10 bar

with Bluetooth 4.0\* for wireless data communication  
Bluetooth transmitter frequency: 2.4 GHz  
for Apple\*\* and Android devices  
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**

password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush usage per day over 30 days

**configuration**

detection range and shut off delay  
auto flush

cleaning mode

2 on/off timers

identification by name

**service**

send and save 3 profiles  
reset to factory or user settings  
CE approved  
hard and software version

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

COMMERCIAL  
FITTINGS

37 338 000		4005176837920	167.35
------------	--	---------------	--------









**GROHE Rapido U  
roughing-in set for urinal  
for manual actuation or Tectron  
infra-red electronic 6 V or 230 V**

water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid


functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply  
installation box with gasket  
fixing points for dry cladding and masonry-in  
inspection shaft incl. protection

# GROHE BLUETOOTH MONITORING

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		37 504 000	Chrome	4005176320521	1,053.51
		<p><b>Tectron Skate Bluetooth</b>  <b>Infra-red electronic for WC</b>  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose                      with additional manual actuation  <b>GROHE StarLight</b> finish                      front plate 156 x 197 mm                      servo motor                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)                      with Bluetooth 4.0* for wireless data communication                      for Apple** and Android devices                      Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver  <b>monitoring</b>                      password protected products                      app detects all Bluetooth products in range                      auto flush cycles and timing last auto flush                      usage per day over 30 days  <b>configuration</b>                      detection range and shut off delay                      auto flush                      cleaning mode                      2 on/off timers                      identification by name  <b>service</b>                      send and save 3 profiles                      reset to factory or user settings                      hard and software version                      CE approved                      Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.                      * The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.                      ** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards                      *** Available for free via iTunes app or Google Play store.</p>			
		36 340 000		4005176911385	66.94
		<p><b>Power extension cable</b>                      length 3.00 m</p>			
		36 341 000		4005176911392	120.34
<p><b>ditto, length 10 m</b></p>					
		36 338 000		4005176896743	111.11
		<p><b>Switch mode power supply</b>                      for one eye infra-red wash basin mixer                      switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz                      for concealed socket with cover and strain relief                      suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			

# GROHE BLUETOOTH MONITORING

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 407 001		4005176368974	322.60



## Remote control

for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018

## monitoring

consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)

## configuration


cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)



## service

send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply










# GROHE EUROPLUS E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>36 207 001</b>	<b>Chrome</b>	<b>4005176929373</b>	<b>744.08</b>
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>  with infrared sensor for bi-directional communication for monitoring, configuration and servicing  6V lithium battery, type CR-P2  battery lifetime approx. 7 years (150 actuations a day)  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  flexible connection hoses  non-return valve  dirt strainers  solenoid valve  rapid installation system  multistage battery status display  7 pre-set programs  auto flush  thermal disinfection  cleaning mode  additional functions and precise settings  by remote control 36 407  CE approved  noise classification 1 in accordance with DIN4109  type of protection faucet IP 59K</p>			
	<b>36 208 001</b>	<b>Chrome</b>	<b>4005176929380</b>	<b>631.54</b>
	<p><b>ditto, without mixing device</b></p>			
	<b>36 015 001</b>	<b>Chrome</b>	<b>4005176929359</b>	<b>645.58</b>
	<p><b>Europlus E</b>  <b>Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter</b>  with infrared sensor for bi-directional communication for monitoring, configuration and servicing  <b>without power supply 36 338 000 (required)</b>  <b>GROHE EcoJoy</b> mousseur 5.7 l/min  flexible connection hoses  non-return valve  dirt strainers  solenoid valve  rapid installation system  7 pre-set programs  auto flush  thermal disinfection  cleaning mode  additional functions and precise settings  by remote control 36 407  CE approved  noise classification 1 in accordance with DIN4109  type of protection faucet IP 59K</p>			
	<b>36 016 001</b>	<b>Chrome</b>	<b>4005176929366</b>	<b>556.82</b>
	<p><b>ditto, without mixing device</b></p>			



# GROHE EUROPLUS E


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 407 001		4005176368974	322.60
	<p><b>Remote control</b> for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018</p> <p><b>monitoring</b> consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO<sub>2</sub> capacity (GROHE Blue Home)</p> <p><b>configuration</b> cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p><b>service</b> send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home) 3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000		4005176911385	66.94
	<p><b>Power extension cable</b> length 3.00 m</p>			
	36 341 000		4005176911392	120.34
	<p><b>ditto, length 10 m</b></p>			
 	36 338 000		4005176896743	111.11
	<p><b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			
	36 209 000	Chrome	4005176207105	88.93
	<p><b>Security cover cap</b> vandal-proof, covered and pre-adjustable suitable for single hole mixers Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap <b>GROHE StarLight</b> chrome finish</p>			

COMMERCIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


36 327 001	Chrome	4005176305771	420.57
------------	--------	---------------	--------



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 331 001	Chrome	4005176305795	368.53
<b>ditto, with pop-up waste set 1 1/4"</b>			

36 422 000	Chrome	4005176368530	446.68
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 325 001	Chrome	4005176305764	476.83
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 421 000	Chrome	4005176368523	443.92
------------	--------	---------------	--------



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE StarLight** finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 439 000	Chrome	4005176389740	331.56
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hose  
 dirt strainer  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

COMMERCIAL FITTINGS

# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 330 001	Chrome	4005176305788	448.71
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with hidden mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
**GROHE EcoJoy** mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 external battery  
 rapid installation system  
 multistage battery status display  
 7 pre-set programs  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59K

36 324 001	Chrome	4005176305757	676.54
------------	--------	---------------	--------



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer with mixing device and adjustable temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**for use with displacement water heater**  
 fixed build in static flow limiter 5 l/min on the hose connection  
 non-return valve  
 dirt strainers  
 flexible connection hoses  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 type of protection faucet IP 59K  
 min. recommended pressure 1.0 bar

36 386 001	Chrome	4005176311673	817.89
------------	--------	---------------	--------




**Eurosmart Cosmopolitan E**  
**Powerbox**  
 infra-red electronic basin mixer with mixing device and adjustable temperature limiter  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system  
**GROHE EcoJoy** 6.0 l/min mousseur including all flexible connection hoses  
 non-return valve  
 dirt strainer  
 rapid installation system  
**Powerbox**  
 power generator with water turbine  
 internal energy saving unit  
 with use of 60 s/24 h stand-by, 260 s/100 h stand-by  
 with additional backup power  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407

# GROHE EUROSMART COSMOPOLITAN E

Ref. No.      Colour      EAN      Retail Guide Price (£)

36 454 000      Chrome      4005176487774      1,121.58



**Eurosmart Cosmopolitan E Special**  
**Infra-red electronic wall basin mixer with thermostatic temperature control**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)  
 two additional detection modes adjustable (hand-hand or body-body)  
**GROHE StarLight** chrome finish  
**GROHE CoolTouch**  
 laminar mousseur 9 l/min  
 non-return valve  
 dirt strainers  
**GROHE SafetyPlus** fixed temperature stop  
 temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )  
 metal temperature safety stop  
 full unmixed hot or cold water in extreme handle position for legionella sampling  
 swivel cast spout 219 mm  
 projection 287 mm  
 swivel range stop at 130°, lockable  
 with S-unions, chrome nuts and covers  
 self-sealing escutcheons  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109



36 455 000      Chrome      4005176487781      1,091.05  
 ditto, projection 255 mm

36 332 000      Chrome      4005176896682      991.27

**Eurosmart Cosmopolitan E**  
**Infra-red electronic wall basin mixer with thermostatic temperature control**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 activation by hand, deactivation automatically when leaving detection zone (hand-body detection mode)  
 two additional detection modes adjustable (hand-hand or body-body)  
**GROHE StarLight** chrome finish  
 laminar mousseur 9 l/min  
 non-return valve  
 dirt strainers  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C ( calibration required )  
 swivel cast spout 219 mm  
 projection 287 mm  
 swivel range stop at 130°, lockable  
 self-sealing escutcheons  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109



36 333 000      Chrome      4005176896699      973.62  
 ditto, projection 255 mm


COMMERCIAL  
FITTINGS



# GROHE EUROSMART COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

<b>36 334 SD0</b>	<b>stainless steel</b>	<b>4005176896705</b>	<b>547.16</b>
-------------------	------------------------	----------------------	---------------




**Eurosmart Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 for cold or premixed water  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 laminar mousseur 9 l/min  
 stainless steel escutcheon  
 SuperSteel spout  
 projection 232 mm  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings  
 by remote control 36 407  
 set for final installation for concealed fitting box  
 36 336 001/36 337 001  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 min. recommended pressure 1.0 bar

<b>36 335 SD0</b>	<b>stainless steel</b>	<b>4005176896712</b>	<b>519.01</b>
<b>ditto, projection 172 mm</b>			



<b>36 337 001</b>		<b>4005176595417</b>	<b>146.24</b>
-------------------	--	----------------------	---------------





**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 wall installation  
 for installation with pre-mixed or cold water  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve



<b>36 336 001</b>		<b>4005176991769</b>	<b>386.57</b>
-------------------	--	----------------------	---------------









**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 non-return valve  
 suitable for  
 36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
 allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve

# GROHE EUROSMART COSMOPOLITAN E









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 376 000	Chrome	4005176932243	701.85
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic basin mixer with mixing device and adjustable temperature limiter</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      laminar flow straightener 9 l/min                      chrome escutcheon                      chrome spout                      projection 232 mm                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      set for final installation for concealed fitting box 36 339 001                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 315 000	Chrome	4005176896590	589.36
	<p><b>ditto, projection 172 mm</b></p>			
	36 339 001		4005176595424	267.03
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed mounting box with mixture</b>                      wall installation                      suitable for IR-sets for final installation                      2 stop valves                      housing with mixing device                      non-return valve                      connection housing for power supply                      suitable for 36 315 000, 36 412 000, 36 376 000                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	36 457 000	Chrome	4005176494765	1,023.65
	<p><b>Eurosmart Cosmopolitan E Special</b>  <b>Infra-red electronic shower mixer with thermostatic temperature control</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      ergonomic metal handle  <b>GROHE StarLight</b> chrome finish  <b>GROHE CoolTouch</b>                      non-return valve                      dirt strainers  <b>GROHE SafetyPlus</b> fixed temperature stop                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop                      full unmixed hot or cold water in extreme handle position for legionella sampling                      shower bottom outlet 1/2" with integrated non return-valve with S-unions, chrome nuts and covers                      self-sealing escutcheons                      multistage battery status display                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			

COMMERCIAL FITTINGS





# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 456 000	Chrome	4005176494758	272.01
	<p><b>Eurosmart Cosmopolitan E Special</b>  <b>Infra-red electronic for concealed thermostatic shower</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 458 000 and 36 459 000                      ergonomic metal handle  <b>GROHE StarLight</b> chrome finish  <b>GROHE SafetyPlus</b> fixed temperature stop                      temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )                      metal temperature safety stop                      full unmixed hot or cold water in extreme handle position for legionella sampling                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
	36 458 000		4005176494772	822.75
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated thermostatic mixer                      suitable for infra-red set 36 456 000                      2 stop valves                      non-return valves with filters                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	36 459 000		4005176576188	883.75
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated thermostatic mixer                      suitable for infra-red set 36 456 000                      2 stop valves                      non-return valves with filters                      connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
	47 780 000		4005176836541	176.13
	<p><b>Rapido T</b>  <b>Extension set 27.5 mm</b>                      for Rapido T 35 500 000/35 050 000                      for concealed installation box 36 458 000 and 36 459 000                      for use with central and shower-thermostats with shut-off valve</p>			

# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>36 463 000</b>	<b>Chrome</b>	<b>4005176576690</b>	<b>241.78</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Infra-red electronic for concealed thermostatic shower</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing for concealed installation box 36 416 000 and 36 464 000 for hidden thermostatic mixer  <b>GROHE StarLight</b> chrome finish                      7 pre-set programs                      auto flush                      thermal disinfection                      cleaning mode                      additional functions and precise settings by remote control 36 407                      CE approved                      noise classification 1 in accordance with DIN4109</p>			
 	<b>36 464 000</b>		<b>4005176576706</b>	<b>740.08</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated pre-adjustable thermostatic mixer                      suitable for infra-red set 36 463 000                      2 stop valves                      non-return valves with filters                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	<b>36 416 001</b>		<b>4005176595394</b>	<b>755.35</b>
	<p><b>Eurosmart Cosmopolitan E</b>  <b>Concealed control unit</b>                      for shower                      with integrated pre-adjustable thermostatic mixer                      suitable for infra-red set 36 415 000 and 36 463 000                      2 stop valves                      non-return valves with filters                      connection housing for power supply with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC                      allows for waterproofing of wall construction surrounding the concealed body with sealing sleeve</p>			
 	<b>36 407 001</b>		<b>4005176368974</b>	<b>322.60</b>
	<p><b>Remote control</b>                      for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  <b>monitoring</b>                      consumption and usage data                      thermal disinfection cycles (infrared mixers)                      auto flush cycles (infrared mixers)                      cleaning mode cycles (GROHE Blue Home)                      filter and CO<sub>2</sub> capacity (GROHE Blue Home)  <b>configuration</b>                      cleaning mode activation                      thermal disinfection (infrared mixers)                      detection range (infrared mixers)                      shut off delay (infrared mixers)                      auto flush (infrared mixers)                      filter capacity (GROHE Blue Home)  <b>service</b>                      send and save profile                      reset to factory or user settings                      service details                      demo mode                      error codes (GROHE Blue Home)                      3 x 1.5 V DC (AAA) battery supply</p>			


# GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	36 340 000		4005176911385	66.94
	<b>Power extension cable</b> length 3.00 m			
	36 341 000		4005176911392	120.34
	<b>ditto, length 10 m</b>			
	36 338 000		4005176896743	111.11
	<b>Switch mode power supply</b> for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
				

# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 271 000	Chrome	4005176893193	350.25
------------	--------	---------------	--------




**Euroeco Cosmopolitan E  
Infra-red electronic basin tap**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water  
6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainers  
solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 269 000	Chrome	4005176893179	378.38
------------	--------	---------------	--------




**Euroeco Cosmopolitan E  
Infra-red electronic basin tap 1/2"**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

**without power supply 36 338 000 (required)**

**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainers  
solenoid valve  
rapid installation system  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved  
noise classification 1 in accordance with DIN4109  
type of protection faucet IP 59K

36 272 000	Chrome	4005176893209	350.25
------------	--------	---------------	--------



**Euroeco Cosmopolitan E  
Infra-red electronic basin tap 1/2"**

with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water

6V lithium battery, type CR-P2  
battery lifetime approx. 7 years (150 actuations a day)

**GROHE EcoJoy** mousseur 5.7 l/min  
flexible connection hoses  
dirt strainer  
solenoid valve  
external battery  
rapid installation system  
multistage battery status display  
7 pre-set programs  
auto flush  
thermal disinfection  
cleaning mode  
additional functions and precise settings  
by remote control 36 407  
CE approved


COMMERCIAL  
FITTINGS



# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 384 000	Chrome	4005176982774	772.17
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Powerbox

infra-red electronic basin tap 1/2"

without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

including Powerbox self-generating power system

**GROHE EcoJoy** 6.0 l/min mousseur

flexible connection hose

dirt strainer

rapid installation system

### Powerbox

power generator with water turbine

internal energy saving unit

with use of 60 s/24 h stand-by, 260 s/100 h stand-by

with additional backup power

7 pre-set programs

auto flush


thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

36 274 000	Chrome	4005176893223	448.69
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

for cold or premixed water

6V lithium battery, type CR-P2

battery lifetime approx. 7 years (150 actuations a day)

metal body

multistage battery status display

7 pre-set programs

auto flush

thermal disinfection


cleaning mode

additional functions and precise settings

by remote control 36 407

CE approved

36 273 000	Chrome	4005176893216	459.81
------------	--------	---------------	--------



## Euroeco Cosmopolitan E

### Infra-red electronic wall basin tap without mixing device

with infrared sensor for bi-directional communication

for monitoring, configuration and servicing

for cold or premixed water

with transformer 100-230 V AC, 50-60 Hz, 6 V DC

**GROHE EcoJoy** mousseur 5.7 l/min

chrome escutcheon

chrome spout

projection 172 mm

7 pre-set programs

auto flush

thermal disinfection

cleaning mode

additional functions and precise settings

by remote control 36 407

set for final installation for concealed fitting box

36 336 001/36 337 001


CE approved

noise classification 1 in accordance

with DIN4109


# GROHE EUROECO COSMOPOLITAN E

Ref. No. Colour EAN Retail Guide Price (£)



36 337 001 4005176595417 146.24


**Euroeco Cosmopolitan E  
Concealed mounting box**  
wall installation  
for installation with pre-mixed or cold water  
suitable for IR-sets for final installation  
stop valve  
connection housing for power supply  
suitable for  
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve




36 336 001 4005176991769 386.57

**Eurosmart Cosmopolitan E  
Concealed mounting box**  
with integrated pre-adjustable  
thermostatic mixer  
wall installation  
suitable for IR-sets for final installation  
2 stop valves  
non-return valve  
suitable for  
36 410 000, 36 334 SD0, 36 335 SD0, 36 273 000  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve

36 407 001 4005176368974 322.60



**Remote control**  
for all GROHE one eye infra-red products  
as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
consumption and usage data  
thermal disinfection cycles (infrared mixers)  
auto flush cycles (infrared mixers)  
cleaning mode cycles (GROHE Blue Home)  
filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
cleaning mode activation  
thermal disinfection (infrared mixers)  
detection range (infrared mixers)  
shut off delay (infrared mixers)  
auto flush (infrared mixers)  
filter capacity (GROHE Blue Home)  
**service**  
send and save profile  
reset to factory or user settings  
service details  
demo mode  
error codes (GROHE Blue Home)  
3 x 1.5 V DC (AAA) battery supply



36 340 000 4005176911385 66.94

**Power extension cable**  
length 3.00 m

36 341 000 4005176911392 120.34  
ditto, length 10 m

COMMERCIAL  
FITTINGS


# GROHE EUROECO COSMOPOLITAN E

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 338 000

4005176896743

111.11



## Switch mode power supply

for one eye infra-red wash basin mixer

switch mode power supply with operating voltage

100-230 V AC, 50 - 60 Hz

for concealed socket with cover and strain relief

suitable for the following products: 36 444 000, 36 440 000,

36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,


36 015 001, 36 016 001, 36 421 000



# GROHE BAU COSMOPOLITAN E


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 453 000	Chrome	4005176473791	307.94
------------	--------	---------------	--------




**Bau Cosmopolitan E**  
**Infra-red electronic basin mixer 1/2"**  
**with mixing device and temperature limiter**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**without power supply 36 338 000 (required)**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** mousseur 5.7 l/min  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 body made of composite polymer  
 flexible connection hoses  
 non-return valve  
 dirt strainers  
 with integrated solenoid valve  
 rapid installation system  
 7 pre-set programs  
 auto flush  
 thermal disinfection  
 cleaning mode  
 additional functions and precise settings by remote control 36 407  
 CE approved  
 noise classification 1 in accordance with DIN4109  
 type of protection faucet IP 59

36 407 001		4005176368974	322.60
------------	--	---------------	--------



**Remote control**  
 for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)  
**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply

36 340 000		4005176911385	66.94
------------	--	---------------	-------




**Power extension cable**  
 length 3.00 m

36 341 000		4005176911392	120.34
------------	--	---------------	--------

**ditto, length 10 m**


36 338 000		4005176896743	111.11
------------	--	---------------	--------



**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief  
 suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000


# GROHE GROHTHERM MICRO

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



34 487 000	Chrome	4005176936234	165.74
------------	--------	---------------	--------

**Grohtherm Micro**  
**Thermostatic scalding protection**  
 temperature adjustment 15-43° C (± 2° C)  
 thermal disinfection without re-adjustment of temperature  
 connection 3/8" below with cap nut  
 above 3/8" male thread  
**GROHE TurboStat** thermoelement  
**GROHE StarLight** chrome finish  
 built-in non return valves  
 dirt strainer  
 without connection set



47 533 000	Chrome	4005176207181	37.56
------------	--------	---------------	-------

**Grohtherm Micro**  
**Connection set**  
 for Grohtherm Micro (34 487 000)  
 Consisting of:  
 union nut 3/8"  
 T-unit  
 2 outlets 3/8" male thread  
 flexible connection hose  
**GROHE StarLight** chrome finish


COMMERCIAL  
FITTINGS



# GROHE GROHTHERM SPECIAL


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

34 667 000	Chrome	4005176351570	348.93
------------	--------	---------------	--------




**Grotherm Special**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
ergonomic metal wing handles  
ceramic headparts 1/2", 90°  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
temperature scale handle with pre-adjustable  
safety stop between 35°C and 41°C ( calibration required )  
integrated mixed water shut off  
shower bottom outlet 1/2" with  
integrated non return-valve  
metal temperature safety stop  
dirt strainers  
**GROHE FastFixation** for fast exchange of non return valves in connections  
100% GROHE CoolTouch consisting of safety  
housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish

34 725 000	Chrome	4005176457081	433.44
------------	--------	---------------	--------











**Grotherm Special**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
ergonomic metal wing handles  
ceramic headparts 1/2", 90°  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
temperature scale handle with pre-adjustable  
safety stop between 35°C and 41°C ( calibration required )  
**Thermostatic cartridge max.temperature 41°C ( calibration required )**  
integrated mixed water shut off  
shower bottom outlet 1/2" with  
integrated non return-valve  
metal temperature safety stop  
dirt strainers  
with S-unions, chrome nuts and covers  
**GROHE FastFixation** for fast exchange of non return valves in connections  
**GROHE CoolTouch** safety housing  
**GROHE StarLight** chrome finish  
**GROHE SafetyPlus** fixed temperature stop  
**TMV3 approved product**

34 665 000	Chrome	4005176351556	436.87
------------	--------	---------------	--------







**Grotherm Special**  
**Thermostatic bath/shower mixer 1/2"**  
wall mounted  
ergonomic metal wing handles  
Aquadimmer handle with multiple function  
flow control  
integrated mixed water shut off  
diverter bath/shower  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
temperature scale handle with pre-adjustable  
safety stop between 35°C and 41°C ( calibration required )  
shower bottom outlet 1/2" with  
integrated non return-valve  
metal temperature safety stop  
laminar mousseur  
dirt strainers  
**GROHE FastFixation** for fast exchange of non return valves in connections  
100% GROHE CoolTouch consisting of safety  
housing + S-unions with CoolTouch escutcheons  
**GROHE StarLight** chrome finish

# GROHE GROHTHERM SPECIAL











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	34 681 000	Chrome	4005176354090	416.46
<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      dirt strainers                      without S-unions and covers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish</p>				
 	34 671 000	Chrome	4005176351587	445.06
<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      Aquadimmer handle with multiple function                      flow control                      integrated mixed water shut off                      diverter bath/shower  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      shower bottom outlet 1/2" with                      integrated non return-valve                      metal temperature safety stop                      laminar mousseur                      dirt strainers                      without S-unions and covers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections  <b>GROHE CoolTouch</b> safety housing  <b>GROHE StarLight</b> chrome finish</p>				
 	34 666 000	Chrome	4005176351563	387.38
<p><b>Grotherm Special</b>  <b>Thermostat basin mixer 1/2"</b>                      wall mounted                      ergonomic metal wing handles                      ceramic headparts 1/2", 90°  <b>GROHE TurboStat</b> compact cartridge                      with wax thermoelement                      temperature scale handle with pre-adjustable                      safety stop between 35°C and 41°C ( calibration required )                      integrated mixed water shut off                      bottom outlet for spouts 13 378 or 13 380                      metal temperature safety stop                      dirt strainers  <b>GROHE FastFixation</b> for fast exchange of non return valves in connections                      100% GROHE CoolTouch consisting of safety                      housing + S-unions with CoolTouch escutcheons  <b>GROHE StarLight</b> chrome finish</p>				
 	13 378 000	Chrome	4005176351532	102.35
<p><b>Cast swivel spout</b>                      length 115 mm                      swivelling (180 or 90°) and lockable                      laminar flow straightener 9 l/min  <b>GROHE StarLight</b> finish</p>				
	13 380 000	Chrome	4005176351549	113.12
<p><b>ditto, length 175 mm</b></p>				

COMMERCIAL  
FITTINGS

# GROHE GROHTHERM SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	29 094 000	Chrome	4005176354106	266.48
	<p><b>Grotherm Special</b>  <b>Thermostatic shower mixer</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handles            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            integrated mixed water shut off            metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	318.98
<p><b>GROHE Rapido T</b> thermostatic mixer for concealed installation</p>				
	29 095 000	Chrome	4005176354113	272.01
	<p><b>Grotherm Special</b>  <b>Thermostatic bath/shower mixer trim</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handles            Aquadimmer handle with multiple function flow control            integrated mixed water shut off            diverter bath/shower            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            integrated mixed water shut off            metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	318.98
<p><b>GROHE Rapido T</b> thermostatic mixer for concealed installation</p>				
	29 096 000	Chrome	4005176354120	219.81
	<p><b>Grotherm Special</b>  <b>Trim for thermostatic shower valve</b>            set for final installation for 35 050 000  <b>without concealed body</b>            escutcheon- and shaft-sealing covered connections            ergonomic metal wing handle            temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required )            metal temperature safety stop  <b>GROHE StarLight</b> chrome finish  <b>TMV2 compliant when used with 35 050 000</b></p>			
	35 500 000		4005176831522	318.98
<p><b>GROHE Rapido T</b> thermostatic mixer for concealed installation</p>				
	35 500 000		4005176831522	318.98
	<p><b>GROHE Rapido T</b>  <b>Thermostatic mixer for concealed installation</b>  <b>for use with Grotherm Special</b>  <b>without finishing trim set</b>            flat installation depth 70 mm - 95 mm  <b>GROHE TurboStat</b> compact cartridge with wax thermoelement            two top outlets 1/2", lockable            bottom outlet 1/2" - can only be used with separate stopvalve            body of DR brass            built-in non return valve and dirt strainers            min. recommended pressure 1.0 bar</p>			


# GROHE GROHTHERM SPECIAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
47 994 000		4005176364723	2.69
 <p><b>Grotherm Special</b> <b>Temperature unlocking handle</b> unlocking of temperature handle for thermal disinfection</p>			
12 051 000	Chrome	4005176213588	50.53
  <p><b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE StarLight</b> chrome finish</p>			
47 780 000		4005176836541	176.13
  <p><b>Rapido T</b> <b>Extension set 27.5 mm</b> for Rapido T 35 500 000/35 050 000 for concealed installation box 36 458 000 and 36 459 000 for use with central and shower-thermostats with shut-off valve</p>			
47 781 000		4005176836558	203.47
<p><b>ditto, for use with bath thermostats with aquadimmer</b></p>			
29 007 000		4005176837678	192.90
 <p><b>Safety combination (EN 1717)</b> for Rapido T 35 500 000/35 050 000 Re-fitting set for backflow protection for use with inlet pop-up and waste sets e.g. Talentofil 28 990 000 or 28 991 000</p>			
28 874 000	Chrome	4005176042348	92.68
  <p><b>Tee Connection</b> for connection to shower and bath/shower- mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish</p>			
28 988 000	Chrome	4005176042805	127.08
  <p><b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish</p>			

COMMERCIAL  
FITTINGS


# GROHE GROHTHERM XL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



35 085 000	Chrome	4005176207068	2,427.07
------------	--------	---------------	----------

**Grohtherm XL**  
**Thermostat mixer 1"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal  
disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/4"  
outlet thread 1 1/2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE StarLight** chrome finish



35 087 000	Chrome	4005176207082	2,771.21
------------	--------	---------------	----------


**Grohtherm XL**  
**Thermostat mixer 1 1/4"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable  
safety stop between 33°C and 43°C  
arrangement to make the thermal  
disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/2"  
outlet thread 2"  
changeable top/bottom outlet  
without connection unions for wall mounting  
**GROHE StarLight** chrome finish

# GROHE EUROSMART CARE

Ref. No. Colour EAN Retail Guide Price (£)




23 988 003 Chrome 4005176644351 150.81



**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection not possible  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE StarLight** chrome finish  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** mousseur 4.2 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition




23 989 003 Chrome 4005176644368 165.74



**Eurosmart Basin mixer 1/2" M-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection not possible  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** mousseur 4.2 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition



23 986 003 Chrome 4005176643859 196.54











**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 loop metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
 built-in non return valves  
 dirt strainers  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
**GROHE EcoJoy** 4.2 l/min laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition

COMMERCIAL  
FITTINGS




# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	23 987 003	Chrome	4005176644344	211.46
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> thermostatic scalding protection maximum temperature adjustable thermal disinfection without re-adjustment of temperature tool for thermal disinfection included monobloc installation loop metal lever 28 mm ceramic cartridge with <b>GROHE SilkMove</b> adjustable flow rate limiter built-in non return valves dirt strainers <b>GROHE Zero</b> isolated inner water ways - lead and nickel free within the tap <b>GROHE EcoJoy</b> 4.2 l/min laminar flow straightener <b>GROHE FastFixation</b> installation system smooth body flexible connection hoses max. pressure differential 5:1 professional edition			
	23 980 003	Chrome	4005176644207	120.65
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>S-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min <b>GROHE FastFixation</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	23 981 003	Chrome	4005176644214	135.59
	<b>Eurosmart</b> <b>Basin mixer 1/2"</b> <b>M-Size</b> monobloc installation loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter laminar flow straightener 9 l/min <b>GROHE FastFixation</b> installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses professional edition			
	25 241 003	Chrome	4005176644221	149.87
	<b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted loop metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition			

# GROHE EUROSMART CARE

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

25 242 003	Chrome	4005176644238	130.50
------------	--------	---------------	--------




**Eurosmart**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 loop metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 S-unions  
 metal wall escutcheons  
 protected against backflow  
 professional edition

COMMERCIAL  
FITTINGS


# GROHE EUROSMART CARE

Ref. No. Colour EAN Retail Guide Price (£)




**23 984 003 Chrome 4005176643835 196.54**

**Eurosmart Basin mixer 1/2" S-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 long metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** 4.2 l/min laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition




**23 985 003 Chrome 4005176643842 211.46**

**Eurosmart Basin mixer 1/2" M-Size**  
 thermostatic scalding protection  
 maximum temperature adjustable  
 thermal disinfection without re-adjustment of temperature  
 tool for thermal disinfection included  
 monobloc installation  
 long metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove**  
 adjustable flow rate limiter  
**GROHE Zero** isolated inner water ways - lead and nickel free within the tap  
 built-in non return valves  
 dirt strainers  
**GROHE EcoJoy** 4.2 l/min laminar flow straightener  
**GROHE FastFixation** installation system  
 smooth body  
 flexible connection hoses  
 max. pressure differential 5:1  
 professional edition



**23 982 003 Chrome 4005176644245 120.65**







**Eurosmart Basin mixer 1/2" S-Size**  
 monobloc installation  
 long metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 laminar flow straightener 9 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition



**23 983 003 Chrome 4005176644313 135.59**

**Eurosmart Basin mixer 1/2" M-Size**  
 monobloc installation  
 long metal lever  
**GROHE SilkMove** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 with temperature limiter  
 laminar flow straightener 9 l/min  
**GROHE FastFixation** installation system  
 smooth body with push-open pop-up waste set 1 1/4"  
 flexible connection hoses  
 professional edition


# GROHE EUROSMART CARE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	25 243 003	Chrome	4005176644320	149.87
<p><b>Eurosmart</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted long metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow professional edition</p>				
 	25 244 003	Chrome	4005176644337	130.50
<p><b>Eurosmart</b> <b>Single-lever shower mixer 1/2"</b> wall mounted long metal lever <b>GROHE SilkMove</b> 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter shower bottom outlet 1/2" with integrated non return-valve S-unions metal wall escutcheons protected against backflow professional edition</p>				
 	34 667 000	Chrome	4005176351570	348.93
<p><b>Grotherm Special</b> <b>Thermostatic shower mixer 1/2"</b> wall mounted ergonomic metal wing handles ceramic headparts 1/2", 90° <b>GROHE TurboStat</b> compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C ( calibration required ) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers <b>GROHE FastFixation</b> for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons <b>GROHE StarLight</b> chrome finish</p>				

# GROHE VERTICA EUROSTYLE COSMOPOLITAN





Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

23 302 000	Chrome	4005176923876	404.23
------------	--------	---------------	--------



**Eurostyle Cosmopolitan**  
**Vertica-OHM-Bath Mixer, 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove** 46 mm ceramic cartridge  
**GROHE StarLight** chrome finish  
 adjustable flow rate limiter  
 lockable automatic diverter: bath/shower  
 lockable spout  
 integrated non-return valve  
 in the shower outlet 1/2"  
 elbow union 45°  
 metal wall escutcheons  
 optional temperature limiter (46 375 000)  
 protected against backflow  
 noise classification 1 in accordance  
 with DIN4109











# GROHE COMMERCIAL SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 587 000	Chrome	4005176282966	236.55
<p><b>Relexa</b>  <b>Shower rail, 900 mm</b>                      with handle                      handle can be mounted right or left handed                      with wall brackets (3 pieces)                      gliding element with metal sleeve                      angle of inclination adjustable by click stop device                      height adjustment via locking nut  <b>GROHE StarLight</b> chrome finish</p>				
 	28 671 000	Chrome	4005176103070	40.98
<p><b>Relexa</b>  <b>Shower outlet elbow, 1/2"</b>                      male thread  <b>GROHE StarLight</b> chrome finish</p>				
 	28 405 000	Chrome	4005176264559	65.70
<p><b>Movario</b>  <b>Shower outlet elbow, 1/2"</b>                      protected against backflow  <b>GROHE StarLight</b> chrome finish</p>				
 	28 406 000	Chrome	4005176264566	65.70
<p><b>Movario</b>  <b>Shower outlet elbow, 1/2"</b>                      with shower holder                      protected against backflow  <b>GROHE StarLight</b> chrome finish</p>				
 	28 161 001	Chrome	4005176935107	21.38
<p><b>Silverflex</b>  <b>Shower hose Twistfree 1500</b>                      for low pressure                      1500 mm                      smooth surface for easy cleaning                      tensile strength 350 N                      pressure resistance up to 5 bar                      heat resistance 70°C                      AntiFold bendproof                      universal connection G 1/2" x 1/2"                      Rotation cone for <b>Twistfree</b> function  <b>GROHE StarLight</b> chrome finish  <b>blister packaging</b></p>				









COMMERCIAL  
FITTINGS



# GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 142 000	Chrome	4005176601330	25.07
	<b>Relexaflex Metal Longlife Metal shower hose 1250</b> 1250 mm material: metal <b>Longlife</b> strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
	28 143 KS0	velvet black	4005176842252	36.58
	28 143 LS0	moon white	4005176842269	36.58
	28 143 000	Chrome	4005176601347	27.87
	ditto, 1500mm hose			
 	28 145 000	Chrome	4005176601354	32.86
	<b>Relexaflex Metal Longlife Metal shower hose 2000</b> 2000 mm material: metal <b>Longlife</b> strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" <b>GROHE StarLight</b> chrome finish <b>blister packaging</b>			
 	28 002 000	Chrome	4005176858796	238.86
	<b>Relexa 70 Sports head shower 1 spray</b> low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. <b>GROHE DreamSpray</b> perfect spray pattern <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system <b>Inner WaterGuide</b> for a longer life suicide resistant design pipe union plug-in for wall connection			
 	28 948 000	Chrome	4005176209871	172.98
	<b>Relexa Plus 60 Sports head shower 1 spray</b> heavy, cast model connection thread 1/2" projection 148 mm <b>GROHE StarLight</b> chrome finish <b>SpeedClean</b> anti-limescale system			
 	28 094 000	Chrome	4005176601132	65.71
	<b>Relexa Plus 50 Head shower 1 spray</b> with ball joint 1/2" connection <b>GROHE StarLight</b> chrome finish adjustable flow rate without shower arm			

# GROHE COMMERCIAL SHOWERS









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 988 000	Chrome	4005176042805	127.08
<p><b>Drain Down Valve</b> for fitting between shut-off valve and shower acc. to hospital guide rules female thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				
 	28 874 000	Chrome	4005176042348	92.68
<p><b>Tee Connection</b> for connection to shower and bath/shower-mixer union nut 1/2" 2 connections 1/2" for the shower hose or drain valves <b>GROHE StarLight</b> chrome finish</p>				
 	28 429 000	Chrome	4005176601910	65.71
<p><b>Relaxa</b> <b>Shower arm 55 mm</b> connection thread 1/2" <b>GROHE StarLight</b> chrome finish</p>				
 	28 541 000	Chrome	4005176040528	52.31
<p><b>Relaxa</b> <b>Shower arm 147 mm</b> connection thread 1/2" escutcheon <b>GROHE StarLight</b> chrome finish</p>				

COMMERCIAL  
FITTINGS

# GROHE EUROECO SPECIAL









	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 763 000	Chrome	4005176871030	137.88
	<p><b>Euroeco Special Basin mixer 1/2"</b> monobloc installation pop-up waste set 1 1/4" <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 762 000	Chrome	4005176871023	137.88
	<b>ditto, smooth body</b>			
	32 766 000	Chrome	4005176871061	305.03
	<p><b>Euroeco Special Basin mixer 1/2"</b> monobloc installation pop-up waste set 1 1/4" <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 765 000	Chrome	4005176871054	291.14
	<b>ditto, smooth body</b>			
	23 293 000	Chrome	4005176921148	247.29
	<p><b>Euroeco Special Basin mixer 1/2"</b> monobloc installation smooth body high version <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 5 l/min loop metal lever lever length 160 mm flexible connection hoses rapid installation system</p>			
	30 208 000	Chrome	4005176927836	318.98
	<p><b>Euroeco Special Basin mixer 1/2"</b> monobloc installation high spout 302 mm smooth body <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 35 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses</p>			

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 776 000	Chrome	4005176871764	287.52
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 157 mm metal lever lever length 120 mm S-unions			
	32 778 000	Chrome	4005176871788	318.97
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast spout projection 205 mm metal lever lever length 170 mm S-unions			
	32 779 000	Chrome	4005176871795	360.77
	ditto, with lockable S unions, projection 221 mm			
	32 770 000	Chrome	4005176871702	283.60
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 157 mm metal lever lever length 120 mm S-unions			
	32 768 000	Chrome	4005176871689	322.45
	ditto, with lockable S unions, projection 174 mm			
	32 767 000	Chrome	4005176871078	346.81
	<b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min cast swivel spout, lockable projection 197 mm metal lever lever length 120 mm S-unions			
	32 771 000	Chrome	4005176871719	374.68
	ditto, with lockable S unions, projection 214 mm			

COMMERCIAL  
FITTINGS

# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 773 000	Chrome	4005176871733	338.00
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min projection 257 mm metal lever lever length 170 mm S-unions</p>			
	32 774 000	Chrome	4005176871740	376.87
	<b>ditto, with lockable S unions, projection 274 mm</b>			
	32 775 000	Chrome	4005176871757	392.40
	<p><b>Euroeco Special</b> <b>Basin mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min Laminar flow straightener cast swivel spout, lockable projection 342 mm metal lever lever length 170 mm with lockable S-unions</p>			
	32 772 000	Chrome	4005176871726	326.37
	<p><b>Euroeco Special</b> <b>Single-lever basin mixer</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable minimum flow rate 2.5 l/min adjustable temperature limiter adjustable flow rate limiter laminar flow straightener 9 l/min cast swivel spout, lockable projection 222 mm metal lever lever length 170 mm without connection unions water saving</p>			
	32 780 000	Chrome	4005176871801	133.48
	<p><b>Euroeco Special</b> <b>Single-lever shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve metal lever lever length 120 mm S-unions protected against backflow without shower set</p>			








# GROHE EUROECO SPECIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 783 000	Chrome	4005176871832	156.84
	<b>Euroeco Special</b> <b>Single-lever bath/shower mixer 1/2"</b> wall mounted <b>GROHE StarLight</b> chrome finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve metal lever lever length 120 mm temperature limiter S-unions protected against backflow without shower set			
	32 784 000	Chrome	4005176871849	165.74
	<b>Euroeco Special</b> <b>Single-lever shower mixer trim</b> set for final installation for <b>without concealed body</b> <b>GROHE StarLight</b> chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter			
	33 963 000		4005176128387	114.03
	33 961 000		4005176119972	381.90
	33 964 000		4005176128394	115.31
	33 962 000		4005176119989	257.80
	32 786 000	Chrome	4005176871863	165.74
	<b>Euroeco Special</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever lever length 120 mm flexible connection hoses			
	32 787 000	Chrome	4005176871870	163.54
	<b>Euroeco Special</b> <b>Single-lever sink mixer 1/2"</b> monobloc installation <b>GROHE StarLight</b> finish <b>GROHE SilkMove</b> 46 mm ceramic cartridge <b>GROHE EcoJoy</b> technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min swivel tubular spout lever length 120 mm flexible connection hoses			







COMMERCIAL  
FITTINGS



# GROHE EUROECO SPECIAL











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 870 000	Chrome	4005176876523	116.62
	<b>Euroeco Special Lever 115 mm</b> for Euroeco special single-lever mixer <b>GROHE StarLight</b> chrome finish			
	32 871 000	Chrome	4005176876530	136.68
	<b>ditto, length 160 mm</b>			
<hr/>				
	12 051 000	Chrome	4005176213588	50.53
	<b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections <b>GROHE StarLight</b> chrome finish			
<hr/>				
	34 487 000	Chrome	4005176936234	165.74
	<b>Grotherm Micro</b> <b>Thermostatic scalding protection</b> temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread <b>GROHE TurboStat</b> thermoelement <b>GROHE StarLight</b> chrome finish built-in non return valves dirt strainer without connection set			
<hr/>				
	47 533 000	Chrome	4005176207181	37.56
	<b>Grotherm Micro</b> <b>Connection set</b> for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose <b>GROHE StarLight</b> chrome finish			

# GROHE HOSPITA



	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	30 978 000	Chrome	4005176098918	263.24
<p><b>Hospita</b> Sink pillar tap, 1/2" red/blue markers GROHE StarLight chrome finish</p>				
 	20 025 000	Chrome	4005176099403	154.18
<p><b>Hospita</b> Pillar tap 1/2" red/blue markers GROHE StarLight chrome finish</p>				
 	45 314 000	Chrome	4005176099250	93.90
<p><b>Lever</b> projection 150 mm marking: blue/red for use with ceramic headparts GROHE StarLight chrome finish</p>				

COMMERCIAL  
FITTINGS

# GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		32 788 000	Chrome	4005176871887	291.10
		<p><b>Euroeco Special</b>  <b>Single-lever safety basin mixer 1/2"</b>                      monobloc installation                      pop-up waste set 1 1/4"  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      laminar flow straightener 9 l/min                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses</p>			
		32 789 000	Chrome	4005176871894	263.26
		<p><b>ditto, smooth body</b></p>			
		32 790 000	Chrome	4005176871900	349.73
		<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      monobloc installation                      smooth body                      high version  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      laminar flow straightener 9 l/min                      metal lever                      lever length 120 mm                      rapid installation system                      flexible connection hoses</p>			
		32 823 000	Chrome	4005176877995	431.17
		<p><b>Euroeco Special</b>  <b>Single-lever safety basin mixer 1/2"</b>                      ceramic cartridge  <b>GROHE StarLight</b> chrome finish                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener 9 l/min.                      projection 170 mm                      metal lever                      lever length 170 mm                      without connection unions for wall mounting</p>			
		32 795 000	Chrome	4005176871955	458.26
		<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast spout with flow straightener 9 l/min.                      projection 204 mm                      metal lever                      lever length 170 mm                      S-unions</p>			

# GROHE EUROECO SINGLE SEQUENTIAL


	Ref. No.	Colour	EAN	Retail Guide Price (£)
	32 792 000	Chrome	4005176871924	462.31
	<p><b>Euroeco Single Sequential</b>  <b>Single-lever safety basin mixer 1/2"</b>                      wall mounted  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      ceramic cartridge                      adjustable flow rate limiter                      adjustable temperature limiter                      adjustable minimum flow rate 6 l/min.                      cast swivel spout, lockable with flow straightener 9 l/min.                      projection 197 mm                      metal lever                      lever length 120 mm                      S-unions</p>			
	32 793 000	Chrome	4005176871931	481.73
	<b>ditto, projection 256 mm</b>			
	46 278 000		4005176131868	117.67
	<p><b>Ceramic cartridge</b>                      for Euroeco special mixer</p>			
	28 874 000	Chrome	4005176042348	92.68
	<p><b>Tee Connection</b>                      for connection to shower and bath/shower- mixer union nut 1/2"                      2 connections 1/2" for the shower hose or drain valves  <b>GROHE StarLight</b> chrome finish</p>			
	28 988 000	Chrome	4005176042805	127.08
	<p><b>Drain Down Valve</b>                      for fitting between shut-off valve and shower acc. to hospital guide rules                      female thread 1/2"  <b>GROHE StarLight</b> chrome finish</p>			

COMMERCIAL  
FITTINGS

# GROHE EURODISC SE


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

36 233 000	Chrome	4005176283338	665.89
------------	--------	---------------	--------



**Eurodisc SE**  
**Self-closing basin mixer with mixing device and adjustable temperature limiter**  
 6V lithium battery, type CR-P2  
**GROHE StarLight** chrome finish  
 flexible connection hoses  
 start-stop function  
 self-closing electronic  
 safety stop after 180 sec.  
 Flow time infinitely adjustable from 2-180 sec.  
 Automatic flushing: 5 min after 3 days without use  
 thermal desinfection for 3,5 or 11 min  
 CE approved  
 type of protection faucet IP 59K

36 249 000	Chrome	4005176283345	759.28
------------	--------	---------------	--------



**Eurodisc SE**  
**Self-closing basin tap 1/2"**  
 6V lithium battery, type CR-P2  
 for cold or premixed water  
 marking: blue (cold)  
**GROHE StarLight** chrome finish  
 flexible connection hose  
 dirt strainer  
 rapid installation system  
 start-stop function  
 self-closing electronic  
 safety stop after 180 sec.  
 external access to flow time adjustment  
 Flow time infinitely adjustable from 2-180 sec.  
 Automatic flushing: 5 min after 3 days without use  
 CE approved  
 type of protection faucet IP 59K

36 209 000	Chrome	4005176207105	88.93
------------	--------	---------------	-------



**Security cover cap**  
 vandal-proof, covered and pre-adjustable  
 suitable for single hole mixers  
 Europlus E and Eurodisc SE  
 Consisting of:  
 special mixing device for actuation by screwdriver  
 metallic cap  
**GROHE StarLight** chrome finish


42 886 000		4005176200670	46.36
------------	--	---------------	-------



**Battery**  
 6V lithium battery, type CR-P2

# GROHE EUROSMART COSMOPOLITAN T


Ref. No. Colour EAN Retail Guide Price (£)



36 318 000 Chrome 4005176896521 360.95


**Eurosmart Cosmopolitan T**  
**Self-closing basin mixer with mixing device**  
**and adjustable temperature limiter**  
GROHE StarLight chrome finish  
pop-up waste set 1 1/4"  
3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)  
2 flexible hoses  
non-return valve  
dirt strainers  
min. recommended pressure 1.0 bar

36 317 000 Chrome 4005176896514 334.11  
**ditto, without pop-up waste set**




36 320 000 Chrome 4005176896545 521.98

**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer 1/2" with mixing device**  
**and adjustable temperature limiter**  
wall mounted  
GROHE StarLight chrome finish  
mixing device with hot water stop-valve  
hose connection G 1/2"  
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)  
S-unions  
non-return valve  
dirt strainers



36 321 000 Chrome 4005176896552 374.34

**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer 1/2" with mixing device**  
**and adjustable temperature limiter**  
GROHE StarLight chrome finish  
3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)  
dirt strainers  
set for final installation for concealed fitting box 36 322 001  
**without concealed body**









36 322 001 4005176595400 155.29

**Eurosmart Cosmopolitan T**  
**Concealed mounting box**  
**with mixture**  
wall installation  
with adhesive flange for sealing the wall  
2 stop valves  
non-return valve  
for use with 36 321 000  
allows for waterproofing of wall construction surrounding the concealed body  
with sealing sleeve

COMMERCIAL  
FITTINGS



# GROHE EUROECO COSMOPOLITAN T

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	36 265 000	Chrome	4005176893131	153.32
<p><b>Euroeco Cosmopolitan T</b>  <b>Self-closing pillar tap 1/2"</b>                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	Chrome	4005176893148	125.15
<p><b>Euroeco Cosmopolitan T</b>  <b>Self-closing pillar tap 1/2"</b>                      wall mounted                      marking: blue/red  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      5.7 l/min flow rate                      3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				
 	36 316 000	Chrome	4005176896279	40.77
<p><b>Euroeco Cosmopolitan T</b>  <b>Extension, 42 mm</b>                      for self-closing pillar tap 1/2" (36 266 000)  <b>GROHE StarLight</b> chrome finish</p>				
 	36 268 000	Chrome	4005176893162	125.15
<p><b>Euroeco Cosmopolitan T</b>  <b>Self-closing shower valve 1/2"</b>                      for concealed installation                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	Chrome	4005176893155	125.18
<p><b>Euroeco Cosmopolitan T</b>  <b>Self-closing shower valve 1/2"</b>                      exposed body and trim set                      marking: blue/red  <b>GROHE StarLight</b> chrome finish                      3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)                      escutcheon</p>				



**GROHE SENSIA**  
SHOWER TOILETS





**CONTENTS**

GROHE Sensia Arena  
Manual bidet seat

624  
627





# GROHE SENSIA ARENA

The GROHE Sensia Arena Toilet is the next level of personal care in the 21<sup>st</sup> century bathroom, offering a broad range of intelligent features. Prompted by a sensor, the lid opens and closes automatically while a gentle nightlight guides your way in the dark. The absorption of odours supports the transformation of a simple bathroom to a relaxing and hygienic zone. Every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing keep the toilet clean while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function. Discover the Sensia Arena and increase your personal well-being and comfort.



SHOWER TOILET

**Enjoy a wealth of benefits that will fit you like a glove**

## **01 Perfect skin care**

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

## **02 Ultimate hygiene clean**

Leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms provide you the greatest possible convenience and hygiene: GROHE HygieneClean.

## **03 Personal comfort**

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.



# GROHE MANUAL BIDET SEAT PERFECTLY HYGIENIC WITH TWIN SHOWER

## COMFORTABLE CLEANING WITH PURE WATER – NO ELECTRICITY NEEDED

The GROHE Manual Bidet Seat transforms a simple toilet into a comfortable, hygienic place where personal care and cleaning are second nature. Attached to a WC ceramic, the seat doesn't require electricity – instead, the spray is operated by a side lever powered only by water pressure, putting the control at your fingertips for an effective but gentle cleaning experience. No mess, no splashes and no stress. Made from hardwearing Duroplast, the seat itself creates an elegant visual addition to the bathroom.



### REAR SPRAY

Thorough yet gentle, the targeted rear spray promises precise personal cleaning.



### LADY SHOWER

The refreshing lady shower uses a completely separate spray arm for complete hygiene. The softer, wider spray pattern is more gentle, ideal for intimate feminine areas.



### **SOFT CLOSE SEAT**

Both seat and lid have a quiet soft close mechanism meaning no danger of trapped fingers or of damaging the material.



### **RETRACTABLE NOZZLES**

The two retractable spray arms are protected for extra hygiene.



### **SPRAY ARM CLEANING FUNCTION**

Have confidence that the two spray arms remain germ-free, thanks to the cleaning function. Made from anti-bacterial material, the spray heads can be rinsed before and after every use controlled by the seat control lever.

# GROHE SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 354 SH1	alpine white	4005176470448	2,858.42
------------	--------------	---------------	----------

## GROHE Sensia Arena

### Shower toilet complete system for concealed flushing cisterns, wall-hung

**GROHE Hygiene** GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology

GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology

GROHE Skin Clean:

2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)

separate water way for lady spray

oscillating spray (automatic forward and reverse motion of the spray)

pulsating spray for massage

adjustable spray intensity

automatic pre- and post-rinsing of spray nozzle with fresh water

integrated instant heater provides unlimited warm water

adjustable temperature

Additional functions

warm air dryer with adjustable temperature

odor extraction with filter

PlasmaCluster function - ion technology

descaling function

Duroplast WC seat and lid with automatic opening/close function

soft close

infra-red user detection

seat control operation

power switch

inside bowl night light

hidden water supply and power supply connection

remote control

smart phone app for iOS and Android

includes:

manual remote controller with wall-mounted holder

active carbon filter for odour absorption

water supply connection set for concealed cistern

nozzle guard

pressure 0.05 - 1 MPa (0.5 - 10 bar)


nominal voltage 220-240 V AC

main frequency 50-60 Hz

type of protection IPX4

complies with EN 1717


CE approved



# GROHE SENSIA ARENA

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 596 000		4005176527494	328.39
------------	--	---------------	--------



## Rapid SLX

### Element for WC, 1.13 m installation height with integrated socket and shower toilet connection


flushing cistern GDX, 6 l  
with integrated power socket  
ready for shower toilets (water)  
small revision shaft for small flush plates  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GDX, 6 l, containing following features:

factory set 6 l and 3 l  
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
water supply from right, back or top  
low noise (group I acc. to German Noise Specification)  
fully insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical use

including flow manager  
reduces flow of the flush  
prevents overspill in rimless toilets  
easy flow regulation via inspection shaft without removing the valves  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 598 000		4005176527517	371.46
------------	--	---------------	--------






## Rapid SLX

### 3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l  
Consisting of:  
Rapid SLX element for WC (39 596 000) with integrated power socket  
Rapid SL front wall brackets (38 558 00M)  
WC set for noise protection (37 131 000)  
including flow manager

# GROHE SENSIA ARENA

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 944 001		4005176479977	245.69
	40 899 000		4005176413896	47.79
	14 926 002		4005176572128	288.82

**GROHE Sensia Arena**

**Installation kit for automatic flush and pre-flush**

Suitable for Sensia Arena shower toilet on a 1.13 m Rapid SL frame for Rapid SL and Rapid SLX with flushing cistern GD2 in combination with Sensia Arena shower toilet

Consisting of:

- servo motor for GD 2
- actuation rod for flushing valve
- cable and blind cap
- flexible hose
- WC actuation plate not included
- CE approved

**Retrofit kit for shower toilets Sensia Arena and IGS**

retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS

including:

- conduit pipe with locking ring and flat seal
- cable ties
- WC connecting pipe Ø 45 mm
- waste sleeve Ø 90 mm


**GROHE Sensia Arena**

**Remote control**

for 39 354 SH0 and 39 354 SH1 for Sensia Arena shower toilet system, wall hung including wall holder


# GROHE MANUAL BIDET SEAT

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>39 648 SH0</b>	<b>alpine white</b>	<b>4005176575310</b>	<b>316.14</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic Manual bidet seat**  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
includes:  
mounting plate  
filter  
pressure 0.1 - 1 MPa (1 - 10 bar)  
complies with EN 1717





<b>39 651 SH0</b>	<b>alpine white</b>	<b>4005176575327</b>	<b>442.86</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic Manual bidet seat 2-in-1 set wall hung**  
Consisting of:  
Bau manual bidet seat soft close (39 648 SH0)  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
**Bau Ceramic wall hung WC (39 427 000)**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware



<b>39 652 SH0</b>	<b>alpine white</b>	<b>4005176575334</b>	<b>601.54</b>
-------------------	---------------------	----------------------	---------------

**Bau Ceramic Manual bidet seat 3-in-1 set, wall hung**  
Consisting of:  
Bau manual bidet seat soft close (39 648 SH0)  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
**Bau Ceramic wall hung WC (39 427 000)**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware  
Grotherm Micro 34 487 000  
small under-basin thermostat  
thermostatic scalding protection  
temperature adjustment 15-43° C (± 2° C)



<b>14 074 000</b>		<b>4005176575365</b>	<b>45.68</b>
-------------------	--	----------------------	--------------

**Accessory set shower hose and T piece**  
for manual bidet seat  
Consisting of:  
T unit 3/8"  
flexible connection hose  
795 mm  
3/8" x 3/8"

SHOWER TOILET



GROHE  
**CERAMICS**





## CONTENTS

Essence	636
Cube Ceramic	641
Euro Ceramic	645
Bau Ceramic	651
Acrylic shower trays	660

# FOUR UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's four ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



**ESSENCE**  
BEAUTY IN ITS PUREST FORM



**CUBE CERAMIC**  
A CLEAR STYLE STATEMENT





**EURO CERAMIC**  
IN TUNE WITH MY LIFESTYLE



**BAU CERAMIC**  
VERSATILITY FOR A MODERN LIFE

# FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

## OUR KEY TECHNOLOGIES

---



**TRIPLE VORTEX FLUSH**  
THE POWER OF THREE: CLEAN AND SILENT



**RIMLESS TECHNOLOGY**  
LEAVES BACTERIA NOWHERE TO HIDE



**PUREGUARD**

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



**QUICK RELEASE SEAT**

EASY REMOVAL FOR EASY CLEANING



**SEAT & COVER SOFT CLOSE**

GENTLE AND QUIET



# WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created four coordinated collections for a complete bathroom solution.

Each of our matches was tested to be perfect in design and function. Choose for yourself the line that complements your personal style.

BAU CERAMIC



EURO CERAMIC



ESSENCE



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE  
COSMOPOLITAN



EUROSTYLE



EUROSMArt  
COSMOPOLITAN



EUROSMArt



ESSENCE



LINEARE



GROHE PLUS



ATRIO



EUROCuBE















LINEARE













ALLURE















ALLURE  
BRILLIANT

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>39 564 00H</b>	<b>alpine white</b>	<b>4005176485602</b>	<b>353.03</b>
<p><b>Essence</b> <b>Wash basin 70</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 700 x 485 mm suitable for half and full pedestal sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 565 00H</b>	<b>alpine white</b>	<b>4005176485619</b>	<b>325.78</b>
<p><b>Essence</b> <b>Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet 600 x 485 mm suitable for half and full pedestal sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 566 00H</b>	<b>alpine white</b>	<b>4005176485626</b>	<b>775.60</b>
<p><b>Essence</b> <b>Vanity basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 1000 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 567 00H</b>	<b>alpine white</b>	<b>4005176485633</b>	<b>557.50</b>
<p><b>Essence</b> <b>Vanity basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 800 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 568 00H</b>	<b>alpine white</b>	<b>4005176485640</b>	<b>380.30</b>
<p><b>Essence</b> <b>Vanity basin 60</b> wall hung 1 hole punched, 2 holes pre-punched with overflow on opposite site to faucet suitable for vanity units 600 x 460 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					
		<b>39 608 00H</b>	<b>alpine white</b>	<b>4005176566493</b>	<b>741.51</b>
<p><b>Essence</b> <b>Vessel basin 60</b> without overflow 600 x 400 mm including fixation set including ceramic waste, removable cover non-closable sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>					









# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)	
		<b>39 609 00H</b>	<b>alpine white</b>	<b>4005176566509</b>	<b>494.80</b>
	<p><b>Essence</b>  <b>Vessel basin 45</b>            without overflow            450 x 450 mm            including fixation set            including ceramic waste, removable cover            non-closable            sanitary ware            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)</p>				
		<b>39 570 000</b>	<b>alpine white</b>	<b>4005176484865</b>	<b>203.10</b>
	<p><b>Essence</b>  <b>Half pedestal</b>            including fixation set            sanitary ware</p>				
		<b>39 571 00H</b>	<b>alpine white</b>	<b>4005176485671</b>	<b>489.35</b>
	<p><b>Essence</b>  <b>Wall hung WC</b>            for concealed cistern            wash down            rimless            horizontal outlet            flush volume 6/3 l            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>				
		<b>39 572 00H</b>	<b>alpine white</b>	<b>4005176485688</b>	<b>543.86</b>
	<p><b>Essence</b>  <b>Floor standing WC for close coupled combination</b>            close coupled            universal trap for horizontal and vertical outlet            wash down            rimless            flush volume 6/3 l            including fixation set            cistern to be ordered separately            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>				
		<b>39 573 00H</b>	<b>alpine white</b>	<b>4005176485794</b>	<b>511.16</b>
	<p><b>Essence</b>  <b>Floor standing back to wall WC</b>            universal trap for horizontal and vertical outlet            back to wall            for concealed cistern            rimless            flush volume 6/3 l            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)            compatible with seat and cover 39 576 000 (standard) or 39 577 000 (soft close)</p>				

# GROHE ESSENCE












	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 578 000	alpine white	4005176485145	312.15
<p><b>Essence</b>  <b>Exposed flushing cistern for close coupled combination</b>            connection from the left/right hand side            including flushing set GROHE AV1            dual flush 4.5/3 l            including fixation set            sanitary ware</p>				
 	39 579 000	alpine white	4005176485152	312.15
<p><b>Essence</b>  <b>Exposed flushing cistern for close coupled combination</b>            bottom inlet            inlet and outlet concealed            including flushing set GROHE AV1            dual flush 4.5/3 l            including fixation set            sanitary ware</p>				
 	39 577 000	alpine white	4005176485138	203.10
<p><b>Essence</b>  <b>WC seat soft close</b>            with lid            quick release function            detachable            material: Duroplast            including fixation set            stainless steel hinges            easy fixation from above            weight bearing capacity 150 kg            compatible with all Essence bowls</p>				
 	39 574 00H	alpine white	4005176485800	489.35
<p><b>Essence</b>  <b>Wall hung bidet</b>            1 hole punched            with overflow            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)</p>				
 	39 575 00H	alpine white	4005176485817	511.16
<p><b>Essence</b>  <b>Floor standing bidet</b>            1 hole punched            with overflow            including fixation set            sanitary ware            fully skirted with invisible fixation            With <b>PureGuard</b> hygiene coating            (anti-stick coating and anti-bacterial glazing)</p>				
 	39 611 000	alpine white	4005176571275	8,445.50
<p><b>Essence</b>  <b>Bathtub</b>            free standing            180 x 80 cm            height 57.5 cm            water volume 240 l            usable volume 170 l            without overflow            sanitary titan steel            mandatory waste set 49 113 000/SH0 (sold separately)            mains supply necessary for installation of waste set 49 113 000/SH0            includes noise suppression mats</p>				

# GROHE ESSENCE













	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 729 000</b>	<b>alpine white</b>	<b>4005176594991</b>	<b>7,693.57</b>
	<p><b>Essence Bathtub</b> free standing 180 x 80 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			
	<b>39 617 000</b>	<b>alpine white</b>	<b>4005176571312</b>	<b>1,621.39</b>
	<p><b>Essence Bathtub</b> built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 620 00H</b>	<b>alpine white</b>	<b>4005176571336</b>	<b>1,788.11</b>
	<p><b>Essence Bathtub</b> built-in 180 x 80 cm height 45 cm water volume 240 l usable volume 170 l with EasyClean with overflow sanitary titan steel suitable for Talento (28 943 000 + 19 025 000) and Talentofill (28 991 000 + 19 952 000) waste sets recommended Poresta installation set # 17156511 recommended Schedel installation set SW 80026 includes noise suppression mats requires bathtub feet 49 115 000 and sealing system 49 114 000, sold separately</p>			
	<b>39 622 000</b>	<b>alpine white</b>	<b>4005176571350</b>	<b>8,080.94</b>
	<p><b>Essence Bathtub</b> back-to-wall 180 x 85 cm height 57.5 cm water volume 240 l usable volume 170 l with overflow sanitary titan steel suitable for Talento waste sets (28 943 000 + 19 025 000) suitable for waste set Viega Multiplex Trio (functional unit 6161.62/727970 + chrome parts Visign MT3 6161.13/725792) includes noise suppression mats</p>			















# GROHE ESSENCE

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	49 113 000 49 113 SH0	Chrome alpine white	4005176571398 4005176571404	2,508.48 2,513.78
<b>Essence</b> <b>Waste set for free standing bathtubs</b> dual function of overflow and waste water drainage concealed overflow electric pressure sensor unlocks the overflow drainage mains supply necessary for installation				
 	19 025 000	Chrome	4005176209154	67.58
<b>Talento</b> <b>Waste and overflow set for baths</b> set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 <b>GROHE StarLight</b> chrome finish				
 	19 952 000	Chrome	4005176174230	60.69
<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> set for final installation escutcheon supply part waste plug fixing set  <b>in combination with Talentofill</b> <b>28 990 000/28 991 000</b>				
 	28 943 000		4005176209178	116.75
<b>Talento</b> <b>Pop-up bath waste and overflow</b> with bowden cable <b>without finishing trim set</b> bottle trap 45° waste elbow				
 	28 991 000		4005176174032	234.80
<b>Talentofill</b> <b>Inlet-, pop-up and waste-system</b> for baths with waste up to 370 mm reach <b>without finishing trim set</b>				
	49 115 000	Chrome	4005176571411	125.97
<b>Essence</b> <b>Feet for built-in bathtubs</b> individual height adjustment of each foot <b>GROHE FastFixation</b> system				

# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 386 00H</b>	<b>alpine white</b>	<b>4005176438356</b>	<b>689.78</b>
<p><b>Cube Ceramic Wash basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 469 00H</b>	<b>alpine white</b>	<b>4005176438363</b>	<b>596.15</b>
<p><b>Cube Ceramic Wash basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 473 00H</b>	<b>alpine white</b>	<b>4005176438370</b>	<b>322.56</b>
<p><b>Cube Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 474 00H</b>	<b>alpine white</b>	<b>4005176438387</b>	<b>300.97</b>
<p><b>Cube Ceramic Wash basin 50</b> <b>wall fixings not included</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 475 00H</b>	<b>alpine white</b>	<b>4005176442599</b>	<b>689.78</b>
<p><b>Cube Ceramic Counter top basin 100</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 476 00H</b>	<b>alpine white</b>	<b>4005176442605</b>	<b>597.59</b>
<p><b>Cube Ceramic Counter top basin 80</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm <b>wall fixings not included</b> including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				


# GROHE CUBE CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 477 00H</b>	<b>alpine white</b>	<b>4005176442612</b>	<b>324.01</b>
<p><b>Cube Ceramic Counter top basin 60</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 478 00H</b>	<b>alpine white</b>	<b>4005176442629</b>	<b>303.85</b>
<p><b>Cube Ceramic Counter top basin 50</b> flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 481 00H</b>	<b>alpine white</b>	<b>4005176442650</b>	<b>290.88</b>
<p><b>Cube Ceramic Vessel basin 50</b> without overflow 500 x 470 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 482 00H</b>	<b>alpine white</b>	<b>4005176442667</b>	<b>257.76</b>
<p><b>Cube Ceramic Vessel basin 40</b> without overflow 410 x 410 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 480 00H</b>	<b>alpine white</b>	<b>4005176442643</b>	<b>290.88</b>
<p><b>Cube Ceramic Under-counter wash basin 50</b> installation from below with overflow 492 x 370 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 479 00H</b>	<b>alpine white</b>	<b>4005176442636</b>	<b>311.05</b>
<p><b>Cube Ceramic Counter basin 60</b> flat back side glazed built-in 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm including fixation set sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				




# GROHE CUBE CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



39 490 000	alpine white	4005176442759	303.86
------------	--------------	---------------	--------











**Cube Ceramic**  
**Exposed flushing cistern for close coupled combination**  
 bottom inlet  
 inlet and outlet concealed  
 including flushing set GROHE AV1  
 including fixation set  
 sanitary ware



39 488 000	alpine white	4005176442735	223.22
------------	--------------	---------------	--------











**Cube Ceramic**  
**WC seat soft close**  
 with lid  
 quick release function  
 detachable  
 material: Duroplast  
 including fixation set  
 stainless steel hinges  
 easy fixation from above  
 weight bearing capacity 150 kg  
 compatible with all Cube Ceramic bowls

# GROHE EURO CERAMIC











	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 585 00H</b>	<b>alpine white</b>	<b>4005176519178</b>	<b>592.94</b>
<p><b>Euro Ceramic Vanity basin 100</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 1000 x 460 mm suitable for vanity units sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 584 00H</b>	<b>alpine white</b>	<b>4005176519161</b>	<b>459.37</b>
<p><b>Euro Ceramic Vanity basin 80</b> wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 460 mm suitable for vanity units sanitary ware With <b>PureGuard</b> hygiene coating (anti-stick coating and anti-bacterial glazing)</p>				
 	<b>39 323 000</b> <b>39 323 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176407116</b> <b>4005176417344</b>	<b>130.58</b> <b>196.63</b>
<p><b>Euro Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 650 x 514 mm <b>wall fixings not included</b> sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>				
 	<b>39 335 000</b> <b>39 335 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176407239</b> <b>4005176417351</b>	<b>123.28</b> <b>181.98</b>
<p><b>Euro Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched with overflow 595 x 482 mm sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>				
 	<b>39 337 000</b> <b>39 337 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176407253</b> <b>4005176418334</b>	<b>146.42</b> <b>196.66</b>
<p><b>Euro Ceramic Counter top basin 60</b> 1 hole punched with overflow 596 x 483 mm <b>wall fixings not included</b> sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>				











# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 336 000	alpine white	4005176407246	137.77
	39 336 00H	alpine white	4005176417368	179.76
	<p><b>Euro Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 550 x 450 mm <b>wall fixings not included</b> sanitary ware optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 423 000	alpine white	4005176406201	142.58
	<p><b>Bau Ceramic Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm <b>fixings included</b> sanitary ware</p>			
	39 324 000	alpine white	4005176407123	86.60
	39 324 00H	alpine white	4005176417375	152.62
	<p><b>Euro Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 450 x 396 mm <b>wall fixings not included</b> sanitary ware distance between installation holes: 160 mm optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 327 000	alpine white	4005176390104	108.59
	39 327 00H	alpine white	4005176418341	174.65
	<p><b>Euro Ceramic Compact handrinse basin</b> wall hung 1 hole punched 370 x 180 mm <b>wall fixings not included</b> sanitary ware no pedestals recommended optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	39 201 000	alpine white	4005176344947	93.93
	<p><b>Euro Ceramic Semi pedestal for wash basin</b> <b>39230, 39335 and 39336</b> invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H</p>			









# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>39 325 000</b>	<b>alpine white</b>	<b>4005176407130</b>	<b>93.93</b>
	<b>Euro Ceramic</b> <b>Semi pedestal for hand rinse basin</b> <b>39 324 000</b> invisible fixation set included sanitary ware suitable for hand rinse basins 39 324 000/39 324 00H			
 	<b>39 202 000</b>	<b>alpine white</b>	<b>4005176344954</b>	<b>108.60</b>
	<b>Euro Ceramic</b> <b>Full pedestal for wash basin</b> <b>39230,39335,39336 and 39324</b> invisible fixation set included sanitary ware suitable for all GROHE wash basins except 39 324 000, 39 324 00H, 39 327000, 39 327 00H			
 	<b>39 328 000</b>	<b>alpine white</b>	<b>4005176407161</b>	<b>365.43</b>
	<b>39 328 00H</b>	<b>alpine white</b>	<b>4005176417382</b>	<b>431.47</b>
	<b>Euro Ceramic</b> <b>Wall hung WC</b> for concealed cistern horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)			
 	<b>39 554 000</b>	<b>alpine white</b>	<b>4005176484452</b>	<b>489.35</b>
	<b>Euro Ceramic</b> <b>Wall hung WC set</b> Consisting of: Euro Ceramic wall hung WC (39 328 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set <b>4 pieces per pallet</b>			
 	<b>39 206 000</b>	<b>alpine white</b>	<b>4005176344992</b>	<b>336.07</b>
	<b>39 206 00H</b>	<b>alpine white</b>	<b>4005176418495</b>	<b>402.12</b>
	<b>Euro Ceramic</b> <b>Wall hung compact WC</b> horizontal outlet Triple Vortex rimless flush volume 3/5 l 49 cm width including fixation set sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)			









# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 693 000	alpine white	4005176581281	453.58
	<p><b>Euro Ceramic Wall hung WC set</b> Consisting of: Euro Ceramic wall hung compact WC (39 206 000) horizontal outlet Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast</p>			
	39 538 000	alpine white	4005176468292	286.26
	<p><b>Euro Ceramic Wall hung WC, basic</b> for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>			
	39 703 000	alpine white	4005176583896	419.22
	<p><b>Euro Ceramic Wall hung WC set</b> Consisting of: Euro Ceramic wall hung WC, 3/5 l (39 538 000) for concealed cistern horizontal outlet wash down rimless flush volume 3/5 l sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set</p>			
	39 338 000	alpine white	4005176407260	284.73
	39 338 00H	alpine white	4005176418501	350.75
<p><b>Euro Ceramic Floor standing WC for close coupled combination</b> close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 3/5 l including fixation set cistern to be ordered separately sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>				

# GROHE EURO CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 332 000	alpine white	4005176407208	262.70
<p><b>Euro Ceramic Exposed flushing cistern</b> bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set sanitary ware</p>				
 	39 333 000	alpine white	4005176407215	262.70
<p><b>Euro Ceramic Exposed flushing cistern</b> side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set sanitary ware</p>				
 	39 462 000 39 462 00H	alpine white alpine white	4005176454608 4005176454615	615.39 678.73
<p><b>Euro Ceramic Bundle close coupled WC</b> Consisting of: Euro Ceramic WC (39 338 000) wash down rimless horizontal outlet flush volume 6/3 l including fixation set sanitary ware Euro Ceramic cistern (39 332 000) bottom inlet including flushing set &amp; button sanitary ware Euro Ceramic WC seat with lid (39 330 001) soft close quick release function detachable material: Duroplast including fixation set <b>4 pieces per pallet</b></p>				
 	39 339 000 39 339 00H	alpine white alpine white	4005176407277 4005176418525	279.34 345.36
<p><b>Euro Ceramic Floor standing back to wall WC</b> horizontal outlet back to wall Triple Vortex rimless flush volume 3/5 l including fixation set sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H) compatible with seat and cover 39 330 001 (soft close) and 39 331 001 (without soft close)</p>				

# GROHE EURO CERAMIC











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>39 330 001</b>	<b>alpine white</b>	<b>4005176468834</b>	<b>130.63</b>
	<p><b>Euro Ceramic WC seat soft close</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Euro Ceramic bowls</p>			
	<b>39 331 001</b>	<b>alpine white</b>	<b>4005176468827</b>	<b>93.09</b>
	<p><b>Euro Ceramic WC seat</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg suitable for all GROHE Euro Ceramic WCs</p>			
	<b>39 208 000</b> <b>39 208 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176345029</b> <b>4005176418532</b>	<b>328.77</b> <b>394.79</b>
	<p><b>Euro Ceramic Wall hung bidet</b> 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			
	<b>39 340 000</b> <b>39 340 00H</b>	<b>alpine white</b> <b>alpine white</b>	<b>4005176423697</b> <b>4005176423703</b>	<b>284.70</b> <b>350.74</b>
	<p><b>Euro Ceramic Floor standing bidet</b> 1 hole punched with overflow including fixation set sanitary ware fully skirted with invisible fixation optional: <b>PureGuard</b> anti scale coating and anti bacterial glazing (00H)</p>			

# GROHE BAU CERAMIC











	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 420 000	alpine white	4005176405983	92.17
	<b>Bau Ceramic Wash basin 65</b> wall hung 1 hole punched with overflow 646 x 468 mm <b>wall fixings not included</b> sanitary ware			
	39 421 000	alpine white	4005176428906	84.97
	<b>Bau Ceramic Wash basin 60</b> <b>wall fixings not included</b> wall hung 1 hole punched with overflow 609 x 442 mm <b>wall fixings not included</b> sanitary ware			
	39 440 000	alpine white	4005176405976	77.74
	<b>Bau Ceramic Wash basin 55</b> wall hung 1 hole punched with overflow 553 x 386 mm <b>wall fixings not included</b> sanitary ware			
	39 422 000	alpine white	4005176406195	142.58
	<b>Bau Ceramic Counter Drop-in basin 55</b> built-in 1 hole punched with overflow 560 x 400 mm <b>fixings included</b> sanitary ware			
	39 423 000	alpine white	4005176406201	142.58
	<b>Bau Ceramic Undercounter wash basin 55</b> installation from below with overflow 560 x 420 mm <b>fixings included</b> sanitary ware			
	39 424 000	alpine white	4005176406218	77.75
	<b>Bau Ceramic Hand rinse basin 45</b> wall hung 1 hole punched with overflow 453 x 354 mm <b>wall fixings not included</b> sanitary ware distance between installation holes: 205 mm			













# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 426 000	alpine white	4005176406232	84.98
<b>Bau Ceramic Half pedestal</b> including fixation set sanitary ware suitable to all Bau Ceramic wash basins except 39 424 000				
 	39 425 000	alpine white	4005176406225	77.75
<b>Bau Ceramic Full pedestal</b> including fixation set sanitary ware				
 	39 910 000	alpine white	4005176720444	205.41
 <b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down rimless universal outlet flush volume 3/6 l including fixation set cistern to be ordered separately sanitary ware fully skirted with visible fixation compatible with seat and cover 39 913 000 (soft close) available July 2022				
 	39 912 000	alpine white	4005176720468	134.63
 <b>Bau Ceramic Exposed flushing cistern</b> bottom inlet inlet and outlet concealed including flushing set & button sanitary ware available July 2022				











# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 913 000	alpine white	4005176720475	120.09
<p><b>Bau Ceramic WC seat soft close slim</b> with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 910 000 and 39 929 000 <b>available July 2022</b></p>				
 	39 427 000	alpine white	4005176406249	142.56
<p><b>Bau Ceramic Wall hung WC</b> for concealed cistern wash down rimless horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 898 000 (slim seat soft close)</p>				
 	39 491 000	alpine white	4005176449994	99.84
<p><b>Bau Ceramic Wall hung WC</b> for concealed cistern wash down boxed rim horizontal outlet flush volume 6/3 l sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
 	39 428 000	alpine white	4005176406256	164.16
<p><b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down boxed rim horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard) or 39 493 000 (soft close)</p>				
 	39 349 000	alpine white	4005176449659	178.57
<p><b>Bau Ceramic Floor standing WC for close coupled combination</b> wash down rimless horizontal outlet flush volume 6/3 l including fixation set cistern to be ordered separately sanitary ware compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close) and 39 923 000 (slim seat soft close)</p>				











# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 429 000	alpine white	4005176406263	178.57
<p><b>Bau Ceramic</b>  <b>Floor standing WC for close coupled combination</b>  wash down  rimless  vertical outlet, concealed  flush volume 6/3 l  including fixation set  cistern to be ordered separately  sanitary ware  compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close)  and 39 923 000 (slim seat soft close)</p>				
 	39 436 000	alpine white	4005176406331	142.55
<p><b>Bau Ceramic</b>  <b>Exposed flushing cistern</b>  bottom inlet  inlet and outlet concealed  including flushing set &amp; button  sanitary ware</p>				
 	39 437 000	alpine white	4005176406348	142.55
<p><b>Bau Ceramic</b>  <b>Exposed flushing cistern</b>  connection from the left/right hand side  including flushing set &amp; button  sanitary ware</p>				
 	39 430 000	alpine white	4005176406270	120.98
<p><b>Bau Ceramic</b>  <b>Floor standing WC</b>  wash down  rimless  horizontal outlet  flush volume 6/3 l  including fixation set  sanitary ware  compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close)  and 39 898 000 (slim seat soft close)</p>				
 	39 431 000	alpine white	4005176406287	120.98
<p><b>Bau Ceramic</b>  <b>Floor standing WC</b>  wash down  rimless  vertical outlet  flush volume 6/3 l  including fixation set  sanitary ware  compatible with seat and cover 39 492 000 (standard), 39 493 000 (soft close)  and 39 898 000 (slim seat soft close)</p>				

# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 898 000	alpine white	4005176713972	119.17
<p><b>Bau Ceramic WC seat soft close slim</b> with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 427 000, 39 430 000 and 39 431 000</p>				
 	39 923 000	alpine white	4005176724008	119.17
<p><b>Bau Ceramic WC seat soft close slim</b> with lid slim design quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with Bau Ceramic bowls 39 349 000 and 39 429 000</p>				
 	39 492 000	alpine white	4005176450013	56.17
<p><b>Bau Ceramic WC seat</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls</p>				
 	39 493 000	alpine white	4005176450020	113.79
<p><b>Bau Ceramic WC seat soft close</b> with lid quick release function detachable material: Duroplast including fixation set stainless steel hinges easy fixation from above weight bearing capacity 150 kg compatible with all Bau Ceramic bowls</p>				
 	39 433 000	alpine white	4005176406300	231.99
<p><b>Bau Ceramic Wall hung bidet</b> 1 hole punched with overflow sanitary ware</p>				


# GROHE BAU CERAMIC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 432 000	alpine white	4005176406294	243.35
<p><b>Bau Ceramic</b> <b>Floor standing bidet</b> 1 hole punched with overflow including fixation set sanitary ware</p>				
 	39 438 000	alpine white	4005176406355	272.17
<p><b>Bau Ceramic</b> <b>Urinal</b> concealed inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately not compatible with temperature sensor 39 367 000</p>				
 	39 439 000	alpine white	4005176406362	272.16
<p><b>Bau Ceramic</b> <b>Urinal</b> top inlet <b>wall fixings Included</b> flush volume 1 l including fixation set sanitary ware for installation please order urinal trap 39 732 000 (horizontal outlet) or 39 733 000 (vertical outlet), sold separately</p>				
 	39 351 000	alpine white	4005176450006	243.36
<p><b>Bau Ceramic</b> <b>Wall hung WC set</b> Consisting of: <b>Bau Ceramic wall hung WC (39 427 000)</b> for concealed cistern horizontal outlet wash down rimless flush volume 3/6 l sanitary ware <b>Bau Ceramic WC seat (39 493 000)</b> soft close quick release function detachable material: Duroplast including fixation set</p>				
 	39 497 000	alpine white	4005176450068	184.01
<p><b>Bau Ceramic</b> <b>Wall hung WC set</b> Consisting of: <b>Bau Ceramic WC (39 491 000)</b> for concealed cistern horizontal outlet wash down boxed rim flush volume 3/5 l sanitary ware <b>Bau Ceramic WC seat (39 492 000)</b> quick release function detachable material: Duroplast including fixation set</p>				

# GROHE BAU CERAMIC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 347 000	alpine white	4005176449680	387.35
------------	--------------	---------------	--------



**Bau Ceramic**

**Bundle close coupled WC**

Consisting of:

**Bau Ceramic floor standing toilet with horizontal outlet (39 428 000)**

wash down  
boxed rim  
horizontal outlet, concealed  
flush volume 6/3 l  
including fixation set  
sanitary ware


**Bau Ceramic exposed flushing cistern (39 437 000)**

connection from the left/right hand side  
including flushing set & button  
sanitary ware

**Bau Ceramic WC seat (39 493 000)**

with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set

39 346 000	alpine white	4005176449673	401.76
------------	--------------	---------------	--------



**Bau Ceramic**

**Bundle close coupled WC**

Bau Ceramic floor standing toilet with vertical outlet (39 429 000)

wash down  
rimless  
vertical outlet  
flush volume 6/3 l  
including fixation set  
sanitary ware


**Bau Ceramic exposed flushing cistern (39 437 000)**

connection from the left/right hand side  
including flushing set & button  
sanitary ware

**Bau Ceramic WC seat (39 493 000)**

with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set

39 496 000	alpine white	4005176450051	402.92
------------	--------------	---------------	--------



**Bau Ceramic**

**Bundle close coupled WC**

Consisting of:

**Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)**

wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
including fixation set  
sanitary ware

**Bau Ceramic exposed flushing cistern (39 494 000)**

connection from the left/right hand side  
including flushing set & button  
sanitary ware

**Bau Ceramic WC seat (39 493 000)**


with lid  
soft close  
quick release function  
detachable  
material: Duroplast  
including fixation set



# GROHE BAU CERAMIC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 604 000	alpine white	4005176524486	421.18
------------	--------------	---------------	--------




**Bau Ceramic Bundle close coupled WC**  
Consisting of:  
**Bau Ceramic floor standing toilet with horizontal outlet (39 349 000)**  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
including fixation set  
sanitary ware  
**Bau Ceramic exposed flushing cistern (39 436 000)**  
bottom inlet  
inlet and outlet concealed  
including flushing set & button  
sanitary ware  
**Bau Ceramic WC seat (39 493 000)**  
with lid  
quick release function  
detachable  
material: Duroplast  
including fixation set  
**4 pieces per pallet**

39 648 SH0	alpine white	4005176575310	316.14
------------	--------------	---------------	--------







**Bau Ceramic Manual bidet seat**  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
includes:  
mounting plate  
filter  
pressure 0.1 - 1 MPa (1 - 10 bar)  
complies with EN 1717

39 651 SH0	alpine white	4005176575327	442.86
------------	--------------	---------------	--------











**Bau Ceramic Manual bidet seat 2-in-1 set wall hung**  
Consisting of:  
**Bau manual bidet seat soft close (39 648 SH0)**  
WC seat with lid  
2 dedicated spray arms (1 for anal area, 1 for lady spray)  
pre- and post-rinsing of spray nozzle with fresh water  
manually operated side handle requires no electricity  
adjustable spray intensity  
Duroplast WC seat and lid with soft close function  
flexible water connection 3/8"  
**Bau Ceramic wall hung WC (39 427 000)**  
for concealed cistern  
wash down  
rimless  
horizontal outlet  
flush volume 6/3 l  
sanitary ware

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 652 SH0	alpine white	4005176575334	601.54
  <p><b>Bau Ceramic</b>  <b>Manual bidet seat 3-in-1 set, wall hung</b>            Consisting of:            Bau manual bidet seat soft close (39 648 SH0)            WC seat with lid            2 dedicated spray arms (1 for anal area, 1 for lady spray)            pre- and post-rinsing of spray nozzle with fresh water            manually operated side handle requires no electricity            adjustable spray intensity            Duroplast WC seat and lid with soft close function            flexible water connection 3/8"</p> <p><b>Bau Ceramic wall hung WC (39 427 000)</b>            for concealed cistern            wash down            rimless            horizontal outlet            flush volume 6/3 l            sanitary ware            Grotherm Micro 34 487 000            small under-basin thermostat            thermostatic scalding protection            temperature adjustment 15-43° C (± 2° C)</p>			


14 074 000		4005176575365	45.68
  <p><b>Accessory set shower hose and T piece</b>            for manual bidet seat            Consisting of:            T unit 3/8"            flexible connection hose            795 mm            3/8" x 3/8"</p>			

# GROHE ACRYLIC SHOWER TRAYS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	39 300 000	alpine white	4005176346026	318.70
	<p><b>Acrylic shower tray 1000 x 1000</b>            dimensions: 1000 x 1000 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014416            recommended Schedel installation set SD 90083</p>			
	39 301 000	alpine white	4005176346033	234.93
	<p><b>Acrylic shower tray 900 x 900</b>            dimensions: 900 x 900 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014408            recommended Schedel installation set SD 90081</p>			
	39 302 000	alpine white	4005176346040	225.30
	<p><b>Acrylic shower tray 800 x 800</b>            dimensions: 800 x 800 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)            or            MEPA mounting frame SF (# 150183)            rim sealing (# 180040)            recommended Poresta installation set # 17014411            recommended Schedel installation set SD 90080</p>			
	39 305 000	alpine white	4005176346071	398.39
	<p><b>Acrylic shower tray 800 x 1200</b>            dimensions: 800 x 1200 mm            depth: 30 mm            material: acrylic            diameter of waste outlet: 90 mm            recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately            recommended installation material:            MEPA mounting frame SF (# 150183)            extension set MR SF (# 150194)            height adjustment easy lift (# 150193)            wall rails for shower trays (# 190032)            rim sealing (# 180040)            recommended Poresta installation set # 17014413            recommended Schedel installation set SD 90084</p>			

# GROHE ACRYLIC SHOWER TRAYS


Ref. No.	Colour	EAN	Retail Guide Price (£)
39 306 000	alpine white	4005176346088	259.64



### Acrylic shower tray 800 x 1000

dimensions: 800 x 1000 mm  
 depth: 30 mm  
 material: acrylic  
 diameter of waste outlet: 90 mm  
 recommended GROHE waste sets: 49 533 000 (vertical) and 49 534 000 (horizontal), sold separately  
 recommended installation material:  
 MEPA universal shower tray base unit BW 5 (# 150130) and wall rails for shower trays (# 190032)  
 or  
 MEPA mounting frame SF (# 150183)  
 rim sealing (# 180040)  
 recommended Poresta installation set # 17014412  
 recommended Schedel installation set SD 90082


49 533 000	Chrome	4005176478475	39.23
49 533 SH0	alpine white	4005176560033	60.16



### Waste set for universal shower tray

Ø 112 mm  
 vertical outlet  
**GROHE StarLight** chrome finish  
 flow rate 1.1 l/s according to DIN EN 274

49 534 000	Chrome	4005176478482	39.23
49 534 SH0	alpine white	4005176560040	60.16




### Waste set for universal shower tray

Ø 112 mm  
 horizontal outlet  
**GROHE StarLight** chrome finish  
 flow rate 0.7 l/s (42 l/min) according to DIN EN 274

GROHE  
INSTALLATION SYSTEMS







## CONTENTS


Rapid SLX	Rapid SLX	664
Rapid SL	Rapid SL for WC	666
	Rapid SL for Urinal	677
	Rapid SL for Wash Basin and Bidet	679
	Rapid SL for the Disabled	682
	Rapid SL Fitting Supports	684
	Rapid SL Accessories	685



# GROHE RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 596 000		4005176527494	328.39
------------	--	---------------	--------



## Rapid SLX

### Element for WC, 1.13 m installation height with integrated socket and shower toilet connection


flushing cistern GDX, 6 l  
with integrated power socket  
ready for shower toilets (water)  
small revision shaft for small flush plates  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 90 mm  
depth adjustable  
reducer Ø 90/110 mm  
inlet and outlet connecting set

### flushing cistern GDX, 6 l, containing following features:

factory set 6 l and 3 l  
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
water supply from right, back or top  
low noise (group I acc. to German Noise Specification)  
fully insulated against condensation  
1/2" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection during construction phase  
for vertical use

including flow manager  
reduces flow of the flush  
prevents overspill in rimless toilets  
easy flow regulation via inspection shaft without removing the valves  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)  
for mounting of flush plates 156 x 197 mm please order revision shaft 66 791 000 (sold separately)

39 603 000	Chrome	4005176527562	398.38
------------	--------	---------------	--------



## Rapid SLX



### 3-in-1 set for WC, 1.13 m installation height

flushing cistern GDX, 6 l  
Consisting of:  
Rapid SLX element for WC (39 596 000) with integrated power socket  
Skate Cosmopolitan S flush plate, chrome (37 535 000)  
Rapid SL front wall brackets (38 558 00M)  
including flow manager

# GROHE RAPID SLX

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

39 598 000		4005176527517	371.46
------------	--	---------------	--------



## Rapid SLX

### 3-in-1 set for WC, 1.13 m installation height

flushing cistern GDx, 6 l

Consisting of:

Rapid SLX element for WC (39 596 000) with integrated power socket


Rapid SL front wall brackets (38 558 00M)

WC set for noise protection (37 131 000)

including flow manager

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 374 KS0	velvet black	4005176344770	887.82



## Glass Cover Skate Cosmopolitan for Rapid SL 1.13 m with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs  
for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections


mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish

Set for noise protection

including accessory for mounting glass plate and WC ceramic

39 374 LS0	moon white	4005176344787	887.82
------------	------------	---------------	--------



## Glass Cover Skate Cosmopolitan

for Rapid SL 1.13 m

### with flushing cistern GD 2

for connecting shower toilet Sensia Arena or common wall-hung WCs  
for tiled/plastered walls

two-piece glass cover made of tempered safety glass (8 mm)

upper part removable for maintenance

flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover

HPL mounting plate with hole pattern for all connections

mounting plate with concealed water connection for shower toilet Sensia Arena

mounting plate with with quality edges in silver finish


Set for noise protection

including accessory for mounting glass plate and WC ceramic

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 528 001		4005176863943	236.88
------------	--	---------------	--------



## Rapid SL

### Element for WC, 1.13 m installation height with flushing cistern GD 2, 6 l - 9 l

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
TUV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

water supply from left/right or back

Insulated against condensation


1/2" water supply connection including integrated

angle valve and push fit flexible hose union

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

39 002 000		4005176936920	452.20
------------	--	---------------	--------



## Rapid SL

### Element for WC, 1.13 m installation height, for external odour extraction with flushing cistern GD 2, 6 l - 9 l

#### with flush pipe for external odour extraction

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

for dry-cladding, completely pre-assembled

with fixed connections

quick adjustment, lockable

fixing material

TUV approved

2 WC fixing bolts

fixing device for ceramic

WC ceramics with small bearing area (< 205 mm) require

additional accessory 38 779 000

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

### flushing cistern GD 2, 6 - 9 l, containing following features:

factory set 6 l and 3 l

flush pipe with connection for odor extraction 50 mm

pneumatic discharge valve offering 2 modes of

operation: dual flush or single flush

water supply from left/right or back

low noise (group I acc. to

German Noise Specification)

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union

no tools required for the installation

of the inspection shaft incl. protection

during construction phase









inspection shaft for vertical or horizontal use

allows for flush plate to be installed vertically or horizontally.

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)


for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	39 500 000	Chrome	4005176453861	409.14
	<b>Rapid SL</b> <b>5-in-1 set for WC, 1.13 m installation height</b> <b>with flushing cistern GD 2 , 6 l - 9 l</b> Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan S flush plate, chrome (37 535 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M) WC set for noise protection (37 131 000)			
 	38 827 000	Chrome	4005176870477	398.38
	<b>Rapid SL</b> <b>5-in-1 set for WC, 1.13 m installation height</b> <b>with flushing cistern GD 2 , 6 l - 9 l</b> Consisting of: Rapid SL element for WC (38 528 001) Skate Cosmopolitan flush plate, chrome (38 732 000) GROHE Fresh retro-fit set (38 796 000) Rapid SL front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)			
 	38 750 001	Chrome	4005176863363	366.09
	<b>Rapid SL</b> <b>3-in-1 set for WC, 1.13 m installation height</b> <b>with flushing cistern GD 2 , 6 l - 9 l</b> Consisting of: Rapid SL element for WC (38 528 001) Skate Air flush plate, chrome, vertical installation (38 505 000) Rapid SL front wall brackets (38 558 00M) including WC set for noise protection (37 131 000)			
 	38 860 000	Chrome	4005176878084	323.01
	<b>Rapid SL</b> <b>3-in-1 set for WC, 1.13 m installation height</b> <b>with flushing cistern GD 2 , 6 l - 9 l</b> Consisting of: Rapid SL element for WC (38 528 001) Nova Cosmopolitan flush plate, chrome (38 765 000) Rapid SL front wall brackets (38 558 00M)			

# GROHE RAPID SL FOR WC


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



38 888 000	Chrome	4005176879630	570.66
------------	--------	---------------	--------

**Rapid SL**  
**4-in-1 set for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 I**


Consisting of:  
Rapid SL element for WC (38 525 001)  
Skate Cosmopolitan flush plate, chrome (38 732 000)  
GROHE Fresh retro-fit set (38 796 000)  
Rapid SL front wall brackets (38 558 00M)



38 885 000	Chrome	4005176879609	489.91
------------	--------	---------------	--------

**Rapid SL**  
**4-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 I**


Consisting of:  
Rapid SL element for WC (38 526 000)  
Skate Cosmopolitan flush plate, chrome (38 732 000)  
GROHE Fresh retro-fit set (38 796 000)  
Rapid SL front wall brackets (38 558 00M)



39 501 000	Chrome	4005176453878	353.17
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 I - 9 I**

Consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Cosmopolitan S flush plate, chrome (37 535 000)  
Rapid SL front wall brackets (38 558 00M)  
including revision shaft 40 911 000 for mounting of small flush plates



39 503 000	Chrome	4005176454097	353.17
------------	--------	---------------	--------


**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 I - 9 I**

Consisting of:  
Rapid SL element for WC (38 528 001)  
Skate Air S flush plate, chrome, vertical installation (37 965 000)  
Rapid SL front wall brackets (38 558 00M)




# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




39 504 000	Chrome	4005176454103	353.17
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
 flushing cistern GD 2, 6 - 3 l  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Arena Cosmopolitan S flush plate, chrome (37 624 000)  
 Rapid SL front wall brackets (38 558 00M)  
 including revision shaft 40 911 000 for mounting of small flush plates




39 581 000	Chrome	4005176496011	392.99
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2, 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Nova Cosmopolitan S flush plate, chrome (37 601 000)  
 GROHE Fresh retro-fit set (38 796 000)  
 Rapid SL front wall brackets (38 558 00M)



38 721 001	Chrome	4005176863431	323.01
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2, 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Air flush plate, chrome, vertical installation (38 505 000)  
 Rapid SL front wall brackets (38 558 00M)




38 722 001	alpine white	4005176863424	323.00
------------	--------------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2, 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Air flush plate, alpine white, vertical installation (38 505 SH0)  
 Rapid SL front wall brackets (38 558 00M)


# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




38 772 001	Chrome	4005176863288	323.00
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 Rapid SL front wall brackets (38 558 00M)




38 761 000	Chrome	4005176841620	371.46
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Skate Air flush plate, chrome, horizontal installation (38 506 000)  
 Rapid SL front wall brackets (38 558 00M)



38 773 000	Chrome	4005176850288	371.46
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Skate Cosmopolitan flush plate, chrome (38 732 000)  
 Rapid SL front wall brackets (38 558 00M)




38 868 000	Chrome	4005176878091	371.45
------------	--------	---------------	--------

**Rapid SL**  
**3-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Nova Cosmopolitan flush plate, chrome (38 765 000)  
 Rapid SL front wall brackets (38 558 00M)


# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




<b>38 764 001</b>	<b>alpine white</b>	<b>4005176863301</b>	<b>290.72</b>
-------------------	---------------------	----------------------	---------------

**Rapid SL**  
**2-in-1 set for WC, 1.13 m installation height**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 Consisting of:  
 Rapid SL element for WC (38 528 001)  
 Skate Air flush plate, alpine white, vertical installation (38 505 SH0)



<b>38 947 000</b>		<b>4005176911217</b>	<b>425.30</b>
-------------------	--	----------------------	---------------

**Rapid SL**  
**2-in-1 set for WC, 1.00 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 525 001)  
 Rapid SL front wall brackets (38 558 00M)




<b>38 948 000</b>		<b>4005176911224</b>	<b>323.00</b>
-------------------	--	----------------------	---------------

**Rapid SL**  
**2-in-1 set for WC, 0.82 m installation height**  
**with flushing cistern 6 - 3 l**  
 Consisting of:  
 Rapid SL element for WC (38 526 000)  
 Rapid SL front wall brackets (38 558 00M)

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 536 001		4005176863929	269.18
------------	--	---------------	--------




**Rapid SL**  
**Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 with fixed connections  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set

**flushing cistern GD 2, 6 - 9 l, containing following features:**  
 water supply from left/right or back  
 1/2" water supply connection including integrated angle valve and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation  
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 539 001		4005176863912	306.85
------------	--	---------------	--------



**Rapid SL**  
**Element for WC, 1.13 m installation height with flushing cistern GD 2 , 6 l - 9 l**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 quick adjustment, lockable  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set


**flushing cistern GD 2, 6 - 9 l, containing following features:**  
 factory set 6 l and 3 l  
 pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
 water supply from left/right or back  
 low noise (group I acc. to German Noise Specification)  
 Insulated against condensation  
 1/2" water supply connection including integrated angle valve and push fit flexible hose union  
 no tools required for the installation  
 of the inspection shaft incl. protection during construction phase  
 inspection shaft for vertical or horizontal use  
 allows for flush plate to be installed vertically or horizontally.

including wall brackets 38 558 00M for on-the-wall installation  
 including WC set for noise protection (37 131 000)  
 for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 675 001		4005176863516	441.45
------------	--	---------------	--------



## Rapid SL

**Element for WC, 1.13 m installation height, 0.42 m width**  
with flush cistern 6 - 3 l

### for WC bowls 70 cm projection

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

outlet bend Ø 90 mm

depth adjustable

reducer Ø 90/110 mm

inlet and outlet connecting set

Insulated against condensation

1/2" water supply connection including integrated

angle valve and push fit flexible hose union


for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

for the mounting of support rails for the disabled please order fixing element 38 559 001 (sold separately)

## 38 994 000

4005176932335

430.68



## Rapid SL

**Element for WC with flushing cistern 80 mm, 1.13 m installation height**

element width 0.62 m

for small, narrow bathrooms

for on-the-wall installations or studded walls

powder coated steel frame, self-supporting

with fixed connections

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set

**flushing cistern 80 mm, 6 - 9 l, containing following features:**

**water supply from top or back**

water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation


for mounting of small flush plates please order

revision shaft 40 949 000 (sold separately)

## 38 995 000

4005176932342

516.81



## Rapid SL

**Element for WC with flushing cistern 80 mm, variable width**

**1.13 m finished installation height**

for small, narrow bathrooms

variable element width 0.70 - 1.20 m

for on-the-wall installation

powder coated steel frame, self-supporting

with fixed connections

TUV approved

2 WC fixing bolts

fixing device for ceramic

distance of fixing bolts 180/230 mm

PP outlet bend Ø 90 mm

depth adjustable

PP reducer Ø 90/110 mm

inlet and outlet connecting set








**flushing cistern 80 mm, 6 - 9 l, containing following features:**

**water supply from top**

water supply 1/2" and push fit flexible hose union

including wall brackets 38 558 00M for on-the-wall installation


# GROHE RAPID SL FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 525 001		4005176863967	409.15
	<p><b>Rapid SL</b>  <b>Element for WC, 1.00 m installation height with flushing cistern 6 - 3 l</b>                      for on-the-wall installations or studded walls                      powder coated steel frame, self-supporting                      TUV approved                      2 WC fixing bolts                      fixing device for ceramic                      WC ceramics with small bearing area (&lt; 205 mm) require additional accessory 38 779 000                      distance of fixing bolts 180/230 mm                      outlet bend Ø 90 mm                      depth adjustable                      reducer Ø 90/110 mm                      inlet and outlet connecting set</p> <p><b>flushing cistern 6 - 9 l containing the following features:</b>                      water supply from left/right or back                      Insulated against condensation                      1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately)                      for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
 	38 526 000		4005176291050	306.85
	<p><b>Rapid SL</b>  <b>Element for WC, 0.82 m installation height with flushing cistern 6 - 3 l</b>                      for on-the-wall installations or studded walls                      powder coated steel frame, self-supporting                      TUV approved                      2 WC fixing bolts                      fixing device for ceramic                      distance of fixing bolts 180/230 mm                      PP outlet bend Ø 90 mm                      depth adjustable                      reducer Ø 90/110 mm                      inlet and outlet connecting set</p> <p><b>flushing cistern 6 - 9 l containing the following features:</b>                      water supply from left/right or back                      Insulated against condensation                      1/2" water supply connection including integrated angle valve and push fit flexible hose union</p> <p>for on-the-wall installation please order wall brackets 38 558 00M (sold separately)                      for mounting of small flush plates please order revision shaft 40 950 000 (sold separately)</p>			
	40 899 000		4005176413896	47.79
	<p><b>Retrofit kit for shower toilets Sensia Arena and IGS</b>                      retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS                      including:                      conduit pipe with locking ring and flat seal                      cable ties                      WC connecting pipe Ø 45 mm                      waste sleeve Ø 90 mm</p>			
 	38 558 00M		4005176291418	34.33
	<p><b>Rapid SL</b>  <b>Front wall brackets</b>                      for against-the-wall installations                      for fixing the elements at the brick-wall or in front of the studded wall                      adjustment from 130 - 230 mm  <b>2 pieces</b></p>			



# GROHE RAPID SL FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




42 333 000

4005176845888

18.02

**4.5 l adapter for GD2**  
to reduce the maximum flush volume to 4.5 liters



42 327 000

4005176838705


15.88

**PP-outlet bend Ø 90 mm**  
variable depth adjustment

# GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

38 786 001		4005176864025	355.32
------------	--	---------------	--------




## Rapid SL

### Element for urinal with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during construction phase  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

38 803 001		4005176864049	446.84
------------	--	---------------	--------




## Rapid SL

### Element for urinal with infra-red electronic with GROHE Rapido U 1.13 and 1.30 m installation height for manual actuation or Tectron infra-red electronic 6 V or 230 V

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
quick adjustment, lockable fixing material  
TUV approved  
HT-outlet bend Ø 50 mm  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device for the ceramic  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
inspection shaft incl. protection during construction phase  
including wall brackets 38 558 00M for on-the-wall installation

39 376 000		4005176342998	366.09
------------	--	---------------	--------



## Rapid SL


### Element for urinal with temperature sensor with roughing-in set for T sensor 1.13 and 1.30 m installation height

for on-the-wall installations or studded walls  
height adjustable fitting connections  
HT-outlet bend Ø 50 mm  
fixing bolts M8, with fixing device for the ceramic  
inlet connection and inlet connecting set  
box for concealed installation including roughing-in box  
water group with stop valve and flush elbow  
for T sensor electronic please order installation set 39 368 000 or 39 369 000 (sold separately)  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------


38 558 00M		4005176291418	34.33
------------	--	---------------	-------



**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)




**38 554 001**      **4005176863806**      **172.28**

**Rapid SL**  
**Element for wash basin, single hole installation with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**39 052 000**      **4005176935961**      **242.24**


**Rapid SL**  
**Element for wash basin, single hole installation, height adjustable with noise protection**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved
- fixing and connecting traverse, height adjustable

**Includes**

- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
  - 2 noise protected fitting connections 1/2"
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 557 001**      **4005176863783**      **161.50**

**Rapid SL**  
**Element for wash basin, single hole installation**

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

- powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections
- quick adjustment, lockable fixing material
- TÜV approved

**Includes**


- wash basin fixing bolts with fixing device for ceramic
  - variable distance of fixing bolts
  - HT-outlet bend Ø 50 mm
  - seal Ø 32 mm
- for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

INSTALLATION SYSTEMS

# GROHE RAPID SL FOR WASH BASIN AND BIDET

Ref. No.      Colour      EAN      Retail Guide Price (£)

**38 748 002      Chrome      4005176416323      742.94**




**Rapid SL**  
Element for wash basin with roughin-in set for infra-red electronic for wall mounted fittings suitable for trim sets Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000

**1.13 m finished installation height**  
for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
pre-mounted roughing-in set with protecting block  
fire-proof pipe for laying electronic cables  
installation box with water group, stop valve and flush elbow  
connection with noise protected fitting holder 1/2"  
connecting box for mains supply 230 V  
CE approved  
for installation with pre-mixed or cold water  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 546 000      4005176291289      199.18**




**Rapid SL**  
Element for wash basin, for wall mounted fittings  
**1.30 m installation height**

for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
quick adjustment, lockable  
fixing material  
TUV approved

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
variable distance of fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 541 000      4005176291234      209.95**





**Rapid SL**  
Element for wash basin, single hole installation  
**1.0 m finished installation height**

for on-the-wall installations or studded walls

**Includes**  
wash basin fixing bolts with fixing device for ceramic  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

**38 553 001      4005176863813      339.15**




**Rapid SL**  
Element for bidet, 1.13 m installation height  
vertical support for ceramics with small bearing area (< 205 mm)  
for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm, seal Ø 32 mm  
2 noise protected fitting connections 1/2"  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)

# GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No.      Colour      EAN      Retail Guide Price (£)



**38 545 000**      **4005176291272**      **403.76**

**Rapid SL**  
**Element for bidet, 1.00 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections


**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 543 000**      **4005176291258**      **393.01**

**Rapid SL**  
**Element for bidet, 0.82 m installation height**  
for on-the-wall installations or studded walls  
height adjustable fitting connections

**Includes:**  
bidet fixing bolts  
HT-outlet bend Ø 50 mm  
seal Ø 32 mm  
fixing material for bidet  
for on-the-wall installation please order wall brackets 38 558 00M (sold separately)



**38 558 00M**      **4005176291418**      **34.33**


**Rapid SL**  
**Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
adjustment from 130 - 230 mm  
**2 pieces**



# GROHE RAPID SL FOR THE DISABLED


Ref. No.      Colour      EAN      Retail Guide Price (£)

**38 675 001**      **4005176863516**      **441.45**



**Rapid SL**  
**Element for WC, 1.13 m installation height, 0.42 m width**  
 with flush cistern 6 - 3 l  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 90 mm  
 depth adjustable  
 reducer Ø 90/110 mm  
 inlet and outlet connecting set  
 Insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
 for on-the-wall installation please order wall brackets 38 558 00M (sold  
 separately)  
 for the mounting of support rails for the disabled please order fixing element 38  
 559 001 (sold separately)


**39 140 000**      **4005176315268**      **888.29**



A	1080	1130
B	230	280
C	910	960
D	950	1000
E	1010	1060

**Rapid SL**  
**Element for WC, 1.13 m installation height**  
**with fixing element for back support and support rails**  
**with flushing cistern GD 2 , 6 l - 9 l**  
 for the disabled  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 with fixed connections  
 TÜV approved  
 2 WC fixing bolts  
 4 wall brackets  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 PP outlet bend Ø 90 mm  
 depth adjustable  
 PP reducer Ø 90/110 mm  
 inlet and outlet connecting set  
**flushing cistern GD 2, 6 - 9 l, containing following features:**  
 water supply from left/right or back  
 Insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
 including wall brackets 38 558 00M for on-the-wall installation  
 for mounting of small flush plates please order  
 revision shaft 40 911 000 (sold separately)


**38 541 000**      **4005176291234**      **209.95**



**Rapid SL**  
**Element for wash basin, single hole installation**  
**1.0 m finished installation height**  
 for on-the-wall installations or studded walls  
**Includes**  
 wash basin fixing bolts with  
 fixing device for ceramic  
 HT-outlet bend Ø 50 mm  
 seal Ø 32 mm  
 for on-the-wall installation please order wall brackets 38 558 00M (sold  
 separately)

# GROHE RAPID SL FOR THE DISABLED

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



38 559 001		4005176863776	253.03
------------	--	---------------	--------

## Rapid SL

**Fixing element, 1.13 m installation height**

to fix **support** for the disabled

**0.31 m wide**


powder coated steel frame

waterproof plywood

for on-the-wall installation please order wall brackets 38 558 00M (sold separately)










# GROHE RAPID SL FITTING SUPPORTS

Ref. No.	Colour	EAN	Retail Guide Price (£)
37 998 000		4005176262586	140.14



**Rapid SL**  
**Fitting support for exposed fittings**  
for **studded walls**  
for empty elements  
2 noise protected fitting connections 1/2"

# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 558 00M</b>		4005176291418	34.33
<b>Rapid SL</b> <b>Front wall brackets</b> for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall adjustment from 130 - 230 mm <b>2 pieces</b>				
 	<b>38 629 000</b>		4005176293191	70.77
<b>Rapid SL</b> <b>Flush pipe extension</b> for floor constructions from 200 up to 350 mm fixing material not suitable for project elements				
 	<b>38 733 000</b>		4005176837289	41.02
<b>Rapid SL</b> <b>Xtra wall brackets, flexible placing</b> for additional fixation of WC elements or installation without floor fixing mounting angles including wall bracket and fixing material <b>2 pieces</b>				
 	<b>38 562 001</b>		4005176863752	125.98
<b>Rapid SL</b> <b>Set for corner installation</b> for WC, bidet, wash basin and urinal single installation or fitting to a rail fitting maximum 625 mm from the corner fixing material for corner installation 2 wall brackets <b>1.13 m</b> <b>135°</b>				
 	<b>38 779 000</b>		4005176855306	132.98
<b>Rapid SL</b> <b>Accessory</b> for WC bowls with a bearing area of less than 20 cm vertical support for ceramics with small bearing area (< 205 mm)				
 	<b>37 131 000</b>		4005176144585	50.86
<b>Set for noise protection</b> for WC sound insulation 2 rubber pipes				



# GROHE RAPID SL ACCESSORIES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 766 000		4005176222115	14.83
	<b>Distance pipe 3"</b>			
 	38 338 000		4005176286179	36.11
	<b>Water supply pipe connector</b>			
 	40 911 000		4005176416132	15.29
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern			
 	40 950 000	Chrome	4005176478994	21.72
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL and Uniset with 0.82 m/1.00 m installation height			
 	40 949 000	Chrome	4005176477881	28.15
	<b>Inspection shaft for small flush plates</b> for combination with 80 mm cistern			
	66 791 000		4005176866562	17.72
	<b>Inspection shaft</b> for combination with Rapid SLX cisterns (for 156 x 197mm flush plates)			

# GROHE RAPID SL ACCESSORIES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

43 617 000		4005176841163	89.39
------------	--	---------------	-------



**Motor support device**  
for Rapid SL 38 675  
for the disabled  
as of mid 2008  
or installation of infra-red electronic



GROHE  
**FLUSHING SYSTEMS**















## CONTENTS

WC	Flushing Cisterns	690
	Accessories for Flushing Cisterns	693
	WC Flush Valves	699
	Electronic Actuators for WC	701
Urinal	Electronic Actuators for Urinal	706
	Urinal Flush Valves	711


# GROHE FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 762 SH0	alpine white	4005176213250	92.08
	<p><b>Flushing cistern for WC</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> min. recommended pressure 0.2 bar ABS flush pipe 180 mm x 320 mm connection from the left/right hand side</p>			
	37 945 SH0	alpine white	4005176256387	92.09
	<p><b>Flushing cistern for WC 6L</b> for concealed bath furniture installation non-interruptible flush cycle <b>flush button not included</b> ABS flush pipe 180 mm x 320 mm min. recommended pressure 0.2 bar connection from bottom left or right</p>			
	37 791 SH0	alpine white	4005176217241	206.00
	<p><b>Flushing cistern for WC 6 l / 3 l</b> exposed installation interruptible flush cycle hidden flush pipe connection servo actuation low level made of PS low noise (group I acc. to German Noise Specification) fully insulated against condensation with isolation valve 1/2" copper pipe mounting template flush pipe bend WC inlet connector</p>			
	38 661 000		4005176294907	210.61
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			
	38 987 000		4005176924798	140.67
	<p><b>WC concealed cistern</b> factory set 6 l and 3 l pneumatic discharge valve offering 2 modes of operation: dual flush or single flush connection from left/right/back or top Insulated against condensation 1/2" water supply connection including integrated angle valve and push fit flexible hose union inspection shaft for vertical or horizontal use allows for flush plate to be installed vertically or horizontally. flush pipe insulated against condensation fixing brackets <b>flush pipe and connector</b> for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)</p>			

# GROHE FLUSHING CISTERNS


Ref. No.      Colour      EAN      Retail Guide Price (£)

38 863 000           4005176832345      168.20





**Flushing cistern for WC 80 mm 6 l / 3 l**  
 pneumatic discharge valve offering 2 modes of operation: dual flush or single flush  
 water supply connection from top with push fit flexible hose union with isolation valve 1/2"  
 Inspection shaft incl. protection during construction phase, **for vertical flush plates only**  
 fixing brackets  
 for mounting of small flush plates please order revision shaft 40 949 000 (sold separately)

38 422 000           4005176275203      224.73




**Flushing cistern for WC 6 l / 3 l**  
**0.82 m finished installation height front/top actuation**  
 water supply from left/right or back  
 Insulated against condensation  
 415 x 140 x 360 mm  
 fixing brackets  
**without wall plate/actuation**  
**GROHE EcoJoy** technology for less water and perfect flow

38 691 000           4005176815454      224.74



**Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush**  
 water supply from left/right or back with angle stop valve 1/2" and flush pipe  
 fixing brackets  
 min. recommended pressure 0.2 bar  
**air button front/top actuation**  
 extended hose length for flexibility when positioning the actuation  
 sleek and minimal styling allows the button to be fitted in any 360° orientation  
**GROHE EcoJoy** technology for less water and perfect flow

39 053 000           4005176935978      97.51




**Concealed flushing cistern 6 l / 3 l Dual Flush**  
**water supply from bottom**  
 min. recommended pressure 0.2 bar  
 mechanical round push button actuation Ø 50 mm with Eco button  
 mechanical actuation from front, top, left or right for walls 18 -24 mm thickness  
 bowden cable 0.5 m length  
 for more flexibility in push button position  
 fixing brackets  
 flush pipe  
 WC inlet connector  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow

FLUSHING SYSTEMS

# GROHE FLUSHING CISTERNS


Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



39 054 000		4005176936289	97.50
------------	--	---------------	-------

**Concealed flushing cistern**  
**6 l / 3 l**  
**Dual Flush**  
 min. recommended pressure 0.2 bar  
 mechanical round push button actuation Ø 50 mm with Eco button  
 mechanical actuation from front, top, left or right  
 for walls 18 -24 mm thickness  
 bowden cable 0.5 m length  
 for more flexibility in push button position  
 fixing brackets  
 flush pipe  
 WC inlet connector  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow








39 056 000	Chrome	4005176936302	25.37
------------	--------	---------------	-------



**Round push button actuation Ø 50 mm with Eco button**  
 in combination with bath furniture  
 for combination with flushing cistern 39 053 000 & 39 054 000  
 for walls 18 -24 mm thickness  
**GROHE StarLight** chrome finish













# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 095 000		4005176145124	38.69
	<b>Filling valve</b> 3/8" universal application			
	37 093 000		4005176145070	50.54
	<b>ditto, but with stand pipe for bottom inlet</b>			
	37 092 000		4005176145049	43.01
<b>ditto, with adaptor</b>				
	43 537 000		4005176157653	50.54
	<b>Filling valve</b> for concealed flushing cisterns 6 l			
	42 181 000		4005176286872	52.09
	<b>Filling valve 1/2"</b>			
	42 297 P10	matt chrome/chrome	4005176832048	80.58
	<b>Eco-discharge valve</b> dual flush discharge valve AV1 push button actuation Ø 40 mm with Eco-knob with fixing device for lid <b>GROHE EcoJoy</b> technology for less water and perfect flow fixing set with 100 mm screws and cellular rubber joint 100 mm dia.			
	42 253 000		4005176814532	78.73
	<b>Dual Flush discharge valve</b>			
	43 907 P10	matt chrome/chrome	4005176177545	102.36
	<b>Replace kit set</b> for close-coupled ceramic cisterns with filling valve, servo discharge valve interruptible flush cycle fixing set with 100 mm screws and cellular rubber joint 100 mm dia. centring for filling and discharge valve when having larger bore holes <b>GROHE StarLight</b> chrome finish  **) max. shortening 100 mm			





# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 735 000		4005176837500	68.91
	<b>Dual flush valve set</b> dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable <b>GROHE EcoJoy</b> technology for less water and perfect flow			
	38 736 000		4005176837517	54.86
	<b>Dual flush valve set</b> for flushing cistern GD 2 / Rapid SL 1.13 m only <b>6 l / 3 l</b> dual flush discharge valve AV1 consisting of valve seat <b>without wall plate/actuation</b>			
	42 320 000		4005176837487	78.74
	<b>Dual Flush discharge valve AV1</b> AV1 complete with pipe extension <b>6 l / 3 l</b> without valve seat <b>without actuation</b>			
	42 314 000		4005176835636	78.73
	<b>AV1 complete</b>			
	42 137 000		4005176259524	24.60
	<b>Servo discharge valve</b>			
	43 486 000		4005176157158	65.38
	<b>Servo discharge valve</b>			







# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	42 774 000		4005176221590	76.43
<b>Waste pneumatic</b>				
	42 233 000	Chrome	4005176300653	22.58
<b>Connecting hose</b>				
 	43 908 000		4005176160257	24.61
<b>Flush pipe, concealed</b> complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm				
 	37 311 K00	black	4005176160851	25.36
<b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts				
 	37 489 000		4005176167386	11.99
<b>Flush pipe extension</b> length 200 mm				
	43 352 000		4005176832413	11.00
<b> Ditto, length 300 mm without connector 37 119 000</b>				
 	37 104 K00	black	4005176160844	26.28
<b>WC inlet and outlet connecting set</b> for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				











# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 105 K00	black	4005176141904	25.37
<b>Flush pipe extension</b> length 300 mm				
 	37 119 000		4005176144370	4.76
<b>Connector</b> Ø 55 mm				
 	42 327 000		4005176838705	15.88
<b>PP-outlet bend Ø 90 mm</b> variable depth adjustment				
 	42 333 000		4005176845888	18.02
<b>4.5 l adapter for GD2</b> to reduce the maximum flush volume to 4.5 liters				
 	37 131 000		4005176144585	50.86
<b>Set for noise protection</b> for WC sound insulation 2 rubber pipes				
	43 544 000		4005176157738	11.00
<b>Outlet piston</b>				

# GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 242 000		4005176804977	14.69
	<b>4" outlet adaptor for Rapid SL</b>			
	38 714 000		4005176828454	18.02
	<b>WC wall plate extension set 70 mm</b> with pneumatic discharge valve			
	42 593 000		4005176566417	37.75
	<b>Valve seat</b> including flow manager reduces flow of the flush prevents overspill in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
	40 911 000		4005176416132	15.29
	<b>Inspection shaft for small flush plates</b> for combination with Rapid SL 1.13 m with GD 2 cistern			
	40 950 000	Chrome	4005176478994	21.72
	<b>ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height</b>			
	40 949 000	Chrome	4005176477881	28.15
	<b>ditto, for combination with 80 mm cistern</b>			

# GROHE WC FLUSH VALVES




	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 347 000	Chrome	4005176837999	258.11
<p><b>Rondo A.S.</b> Flush valve for WC 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls control cap and connection to plastic flush pipe with flow rate adjustment <b>6 l / 3 l</b> with escutcheon flow pressure min 1.2 bar operating pressure max 5 bar low noise (group I acc. to German Noise Specification)</p>				
 	37 141 000	Chrome	4005176143113	129.05
<p><b>DAL-Full-automatic flush valve for WC</b> 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls with automatic flow rate flow pressure range from 1.2 - 5.0 bar low noise (group II according to German noise specification)</p>				
 	37 139 000	Chrome	4005176143083	107.89
<p><b>DAL-Automatic flush valve for WC</b> 3/4" brass <b>GROHE StarLight</b> chrome finish for wash-down and wash-out bowls with flow rate adjustment</p>				
 	37 132 000	Chrome	4005176144608	23.38
<p><b>Fixing device</b> hidden fixing screws for flush pipes Ø 28 mm for distance to the wall from 15 - 85 mm</p>				
 	37 133 000		4005176144622	38.60
<p><b>Inlet adaptor for corner installation</b> 3/4"</p>				



# GROHE WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 107 000	Chrome	4005176141713	56.87
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>600 x 200 mm</b> brass flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	37 112 000		4005176141911	88.29
<p><b>Flush pipe</b> for flush valves Ø 28 x 26 mm adjustable, 500 - 750 mm brass</p>				
 	37 108 000	Chrome	4005176141720	48.58
<p><b>Flush pipe</b> for WC flush valve Ø 28 x 26 mm <b>1000 x 200 mm</b> straight brass without flush pipe fixing device for distance to the wall from 15 - 85 mm connector</p>				
 	37 114 000	Chrome	4005176141935	23.38
<p><b>Flush pipe extension</b> Ø 28 x 26 mm 260 mm brass</p>				
 	37 135 000		4005176144653	7.44
<p><b>Connector</b> Ø 55 mm for flush valve to pedestal WC</p>				
 	37 131 000		4005176144585	50.86
<p><b>Set for noise protection</b> for WC sound insulation 2 rubber pipes</p>				

# GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	<b>38 698 SD1</b>	<b>stainless steel</b>	<b>4005176929571</b>	<b>884.72</b>
	<p><b>Tectron Skate</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
	<b>38 699 001</b>	<b>Chrome</b>	<b>4005176929588</b>	<b>744.07</b>
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing  <b>GROHE StarLight</b> chrome finish                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      adjustable flush (3 - 9 l) by hand or remote                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
	<b>37 419 000</b>	<b>Chrome</b>	<b>4005176933806</b>	<b>997.27</b>
	<b>37 419 SD0</b>	<b>stainless steel</b>	<b>4005176933813</b>	<b>997.27</b>
<p><b>Tectron Skate</b>  <b>Infra-red electronic for WC flushing cistern</b>                      with additional manual actuation                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC  <b>for flushing cistern GD 2 / Rapid SL 1.13 m only</b>                      servo motor                      concealed installation                      front plate 156 x 197 mm                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings                      by remote control 36 407                      adjustable flush (3 - 9 l) by hand or remote                      CE approved                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>				

# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 504 000	Chrome	4005176320521	1,053.51
------------	--------	---------------	----------

**Tectron Skate Bluetooth**  
**Infra-red electronic for WC**  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  
 with additional manual actuation

**GROHE StarLight** finish  
 front plate 156 x 197 mm  
 servo motor  
 for use with Rapid SLX please order shaft 66 791 000 (sold separately)  
 with Bluetooth 4.0\* for wireless data communication  
 for Apple\*\* and Android devices  
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver

**monitoring**  
 password protected products  
 app detects all Bluetooth products in range  
 auto flush cycles and timing last auto flush  
 usage per day over 30 days

**configuration**  
 detection range and shut off delay  
 auto flush  
 cleaning mode

2 on/off timers  
 identification by name


**service**  
 send and save 3 profiles  
 reset to factory or user settings  
 hard and software version  
 CE approved

Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.



39 881 000	Chrome	4005176706790	429.23
39 881 SH0	alpine white	4005176706806	411.75
39 881 KF0	phantom black	4005176715099	506.64


**Tectron Bau E**  
**Infra-red electronic for WC flushing cistern**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing

**GROHE StarLight** chrome finish  
 with transformer 42 470 000 100-230 V AC 50-60 Hz, 6.75 V 4 W DC  
 for new installations and retrofit to all GD2 cisterns

servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 hidden anti-theft device


infra-red control  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings

by remote control 36 407  
 adjustable flush (3 - 9 l) by hand or remote  
 CE approved





# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
39 882 000	Chrome	4005176706813	337.81
39 882 SH0	alpine white	4005176706820	320.35
39 882 KF0	phantom black	4005176715105	415.19





**Tectron Bau E**  
**Infra-red electronic for WC flushing cistern**  
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
**GROHE StarLight** chrome finish  
 6V lithium battery, type CR-P2  
 for new installations and retrofit to all GD2 cisterns  
 servo motor  
 concealed installation  
 front plate 156 x 197 mm  
 hidden anti-theft device  
 infra-red control  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flush (3 - 9 l) by hand or remote  
 CE approved

43 617 000		4005176841163	89.39
------------	--	---------------	-------




**Motor support device**  
 for Rapid SL 38 675  
 for the disabled  
 as of mid 2008  
 or installation of infra-red electronic

38 778 000		4005176855269	821.40
------------	--	---------------	--------



**Radio transmitter**  
 for an additional flush plate for manual actuation for WC  
 receiver modul 868,4 MHz  
 for support rails for the disabled with radio transmitter of Hewi, Keuco, Lehnen, Normbau, Pressalit, AMS, Deubad, Erlau, FRELU, FSB  
**for flushing cistern GD 2 / Rapid SL 1.13 m only**  
 for flushing cistern 6 l  
 concealed installation  
 servo motor  
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 adjustable flush volume  
 adjustable flow time  
 72 h flushing can be activated  
 with extension cable, 3.00 m length,  
 for connecting transformer and electronic

36 340 000		4005176911385	66.94
------------	--	---------------	-------



**Power extension cable**  
 length 3.00 m



# GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
36 341 000		4005176911392	120.34





**Power extension cable**  
length 10.00 m

# GROHE PNEUMATIC ACTUATIONS FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	43 977 000	Chrome	4005176164798	257.82

**Air button**  
**GROHE StarLight** chrome finish  
 remote **hand**-actuation for  
**institutional requirements**  
**white** push button with escutcheon  
 Ø 100 mm  
 for walls of 80 - 240 mm thickness  
 actuation stop  
 pneumatic hose 1500 mm long

 	36 407 001		4005176368974	322.60
---	------------	--	---------------	--------

**Remote control**  
 for all GROHE one eye infra-red products  
 as of 06/2015 and GROHE Blue Home until 12/2018

**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)

**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)


**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply



# GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

37 421 000	Chrome	4005176935572	539.17
------------	--------	---------------	--------






## Tectron Rondo



### Infra-red electronic for Urinal


with infrared sensor for bi-directional communication for monitoring, configuration and servicing  
 6V lithium battery, type CR-P2  
 battery lifetime approx. 7 years (150 actuations a day)  
 metal housing  
 exposed installation  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 G 1/2  
**with integrated stop valve**  
 flush pipe with rubber connector  
 multistage battery status display  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 additional functions and precise settings  
 by remote control 36 407  
 adjustable flow time by hand or remote  
 CE approved

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 336 001	Chrome	4005176929540	659.67
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>			
	37 337 001	Chrome	4005176929557	621.68
	<p><b>Tectron Surf</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      6V lithium battery, type CR-P2                      battery lifetime approx. 7 years (150 actuations a day)                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      infra-red control                      multistage battery status display                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>Rapido U or Rapido UMB</b>                      CE approved</p>			
	37 321 001	Chrome	4005176929496	659.67
	37 321 SD1	stainless steel	4005176929502	659.67
<p><b>Tectron Skate</b>  <b>Infra-red electronic for Urinal</b>                      with infrared sensor for bi-directional communication for monitoring, configuration and servicing                      with transformer 100-230 V AC, 50-60 Hz, 6 V DC                      cartridge with solenoid valve and dirt strainer                      front plate 116 x 144 mm                      flow pressure min 0.5 bar                      operating pressure max 10 bar                      7 pre-set programs                      auto flush                      cleaning mode                      pre-flush on/off                      additional functions and precise settings by remote control 36 407                      adjustable flow time by hand or remote                      compatible with  <b>for Rapido U</b>                      CE approved</p>				

# GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 324 001	Chrome	4005176929526	659.67
	37 324 SD1	stainless steel	4005176929533	621.68
	<b>Tectron Skate</b>			
	<p><b>Infra-red electronic for Urinal</b>  with infrared sensor for bi-directional communication for monitoring, configuration and servicing  6V lithium battery, type CR-P2  battery lifetime approx. 7 years (150 actuations a day)  cartridge with solenoid valve and dirt strainer  front plate 116 x 144 mm  flow pressure min 0.5 bar  operating pressure max 10 bar  multistage battery status display  7 pre-set programs  auto flush  cleaning mode  pre-flush on/off  additional functions and precise settings  by remote control 36 407  adjustable flow time by hand or remote  compatible with  <b>Rapido U or Rapido UMB</b>  CE approved</p>			

	37 503 000	Chrome	4005176320507	842.55
	<p><b>Tectron Skate Bluetooth</b>  <b>Infra-red electronic for Urinal</b>  <b>for Rapido U 37 338 000</b>  with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose  <b>GROHE StarLight</b> finish  flow pressure min 0.5 bar  operating pressure max 10 bar</p> <p>with Bluetooth 4.0* for wireless data communication  Bluetooth transmitter frequency: 2.4 GHz  for Apple** and Android devices  Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p><b>monitoring</b>  password protected products  app detects all Bluetooth products in range  auto flush cycles and timing last auto flush  usage per day over 30 days</p> <p><b>configuration</b>  detection range and shut off delay  auto flush  cleaning mode  2 on/off timers  identification by name</p> <p><b>service</b>  send and save 3 profiles  reset to factory or user settings  CE approved  hard and software version</p> <p>Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.</p>			

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

\*\*\* Available for free via iTunes app or Google Play store.

# GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No.      Colour      EAN      Retail Guide Price (£)

37 338 000           4005176837920      167.35




**GROHE Rapido U**  
 roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V or 230 V**  
 water group with stop valve  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 flush aid  
 functional unit checked ex factory  
 water supply connections 1/2" outer thread  
 connecting box for mains supply  
 installation box with gasket  
 fixing points for dry cladding and masonry-in  
 inspection shaft incl. protection

38 787 000           4005176855689      139.26




**GROHE Rapido UMB**  
 roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V**  
 water group with stop valve  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 flush aid  
 functional unit checked ex factory  
 water supply connections 1/2" outer thread  
 installation box with gasket  
 fixing points for dry cladding and masonry-in  
 inspection shaft incl. protection during construction phase

36 407 001           4005176368974      322.60



**Remote control**  
 for all GROHE one eye infra-red products  
 as of 06/2015 and GROHE Blue Home until 12/2018  
**monitoring**  
 consumption and usage data  
 thermal disinfection cycles (infrared mixers)  
 auto flush cycles (infrared mixers)  
 cleaning mode cycles (GROHE Blue Home)  
 filter and CO<sub>2</sub> capacity (GROHE Blue Home)  
**configuration**  
 cleaning mode activation  
 thermal disinfection (infrared mixers)  
 detection range (infrared mixers)  
 shut off delay (infrared mixers)  
 auto flush (infrared mixers)  
 filter capacity (GROHE Blue Home)  
**service**  
 send and save profile  
 reset to factory or user settings  
 service details  
 demo mode  
 error codes (GROHE Blue Home)  
 3 x 1.5 V DC (AAA) battery supply

39 368 000           4005176341540      659.02




**Temperature sensor for urinal**  
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**39 376 000 Rapid SL required**  
 Waste trap with temperature sensor  
 cartridge with solenoid valve and dirt strainer  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 7 pre-set programs  
 auto flush  
 cleaning mode  
 pre-flush on/off  
 CE approved

FLUSHING SYSTEMS

# GROHE ELECTRONIC ACTUATIONS FOR URINAL


Ref. No.      Colour      EAN      Retail Guide Price (£)

39 367 000           4005176341533      678.79



**Temperature sensor for urinal**  
6V lithium battery, type CR-P2  
with water connection set and stop valve  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
7 pre-set programs  
auto flush  
cleaning mode  
pre-flush on/off  
CE approved  
only for certain urinal ceramics, check online TPI

39 369 000           4005176341557      876.80



**Temperature sensor with Bluetooth for urinal**  
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC  
**39 376 000 Rapid SL required**  
Waste trap with temperature sensor  
cartridge with solenoid valve and dirt strainer  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
with Bluetooth module for bi-directional communication for monitoring,  
configuration and service purpose  
with Bluetooth 4.0\* for wireless data communication  
Bluetooth transmitter frequency: 2.4 GHz  
Bluetooth range (max. 10 m) varies depending on materials used and walls  
between transmitter and receiver  
for Apple\*\* and Android devices  
**monitoring**  
password protected products  
app detects all Bluetooth products in range  
auto flush cycles and timing last auto flush  
usage per day over 30 days  
**configuration**  
shut-off delay  
auto flush  
cleaning mode  
2 on/off timers  
identification by name  
**service**  
send and save 3 profiles  
reset to factory or user settings  
hard and software version  
CE approved













Mobile devices and GROHE IR Remote App\*\*\* are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

\* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

\*\* Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards









\*\*\* Available for free via iTunes app or Google Play store.

# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 339 000	Chrome	4005176837937	135.18
<p><b>Rondo</b> Flush valve for urinal 1/2" brass integrated stop valve <b>GROHE StarLight</b> chrome finish with control cap and flush pipe connection flow rate adjustment flush volume adjustable 1.0 - 4.0 l with wall escutcheon flush pipe 200 mm rubber connector with escutcheon flow pressure min 0.5 bar operating pressure max 5 bar</p>				
 	37 396 000	Chrome	4005176907968	153.32
<p><b>Press urinal flush valve</b> 1/2" brass <b>GROHE StarLight</b> chrome finish with wall escutcheon</p>				
 	37 044 000		4005176160776	25.36
<p><b>Urinal inlet connector, 1/2"</b></p>				
 	37 035 000	Chrome	4005176143731	15.27
<p><b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> straight</p>				
 	37 036 000	Chrome	4005176143748	24.09
<p><b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 10 mm</p>				
 	37 037 000	Chrome	4005176143762	26.63
<p><b>Offset 20 mm</b></p>				



# GROHE URINAL FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 038 000	Chrome	4005176143786	29.15
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 30 mm			
	37 039 000	Chrome	4005176143793	31.67
	<b>ditto, offset 40 mm</b>			
 	37 040 000	Chrome	4005176143861	35.39
	<b>Urinal flush pipe</b> Ø 18 mm 200 mm brass <b>chrome plated</b> offset 50 mm			
 	37 043 000	Chrome	4005176143922	47.63
	<b>Urinal flush pipe</b> Ø 18 mm 400 mm brass straight			
 	37 042 000	Chrome	4005176143908	21.51
	<b>Flush pipe extension</b> Ø 16 mm 200 mm brass			



GROHE  
**ACTUATIONS**






## CONTENTS

WC	Flush Plates for WC	716
	GROHE Fresh	724
	Flush Plates for WC Flush Valves	725
Urinal	Flush Plates for Urinal	726

# GROHE FLUSH PLATES FOR WC



Ref. No.	Colour	EAN	Retail Guide Price (£)
37 535 000	Chrome	4005176416019	81.30
37 535 P00	matt chrome	4005176416026	81.30
37 535 SH0	alpine white	4005176416033	84.38
37 535 DC0	supersteel	4005176416040	210.57
37 535 BE0	polished nickel	4005176431340	210.57
37 535 EN0	brushed nickel	4005176431319	210.57
37 535 GL0	cool sunrise	4005176431302	210.57
37 535 GN0	brushed cool sunrise	4005176431296	210.57
37 535 DA0	warm sunset	4005176431333	210.57
37 535 DL0	brushed warm sunset	4005176431326	210.57
37 535 A00	hard graphite	4005176431364	210.57
37 535 AL0	Brushed Hard Graphite	4005176431357	210.57

## Skate Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm


made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



37 601 000	Chrome	4005176416057	93.12
37 601 P00	matt chrome	4005176416064	123.79
37 601 SH0	alpine white	4005176416071	76.61
37 601 DC0	supersteel	4005176416088	210.67
37 601 BE0	polished nickel	4005176529009	210.67
37 601 EN0	brushed nickel	4005176529047	210.67
37 601 GL0	cool sunrise	4005176524271	210.67
37 601 GN0	brushed cool sunrise	4005176529016	210.67
37 601 DA0	warm sunset	4005176524288	210.67
37 601 DL0	brushed warm sunset	4005176529023	210.67
37 601 A00	hard graphite	4005176528996	210.67
37 601 AL0	Brushed Hard Graphite	4005176529030	210.67

## Nova Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm

made of ABS

**GROHE StarLight** chrome finish


**GROHE EcoJoy** technology for less water and perfect flow  
flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)

# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------



37 624 000	Chrome	4005176416095	93.12
37 624 P00	matt chrome	4005176416101	123.79
37 624 SH0	alpine white	4005176416118	76.61
37 624 DC0	supersteel	4005176416125	210.71
37 624 BE0	polished nickel	4005176529085	210.67
37 624 EN0	brushed nickel	4005176529122	210.67
37 624 GL0	cool sunrise	4005176529054	210.67
37 624 GN0	brushed cool sunrise	4005176529092	210.67
37 624 DA0	warm sunset	4005176529061	210.67
37 624 DL0	brushed warm sunset	4005176529108	210.67
37 624 A00	hard graphite	4005176529078	210.67
37 624 AL0	Brushed Hard Graphite	4005176529115	210.67

## Arena Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm

made of ABS


**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow

flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



37 973 000	Chrome	4005176479021	93.12
37 973 DC0	supersteel	4005176479052	210.71
37 973 SH0	alpine white	4005176479038	76.61
37 973 P00	matt chrome	4005176479045	123.79

## Arena Cosmopolitan S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

for horizontal installation

130 x 172 mm


made of ABS

**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow

flush plate with magnetic holder and fixing brackets included

for use with Rapid SL and Uniset 0.82 m installation height please order shaft 40 950 000 (sold separately)



37 965 000	Chrome	4005176442506	81.56
37 965 SH0	alpine white	4005176442513	62.81

## Skate Air S

### Flush plate

for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
compatible with Rapid SL/GD2 1.13 m

### for vertical installation

130 x 172 mm

made of ABS


**GROHE StarLight** chrome finish

**GROHE EcoJoy** technology for less water and perfect flow

flush plate with magnetic holder and fixing brackets included

compatible with Rapid SLX

for use with Rapid SL and Uniset with GD 2 cistern please order shaft 40 911 000 (sold separately)



40 911 000		4005176416132	15.29
------------	--	---------------	-------

## Inspection shaft for small flush plates

for combination with Rapid SL 1.13 m with GD 2 cistern


40 950 000	Chrome	4005176478994	21.72
ditto, for Rapid SL and Uniset with 0.82 m/1.00 m installation height			

40 949 000	Chrome	4005176477881	28.15
ditto, for combination with 80 mm cistern			




# GROHE FLUSH PLATES FOR WC

Ref. No.	Colour	EAN	Retail Guide Price (£)
38 915 KS0	velvet black	4005176897108	1,074.09
38 915 LS0	moon white	4005176897115	1,091.10




**Veris Light**  
**Flush plate**  
for dual flush or start & stop actuation  
for SoftTouch flushing activation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable  
on/off timer for individual regulation of illuminating period  
3 m connecting cable  
transformer for external installation  
servo motor  
110 V to 240 V 50/60 Hz broad range power supply  
9 VA  
CE approved  
with function check lamps  
for GD 2 cisterns with pneumatic discharge valve AV1  
200 x 200 mm  
made of security glass  
**GROHE EcoJoy** technology for less water and perfect flow  
**not suitable for GROHE Fresh**

38 809 000	Chrome	4005176864681	729.97
------------	--------	---------------	--------




**Nova Cosmopolitan Light**  
**Flush plate**  
for dual flush or start & stop actuation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable, on/off button  
timer for individual regulation of illuminating period  
3 m connecting cable  
transformer for external installation  
supply voltage 230 V AC, 50/60 Hz, 2.0 VA  
this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+  
CE approved  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 765 000	Chrome	4005176846830	90.02
38 765 SH0	alpine white	4005176846854	68.93
38 765 P00	matt chrome	4005176846847	88.61











**Nova Cosmopolitan**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
**GROHE StarLight** chrome finish  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)

38 845 LS0	moon white	4005176878336	308.03
38 845 KS0	velvet black	4005176878343	308.03
38 845 MF0	chrome/ daVinci satin	4005176878619	308.03















**Skate Cosmopolitan**  
**Flush plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
**for vertical and horizontal installation**  
156 x 197 mm  
made of security glass  
mounting-set  
**GROHE EcoJoy** technology for less water and perfect flow  
for combination with Rapid SL 1.13 m with GD 2 cistern  
for use with Rapid SLX please order shaft 66 791 000 (sold separately)





# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	<b>38 916 0A0</b>	<b>mirror glass</b>	<b>4005176896941</b>	<b>367.34</b>
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> 156 x 197 mm made of security glass mounting-set <b>GROHE EcoJoy</b> technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	<b>38 957 000</b>	<b>Chrome</b>	<b>4005176914409</b>	<b>135.20</b>
	<b>Mounting set</b> for wall-aligned installation of Skate Cosmopolitan with glass surface for GD 2 and flushing cistern 80 mm plastic mounting frame, chrome plated minimum 8 mm tile thickness protection plate dismantling tool for wall plate			
 	<b>38 821 000</b>	<b>Chrome</b>	<b>4005176868986</b>	<b>293.99</b>
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation vandal-proof for pneumatic drop valve AV1 <b>for vertical installation</b> made of metal <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	<b>38 732 SD0</b>	<b>stainless steel</b>	<b>4005176847691</b>	<b>195.51</b>
	<b>Skate Cosmopolitan</b> <b>Wall plate, stainless steel</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> plastic fixing frame hidden fixing screws <b>not suitable for GROHE Fresh</b> <b>GROHE StarLight</b> finish <b>GROHE EcoJoy</b> technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	<b>38 776 SD0</b>	<b>stainless steel</b>	<b>4005176853555</b>	<b>195.50</b>
	<b>ditto, horizontal installation</b>			















# GROHE FLUSH PLATES FOR WC

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	38 732 000	Chrome	4005176836114	90.02
	38 732 DC0	supersteel	4005176431371	164.03
	38 732 SH0	alpine white	4005176836138	68.88
	38 732 P00	matt chrome	4005176836121	66.17
	38 732 BE0	polished nickel	4005176427749	177.15
	38 732 EN0	brushed nickel	4005176427756	177.15
	38 732 GL0	cool sunrise	4005176339103	177.15
	38 732 GN0	brushed cool sunrise	4005176427725	177.15
	38 732 DA0	warm sunset	4005176339097	177.15
	38 732 DL0	brushed warm sunset	4005176427732	177.15
	38 732 A00	hard graphite	4005176339110	177.15
	38 732 AL0	Brushed Hard Graphite	4005176339127	177.15
	<b>Skate Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
	38 732 BR0	titanium	4005176873676	153.30
<b>ditto, with anti-fingerprint surface</b>				
 	38 844 000	Chrome	4005176874963	90.01
	38 844 SH0	alpine white	4005176874970	68.92
	38 844 P00	matt chrome	4005176875687	82.98
	<b>Arena Cosmopolitan</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 858 000	Chrome	4005176876714	90.01
	38 858 P00	matt chrome	4005176876721	82.98
	38 858 SH0	alpine white	4005176876738	68.92
	<b>ditto, horizontal installation</b>			
 	38 505 000	Chrome	4005176290053	61.86
	38 505 SH0	alpine white	4005176290046	40.80
	38 505 P00	matt chrome	4005176290060	107.85
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			
 	38 506 000	Chrome	4005176290121	89.99
	38 506 SH0	alpine white	4005176290114	83.02
	38 506 P00	matt chrome	4005176290138	92.08
	<b>ditto, horizontal installation</b>			
 	38 862 000	Chrome	4005176832314	90.02
	38 862 SH0	alpine white	4005176832338	66.90
	38 862 P00	matt chrome	4005176832321	79.82
	<b>Skate</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)			



# GROHE FLUSH PLATES FOR WC

		Ref. No.	Colour	EAN	Retail Guide Price (£)
		38 862 SD0	stainless steel	4005176834721	203.46
<p><b>Skate</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical installation</b>                      156 x 197 mm                      material: stainless steel  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>					
		38 861 000	Chrome	4005176832284	83.00
<p><b>Surf</b>  <b>Flush plate</b>                      for dual flush or start &amp; stop actuation                      for pneumatic drop valve AV1  <b>for vertical and horizontal installation</b>  <b>GROHE StarLight</b> chrome finish  <b>GROHE EcoJoy</b> technology for less water and perfect flow                      for combination with Rapid SL 1.13 m with GD 2 cistern                      for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>					

# GROHE FLUSH PLATES FOR WC






	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 564 000	Chrome	4005176291784	97.09
	38 564 SH0	alpine white	4005176291777	74.45
	<b>Skate Air</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 565 000	Chrome	4005176291845	61.91
	<b>ditto, horizontal installation</b>			
	38 573 000	Chrome	4005176292316	68.94
	38 573 SH0	alpine white	4005176292309	76.40
	38 573 P00	matt chrome	4005176292323	92.08
	<b>Skate</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 672 SD0	stainless steel	4005176296468	153.32
		<b>Skate</b> <b>Wall plate, stainless steel</b> for single flush actuation vandal-proof for pneumatic drop valve for vertical installation 156 x 197 mm GROHE EcoJoy technology for less water and perfect flow		
				
	38 574 000	Chrome	4005176292385	76.42
		<b>Surf</b> <b>Flush plate</b> for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow		
				
 	37 059 000	Chrome	4005176142857	173.46
		<b>Surf</b> <b>Air button</b> GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm		
 				
	43 977 000	Chrome	4005176164798	257.82
		<b>Air button</b> GROHE StarLight chrome finish remote hand-actuation for institutional requirements white push button with escutcheon Ø 100 mm for walls of 80 - 240 mm thickness actuation stop pneumatic hose 1500 mm long		
				

# GROHE FLUSH PLATES FOR WC









	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	37 060 000	Chrome	4005176142901	78.73
<p><b>Air button</b>  <b>GROHE StarLight</b> chrome finish                      made of ABS                      escutcheon 100 mm dia                      pneumatic hose 1500 mm long                      for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267</p>				
	38 488 000	Chrome	4005176289866	52.07
<p><b>Air button</b>                      with 750 mm air hose                      for panel thickness up to 30 mm                      for use with Adagio cistern 37 762 SH / 37 945 SH  <b>GROHE StarLight</b> finish</p>				
 	38 496 000	Chrome	4005176289958	238.88
<p><b>Air button</b>                      air button 63 mm dia.                      with 750 mm air hose                      for panel thickness up to 30 mm                      only for use with a removable shelf / panel                      chrome plated brass                      for use with Adagio cistern 37 762 SH / 37 945 SH  <b>GROHE StarLight</b> finish</p>				
 	38 771 000	Chrome	4005176848551	54.87
<p><b>Pneumatic push button actuation</b>                      for dual flush or start &amp; stop actuation                      Ø 48 mm                      in combination with bath furniture                      for material thickness from 18 -24 mm                      with 600 mm air hose  <b>GROHE StarLight</b> chrome finish</p>				
 	37 761 000	Chrome	4005176213243	52.30
<p><b>Air button</b>  <b>GROHE StarLight</b> chrome finish                      for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000		4005176828454	18.02
<p><b>WC wall plate extension set 70 mm</b>                      with pneumatic discharge valve</p>				



# GROHE FRESH

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 805 000	Chrome	4005176865596	167.36
	<p><b>Skate Cosmopolitan Set Fresh Flush plate</b> for dual flush or start &amp; stop actuation with <b>GROHE Fresh</b> fixing frame with opening function for chlorine-free tablets only for pneumatic drop valve AV1 <b>for vertical and horizontal installation</b> <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow for combination with Rapid SL 1.13 m with GD 2 cistern for use with Rapid SLX please order shaft 66 791 000 (sold separately)</p>			
	38 796 000		4005176857034	82.98
	<p><b>GROHE Fresh Dual flush valve set</b> for GROHE flushing cistern GD 2 with pneumatic discharge valve and regular inspection shaft <b>not suitable for flush plates with wood or glass or metal surface or new small flush plates</b> fixing frame with opening function for chlorine-free tablets only for all GROHE wall plates 156 x 197 mm</p>			
	38 882 000		4005176879197	10.37
	<p><b>GROHE Fresh Tabs</b> 2 x 50 g WC-Tabs every flush creates foam which cleans the toilet fragrance ensures long-lasting freshness protects against re-pollution and maintains long term cleanliness reduces limescale and ensures radiant purity in the toilet true feeling of freshness This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: <a href="http://www.grohe.com/safety-data-sheets/">www.grohe.com/safety-data-sheets/</a></p>			





# GROHE FLUSH PLATES FOR WC FLUSH VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	37 547 000	Chrome	4005176189425	92.07
	37 547 P00	matt chrome	4005176189449	85.65
	37 547 SH0	alpine white	4005176189418	76.43
	<p><b>Skate</b>  <b>Flush plate</b>  <b>for vertical installation</b>            156 x 197 mm            manual activation            push button actuation            made of ABS  <b>GROHE StarLight</b> chrome finish</p>			
	38 445 SD0	stainless steel	4005176282850	130.71
	<p><b>Skate</b>  <b>Wall plate, stainless steel</b>  <b>for vertical installation</b>            156 x 197 mm            push button actuation            plastic fixing frame            hidden fixing screws</p>			
				
	37 063 000	Chrome	4005176142185	76.42
	37 063 SH0	alpine white	4005176142307	76.43
		<p><b>Surf</b>  <b>Flush plate</b>            156 x 197 mm            manual activation            push button actuation            made of ABS  <b>GROHE StarLight</b> chrome finish</p>		
	37 069 000	Chrome	4005176142352	132.40
	<p><b>Surf</b>  <b>Flush plate</b>  <b>for vertical installation</b>            156 x 197 mm            for concealed flush valve 6 - 9 l            brass            push button actuation            fixing frame            hidden fixing screws  <b>GROHE StarLight</b> chrome finish</p>			
				

# GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 846 LSO	moon white	4005176878367	365.90
	38 846 KS0	velvet black	4005176878268	365.90
	<p><b>Skate Cosmopolitan</b>  <b>Actuation plate</b>                      with glass surface                      made of security glass                      manual activation for urinal                      plastic actuation button, chrome plated                      compatible with  <b>Rapido U or Rapido UMB</b>                      fixing frame with mounting-set                      116 x 144 mm                      mechanical functional cartridge                      flow pressure min 0.5 bar                      operating pressure max 6 bar                      1.0 - 6.0 adjustable</p>			
	38 784 000	Chrome	4005176855535	139.23
	38 784 SH0	alpine white	4005176855559	128.10
	38 784 P00	matt chrome	4005176855542	143.46
	<p><b>Skate Cosmopolitan</b>  <b>Actuation plate</b>                      manual activation for urinal                      compatible with  <b>Rapido U or Rapido UMB</b>                      116 x 144 mm                      mechanical functional cartridge                      flow pressure min 0.5 bar                      operating pressure max 6 bar                      1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			
	38 784 SD0	stainless steel	4005176877407	205.37
	<p><b>Skate Cosmopolitan</b>  <b>Wall plate, stainless steel</b>                      manual activation for urinal                      compatible with  <b>Rapido U or Rapido UMB</b>                      116 x 144 mm                      mechanical functional cartridge                      flow pressure min 0.5 bar                      operating pressure max 6 bar                      1.0 - 6.0 adjustable                      low noise (group II according to German noise specification)                      plastic fixing frame                      hidden fixing screws</p>			
				
	38 804 000	Chrome	4005176861512	148.85
	38 804 SH0	alpine white	4005176861529	135.21
	38 804 P00	matt chrome	4005176861536	139.29
	<p><b>Nova Cosmopolitan</b>  <b>Actuation plate</b>                      manual activation for urinal                      compatible with  <b>Rapido U or Rapido UMB</b>                      116 x 144 mm                      mechanical functional cartridge                      flow pressure min 0.5 bar                      operating pressure max 6 bar                      1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			

# GROHE FLUSH PLATES FOR URINAL

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	38 857 000	Chrome	4005176875694	139.29
	38 857 SH0	alpine white	4005176875793	128.37
	38 857 P00	matt chrome	4005176875663	135.18
	<p><b>Arena Cosmopolitan</b>  <b>Actuation plate</b>            manual activation for urinal            compatible with  <b>Rapido U or Rapido UMB</b>            116 x 144 mm            mechanical functional cartridge            flow pressure min 0.5 bar            operating pressure max 6 bar            1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			
	38 808 000	Chrome	4005176864056	125.16
	38 808 SH0	alpine white	4005176864070	109.65
	38 808 P00	matt chrome	4005176864063	140.69
	<p><b>Surf</b>  <b>Actuation plate</b>            manual activation for urinal            compatible with  <b>Rapido U or Rapido UMB</b>            116 x 144 mm            mechanical functional cartridge            flow pressure min 0.5 bar            operating pressure max 6 bar            1.0 - 6.0 adjustable  <b>GROHE StarLight</b> chrome finish</p>			

GROHE  
**CONNECTION AND SECURITY TECHNOLOGY**





## **CONTENTS**

Angle Valves

730

WAS valves

734

Safety Systems











735















# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 039 AL0	Brushed Hard Graphite	4005176467936	88.38
<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	22 043 000	Chrome	4005176305597	19.40
<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet 1/2"            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	22 037 000	Chrome	4005176305535	12.52
<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				
 	22 046 000	Chrome	4005176305627	11.11
<p><b>Angle valve 1/2"</b>            pre-roughened connection thread for easy sealing            wall connection 1/2"            outlet 1/2"            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            long connecting shaft            ergonomic metal handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>blister packaging</b>  <b>GROHE StarLight</b> finish</p>				
 	22 023 000	Chrome	4005176305405	8.34
<p><b>Angle valve 1/2"</b>            self-sealing connection thread            wall connection 1/2"            outlet thread 3/8"            with length compensation            with compression nut Ø 10 mm            water protected spindle shutoff, brass,            with grease chamber and double o-ring sealing            ergonomic handle            marking: neutral            metal push-on escutcheon Ø 55 mm  <b>GROHE StarLight</b> finish</p>				

# GROHE ANGLE VALVES


	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 018 000	Chrome	4005176305382	6.94
<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm <b>GROHE StarLight</b> finish</p>				
 	22 029 000	Chrome	4005176305467	12.51
<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm <b>blister packaging</b> <b>GROHE StarLight</b> finish</p>				
 	22 032 000	Chrome	4005176305481	12.55
<p><b>Angle valve 1/2"</b> pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm <b>blister packaging</b> <b>GROHE StarLight</b> finish</p>				
 	22 053 000	Chrome	4005176349027	13.95
<p><b>Angle valve 3/8"</b> pre-roughened connection thread for easy sealing wall connection 3/8" outlet thread 3/8" with length compensation with compression nut Ø 10 mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm</p>				
 	22 017 00M	Chrome	4005176940613	68.25
<p><b>Universal angle valve 1/2"</b> with compression coupling 3/8" for copper pipe Ø 10 mm plastic handle marking: neutral screw escutcheon metal <b>GROHE StarLight</b> finish sales unit 10 pieces</p>				

# GROHE ANGLE VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	22 016 00M	Chrome	4005176940606	96.12
 	22 939 000	Chrome	4005176829369	24.61
 	22 940 000	Chrome	4005176829376	24.59
 	22 958 00M	Chrome	4005176034237	501.71
 	22 917 000	Chrome	4005176501388	57.33
 	22 012 000 22 012 DC0 22 012 AL0	Chrome supersteel Brushed Hard Graphite	4005176906343 4005176525742 4005176585944	54.32 79.32 90.66

# GROHE ANGLE VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------




22 013 000	Chrome	4005176909689	54.32
------------	--------	---------------	-------

**Eurocube**  
**Angle valve 1/2"**  
 wall connection 1/2"  
 outlet 1/2"  
 cartridge headpart  
 metal handle  
 marking: neutral  
 metal push-on escutcheon


# GROHE WAS VALVES

Ref. No.	Colour	EAN	Retail Guide Price (£)
22 035 000	Chrome	4005176305511	26.45




**Original WAS combination service valve 1/2"**  
 pre-roughened connection thread for easy sealing  
 wall connection 1/2"  
 outlet thread 3/8"  
 with length compensation  
 with compression nut Ø 10 mm  
 outlet 3/4"  
 with hose connection  
 grease chamber headpart  
 non-return valve type EB  
 long connecting shaft  
 ergonomic handle  
 marking: neutral  
 metal push-on escutcheon Ø 55 mm  
 for combination with pipe ventilating valve type HB 41 239 000

22 033 000	Chrome	4005176305498	32.03
------------	--------	---------------	-------



**Original WAS combination service valve 3/8"**  
 wall connection 3/8"  
 outlet thread 3/8"  
 with length compensation  
 with compression nut Ø 10 mm  
 outlet 3/4"  
 with hose connection  
 grease chamber headpart  
 non-return valve type EB  
 long connecting shaft  
 ergonomic handles  
 marking: neutral  
 metal push-on escutcheon Ø 55 mm  
 for combination with pipe ventilating valve type HB 41 239 000

41 007 000	Chrome	4005176281815	18.01
------------	--------	---------------	-------




**Eggemann**  
**Original WAS T-piece 3/8"**  
 for service valve  
 with compression nut  
**GROHE StarLight** chrome finish

# GROHE SAFETY SYSTEMS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

41 275 000	Chrome	4005176280481	50.19
------------	--------	---------------	-------



**Original WAS inclined filter 3/4"**  
 suitable for cold and warm water up to + 80 C  
 transparent cap  
 mesh width 315 µm  
 stainless steel filter insert  
**GROHE StarLight** chrome finish



GROHE  
**SPARE PARTS**














## CONTENTS

Cartridges	738
Thermo elements and thermostatic cartridges	740
Aquadimmer	743
Head parts	744
Spare parts for two-handle faucets	747
Extension sets	748
Unions	749
Outlets and spouts	750
Flow straighteners	751
Waste sets and traps	753
Connections and non-return valves	756
Spare parts for electronics	757
Diverter	758
Hoses	759
Spare parts for kitchen faucets	760
Spare parts for showers	761
Miscellaneous	763
Special tools	764
Cleaning and care	765
Spare parts for sanitary systems	766
Spare parts for shower toilet	768
Spare parts for Ceramics	769







# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 580 000		4005176831867	105.79
	<b>Cartridge</b> 28 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000		4005176169076	105.79
	<b>Cartridge</b> 35 mm <b>GROHE SilkMove</b> with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000		4005176008283	105.79
	<b>Cartridge</b> <b>GROHE SilkMove</b> adjustable flow rate limiter for all single lever mixers			
	46 386 000		4005176169410	129.55
	<b>Cartridge</b> <b>GROHE SilkMove</b>			
	46 278 000		4005176131868	117.67
	<b>Ceramic cartridge</b> for Euroeco special mixer			
	46 308 000		4005176131769	46.36
	<b>Temperature limiter</b> for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			







# GROHE CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 375 000		4005176169083	46.36
	<p><b>Temperature limiter</b> for 35 mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media</p>			
	48 359 000		4005176442810	48.73
	<p><b>Cartridge</b> for SmartControl concealed push button including fastening nut and fitting template including extension and spindle from extension set 14 048 000</p>			
	07 000 000		4005176016899	128.54
	<p><b>Cartridge from 1974</b> for Euromix and Ladylux</p>			
	42 383 000	Chrome	4005176903281	46.36
	<p><b>Cartridge</b> for Euroeco Cosmopolitan T self-closing valves 1/2": pillar tap, wall mounted, exposed shower marking: blue/red <b>GROHE StarLight</b> chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>			
	42 384 000	Chrome	4005176903298	58.24
	<p><b>Cartridge</b> for Euroeco Cosmopolitan T self-closing gate valve 1/2" marking: blue/red <b>GROHE StarLight</b> chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent)</p>			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 450 000		4005176076190	188.99
	<b>Thermo-element</b> wax element with stainless steel slider to avoid corrosion			
	47 282 000		4005176061592	165.22
<b>ditto, for reverse waterways, 1/2"</b>				
	47 310 000		4005176079238	212.75
	<b>Wax thermo-element-cartridge</b> wax element			
	47 349 000		4005176141461	141.45
	<b>Wax thermo-element-cartridge 3/8"</b> wax element			
	47 217 000		4005176241246	165.22
	<b>Thermo-element</b> wax element with non-rising spindle			
	47 220 000		4005176241253	212.75
	<b>Wax thermo-element-cartridge</b> wax element with non-rising spindle			
	47 111 000		4005176009921	355.39
	<b>Thermo-element</b> wax element for Grohmix Thermostat			

# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES




	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 025 000		4005176009549	498.01
	<b>Wax thermo-element-cartridge</b> wax element for Grohmix Thermostat			
	47 532 000		4005176206795	224.63
	<b>Thermostatic cartridge</b>			
	00 798 000	Chrome	4005176229008	31.32
	<b>Wax thermo-element</b>			
	47 598 000		4005176229169	319.74
	<b>Control unit</b>			
	47 600 000		4005176228995	272.18
	<b>Control unit</b>			
	47 439 000		4005176811975	177.10
	<b>Thermostatic compact cartridge 1/2"</b> <b>GROHE TurboStat</b> compact cartridge with wax thermoelement			
	47 175 000		4005176803895	177.10
	<b>ditto, for reverse waterways, 1/2"</b>			









# GROHE THERMO ELEMENTS AND THERMOSTATIC CARTRIDGES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 885 000		4005176924729	46.36
	<b>Thermostatic compact cartridge 1/2"</b> GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000		4005176815409	212.75
	<b>Thermostatic compact cartridge 3/4"</b> GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000		4005176803901	212.75
	ditto, for reverse waterways, 3/4"			
	49 028 000		4005176442827	57.06
	<b>Thermostatic compact cartridge 3/4"</b> for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut			
	47 167 000		4005176010125	22.58
	Stop ring and regulating nut			







# GROHE AQUADIMMER

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	47 364 000		4005176171819	93.90
	<b>Aquadimmer</b> for thermostatic mixers			
	12 433 000		4005176272752	93.90
	<b>Aquadimmer</b> for exposed fittings			
	47 262 000		4005176118722	224.63
	<b>Aquadimmer</b> for concealed thermostatic shower mixer 3/4" for three and four-hole bath combination 3/4"			





# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 146 000		4005176017261	20.52
	<b>Headpart 1/2"</b> short spindle, 1/2"			
	45 346 000		4005176104572	58.24
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000		4005176129865	58.24
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000		4005176189913	117.67
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000		4005176189876	34.46
	<b>Concealed headpart 1/2"</b> with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000		4005176189883	46.36
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: right-hand			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	45 883 000		4005176189890	46.36
	<b>Ceramic headpart, 1/2"</b> with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000		4005176189944	82.01
	<b>Ceramic headpart 3/4", 180°</b> with ceramic sealing disks rotation angle 90°			
	06 188 000		4005176002519	106.93
	<b>Headpart</b> without lever without cap without escutcheon for 3- and 4-way-diverter, 1/2"			
	07 025 000		4005176016929	31.32
	<b>Screw-down valve, 3/4"</b> short spindle for 1/2" handles for concealed valves, 3/4"			
	19 830 000	Chrome	4005176030697	34.01
	<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing brilliant handle marking: blue (cold) <b>GROHE StarLight</b> chrome finish			
	19 831 000	Chrome	4005176030703	33.33
	<b>ditto, marking red</b>			

# GROHE HEAD PARTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
		<b>19 841 000</b> <b>Chrome</b>	<b>4005176030765</b>	<b>54.15</b>
		<b>Atlanta</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20 - 200 mm escutcheon with screwable wall sealing socket spanner <b>GROHE StarLight</b> chrome finish		
	<b>19 840 000</b>	<b>Chrome</b>	<b>4005176030758</b>	<b>43.19</b>
<b>ditto, installation depth infinitely adjustable 20-80 mm</b>				
		<b>19 470 000</b> <b>Chrome</b>	<b>4005176848018</b>	<b>83.40</b>
		<b>Grohtherm 3000 Cosmopolitan</b> <b>Concealed stop-valve trim</b> set for final installation for 35 028 000 <b>GROHE StarLight</b> chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve		

# GROHE SPARE PARTS FOR TWO-HANDLE FAUCETS





Ref. No.	Colour	EAN	Retail Guide Price (£)
10 099 00M	Chrome	4005176812965	15.45

**Cover Cap**  
multi-packaging: 2 pieces









# GROHE EXTENSION SETS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	14 048 000		4005176413483	175.08
	14 056 000		4005176466298	129.27
	14 057 000		4005176466304	167.21
	14 058 000		4005176466311	167.22










# GROHE UNIONS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
  <p><b>S-union</b> 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>	12 400 000	Chrome	4005176004582	50.53
  <p><b>S-union</b> 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>	12 051 000	Chrome	4005176213588	50.53
 <p><b>S-union</b> 1/2" x 3/4" adjustment range 7.5 mm with sound absorber screw escutcheon GROHE StarLight chrome finish</p>	12 693 000	Chrome	4005176829918	22.58
  <p><b>Wall union</b></p>	18 862 000	Chrome	4005176028120	70.12
  <p><b>Pillar union, pair</b> GROHE StarLight chrome finish</p>	18 121 000	Chrome	4005176815812	59.42

# GROHE OUTLETS AND SPOUTS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 034 000	Chrome	4005176022869	64.35
<p><b>Swivel tube spout</b> for kitchen wall mixers, 1/2" tubular spout mousseur projection 300 mm coupling nut 3/4" DR-brass <b>GROHE StarLight</b> finish</p>				
 	13 071 000	Chrome	4005176023132	43.34
<p><b>Swivel tube spout</b> swivelling, without stop mousseur coupling nut 3/4" projection 140 mm DR-brass <b>GROHE StarLight</b> chrome finish</p>				













# GROHE FLOW STRAIGHTENERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	48 189 000	Chrome	4005176928772	35.52
	<p><b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
	48 190 000	Chrome	4005176928987	40.98
	<p><b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
	48 191 000	Chrome	4005176928994	40.98
	<p><b>Water saving set</b> includes two supply adapters incl. flow regulator and one mousseur insert for combination with M22/24 mousseurs connection size G 3/8" low flow kit cannot be used on the following collections: Allure, Allure Brilliant, Atrio, Essence</p>			
 	13 928 000	Chrome	4005176025365	14.27
	<p><b>Flow restrictor</b> internal thread M 22 x 1 (LP) 13.5 l/min at 3 bar <b>GROHE StarLight</b> finish female thread</p>			
 	13 960 000	Chrome	4005176109522	17.82
	<p><b>Flow straightener</b> external thread M 24 x 1 7.5 l/min at 3 bar <b>GROHE StarLight</b> finish male thread</p>			
 	13 929 000	Chrome	4005176025440	14.27
	<p><b>Flow restrictor</b> external thread M 24 x 1 13.5 l/min at 3 bar <b>GROHE StarLight</b> finish male thread</p>			

# GROHE FLOW STRAIGHTENERS








	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	13 952 000	Chrome	4005176079818	14.27
<p><b>Flow restrictor</b> external thread M 24 x 1 flow class C 30 l/min. at 3 bar <b>GROHE StarLight</b> finish male thread</p>				
 	13 927 000	Chrome	4005176005541	22.58
<p><b>Flow restrictor</b> external thread M 28 x 1 30 l/min. at 3 bar <b>GROHE StarLight</b> finish male thread</p>				
 	13 220 000		4005176855504	22.58
<p><b>Flow restrictor</b> flow class Z 7.5 l/min at 3 bar including disassembly key</p>				

# GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 910 000	Chrome	4005176603846	70.12
<p><b>Pop-up waste set 1 1/4"</b> for wash basins with overflow for basin/bidet fittings</p>				
 	40 565 000 40 565 DC0 40 565 AL0	Chrome supersteel Brushed Hard Graphite	4005176912757 4005176491702 4005176491696	94.24 102.47 116.05
<p><b>Waste set with push-open plug</b> for wash basins with overflow for replacement in an existing system <b>GROHE StarLight</b> chrome finish</p>				
 	65 807 000 65 807 BE0 65 807 GL0 65 807 DA0 65 807 A00	Chrome polished nickel cool sunrise warm sunset hard graphite	4005176849893 4005176467691 4005176467738 4005176467752 4005176467721	51.41 77.30 112.21 112.21 123.43
<p><b>Waste set with push-open plug</b> with push-open cover for wash basins with overflow removable cover removable plug closable <b>GROHE StarLight</b> chrome finish</p>				
 	65 807 DC0 65 807 EN0 65 807 GN0 65 807 DL0 65 807 AL0	supersteel brushed nickel brushed cool sunrise brushed warm sunset Brushed Hard Graphite	4005176442797 4005176467707 4005176467745 4005176467769 4005176467714	125.27 84.78 91.81 153.37 91.81
<p><b>Waste set with push-open plug</b> with push-open cover for wash basins with overflow removable cover closable <b>GROHE StarLight</b> finish</p>				
 	65 808 000	Chrome	4005176860065	53.78
<p><b>Waste 1 1/4"</b> for basins mixers without Pop Up Waste removable cover non-closable <b>GROHE StarLight</b> chrome finish</p>				
 	40 824 000	Chrome	4005176332975	25.95
<p><b>Waste set with push-open plug</b> for wash basins with overflow removable plug closable</p>				




# GROHE WASTE SETS AND TRAPS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	07 182 000	Chrome	4005176017438	25.93
	<b>Chrome bath plug</b> for waste set 1 1/4" <b>GROHE StarLight</b> chrome finish			
	07 052 000		4005176003370	31.32
	<b>Eccentric rod</b> for waste set 1 1/4" length 180 mm <b>GROHE StarLight</b> chrome finish			
	07 341 000	Chrome	4005176017728	42.13
	<b>Eccentric rod</b> for waste set 1 1/4" length 350 mm <b>GROHE StarLight</b> chrome finish			
	28 920 000	Chrome	4005176603914	39.98
	<b>Bottle trap, 1 1/4"</b> for basins with fixed dip tube wall connection escutcheon <b>GROHE StarLight</b> chrome finish			
	40 564 000	Chrome	4005176912740	315.87
	40 564 DC0	supersteel	4005176491795	410.25
	40 564 A00	hard graphite	4005176491849	440.17
	40 564 AL0	Brushed Hard Graphite	4005176491788	468.84
	<b>Bottle trap</b> for wash basin <b>GROHE StarLight</b> chrome finish brass body			





# GROHE WASTE SETS AND TRAPS

Ref. No.	Colour	EAN	Retail Guide Price (£)
28 912 000	Chrome	4005176266751	289.70





**Bottle trap, 1 1/4"**  
 for basins  
 brass  
 (screw-top for cleaning)  
 large sliding escutcheon  
**GROHE StarLight** chrome finish



# GROHE CONNECTIONS AND NON-RETURN VALVES

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	46 914 000		4005176326424	8.94
	<b>Compression MI coupling for all basin and kitchen mixers</b> 15 mm x 3/8" including nut & olive			
	47 189 000	Chrome	4005176010330	46.36
	<b>Non-return valve</b> multi-packaging: 2 pieces <b>GROHE StarLight</b> chrome finish			
	14 116 00M		4005176006005	59.59
	<b>Non-return valve 1/2"</b> multi-packaging: 2 pieces			
	14 117 00M		4005176006012	73.36
	<b>Backflow preventer</b> multi-packaging: 2 pieces			


# GROHE SPARE PARTS FOR ELECTRONICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 229 000		4005176299223	236.53
	<b>Solenoid valve</b> for Europlus E			
	42 886 000		4005176200670	46.36
	<b>Battery</b> 6V lithium battery, type CR-P2			

# GROHE DIVERTERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	08 915 000	Chrome	4005176020124	52.93
		<b>Diverter</b> for single-lever and thermostatic bath mixer 1/2", wall mounted automatic diverter: bath/shower		
	46 058 000	Chrome	4005176008467	70.12
		<b>Diverter</b> for universal single-lever mixer for concealed installation 1/2" bath including diverter knob until 2010 <b>GROHE StarLight</b> chrome finish		

# GROHE HOSES

Ref. No.	Colour	EAN	Retail Guide Price (£)
48 293 000		4005176358593	34.46
		<b>Shower hose</b> for sink mixer with pull-out dual spray or mousseur <b>GROHE EasyDock</b> guarantees easy retraction and smooth docking back to the starting position including weight and knurled nuts G 1/2 approx. 1425 mm M15 x 1 <b>GROHE StarLight</b> finish	



# GROHE SPARE PARTS FOR KITCHEN FAUCETS






Ref. No.	Colour	EAN	Retail Guide Price (£)
46 575 000	Chrome	4005176830099	82.01
K4 Hand shower GROHE StarLight chrome finish			






# GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	28 634 XX0	dark grey	4005176041440	38.57
<p><b>Relexa Quick coupling</b> for combination with average showers without integrated <b>Grohclick</b> with new system only in connection with coupling piece (28 635/28 637)</p>				
 	28 817 000	Chrome	4005176602962	15.34
<p><b>Adapter 1/2" x 1/4"</b> female thread 3/4" x 1/2" male thread <b>GROHE StarLight</b> chrome finish</p>				
	06 765 000	Chrome	4005176831973	96.14
<p><b>Sliding piece</b> suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
 	07 659 000	Chrome	4005176003707	53.99
<p><b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 25 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
	12 140 000	Chrome	4005176288319	70.12
<p><b>Sliding piece</b> suitable for shower rails with diameter of 22 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				
	45 650 IPO	chrome/ matt chrome	4005176137228	58.24
<p><b>Sliding piece</b> suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish</p>				

# GROHE SPARE PARTS FOR SHOWERS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
 	12 435 000	Chrome	4005176272141	65.71
	<b>Relaxa Plus</b> <b>Gliding element with metal sleeve</b> for shower rail 28 620 / 28 621 Ø 28 mm angle of inclination adjustable by click stop device height adjustment via locking nut <b>GROHE StarLight</b> chrome finish			
	48 099 000	Chrome	4005176908583	22.58
	<b>Sliding piece</b> suitable for shower rails of Tempesta range with diameter of 21.8 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish			
	48 177 000	Chrome	4005176924248	47.29
	<b>Sliding piece</b> suitable for shower rails range with diameter 24.7 mm glider with swivel holder for height adjustability of the hand shower <b>GROHE StarLight</b> chrome finish			
	45 363 000	Chrome	4005176112324	22.58
	<b>Cover plate</b> for shower rail Relaxa and Tempesta ø 25 mm			


# GROHE MISCELLANEOUS

Ref. No.	Colour	EAN	Retail Guide Price (£)
07 264 00M	Chrome	4005176228797	10.70
 <p><b>Filter</b> multi-packaging: 2 pieces</p>			
49 002 00M		4005176372193	7.13
 <p><b>Temperature limiter</b> GROHE SafeStop Plus at 43°C contains two types of temperature limiters to be retrofitted in thermostat handles 10 pcs.</p>			
07 587 000	Chrome	4005176229015	20.52
 <p><b>Slider</b></p>			

# GROHE SPECIAL TOOLS

Ref. No.	Colour	EAN	Retail Guide Price (£)
----------	--------	-----	------------------------

19 332 000		4005176823695	82.01
------------	--	---------------	-------




**Socket Spanner**  
34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge  
32 mm for disassembly of 35 mm cartridge









# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 303 000	Chrome	4005176835391	84.48
	<b>Skate</b> <b>Flush plate</b> for retrofit for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for dual flush or start & stop actuation <b>for vertical and horizontal installation</b> 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			
	42 304 000	Chrome	4005176835469	84.48
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for retrofit for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) <b>for vertical installation</b> 156 x 197 mm made of ABS <b>GROHE StarLight</b> chrome finish <b>GROHE EcoJoy</b> technology for less water and perfect flow			
	42 305 000	Chrome	4005176835490	84.48
	<b>Skate Air</b> <b>Flush plate</b> for dual flush or start & stop actuation for pneumatic drop valve AV1 for pneumatic discharge valve with 2 hoses (42 253 and 42 774) for horizontal installation 156 x 197 mm made of ABS <b>GROHE EcoJoy</b> technology for less water and perfect flow <b>GROHE StarLight</b> chrome finish			
	42 740 000		4005176230653	414.82
	<b>Solenoid Valve</b>			
	43 544 000		4005176157738	11.00
	<b>Outlet piston</b>			
	43 506 000		4005176157356	11.11
	<b>Bellow</b>			

# GROHE SPARE PARTS FOR SANITARY SYSTEMS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	42 593 000		4005176566417	37.75
	<b>Valve seat</b> including flow manager reduces flow of the flush prevents overflow in rimless toilets easy flow regulation via inspection shaft without removing the valves suitable for flushing cistern GD 2			
	42 764 00M		4005176222092	17.72
	<b>Threaded bolt</b> for WC fixation for Rapid SL 1.13 m multi-packaging: 2 pieces			
	42 233 000	Chrome	4005176300653	22.58
	<b>Connecting hose</b>			
	43 758 00M		4005176159121	46.36
	<b>Membrane</b> filling valve multi-packaging: 10 pieces			


# GROHE SPARE PARTS FOR SHOWER TOILET

Ref. No.	Colour	EAN	Retail Guide Price (£)
14 917 000		4005176307607	75.49







**Connecting PIPE**  
for Sensia IGS shower WC system  
flush- and waste pipe

14 926 002		4005176572128	288.82
------------	--	---------------	--------



**GROHE Sensia Arena  
Remote control**  
for 39 354 SH0 and 39 354 SH1  
for Sensia Arena shower toilet system, wall hung  
including wall holder

# GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	EAN	Retail Guide Price (£)
	49 510 000		4005176373329	67.10
	<b>Fixing set</b> for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H			
	49 024 000	Chrome	4005176454196	72.09
	<b>Fixing set</b> for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H			
	37 095 000		4005176145124	38.69
	<b>Filling valve</b> 3/8" universal application			

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
<b>00</b>				13 380 000	4005176351549	593	113.12
00 798 000	4005176229008	741	31.32	13 383 001	4005176418167	84	240.18
<b>06</b>				13 383 DC1	4005176418174	84	400.58
06 188 000	4005176002519	745	106.93	13 404 003	4005176529788	111	165.30
06 765 000	4005176831973	761	96.14	13 404 DC3	4005176574115	111	223.58
<b>07</b>				13 448 003	4005176613555	188	107.95
07 000 000	4005176016899	739	128.54	13 540 000	4005176005411	211	128.26
07 025 000	4005176016929	745	31.32	13 927 000	4005176005541	752	22.58
07 052 000	4005176003370	754	31.32	13 928 000	4005176025365	751	14.27
07 146 000	4005176017261	744	20.52	13 929 000	4005176025440	751	14.27
07 182 000	4005176017438	754	25.93	13 952 000	4005176079818	752	14.27
07 264 00M	4005176228797	763	10.70	13 960 000	4005176109522	751	17.82
07 341 000	4005176017728	754	42.13	<b>14</b>			
07 587 000	4005176229015	763	20.52	14 014 000	4005176929274	365	69.25
07 659 000	4005176003707	761	53.99	14 015 000	4005176932748	334	173.00
<b>08</b>				14 048 000	4005176413483	312, 748	175.08
08 915 000	4005176020124	758	52.93	14 053 00M	4005176413513	312	57.63
<b>10</b>				14 055 000	4005176413520	215, 312	182.94
10 099 00M	4005176812965	747	15.45	14 056 000	4005176466298	312, 748	129.27
<b>12</b>				14 057 000	4005176466304	313, 748	167.21
12 051 000	4005176213588	595, 610	50.53	14 058 000	4005176466311	313, 748	167.22
12 140 000	4005176288319	761	70.12	14 074 000	4005176575365	627, 659	45.68
12 400 000	4005176004582	749	50.53	14 116 00M	4005176006005	756	59.59
12 433 000	4005176272752	743	93.90	14 117 00M	4005176006012	756	73.36
12 435 000	4005176272141	450, 762	65.71	14 917 000	4005176307607	768	75.49
12 693 000	4005176829918	749	22.58	14 926 002	4005176572128	626, 768	288.82
<b>13</b>				<b>18</b>			
13 034 000	4005176022869	538, 750	64.35	18 121 000	4005176815812	749	59.42
13 071 000	4005176023132	538, 750	43.34	18 349 000	4005176874796	173	31.39
13 139 003	4005176455131	62	270.31	18 608 001	4005176985140	280	55.11
13 139 AL3	4005176455155	62	490.92	18 700 000	4005176940811	284	55.10
13 139 DA3	4005176493287	62	419.34	18 862 000	4005176028120	749	70.12
13 139 DC3	4005176455148	62	429.52	18 968 001	4005176514586	38	134.70
13 139 GL3	4005176493263	62	419.34	18 968 A01	4005176514562	38	202.06
13 220 000	4005176855504	752	22.58	18 968 DL1	4005176514463	38	215.53
13 255 001	4005176556722	200, 206	86.32	18 968 GN1	4005176514401	38	215.53
13 261 000	4005176877384	177	101.23	<b>19</b>			
13 262 000	4005176877391	177	111.81	19 025 000	4005176209154	84, 113	67.58
13 264 001	4005176515149	42	218.68	19 069 003	4005176455469	60	105.20
13 276 002	4005176887246	155	123.96	19 069 AL3	4005176455483	60	190.91
13 278 002	4005176887871	139	123.94	19 069 DA3	4005176494031	60	163.72
13 280 001	4005176888687	148	113.20	19 069 DC3	4005176455476	60	167.03
13 281 001	4005176888694	148	148.39	19 069 GL3	4005176494017	60	163.72
13 299 000	4005176899003	31	402.51	19 088 003	4005176455162	60	135.82
13 299 AL0	4005176490705	31	590.13	19 088 AL3	4005176455186	60	189.09
13 299 DC0	4005176490712	31	517.30	19 088 DA3	4005176493348	60	163.72
13 303 000	4005176906350	100	151.82	19 088 DC3	4005176455179	60	175.76
13 303 AL0	4005176585562	100	234.23	19 088 GL3	4005176493324	60	163.72
13 303 DC0	4005176525100	100	205.27	19 287 003	4005176454738	51	450.09
13 304 000	4005176906367	100	165.74	19 287 AL3	4005176454752	51	818.17
13 317 001	4005176514869	42	979.69	19 287 DA3	4005176492372	51	698.89
13 317 A01	4005176514845	42	1,469.55	19 287 DC3	4005176454745	51	715.91
13 317 DL1	4005176514746	42	1,567.51	19 287 GL3	4005176492358	51	698.89
13 317 GN1	4005176514685	42	1,567.51	19 309 002	4005176499982	37	647.31
13 319 000	4005176912627	31	931.83	19 309 A02	4005176514302	37	970.95
13 319 AL0	4005176353284	31	1,365.45	19 309 DL2	4005176514227	37	1,035.68
13 319 DC0	4005176490651	31	1,195.08	19 309 GN2	4005176514173	37	1,035.68
13 341 000	4005176931000	72	285.41	19 315 001	4005176514159	39	288.66
13 341 IG0	4005176931017	72	380.99	19 315 A01	4005176514135	39	432.98
13 378 000	4005176351532	593	102.35	19 315 DL1	4005176514036	39	461.87
				19 315 GN1	4005176513978	39	461.87
				19 316 001	4005176513954	41	1,238.62
				19 316 A01	4005176513930	41	1,857.92
				19 316 DL1	4005176513831	41	1,981.78

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
19 316 GN1	4005176513770	41	1,981.78	19 590 GN1	4005176512414	43	237.92
19 317 001	4005176513756	39	253.68	19 781 000	4005176898822	28	845.29
19 317 A01	4005176513732	39	380.52	19 781 AL0	4005176490385	28	1,276.57
19 317 DL1	4005176513633	39	405.88	19 781 DC0	4005176490392	28	1,117.29
19 317 GN1	4005176513572	39	405.88	19 783 000	4005176898846	28	917.96
19 332 000	4005176823695	764	82.01	19 783 AL0	4005176490477	28	1,361.75
19 334 001	4005176513558	43	87.48	19 783 DC0	4005176490484	28	1,191.37
19 334 A01	4005176513534	43	131.21	19 787 001	4005176429057	29	1,929.86
19 334 DL1	4005176513435	43	139.96	19 787 AL1	4005176489563	29	2,808.67
19 334 GN1	4005176513374	43	139.96	19 787 DC1	4005176489570	29	2,456.82
19 345 001	4005176888953	146	185.80	19 796 000	4005176899133	31	235.41
19 346 001	4005176889080	147	202.23	19 796 AL0	4005176353062	31	318.53
19 380 002	4005176513190	40	586.86	19 796 DC0	4005176490019	31	303.71
19 380 A02	4005176513176	40	498.59	19 798 000	4005176899157	31	326.35
19 380 DL2	4005176513077	40	531.83	19 798 AL0	4005176353079	31	443.23
19 380 GN2	4005176513015	40	531.83	19 798 DC0	4005176489969	31	422.23
19 381 000	4005176874673	172	216.60	19 808 001	4005176843204	211	25.94
19 382 000	4005176874697	177	152.48	19 809 001	4005176853876	211	26.46
19 383 000	4005176874765	176	126.88	19 830 000	4005176030697	745	34.01
19 384 000	4005176875755	49	182.63	19 831 000	4005176030703	745	33.33
19 386 002	4005176512995	37	664.79	19 840 000	4005176030758	746	43.19
19 386 A02	4005176512971	37	997.19	19 841 000	4005176030765	746	54.15
19 386 DL2	4005176512872	37	1,063.67	19 895 000	4005176901072	94	318.97
19 386 GN2	4005176512810	37	1,063.67	19 895 AL0	4005176585494	94	482.73
19 408 001	4005176307133	121	235.39	19 897 001	4005176429101	99	1,351.11
19 408 A01	4005176426209	121	387.73	19 897 AL1	4005176585548	99	1,901.26
19 408 AL1	4005176426193	121	413.58	19 897 DC1	4005176525087	99	1,664.22
19 408 DA1	4005176426179	121	380.13	19 910 000	4005176987014	101	68.23
19 408 DC1	4005176369964	121	354.76	19 918 003	4005176454769	52	510.03
19 408 DL1	4005176426186	121	413.58	19 918 AL3	4005176454783	52	927.28
19 408 GL1	4005176426155	121	380.13	19 918 DA3	4005176492440	52	792.08
19 408 GN1	4005176426162	121	405.46	19 918 DC3	4005176454776	52	811.37
19 409 001	4005176409158	79	334.10	19 918 GL3	4005176492426	52	792.08
19 409 AL1	4005176586170	79	453.68	19 919 000	4005176924125	71	1,432.51
19 409 DC1	4005176412752	79	428.03	19 919 IG0	4005176924132	71	1,869.47
19 446 002	4005176512797	41	617.73	19 922 003	4005176455568	61	1,537.31
19 446 A02	4005176512773	41	524.84	19 922 AL3	4005176455582	61	2,236.47
19 446 DL2	4005176512674	41	559.82	19 922 DA3	4005176494697	61	2,096.69
19 446 GN2	4005176512612	41	559.82	19 922 DC3	4005176455575	61	1,907.81
19 470 000	4005176848018	746	83.40	19 922 GL3	4005176494673	61	2,096.69
19 506 002	4005176887185	154	193.60	19 923 003	4005176455537	61	1,537.31
19 506 003	4005176334399	166	179.68	19 923 AL3	4005176455551	61	2,055.13
19 506 LS3	4005176334542	166	235.40	19 923 DA3	4005176494635	61	2,096.69
19 507 002	4005176887079	154	193.58	19 923 DC3	4005176455544	61	2,147.75
19 507 003	4005176334337	165	151.81	19 923 GL3	4005176494611	61	2,096.69
19 507 LS3	4005176334528	165	211.55	19 929 000	4005176930430	69	494.96
19 571 002	4005176886973	151	277.19	19 929 IG0	4005176930447	69	681.42
19 571 003	4005176334269	160	277.20	19 930 000	4005176930454	69	572.17
19 571 LS3	4005176334498	160	346.84	19 930 IG0	4005176930461	69	749.68
19 573 002	4005176887659	136	263.28	19 936 000	4005176930812	70	1,377.56
19 575 001	4005176888366	143	227.65	19 936 IG0	4005176930829	70	1,746.57
19 576 002	4005176429088	148	873.80	19 944 000	4005176931086	72	135.16
19 577 001	4005176409233	82	803.71	19 944 IG0	4005176931093	72	162.50
19 577 AL1	4005176586224	82	1,549.06	19 952 000	4005176174230	84, 113	60.69
19 577 DC1	4005176412820	82	1,469.88	19 952 A00	4005176352874	214	149.62
19 577 EN1	4005176413018	82	1,743.18	19 952 AL0	4005176353376	84, 113	164.59
19 578 001	4005176307195	127	931.85	19 952 BE0	4005176468094	214	price on request
19 578 A01	4005176426520	127	1,371.34	19 952 DA0	4005176351945	214	price on request
19 578 AL1	4005176426513	127	1,462.78	19 952 DC0	4005176467776	84, 113	76.07
19 578 DA1	4005176426490	127	1,371.34	19 952 DL0	4005176468124	214	137.17
19 578 DC1	4005176371103	127	1,279.94	19 952 EN0	4005176468100	214	312.99
19 578 DL1	4005176426506	127	1,462.78	19 952 GL0	4005176352423	214	119.70
19 578 GL1	4005176426476	127	1,371.34	19 952 GN0	4005176468117	214	238.90
19 578 GN1	4005176426483	127	1,462.78	19 954 000	4005176175732	215	25.76
19 590 001	4005176512599	43	148.71	19 965 001	4005176409240	83	589.02
19 590 A01	4005176512575	43	223.06	19 966 000	4005176986864	99	839.51
19 590 DL1	4005176512476	43	237.92	19 967 001	4005176307140	122	263.26



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
19 967 A01	4005176426285	122	428.25	20 342 000	4005176898860	27	876.14
19 967 AL1	4005176426278	122	456.80	20 342 AL0	4005176490064	27	1,283.96
19 967 DA1	4005176426254	122	428.25	20 342 DC0	4005176490071	27	1,123.48
19 967 DC1	4005176369971	122	399.71	20 344 000	4005176898884	27	1,022.81
19 967 DL1	4005176426261	122	456.80	20 344 AL0	4005176353185	27	1,680.79
19 967 GL1	4005176426230	122	428.25	20 344 DC0	4005176489815	27	1,340.76
19 967 GN1	4005176426247	122	456.80	20 346 000	4005176898907	27	903.99
19 968 000	4005176993657	130	263.24	20 346 AL0	4005176490200	27	1,333.34
19 969 000	4005176993671	130	285.43	20 346 DC0	4005176490217	27	1,166.69
19 974 002	4005176305948	136	277.18	20 348 000	4005176898921	27	959.74
19 976 001	4005176307218	127	555.74	20 348 AL0	4005176490293	27	1,418.54
19 997 000	4005176342189	87	305.02	20 348 DC0	4005176490309	27	1,240.76
19 998 000	4005176342196	87	346.83	20 351 000	4005176901041	94	374.69
<b>20</b>				20 351 AL0	4005176584688	94	586.43
20 008 003	4005176455285	58	600.56	20 351 DC0	4005176525001	94	513.59
20 008 AL3	4005176455308	58	1,090.91	20 389 000	4005176924101	68	695.08
20 008 DA3	4005176493621	58	931.86	20 389 IGO	4005176924118	68	886.27
20 008 DC3	4005176455292	58	954.56	20 393 001	4005176842993	209	88.78
20 008 GL3	4005176493607	58	931.86	20 404 001	4005176842986	209	66.90
20 009 003	4005176454974	58	480.71	20 414 000	4005176930492	68	514.00
20 009 AL3	4005176454998	58	1,090.91	20 414 IGO	4005176930508	68	625.56
20 009 DA3	4005176492853	58	931.86	20 415 000	4005176930515	68	532.73
20 009 DC3	4005176454981	58	954.56	20 415 IGO	4005176930522	68	736.05
20 009 GL3	4005176492839	58	931.86	20 417 000	4005176930553	68	625.41
20 021 003	4005176455193	57	300.97	20 417 IGO	4005176930560	68	804.34
20 021 AL3	4005176455216	57	545.47	20 421 001	4005176556173	194	62.33
20 021 DA3	4005176493416	57	465.93	20 421 10M	4005176556180	194	124.54
20 021 DC3	4005176455209	57	477.32	20 422 001	4005176529504	201	62.34
20 021 GL3	4005176493393	57	465.93	20 575 000	4005176388422	207	67.10
20 025 000	4005176099403	611	154.18	<b>21</b>			
20 143 000	4005176832581	47	821.64	21 019 003	4005176455223	57	480.74
20 164 003	4005176455315	58	510.03	21 019 AL3	4005176455247	57	872.75
20 164 AL3	4005176455339	58	927.28	21 019 DA3	4005176493485	57	745.49
20 164 DA3	4005176493690	58	792.08	21 019 DC3	4005176455230	57	763.65
20 164 DC3	4005176455322	58	811.37	21 019 GL3	4005176493461	57	745.49
20 164 GL3	4005176493676	58	792.08	21 022 003	4005176454943	57	480.74
20 169 003	4005176455001	58	510.03	21 022 AL3	4005176454967	57	872.75
20 169 AL3	4005176455025	58	927.28	21 022 DA3	4005176492792	57	745.49
20 169 DA3	4005176492921	58	792.08	21 022 DC3	4005176454950	57	763.65
20 169 DC3	4005176455018	58	811.37	21 022 GL3	4005176492778	57	745.49
20 169 GL3	4005176492907	58	792.08	21 044 003	4005176455254	57	660.51
20 186 001	4005176874437	209	80.56	21 044 AL3	4005176455278	57	1,200.02
20 187 000	4005176874680	172	242.22	21 044 DA3	4005176493553	57	1,025.07
20 188 001	4005176499685	36	594.81	21 044 DC3	4005176455261	57	1,050.04
20 188 A01	4005176499753	36	892.22	21 044 GL3	4005176493539	57	1,025.07
20 188 DL1	4005176499746	36	951.71	21 107 000	4005176930393	67	527.90
20 188 GN1	4005176499722	36	951.71	21 107 IGO	4005176930409	67	681.42
20 189 002	4005176499784	36	429.08	21 375 001	4005176843037	209	121.54
20 189 A02	4005176499852	36	729.45	21 390 001	4005176843006	209	179.68
20 189 DL2	4005176499845	36	772.34	<b>22</b>			
20 189 GN2	4005176499821	36	772.34	22 012 000	4005176906343	102, 732	54.32
20 190 000	4005176875748	48	720.57	22 012 AL0	4005176585944	102, 732	90.66
20 192 000	4005176875991	48	778.31	22 012 DC0	4005176525742	102, 732	79.32
20 193 002	4005176499883	37	472.00	22 013 000	4005176909689	102, 733	54.32
20 193 A02	4005176499951	37	686.54	22 016 00M	4005176940606	732	96.12
20 193 DL2	4005176499944	37	772.35	22 017 00M	4005176940613	731	68.25
20 193 GN2	4005176499920	37	772.35	22 018 000	4005176305382	731	6.94
20 201 000	4005176883354	213	132.30	22 023 000	4005176305405	730	8.34
20 203 000	4005176883378	213	116.98	22 029 000	4005176305467	731	12.51
20 205 000	4005176883682	213	96.11	22 032 000	4005176305481	731	12.55
20 208 002	4005176886980	151	318.97	22 033 000	4005176305498	734	32.03
20 216 001	4005176888373	143	278.54	22 035 000	4005176305511	734	26.45
20 296 001	4005176307072	121	318.98	22 037 000	4005176305535	730	12.52
20 299 001	4005176307096	121	394.64	22 039 AL0	4005176467936	730	88.38
20 301 003	4005176529757	106	359.16	22 043 000	4005176305597	730	19.40
20 304 001	4005176409141	78	428.02				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
22 046 000	4005176305627	730	11.11	23 310 000	4005176930331	67	444.36
22 053 000	4005176349027	731	13.95	23 310 IG0	4005176930348	67	572.16
22 054 001	4005176554162	201	87.32	23 313 000	4005176930614	67	583.61
22 917 000	4005176501388	732	57.33	23 313 IG0	4005176930621	67	749.68
22 939 000	4005176829369	732	24.61	23 315 000	4005176930652	69	500.06
22 940 000	4005176829376	732	24.59	23 315 IG0	4005176930669	69	640.47
22 958 00M	4005176034237	732	501.71	23 316 000	4005176930690	69	481.21
<b>23</b>				23 316 IG0	4005176930706	69	625.56
23 029 000	4005176898709	26	708.96	23 317 000	4005176930799	70	640.46
23 029 AL0	4005176353154	26	1,151.66	23 317 IG0	4005176930805	70	781.94
23 029 DC0	4005176489471	26	918.52	23 318 000	4005176930874	71	2,087.96
23 033 000	4005176898716	26	708.96	23 318 IG0	4005176930881	71	2,647.86
23 033 AL0	4005176489648	26	1,049.40	23 319 000	4005176931192	69	285.42
23 033 DC0	4005176489488	26	918.52	23 322 003	4005176613302	181	131.69
23 037 002	4005176886355	149	179.65	23 323 003	4005176613319	182	131.70
23 039 002	4005176886881	149	110.06	23 324 003	4005176613326	181	118.39
23 043 003	4005176472732	151	233.05	23 325 000	4005176933974	169	152.50
23 048 003	4005176429132	154	1,043.28	23 327 000	4005176934094	170	139.68
23 049 002	4005176887536	133	230.80	23 327 KW0	4005176565205	170	182.56
23 051 002	4005176887567	133	123.96	23 328 001	4005176556241	194	86.49
23 054 003	4005176472596	135	228.50	23 330 001	4005176556302	194	81.41
23 055 002	4005176887680	136	291.08	23 331 001	4005176556494	198	86.49
23 058 003	4005176313790	358	843.14	23 335 001	4005176529566	201	100.49
23 060 001	4005176888021	140	160.85	23 337 001	4005176555725	201	81.41
23 076 000	4005176890505	47	662.79	23 338 001	4005176555893	204	113.19
23 106 001	4005176409110	78	267.32	23 372 003	4005176613241	182	115.75
23 106 AL1	4005176586149	78	379.30	23 373 20E	4005176936661	150	151.79
23 106 DC1	4005176412721	78	359.39	23 374 003	4005176334153	157	151.83
23 109 000	4005176898754	26	890.05	23 374 20E	4005176936678	150	151.80
23 109 AL0	4005176353161	26	1,321.00	23 374 LS3	4005176334450	157	207.54
23 109 DC0	4005176489860	26	1,141.99	23 376 00E	4005176936623	169	133.27
23 112 000	4005176898778	26	890.05	23 377 00E	4005176936630	168	139.67
23 112 AL0	4005176489785	26	1,304.94	23 378 00E	4005176936647	169	124.37
23 114 000	4005176898792	26	1,077.42	23 379 001	4005176306891	117	207.55
23 114 AL0	4005176353178	26	1,617.30	23 380 10E	4005176938245	141	176.80
23 114 DC0	4005176489914	26	1,414.82	23 382 20E	4005176936708	134	221.51
23 117 000	4005176898938	28	790.67	23 384 20E	4005176936722	134	258.10
23 117 AL0	4005176490569	28	1,191.37	23 385 10E	4005176938269	141	164.07
23 117 DC0	4005176490576	28	1,043.23	23 387 20E	4005176938382	149	151.80
23 119 000	4005176899027	30	3,202.27	23 389 20E	4005176938412	134	230.81
23 119 001	4005176428883	30	2,977.81	23 390 00E	4005176938436	92	277.18
23 119 AL0	4005176353208	30	5,166.86	23 392 00E	4005176938450	92	277.18
23 119 DC0	4005176489679	30	4,139.55	23 393 30E	4005176613340	181	131.69
23 127 000	4005176900341	92	277.18	23 394 30E	4005176613364	183	118.39
23 127 00E	4005176901591	92	277.18	23 395 30E	4005176613357	181	118.39
23 132 00E	4005176906725	92	263.27	23 396 00E	4005176938504	170	152.51
23 135 000	4005176901027	93	305.02	23 403 001	4005176499487	35	472.00
23 135 00E	4005176906732	93	285.40	23 403 A01	4005176499555	35	643.61
23 137 000	4005176901096	92	207.56	23 403 DL1	4005176499548	35	703.70
23 138 000	4005176901133	95	263.27	23 403 GN1	4005176499524	35	703.70
23 140 000	4005176901157	96	326.38	23 405 001	4005176409134	78	334.11
23 140 AL0	4005176585531	96	514.83	23 405 AL1	4005176586163	78	556.80
23 140 DC0	4005176525056	96	450.62	23 405 DC1	4005176412745	78	527.79
23 141 000	4005176901164	96	416.45	23 406 000	4005176941658	93	346.80
23 145 000	4005176901270	95	299.05	23 406 AL0	4005176584671	93	541.99
23 145 AL0	4005176585524	95	441.98	23 406 DC0	4005176524998	93	474.09
23 145 DC0	4005176525049	95	386.43	23 425 000	4005176993596	130	221.47
23 147 001	4005176313271	358	1,496.79	23 427 000	4005176993619	130	249.33
23 200 000	4005176908354	28, 94	291.13	23 428 000	4005176993633	130	374.70
23 200 002	4005176519901	28, 95	271.62	23 429 000	4005176993695	37, 37	291.12
23 293 000	4005176921148	606	247.29	23 430 000	4005176993725	131	271.76
23 296 001	4005176409127	78	360.93	23 431 000	4005176993749	131	277.18
23 296 DC1	4005176412738	78	494.80	23 432 000	4005176993763	135	360.76
23 302 000	4005176923876	602	404.23	23 444 001	4005176411977	79	334.08
23 303 000	4005176924088	67	444.36	23 444 AL1	4005176586187	79	491.29
23 303 IG0	4005176924095	67	572.16	23 444 DC1	4005176412769	79	465.59
				23 445 000	4005176998706	93	291.13

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 445 AL0	4005176584657	93	411.12	23 715 003	4005176365065	158	123.97
23 445 DC0	4005176524974	93	359.28	23 716 003	4005176365072	158	179.66
23 446 000	4005176998720	93	277.17	23 717 30L	4005176365089	159	123.97
23 447 000	4005176998737	94	318.99	23 718 003	4005176365096	159	235.42
23 448 002	4005176998744	135	235.41	23 718 LS3	4005176365102	159	277.16
23 449 002	4005176998768	135	221.47	23 719 003	4005176365119	160	277.21
23 450 001	4005176998775	142	189.51	23 719 LS3	4005176365126	160	318.97
23 451 001	4005176998799	142	176.80	23 720 003	4005176365157	161	137.88
23 456 003	4005176613272	180	115.73	23 720 LS3	4005176365164	161	193.58
23 462 001	4005176306907	118	235.40	23 722 003	4005176365188	161	207.59
23 462 A01	4005176425325	118	346.44	23 722 LS3	4005176365195	161	207.55
23 462 AL1	4005176426070	118	369.55	23 725 003	4005176365249	166	193.63
23 462 DA1	4005176426056	118	346.44	23 726 003	4005176365256	163	207.56
23 462 DC1	4005176369933	118	323.33	23 726 LS3	4005176365263	163	277.15
23 462 DL1	4005176426063	118	369.55	23 730 003	4005176365324	166	207.55
23 462 GL1	4005176426032	118	346.44	23 739 002	4005176472602	142	250.61
23 462 GN1	4005176426049	118	369.55	23 741 001	4005176371509	128	2,157.60
23 463 001	4005176306914	118	221.47	23 741 DC1	4005176371516	128	3,788.98
23 480 001	4005176306921	118	227.16	23 743 003	4005176613401	183	158.32
23 491 001	4005176307263	128	1,433.31	23 751 000	4005176388149	207	93.12
23 491 A01	4005176407598	128	2,165.29	23 752 000	4005176388156	207	87.64
23 491 AL1	4005176407604	128	2,309.61	23 753 000	4005176388163	207	134.23
23 491 DA1	4005176407574	128	2,165.29	23 754 000	4005176388170	207	121.88
23 491 DC1	4005176371127	128	2,020.92	23 755 000	4005176388187	208	94.49
23 491 DL1	4005176426599	128	2,309.61	23 756 000	4005176388392	208	108.19
23 491 GL1	4005176407581	128	2,165.29	23 757 001	4005176556340	196	121.11
23 491 GN1	4005176426582	128	2,309.61	23 758 001	4005176556364	196	109.39
23 537 003	4005176613395	182	158.31	23 759 001	4005176556388	197	109.39
23 541 001	4005176313912	119	235.39	23 760 001	4005176556418	197	124.65
23 559 001	4005176556326	194	90.22	23 761 001	4005176556449	198	147.55
23 564 003	4005176334146	156	149.85	23 762 001	4005176555763	202	109.39
23 567 003	4005176334214	158	151.83	23 763 001	4005176555800	203	124.65
23 569 003	4005176334238	159	263.26	23 764 001	4005176555848	204	147.55
23 569 LS3	4005176334467	159	290.89	23 790 001	4005176408380	77	254.52
23 570 003	4005176334245	159	291.12	23 791 001	4005176409097	77	254.52
23 570 LS3	4005176334474	159	346.84	23 791 AL1	4005176586125	77	356.16
23 571 000	4005176334276	79, 122	277.17	23 791 DC1	4005176412707	77	336.93
23 590 001	4005176339189	116	186.67	23 792 001	4005176409257	83	1,984.48
23 590 A01	4005176426001	116	286.34	23 792 AL1	4005176586231	83	2,881.02
23 590 AL1	4005176425998	116	305.42	23 792 DC1	4005176412837	83	2,733.27
23 590 DA1	4005176425875	116	286.34	23 792 EN1	4005176413001	83	2,759.72
23 590 DC1	4005176369926	116	267.23	23 797 001	4005176415531	117	198.30
23 590 DL1	4005176425882	116	305.42	23 843 003	4005176496547	105	391.27
23 590 GL1	4005176425851	116	286.34	23 843 DC3	4005176574085	105	518.53
23 590 GN1	4005176425868	116	305.42	23 844 003	4005176496554	106	391.27
23 591 001	4005176339196	116	165.74	23 845 003	4005176496677	110	807.51
23 602 001	4005176556029	205	113.92	23 846 003	4005176496684	111	1,782.71
23 604 001	4005176556593	199	113.92	23 846 AL3	4005176585722	111	2,771.01
23 633 001	4005176555923	204	86.95	23 846 DC3	4005176574177	111	2,424.94
23 635 001	4005176556524	199	86.95	23 851 003	4005176496523	105	331.81
23 654 000	4005176342080	86	291.14	23 851 AL3	4005176585623	105	511.39
23 656 000	4005176342103	86	263.25	23 851 DC3	4005176574078	105	447.17
23 657 000	4005176342110	86	360.76	23 856 001	4005176499586	36	1,224.62
23 658 000	4005176342127	86	277.18	23 856 A01	4005176499654	36	1,836.94
23 661 000	4005176342158	86	374.69	23 856 DL1	4005176499647	36	1,959.39
23 664 000	4005176342202	87	305.04	23 856 GN1	4005176499623	36	1,959.39
23 665 000	4005176342219	87	332.90	23 870 003	4005176529719	104	236.67
23 666 000	4005176342226	88	388.63	23 871 003	4005176529726	104	296.13
23 667 001	4005176429019	90	2,035.05	23 871 AL3	4005176585616	104	456.68
23 672 001	4005176429002	100	2,015.53	23 871 DC3	4005176574061	104	399.60
23 672 AL1	4005176585555	100	2,921.01	23 872 003	4005176529733	105	296.13
23 672 DC1	4005176525094	100	2,555.59	23 873 003	4005176529986	105	331.81
23 707 003	4005176364778	156	137.88	23 877 001	4005176554025	202	100.49
23 707 LS3	4005176364785	156	193.59	23 878 001	4005176554032	201	100.49
23 708 003	4005176364990	156	130.94	23 879 001	4005176554049	202	100.49
23 709 003	4005176365003	157	137.88	23 883 001	4005176554179	202	87.32
23 709 LS3	4005176365010	157	179.65	23 885 001	4005176554216	203	109.39

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
23 886 001	4005176554247	203	109.39	24 049 LS3	4005176465376	164	245.25
23 887 001	4005176554254	203	109.39	24 051 002	4005176465383	154	187.20
23 891 001	4005176554322	204	124.65	24 052 002	4005176465390	154	205.66
23 894 001	4005176554896	195	86.49	24 053 001	4005176465406	146	177.79
23 895 001	4005176554902	194	86.49	24 054 001	4005176465413	146	195.06
23 896 001	4005176554919	195	86.49	24 055 002	4005176465420	131, 138	191.31
23 899 001	4005176555022	195	90.22	24 056 002	4005176465437	132, 139	209.40
23 901 001	4005176555084	196	109.39	24 059 003	4005176529832	109	224.78
23 902 001	4005176555091	197	109.39	24 059 AL3	4005176585708	109	347.28
23 904 001	4005176555114	196	109.39	24 059 DC3	4005176574153	109	303.26
23 908 001	4005176555176	197	109.39	24 060 003	4005176529825	109	236.67
23 911 001	4005176555237	198	124.65	24 060 AL3	4005176585692	109	365.11
23 917 001	4005176555787	203	109.39	24 060 DC3	4005176574146	109	319.92
23 920 001	4005176583421	143	245.68	24 061 000	4005176465680	88, 96	228.08
23 921 000	4005176583438	171	200.98	24 061 AL0	4005176585586	96	329.63
23 922 003	4005176613227	179	118.37	24 062 000	4005176465697	88, 97	251.83
23 923 003	4005176613333	181	131.69	24 062 AL0	4005176585579	97	362.96
23 924 003	4005176613265	180	119.73	24 062 DC0	4005176553905	97	317.28
23 925 000	4005176583353	167	130.91	24 063 001	4005176465703	81	228.62
23 926 000	4005176583360	170	149.50	24 063 AL1	4005176586248	81	336.01
23 927 000	4005176583377	169	149.51	24 063 DC1	4005176465727	81	318.69
23 928 000	4005176583384	170	136.95	24 064 001	4005176465710	81	251.48
23 929 003	4005176583995	156	144.98	24 064 AL1	4005176586255	81	369.98
23 930 003	4005176584008	157	144.99	24 064 DC1	4005176465734	81	350.57
23 931 001	4005176584015	140	160.86	24 065 003	4005176465741	53	392.91
23 932 001	4005176584022	142	173.32	24 065 AL3	4005176465765	53	625.98
23 933 001	4005176584039	171	172.90	24 065 DA3	4005176564550	53	541.48
23 958 003	4005176605642	103	807.51	24 065 DC3	4005176465758	53	547.74
23 959 003	4005176605659	103	831.29	24 065 GL3	4005176564574	53	535.18
23 965 003	4005176611544	178	119.73	24 066 003	4005176465772	53	431.14
23 967 003	4005176611568	178	105.09	24 066 AL3	4005176465796	53	688.56
23 968 003	4005176611575	178	105.09	24 066 DA3	4005176564628	53	595.65
23 969 003	4005176613180	178	105.09	24 066 DC3	4005176465789	53	602.48
23 970 003	4005176613418	182	158.31	24 066 GL3	4005176564642	53	589.36
23 971 003	4005176613425	183	224.27	24 067 000	4005176465802	70	365.80
23 972 001	4005176634451	195	82.75	24 067 IG0	4005176465819	70	439.48
23 975 003	4005176644153	179	396.89	24 068 000	4005176465840	70	411.38
23 976 003	4005176644160	182	251.48	24 068 IG0	4005176465857	70	483.42
23 980 003	4005176644207	190, 598	120.65	24 071 000	4005176465901	29	449.85
23 981 003	4005176644214	190, 598	135.59	24 071 AL0	4005176465925	29	662.95
23 982 003	4005176644245	191, 600	120.65	24 071 DC0	4005176465918	29	580.26
23 983 003	4005176644313	192, 600	135.59	24 072 000	4005176465932	29	495.10
23 984 003	4005176643835	191, 600	196.54	24 072 AL0	4005176465956	29	728.41
23 985 003	4005176643842	191, 600	211.46	24 072 DC0	4005176465949	29	638.29
23 986 003	4005176643859	189, 597	196.54	24 075 000	4005176465987	271	460.12
23 987 003	4005176644344	190, 598	211.46	24 076 000	4005176465994	271	512.87
23 988 003	4005176644351	189, 597	150.81	24 077 000	4005176466007	271	512.87
23 989 003	4005176644368	189, 597	165.74	24 078 000	4005176466038	269	460.12
<b>24</b>				24 079 000	4005176466045	269	512.87
24 027 003	4005176455346	59	510.03	24 080 000	4005176466052	269	512.87
24 027 AL3	4005176455360	59	927.28	24 092 001	4005176480522	126	258.42
24 027 DA3	4005176493768	59	792.08	24 092 A01	4005176481291	126	377.94
24 027 DC3	4005176455353	59	811.37	24 092 AL1	4005176481307	126	403.07
24 027 GL3	4005176493744	59	792.08	24 092 DA1	4005176480560	126	377.94
24 036 000	4005176993701	131	263.25	24 092 DC1	4005176480539	126	352.71
24 042 003	4005176613616	187	148.59	24 092 DL1	4005176480577	126	403.07
24 043 003	4005176613548	187	163.72	24 092 GL1	4005176480546	126	377.94
24 044 000	4005176465185	176	156.49	24 092 GN1	4005176480553	126	403.07
24 045 000	4005176465291	176	172.24	24 093 003	4005176530050	109	260.47
24 046 003	4005176465307	164	163.48	24 093 AL3	4005176585760	109	410.31
24 046 LS3	4005176465314	164	212.28	24 093 DC3	4005176574214	109	359.17
24 047 003	4005176465321	165	180.63	24 094 000	4005176480638	89, 97	280.80
24 047 LS3	4005176465338	165	233.35	24 094 AL0	4005176585593	97	404.94
24 048 003	4005176465345	164	171.41	24 094 DC0	4005176574047	97	354.32
24 048 LS3	4005176465352	164	222.80	24 095 001	4005176480645	82	280.70
24 049 003	4005176465369	164	188.54	24 095 AL1	4005176586262	82	412.44
				24 095 DC1	4005176480652	82	390.77



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
25 129 000	4005176905216	176	293.49	26 038 000	4005176935404	74	276.88
25 132 003	4005176529870	110	438.83	26 042 000	4005176935954	379	251.46
25 133 003	4005176529887	110	474.51	26 050 001	4005176444166	389, 432	59.40
25 136 000	4005176906763	99	388.59	26 051 001	4005176443954	389, 424	66.43
25 137 000	4005176906770	99	444.34	26 052 000	4005176937064	374	479.13
25 216 001	4005176556654	200	167.91	26 054 000	4005176937088	32, 373	677.01
25 217 001	4005176556661	200	203.90	26 056 000	4005176937101	372	662.88
25 219 001	4005176466373	176	494.93	26 060 000	4005176937149	50, 373	592.20
25 221 001	4005176509438	41	871.23	26 062 000	4005176937163	374	479.13
25 221 A01	4005176509414	41	1,306.85	26 063 000	4005176937170	374	479.13
25 221 DL1	4005176509315	41	1,393.97	26 064 000	4005176937187	373	677.01
25 221 GN1	4005176509254	41	1,393.97	26 065 000	4005176937194	373	620.47
25 222 001	4005176509230	42	1,539.52	26 066 000	4005176937200	372	662.88
25 222 A01	4005176509216	42	2,309.29	26 066 A00	4005176427237	372	1,093.49
25 222 DL1	4005176509117	42	2,463.24	26 066 AL0	4005176427220	372	1,161.88
25 222 GN1	4005176509056	42	2,463.24	26 066 DA0	4005176427206	372	1,093.50
25 231 001	4005176554599	206	167.91	26 066 DC0	4005176371172	372	956.87
25 232 001	4005176554605	206	203.90	26 066 DL0	4005176427213	372	1,161.88
25 241 003	4005176644221	190, 598	149.87	26 066 GL0	4005176427183	372	1,093.50
25 242 003	4005176644238	191, 599	130.50	26 066 GN0	4005176427190	372	1,161.85
25 243 003	4005176644320	192, 601	149.87	26 067 000	4005176937217	372	662.88
25 244 003	4005176644337	192, 601	130.50	26 067 A00	4005176427312	372	1,093.50
25 246 001	4005176674228	200	239.88	26 067 AL0	4005176427305	372	1,161.88
25 248 001	4005176698255	128	1,433.31	26 067 DA0	4005176427282	372	1,093.49
25 248 A01	4005176711336	128	2,165.29	26 067 DC0	4005176371189	372	956.87
25 248 AL1	4005176711343	128	2,309.61	26 067 DL0	4005176427299	372	1,161.88
25 248 DA1	4005176711367	128	2,165.29	26 067 GL0	4005176427268	372	1,093.50
25 248 DC1	4005176711374	128	2,020.92	26 067 GN0	4005176427275	372	1,161.85
25 248 DL1	4005176711381	128	2,309.61	26 070 000	4005176937248	50, 373	592.20
25 248 GL1	4005176711404	128	2,165.29	26 071 000	4005176937255	50, 373	592.20
25 248 GN1	4005176711411	128	2,309.61	26 073 000	4005176937279	375, 419	295.41
25 249 001	4005176698262	124	305.03	26 075 001	4005176648014	350	882.42
25 250 001	4005176698354	124	249.36	26 075 A00	4005176425387	352	2,118.66
25 250 A01	4005176712449	124	401.80	26 075 AL0	4005176425370	352	2,831.00
25 250 AL1	4005176712456	124	428.59	26 075 DA0	4005176425356	352	2,118.66
25 250 DA1	4005176712470	124	401.80	26 075 DC0	4005176371219	352	1,544.21
25 250 DC1	4005176712487	124	375.02	26 075 DL0	4005176425363	352	2,118.64
25 250 DL1	4005176712494	124	428.59	26 075 GL0	4005176425332	352	2,118.66
25 250 GL1	4005176711169	124	401.80	26 075 GN0	4005176425349	352	2,118.64
25 250 GN1	4005176711176	124	428.59	26 082 002	4005176443268	420	28.26
25 251 001	4005176698361	127	918.89	26 083 002	4005176451546	421	81.97
25 251 A01	4005176711824	127	1,378.33	26 084 002	4005176451645	423	45.20
25 251 AL1	4005176711831	127	1,470.20	26 085 001	4005176444036	434	57.97
25 251 DA1	4005176711855	127	1,378.33	26 086 001	4005176451904	434	117.33
25 251 DC1	4005176711862	127	1,286.44	26 087 000	4005176940828	353	1,553.32
25 251 DL1	4005176711114	127	1,470.20	26 089 001	4005176444067	377, 434	87.61
25 251 GL1	4005176711893	127	1,378.33	26 090 001	4005176443992	377, 423	91.85
25 252 001	4005176698385	123	207.56	26 130 001	4005176443909	420	35.33
25 252 A01	4005176711183	123	327.23	26 145 000	4005176986000	392	168.22
25 252 AL1	4005176711190	123	349.03	26 146 000	4005176986017	392	139.95
25 252 DA1	4005176711213	123	327.23	26 146 LSO	4005176997266	392	139.93
25 252 DC1	4005176711220	123	305.40	26 161 001	4005176444104	425	31.09
25 252 DL1	4005176711237	123	349.03	26 162 001	4005176451713	427	71.62
25 252 GL1	4005176711251	123	327.23	26 164 001	4005176451867	429	44.57
25 252 GN1	4005176711268	123	349.03	26 171 000	4005176997310	374	507.39
25 450 001	4005176843372	210	162.50	26 187 000	4005176310744	353	1,199.96
25 452 001	4005176843075	210	152.12	26 223 001	4005176408144	363	803.21
25 460 10A	4005176456541	210	189.79	26 224 001	4005176408168	364	557.53
<b>26</b>				26 243 000	4005176316326	358	742.05
26 003 003	4005176455377	59	540.64	26 249 000	4005176317156	355	747.66
26 003 AL3	4005176455391	59	981.83	26 250 000	4005176316999	338	1,793.58
26 003 DA3	4005176493836	59	838.67	26 250 LSO	4005176317002	338	1,765.32
26 003 DC3	4005176455384	59	859.10	26 254 000	4005176317026	340, 368	747.66
26 003 GL3	4005176493812	59	838.67	26 254 LSO	4005176409806	340, 368	889.01
26 037 001	4005176487392	73	133.79	26 256 000	4005176318597	372	973.79
26 037 IGO	4005176936210	73	182.32	26 257 000	4005176317927	372	705.30
				26 264 001	4005176417108	340, 368	253.00



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 267 001	4005176444197	376, 430	73.47	26 474 ZB0	4005176424960	385	581.40
26 302 001	4005176408137	362	627.72	26 475 000	4005176423758	368	664.31
26 308 001	4005176843129	210	121.55	26 475 A00	4005176557095	368	959.62
26 328 000	4005176332111	436	84.79	26 475 AL0	4005176557101	368	1,019.69
26 329 000	4005176332128	436	210.60	26 475 DA0	4005176557125	368	959.62
26 330 001	4005176843112	210	102.42	26 475 DC0	4005176526237	368	839.52
26 332 000	4005176332135	436	224.72	26 475 DL0	4005176557132	368	1,019.69
26 333 000	4005176332142	436	90.49	26 475 GL0	4005176557156	368	959.62
26 334 000	4005176332159	440	20.80	26 475 GN0	4005176557163	368	1,019.69
26 335 000	4005176332166	440	23.09	26 475 LSO	4005176425899	368	872.06
26 346 000	4005176332173	440	25.88	26 477 000	4005176423772	369	664.31
26 352 000	4005176333835	437	42.84	26 477 A00	4005176557170	369	959.62
26 353 000	4005176333866	437	40.97	26 477 AL0	4005176557187	369	1,019.69
26 354 000	4005176333873	437	55.13	26 477 DA0	4005176557200	369	959.62
26 355 ILO	4005176333880	437	40.98	26 477 DC0	4005176526244	369	839.52
26 356 ILO	4005176333903	438	40.89	26 477 DL0	4005176557217	369	1,019.69
26 357 000	4005176333927	438	111.63	26 477 GL0	4005176557231	369	959.62
26 358 000	4005176333941	438	147.01	26 477 GN0	4005176557248	369	1,019.69
26 361 000	4005176347580	338	1,638.09	26 477 LSO	4005176425912	369	872.06
26 361 LSO	4005176409707	338	1,623.98	26 479 000	4005176425196	369	699.62
26 363 000	4005176339264	354	889.03	26 479 A00	4005176557255	369	1,010.72
26 370 000	4005176341380	331, 447	40.97	26 479 AL0	4005176557262	369	1,074.61
26 373 001	4005176415593	330, 378	26,500.51	26 479 DC0	4005176526251	369	884.24
26 374 000	4005176350825	334	1,143.44	26 479 DL0	4005176557293	369	1,074.61
26 376 001	4005176415609	330, 378	2,522.92	26 479 GN0	4005176557323	369	1,074.61
26 381 001	4005176451980	364	304.67	26 479 LSO	4005176425936	369	907.43
26 383 000	4005176369025	355	928.57	26 481 000	4005176425219	369	699.64
26 385 000	4005176375057	341, 366	25.47	26 481 A00	4005176557330	369	1,010.72
26 405 000	4005176385162	418	99.67	26 481 AL0	4005176557347	369	1,074.61
26 406 001	4005176451881	429	66.23	26 481 DC0	4005176526268	369	884.24
26 408 000	4005176390111	388, 432	115.94	26 481 DL0	4005176557378	369	1,074.61
26 409 000	4005176390128	388, 432	115.94	26 481 GN0	4005176557408	369	1,074.61
26 410 000	4005176390142	388, 432	115.94	26 481 LSO	4005176425950	369	907.43
26 412 000	4005176390173	376, 430	204.96	26 483 000	4005176425103	370	138.52
26 413 000	4005176390180	431	204.96	26 484 000	4005176425110	370	138.52
26 414 000	4005176408090	431	172.46	26 507 000	4005176457586	112, 348	1,397.84
26 418 000	4005176407666	356	601.83	26 507 A00	4005176557415	348	2,131.36
26 443 000	4005176409875	339	1,638.12	26 507 AL0	4005176557422	112, 348	2,256.59
26 443 LSO	4005176409882	339	1,623.97	26 507 DA0	4005176557446	348	2,131.36
26 446 000	4005176409905	339	1,754.00	26 507 DC0	4005176526374	112, 348	1,880.92
26 446 LSO	4005176409912	339	1,754.04	26 507 DL0	4005176557453	348	2,256.59
26 449 000	4005176409790	267, 341	351.91	26 507 GL0	4005176557477	348	2,131.36
26 450 000	4005176409813	340, 368	693.99	26 507 GN0	4005176557484	348	2,256.59
26 450 LSO	4005176409820	340, 368	693.98	26 507 LSO	4005176457609	112, 348	1,609.86
26 455 000	4005176416903	386, 415	169.63	26 508 000	4005176457593	112, 348	1,397.84
26 457 000	4005176416934	386, 415	169.63	26 508 A00	4005176557491	348	2,131.36
26 458 000	4005176416958	374, 414	282.69	26 508 AL0	4005176557507	112, 348	2,256.59
26 459 000	4005176416965	374, 414	282.69	26 508 DC0	4005176526367	112, 348	1,880.92
26 460 000	4005176416972	375, 414	224.73	26 508 DL0	4005176557538	348	2,256.59
26 461 000	4005176416989	375, 414	224.73	26 508 GN0	4005176557569	348	2,256.59
26 465 000	4005176423918	395	185.98	26 508 LSO	4005176457616	112, 348	1,609.86
26 465 A00	4005176459146	395	297.29	26 509 000	4005176457623	349	1,214.09
26 465 AL0	4005176459153	395	315.87	26 510 000	4005176457630	349	1,411.99
26 465 BE0	4005176459160	395	297.29	26 513 000	4005176457722	410	86.22
26 465 DA0	4005176459122	395	297.29	26 514 000	4005176476099	361	722.21
26 465 DC0	4005176459092	395	260.15	26 544 000	4005176478888	397	92.00
26 465 DL0	4005176459139	395	315.86	26 546 000	4005176479816	397	196.78
26 465 EN0	4005176423925	395	315.86	26 550 000	4005176479854	399	92.00
26 465 GL0	4005176459108	395	297.29	26 552 000	4005176486272	399	92.00
26 465 GN0	4005176459115	395	315.86	26 553 000	4005176479885	402	115.01
26 467 000	4005176423956	417	112.46	26 557 000	4005176481710	371	468.26
26 468 000	4005176423963	387	188.65	26 558 000	4005176481727	371	468.26
26 469 000	4005176423970	383	599.28	26 559 000	4005176481734	371	468.26
26 472 000	4005176424908	383	618.48	26 560 000	4005176481741	371	468.26
26 474 000	4005176424939	385	447.23	26 561 000	4005176481758	382	383.96
26 474 BE0	4005176424953	385	581.41	26 561 LSO	4005176482137	382	499.03
26 474 EN0	4005176424946	385	581.41	26 562 000	4005176481765	381	383.96

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
26 562 LSO	4005176482144	381	499.03	26 603 A00	4005176558696	403, 449	250.43
26 563 000	4005176481772	371	501.71	26 603 AL0	4005176558702	403, 449	274.74
26 564 000	4005176481789	371	501.71	26 603 BE0	4005176558719	403, 449	250.43
26 564 A00	4005176557736	371	877.84	26 603 DA0	4005176558726	403, 449	250.43
26 564 AL0	4005176557743	371	923.85	26 603 DL0	4005176558733	403, 449	274.74
26 564 DL0	4005176557774	371	923.85	26 603 EN0	4005176558740	403, 449	274.74
26 564 GN0	4005176557804	371	923.85	26 603 GL0	4005176558757	403, 449	250.43
26 565 000	4005176482090	371	501.71	26 603 GN0	4005176558764	403, 449	274.74
26 566 000	4005176482106	371	501.71	26 638 000	4005176528347	426	74.12
26 566 A00	4005176557811	371	877.84	26 639 000	4005176528354	429	54.93
26 566 AL0	4005176557828	371	923.85	26 640 000	4005176530203	370	723.23
26 566 DC0	4005176526282	371	891.61	26 641 000	4005176530210	381	667.00
26 566 DL0	4005176557859	371	923.85	26 642 000	4005176530227	370	752.62
26 566 GN0	4005176557880	371	923.85	26 643 000	4005176530234	381	697.67
26 567 000	4005176482113	382	417.42	26 647 000	4005176533013	342	1,092.52
26 567 LSO	4005176482151	382	543.17	26 647 LSO	4005176533051	342	1,257.35
26 568 000	4005176482120	382	417.42	26 648 000	4005176533020	342	1,092.52
26 568 LSO	4005176482168	382	543.17	26 648 LSO	4005176533068	342	1,257.35
26 569 000	4005176482175	381	366.73	26 649 000	4005176533037	343	1,092.52
26 569 EN0	4005176482182	381	549.47	26 652 000	4005176533044	343	1,092.52
26 570 000	4005176482199	382	398.69	26 657 000	4005176533075	343	1,257.35
26 570 EN0	4005176482205	382	598.00	26 662 000	4005176580499	388, 431	141.91
26 574 000	4005176485916	397	92.00	26 663 000	4005176580505	375, 430	233.78
26 574 A00	4005176558450	397	157.18	26 664 000	4005176580512	375, 431	188.75
26 574 AL0	4005176558467	397	166.12	26 666 000	4005176580536	388, 431	127.12
26 574 DA0	4005176558481	397	157.18	26 668 000	4005176580550	375, 430	219.00
26 574 DC0	4005176526459	397	163.56	26 669 000	4005176580567	375, 431	173.98
26 574 DL0	4005176558498	397	166.12	26 670 000	4005176580574	360	638.89
26 574 GL0	4005176558511	397	157.18	26 681 000	4005176580680	388, 432	146.87
26 574 GN0	4005176558528	397	166.12	26 682 000	4005176580697	376, 430	241.96
26 574 LSO	4005176485923	397	92.00	26 683 000	4005176580703	376, 431	195.35
26 575 000	4005176485947	397	196.77	26 685 000	4005176580727	388, 432	131.56
26 578 000	4005176485985	398	201.88	26 687 000	4005176580741	376, 430	226.66
26 578 LSO	4005176486197	398	201.88	26 688 000	4005176580758	376, 431	180.06
26 579 LSO	4005176486203	398	203.18	26 689 000	4005176580765	360	638.89
26 580 000	4005176486210	399	152.07	26 690 000	4005176580772	361	766.65
26 580 LSO	4005176486227	399	152.07	26 691 000	4005176580789	363	830.54
26 581 000	4005176486234	398	129.05	26 723 000	4005176648021	350	940.91
26 581 LSO	4005176486241	398	129.05	26 801 000	4005176722769	367	140.72
26 582 000	4005176486258	399	92.00	26 801 A00	4005176722806	367	225.16
26 582 A00	4005176558535	399	157.18	26 801 AL0	4005176722844	367	239.23
26 582 AL0	4005176558542	399	166.12	26 801 BE0	4005176722813	367	225.16
26 582 DC0	4005176526466	399	142.88	26 801 DA0	4005176722851	367	225.16
26 582 DL0	4005176558573	399	166.12	26 801 DC0	4005176722837	367	196.98
26 582 GN0	4005176558603	399	166.12	26 801 DL0	4005176722868	367	239.23
26 582 LSO	4005176486265	399	92.00	26 801 EN0	4005176722783	367	239.23
26 583 000	4005176486289	400	196.78	26 801 GL0	4005176722790	367	225.16
26 584 000	4005176486296	400	196.77	26 801 GN0	4005176722820	367	239.23
26 584 LSO	4005176486302	400	196.77	26 802 000	4005176722776	367	140.72
26 585 000	4005176486319	400	196.77	26 802 A00	4005176722875	367	225.16
26 586 000	4005176486333	400	201.88	26 802 AL0	4005176722905	367	239.23
26 586 LSO	4005176486357	401	201.88	26 802 DC0	4005176722899	367	196.98
26 587 000	4005176486340	400	203.18	26 802 DL0	4005176722912	367	239.23
26 587 LSO	4005176486364	401	203.18	26 802 GN0	4005176722882	367	239.23
26 588 000	4005176486371	401	152.07	26 803 000	4005176723766	427	101.12
26 588 LSO	4005176486388	402	152.07				
26 589 000	4005176486395	401	129.05				
26 589 LSO	4005176486401	401	129.05				
26 590 000	4005176486418	402	115.01				
26 591 000	4005176486425	402	232.56				
26 592 000	4005176486449	402	232.55				
26 592 LSO	4005176486432	402	233.83				
26 593 000	4005176486456	403	238.95				
26 594 000	4005176486470	403	240.20				
26 594 LSO	4005176486463	403	240.20				
26 602 000	4005176486531	403, 449	118.82				
26 603 000	4005176486548	403, 449	125.24				

## 27

27 032 001	4005176877155	346	1,256.51
27 055 000	4005176830433	443	55.14
27 056 000	4005176830440	443	40.95
27 057 000	4005176830457	446	69.24
27 057 A00	4005176338953	446	105.94
27 057 AL0	4005176338960	446	112.50
27 057 DA0	4005176338939	446	105.94
27 057 DC0	4005176371196	446	92.21
27 057 DL0	4005176426940	446	112.50
27 057 GL0	4005176338946	446	105.94

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
27 057 GN0	4005176426933	446	112.50	27 285 000	4005176860713	380	563.94
27 058 000	4005176830464	347	889.02	27 286 000	4005176860737	379	2,260.02
27 062 000	4005176831669	386, 407	252.97	27 296 001	4005176896293	356	741.11
27 067 000	4005176832123	386, 407	168.17	27 296 003	4005176647963	351	744.91
27 074 000	4005176833083	444	40.97	27 320 000	4005176600159	453	99.90
27 074 A00	4005176338991	444	76.29	27 354 000	4005176874444	414	69.26
27 074 AL0	4005176339004	444	76.29	27 355 000	4005176874451	414	125.79
27 074 BE0	4005176834325	444	76.29	27 367 000	4005176875939	416	55.13
27 074 DA0	4005176338977	444	76.29	27 368 000	4005176875946	416	210.60
27 074 DC0	4005176374487	444	69.24	27 369 000	4005176875953	416	97.50
27 074 DL0	4005176427091	444	76.29	27 400 000	4005176877292	416	55.13
27 074 EN0	4005176834301	444	76.29	27 406 000	4005176600166	394, 433	65.69
27 074 GL0	4005176338984	444	76.29	27 421 002	4005176417924	359	583.74
27 074 GN0	4005176427084	444	76.29	27 467 000	4005176882609	379	775.94
27 074 LS0	4005176873591	444	55.10	27 469 000	4005176882593	50, 346	1,426.13
27 075 000	4005176833090	444	40.97	27 470 000	4005176882531	382	592.21
27 076 000	4005176833106	447	69.24	27 470 LSO	4005176997235	382	708.02
27 102 000	4005176600074	454	70.21	27 475 001	4005176417863	357	914.46
27 134 000	4005176836060	385, 404	154.04	27 475 002	4005176647840	352	940.10
27 135 000	4005176836077	384	152.49	27 477 000	4005176883286	384	620.48
27 135 EN0	4005176836084	384	282.41	27 478 000	4005176883293	384	620.48
27 137 000	4005176836237	440	25.07	27 479 000	4005176883309	383	606.37
27 151 000	4005176837012	446	125.80	27 480 000	4005176883316	383	606.34
27 174 001	4005176877162	345	1,609.87	27 484 000	4005176885488	393	83.39
27 180 000	4005176839306	366	55.10	27 485 000	4005176885495	393	69.27
27 206 000	4005176845444	451	26.86	27 488 000	4005176885525	392	97.51
27 220 000	4005176854118	411	55.10	27 492 000	4005176885556	387, 416	168.19
27 221 000	4005176854125	410	69.25	27 499 000	4005176886041	415, 450	55.12
27 221 001	4005176457708	410	79.16	27 500 000	4005176886058	415, 450	69.24
27 222 000	4005176854132	410	83.39	27 512 001	4005176333804	437	26.86
27 224 000	4005176854156	411	40.95	27 513 001	4005176333842	437	40.97
27 225 001	4005176899508	413	125.81	27 514 001	4005176333910	438	83.40
27 226 001	4005176899515	413	139.93	27 519 000	4005176886485	435, 450	69.26
27 227 001	4005176899522	413	139.92	27 520 000	4005176886492	450	69.26
27 230 001	4005176899546	412	118.70	27 521 000	4005176886508	424, 450	55.12
27 231 001	4005176899553	412	125.80	27 522 000	4005176886515	424, 450	69.26
27 232 001	4005176899560	411	139.93	27 523 000	4005176886522	432, 450	55.10
27 237 000	4005176854286	387, 415	97.50	27 524 000	4005176886539	432, 450	83.39
27 238 000	4005176854293	411	53.91	27 530 000	4005176889219	386, 407	592.19
27 239 000	4005176854323	410	76.30	27 531 000	4005176889486	446	333.89
27 239 001	4005176457715	410	86.22	27 541 001	4005176451676	389, 424	105.98
27 242 001	4005176899782	412	125.75	27 569 000	4005176894275	346	1,426.09
27 243 001	4005176899799	412	125.80	27 571 002	4005176443893	420	35.32
27 251 000	4005176856327	380	139.90	27 571 20E	4005176443275	420	35.32
27 251 A00	4005176338878	380	230.79	27 572 002	4005176443923	420	45.22
27 251 AL0	4005176338885	380	245.19	27 573 002	4005176443947	420	59.35
27 251 DA0	4005176338854	380	213.39	27 574 002	4005176443916	420	45.22
27 251 DC0	4005176431586	380	186.55	27 575 002	4005176443930	420	59.35
27 251 DL0	4005176431579	380	226.17	27 576 002	4005176451560	421	104.55
27 251 GL0	4005176338861	380	213.39	27 577 002	4005176451584	421	107.41
27 251 GN0	4005176431555	380	226.17	27 578 002	4005176451386	422	78.36
27 252 000	4005176856334	380	139.90	27 578 20E	4005176451362	422	78.36
27 253 000	4005176856365	381	210.57	27 579 002	4005176451492	422	91.88
27 254 000	4005176856372	380	210.57	27 580 002	4005176451515	421	101.78
27 256 001	4005176899805	412	104.57	27 584 002	4005176451621	422	67.87
27 265 000	4005176856983	411	40.95	27 588 002	4005176451669	423	63.61
27 265 00E	4005176885693	411	40.95	27 591 001	4005176443985	389, 423	83.40
27 266 001	4005176899812	412	111.65	27 594 000	4005176895920	445	15.40
27 266 00E	4005176890710	412	100.90	27 595 000	4005176895937	443	22.63
27 267 001	4005176899829	413	121.53	27 596 000	4005176895944	415, 424	12.72
27 271 000	4005176860690	380	563.94	27 597 001	4005176985508	425	31.08
27 272 000	4005176860836	405	139.93	27 597 10E	4005176985409	425	31.08
27 273 001	4005176875502	405	309.52	27 598 001	4005176985515	427	71.62
27 274 000	4005176861383	406	139.93	27 598 10E	4005176985416	427	71.62
27 276 000	4005176861437	404	111.67	27 600 001	4005176451775	426	94.71
27 276 LSO	4005176861451	404	111.67	27 601 10E	4005176985430	428	51.38
27 277 001	4005176875489	404	267.14	27 606 001	4005176444180	389, 432	74.90

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
27 608 001	4005176444029	434	66.44	27 938 001	4005176927072	379	3,871.27
27 609 001	4005176451898	434	124.39	27 939 001	4005176927287	379	3,871.32
27 610 001	4005176444050	389, 434	76.32	27 964 000	4005176929595	354	917.29
27 615 002	4005176647970	351	744.91	27 966 000	4005176929250	345	1,426.13
27 621 000	4005176898310	446	394.34	27 966 001	4005176532993	344	1,328.91
27 641 000	4005176901645	347	1,426.13	27 967 000	4005176929670	346	1,256.51
27 644 001	4005176451720	427	83.36	27 968 000	4005176929687	345	1,426.13
27 645 001	4005176451744	426	91.85	27 968 001	4005176533006	344	1,328.91
27 646 001	4005176985522	428	79.72	27 969 000	4005176931123	74	111.66
27 646 10E	4005176985423	428	79.72	27 969 IGO	4005176931130	74	139.92
27 693 000	4005176907043	444	26.86	27 970 000	4005176931154	74	154.06
27 696 000	4005176907074	359	874.90	27 970 IGO	4005176931161	74	210.56
27 698 000	4005176907098	418	55.12	27 974 000	4005176932793	72, 385	549.82
27 699 000	4005176907104	418	55.12	27 974 IGO	4005176933486	72, 385	719.40
27 700 000	4005176907111	418	267.11	27 978 000	4005176932830	73, 394	97.49
27 702 000	4005176907135	419	97.49	27 986 000	4005176933011	73, 393	125.78
27 703 000	4005176907142	419	97.49	27 986 IGO	4005176933547	73, 393	168.17
27 704 000	4005176907159	447	40.96	27 993 000	4005176933080	73	196.45
27 705 000	4005176907166	388, 419	182.32	27 993 IGO	4005176933585	73	252.97
27 706 000	4005176908439	32, 444	40.98	28			
27 706 A00	4005176491030	444	60.07	28 002 000	4005176858796	390, 408	238.86
27 706 AL0	4005176490972	32, 444	63.90	28 020 L01	4005176333828	437	18.23
27 706 DC0	4005176490989	32, 444	52.40	28 025 000	4005176284830	439	32.34
27 707 000	4005176908446	32, 447	55.13	28 034 000	4005176231810	50, 395	182.34
27 707 A00	4005176490941	447	95.84	28 094 000	4005176601132	390, 408	65.71
27 707 AL0	4005176490880	32, 447	100.97	28 105 000	4005176601217	439	23.09
27 707 DC0	4005176490897	32, 447	83.05	28 139 000	4005176601316	439	25.31
27 709 000	4005176909092	393	139.93	28 140 000	4005176601323	439	28.16
27 711 000	4005176909115	393	111.65	28 142 000	4005176601330	439, 604	25.07
27 786 002	4005176451508	422	91.88	28 143 000	4005176601347	331, 439	27.87
27 787 002	4005176451522	421	101.78	28 143 KSO	4005176842252	439, 604	36.58
27 790 002	4005176451614	422	98.40	28 143 LSO	4005176842269	439, 604	36.58
27 794 001	4005176451737	427	83.36	28 145 000	4005176601354	439, 604	32.86
27 795 001	4005176451751	426	91.85	28 146 000	4005176121753	441	58.24
27 796 001	4005176451850	428	91.85	28 150 001	4005176933196	441	11.03
27 798 10E	4005176985447	429	44.57	28 151 001	4005176933202	441	13.37
27 799 001	4005176985539	429	44.57	28 151 L01	4005176935091	441	25.43
27 803 10E	4005176985454	429	47.28	28 154 001	4005176933219	441	15.61
27 805 001	4005176451911	434	86.23	28 155 001	4005176933226	441	17.28
27 812 IL1	4005176333897	437	42.38	28 158 000	4005176601606	441	39.42
27 841 000	4005176916670	419, 449	253.01	28 161 001	4005176935107	440, 603	21.38
27 852 001	4005176444081	425	24.31	28 198 000	4005176038686	391	159.58
27 853 001	4005176451706	427	59.45	28 214 003	4005176444098	425	29.72
27 854 001	4005176451829	428	67.58	28 233 000	4005176868016	387, 416	111.69
27 863 000	4005176918155	383	846.60	28 261 002	4005176444135	425	40.97
27 865 000	4005176918179	332, 378	5,388.25	28 280 004	4005176306624	427	69.26
27 869 001	4005176444005	377, 423	98.97	28 286 000	4005176198526	390, 409	125.79
27 884 001	4005176919695	417	111.67	28 308 000	4005176254949	385, 395	159.58
27 888 000	4005176921179	331, 417	111.67	28 341 000	4005176259463	395	182.34
27 888 A00	4005176557972	417	189.06	28 348 000	4005176263262	395	172.99
27 888 AL0	4005176557989	417	200.90	28 361 000	4005176295157	392	125.79
27 888 DC0	4005176526442	417	165.42	28 362 000	4005176295225	440	17.84
27 888 DL0	4005176558016	417	200.90	28 362 A00	4005176427633	440	27.30
27 888 GN0	4005176558047	417	200.90	28 362 DA0	4005176427602	440	27.30
27 889 000	4005176921186	418	168.19	28 362 DC0	4005176386435	440	23.97
27 890 000	4005176921193	417	323.67	28 362 GL0	4005176427589	440	27.30
27 891 000	4005176921209	417	309.56	28 364 000	4005176295294	440	20.05
27 892 000	4005176921216	449	238.89	28 368 000	4005176267253	384	288.05
27 922 000	4005176923364	362	606.01	28 368 00E	4005176867385	384	422.59
27 923 001	4005176444074	425	24.31	28 368 LSO	4005176997242	384	535.65
27 924 001	4005176451690	427	59.45	28 369 000	4005176267260	385, 404	450.87
27 925 001	4005176451812	428	67.58	28 373 000	4005176267277	384	436.72
27 926 001	4005176451768	426	82.43	28 388 000	4005176295362	440	22.83
27 929 002	4005176451577	421	104.55	28 388 A00	4005176427701	440	34.52
27 932 000	4005176924231	357	705.30	28 388 DA0	4005176427671	440	34.52
27 934 000	4005176927157	333	4,182.26	28 388 DC0	4005176386428	440	30.64
27 936 000	4005176927058	418	242.62				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
28 388 GL0	4005176427657	440	34.52	<b>29</b>			
28 389 000	4005176269837	396, 453	15.96				
28 401 000	4005176264474	443	58.85	29 007 000	4005176837678	595	192.90
28 403 000	4005176264511	444	52.31	29 025 002	4005176519895	27, 36	282.72
28 404 000	4005176601736	390, 408	25.63	29 032 000	4005176845277	32, 43	39.61
28 405 000	4005176264559	447, 603	65.70	29 033 000	4005176845338	31, 43	312.73
28 406 000	4005176264566	448, 603	65.70	29 037 000	4005176865749	30, 71	959.70
28 409 001	4005176933233	441	15.76	29 037 001	4005176455490	41	946.93
28 410 001	4005176933240	441	24.00	29 037 002	4005176519918	42, 62	893.84
28 413 001	4005176933257	441	19.70	29 069 000	4005176918384	332	168.19
28 417 000	4005176264702	439	30.08	29 072 000	4005176918421	332	309.56
28 419 002	4005176444128	425	40.97	29 073 000	4005176918445	333	309.56
28 421 002	4005176444142	425	55.12	29 074 000	4005176918469	333	493.29
28 422 002	4005176444111	425	31.09	29 078 001	4005176556555	199	143.93
28 429 000	4005176601910	394, 433	65.71	29 079 001	4005176556692	200	158.17
28 436 002	4005176451799	426	103.19	29 080 001	4005176555961	205	143.93
28 438 001	4005176985553	427	72.99	29 081 001	4005176556081	205	158.17
28 448 000	4005176265167	386	216.21	29 086 000	4005176935497	26, 26	285.40
28 497 000	4005176270338	393	83.41	29 094 000	4005176354106	594	266.48
28 537 000	4005176040443	408	132.74	29 095 000	4005176354113	594	272.01
28 541 000	4005176040528	394, 433	52.31	29 096 000	4005176354120	594	219.81
28 576 000	4005176274022	392	97.51	29 097 003	4005176365133	160	256.88
28 578 002	4005176444159	425	55.12	29 097 LS3	4005176365140	160	338.74
28 587 000	4005176282966	449, 603	236.55	29 098 003	4005176365225	165	151.80
28 605 000	4005176041105	445	25.49	29 098 LS3	4005176365232	165	204.00
28 620 000	4005176041259	449	172.99	29 099 003	4005176365300	166	179.67
28 621 000	4005176041273	449	213.19	29 099 LS3	4005176365317	166	221.18
28 622 000	4005176041297	445	39.22	29 118 000	4005176412240	62, 261	608.04
28 623 000	4005176031595	443	38.90	29 118 A00	4005176493010	261	822.23
28 626 000	4005176041358	448	65.69	29 118 AL0	4005176455049	62, 261	844.04
28 628 000	4005176041396	448	66.20	29 118 DA0	4005176492990	62, 261	822.23
28 631 000	4005176019142	451	65.70	29 118 DC0	4005176455032	62, 261	748.15
28 634 XX0	4005176041440	453, 761	38.57	29 118 DL0	4005176493003	261	877.79
28 636 000	4005176078606	448	69.25	29 118 GL0	4005176492976	62, 261	822.23
28 671 000	4005176103070	447, 603	40.98	29 118 GN0	4005176492983	261	877.79
28 678 000	4005176116711	448	57.14	29 119 000	4005176412257	63, 262	701.29
28 679 000	4005176116759	448	65.71	29 119 A00	4005176493089	262	896.30
28 680 000	4005176116780	447	52.30	29 119 AL0	4005176455063	63, 262	919.02
28 690 000	4005176256196	395, 443	119.34	29 119 DA0	4005176493065	63, 262	896.30
28 724 000	4005176812644	393	69.26	29 119 DC0	4005176455056	63, 262	917.11
28 737 000	4005176872983	387, 419	69.25	29 119 DL0	4005176493072	262	955.58
28 778 000	4005176820526	383	818.36	29 119 GL0	4005176493041	63, 262	896.30
28 789 002	4005176451843	428	91.85	29 119 GN0	4005176493058	262	955.58
28 796 000	4005176824296	407	168.18	29 120 000	4005176412264	262	794.51
28 799 000	4005176602511	454	126.16	29 121 000	4005176412271	63, 263	716.17
28 817 000	4005176602962	761	15.34	29 121 A00	4005176493225	263	969.14
28 856 000	4005176603495	451	38.90	29 121 AL0	4005176455100	63, 263	1,133.71
28 874 000	4005176042348	453, 595	92.68	29 121 DA0	4005176493201	63, 263	969.14
28 910 000	4005176603846	753	70.12	29 121 DC0	4005176455094	63, 263	881.49
28 912 000	4005176266751	85, 113	289.70	29 121 DL0	4005176493218	263	1,033.32
28 912 AL0	4005176467844	85, 113	303.02	29 121 GL0	4005176493188	63, 263	969.14
28 912 DC0	4005176467905	85, 113	268.09	29 121 GN0	4005176493195	263	1,045.68
28 912 DL0	4005176467899	755	303.02	29 122 000	4005176412288	64, 263	436.47
28 912 EN0	4005176467837	755	332.22	29 122 A00	4005176515231	263	591.35
28 912 GN0	4005176467875	755	332.22	29 122 AL0	4005176455124	64, 263	579.01
28 920 000	4005176603914	754	39.98	29 122 BE0	4005176493232	263	591.35
28 939 000	4005176209161	215	103.62	29 122 DA0	4005176515217	64, 263	591.35
28 943 000	4005176209178	215, 640	116.75	29 122 DC0	4005176455117	64, 263	538.28
28 948 000	4005176209871	390, 408	172.98	29 122 DL0	4005176515224	263	630.87
28 964 001	4005176877254	407	281.27	29 122 EN0	4005176413728	263	579.01
28 982 000	4005176829987	392	168.20	29 122 GL0	4005176515194	64, 263	591.35
28 988 000	4005176042805	453, 595	127.08	29 122 GN0	4005176515200	263	630.87
28 990 000	4005176174025	214	164.93	29 123 000	4005176413292	257	636.01
28 991 000	4005176174032	214, 640	234.80	29 123 A00	4005176558054	257	832.11
28 993 000	4005176174056	214	116.11	29 123 AL0	4005176558061	257	887.67
28 995 000	4005176175725	214	329.06	29 123 DL0	4005176558092	257	887.67
				29 123 GN0	4005176558122	257	887.67

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
29 124 000	4005176413308	257	692.57	29 904 LS0	4005176413568	265	931.39
29 124 A00	4005176558139	257	906.18	30			
29 124 AL0	4005176558146	257	966.69	30 008 001	4005176843242	211	39.59
29 124 DC0	4005176526329	257	845.68	30 058 001	4005176989162	501	1,584.38
29 124 DL0	4005176558177	257	966.69	30 058 AL1	4005176489266	501	1,954.74
29 124 GN0	4005176558207	257	966.69	30 058 DC1	4005176989179	501	1,821.00
29 125 000	4005176413315	258	831.05	30 058 DL1	4005176489280	501	1,954.74
29 126 000	4005176413322	258, 331	749.10	30 060 001	4005176989186	502	1,460.92
29 126 A00	4005176558290	258	980.26	30 064 001	4005176843259	534	53.25
29 126 AL0	4005176558306	258	1,045.68	30 098 001	4005176843266	211, 533	39.60
29 126 DC0	4005176526343	258	914.81	30 193 000	4005176919459	526	158.30
29 126 DL0	4005176558337	258	1,045.68	30 193 DC0	4005176938559	526	184.91
29 126 GN0	4005176558368	258	1,045.68	30 195 000	4005176919473	527	216.85
29 127 000	4005176413339	259	456.54	30 199 000	4005176922022	527	123.72
29 127 A00	4005176558375	259	598.76	30 208 000	4005176927836	606	318.98
29 127 AL0	4005176558382	259	638.28	30 219 002	4005176466540	513	836.80
29 127 DC0	4005176526350	259	559.28	30 219 DC2	4005176466557	513	1,129.47
29 127 DL0	4005176558412	259	638.28	30 260 003	4005176635434	530	131.70
29 127 GN0	4005176558443	259	638.28	30 269 000	4005176314902	517	332.90
29 150 LS0	4005176413544	264	818.35	30 269 A00	4005176428661	517	430.40
29 151 LS0	4005176413551	264	874.90	30 269 AL0	4005176428654	517	430.42
29 152 LS0	4005176413575	265	578.06	30 269 DA0	4005176428630	517	430.40
29 153 LS0	4005176413582	259	818.36	30 269 DC0	4005176314919	517	416.47
29 156 LS0	4005176413599	260	874.90	30 269 DL0	4005176428647	517	430.42
29 157 LS0	4005176413605	260	931.39	30 269 GL0	4005176428616	517	430.40
29 158 LS0	4005176413612	261	578.06	30 269 GN0	4005176428623	517	430.42
29 176 001	4005176507779	39	314.91	30 270 000	4005176314926	517	416.43
29 176 A01	4005176507755	39	472.35	30 270 A00	4005176427473	517	555.72
29 176 DL1	4005176507670	39	503.84	30 270 AL0	4005176427466	517	555.71
29 176 GN1	4005176507618	39	503.84	30 270 DA0	4005176427442	517	555.77
29 181 002	4005176558993	40	349.89	30 270 DC0	4005176314933	517	486.11
29 181 A02	4005176559068	40	524.84	30 270 DL0	4005176427459	517	555.71
29 181 DL2	4005176559051	40	559.82	30 270 GL0	4005176427428	517	555.77
29 181 GN2	4005176559037	40	559.82	30 270 GN0	4005176427435	517	555.71
29 192 001	4005176698279	121	235.39	30 273 001	4005176314964	522	331.24
29 192 A01	4005176711732	121	387.73	30 273 DC1	4005176314971	522	424.39
29 192 AL1	4005176711749	121	413.58	30 274 000	4005176314988	509	331.25
29 192 DA1	4005176711763	121	380.13	30 274 A00	4005176488658	509	448.30
29 192 DC1	4005176711770	121	354.76	30 274 AL0	4005176488665	509	448.29
29 192 DL1	4005176711787	121	413.58	30 274 DA0	4005176488672	509	448.30
29 192 GL1	4005176711800	121	380.13	30 274 DC0	4005176314995	509	415.45
29 192 GN1	4005176711817	121	405.46	30 274 DL0	4005176488689	509	448.29
29 193 001	4005176698286	122	263.26	30 294 000	4005176341472	516	527.90
29 193 A01	4005176711916	122	428.25	30 294 A00	4005176488054	516	687.57
29 193 AL1	4005176711923	122	456.80	30 294 AL0	4005176488061	516	687.57
29 193 DA1	4005176711947	122	428.25	30 294 DA0	4005176488498	516	687.57
29 193 DC1	4005176711954	122	399.71	30 294 DC0	4005176341489	516	681.14
29 193 DL1	4005176711961	122	456.80	30 294 DL0	4005176488504	516	687.57
29 193 GL1	4005176711985	122	428.25	30 294 GL0	4005176488078	516	687.57
29 193 GN1	4005176711992	122	456.80	30 294 GN0	4005176488085	516	687.57
29 303 003	4005176529764	106	296.12	30 305 001	4005176635465	530	198.21
29 303 AL3	4005176585654	106	444.79	30 305 DC1	4005176635472	530	251.46
29 303 DC3	4005176574108	106	390.08	30 309 000	4005176351235	507	435.64
29 306 003	4005176529771	106	308.03	30 321 DG0	4005176438219	516	121.53
29 307 003	4005176529993	110	950.23	30 321 DP0	4005176438264	516	121.53
29 307 AL3	4005176585715	110	1,504.43	30 321 DU0	4005176438257	516	121.53
29 307 DC3	4005176574160	110	1,316.53	30 321 GE0	4005176438271	516	121.53
29 337 003	4005176613432	183	208.30	30 321 HG0	4005176385742	516	75.11
29 338 003	4005176613449	184	227.03	30 321 MW0	4005176385728	516	75.11
29 708 000	4005176102653	74	361.45	30 321 TY0	4005176438240	516	121.53
29 800 000	4005176504839	49, 101	37.55	30 321 XCO	4005176385735	516	75.11
29 801 000	4005176504846	49, 101	30.95	30 321 YFO	4005176438233	516	75.11
29 802 000	4005176504853	49, 72	63.48	30 321 YR0	4005176438226	516	121.53
29 804 000	4005176504877	49, 101	49.24	30 328 001	4005176414107	500	1,646.11
29 805 000	4005176504884	49, 101	106.63	30 328 DC1	4005176414114	500	1,882.71
29 811 000	4005176062711	49, 72	63.47	30 329 001	4005176414121	502	1,460.92
29 813 000	4005176062735	315	102.38				



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
30 340 001	4005176414893	500	1,697.54	31 326 002	4005176507236	482	2,530.88
30 340 DC1	4005176414909	500	1,954.76	31 326 DC2	4005176507212	482	2,890.96
30 341 001	4005176414916	501	1,584.38	31 347 003	4005176443336	480	2,407.42
30 341 AL1	4005176489303	501	1,954.74	31 347 DC3	4005176446559	480	2,705.78
30 341 DC1	4005176414923	501	1,821.00	31 358 002	4005176465000	508	715.74
30 341 DL1	4005176489327	501	1,954.74	31 358 DC2	4005176465017	508	895.05
30 348 001	4005176464973	511	255.62	31 360 001	4005176343025	508	695.07
30 362 000	4005176496479	515	557.33	31 360 DC1	4005176343032	508	903.98
30 362 AL0	4005176497292	515	834.62	31 367 001	4005176478512	535	95.06
30 362 DC0	4005176496486	515	726.18	31 368 001	4005176478529	535	95.06
30 382 000	4005176565496	494	586.41	31 375 000	4005176934155	509	264.71
30 382 DC0	4005176565502	494	668.73	31 375 A00	4005176488610	509	376.53
30 383 000	4005176565519	494	401.22	31 375 AL0	4005176488627	509	376.53
30 385 000	4005176565533	494	360.08	31 375 DA0	4005176488634	509	376.53
30 387 000	4005176565557	495	308.63	31 375 DC0	4005176934162	509	344.56
30 468 000	4005176635755	531	218.88	31 375 DL0	4005176488641	509	376.53
30 503 000	4005176695698	516	527.90	31 379 000	4005176938085	506	756.96
30 503 DC0	4005176720178	516	681.14	31 379 DC0	4005176938092	506	983.14
30 504 000	4005176695704	517	416.43	31 391 003	4005176635762	531	138.65
30 504 A00	4005176720109	517	555.72	31 395 000	4005176304774	518	722.90
30 504 AL0	4005176720116	517	555.71	31 395 DC0	4005176304767	518	931.86
30 504 DA0	4005176720123	517	555.77	31 454 001	4005176454110	488	1,779.84
30 504 DC0	4005176720130	517	486.11	31 454 AL1	4005176488900	488	2,242.81
30 504 DL0	4005176720147	517	555.71	31 454 DC1	4005176454127	488	2,026.77
30 504 GL0	4005176720154	517	555.77	31 454 DL1	4005176488924	488	2,242.81
30 504 GN0	4005176720161	517	555.71	31 455 000	4005176323027	486	1,779.84
30 505 000	4005176695711	517	332.90	31 455 001	4005176454134	485	1,779.84
30 505 A00	4005176719738	517	430.40	31 455 AL1	4005176488948	485	2,242.81
30 505 AL0	4005176719745	517	430.42	31 455 DC0	4005176323034	486	2,026.77
30 505 DA0	4005176719752	517	430.40	31 455 DC1	4005176454141	485	2,026.77
30 505 DC0	4005176720062	517	416.47	31 455 DL1	4005176488962	485	2,242.81
30 505 DL0	4005176720079	517	430.42	31 456 001	4005176454158	490	1,779.84
30 505 GL0	4005176720086	517	430.40	31 456 DC1	4005176454165	490	2,026.77
30 505 GN0	4005176720352	517	430.42	31 481 001	4005176466922	526	236.75
30 506 000	4005176723667	529	165.60	31 482 003	4005176466984	524	302.03
30 978 000	4005176098918	611	263.24	31 483 002	4005176466809	522	301.63
<b>31</b>				31 483 DC2	4005176466816	522	393.86
31 067 001	4005176845710	534	116.05	31 491 000	4005176343308	521	424.40
31 124 002	4005176888614	525	207.57	31 491 DC0	4005176343315	521	557.41
31 126 004	4005176466977	524	260.65	31 498 001	4005176454172	492	1,718.13
31 127 002	4005176888669	524	221.50	31 498 AL1	4005176488986	492	2,181.08
31 128 001	40051768886737	522	238.13	31 498 DC1	4005176454189	492	1,985.61
31 128 DC1	4005176891007	522	304.67	31 498 DL1	4005176489006	492	2,181.08
31 129 001	40051768886744	522	291.34	31 535 001	4005176478550	536	95.06
31 129 DC1	4005176891021	522	371.18	31 536 001	4005176478567	535	95.06
31 159 002	4005176888106	525	374.67	31 538 001	4005176478574	536	95.06
31 161 000	4005176889158	527	251.44	31 539 000	4005176437014	489	2,067.92
31 170 000	4005176889165	528	278.06	31 539 DC0	4005176437021	489	2,345.69
31 179 000	4005176889172	527	184.90	31 541 000	4005176437038	487	2,067.92
31 180 000	4005176889288	526	238.11	31 541 DC0	4005176437045	487	2,345.69
31 187 001	4005176843327	533	107.88	31 543 000	4005176437052	491	2,067.92
31 212 003	4005176466762	521	297.19	31 543 DC0	4005176437069	491	2,345.69
31 214 001	4005176891090	523	292.15	31 552 SD1	4005176623714	545	129.24
31 230 001	4005176478277	536	95.06	31 562 SD1	4005176623721	545	233.70
31 231 001	4005176478260	536	95.06	31 563 SD1	4005176623738	543	241.10
31 232 001	4005176478253	535	95.06	31 564 SD1	4005176623745	544	192.84
31 233 001	4005176478284	535	95.06	31 565 SD1	4005176623752	544	216.96
31 234 001	4005176478499	536	95.06	31 571 SD1	4005176626029	543	272.84
31 255 000	4005176901416	518	249.35	31 572 SD1	4005176626036	543	390.37
31 255 DC0	4005176994319	518	514.02	31 574 SD1	4005176607080	541	267.91
31 302 002	4005176443343	483	2,294.27	31 575 SD1	4005176607097	541	676.55
31 302 DC2	4005176443350	483	2,561.75	31 576 SD1	4005176607103	541	307.42
31 323 002	4005176989933	479	2,407.42	31 577 SD1	4005176607110	542	307.42
31 323 DC2	4005176989940	479	2,705.78	31 578 SD1	4005176607127	542	241.98
31 325 002	4005176507274	481	2,530.88	31 580 SD1	4005176607134	542	313.59
31 325 DC2	4005176507250	481	2,890.96	31 581 SD1	4005176607141	539	962.97
				31 582 SD1	4005176607158	539	962.97

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
31 583 SD1	4005176607165	539	649.40	31 930 001	4005176843303	533	203.44
31 584 SD1	4005176607172	540	722.22	32			
31 585 SD1	4005176607189	540	962.97	32 042 003	4005176454448	51	450.09
31 586 SD1	4005176607196	540	843.23	32 042 AL3	4005176454462	51	818.17
31 588 SD1	4005176626043	544	403.41	32 042 DA3	4005176492167	51	698.90
31 593 002	4005176521942	513	495.07	32 042 DC3	4005176454455	51	715.91
31 593 DC2	4005176521959	513	743.22	32 042 GL3	4005176492143	51	698.89
31 613 000	4005176521973	508	377.18	32 043 003	4005176454479	51	390.19
31 613 A00	4005176523601	508	527.32	32 043 AL3	4005176454691	51	709.14
31 613 DA0	4005176523595	508	527.32	32 043 DC3	4005176454486	51	620.48
31 613 DC0	4005176521980	508	488.85	32 043 GL3	4005176492211	51	613.27
31 615 000	4005176523649	516	449.16	32 067 000	4005176811142	511	264.71
31 615 A00	4005176523717	516	629.07	32 108 003	4005176454790	52	510.03
31 615 AL0	4005176523724	516	673.73	32 108 AL3	4005176454813	52	927.28
31 615 BE0	4005176523731	516	629.07	32 108 DA3	4005176492518	52	792.08
31 615 DA0	4005176523694	516	629.07	32 108 DC3	4005176454806	52	811.37
31 615 DC0	4005176523656	516	584.40	32 108 GL3	4005176492495	52	792.08
31 615 DL0	4005176523700	516	673.73	32 109 001	4005176408373	77	254.52
31 615 EN0	4005176523748	516	673.73	32 109 AL1	4005176586118	77	356.16
31 615 GL0	4005176523670	516	629.07	32 109 DC1	4005176412691	77	336.93
31 615 GN0	4005176523687	516	673.73	32 114 001	4005176409103	77	241.74
31 639 AP0	4005176520457	550	284.38	32 114 DC1	4005176412714	77	359.39
31 639 AT0	4005176520464	550	284.38	32 146 001	4005176499388	35	349.89
31 640 AP0	4005176520471	550	358.05	32 146 A01	4005176499456	35	524.84
31 640 AT0	4005176520488	550	358.05	32 146 DL1	4005176499449	35	559.82
31 641 AP0	4005176521102	550	385.21	32 146 GN1	4005176499425	35	559.82
31 641 AT0	4005176521119	550	385.21	32 154 003	4005176613258	180	119.73
31 642 AP0	4005176521126	551	412.34	32 168 000	4005176824425	509	264.72
31 642 AT0	4005176521133	551	412.34	32 168 DC0	4005176824432	509	344.57
31 643 AP0	4005176521140	551	438.19	32 202 10L	4005176903960	141	164.07
31 643 AT0	4005176521157	551	438.19	32 204 10E	4005176887345	140	176.80
31 644 AP0	4005176521164	548	382.61	32 207 001	4005176888878	140	123.43
31 644 AT0	4005176521171	548	382.61	32 208 001	4005176888908	144	164.07
31 645 AP0	4005176521188	548	399.42	32 210 001	4005176888939	144	185.80
31 645 AT0	4005176521195	548	399.42	32 211 001	4005176889028	145	214.95
31 646 AP0	4005176521201	548	425.24	32 212 001	4005176889035	145	253.11
31 646 AT0	4005176521218	548	425.24	32 213 001	4005176888960	147	185.79
31 647 AP0	4005176521225	549	478.27	32 214 001	4005176889097	147	210.72
31 647 AT0	4005176521232	549	478.27	32 224 003	4005176635786	531	168.96
31 648 AP0	4005176521249	549	365.81	32 229 002	4005176887055	152	165.23
31 648 AT0	4005176521256	549	365.81	32 240 10E	4005176906794	141	164.07
31 649 AP0	4005176521263	549	445.93	32 240 10L	4005176903977	141	151.35
31 649 AT0	4005176521270	549	445.93	32 249 000	4005176832383	47	918.79
31 650 AP0	4005176521287	546	288.25	32 257 001	4005176834165	520	258.10
31 650 AT0	4005176521294	546	288.25	32 257 002	4005176886591	519	326.36
31 651 AP0	4005176521300	546	339.95	32 259 003	4005176466908	519	269.05
31 651 AT0	4005176521317	546	339.95	32 294 002	4005176466496	513	425.26
31 652 AP0	4005176521324	546	380.03	32 294 DC2	4005176466502	513	551.95
31 652 AT0	4005176521331	546	380.03	32 321 002	4005176465109	511	262.10
31 653 AP0	4005176521348	547	252.06	32 321 A02	4005176488733	511	375.26
31 653 AT0	4005176521355	547	252.06	32 321 AL2	4005176488740	511	375.27
31 654 AP0	4005176521362	547	289.54	32 321 DA2	4005176488757	511	375.26
31 654 AT0	4005176521379	547	289.54	32 321 DC2	4005176465116	511	341.16
31 655 AP0	4005176521386	547	342.54	32 321 DL2	4005176488764	511	375.27
31 655 AT0	4005176521393	547	342.54	32 321 GN2	4005176618529	511	375.42
31 656 AP0	4005176521409	551	236.55	32 322 002	4005176465123	512	262.10
31 656 AT0	4005176521416	551	236.55	32 322 A02	4005176488818	512	375.26
31 680 000	4005176530487	537	80.25	32 322 AL2	4005176488825	512	375.27
31 688 000	4005176530333	537	90.12	32 322 DA2	4005176488832	512	375.26
31 693 000	4005176530371	537	90.12	32 322 DC2	4005176465130	512	341.16
31 706 000	4005176530449	537	90.12	32 322 DL2	4005176488849	512	375.27
31 715 000	4005176564123	537	90.12	32 467 003	4005176613210	179	105.09
31 819 001	4005176843471	534	121.51	32 467 30L	4005176644276	180	105.09
31 829 001	4005176845697	533	95.58	32 468 003	4005176334207	158	137.88
31 831 001	4005176843280	533	94.22	32 468 20E	4005176906886	150	151.79
31 868 000	4005176693113	529	131.70	32 468 20L	4005176917097	150	145.17
31 869 000	4005176693120	530	198.23				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
32 469 20E	4005176908835	134	221.51	32 770 000	4005176871702	607	283.60
32 469 20L	4005176917110	134	210.10	32 771 000	4005176871719	607	374.68
32 488 000	4005176289552	511	211.51	32 772 000	4005176871726	608	326.37
32 488 A00	4005176488771	511	300.97	32 773 000	4005176871733	608	338.00
32 488 AL0	4005176488788	511	300.98	32 774 000	4005176871740	608	376.87
32 488 DA0	4005176488795	511	300.97	32 775 000	4005176871757	608	392.40
32 488 DC0	4005176804939	511	278.76	32 776 000	4005176871764	607	287.52
32 488 DL0	4005176488801	511	300.98	32 778 000	4005176871788	607	318.97
32 511 000	4005176295621	510	317.97	32 779 000	4005176871795	607	360.77
32 553 002	4005176466649	514	398.12	32 780 000	4005176871801	608	133.48
32 553 DC2	4005176466656	514	624.74	32 783 000	4005176871832	609	156.84
32 612 003	4005176529696	103	236.67	32 784 000	4005176871849	609	165.74
32 612 30L	4005176529979	104	236.67	32 786 000	4005176871863	532, 609	165.74
32 612 AL3	4005176585609	103	365.11	32 787 000	4005176871870	532, 609	163.54
32 612 DC3	4005176574054	103	319.92	32 788 000	4005176871887	612	291.10
32 618 003	4005176529740	106	355.60	32 789 000	4005176871894	612	263.26
32 618 AL3	4005176585647	106	566.10	32 790 000	4005176871900	612	349.73
32 618 DC3	4005176574092	106	494.74	32 792 000	4005176871924	613	462.31
32 628 001	4005176306983	119	249.30	32 793 000	4005176871931	613	481.73
32 628 A01	4005176407376	119	380.13	32 795 000	4005176871955	612	458.26
32 628 AL1	4005176407383	119	405.46	32 823 000	4005176877995	612	431.17
32 628 DA1	4005176407352	119	380.13	32 824 000	4005176874604	168	126.87
32 628 DC1	4005176369940	119	354.76	32 824 00L	4005176917035	168	126.87
32 628 DL1	4005176419652	119	405.46	32 825 00E	4005176874628	167	139.67
32 628 GL1	4005176407369	119	380.13	32 825 00L	4005176917028	167	138.76
32 628 GN1	4005176419645	119	405.46	32 826 001	4005176507076	38	419.87
32 629 002	4005176472619	143	214.94	32 826 A01	4005176507052	38	629.81
32 647 003	4005176454707	51	631.23	32 826 DL1	4005176506970	38	671.80
32 647 AL3	4005176454721	51	1,145.49	32 826 GN1	4005176506918	38	671.80
32 647 DA3	4005176492303	51	978.45	32 827 00E	4005176906565	168	139.67
32 647 DC3	4005176454714	51	1,002.30	32 830 001	4005176472749	171	176.38
32 647 GL3	4005176492280	51	978.45	32 831 000	4005176874703	174	178.12
32 650 003	4005176454820	52	540.64	32 832 000	4005176874710	175	203.76
32 650 AL3	4005176454844	52	981.81	32 833 000	4005176874727	175	143.22
32 650 DA3	4005176492587	52	838.67	32 836 000	4005176874758	174	174.63
32 650 DC3	4005176454837	52	859.10	32 837 000	4005176874772	173	149.49
32 650 GL3	4005176492563	52	838.67	32 839 000	4005176874802	173	126.87
32 652 003	4005176454851	53	631.23	32 840 000	4005176874819	173	113.08
32 652 AL3	4005176454875	53	1,145.49	32 842 000	4005176874833	527	131.69
32 652 DA3	4005176492655	53	978.45	32 843 002	4005176466939	526	160.26
32 652 DC3	4005176454868	53	1,002.30	32 843 20E	4005176466946	526	163.72
32 652 GL3	4005176492631	53	978.45	32 843 DC2	4005176466953	526	240.53
32 653 003	4005176454912	56	1,740.48	32 846 001	4005176506895	38	384.88
32 653 AL3	4005176454936	56	3,163.68	32 846 A01	4005176506871	38	577.31
32 653 DA3	4005176492723	56	2,702.41	32 846 DL1	4005176506796	38	615.81
32 653 DC3	4005176454929	56	2,768.24	32 846 GN1	4005176506734	38	615.81
32 653 GL3	4005176492709	56	2,702.41	32 870 000	4005176876523	610	116.62
32 659 001	4005176886713	523	211.52	32 871 000	4005176876530	610	136.68
32 661 003	4005176466823	521	235.76	32 879 000	4005176877353	177	162.07
32 661 DC3	4005176466830	521	288.46	32 880 000	4005176877360	177	165.31
32 663 003	4005176466854	521	262.12	32 898 001	4005176306860	117	193.61
32 663 DC3	4005176466861	521	367.49	32 901 001	4005176306969	120	332.90
32 700 001	4005176887994	146	198.27	32 901 A01	4005176407512	120	514.90
32 706 000	4005176855092	48	305.02	32 901 AL1	4005176407529	120	549.21
32 750 000	4005176868238	532	107.87	32 901 DA1	4005176407499	120	514.90
32 752 000	4005176868252	532	121.51	32 901 DC1	4005176369957	120	480.54
32 757 001	4005176498589	35	314.91	32 901 DL1	4005176426124	120	549.21
32 757 A01	4005176499357	35	472.35	32 901 GL1	4005176407505	120	514.90
32 757 DL1	4005176499340	35	503.84	32 901 GN1	4005176426117	120	549.21
32 757 GN1	4005176499326	35	503.84	32 917 000	4005176230950	510	211.51
32 760 000	4005176870927	47	862.16	32 917 A00	4005176488696	510	300.97
32 762 000	4005176871023	606	137.88	32 917 AL0	4005176488702	510	300.98
32 763 000	4005176871030	606	137.88	32 917 DA0	4005176488719	510	300.97
32 765 000	4005176871054	606	291.14	32 917 DC0	4005176804946	510	264.71
32 766 000	4005176871061	606	305.03	32 917 DL0	4005176488726	510	300.98
32 767 000	4005176871078	607	346.81	32 917 KSO	4005176980640	510	286.04
32 768 000	4005176871689	607	322.45	32 918 000	4005176230967	510	264.71

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
32 918 00E	4005176866616	510	264.71	33 624 001	4005176990786	124	249.36
32 918 DC0	4005176804953	510	344.57	33 624 A01	4005176426445	124	401.80
32 926 003	4005176613234	180	118.40	33 624 AL1	4005176426438	124	428.59
32 929 003	4005176613623	184	105.08	33 624 DA1	4005176426414	124	401.80
32 935 001	4005176307171	123	193.61	33 624 DC1	4005176371097	124	375.02
32 935 A01	4005176426360	123	295.94	33 624 DL1	4005176426421	124	428.59
32 935 AL1	4005176426353	123	315.67	33 624 GL1	4005176426391	124	401.80
32 935 DA1	4005176426339	123	295.94	33 624 GN1	4005176426407	124	428.59
32 935 DC1	4005176369988	123	276.20	33 628 001	4005176990793	124	305.03
32 935 DL1	4005176426346	123	315.67	33 635 003	4005176334344	165	185.10
32 935 GL1	4005176426315	123	295.94	33 636 001	4005176307287	123	207.56
32 935 GN1	4005176426322	123	315.67	33 636 A01	4005176426667	123	327.23
32 950 000	4005176879838	506	783.59	33 636 AL1	4005176426650	123	349.03
32 950 DC0	4005176879845	506	1,023.05	33 636 DA1	4005176426636	123	327.23
32 955 000	4005176880117	167	126.87	33 636 DC1	4005176371141	123	305.40
<b>33</b>				33 636 DL1	4005176426643	123	349.03
33 155 002	4005176865947	115	330.67	33 636 GL1	4005176426612	123	327.23
33 163 003	4005176529702	104	236.67	33 636 GN1	4005176426629	123	349.03
33 183 002	4005176887499	133	218.50	33 637 003	4005176334405	166	246.52
33 188 003	4005176613203	180	105.09	33 770 001	4005176828959	520	244.44
33 190 20E	4005176887482	133	235.42	33 770 002	4005176888137	519	271.73
33 192 002	4005176887864	137	263.28	33 772 002	4005176890796	519	285.41
33 202 003	4005176635588	530	158.31	33 848 001	4005176409172	79	307.27
33 241 003	4005176529849	107	236.67	33 848 DC1	4005176412776	79	412.40
33 241 AL3	4005176585739	107	365.11	33 849 001	4005176409189	80	347.53
33 241 DC3	4005176574184	107	319.92	33 849 AL1	4005176586200	80	571.35
33 244 002	4005176888779	136	217.12	33 849 DC1	4005176412783	80	541.96
33 265 003	4005176613197	179	118.40	33 850 001	4005176409196	81	402.55
33 265 30L	4005176644269	179	118.40	33 865 001	4005176409202	80	347.52
33 281 003	4005176635366	529	131.70	33 865 AL1	4005176586217	80	447.62
33 281 30E	4005176635410	529	131.70	33 865 DC1	4005176412790	80	448.13
33 281 DC3	4005176635397	529	148.99	33 961 000	4005176119972	314, 609	381.90
33 300 003	4005176613456	185	131.69	33 962 000	4005176119989	314, 609	257.80
33 302 003	4005176613470	186	171.62	33 963 000	4005176128387	314, 609	114.03
33 303 003	4005176613524	186	238.12	33 964 000	4005176128394	314, 609	115.31
33 305 003	4005176613531	187	163.71	33 975 004	4005176467004	524	233.07
33 390 002	4005176887796	137	263.28	<b>34</b>			
33 395 002	4005176887802	138	340.01	34 143 003	4005176309618	162, 288	278.06
33 547 003	4005176529818	108	403.17	34 146 003	4005176309625	289	264.71
33 552 20E	40051768886300	149	151.80	34 151 004	4005176456664	291	339.26
33 553 003	4005176529795	108	355.58	34 152 004	4005176456640	291	364.51
33 553 AL3	4005176585678	108	547.07	34 155 003	4005176310027	163, 289	344.57
33 553 DC3	4005176574122	108	479.29	34 156 003	4005176310034	290	357.86
33 555 003	4005176613562	184	118.39	34 169 001	4005176926518	277	394.33
33 556 003	4005176613609	187	163.72	34 170 001	4005176926471	277	366.06
33 557 003	4005176334184	158	137.88	34 174 001	4005176926426	278	479.16
33 558 003	4005176334139	156	151.83	34 176 001	4005176926488	280	889.05
33 558 LS3	4005176335686	156	206.14	34 195 001	4005176926631	280	422.63
33 561 002	4005176886379	150	176.16	34 256 004	4005176456671	290	344.56
33 561 003	4005176334160	157	151.83	34 281 001	4005176926501	280	620.46
33 565 002	4005176887000	152	151.80	34 294 001	4005176306877	117	179.69
33 565 003	4005176334283	161	123.96	34 430 000	4005176917981	286	304.67
33 565 LS3	4005176334504	161	208.93	34 437 000	4005176918025	286	357.86
33 569 002	4005176887734	137	235.42	34 446 001	4005176926402	277	394.32
33 577 003	4005176529801	107	284.22	34 448 000	4005176919183	286	450.98
33 577 AL3	4005176585685	107	437.64	34 463 001	4005176926419	276	466.40
33 577 DC3	4005176574139	107	382.95	34 464 001	4005176926433	278	479.11
33 590 002	4005176887048	152	165.72	34 466 001	4005176926440	279	493.29
33 590 003	4005176334306	161	207.57	34 469 001	4005176926396	276	422.61
33 590 LS3	4005176334511	161	221.47	34 484 001	4005176932519	279	507.40
33 591 002	4005176887123	153	189.80	34 487 000	4005176936234	591, 610	165.74
33 591 003	4005176334351	162	221.47	34 488 000	4005176940620	87, 95	450.87
33 591 LS3	4005176334535	162	277.18	34 491 000	4005176940644	282	507.39
33 592 20A	4005176454288	153	256.27	34 497 000	4005176940675	88, 96	568.62
33 592 30A	4005176456497	164	239.97	34 502 000	4005176940798	283	634.58
33 614 002	4005176887208	153	244.84	34 508 000	4005176941795	283	606.35

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
34 509 000	4005176941801	282	465.02	34 831 000	4005176698699	293	320.58
34 519 000	4005176998515	286	342.12	34 832 000	4005176698705	293	255.81
34 557 001	4005176456688	291	304.67	34 833 000	4005176698712	294	331.72
34 558 000	4005176310089	185, 208	238.13	34 834 000	4005176698729	294	289.36
34 562 000	4005176310102	299	251.45	34 835 000	4005176698736	294	293.66
34 565 001	4005176456718	300	264.72	34 838 000	4005176698767	295	294.49
34 566 001	4005176456701	300	290.02	<b>35</b>			
34 567 000	4005176310157	185, 299	304.65	35 028 000	4005176908316	43, 48	165.73
34 569 000	4005176310171	300	304.67	35 034 000	4005176915697	446	267.13
34 665 000	4005176351556	192, 592	436.87	35 085 000	4005176207068	596	2,427.07
34 666 000	4005176351563	593	387.38	35 087 000	4005176207082	596	2,771.21
34 667 000	4005176351570	193, 592	348.93	35 500 000	4005176831522	594, 594	318.98
34 671 000	4005176351587	593	445.06	35 604 000	4005176698774	29, 29	142.72
34 681 000	4005176354090	593	416.46	<b>36</b>			
34 705 000	4005176413285	64, 84	1,765.31	36 015 001	4005176929359	574	645.58
34 713 000	4005176409776	267	1,129.33	36 016 001	4005176929366	574	556.82
34 714 000	4005176409783	267	1,058.63	36 078 000	4005176856532	337	124.03
34 718 000	4005176457647	80, 108	521.54	36 194 000	4005176140921	538	173.46
34 719 000	4005176457654	80, 108	473.46	36 207 001	4005176929373	574	744.08
34 720 000	4005176457661	268	606.36	36 208 001	4005176929380	574	631.54
34 721 000	4005176457678	268	614.83	36 209 000	4005176207105	575, 614	88.93
34 725 000	4005176457081	592	433.44	36 233 000	4005176283338	614	665.89
34 726 000	4005176466014	272	696.16	36 249 000	4005176283345	614	759.28
34 727 000	4005176466021	272	779.20	36 264 001	4005176416279	560, 563	257.78
34 728 000	4005176466069	270	709.35	36 265 000	4005176893131	616	153.32
34 729 000	4005176466076	270	796.36	36 266 000	4005176893148	616	125.15
34 730 000	4005176466342	270	1,723.23	36 267 000	4005176893155	616	125.18
34 731 000	4005176466359	272	1,723.23	36 268 000	4005176893162	616	125.15
34 732 000	4005176466366	272	1,182.65	36 269 000	4005176893179	585	378.38
34 734 000	4005176466403	270	1,215.62	36 271 000	4005176893193	585	350.25
34 735 000	4005176466410	273	970.39	36 272 000	4005176893209	585	350.25
34 741 000	4005176481208	90, 98	1,600.07	36 273 000	4005176893216	586	459.81
34 742 000	4005176484094	48, 265	1,652.28	36 274 000	4005176893223	586	448.69
34 743 000	4005176484100	266	1,539.20	36 309 000	4005176894794	337	299.44
34 744 000	4005176484117	266	1,293.24	36 315 000	4005176896590	581	589.36
34 765 000	4005176612022	124, 144	237.48	36 316 000	4005176896279	616	40.77
34 766 000	4005176612039	125, 145	309.40	36 317 000	4005176896514	615	334.11
34 767 000	4005176612046	175, 296	231.46	36 318 000	4005176896521	615	360.95
34 768 000	4005176612053	298	275.88	36 320 000	4005176896545	615	521.98
34 769 000	4005176612060	298	282.69	36 321 000	4005176896552	615	374.34
34 770 000	4005176612077	297	303.36	36 322 001	4005176595400	615	155.29
34 771 000	4005176612886	296	242.62	36 324 001	4005176305757	578	676.54
34 772 000	4005176612893	297	314.53	36 325 001	4005176305764	577	476.83
34 776 000	4005176612930	292	250.69	36 327 001	4005176305771	172, 576	420.57
34 779 000	4005176612961	292	326.60	36 330 001	4005176305788	578	448.71
34 780 000	4005176612978	293	320.58	36 331 001	4005176305795	576	368.53
34 781 000	4005176612985	293	255.81	36 332 000	4005176896682	579	991.27
34 782 000	4005176612992	294	331.72	36 333 000	4005176896699	579	973.62
34 783 000	4005176613005	294	289.36	36 334 SD0	4005176896705	580	547.16
34 784 000	4005176613012	294	293.66	36 335 SD0	4005176896712	580	519.01
34 787 000	4005176613043	295	294.49	36 336 001	4005176991769	568, 580	386.57
34 793 000	4005176632433	199, 205	184.86	36 337 001	4005176595417	568, 580	146.24
34 796 000	4005176632464	301	226.68	36 338 000	4005176896743	561, 564	111.11
34 806 000	4005176684432	301	231.92	36 339 001	4005176595424	569, 581	267.03
34 813 001	4005176698392	117	179.69	36 340 000	4005176911385	561, 564	66.94
34 814 003	4005176695728	162, 288	278.06	36 341 000	4005176911392	561, 564	120.34
34 816 003	4005176695742	163, 289	344.57	36 359 000	4005176918414	332	1,595.75
34 817 003	4005176695759	289	264.72	36 360 000	4005176918438	333	1,369.59
34 818 003	4005176695766	288	278.05	36 367 000	4005176923203	335	366.07
34 819 004	4005176695773	291	364.51	36 371 000	4005176928970	335	775.94
34 820 004	4005176698583	291	339.25	36 376 000	4005176932243	581	701.85
34 821 003	4005176698590	290	357.86	36 384 000	4005176982774	586	772.17
34 823 003	4005176698613	290	357.86	36 386 001	4005176311673	578	817.89
34 824 004	4005176698620	290	344.56	36 397 000	4005176999413	334	1,369.58
34 825 001	4005176698637	291	304.67	36 407 001	4005176368974	561, 564	322.60
34 827 000	4005176698651	292	250.69				
34 830 000	4005176698682	292	326.60				

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
36 409 000	4005176320538	566	597.79	37 119 000	4005176144370	697	4.76
36 410 000	4005176320545	568	686.38	37 131 000	4005176144585	685, 697	50.86
36 412 000	4005176320569	569	773.59	37 132 000	4005176144608	699	23.38
36 413 000	4005176320576	565	725.78	37 133 000	4005176144622	699	38.60
36 414 000	4005176320583	567	984.59	37 135 000	4005176144653	700	7.44
36 415 000	4005176320590	570	650.63	37 139 000	4005176143083	699	107.89
36 416 001	4005176595394	570, 583	755.35	37 141 000	4005176143113	699	129.05
36 421 000	4005176368523	577	443.92	37 311 K00	4005176160851	696	25.36
36 422 000	4005176368530	576	446.68	37 321 001	4005176929496	707	659.67
36 439 000	4005176389740	577	331.56	37 321 SD1	4005176929502	707	659.67
36 440 000	4005176415623	560	944.29	37 324 001	4005176929526	708	659.67
36 441 000	4005176415630	94, 560	905.45	37 324 SD1	4005176929533	708	621.68
36 441 AL0	4005176686825	94, 560	1,352.42	37 336 001	4005176929540	707	659.67
36 441 DC0	4005176686818	94, 560	1,172.11	37 337 001	4005176929557	707	621.68
36 442 000	4005176415647	560	1,022.03	37 338 000	4005176837920	571, 709	167.35
36 444 000	4005176415661	562	762.95	37 339 000	4005176837937	711	135.18
36 445 000	4005176415678	120, 562	737.05	37 347 000	4005176837999	699	258.11
36 445 A00	4005176686795	120, 562	1,014.32	37 396 000	4005176907968	711	153.32
36 445 AL0	4005176686801	120, 562	1,086.80	37 419 000	4005176933806	701	997.27
36 445 DA0	4005176686573	120, 562	1,014.32	37 419 SD0	4005176933813	701	997.27
36 445 DC0	4005176686542	120, 562	941.87	37 421 000	4005176935572	706	539.17
36 445 DL0	4005176686788	120, 562	1,086.80	37 489 000	4005176167386	696	11.99
36 445 GL0	4005176686559	120, 562	1,014.32	37 503 000	4005176320507	571, 708	842.55
36 445 GN0	4005176686566	120, 562	1,086.80	37 504 000	4005176320521	572, 702	1,053.51
36 446 000	4005176415685	563	685.24	37 535 000	4005176416019	102, 114	81.30
36 447 000	4005176416293	563	970.22	37 535 A00	4005176431364	716	210.57
36 451 000	4005176473678	198, 589	291.80	37 535 AL0	4005176431357	102, 114	210.57
36 452 000	4005176473685	589	271.63	37 535 BE0	4005176431340	716	210.57
36 453 000	4005176473791	590	307.94	37 535 DA0	4005176431333	716	210.57
36 454 000	4005176487774	579	1,121.58	37 535 DC0	4005176416040	102, 114	210.57
36 455 000	4005176487781	579	1,091.05	37 535 DL0	4005176431326	716	210.57
36 456 000	4005176494758	582	272.01	37 535 EN0	4005176431319	716	210.57
36 457 000	4005176494765	581	1,023.65	37 535 GL0	4005176431302	716	210.57
36 458 000	4005176494772	582	822.75	37 535 GN0	4005176431296	716	210.57
36 459 000	4005176576188	582	883.75	37 535 PO0	4005176416026	716	81.30
36 463 000	4005176576690	583	241.78	37 535 SH0	4005176416033	716	84.38
36 464 000	4005176576706	583	740.08	37 547 000	4005176189425	725	92.07
<b>37</b>				37 547 PO0	4005176189449	725	85.65
37 035 000	4005176143731	711	15.27	37 547 SH0	4005176189418	725	76.43
37 036 000	4005176143748	711	24.09	37 601 000	4005176416057	85, 129	93.12
37 037 000	4005176143762	711	26.63	37 601 A00	4005176528996	129, 716	210.67
37 038 000	4005176143786	712	29.15	37 601 AL0	4005176529030	85, 129	210.67
37 039 000	4005176143793	712	31.67	37 601 BE0	4005176529009	716	210.67
37 040 000	4005176143861	712	35.39	37 601 DA0	4005176524288	129, 716	210.67
37 042 000	4005176143908	712	21.51	37 601 DC0	4005176416088	85, 129	210.67
37 043 000	4005176143922	712	47.63	37 601 DL0	4005176529023	129, 716	210.67
37 044 000	4005176160776	711	25.36	37 601 EN0	4005176529047	716	210.67
37 059 000	4005176142857	722	173.46	37 601 GL0	4005176524271	129, 716	210.67
37 060 000	4005176142901	723	78.73	37 601 GN0	4005176529016	129, 716	210.67
37 063 000	4005176142185	725	76.42	37 601 PO0	4005176416064	716	123.79
37 063 SH0	4005176142307	725	76.43	37 601 SH0	4005176416071	716	76.61
37 069 000	4005176142352	725	132.40	37 624 000	4005176416095	114, 139	93.12
37 078 PI0	4005176160783	694	102.16	37 624 A00	4005176529078	717	210.67
37 085 PI0	4005176149641	694	65.37	37 624 AL0	4005176529115	114, 717	210.67
37 088 PI0	4005176149672	694	63.48	37 624 BE0	4005176529085	717	210.67
37 092 000	4005176145049	693	43.01	37 624 DA0	4005176529061	717	210.67
37 093 000	4005176145070	693	50.54	37 624 DC0	4005176416125	114, 717	210.71
37 095 000	4005176145124	693, 769	38.69	37 624 DL0	4005176529108	717	210.67
37 099 K00	4005176142086	694	37.95	37 624 EN0	4005176529122	717	210.67
37 100 SH0	4005176142093	694	25.37	37 624 GL0	4005176529054	717	210.67
37 104 K00	4005176160844	696	26.28	37 624 GN0	4005176529092	717	210.67
37 105 K00	4005176141904	697	25.37	37 624 PO0	4005176416101	717	123.79
37 107 000	4005176141713	700	56.87	37 624 SH0	4005176416118	717	76.61
37 108 000	4005176141720	700	48.58	37 761 000	4005176213243	723	52.30
37 112 000	4005176141911	700	88.29	37 762 SH0	4005176213250	690	92.08
37 114 000	4005176141935	700	23.38	37 791 SH0	4005176217241	690	206.00
				37 945 SH0	4005176256387	690	92.09



# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
37 965 000	4005176442506	717	81.56	38 735 000	4005176837500	695	68.91
37 965 SH0	4005176442513	717	62.81	38 736 000	4005176837517	695	54.86
37 973 000	4005176479021	717	93.12	38 748 002	4005176416323	561, 564	742.94
37 973 DC0	4005176479052	717	210.71	38 750 001	4005176863363	668	366.09
37 973 P00	4005176479045	717	123.79	38 761 000	4005176841620	671	371.46
37 973 SH0	4005176479038	717	76.61	38 764 001	4005176863301	672	290.72
37 998 000	4005176262586	684	140.14	38 765 000	4005176846830	718	90.02
<b>38</b>				38 765 P00	4005176846847	718	88.61
38 338 000	4005176286179	686	36.11	38 765 SH0	4005176846854	718	68.93
38 422 000	4005176275203	691	224.73	38 771 000	4005176848551	723	54.87
38 445 SD0	4005176282850	725	130.71	38 772 001	4005176863288	671	323.00
38 488 000	4005176289866	723	52.07	38 773 000	4005176850288	671	371.46
38 496 000	4005176289958	723	238.88	38 776 SD0	4005176853555	719	195.50
38 505 000	4005176290053	720	61.86	38 778 000	4005176855269	703	821.40
38 505 P00	4005176290060	720	107.85	38 779 000	4005176855306	685	132.98
38 505 SH0	4005176290046	720	40.80	38 784 000	4005176855535	726	139.23
38 506 000	4005176290121	720	89.99	38 784 P00	4005176855542	726	143.46
38 506 P00	4005176290138	720	92.08	38 784 SD0	4005176877407	726	205.37
38 506 SH0	4005176290114	720	83.02	38 784 SH0	4005176855559	726	128.10
38 525 001	4005176863967	675	409.15	38 786 001	4005176864025	677	355.32
38 526 000	4005176291050	675	306.85	38 787 000	4005176855689	709	139.26
38 528 001	4005176863943	667	236.88	38 796 000	4005176857034	724	82.98
38 536 001	4005176863929	673	269.18	38 803 001	4005176864049	677	446.84
38 539 001	4005176863912	673	306.85	38 804 000	4005176861512	726	148.85
38 541 000	4005176291234	680, 682	209.95	38 804 P00	4005176861536	726	139.29
38 543 000	4005176291258	681	393.01	38 804 SH0	4005176861529	726	135.21
38 545 000	4005176291272	681	403.76	38 805 000	4005176865596	724	167.36
38 546 000	4005176291289	680	199.18	38 808 000	4005176864056	727	125.16
38 553 001	4005176863813	680	339.15	38 808 P00	4005176864063	727	140.69
38 554 001	4005176863806	679	172.28	38 808 SH0	4005176864070	727	109.65
38 557 001	4005176863783	679	161.50	38 809 000	4005176864681	718	729.97
38 558 00M	4005176291418	675, 678	34.33	38 821 000	4005176868986	719	293.99
38 559 001	4005176863776	683	253.03	38 827 000	4005176870477	668	398.38
38 562 001	4005176863752	685	125.98	38 844 000	4005176874963	720	90.01
38 564 000	4005176291784	722	97.09	38 844 P00	4005176875687	720	82.98
38 564 SH0	4005176291777	722	74.45	38 844 SH0	4005176874970	720	68.92
38 565 000	4005176291845	722	61.91	38 845 KSO	4005176878343	718	308.03
38 573 000	4005176292316	722	68.94	38 845 LSO	4005176878336	718	308.03
38 573 P00	4005176292323	722	92.08	38 845 MFO	4005176878619	718	308.03
38 573 SH0	4005176292309	722	76.40	38 846 KSO	4005176878268	726	365.90
38 574 000	4005176292385	722	76.42	38 846 LSO	4005176878367	726	365.90
38 629 000	4005176293191	685	70.77	38 857 000	4005176875694	727	139.29
38 661 000	4005176294907	690	210.61	38 857 P00	4005176875663	727	135.18
38 672 SD0	4005176296468	722	153.32	38 857 SH0	4005176875793	727	128.37
38 675 001	4005176863516	674, 682	441.45	38 858 000	4005176876714	720	90.01
38 691 000	4005176815454	691	224.74	38 858 P00	4005176876721	720	82.98
38 698 SD1	4005176929571	701	884.72	38 858 SH0	4005176876738	720	68.92
38 699 001	4005176929588	701	744.07	38 860 000	4005176878084	668	323.01
38 714 000	4005176828454	698, 723	18.02	38 861 000	4005176832284	721	83.00
38 721 001	4005176863431	670	323.01	38 862 000	4005176832314	720	90.02
38 722 001	4005176863424	670	323.00	38 862 P00	4005176832321	720	79.82
38 732 000	4005176836114	720	90.02	38 862 SD0	4005176834721	721	203.46
38 732 A00	4005176339110	720	177.15	38 862 SH0	4005176832338	720	66.90
38 732 AL0	4005176339127	720	177.15	38 863 000	4005176832345	691	168.20
38 732 BE0	4005176427749	720	177.15	38 868 000	4005176878091	671	371.45
38 732 BR0	4005176873676	720	153.30	38 882 000	4005176879197	724	10.37
38 732 DA0	4005176339097	720	177.15	38 885 000	4005176879609	669	489.91
38 732 DC0	4005176431371	720	164.03	38 888 000	4005176879630	669	570.66
38 732 DL0	4005176427732	720	177.15	38 915 KSO	4005176897108	718	1,074.09
38 732 EN0	4005176427756	720	177.15	38 915 LSO	4005176897115	718	1,091.10
38 732 GL0	4005176339103	720	177.15	38 916 OA0	4005176896941	719	367.34
38 732 GN0	4005176427725	720	177.15	38 947 000	4005176911217	672	425.30
38 732 P00	4005176836121	720	66.17	38 948 000	4005176911224	672	323.00
38 732 SD0	4005176847691	719	195.51	38 957 000	4005176914409	719	135.20
38 732 SH0	4005176836138	720	68.88	38 987 000	4005176924798	690	140.67
38 733 000	4005176837289	685	41.02	38 994 000	4005176932335	674	430.68
				38 995 000	4005176932342	674	516.81

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
<b>39</b>				39 429 000	4005176406263	654	178.57
39 002 000	4005176936920	667	452.20	39 430 000	4005176406270	654	120.98
39 052 000	4005176935961	679	242.24	39 431 000	4005176406287	654	120.98
39 053 000	4005176935978	691	97.51	39 432 000	4005176406294	656	243.35
39 054 000	4005176936289	692	97.50	39 433 000	4005176406300	655	231.99
39 056 000	4005176936302	692	25.37	39 436 000	4005176406331	654	142.55
39 140 000	4005176315268	682	888.29	39 437 000	4005176406348	654	142.55
39 201 000	4005176344947	646	93.93	39 438 000	4005176406355	656	272.17
39 202 000	4005176344954	647	108.60	39 439 000	4005176406362	656	272.16
39 206 000	4005176344992	647	336.07	39 440 000	4005176405976	651	77.74
39 206 00H	4005176418495	647	402.12	39 462 000	4005176454608	649	615.39
39 208 000	4005176345029	650	328.77	39 462 00H	4005176454615	649	678.73
39 208 00H	4005176418532	650	394.79	39 469 00H	4005176438363	641	596.15
39 245 00H	4005176524479	643	614.75	39 473 00H	4005176438370	641	322.56
39 300 000	4005176346026	660	318.70	39 474 00H	4005176438387	641	300.97
39 301 000	4005176346033	660	234.93	39 475 00H	4005176442599	641	689.78
39 302 000	4005176346040	660	225.30	39 476 00H	4005176442605	641	597.59
39 305 000	4005176346071	660	398.39	39 477 00H	4005176442612	642	324.01
39 306 000	4005176346088	661	259.64	39 478 00H	4005176442629	642	303.85
39 323 000	4005176407116	645	130.58	39 479 00H	4005176442636	642	311.05
39 323 00H	4005176417344	645	196.63	39 480 00H	4005176442643	642	290.88
39 324 000	4005176407123	646	86.60	39 481 00H	4005176442650	642	290.88
39 324 00H	4005176417375	646	152.62	39 482 00H	4005176442667	642	257.76
39 325 000	4005176407130	647	93.93	39 483 00H	4005176442674	643	250.56
39 327 000	4005176390104	646	108.59	39 484 00H	4005176442698	643	578.88
39 327 00H	4005176418341	646	174.65	39 485 00H	4005176442704	643	538.56
39 328 000	4005176407161	647	365.43	39 488 000	4005176442735	644	223.22
39 328 00H	4005176417382	647	431.47	39 489 000	4005176442742	643	303.86
39 330 001	4005176468834	650	130.63	39 490 000	4005176442759	644	303.86
39 331 001	4005176468827	650	93.09	39 491 000	4005176449994	653	99.84
39 332 000	4005176407208	649	262.70	39 492 000	4005176450013	655	56.17
39 333 000	4005176407215	649	262.70	39 493 000	4005176450020	655	113.79
39 335 000	4005176407239	645	123.28	39 496 000	4005176450051	657	402.92
39 335 00H	4005176417351	645	181.98	39 497 000	4005176450068	656	184.01
39 336 000	4005176407246	646	137.77	39 500 000	4005176453861	668	409.14
39 336 00H	4005176417368	646	179.76	39 501 000	4005176453878	669	353.17
39 337 000	4005176407253	645	146.42	39 503 000	4005176454097	669	353.17
39 337 00H	4005176418334	645	196.66	39 504 000	4005176454103	670	353.17
39 338 000	4005176407260	648	284.73	39 538 000	4005176468292	648	286.26
39 338 00H	4005176418501	648	350.75	39 554 000	4005176484452	647	489.35
39 339 000	4005176407277	649	279.34	39 564 00H	4005176485602	636	353.03
39 339 00H	4005176418525	649	345.36	39 565 00H	4005176485619	636	325.78
39 340 000	4005176423697	650	284.70	39 566 00H	4005176485626	636	775.60
39 340 00H	4005176423703	650	350.74	39 567 00H	4005176485633	636	557.50
39 346 000	4005176449673	657	401.76	39 568 00H	4005176485640	636	380.30
39 347 000	4005176449680	657	387.35	39 570 000	4005176484865	637	203.10
39 349 000	4005176449659	653	178.57	39 571 00H	4005176485671	637	489.35
39 351 000	4005176450006	656	243.36	39 572 00H	4005176485688	637	543.86
39 354 SH1	4005176470448	624	2,858.42	39 573 00H	4005176485794	637	511.16
39 367 000	4005176341533	710	678.79	39 574 00H	4005176485800	638	489.35
39 368 000	4005176341540	709	659.02	39 575 00H	4005176485817	638	511.16
39 369 000	4005176341557	710	876.80	39 577 000	4005176485138	638	203.10
39 374 KSO	4005176344770	666	887.82	39 578 000	4005176485145	638	312.15
39 374 LSO	4005176344787	666	887.82	39 579 000	4005176485152	638	312.15
39 376 000	4005176342998	677	366.09	39 581 000	4005176496011	670	392.99
39 383 000	4005176356926	567	68.91	39 584 00H	4005176519161	645	459.37
39 386 00H	4005176438356	641	689.78	39 585 00H	4005176519178	645	592.94
39 420 000	4005176405983	651	92.17	39 596 000	4005176527494	625, 664	328.39
39 421 000	4005176428906	651	84.97	39 598 000	4005176527517	625, 665	371.46
39 422 000	4005176406195	651	142.58	39 603 000	4005176527562	664	398.38
39 423 000	4005176406201	646, 651	142.58	39 604 000	4005176524486	658	421.18
39 424 000	4005176406218	651	77.75	39 608 00H	4005176566493	636	741.51
39 425 000	4005176406225	652	77.75	39 609 00H	4005176566509	637	494.80
39 426 000	4005176406232	652	84.98	39 611 000	4005176571275	638	8,445.50
39 427 000	4005176406249	653	142.56	39 617 000	4005176571312	639	1,621.39
39 428 000	4005176406256	653	164.16	39 620 00H	4005176571336	639	1,788.11
				39 622 000	4005176571350	639	8,080.94

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
39 648 SH0	4005176575310	627, 658	316.14	40 312 DC3	4005176462542	66	58.27
39 651 SH0	4005176575327	627, 658	442.86	40 312 GL3	4005176494420	66	92.84
39 652 SH0	4005176575334	627, 659	601.54	40 313 003	4005176462566	66	91.66
39 693 000	4005176581281	648	453.58	40 313 AL3	4005176462580	66	148.35
39 703 000	4005176583896	648	419.22	40 313 DA3	4005176494505	66	203.46
39 729 000	4005176594991	639	7,693.57	40 313 DC3	4005176462573	66	127.15
39 881 000	4005176706790	702	429.23	40 313 GL3	4005176494482	66	203.46
39 881 KF0	4005176715099	702	506.64	40 314 003	4005176462597	66	180.15
39 881 SH0	4005176706806	702	411.75	40 314 AL3	4005176462610	66	295.66
39 882 000	4005176706813	703	337.81	40 314 DA3	4005176494567	66	404.38
39 882 KF0	4005176715105	703	415.19	40 314 DC3	4005176462603	66	253.27
39 882 SH0	4005176706820	703	320.35	40 314 GL3	4005176494543	66	404.38
39 898 000	4005176713972	655	119.17	40 339 001	4005176531026	45	69.97
39 910 000	4005176720444	652	205.41	40 339 A01	4005176531095	45	104.97
39 912 000	4005176720468	652	134.63	40 339 DL1	4005176531088	45	111.96
39 913 000	4005176720475	653	120.09	40 339 GN1	4005176531064	45	111.96
39 923 000	4005176724008	655	119.17	40 340 001	4005176532245	46	174.94
39 929 000	4005176734427	652	234.82	40 340 A01	4005176532313	46	262.42
<b>40</b>				40 340 DL1	4005176532306	46	279.91
40 254 003	4005176462405	44, 65	49.60	40 340 GN1	4005176532283	46	279.91
40 256 003	4005176462443	44, 65	46.07	40 341 001	4005176531743	45	111.56
40 278 001	4005176531545	44	80.47	40 341 A01	4005176531811	45	171.63
40 278 A01	4005176531613	44	120.71	40 341 DL1	4005176531804	45	205.96
40 278 DL1	4005176531606	44	128.76	40 341 GN1	4005176531781	45	205.96
40 278 GN1	4005176531583	44	128.76	40 342 001	4005176531644	45	111.56
40 279 001	4005176532047	45	104.97	40 342 A01	4005176531712	45	171.63
40 279 A01	4005176532115	45	157.45	40 342 DL1	4005176531705	45	205.96
40 279 DL1	4005176532108	45	167.95	40 342 GN1	4005176531682	45	205.96
40 279 GN1	4005176532085	45	167.95	40 344 001	4005176323461	231	116.56
40 284 001	4005176531941	45	30.89	40 344 DC1	4005176413209	231	164.23
40 284 A01	4005176532016	45	42.92	40 364 001	4005176326332	227	12.70
40 284 DL1	4005176532009	45	48.06	40 364 A01	4005176429514	227	19.06
40 284 GN1	4005176531989	45	48.06	40 364 AL1	4005176429668	227	20.64
40 304 003	4005176461576	65	60.39	40 364 BE1	4005176430114	227	19.06
40 304 AL3	4005176462399	65	96.94	40 364 DA1	4005176428913	227	19.06
40 304 DA3	4005176494154	65	134.79	40 364 DL1	4005176429965	227	20.64
40 304 DC3	4005176461583	65	84.76	40 364 EN1	4005176326349	227	20.64
40 304 GL3	4005176494130	65	134.79	40 364 GL1	4005176429361	227	19.06
40 305 003	4005176462412	65	60.39	40 364 GN1	4005176429811	227	20.64
40 305 AL3	4005176462436	65	96.94	40 365 001	4005176326240	225	23.30
40 305 DA3	4005176494208	65	134.79	40 365 A01	4005176429521	225	34.96
40 305 DC3	4005176462429	65	84.76	40 365 AL1	4005176429675	225	37.61
40 305 GL3	4005176494185	65	134.79	40 365 BE1	4005176430121	225	34.96
40 306 003	4005176461545	44, 65	60.39	40 365 DA1	4005176428920	225	34.96
40 306 AL3	4005176461569	65	96.94	40 365 DC1	4005176412431	225	32.84
40 306 DA3	4005176494093	65	134.79	40 365 DL1	4005176429972	225	37.61
40 306 DC3	4005176461552	65	84.76	40 365 EN1	4005176326257	225	37.61
40 306 GL3	4005176494079	65	134.79	40 365 GL1	4005176429378	225	34.96
40 307 003	4005176462450	65	81.04	40 365 GN1	4005176429828	225	37.61
40 307 AL3	4005176462474	65	132.45	40 366 001	4005176326264	226	37.07
40 307 DA3	4005176494260	65	180.57	40 366 A01	4005176429552	226	55.61
40 307 DC3	4005176462467	65	111.24	40 366 AL1	4005176429705	226	59.33
40 307 GL3	4005176494246	65	180.57	40 366 BE1	4005176430152	226	55.61
40 308 003	4005176462481	66	137.76	40 366 DA1	4005176428951	226	55.61
40 308 AL3	4005176462504	66	210.86	40 366 DC1	4005176412448	226	51.91
40 308 DA3	4005176494321	66	300.10	40 366 DL1	4005176430008	226	59.33
40 308 DC3	4005176462498	66	190.73	40 366 EN1	4005176326271	226	59.33
40 308 GL3	4005176494307	66	300.10	40 366 GL1	4005176429408	226	55.61
40 309 003	4005176462511	66	127.15	40 366 GN1	4005176429859	226	59.33
40 309 AL3	4005176462627	66	206.61	40 367 001	4005176326387	229	30.72
40 309 DA3	4005176494383	66	286.11	40 367 A01	4005176429620	229	46.07
40 309 DC3	4005176462528	66	180.15	40 367 AL1	4005176429774	229	49.26
40 309 GL3	4005176494369	66	286.11	40 367 BE1	4005176430220	229	46.07
40 312 003	4005176462535	66	41.84	40 367 DA1	4005176429323	229	46.07
40 312 AL3	4005176462559	66	66.74	40 367 DC1	4005176412455	229	42.90
40 312 DA3	4005176494444	66	92.84	40 367 DL1	4005176430077	229	49.26
				40 367 EN1	4005176326394	229	49.26

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 367 GL1	4005176429477	229	46.07	40 412 001	4005176984082	497	136.85
40 367 GN1	4005176429927	229	49.26	40 421 001	4005176326325	227	37.07
40 368 001	4005176326219	224, 232	6.45	40 421 A01	4005176429637	227	55.61
40 369 001	4005176326196	224	23.30	40 421 AL1	4005176429781	227	59.33
40 369 A01	4005176429576	224	34.96	40 421 BE1	4005176430237	227	55.61
40 369 AL1	4005176429729	224	37.61	40 421 DA1	4005176429330	227	55.61
40 369 BE1	4005176430176	224	34.96	40 421 DC1	4005176413117	227	51.91
40 369 DA1	4005176428975	224	34.96	40 421 DL1	4005176430084	227	59.33
40 369 DC1	4005176412462	224	32.84	40 421 EN1	4005176430305	227	59.33
40 369 DL1	4005176430022	224	37.61	40 421 GL1	4005176429484	227	55.61
40 369 EN1	4005176326202	224	37.61	40 421 GN1	4005176429934	227	59.33
40 369 GL1	4005176429422	224	34.96	40 422 000	4005176890246	498	71.97
40 369 GN1	4005176429873	224	37.61	40 423 000	4005176890253	499	89.97
40 371 001	4005176326318	226	41.31	40 430 001	4005176984075	497	103.82
40 371 A01	4005176429538	226	61.97	40 432 000	4005176883255	503	25.71
40 371 AL1	4005176429682	226	66.23	40 434 001	4005176985294	498	26.09
40 371 BE1	4005176430138	226	61.97	40 437 000	4005176885471	496	29.83
40 371 DA1	4005176428937	226	61.97	40 438 001	4005176984105	503	149.17
40 371 DC1	4005176412479	226	58.27	40 444 001	4005176328336	225	29.66
40 371 DL1	4005176429989	226	66.23	40 444 DC1	4005176413148	225	41.85
40 371 EN1	4005176430268	226	66.23	40 444 EN1	4005176335501	225	47.67
40 371 GL1	4005176429385	226	61.97	40 447 001	4005176328701	225	29.14
40 371 GN1	4005176429835	226	66.23	40 447 DC1	4005176413162	225	40.79
40 372 001	4005176326226	224, 232	7.73	40 447 EN1	4005176335518	225	46.07
40 374 001	4005176326400	229	38.14	40 448 001	4005176328343	225	43.43
40 374 A01	4005176429590	229	57.21	40 448 DC1	4005176413155	225	60.93
40 374 AL1	4005176429743	229	61.45	40 448 EN1	4005176335525	225	69.42
40 374 BE1	4005176430190	229	57.21	40 457 001	4005176327865	237	23.77
40 374 DA1	4005176429293	229	57.21	40 459 001	4005176327810	236	27.00
40 374 DC1	4005176412486	229	53.51	40 460 001	4005176327803	236	18.89
40 374 DL1	4005176430046	229	61.45	40 461 001	4005176327858	237	11.34
40 374 EN1	4005176430282	229	61.45	40 462 001	4005176327827	237	99.92
40 374 GL1	4005176429446	229	57.21	40 463 001	4005176327872	237	30.78
40 374 GN1	4005176429897	229	61.45	40 493 000	4005176899256	33	253.28
40 385 001	4005176326356	229	23.30	40 494 000	4005176899263	33	380.43
40 385 A01	4005176429606	229	34.96	40 496 000	4005176899287	33	206.61
40 385 AL1	4005176429750	229	37.61	40 497 000	4005176899294	33	232.08
40 385 BE1	4005176430206	229	34.96	40 498 000	4005176899300	34	99.60
40 385 DA1	4005176429309	229	34.96	40 499 000	4005176899317	34	201.34
40 385 DC1	4005176413094	229	32.84	40 500 000	4005176899324	34	327.45
40 385 DL1	4005176430053	229	37.61	40 503 000	4005176900068	33	295.65
40 385 EN1	4005176430299	229	37.61	40 504 000	4005176900075	33	306.24
40 385 GL1	4005176429453	229	34.96	40 507 001	4005176324598	234	35.49
40 385 GN1	4005176429903	229	37.61	40 507 AL1	4005176636639	234	73.75
40 386 001	4005176326301	226	46.62	40 507 DC1	4005176636530	234	64.86
40 386 A01	4005176429569	226	69.94	40 508 001	4005176324413	232	30.71
40 386 AL1	4005176429712	226	74.68	40 508 AL1	4005176636653	232	63.58
40 386 BE1	4005176430169	226	69.94	40 508 DC1	4005176636554	232	55.97
40 386 DA1	4005176428968	226	69.94	40 509 001	4005176324437	233	47.16
40 386 DL1	4005176430015	226	74.68	40 509 DC1	4005176636493	233	85.20
40 386 EN1	4005176430275	226	74.68	40 510 001	4005176324420	233	42.39
40 386 GL1	4005176429415	226	69.94	40 510 AL1	4005176636578	233	87.72
40 386 GN1	4005176429866	226	74.68	40 510 DC1	4005176636172	233	76.30
40 394 001	4005176326233	224, 232	19.06	40 511 001	4005176324475	233	18.01
40 394 A01	4005176429583	224	28.60	40 511 AL1	4005176636615	233	36.89
40 394 AL1	4005176429736	224, 232	30.71	40 511 DC1	4005176636516	233	33.06
40 394 BE1	4005176430183	224	28.60	40 512 001	4005176324451	233	153.65
40 394 DA1	4005176428982	224	28.60	40 512 AL1	4005176636608	233	316.63
40 394 DC1	4005176421532	224, 232	27.01	40 513 001	4005176324604	234	61.98
40 394 DL1	4005176430039	224	30.71	40 513 AL1	4005176636561	234	125.88
40 394 EN1	4005176412646	224, 239	30.71	40 513 DC1	4005176636165	234	110.63
40 394 GL1	4005176429439	224	28.60	40 514 001	4005176324468	234	63.56
40 394 GN1	4005176429880	224	30.71	40 514 AL1	4005176636622	234	130.97
40 404 001	4005176984068	497	55.21	40 514 DC1	4005176636523	234	114.45
40 405 001	4005176698019	496	27.38	40 535 000	4005176905490	538	47.32
40 407 001	4005176328350	230	73.65	40 535 A00	4005176489396	538	106.17
40 407 DC1	4005176413179	230	103.31	40 535 AL0	4005176489402	538	106.18

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 535 BE0	4005176489457	538	106.17	40 660 EN1	4005176324277	240	201.35
40 535 DA0	4005176489433	538	106.17	40 663 001	4005176327834	229, 237	52.92
40 535 DC0	4005176905520	538	66.34	40 664 001	4005176327841	230, 238	42.66
40 535 DL0	4005176489440	538	106.18	40 684 000	4005176940088	512	76.81
40 535 GL0	4005176489419	538	106.17	40 684 DC0	4005176940095	512	80.73
40 535 GN0	4005176489426	538	106.18	40 687 000	4005176981838	498	31.48
40 536 000	4005176905506	538	42.68	40 688 001	4005176326288	226	33.89
40 536 DC0	4005176905537	538	60.18	40 688 A01	4005176429545	226	50.86
40 537 000	4005176905513	538	52.46	40 688 AL1	4005176429699	226	54.58
40 537 DC0	4005176905544	538	91.99	40 688 BE1	4005176430145	226	50.86
40 547 001	4005176984099	497	55.21	40 688 DA1	4005176428944	226	50.86
40 554 002	4005176458521	484	1,585.70	40 688 DC1	4005176413124	226	47.67
40 564 000	4005176912740	113, 754	315.87	40 688 DL1	4005176429996	226	54.58
40 564 A00	4005176491849	754	440.17	40 688 EN1	4005176326295	226	54.58
40 564 AL0	4005176491788	113, 754	468.84	40 688 GL1	4005176429392	226	50.86
40 564 DC0	4005176491795	113, 754	410.25	40 688 GN1	4005176429842	226	54.58
40 565 000	4005176912757	753	94.24	40 689 001	4005176326363	228	27.54
40 565 AL0	4005176491696	753	116.05	40 689 A01	4005176429613	228	41.31
40 565 DC0	4005176491702	753	102.47	40 689 AL1	4005176429767	228	43.97
40 575 002	4005176674082	497	108.54	40 689 BE1	4005176430213	228	41.31
40 585 001	4005176327797	236	18.89	40 689 DA1	4005176429316	228	41.31
40 623 001	4005176324482	234	29.66	40 689 DC1	4005176413131	228	38.68
40 623 AL1	4005176636646	234	61.03	40 689 DL1	4005176430060	228	43.97
40 623 DC1	4005176636547	234	53.41	40 689 EN1	4005176326370	228	43.97
40 624 001	4005176324444	233	59.88	40 689 GL1	4005176429460	228	41.31
40 624 AL1	4005176636585	233	122.08	40 689 GN1	4005176429910	228	43.97
40 624 DC1	4005176636486	233	106.82	40 691 002	4005176674099	497	70.77
40 625 000	4005176927706	76	153.65	40 694 000	4005176985300	498	12.86
40 625 EN0	4005176927720	76	242.66	40 711 001	4005176454301	493	1,245.91
40 625 IG0	4005176927713	76	201.35	40 754 001	4005176328367	233	37.62
40 626 000	4005176927737	75	148.35	40 755 001	4005176328374	232	37.07
40 626 IG0	4005176927744	75	190.73	40 756 001	4005176328381	232	49.77
40 627 000	4005176927768	75	196.02	40 757 001	4005176328497	234	103.83
40 627 IG0	4005176927775	75	253.27	40 758 001	4005176328503	235	158.93
40 628 000	4005176927898	75	180.14	40 766 000	4005176347849	221	58.27
40 628 IG0	4005176927904	75	232.09	40 767 000	4005176347856	222	111.24
40 629 000	4005176927928	75	206.61	40 768 000	4005176347863	221	164.24
40 629 EN0	4005176927942	75	418.36	40 775 001	4005176328626	230	72.57
40 629 IG0	4005176927935	75	263.87	40 775 DC1	4005176413186	230	101.72
40 630 000	4005176927959	75	127.15	40 775 EN1	4005176324765	230	116.56
40 630 EN0	4005176927973	75	201.34	40 776 001	4005176328633	230	93.77
40 630 IG0	4005176927966	75	164.24	40 776 DC1	4005176413193	230	132.45
40 631 000	4005176927980	75	59.34	40 777 001	4005176328640	235	90.59
40 631 IG0	4005176927997	75	76.81	40 778 001	4005176328657	235	127.15
40 632 000	4005176928017	76	217.22	40 781 000	4005176347870	222	89.53
40 632 IG0	4005176928024	76	285.08	40 782 000	4005176347887	222	30.71
40 633 000	4005176928048	76	137.75	40 783 000	4005176347894	221	27.55
40 633 EN0	4005176928062	76	221.49	40 784 000	4005176347900	222	41.31
40 633 IG0	4005176928055	76	180.14	40 791 001	4005176323409	66, 220	5.83
40 636 SD0	4005176706707	496	11.90	40 791 KS1	4005176336379	66, 220	5.83
40 652 001	4005176324321	239	23.30	40 793 001	4005176327599	228	52.98
40 652 EN1	4005176324239	239	37.61	40 793 DC1	4005176413230	228	74.18
40 653 001	4005176324345	239	37.07	40 794 001	4005176327605	228	63.56
40 653 EN1	4005176324253	239	59.33	40 794 DC1	4005176413247	228	89.00
40 654 001	4005176324352	240	63.56	40 797 001	4005176327636	228	164.23
40 654 EN1	4005176324260	240	102.25	40 799 001	4005176327971	228	42.39
40 655 001	4005176324338	239	23.30	40 799 DC1	4005176413216	228	59.33
40 655 EN1	4005176324246	239	37.61	40 800 001	4005176327988	227	127.14
40 656 001	4005176324383	240	12.70	40 800 A01	4005176429644	227	185.45
40 656 EN1	4005176324291	240	20.64	40 800 AL1	4005176429798	227	201.34
40 657 001	4005176324390	240	27.54	40 800 BE1	4005176430244	227	185.45
40 657 EN1	4005176324307	240	43.97	40 800 DA1	4005176429347	227	185.45
40 658 001	4005176324406	240	38.14	40 800 DC1	4005176413223	227	174.83
40 658 EN1	4005176324314	240	61.45	40 800 DL1	4005176430091	227	201.34
40 659 001	4005176324376	241	41.84	40 800 EN1	4005176430312	227	201.34
40 659 EN1	4005176324284	241	66.74	40 800 GL1	4005176429491	227	185.45
40 660 001	4005176324369	240	127.15	40 800 GN1	4005176429941	227	201.34

# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
40 802 001	4005176328107	227	63.56	40 984 000	4005176586484	505	44.74
40 802 A01	4005176429651	227	95.90	41			
40 802 AL1	4005176429804	227	102.25	41 007 000	4005176281815	734	18.01
40 802 BE1	4005176430251	227	95.90	41 027 000	4005176576836	216	62.31
40 802 DA1	4005176429354	227	95.90	41 027 A00	4005176576911	216	94.10
40 802 DL1	4005176430107	227	102.25	41 027 AL0	4005176576928	216	100.44
40 802 EN1	4005176430329	227	102.25	41 027 BE0	4005176576850	216	94.10
40 802 GL1	4005176429507	227	95.90	41 027 DA0	4005176576898	216	94.10
40 802 GN1	4005176429958	227	102.25	41 027 DC0	4005176576843	216	87.73
40 804 000	4005176347917	222	306.24	41 027 DL0	4005176576904	216	100.44
40 805 000	4005176347924	221	51.38	41 027 EN0	4005176576867	216	100.44
40 806 000	4005176347931	221	34.44	41 027 GL0	4005176576874	216	94.10
40 807 000	4005176347948	222	169.55	41 027 GN0	4005176576881	216	100.44
40 808 000	4005176347955	223	153.64	41 028 000	4005176576942	216	62.31
40 809 000	4005176347962	223	121.85	41 028 A00	4005176577024	216	94.10
40 824 000	4005176332975	753	25.95	41 028 AL0	4005176577031	216	100.44
40 834 001	4005176335280	503	849.49	41 028 BE0	4005176576966	216	94.10
40 841 001	4005176335358	502	103.82	41 028 DA0	4005176577000	216	94.10
40 842 001	4005176335365	503	792.84	41 028 DC0	4005176576959	216	87.73
40 843 000	4005176337109	499	43.20	41 028 DL0	4005176577017	216	100.44
40 846 001	4005176344091	230	116.56	41 028 EN0	4005176576973	216	100.44
40 847 001	4005176344107	235	148.34	41 028 GL0	4005176576980	216	94.10
40 848 000	4005176351082	496	8.74	41 028 GN0	4005176576997	216	100.44
40 848 AL0	4005176646997	496	17.47	41 029 000	4005176577055	216	30.52
40 848 DL0	4005176647017	496	17.47	41 035 000	4005176577062	216	69.94
40 848 GN0	4005176647000	496	17.47	41 035 A00	4005176577147	216	105.53
40 848 SD0	4005176386008	496	12.87	41 035 AL0	4005176577154	216	111.91
40 855 000	4005176356452	504	54.52	41 035 BE0	4005176577086	216	105.53
40 857 000	4005176378393	223	121.85	41 035 DA0	4005176577123	216	105.53
40 865 000	4005176378140	221	41.31	41 035 DC0	4005176577079	216	97.91
40 899 000	4005176413896	626, 675	47.79	41 035 DL0	4005176577130	216	111.91
40 911 000	4005176416132	686, 698	15.29	41 035 EN0	4005176577093	216	111.91
40 919 SD0	4005176450136	503	15.42	41 035 GL0	4005176577109	216	105.53
40 920 000	4005176470646	498	16.19	41 035 GN0	4005176577116	216	111.91
40 949 000	4005176477881	686, 698	28.15	41 036 000	4005176577178	217	40.69
40 950 000	4005176478994	686, 698	21.72	41 037 000	4005176577185	217	17.81
40 954 000	4005176496844	109	117.74	41 038 000	4005176577192	217	82.65
40 955 001	4005176531842	45	148.71	41 038 A00	4005176577277	217	123.35
40 955 A01	4005176531910	45	223.06	41 038 AL0	4005176577284	217	132.25
40 955 DL1	4005176531903	45	237.92	41 038 BE0	4005176577215	217	123.35
40 955 GN1	4005176531880	45	237.92	41 038 DA0	4005176577253	217	123.35
40 956 001	4005176532146	46	96.22	41 038 DC0	4005176577208	217	115.72
40 956 A01	4005176532214	46	144.33	41 038 DL0	4005176577260	217	132.25
40 956 DL1	4005176532207	46	153.95	41 038 EN0	4005176577222	217	132.25
40 956 GN1	4005176532184	46	153.95	41 038 GL0	4005176577239	217	123.35
40 962 000	4005176529412	496	21.59	41 038 GN0	4005176577246	217	132.25
40 963 001	4005176530913	44	54.91	41 039 000	4005176577307	217	22.87
40 963 A01	4005176530982	44	75.52	41 039 A00	4005176577383	217	34.32
40 963 DL1	4005176530975	44	85.82	41 039 AL0	4005176577390	217	36.89
40 963 GN1	4005176530951	44	85.82	41 039 BE0	4005176577321	217	34.32
40 964 001	4005176531019	44	12.01	41 039 DA0	4005176577369	217	34.32
40 965 001	4005176531125	46	236.18	41 039 DC0	4005176577314	217	31.78
40 965 A01	4005176531194	46	354.27	41 039 DL0	4005176577376	217	36.89
40 965 DL1	4005176531187	46	377.88	41 039 EN0	4005176577338	217	36.89
40 965 GN1	4005176531163	46	377.88	41 039 GL0	4005176577345	217	34.32
40 966 001	4005176531224	46	171.63	41 039 GN0	4005176577352	217	36.89
40 966 A01	4005176531293	46	214.54	41 049 000	4005176577413	217	38.16
40 966 DL1	4005176531286	46	214.53	41 049 A00	4005176577499	217	55.96
40 966 GN1	4005176531262	46	214.53	41 049 AL0	4005176577505	217	59.76
40 967 001	4005176531323	46	122.46	41 049 BE0	4005176577437	217	55.96
40 967 A01	4005176531392	46	183.69	41 049 DA0	4005176577475	217	55.96
40 967 DL1	4005176531385	46	195.94	41 049 DC0	4005176577420	217	53.42
40 967 GN1	4005176531361	46	195.94	41 049 DL0	4005176577482	217	59.76
40 980 000	4005176586446	504	276.76	41 049 EN0	4005176577444	217	59.76
40 981 000	4005176586453	504	276.76	41 049 GL0	4005176577451	217	55.96
40 982 000	4005176586460	504	297.33	41 049 GN0	4005176577468	217	59.76
40 983 000	4005176586477	504	297.33				





# GROHE SURVEY OF CONTENTS

Ref. No.	EAN	Page	Retail Guide Price (£)	Ref. No.	EAN	Page	Retail Guide Price (£)
42 766 000	4005176222115	686	14.83	47 600 000	4005176228995	741	272.18
42 774 000	4005176221590	696	76.43	47 780 000	4005176836541	582, 595	176.13
42 886 000	4005176200670	614, 757	46.36	47 781 000	4005176836558	595	203.47
<b>43</b>				47 790 000	4005176841491	312	73.72
43 352 000	4005176832413	696	11.00	47 837 000	4005176918490	335	97.51
43 486 000	4005176157158	695	65.38	47 867 000	4005176923227	336	97.51
43 506 000	4005176157356	766	11.11	47 868 000	4005176923234	336	97.51
43 537 000	4005176157653	693	50.54	47 877 000	4005176923241	336	97.51
43 544 000	4005176157738	697, 766	11.00	47 885 000	4005176924729	742	46.36
43 617 000	4005176841163	687, 703	89.39	47 910 000	4005176938887	336	69.25
43 733 000	4005176158926	694	10.70	47 994 000	4005176364723	595	2.69
43 758 00M	4005176159121	694, 767	46.36	<b>48</b>			
43 907 P10	4005176177545	693	102.36	48 051 000	4005176890024	415, 424	8.04
43 908 000	4005176160257	696	24.61	48 053 000	4005176890031	365	119.34
43 977 000	4005176164798	705, 722	257.82	48 054 000	4005176890048	365	92.54
<b>45</b>				48 099 000	4005176908583	762	22.58
45 314 000	4005176099250	611	93.90	48 166 000	4005176923197	765	17.10
45 342 000	4005176129865	744	58.24	48 177 000	4005176924248	762	47.29
45 346 000	4005176104572	744	58.24	48 189 000	4005176928772	751	35.52
45 363 000	4005176112324	762	22.58	48 190 000	4005176928987	751	40.98
45 459 000	4005176056444	451	16.72	48 191 000	4005176928994	751	40.98
45 650 IP0	4005176137228	761	58.24	48 293 000	4005176358593	759	34.46
45 869 000	4005176189876	744	34.46	48 349 000	4005176409851	341, 365	141.33
45 882 000	4005176189883	744	46.36	48 350 000	4005176409868	341, 365	176.68
45 883 000	4005176189890	745	46.36	48 359 000	4005176442810	739	48.73
45 885 000	4005176189913	744	117.67	<b>49</b>			
45 888 000	4005176189944	745	82.01	49 002 00M	4005176372193	763	7.13
45 914 XE0	4005176842054	406, 450	31.18	49 003 000	4005176413537	313	235.94
45 937 000	4005176279683	765	27.86	49 024 000	4005176454196	769	72.09
45 973 001	4005176442919	442	12.36	49 028 000	4005176442827	742	57.06
45 984 001	4005176992056	30, 36	444.34	49 113 000	4005176571398	640	2,508.48
<b>46</b>				49 113 SH0	4005176571404	640	2,513.78
46 048 000	4005176008283	738	105.79	49 115 000	4005176571411	640	125.97
46 058 000	4005176008467	758	70.12	49 510 000	4005176373329	769	67.10
46 278 000	4005176131868	613, 738	117.67	49 533 000	4005176478475	661	39.23
46 308 000	4005176131769	738	46.36	49 533 SH0	4005176560033	661	60.16
46 374 000	4005176169076	738	105.79	49 534 000	4005176478482	661	39.23
46 375 000	4005176169083	739	46.36	49 534 SH0	4005176560040	661	60.16
46 386 000	4005176169410	738	129.55	<b>64</b>			
46 575 000	4005176830099	760	82.01	64 508 001	4005176984112	497	31.62
46 580 000	4005176831867	738	105.79	<b>65</b>			
46 914 000	4005176326424	756	8.94	65 807 000	4005176849893	753	51.41
46 944 001	4005176479977	626	245.69	65 807 A00	4005176467721	753	123.43
<b>47</b>				65 807 AL0	4005176467714	753	91.81
47 025 000	4005176009549	741	498.01	65 807 BE0	4005176467691	753	77.30
47 111 000	4005176009921	740	355.39	65 807 DA0	4005176467752	753	112.21
47 167 000	4005176010125	742	22.58	65 807 DCO	4005176442797	753	125.27
47 175 000	4005176803895	281, 284	177.10	65 807 DL0	4005176467769	753	153.37
47 186 000	4005176803901	742	212.75	65 807 EN0	4005176467707	753	84.78
47 189 000	4005176010330	756	46.36	65 807 GL0	4005176467738	753	112.21
47 217 000	4005176241246	740	165.22	65 807 GN0	4005176467745	753	91.81
47 220 000	4005176241253	740	212.75	65 808 000	4005176860065	753	53.78
47 262 000	4005176118722	743	224.63	<b>66</b>			
47 282 000	4005176061592	740	165.22	66 791 000	4005176866562	686	17.72
47 310 000	4005176079238	740	212.75				
47 349 000	4005176141461	740	141.45				
47 364 000	4005176171819	743	93.90				
47 439 000	4005176811975	741	177.10				
47 450 000	4005176076190	740	188.99				
47 483 000	4005176815409	742	212.75				
47 532 000	4005176206795	741	224.63				
47 533 000	4005176207181	591, 610	37.56				
47 598 000	4005176229169	741	319.74				

---

# LIXIL MAKES BETTER HOMES

## A REALITY FOR EVERYONE, EVERYWHERE.

A better home is made up of surprisingly simple things – baths to escape in after a long day; kitchens that unleash creativity; toilets that provide cleanliness and comfort; doors and windows that connect you with the world outside; showers and faucets to experience water in new ways; interiors and exteriors that bring spaces to life.

Born through a merger of five of Japan's most successful building materials and housing companies, we draw on our long Japanese heritage to create world-leading technology and innovative, high quality products that transform homes. Since then, we've brought together some of the most trusted names in our industry from around the world and are now home to brands including American Standard and GROHE. Today, we're made up of over 70,000 employees in more than 150 countries worldwide. What differentiates LIXIL isn't just what we do or where we do it. It's how and why we do it.

We innovate with meaningful designs that improve how people live, like the smart Ecocarot wall tiles which control odors and humidity. We experiment with leading designers and new thinkers to develop products like the GROHE Sense Guard, which quickly detects water leakages in the home. We adapt our technologies to give access for all, as we did with the SATO range of products, which save lives daily. Finally, we have a responsible business model that enables us to tackle widespread global issues such as our commitment to providing 100 million people with access to safe sanitation by 2020.


› **WE ARE PROUD THAT OUR PRODUCTS TOUCH THE LIVES OF MORE THAN ONE BILLION PEOPLE EVERY DAY, BUT THERE IS POTENTIAL TO DO SO MUCH MORE.**







Visit us:



## QUALITY

*"No.1 most trusted brand  
in the sanitary industry" –  
Wirtschaftswoche, 2017*



## TECHNOLOGY

*"Top 50 companies  
to change the world" –  
Fortune Magazine, 2017*



## DESIGN

*Over 400 design awards  
won since 2003*



## SUSTAINABILITY

*Double award winner of  
the German Sustainability  
Award 2021*

GROHE Limited  
World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel: 0208 283 2840  
Fax: 0871 200 3415  
E-Mail: [info-uk@grohe.com](mailto:info-uk@grohe.com)

GB\_09/2022 – Copyright by GROHE

PART OF **LIXIL**